

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	high Limit (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	24.81	37	PASS
Band2	1.4	18607	1	#Mid	QPSK	24.83	37	PASS
Band2	1.4	18607	1	#Max	QPSK	24.77	37	PASS
Band2	1.4	18607	3	#0	QPSK	24.71	37	PASS
Band2	1.4	18607	3	#Mid	QPSK	24.75	37	PASS
Band2	1.4	18607	3	#Max	QPSK	24.71	37	PASS
Band2	1.4	18607	6	#0	QPSK	23.81	37	PASS
Band2	1.4	18607	1	#0	QAM16	23.64	37	PASS
Band2	1.4	18607	1	#Mid	QAM16	23.71	37	PASS
Band2	1.4	18607	1	#Max	QAM16	23.67	37	PASS
Band2	1.4	18607	3	#0	QAM16	23.80	37	PASS
Band2	1.4	18607	3	#Mid	QAM16	23.83	37	PASS
Band2	1.4	18607	3	#Max	QAM16	23.79	37	PASS
Band2	1.4	18607	6	#0	QAM16	22.90	37	PASS
Band2	1.4	18900	1	#0	QPSK	24.67	37	PASS
Band2	1.4	18900	1	#Mid	QPSK	24.71	37	PASS
Band2	1.4	18900	1	#Max	QPSK	24.61	37	PASS
Band2	1.4	18900	3	#0	QPSK	24.55	37	PASS
Band2	1.4	18900	3	#Mid	QPSK	24.57	37	PASS
Band2	1.4	18900	3	#Max	QPSK	24.53	37	PASS
Band2	1.4	18900	6	#0	QPSK	23.83	37	PASS
Band2	1.4	18900	1	#0	QAM16	23.55	37	PASS
Band2	1.4	18900	1	#Mid	QAM16	23.58	37	PASS
Band2	1.4	18900	1	#Max	QAM16	23.54	37	PASS
Band2	1.4	18900	3	#0	QAM16	23.54	37	PASS
Band2	1.4	18900	3	#Mid	QAM16	23.59	37	PASS
Band2	1.4	18900	3	#Max	QAM16	23.54	37	PASS
Band2	1.4	18900	6	#0	QAM16	22.75	37	PASS
Band2	1.4	19193	1	#0	QPSK	24.85	37	PASS
Band2	1.4	19193	1	#Mid	QPSK	24.92	37	PASS
Band2	1.4	19193	1	#Max	QPSK	24.80	37	PASS
Band2	1.4	19193	3	#0	QPSK	24.65	37	PASS
Band2	1.4	19193	3	#Mid	QPSK	24.69	37	PASS
Band2	1.4	19193	3	#Max	QPSK	24.62	37	PASS
Band2	1.4	19193	6	#0	QPSK	23.90	37	PASS
Band2	1.4	19193	1	#0	QAM16	23.33	37	PASS
Band2	1.4	19193	1	#Mid	QAM16	23.41	37	PASS
Band2	1.4	19193	1	#Max	QAM16	23.34	37	PASS
Band2	1.4	19193	3	#0	QAM16	23.65	37	PASS
Band2	1.4	19193	3	#Mid	QAM16	23.65	37	PASS
Band2	1.4	19193	3	#Max	QAM16	23.66	37	PASS

Band2	1.4	19193	6	#0	QAM16	22.89	37	PASS
Band2	3	18615	1	#0	QPSK	24.50	37	PASS
Band2	3	18615	1	#Mid	QPSK	24.54	37	PASS
Band2	3	18615	1	#Max	QPSK	24.42	37	PASS
Band2	3	18615	8	#0	QPSK	23.68	37	PASS
Band2	3	18615	8	#Mid	QPSK	23.72	37	PASS
Band2	3	18615	8	#Max	QPSK	23.68	37	PASS
Band2	3	18615	15	#0	QPSK	23.66	37	PASS
Band2	3	18615	1	#0	QAM16	23.79	37	PASS
Band2	3	18615	1	#Mid	QAM16	23.84	37	PASS
Band2	3	18615	1	#Max	QAM16	23.75	37	PASS
Band2	3	18615	8	#0	QAM16	22.66	37	PASS
Band2	3	18615	8	#Mid	QAM16	22.69	37	PASS
Band2	3	18615	8	#Max	QAM16	22.64	37	PASS
Band2	3	18615	15	#0	QAM16	22.69	37	PASS
Band2	3	18900	1	#0	QPSK	24.57	37	PASS
Band2	3	18900	1	#Mid	QPSK	24.54	37	PASS
Band2	3	18900	1	#Max	QPSK	24.45	37	PASS
Band2	3	18900	8	#0	QPSK	23.65	37	PASS
Band2	3	18900	8	#Mid	QPSK	23.73	37	PASS
Band2	3	18900	8	#Max	QPSK	23.62	37	PASS
Band2	3	18900	15	#0	QPSK	23.54	37	PASS
Band2	3	18900	1	#0	QAM16	23.44	37	PASS
Band2	3	18900	1	#Mid	QAM16	23.49	37	PASS
Band2	3	18900	1	#Max	QAM16	23.37	37	PASS
Band2	3	18900	8	#0	QAM16	22.52	37	PASS
Band2	3	18900	8	#Mid	QAM16	22.54	37	PASS
Band2	3	18900	8	#Max	QAM16	22.45	37	PASS
Band2	3	18900	15	#0	QAM16	22.42	37	PASS
Band2	3	19185	1	#0	QPSK	24.68	37	PASS
Band2	3	19185	1	#Mid	QPSK	24.80	37	PASS
Band2	3	19185	1	#Max	QPSK	24.73	37	PASS
Band2	3	19185	8	#0	QPSK	23.82	37	PASS
Band2	3	19185	8	#Mid	QPSK	23.83	37	PASS
Band2	3	19185	8	#Max	QPSK	23.74	37	PASS
Band2	3	19185	15	#0	QPSK	23.72	37	PASS
Band2	3	19185	1	#0	QAM16	23.27	37	PASS
Band2	3	19185	1	#Mid	QAM16	23.32	37	PASS
Band2	3	19185	1	#Max	QAM16	23.22	37	PASS
Band2	3	19185	8	#0	QAM16	22.65	37	PASS
Band2	3	19185	8	#Mid	QAM16	22.67	37	PASS
Band2	3	19185	8	#Max	QAM16	22.61	37	PASS
Band2	3	19185	15	#0	QAM16	22.67	37	PASS
Band2	5	18625	1	#0	QPSK	24.73	37	PASS

Band2	5	18625	1	#Mid	QPSK	24.76	37	PASS
Band2	5	18625	1	#Max	QPSK	24.68	37	PASS
Band2	5	18625	12	#0	QPSK	23.75	37	PASS
Band2	5	18625	12	#Mid	QPSK	23.76	37	PASS
Band2	5	18625	12	#Max	QPSK	23.70	37	PASS
Band2	5	18625	25	#0	QPSK	23.73	37	PASS
Band2	5	18625	1	#0	QAM16	24.09	37	PASS
Band2	5	18625	1	#Mid	QAM16	24.14	37	PASS
Band2	5	18625	1	#Max	QAM16	24.13	37	PASS
Band2	5	18625	12	#0	QAM16	22.72	37	PASS
Band2	5	18625	12	#Mid	QAM16	22.74	37	PASS
Band2	5	18625	12	#Max	QAM16	22.69	37	PASS
Band2	5	18625	25	#0	QAM16	22.74	37	PASS
Band2	5	18900	1	#0	QPSK	24.85	37	PASS
Band2	5	18900	1	#Mid	QPSK	24.85	37	PASS
Band2	5	18900	1	#Max	QPSK	24.74	37	PASS
Band2	5	18900	12	#0	QPSK	23.62	37	PASS
Band2	5	18900	12	#Mid	QPSK	23.67	37	PASS
Band2	5	18900	12	#Max	QPSK	23.55	37	PASS
Band2	5	18900	25	#0	QPSK	23.56	37	PASS
Band2	5	18900	1	#0	QAM16	23.79	37	PASS
Band2	5	18900	1	#Mid	QAM16	23.77	37	PASS
Band2	5	18900	1	#Max	QAM16	23.68	37	PASS
Band2	5	18900	12	#0	QAM16	22.49	37	PASS
Band2	5	18900	12	#Mid	QAM16	22.50	37	PASS
Band2	5	18900	12	#Max	QAM16	22.38	37	PASS
Band2	5	18900	25	#0	QAM16	22.48	37	PASS
Band2	5	19175	1	#0	QPSK	24.72	37	PASS
Band2	5	19175	1	#Mid	QPSK	24.82	37	PASS
Band2	5	19175	1	#Max	QPSK	24.72	37	PASS
Band2	5	19175	12	#0	QPSK	23.72	37	PASS
Band2	5	19175	12	#Mid	QPSK	23.81	37	PASS
Band2	5	19175	12	#Max	QPSK	23.70	37	PASS
Band2	5	19175	25	#0	QPSK	23.69	37	PASS
Band2	5	19175	1	#0	QAM16	23.82	37	PASS
Band2	5	19175	1	#Mid	QAM16	23.89	37	PASS
Band2	5	19175	1	#Max	QAM16	23.82	37	PASS
Band2	5	19175	12	#0	QAM16	22.67	37	PASS
Band2	5	19175	12	#Mid	QAM16	22.72	37	PASS
Band2	5	19175	12	#Max	QAM16	22.63	37	PASS
Band2	5	19175	25	#0	QAM16	22.63	37	PASS
Band2	10	18650	1	#0	QPSK	24.78	37	PASS
Band2	10	18650	1	#Mid	QPSK	24.80	37	PASS
Band2	10	18650	1	#Max	QPSK	24.81	37	PASS

Band2	10	18650	25	#0	QPSK	23.71	37	PASS
Band2	10	18650	25	#Mid	QPSK	23.79	37	PASS
Band2	10	18650	25	#Max	QPSK	23.81	37	PASS
Band2	10	18650	50	#0	QPSK	23.78	37	PASS
Band2	10	18650	1	#0	QAM16	24.03	37	PASS
Band2	10	18650	1	#Mid	QAM16	24.11	37	PASS
Band2	10	18650	1	#Max	QAM16	24.14	37	PASS
Band2	10	18650	25	#0	QAM16	22.75	37	PASS
Band2	10	18650	25	#Mid	QAM16	22.85	37	PASS
Band2	10	18650	25	#Max	QAM16	22.83	37	PASS
Band2	10	18650	50	#0	QAM16	22.85	37	PASS
Band2	10	18900	1	#0	QPSK	24.90	37	PASS
Band2	10	18900	1	#Mid	QPSK	24.81	37	PASS
Band2	10	18900	1	#Max	QPSK	24.63	37	PASS
Band2	10	18900	25	#0	QPSK	23.67	37	PASS
Band2	10	18900	25	#Mid	QPSK	23.66	37	PASS
Band2	10	18900	25	#Max	QPSK	23.46	37	PASS
Band2	10	18900	50	#0	QPSK	23.54	37	PASS
Band2	10	18900	1	#0	QAM16	23.78	37	PASS
Band2	10	18900	1	#Mid	QAM16	23.72	37	PASS
Band2	10	18900	1	#Max	QAM16	23.58	37	PASS
Band2	10	18900	25	#0	QAM16	22.56	37	PASS
Band2	10	18900	25	#Mid	QAM16	22.54	37	PASS
Band2	10	18900	25	#Max	QAM16	22.40	37	PASS
Band2	10	18900	50	#0	QAM16	22.49	37	PASS
Band2	10	19150	1	#0	QPSK	24.84	37	PASS
Band2	10	19150	1	#Mid	QPSK	25.03	37	PASS
Band2	10	19150	1	#Max	QPSK	25.04	37	PASS
Band2	10	19150	25	#0	QPSK	23.63	37	PASS
Band2	10	19150	25	#Mid	QPSK	23.75	37	PASS
Band2	10	19150	25	#Max	QPSK	23.67	37	PASS
Band2	10	19150	50	#0	QPSK	23.63	37	PASS
Band2	10	19150	1	#0	QAM16	23.54	37	PASS
Band2	10	19150	1	#Mid	QAM16	23.57	37	PASS
Band2	10	19150	1	#Max	QAM16	23.50	37	PASS
Band2	10	19150	25	#0	QAM16	22.58	37	PASS
Band2	10	19150	25	#Mid	QAM16	22.74	37	PASS
Band2	10	19150	25	#Max	QAM16	22.62	37	PASS
Band2	10	19150	50	#0	QAM16	22.56	37	PASS
Band2	15	18675	1	#0	QPSK	24.74	37	PASS
Band2	15	18675	1	#Mid	QPSK	24.78	37	PASS
Band2	15	18675	1	#Max	QPSK	24.84	37	PASS
Band2	15	18675	36	#0	QPSK	23.77	37	PASS
Band2	15	18675	36	#Mid	QPSK	23.83	37	PASS

Band2	15	18675	36	#Max	QPSK	23.91	37	PASS
Band2	15	18675	75	#0	QPSK	23.89	37	PASS
Band2	15	18675	1	#0	QAM16	23.96	37	PASS
Band2	15	18675	1	#Mid	QAM16	24.13	37	PASS
Band2	15	18675	1	#Max	QAM16	24.15	37	PASS
Band2	15	18675	36	#0	QAM16	22.75	37	PASS
Band2	15	18675	36	#Mid	QAM16	22.84	37	PASS
Band2	15	18675	36	#Max	QAM16	22.91	37	PASS
Band2	15	18675	75	#0	QAM16	22.82	37	PASS
Band2	15	18900	1	#0	QPSK	24.86	37	PASS
Band2	15	18900	1	#Mid	QPSK	24.77	37	PASS
Band2	15	18900	1	#Max	QPSK	24.47	37	PASS
Band2	15	18900	36	#0	QPSK	23.90	37	PASS
Band2	15	18900	36	#Mid	QPSK	23.91	37	PASS
Band2	15	18900	36	#Max	QPSK	23.67	37	PASS
Band2	15	18900	75	#0	QPSK	23.78	37	PASS
Band2	15	18900	1	#0	QAM16	23.83	37	PASS
Band2	15	18900	1	#Mid	QAM16	23.68	37	PASS
Band2	15	18900	1	#Max	QAM16	23.47	37	PASS
Band2	15	18900	36	#0	QAM16	22.83	37	PASS
Band2	15	18900	36	#Mid	QAM16	22.79	37	PASS
Band2	15	18900	36	#Max	QAM16	22.59	37	PASS
Band2	15	18900	75	#0	QAM16	22.63	37	PASS
Band2	15	19125	1	#0	QPSK	24.63	37	PASS
Band2	15	19125	1	#Mid	QPSK	24.95	37	PASS
Band2	15	19125	1	#Max	QPSK	24.96	37	PASS
Band2	15	19125	36	#0	QPSK	23.72	37	PASS
Band2	15	19125	36	#Mid	QPSK	23.86	37	PASS
Band2	15	19125	36	#Max	QPSK	23.88	37	PASS
Band2	15	19125	75	#0	QPSK	23.79	37	PASS
Band2	15	19125	1	#0	QAM16	23.64	37	PASS
Band2	15	19125	1	#Mid	QAM16	23.79	37	PASS
Band2	15	19125	1	#Max	QAM16	23.75	37	PASS
Band2	15	19125	36	#0	QAM16	22.64	37	PASS
Band2	15	19125	36	#Mid	QAM16	22.74	37	PASS
Band2	15	19125	36	#Max	QAM16	22.74	37	PASS
Band2	15	19125	75	#0	QAM16	22.73	37	PASS
Band2	20	18700	1	#0	QPSK	24.65	37	PASS
Band2	20	18700	1	#Mid	QPSK	24.88	37	PASS
Band2	20	18700	1	#Max	QPSK	24.90	37	PASS
Band2	20	18700	50	#0	QPSK	23.70	37	PASS
Band2	20	18700	50	#Mid	QPSK	23.85	37	PASS
Band2	20	18700	50	#Max	QPSK	24.04	37	PASS
Band2	20	18700	100	#0	QPSK	23.86	37	PASS

Band2	20	18700	1	#0	QAM16	23.85	37	PASS
Band2	20	18700	1	#Mid	QAM16	24.14	37	PASS
Band2	20	18700	1	#Max	QAM16	24.01	37	PASS
Band2	20	18700	50	#0	QAM16	22.74	37	PASS
Band2	20	18700	50	#Mid	QAM16	22.90	37	PASS
Band2	20	18700	50	#Max	QAM16	23.04	37	PASS
Band2	20	18700	100	#0	QAM16	22.85	37	PASS
Band2	20	18900	1	#0	QPSK	24.86	37	PASS
Band2	20	18900	1	#Mid	QPSK	25.00	37	PASS
Band2	20	18900	1	#Max	QPSK	24.47	37	PASS
Band2	20	18900	50	#0	QPSK	23.68	37	PASS
Band2	20	18900	50	#Mid	QPSK	23.64	37	PASS
Band2	20	18900	50	#Max	QPSK	23.42	37	PASS
Band2	20	18900	100	#0	QPSK	23.58	37	PASS
Band2	20	18900	1	#0	QAM16	23.85	37	PASS
Band2	20	18900	1	#Mid	QAM16	23.71	37	PASS
Band2	20	18900	1	#Max	QAM16	23.51	37	PASS
Band2	20	18900	50	#0	QAM16	22.57	37	PASS
Band2	20	18900	50	#Mid	QAM16	22.56	37	PASS
Band2	20	18900	50	#Max	QAM16	22.34	37	PASS
Band2	20	18900	100	#0	QAM16	22.48	37	PASS
Band2	20	19100	1	#0	QPSK	24.38	37	PASS
Band2	20	19100	1	#Mid	QPSK	24.87	37	PASS
Band2	20	19100	1	#Max	QPSK	24.77	37	PASS
Band2	20	19100	50	#0	QPSK	23.52	37	PASS
Band2	20	19100	50	#Mid	QPSK	23.76	37	PASS
Band2	20	19100	50	#Max	QPSK	23.70	37	PASS
Band2	20	19100	100	#0	QPSK	23.62	37	PASS
Band2	20	19100	1	#0	QAM16	23.55	37	PASS
Band2	20	19100	1	#Mid	QAM16	23.94	37	PASS
Band2	20	19100	1	#Max	QAM16	23.75	37	PASS
Band2	20	19100	50	#0	QAM16	22.54	37	PASS
Band2	20	19100	50	#Mid	QAM16	22.76	37	PASS
Band2	20	19100	50	#Max	QAM16	22.72	37	PASS
Band2	20	19100	100	#0	QAM16	22.62	37	PASS

2 Frequency stability


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
Band2	20	18700	100	#0	QPSK	-9.72	-0.005	-2.5	2.5	PASS
Band2	20	18700	100	#0	QAM16	3.71	0.002	-2.5	2.5	PASS
Band2	20	18900	100	#0	QPSK	-0.67	0.000	-2.5	2.5	PASS
Band2	20	18900	100	#0	QAM16	0.48	0.000	-2.5	2.5	PASS
Band2	20	19100	100	#0	QPSK	4.29	0.002	-2.5	2.5	PASS

Band2	20	19100	100	#0	QAM16	1.73	0.001	-2.5	2.5	PASS
-------	----	-------	-----	----	-------	------	-------	------	-----	------

3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18900	1	#0	QPSK	2.19	13	PASS
Band2	1.4	18900	1	#0	QAM16	3.38	13	PASS
Band2	3	18900	1	#0	QPSK	2.31	13	PASS
Band2	3	18900	1	#0	QAM16	3.42	13	PASS
Band2	5	18900	1	#0	QPSK	2.30	13	PASS
Band2	5	18900	1	#0	QAM16	3.33	13	PASS
Band2	10	18900	1	#0	QPSK	2.29	13	PASS
Band2	10	18900	1	#0	QAM16	3.37	13	PASS
Band2	15	18900	1	#0	QPSK	2.66	13	PASS
Band2	15	18900	1	#0	QAM16	3.70	13	PASS
Band2	20	18900	1	#0	QPSK	3.04	13	PASS
Band2	20	18900	1	#0	QAM16	3.87	13	PASS

Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=1 Position=#0



Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0




4 Occupied bandwidth


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band2	1.4	18607	6	#0	QPSK	1.097	1.275	PASS
Band2	1.4	18607	6	#0	QAM16	1.091	1.268	PASS
Band2	1.4	18900	6	#0	QPSK	1.111	1.308	PASS
Band2	1.4	18900	6	#0	QAM16	1.098	1.285	PASS
Band2	1.4	19193	6	#0	QPSK	1.099	1.306	PASS
Band2	1.4	19193	6	#0	QAM16	1.104	1.271	PASS
Band2	3	18615	15	#0	QPSK	2.680	2.994	PASS
Band2	3	18615	15	#0	QAM16	2.693	2.959	PASS
Band2	3	18900	15	#0	QPSK	2.689	3.018	PASS
Band2	3	18900	15	#0	QAM16	2.697	2.990	PASS
Band2	3	19185	15	#0	QPSK	2.692	2.971	PASS
Band2	3	19185	15	#0	QAM16	2.689	2.948	PASS
Band2	5	18625	25	#0	QPSK	4.515	4.867	PASS
Band2	5	18625	25	#0	QAM16	4.504	4.866	PASS
Band2	5	18900	25	#0	QPSK	4.510	4.907	PASS
Band2	5	18900	25	#0	QAM16	4.523	4.933	PASS
Band2	5	19175	25	#0	QPSK	4.508	4.905	PASS
Band2	5	19175	25	#0	QAM16	4.524	4.924	PASS
Band2	10	18650	50	#0	QPSK	9.002	9.788	PASS
Band2	10	18650	50	#0	QAM16	8.997	9.724	PASS
Band2	10	18900	50	#0	QPSK	8.963	9.684	PASS

Band2	10	18900	50	#0	QAM16	8.978	9.744	PASS
Band2	10	19150	50	#0	QPSK	8.951	9.706	PASS
Band2	10	19150	50	#0	QAM16	8.983	9.764	PASS
Band2	15	18675	75	#0	QPSK	13.517	14.547	PASS
Band2	15	18675	75	#0	QAM16	13.472	14.548	PASS
Band2	15	18900	75	#0	QPSK	13.467	14.528	PASS
Band2	15	18900	75	#0	QAM16	13.484	14.539	PASS
Band2	15	19125	75	#0	QPSK	13.470	14.474	PASS
Band2	15	19125	75	#0	QAM16	13.436	14.374	PASS
Band2	20	18700	100	#0	QPSK	18.031	19.163	PASS
Band2	20	18700	100	#0	QAM16	17.956	19.288	PASS
Band2	20	18900	100	#0	QPSK	17.923	19.266	PASS
Band2	20	18900	100	#0	QAM16	17.948	19.301	PASS
Band2	20	19100	100	#0	QPSK	17.959	19.496	PASS
Band2	20	19100	100	#0	QAM16	17.920	19.264	PASS


Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18900 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	6	#0	QPSK	1850.00	-26.88	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1850.00	-27.40	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.02	-20.78	-13	PASS
Band2	1.4	19193	6	#0	QAM16	1910.05	-24.17	-13	PASS
Band2	3	18615	15	#0	QPSK	1850.00	-24.14	-13	PASS
Band2	3	18615	15	#0	QAM16	1849.99	-28.20	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.00	-21.33	-13	PASS
Band2	3	19185	15	#0	QAM16	1910.01	-23.91	-13	PASS
Band2	5	18625	25	#0	QPSK	1850.00	-29.04	-13	PASS
Band2	5	18625	25	#0	QAM16	1849.98	-30.16	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.04	-22.00	-13	PASS
Band2	5	19175	25	#0	QAM16	1910.13	-25.12	-13	PASS
Band2	10	18650	50	#0	QPSK	1850.00	-29.98	-13	PASS
Band2	10	18650	50	#0	QAM16	1849.98	-31.19	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.44	-23.33	-13	PASS
Band2	10	19150	50	#0	QAM16	1910.38	-26.01	-13	PASS
Band2	15	18675	75	#0	QPSK	1849.52	-23.42	-13	PASS
Band2	15	18675	75	#0	QAM16	1849.64	-28.77	-13	PASS
Band2	15	19125	75	#0	QPSK	1910.30	-22.05	-13	PASS
Band2	15	19125	75	#0	QAM16	1910.90	-25.62	-13	PASS

Band2	20	18700	100	#0	QPSK	1850.00	-24.38	-13	PASS
Band2	20	18700	100	#0	QAM16	1849.28	-27.78	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.24	-24.14	-13	PASS
Band2	20	19100	100	#0	QAM16	1910.00	-25.97	-13	PASS

Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




6 Out-of-band emissions


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	6	#0	QPSK	1841.73	-31.52	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1844.20	-31.88	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1915.75	-36.81	-13	PASS
Band2	1.4	19193	6	#0	QAM16	5029.75	-37.72	-13	PASS
Band2	3	18615	15	#0	QPSK	3957.63	-37.66	-13	PASS
Band2	3	18615	15	#0	QAM16	3830.28	-37.59	-13	PASS
Band2	3	19185	15	#0	QPSK	3889.23	-37.48	-13	PASS
Band2	3	19185	15	#0	QAM16	3217.15	-36.58	-13	PASS
Band2	5	18625	25	#0	QPSK	3848.05	-37.50	-13	PASS
Band2	5	18625	25	#0	QAM16	3770.20	-37.75	-13	PASS
Band2	5	19175	25	#0	QPSK	2424.70	-37.39	-13	PASS
Band2	5	19175	25	#0	QAM16	5038.53	-36.90	-13	PASS
Band2	10	18650	50	#0	QPSK	5682.93	-37.75	-13	PASS
Band2	10	18650	50	#0	QAM16	3840.40	-35.57	-13	PASS
Band2	10	19150	50	#0	QPSK	3865.15	-37.30	-13	PASS
Band2	10	19150	50	#0	QAM16	3802.60	-37.95	-13	PASS
Band2	15	18675	75	#0	QPSK	6390.10	-37.65	-13	PASS
Band2	15	18675	75	#0	QAM16	3809.58	-37.27	-13	PASS
Band2	15	19125	75	#0	QPSK	3801.03	-37.80	-13	PASS
Band2	15	19125	75	#0	QAM16	3829.60	-37.65	-13	PASS

Band2	20	18700	100	#0	QPSK	3861.10	-37.09	-13	PASS
Band2	20	18700	100	#0	QAM16	3771.78	-37.64	-13	PASS
Band2	20	19100	100	#0	QPSK	3850.30	-36.78	-13	PASS
Band2	20	19100	100	#0	QAM16	3984.40	-37.76	-13	PASS


Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0

