

1 Conducted output power for NR FR1

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Power (dBm) | EIRP (dBm) | Limit (dBm) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|-------------|------------|-------------|---------|
| n7 | 15 | 5 | 500500 | 12@6 | DFT_BPSK | 22.22 | 21.72 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@1 | DFT_BPSK | 22.22 | 21.72 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@23 | DFT_BPSK | 22.17 | 21.67 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 12@6 | DFT_QPSK | 22.19 | 21.69 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@1 | DFT_QPSK | 22.14 | 21.64 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@23 | DFT_QPSK | 22.13 | 21.63 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 12@6 | DFT_QAM16 | 21.22 | 20.72 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@1 | DFT_QAM16 | 21.32 | 20.82 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@23 | DFT_QAM16 | 21.31 | 20.81 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 12@6 | DFT_QAM64 | 19.82 | 19.32 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@1 | DFT_QAM64 | 19.88 | 19.38 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@23 | DFT_QAM64 | 19.80 | 19.3 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 12@6 | DFT_QAM256 | 17.73 | 17.23 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@1 | DFT_QAM256 | 17.85 | 17.35 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@23 | DFT_QAM256 | 17.80 | 17.3 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 13@6 | CP_QPSK | 20.65 | 20.15 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@1 | CP_QPSK | 20.67 | 20.17 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@23 | CP_QPSK | 20.69 | 20.19 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 13@6 | CP_QAM16 | 20.37 | 19.87 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@1 | CP_QAM16 | 20.30 | 19.8 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@23 | CP_QAM16 | 20.33 | 19.83 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 13@6 | CP_QAM64 | 18.71 | 18.21 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@1 | CP_QAM64 | 18.82 | 18.32 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@23 | CP_QAM64 | 18.87 | 18.37 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 13@6 | CP_QAM256 | 15.89 | 15.39 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@1 | CP_QAM256 | 15.70 | 15.2 | 33 | PASS |
| n7 | 15 | 5 | 500500 | 1@23 | CP_QAM256 | 15.66 | 15.16 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 12@6 | DFT_BPSK | 22.10 | 21.6 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@1 | DFT_BPSK | 22.16 | 21.66 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | DFT_BPSK | 22.20 | 21.7 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 12@6 | DFT_QPSK | 22.17 | 21.67 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@1 | DFT_QPSK | 21.92 | 21.42 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | DFT_QPSK | 21.96 | 21.46 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 12@6 | DFT_QAM16 | 21.15 | 20.65 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@1 | DFT_QAM16 | 21.37 | 20.87 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | DFT_QAM16 | 21.23 | 20.73 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 12@6 | DFT_QAM64 | 19.69 | 19.19 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@1 | DFT_QAM64 | 19.57 | 19.07 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | DFT_QAM64 | 19.58 | 19.08 | 33 | PASS |

| | | | | | | | | | |
|----|----|----|--------|-------|------------|-------|-------|----|------|
| n7 | 15 | 5 | 507000 | 12@6 | DFT_QAM256 | 17.66 | 17.16 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@1 | DFT_QAM256 | 17.62 | 17.12 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | DFT_QAM256 | 17.65 | 17.15 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 13@6 | CP_QPSK | 20.54 | 20.04 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@1 | CP_QPSK | 20.68 | 20.18 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | CP_QPSK | 20.63 | 20.13 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 13@6 | CP_QAM16 | 20.18 | 19.68 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@1 | CP_QAM16 | 20.18 | 19.68 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | CP_QAM16 | 20.20 | 19.7 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 13@6 | CP_QAM64 | 18.75 | 18.25 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@1 | CP_QAM64 | 18.84 | 18.34 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | CP_QAM64 | 18.78 | 18.28 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 13@6 | CP_QAM256 | 15.77 | 15.27 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@1 | CP_QAM256 | 16.07 | 15.57 | 33 | PASS |
| n7 | 15 | 5 | 507000 | 1@23 | CP_QAM256 | 15.60 | 15.1 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 12@6 | DFT_BPSK | 22.28 | 21.78 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@1 | DFT_BPSK | 22.18 | 21.68 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | DFT_BPSK | 22.26 | 21.76 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 12@6 | DFT_QPSK | 22.20 | 21.7 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@1 | DFT_QPSK | 22.05 | 21.55 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | DFT_QPSK | 22.15 | 21.65 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 12@6 | DFT_QAM16 | 21.27 | 20.77 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@1 | DFT_QAM16 | 21.32 | 20.82 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | DFT_QAM16 | 21.43 | 20.93 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 12@6 | DFT_QAM64 | 19.82 | 19.32 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@1 | DFT_QAM64 | 19.81 | 19.31 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | DFT_QAM64 | 19.86 | 19.36 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 12@6 | DFT_QAM256 | 17.80 | 17.3 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@1 | DFT_QAM256 | 17.69 | 17.19 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | DFT_QAM256 | 17.79 | 17.29 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 13@6 | CP_QPSK | 20.71 | 20.21 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@1 | CP_QPSK | 20.63 | 20.13 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | CP_QPSK | 20.66 | 20.16 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 13@6 | CP_QAM16 | 20.32 | 19.82 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@1 | CP_QAM16 | 20.46 | 19.96 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | CP_QAM16 | 20.31 | 19.81 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 13@6 | CP_QAM64 | 18.84 | 18.34 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@1 | CP_QAM64 | 18.74 | 18.24 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | CP_QAM64 | 18.78 | 18.28 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 13@6 | CP_QAM256 | 15.84 | 15.34 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@1 | CP_QAM256 | 15.67 | 15.17 | 33 | PASS |
| n7 | 15 | 5 | 513500 | 1@23 | CP_QAM256 | 15.73 | 15.23 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 25@12 | DFT_BPSK | 22.00 | 21.5 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@1 | DFT_BPSK | 22.02 | 21.52 | 33 | PASS |

| | | | | | | | | | |
|----|----|----|--------|-------|------------|-------|-------|----|------|
| n7 | 15 | 10 | 501000 | 1@50 | DFT_BPSK | 21.99 | 21.49 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 25@12 | DFT_QPSK | 22.08 | 21.58 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@1 | DFT_QPSK | 21.91 | 21.41 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@50 | DFT_QPSK | 21.87 | 21.37 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 25@12 | DFT_QAM16 | 21.10 | 20.6 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@1 | DFT_QAM16 | 21.20 | 20.7 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@50 | DFT_QAM16 | 21.11 | 20.61 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 25@12 | DFT_QAM64 | 19.50 | 19 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@1 | DFT_QAM64 | 19.66 | 19.16 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@50 | DFT_QAM64 | 19.47 | 18.97 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 25@12 | DFT_QAM256 | 17.58 | 17.08 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@1 | DFT_QAM256 | 17.62 | 17.12 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@50 | DFT_QAM256 | 17.51 | 17.01 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 26@13 | CP_QPSK | 20.58 | 20.08 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@1 | CP_QPSK | 20.50 | 20 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@50 | CP_QPSK | 20.51 | 20.01 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 26@13 | CP_QAM16 | 20.07 | 19.57 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@1 | CP_QAM16 | 20.34 | 19.84 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@50 | CP_QAM16 | 20.29 | 19.79 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 26@13 | CP_QAM64 | 18.52 | 18.02 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@1 | CP_QAM64 | 18.61 | 18.11 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@50 | CP_QAM64 | 18.64 | 18.14 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 26@13 | CP_QAM256 | 15.68 | 15.18 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@1 | CP_QAM256 | 15.58 | 15.08 | 33 | PASS |
| n7 | 15 | 10 | 501000 | 1@50 | CP_QAM256 | 15.86 | 15.36 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 25@12 | DFT_BPSK | 22.02 | 21.52 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@1 | DFT_BPSK | 21.84 | 21.34 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@50 | DFT_BPSK | 21.93 | 21.43 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 25@12 | DFT_QPSK | 22.02 | 21.52 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@1 | DFT_QPSK | 21.80 | 21.3 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@50 | DFT_QPSK | 21.78 | 21.28 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 25@12 | DFT_QAM16 | 21.01 | 20.51 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@1 | DFT_QAM16 | 21.09 | 20.59 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@50 | DFT_QAM16 | 21.07 | 20.57 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 25@12 | DFT_QAM64 | 19.49 | 18.99 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@1 | DFT_QAM64 | 19.50 | 19 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@50 | DFT_QAM64 | 19.51 | 19.01 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 25@12 | DFT_QAM256 | 17.51 | 17.01 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@1 | DFT_QAM256 | 17.44 | 16.94 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@50 | DFT_QAM256 | 17.22 | 16.72 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 26@13 | CP_QPSK | 20.41 | 19.91 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@1 | CP_QPSK | 20.31 | 19.81 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@50 | CP_QPSK | 20.41 | 19.91 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 26@13 | CP_QAM16 | 19.91 | 19.41 | 33 | PASS |

| | | | | | | | | | |
|----|----|----|--------|-------|------------|-------|-------|----|------|
| n7 | 15 | 10 | 507000 | 1@1 | CP_QAM16 | 19.99 | 19.49 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@50 | CP_QAM16 | 20.27 | 19.77 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 26@13 | CP_QAM64 | 18.56 | 18.06 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@1 | CP_QAM64 | 18.46 | 17.96 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@50 | CP_QAM64 | 18.40 | 17.9 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 26@13 | CP_QAM256 | 15.58 | 15.08 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@1 | CP_QAM256 | 15.39 | 14.89 | 33 | PASS |
| n7 | 15 | 10 | 507000 | 1@50 | CP_QAM256 | 15.38 | 14.88 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 25@12 | DFT_BPSK | 22.06 | 21.56 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@1 | DFT_BPSK | 21.85 | 21.35 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@50 | DFT_BPSK | 22.02 | 21.52 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 25@12 | DFT_QPSK | 22.03 | 21.53 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@1 | DFT_QPSK | 21.84 | 21.34 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@50 | DFT_QPSK | 21.87 | 21.37 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 25@12 | DFT_QAM16 | 21.00 | 20.5 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@1 | DFT_QAM16 | 21.02 | 20.52 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@50 | DFT_QAM16 | 21.03 | 20.53 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 25@12 | DFT_QAM64 | 19.55 | 19.05 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@1 | DFT_QAM64 | 19.41 | 18.91 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@50 | DFT_QAM64 | 19.65 | 19.15 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 25@12 | DFT_QAM256 | 17.61 | 17.11 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@1 | DFT_QAM256 | 17.44 | 16.94 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@50 | DFT_QAM256 | 17.55 | 17.05 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 26@13 | CP_QPSK | 20.53 | 20.03 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@1 | CP_QPSK | 20.40 | 19.9 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@50 | CP_QPSK | 20.49 | 19.99 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 26@13 | CP_QAM16 | 20.10 | 19.6 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@1 | CP_QAM16 | 20.24 | 19.74 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@50 | CP_QAM16 | 20.47 | 19.97 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 26@13 | CP_QAM64 | 18.55 | 18.05 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@1 | CP_QAM64 | 18.45 | 17.95 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@50 | CP_QAM64 | 18.61 | 18.11 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 26@13 | CP_QAM256 | 15.64 | 15.14 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@1 | CP_QAM256 | 15.85 | 15.35 | 33 | PASS |
| n7 | 15 | 10 | 513000 | 1@50 | CP_QAM256 | 15.50 | 15 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 36@18 | DFT_BPSK | 22.18 | 21.68 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@1 | DFT_BPSK | 22.10 | 21.6 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@77 | DFT_BPSK | 22.08 | 21.58 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 36@18 | DFT_QPSK | 22.17 | 21.67 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@1 | DFT_QPSK | 21.96 | 21.46 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@77 | DFT_QPSK | 21.92 | 21.42 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 36@18 | DFT_QAM16 | 21.13 | 20.63 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@1 | DFT_QAM16 | 21.21 | 20.71 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@77 | DFT_QAM16 | 21.08 | 20.58 | 33 | PASS |

| | | | | | | | | | |
|----|----|----|--------|-------|------------|-------|-------|----|------|
| n7 | 15 | 15 | 501500 | 36@18 | DFT_QAM64 | 19.70 | 19.2 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@1 | DFT_QAM64 | 19.60 | 19.1 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@77 | DFT_QAM64 | 19.57 | 19.07 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 36@18 | DFT_QAM256 | 17.66 | 17.16 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@1 | DFT_QAM256 | 17.61 | 17.11 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@77 | DFT_QAM256 | 17.58 | 17.08 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 39@19 | CP_QPSK | 20.63 | 20.13 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@1 | CP_QPSK | 20.60 | 20.1 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@77 | CP_QPSK | 20.57 | 20.07 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 39@19 | CP_QAM16 | 20.16 | 19.66 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@1 | CP_QAM16 | 20.44 | 19.94 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@77 | CP_QAM16 | 20.09 | 19.59 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 39@19 | CP_QAM64 | 18.64 | 18.14 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@1 | CP_QAM64 | 18.71 | 18.21 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@77 | CP_QAM64 | 18.61 | 18.11 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 39@19 | CP_QAM256 | 15.72 | 15.22 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@1 | CP_QAM256 | 16.07 | 15.57 | 33 | PASS |
| n7 | 15 | 15 | 501500 | 1@77 | CP_QAM256 | 15.57 | 15.07 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 36@18 | DFT_BPSK | 22.11 | 21.61 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@1 | DFT_BPSK | 21.97 | 21.47 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@77 | DFT_BPSK | 21.96 | 21.46 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 36@18 | DFT_QPSK | 22.07 | 21.57 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@1 | DFT_QPSK | 21.94 | 21.44 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@77 | DFT_QPSK | 21.96 | 21.46 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 36@18 | DFT_QAM16 | 21.02 | 20.52 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@1 | DFT_QAM16 | 21.12 | 20.62 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@77 | DFT_QAM16 | 21.06 | 20.56 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 36@18 | DFT_QAM64 | 19.65 | 19.15 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@1 | DFT_QAM64 | 19.77 | 19.27 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@77 | DFT_QAM64 | 19.82 | 19.32 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 36@18 | DFT_QAM256 | 17.63 | 17.13 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@1 | DFT_QAM256 | 17.57 | 17.07 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@77 | DFT_QAM256 | 17.63 | 17.13 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 39@19 | CP_QPSK | 20.63 | 20.13 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@1 | CP_QPSK | 20.52 | 20.02 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@77 | CP_QPSK | 20.43 | 19.93 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 39@19 | CP_QAM16 | 20.16 | 19.66 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@1 | CP_QAM16 | 20.05 | 19.55 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@77 | CP_QAM16 | 20.38 | 19.88 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 39@19 | CP_QAM64 | 18.65 | 18.15 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@1 | CP_QAM64 | 18.55 | 18.05 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@77 | CP_QAM64 | 18.71 | 18.21 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 39@19 | CP_QAM256 | 15.70 | 15.2 | 33 | PASS |
| n7 | 15 | 15 | 507000 | 1@1 | CP_QAM256 | 15.88 | 15.38 | 33 | PASS |

| | | | | | | | | | |
|----|----|----|--------|-------|------------|-------|-------|----|------|
| n7 | 15 | 15 | 507000 | 1@77 | CP_QAM256 | 15.58 | 15.08 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 36@18 | DFT_BPSK | 22.16 | 21.66 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@1 | DFT_BPSK | 22.05 | 21.55 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@77 | DFT_BPSK | 22.12 | 21.62 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 36@18 | DFT_QPSK | 22.19 | 21.69 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@1 | DFT_QPSK | 21.90 | 21.4 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@77 | DFT_QPSK | 22.02 | 21.52 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 36@18 | DFT_QAM16 | 21.14 | 20.64 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@1 | DFT_QAM16 | 20.97 | 20.47 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@77 | DFT_QAM16 | 21.14 | 20.64 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 36@18 | DFT_QAM64 | 19.71 | 19.21 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@1 | DFT_QAM64 | 19.76 | 19.26 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@77 | DFT_QAM64 | 19.90 | 19.4 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 36@18 | DFT_QAM256 | 17.60 | 17.1 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@1 | DFT_QAM256 | 17.53 | 17.03 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@77 | DFT_QAM256 | 17.67 | 17.17 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 39@19 | CP_QPSK | 20.68 | 20.18 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@1 | CP_QPSK | 20.54 | 20.04 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@77 | CP_QPSK | 20.59 | 20.09 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 39@19 | CP_QAM16 | 20.20 | 19.7 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@1 | CP_QAM16 | 20.32 | 19.82 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@77 | CP_QAM16 | 20.43 | 19.93 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 39@19 | CP_QAM64 | 18.72 | 18.22 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@1 | CP_QAM64 | 18.69 | 18.19 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@77 | CP_QAM64 | 18.72 | 18.22 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 39@19 | CP_QAM256 | 15.76 | 15.26 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@1 | CP_QAM256 | 15.87 | 15.37 | 33 | PASS |
| n7 | 15 | 15 | 512500 | 1@77 | CP_QAM256 | 15.73 | 15.23 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 50@25 | DFT_BPSK | 22.19 | 21.69 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@1 | DFT_BPSK | 22.05 | 21.55 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | DFT_BPSK | 21.99 | 21.49 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 50@25 | DFT_QPSK | 22.20 | 21.7 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@1 | DFT_QPSK | 21.93 | 21.43 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | DFT_QPSK | 21.90 | 21.4 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 50@25 | DFT_QAM16 | 21.23 | 20.73 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@1 | DFT_QAM16 | 21.25 | 20.75 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | DFT_QAM16 | 21.19 | 20.69 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 50@25 | DFT_QAM64 | 19.69 | 19.19 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@1 | DFT_QAM64 | 19.86 | 19.36 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | DFT_QAM64 | 19.60 | 19.1 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 50@25 | DFT_QAM256 | 17.62 | 17.12 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@1 | DFT_QAM256 | 17.60 | 17.1 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | DFT_QAM256 | 17.75 | 17.25 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 53@26 | CP_QPSK | 20.71 | 20.21 | 33 | PASS |

| | | | | | | | | | |
|----|----|----|--------|-------|------------|-------|-------|----|------|
| n7 | 15 | 20 | 502000 | 1@1 | CP_QPSK | 20.55 | 20.05 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | CP_QPSK | 20.52 | 20.02 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 53@26 | CP_QAM16 | 20.16 | 19.66 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@1 | CP_QAM16 | 20.14 | 19.64 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | CP_QAM16 | 20.18 | 19.68 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 53@26 | CP_QAM64 | 18.60 | 18.1 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@1 | CP_QAM64 | 18.89 | 18.39 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | CP_QAM64 | 19.16 | 18.66 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 53@26 | CP_QAM256 | 15.73 | 15.23 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@1 | CP_QAM256 | 15.94 | 15.44 | 33 | PASS |
| n7 | 15 | 20 | 502000 | 1@104 | CP_QAM256 | 15.53 | 15.03 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 50@25 | DFT_BPSK | 22.16 | 21.66 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@1 | DFT_BPSK | 22.03 | 21.53 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | DFT_BPSK | 21.93 | 21.43 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 50@25 | DFT_QPSK | 22.10 | 21.6 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@1 | DFT_QPSK | 21.83 | 21.33 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | DFT_QPSK | 21.95 | 21.45 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 50@25 | DFT_QAM16 | 21.15 | 20.65 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@1 | DFT_QAM16 | 21.09 | 20.59 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | DFT_QAM16 | 21.22 | 20.72 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 50@25 | DFT_QAM64 | 19.67 | 19.17 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@1 | DFT_QAM64 | 19.67 | 19.17 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | DFT_QAM64 | 19.77 | 19.27 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 50@25 | DFT_QAM256 | 17.60 | 17.1 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@1 | DFT_QAM256 | 17.52 | 17.02 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | DFT_QAM256 | 17.70 | 17.2 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 53@26 | CP_QPSK | 20.63 | 20.13 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@1 | CP_QPSK | 20.46 | 19.96 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | CP_QPSK | 20.52 | 20.02 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 53@26 | CP_QAM16 | 20.14 | 19.64 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@1 | CP_QAM16 | 20.12 | 19.62 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | CP_QAM16 | 20.05 | 19.55 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 53@26 | CP_QAM64 | 18.58 | 18.08 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@1 | CP_QAM64 | 18.71 | 18.21 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | CP_QAM64 | 19.13 | 18.63 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 53@26 | CP_QAM256 | 15.72 | 15.22 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@1 | CP_QAM256 | 15.81 | 15.31 | 33 | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | CP_QAM256 | 15.52 | 15.02 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 50@25 | DFT_BPSK | 22.19 | 21.69 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@1 | DFT_BPSK | 22.01 | 21.51 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | DFT_BPSK | 22.12 | 21.62 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 50@25 | DFT_QPSK | 22.15 | 21.65 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@1 | DFT_QPSK | 21.79 | 21.29 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | DFT_QPSK | 22.01 | 21.51 | 33 | PASS |

| | | | | | | | | | |
|----|----|----|--------|-------|------------|-------|-------|----|------|
| n7 | 15 | 20 | 512000 | 50@25 | DFT_QAM16 | 21.14 | 20.64 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@1 | DFT_QAM16 | 21.07 | 20.57 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | DFT_QAM16 | 21.25 | 20.75 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 50@25 | DFT_QAM64 | 19.71 | 19.21 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@1 | DFT_QAM64 | 19.55 | 19.05 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | DFT_QAM64 | 19.74 | 19.24 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 50@25 | DFT_QAM256 | 17.60 | 17.1 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@1 | DFT_QAM256 | 17.35 | 16.85 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | DFT_QAM256 | 17.43 | 16.93 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 53@26 | CP_QPSK | 20.63 | 20.13 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@1 | CP_QPSK | 20.40 | 19.9 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | CP_QPSK | 20.57 | 20.07 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 53@26 | CP_QAM16 | 20.18 | 19.68 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@1 | CP_QAM16 | 20.03 | 19.53 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | CP_QAM16 | 20.39 | 19.89 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 53@26 | CP_QAM64 | 18.61 | 18.11 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@1 | CP_QAM64 | 18.51 | 18.01 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | CP_QAM64 | 18.64 | 18.14 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 53@26 | CP_QAM256 | 15.73 | 15.23 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@1 | CP_QAM256 | 15.76 | 15.26 | 33 | PASS |
| n7 | 15 | 20 | 512000 | 1@104 | CP_QAM256 | 15.58 | 15.08 | 33 | PASS |

2 Frequency stability for NR FR1

NT:

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Voltage (Vdc) | Result(Hz) | Result (ppm) | Limit (ppm) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|---------------|------------|--------------|-------------------------------------|---------|
| n7 | 15 | 20 | 507000 | 50@25 | DFT_BPSK | 3.87 | -3.86 | 0.00 | Within authorized band for 5G NR n5 | PASS |
| n7 | 15 | 20 | 507000 | 1@1 | DFT_BPSK | 3.45 | -3.86 | 0.00 | | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | DFT_BPSK | 4.45 | -6.49 | 0.00 | | PASS |
| n7 | 15 | 20 | 507000 | 50@25 | DFT_QPSK | 3.87 | -7.87 | 0.00 | | PASS |
| n7 | 15 | 20 | 507000 | 1@1 | DFT_QPSK | 3.45 | -6.20 | 0.00 | | PASS |
| n7 | 15 | 20 | 507000 | 1@104 | DFT_QPSK | 4.45 | -4.43 | 0.00 | | PASS |

Note: Only the worst case shown in the report.

NV:


| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Temperature(°C) | Result(Hz) | Result (ppm) | Limit (ppm) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|-----------------|------------|--------------|-------------------------------------|---------|
| n7 | 15 | 20 | 167300 | 25@12 | DFT_BPSK | -30 | -2.88 | 0.00 | Within authorized band for 5G NR n5 | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_BPSK | -20 | -1.39 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_BPSK | -10 | -4.98 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_BPSK | 0 | -4.19 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_BPSK | 10 | -4.19 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_BPSK | 20 | -3.27 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_BPSK | 30 | -5.75 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_BPSK | 40 | -4.31 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_BPSK | 50 | -3.99 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_QPSK | -30 | -2.87 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_QPSK | -20 | -3.65 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_QPSK | -10 | -2.95 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_QPSK | 0 | -2.17 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_QPSK | 10 | -2.56 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_QPSK | 20 | -1.63 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_QPSK | 30 | -5.02 | 0.00 | | PASS |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_QPSK | 40 | -2.7 | 0.00 | PASS | |
| n7 | 15 | 20 | 167300 | 25@12 | DFT_QPSK | 50 | -3.26 | 0.00 | PASS | |

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Result (dB) | high Limit (dB) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|-------------|-----------------|---------|
| n7 | 15 | 5 | 507000 | 25@0 | DFT_BPSK | 4.77 | 13 | PASS |
| n7 | 15 | 5 | 507000 | 25@0 | DFT_QPSK | 5.94 | 13 | PASS |
| n7 | 15 | 5 | 507000 | 25@0 | DFT_QAM16 | 6.64 | 13 | PASS |
| n7 | 15 | 5 | 507000 | 25@0 | DFT_QAM64 | 6.84 | 13 | PASS |
| n7 | 15 | 5 | 507000 | 25@0 | DFT_QAM256 | 7.20 | 13 | PASS |
| n7 | 15 | 10 | 507000 | 50@0 | DFT_BPSK | 4.79 | 13 | PASS |
| n7 | 15 | 10 | 507000 | 50@0 | DFT_QPSK | 5.95 | 13 | PASS |
| n7 | 15 | 10 | 507000 | 50@0 | DFT_QAM16 | 6.84 | 13 | PASS |
| n7 | 15 | 10 | 507000 | 50@0 | DFT_QAM64 | 6.99 | 13 | PASS |
| n7 | 15 | 10 | 507000 | 50@0 | DFT_QAM256 | 7.30 | 13 | PASS |
| n7 | 15 | 15 | 507000 | 75@0 | DFT_BPSK | 4.88 | 13 | PASS |
| n7 | 15 | 15 | 507000 | 75@0 | DFT_QPSK | 5.95 | 13 | PASS |
| n7 | 15 | 15 | 507000 | 75@0 | DFT_QAM16 | 6.85 | 13 | PASS |
| n7 | 15 | 15 | 507000 | 75@0 | DFT_QAM64 | 7.10 | 13 | PASS |
| n7 | 15 | 15 | 507000 | 75@0 | DFT_QAM256 | 7.43 | 13 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_BPSK | 4.85 | 13 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_QPSK | 6.03 | 13 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_QAM16 | 6.77 | 13 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_QAM64 | 6.99 | 13 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_QAM256 | 7.19 | 13 | PASS |


n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=507000 RB=75 @0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=507000 RB=75 @0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=507000 RB=100@0



n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=507000 RB=100@0




4 Occupied bandwidth for NR FR1


| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | 99% OBW (MHz) | -26dB EBW (MHz) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|---------------|-----------------|---------|
| n7 | 15 | 5 | 500500 | 25@0 | DFT_BPSK | 4.500 | 4.780 | PASS |
| n7 | 15 | 5 | 500500 | 25@0 | DFT_QPSK | 4.490 | 4.790 | PASS |
| n7 | 15 | 5 | 500500 | 25@0 | DFT_QAM16 | 4.490 | 4.760 | PASS |
| n7 | 15 | 5 | 500500 | 25@0 | DFT_QAM64 | 4.490 | 4.770 | PASS |
| n7 | 15 | 5 | 500500 | 25@0 | DFT_QAM256 | 4.490 | 4.770 | PASS |
| n7 | 15 | 5 | 500500 | 25@0 | CP_QPSK | 4.490 | 4.770 | PASS |
| n7 | 15 | 5 | 507000 | 25@0 | DFT_BPSK | 4.490 | 4.780 | PASS |
| n7 | 15 | 5 | 507000 | 25@0 | DFT_QPSK | 4.490 | 4.770 | PASS |
| n7 | 15 | 5 | 507000 | 25@0 | DFT_QAM16 | 4.490 | 4.760 | PASS |
| n7 | 15 | 5 | 507000 | 25@0 | DFT_QAM64 | 4.490 | 4.770 | PASS |
| n7 | 15 | 5 | 507000 | 25@0 | DFT_QAM256 | 4.490 | 4.770 | PASS |
| n7 | 15 | 5 | 507000 | 25@0 | CP_QPSK | 4.490 | 4.770 | PASS |
| n7 | 15 | 5 | 513500 | 25@0 | DFT_BPSK | 4.490 | 4.770 | PASS |
| n7 | 15 | 5 | 513500 | 25@0 | DFT_QPSK | 4.480 | 4.750 | PASS |
| n7 | 15 | 5 | 513500 | 25@0 | DFT_QAM16 | 4.500 | 4.780 | PASS |
| n7 | 15 | 5 | 513500 | 25@0 | DFT_QAM64 | 4.490 | 4.770 | PASS |
| n7 | 15 | 5 | 513500 | 25@0 | DFT_QAM256 | 4.490 | 4.770 | PASS |
| n7 | 15 | 5 | 513500 | 25@0 | CP_QPSK | 4.490 | 4.780 | PASS |
| n7 | 15 | 10 | 501000 | 50@0 | DFT_BPSK | 9.220 | 9.490 | PASS |
| n7 | 15 | 10 | 501000 | 50@0 | DFT_QPSK | 9.180 | 9.460 | PASS |
| n7 | 15 | 10 | 501000 | 50@0 | DFT_QAM16 | 9.170 | 9.480 | PASS |
| n7 | 15 | 10 | 501000 | 50@0 | DFT_QAM64 | 9.180 | 9.470 | PASS |
| n7 | 15 | 10 | 501000 | 50@0 | DFT_QAM256 | 9.210 | 9.480 | PASS |
| n7 | 15 | 10 | 501000 | 52@0 | CP_QPSK | 9.330 | 9.840 | PASS |
| n7 | 15 | 10 | 507000 | 50@0 | DFT_BPSK | 9.240 | 9.480 | PASS |
| n7 | 15 | 10 | 507000 | 50@0 | DFT_QPSK | 9.210 | 9.460 | PASS |
| n7 | 15 | 10 | 507000 | 50@0 | DFT_QAM16 | 9.220 | 9.470 | PASS |
| n7 | 15 | 10 | 507000 | 50@0 | DFT_QAM64 | 9.210 | 9.480 | PASS |
| n7 | 15 | 10 | 507000 | 50@0 | DFT_QAM256 | 9.240 | 9.500 | PASS |
| n7 | 15 | 10 | 507000 | 52@0 | CP_QPSK | 9.330 | 9.840 | PASS |
| n7 | 15 | 10 | 513000 | 50@0 | DFT_BPSK | 9.240 | 9.480 | PASS |
| n7 | 15 | 10 | 513000 | 50@0 | DFT_QPSK | 9.210 | 9.470 | PASS |
| n7 | 15 | 10 | 513000 | 50@0 | DFT_QAM16 | 9.210 | 9.470 | PASS |
| n7 | 15 | 10 | 513000 | 50@0 | DFT_QAM64 | 9.210 | 9.480 | PASS |
| n7 | 15 | 10 | 513000 | 50@0 | DFT_QAM256 | 9.240 | 9.480 | PASS |
| n7 | 15 | 10 | 513000 | 52@0 | CP_QPSK | 9.330 | 9.850 | PASS |
| n7 | 15 | 15 | 501500 | 75@0 | DFT_BPSK | 13.940 | 14.210 | PASS |
| n7 | 15 | 15 | 501500 | 75@0 | DFT_QPSK | 13.980 | 14.210 | PASS |
| n7 | 15 | 15 | 501500 | 75@0 | DFT_QAM16 | 13.950 | 14.210 | PASS |

| | | | | | | | | |
|----|----|----|--------|-------|------------|--------|--------|------|
| n7 | 15 | 15 | 501500 | 75@0 | DFT_QAM64 | 13.980 | 14.220 | PASS |
| n7 | 15 | 15 | 501500 | 75@0 | DFT_QAM256 | 13.930 | 14.220 | PASS |
| n7 | 15 | 15 | 501500 | 79@0 | CP_QPSK | 14.170 | 14.920 | PASS |
| n7 | 15 | 15 | 507000 | 75@0 | DFT_BPSK | 14.000 | 14.200 | PASS |
| n7 | 15 | 15 | 507000 | 75@0 | DFT_QPSK | 14.010 | 14.200 | PASS |
| n7 | 15 | 15 | 507000 | 75@0 | DFT_QAM16 | 14.000 | 14.200 | PASS |
| n7 | 15 | 15 | 507000 | 75@0 | DFT_QAM64 | 14.010 | 14.210 | PASS |
| n7 | 15 | 15 | 507000 | 75@0 | DFT_QAM256 | 14.010 | 14.200 | PASS |
| n7 | 15 | 15 | 507000 | 79@0 | CP_QPSK | 14.170 | 14.920 | PASS |
| n7 | 15 | 15 | 512500 | 75@0 | DFT_BPSK | 13.990 | 14.200 | PASS |
| n7 | 15 | 15 | 512500 | 75@0 | DFT_QPSK | 14.000 | 14.200 | PASS |
| n7 | 15 | 15 | 512500 | 75@0 | DFT_QAM16 | 14.010 | 14.200 | PASS |
| n7 | 15 | 15 | 512500 | 75@0 | DFT_QAM64 | 14.000 | 14.210 | PASS |
| n7 | 15 | 15 | 512500 | 75@0 | DFT_QAM256 | 13.950 | 14.190 | PASS |
| n7 | 15 | 15 | 512500 | 79@0 | CP_QPSK | 14.160 | 14.920 | PASS |
| n7 | 15 | 20 | 502000 | 100@0 | DFT_BPSK | 18.670 | 18.900 | PASS |
| n7 | 15 | 20 | 502000 | 100@0 | DFT_QPSK | 18.670 | 18.910 | PASS |
| n7 | 15 | 20 | 502000 | 100@0 | DFT_QAM16 | 18.720 | 18.910 | PASS |
| n7 | 15 | 20 | 502000 | 100@0 | DFT_QAM64 | 18.680 | 18.910 | PASS |
| n7 | 15 | 20 | 502000 | 100@0 | DFT_QAM256 | 18.740 | 18.920 | PASS |
| n7 | 15 | 20 | 502000 | 106@0 | CP_QPSK | 18.980 | 19.990 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_BPSK | 18.760 | 18.900 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_QPSK | 18.810 | 18.920 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_QAM16 | 18.810 | 18.910 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_QAM64 | 18.810 | 18.900 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_QAM256 | 18.820 | 18.930 | PASS |
| n7 | 15 | 20 | 507000 | 106@0 | CP_QPSK | 18.980 | 19.990 | PASS |
| n7 | 15 | 20 | 512000 | 100@0 | DFT_BPSK | 18.730 | 18.900 | PASS |
| n7 | 15 | 20 | 512000 | 100@0 | DFT_QPSK | 18.750 | 18.910 | PASS |
| n7 | 15 | 20 | 512000 | 100@0 | DFT_QAM16 | 18.760 | 18.910 | PASS |
| n7 | 15 | 20 | 512000 | 100@0 | DFT_QAM64 | 18.750 | 18.910 | PASS |
| n7 | 15 | 20 | 512000 | 100@0 | DFT_QAM256 | 18.810 | 18.930 | PASS |
| n7 | 15 | 20 | 512000 | 106@0 | CP_QPSK | 18.980 | 19.990 | PASS |

n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=507000 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QAM16 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QAM64 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QAM256 BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz CP_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=501000 RB=50@0




n7 SCS=15kHz CP_QPSK BW=10MHz Channel=501000 RB=52@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=507000 RB=50@0




n7 SCS=15kHz CP_QPSK BW=10MHz Channel=507000 RB=52@0




n7 SCS=15kHz DFT_BPSK BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QPSK BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QAM16 BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QAM64 BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz DFT_QAM256 BW=10MHz Channel=513000 RB=50@0




n7 SCS=15kHz CP_QPSK BW=10MHz Channel=513000 RB=52@0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=501500 RB=75 @0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=501500 RB=75 @0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=501500 RB=75@0




n7 SCS=15kHz CP_QPSK BW=15MHz Channel=501500 RB=79@0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=507000 RB=75 @0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=507000 RB=75 @0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=507000 RB=75@0




n7 SCS=15kHz CP_QPSK BW=15MHz Channel=507000 RB=79@0




n7 SCS=15kHz DFT_BPSK BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz DFT_QPSK BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz DFT_QAM16 BW=15MHz Channel=512500 RB=75 @0




n7 SCS=15kHz DFT_QAM64 BW=15MHz Channel=512500 RB=75 @0




n7 SCS=15kHz DFT_QAM256 BW=15MHz Channel=512500 RB=75@0




n7 SCS=15kHz CP_QPSK BW=15MHz Channel=512500 RB=79@0



n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz CP_QPSK BW=20MHz Channel=502000 RB=106@0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz CP_QPSK BW=20MHz Channel=507000 RB=106@0




n7 SCS=15kHz DFT_BPSK BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=100@0



n7 SCS=15kHz DFT_QAM16 BW=20MHz Channel=512000 RB=100@0



n7 SCS=15kHz DFT_QAM64 BW=20MHz Channel=512000 RB=100@0



n7 SCS=15kHz DFT_QAM256 BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz CP_QPSK BW=20MHz Channel=512000 RB=106@0




5 Band edge for NR FR1

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|-----------------|------------------|-------------|---------|
| n7 | 15 | 5 | 500500 | 25@0 | DFT_QPSK | 2490.07 | -36.78 | -25 | PASS |
| n7 | 15 | 5 | 500500 | 1@0 | DFT_QPSK | 2498.92 | -15.49 | -10 | PASS |
| n7 | 15 | 5 | 513500 | 25@0 | DFT_QPSK | 2576.34 | -33.92 | -25 | PASS |
| n7 | 15 | 5 | 513500 | 1@24 | DFT_QPSK | 2571.16 | -18.57 | -10 | PASS |
| n7 | 15 | 20 | 502000 | 100@0 | DFT_QPSK | 2475.77 | -41.45 | -25 | PASS |
| n7 | 15 | 20 | 502000 | 1@0 | DFT_QPSK | 2498.92 | -21.10 | -10 | PASS |
| n7 | 15 | 20 | 512000 | 100@0 | DFT_QPSK | 2595.00 | -41.32 | -25 | PASS |
| n7 | 15 | 20 | 512000 | 1@105 | DFT_QPSK | 2571.14 | -21.10 | -10 | PASS |


n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=1@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=1@24




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=1@0



n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@105




6 Out-of-band emissions for NR FR1

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|-----------------|------------------|-------------|---------|
| n7 | 15 | 5 | 500500 | 25@0 | DFT_QPSK | 26353.98 | -32.77 | -25 | PASS |
| n7 | 15 | 5 | 500500 | 1@0 | DFT_QPSK | 26253.20 | -32.12 | -25 | PASS |
| n7 | 15 | 5 | 500500 | 1@24 | DFT_QPSK | 23914.35 | -32.21 | -25 | PASS |
| n7 | 15 | 5 | 507000 | 25@0 | DFT_QPSK | 26224.93 | -32.73 | -25 | PASS |
| n7 | 15 | 5 | 507000 | 1@0 | DFT_QPSK | 26314.83 | -32.16 | -25 | PASS |
| n7 | 15 | 5 | 507000 | 1@24 | DFT_QPSK | 26155.33 | -32.40 | -25 | PASS |
| n7 | 15 | 5 | 513500 | 25@0 | DFT_QPSK | 26263.35 | -32.26 | -25 | PASS |
| n7 | 15 | 5 | 513500 | 1@0 | DFT_QPSK | 26430.83 | -32.38 | -25 | PASS |
| n7 | 15 | 5 | 513500 | 1@24 | DFT_QPSK | 26265.53 | -32.34 | -25 | PASS |
| n7 | 15 | 20 | 502000 | 100@0 | DFT_QPSK | 25829.08 | -32.37 | -25 | PASS |
| n7 | 15 | 20 | 502000 | 1@0 | DFT_QPSK | 26136.48 | -32.45 | -25 | PASS |
| n7 | 15 | 20 | 502000 | 1@105 | DFT_QPSK | 26440.25 | -32.16 | -25 | PASS |
| n7 | 15 | 20 | 507000 | 100@0 | DFT_QPSK | 26282.93 | -31.88 | -25 | PASS |
| n7 | 15 | 20 | 507000 | 1@0 | DFT_QPSK | 23922.33 | -32.37 | -25 | PASS |
| n7 | 15 | 20 | 507000 | 1@105 | DFT_QPSK | 25636.23 | -31.96 | -25 | PASS |
| n7 | 15 | 20 | 512000 | 100@0 | DFT_QPSK | 26243.05 | -32.29 | -25 | PASS |
| n7 | 15 | 20 | 512000 | 1@0 | DFT_QPSK | 26300.33 | -32.14 | -25 | PASS |
| n7 | 15 | 20 | 512000 | 1@105 | DFT_QPSK | 25370.88 | -32.98 | -25 | PASS |


n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=1@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=500500 RB=1 @24




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=25 @0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=1@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=507000 RB=1@24




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=25@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=1@0




n7 SCS=15kHz DFT_QPSK BW=5MHz Channel=513500 RB=1@24




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=1 @0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=502000 RB=1 @105




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=100@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=1@0




n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=507000 RB=1 @105



n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=100 @0



n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@0



n7 SCS=15kHz DFT_QPSK BW=20MHz Channel=512000 RB=1@105

