

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n38	30	10	515000	12@6	DFT_BPSK	23.64	23.14	33	PASS
n38	30	10	515000	1@1	DFT_BPSK	23.63	23.13	33	PASS
n38	30	10	515000	1@22	DFT_BPSK	23.50	23	33	PASS
n38	30	10	515000	12@6	DFT_QPSK	23.63	23.13	33	PASS
n38	30	10	515000	1@1	DFT_QPSK	23.53	23.03	33	PASS
n38	30	10	515000	1@22	DFT_QPSK	23.45	22.95	33	PASS
n38	30	10	515000	12@6	DFT_QAM16	22.61	22.11	33	PASS
n38	30	10	515000	1@1	DFT_QAM16	22.74	22.24	33	PASS
n38	30	10	515000	1@22	DFT_QAM16	22.72	22.22	33	PASS
n38	30	10	515000	12@6	DFT_QAM64	21.23	20.73	33	PASS
n38	30	10	515000	1@1	DFT_QAM64	21.37	20.87	33	PASS
n38	30	10	515000	1@22	DFT_QAM64	21.57	21.07	33	PASS
n38	30	10	515000	12@6	DFT_QAM256	19.10	18.6	33	PASS
n38	30	10	515000	1@1	DFT_QAM256	19.20	18.7	33	PASS
n38	30	10	515000	1@22	DFT_QAM256	19.40	18.9	33	PASS
n38	30	10	515000	12@6	CP_QPSK	22.15	21.65	33	PASS
n38	30	10	515000	1@1	CP_QPSK	22.32	21.82	33	PASS
n38	30	10	515000	1@22	CP_QPSK	22.19	21.69	33	PASS
n38	30	10	515000	12@6	CP_QAM16	21.61	21.11	33	PASS
n38	30	10	515000	1@1	CP_QAM16	22.02	21.52	33	PASS
n38	30	10	515000	1@22	CP_QAM16	21.61	21.11	33	PASS
n38	30	10	515000	12@6	CP_QAM64	20.20	19.7	33	PASS
n38	30	10	515000	1@1	CP_QAM64	20.10	19.6	33	PASS
n38	30	10	515000	1@22	CP_QAM64	20.08	19.58	33	PASS
n38	30	10	515000	12@6	CP_QAM256	16.97	16.47	33	PASS
n38	30	10	515000	1@1	CP_QAM256	17.36	16.86	33	PASS
n38	30	10	515000	1@22	CP_QAM256	17.27	16.77	33	PASS
n38	30	10	519000	12@6	DFT_BPSK	23.71	23.21	33	PASS
n38	30	10	519000	1@1	DFT_BPSK	23.72	23.22	33	PASS
n38	30	10	519000	1@22	DFT_BPSK	23.75	23.25	33	PASS
n38	30	10	519000	12@6	DFT_QPSK	23.72	23.22	33	PASS
n38	30	10	519000	1@1	DFT_QPSK	23.63	23.13	33	PASS
n38	30	10	519000	1@22	DFT_QPSK	23.56	23.06	33	PASS
n38	30	10	519000	12@6	DFT_QAM16	22.86	22.36	33	PASS
n38	30	10	519000	1@1	DFT_QAM16	22.92	22.42	33	PASS
n38	30	10	519000	1@22	DFT_QAM16	22.94	22.44	33	PASS
n38	30	10	519000	12@6	DFT_QAM64	21.28	20.78	33	PASS
n38	30	10	519000	1@1	DFT_QAM64	21.46	20.96	33	PASS
n38	30	10	519000	1@22	DFT_QAM64	21.43	20.93	33	PASS

n38	30	10	519000	12@6	DFT_QAM256	19.40	18.9	33	PASS
n38	30	10	519000	1@1	DFT_QAM256	19.47	18.97	33	PASS
n38	30	10	519000	1@22	DFT_QAM256	19.51	19.01	33	PASS
n38	30	10	519000	12@6	CP_QPSK	22.26	21.76	33	PASS
n38	30	10	519000	1@1	CP_QPSK	22.15	21.65	33	PASS
n38	30	10	519000	1@22	CP_QPSK	22.15	21.65	33	PASS
n38	30	10	519000	12@6	CP_QAM16	21.70	21.2	33	PASS
n38	30	10	519000	1@1	CP_QAM16	21.83	21.33	33	PASS
n38	30	10	519000	1@22	CP_QAM16	21.70	21.2	33	PASS
n38	30	10	519000	12@6	CP_QAM64	20.29	19.79	33	PASS
n38	30	10	519000	1@1	CP_QAM64	20.36	19.86	33	PASS
n38	30	10	519000	1@22	CP_QAM64	20.32	19.82	33	PASS
n38	30	10	519000	12@6	CP_QAM256	17.07	16.57	33	PASS
n38	30	10	519000	1@1	CP_QAM256	17.23	16.73	33	PASS
n38	30	10	519000	1@22	CP_QAM256	17.26	16.76	33	PASS
n38	30	10	523000	12@6	DFT_BPSK	23.76	23.26	33	PASS
n38	30	10	523000	1@1	DFT_BPSK	23.75	23.25	33	PASS
n38	30	10	523000	1@22	DFT_BPSK	23.73	23.23	33	PASS
n38	30	10	523000	12@6	DFT_QPSK	23.74	23.24	33	PASS
n38	30	10	523000	1@1	DFT_QPSK	23.56	23.06	33	PASS
n38	30	10	523000	1@22	DFT_QPSK	23.57	23.07	33	PASS
n38	30	10	523000	12@6	DFT_QAM16	22.81	22.31	33	PASS
n38	30	10	523000	1@1	DFT_QAM16	23.02	22.52	33	PASS
n38	30	10	523000	1@22	DFT_QAM16	23.12	22.62	33	PASS
n38	30	10	523000	12@6	DFT_QAM64	21.33	20.83	33	PASS
n38	30	10	523000	1@1	DFT_QAM64	21.46	20.96	33	PASS
n38	30	10	523000	1@22	DFT_QAM64	21.43	20.93	33	PASS
n38	30	10	523000	12@6	DFT_QAM256	19.31	18.81	33	PASS
n38	30	10	523000	1@1	DFT_QAM256	19.46	18.96	33	PASS
n38	30	10	523000	1@22	DFT_QAM256	19.58	19.08	33	PASS
n38	30	10	523000	12@6	CP_QPSK	22.28	21.78	33	PASS
n38	30	10	523000	1@1	CP_QPSK	22.16	21.66	33	PASS
n38	30	10	523000	1@22	CP_QPSK	22.11	21.61	33	PASS
n38	30	10	523000	12@6	CP_QAM16	21.72	21.22	33	PASS
n38	30	10	523000	1@1	CP_QAM16	21.90	21.4	33	PASS
n38	30	10	523000	1@22	CP_QAM16	21.87	21.37	33	PASS
n38	30	10	523000	12@6	CP_QAM64	20.23	19.73	33	PASS
n38	30	10	523000	1@1	CP_QAM64	20.35	19.85	33	PASS
n38	30	10	523000	1@22	CP_QAM64	20.18	19.68	33	PASS
n38	30	10	523000	12@6	CP_QAM256	17.16	16.66	33	PASS
n38	30	10	523000	1@1	CP_QAM256	17.36	16.86	33	PASS
n38	30	10	523000	1@22	CP_QAM256	17.34	16.84	33	PASS
n38	30	15	515500	18@9	DFT_BPSK	23.63	23.13	33	PASS
n38	30	15	515500	1@1	DFT_BPSK	23.56	23.06	33	PASS

n38	30	15	515500	1@36	DFT_BPSK	23.69	23.19	33	PASS
n38	30	15	515500	18@9	DFT_QPSK	23.68	23.18	33	PASS
n38	30	15	515500	1@1	DFT_QPSK	23.46	22.96	33	PASS
n38	30	15	515500	1@36	DFT_QPSK	23.55	23.05	33	PASS
n38	30	15	515500	18@9	DFT_QAM16	22.75	22.25	33	PASS
n38	30	15	515500	1@1	DFT_QAM16	22.80	22.3	33	PASS
n38	30	15	515500	1@36	DFT_QAM16	22.95	22.45	33	PASS
n38	30	15	515500	18@9	DFT_QAM64	21.15	20.65	33	PASS
n38	30	15	515500	1@1	DFT_QAM64	21.33	20.83	33	PASS
n38	30	15	515500	1@36	DFT_QAM64	21.44	20.94	33	PASS
n38	30	15	515500	18@9	DFT_QAM256	19.17	18.67	33	PASS
n38	30	15	515500	1@1	DFT_QAM256	19.42	18.92	33	PASS
n38	30	15	515500	1@36	DFT_QAM256	19.46	18.96	33	PASS
n38	30	15	515500	19@9	CP_QPSK	22.23	21.73	33	PASS
n38	30	15	515500	1@1	CP_QPSK	22.06	21.56	33	PASS
n38	30	15	515500	1@36	CP_QPSK	22.19	21.69	33	PASS
n38	30	15	515500	19@9	CP_QAM16	21.74	21.24	33	PASS
n38	30	15	515500	1@1	CP_QAM16	21.77	21.27	33	PASS
n38	30	15	515500	1@36	CP_QAM16	21.82	21.32	33	PASS
n38	30	15	515500	19@9	CP_QAM64	20.19	19.69	33	PASS
n38	30	15	515500	1@1	CP_QAM64	20.14	19.64	33	PASS
n38	30	15	515500	1@36	CP_QAM64	20.32	19.82	33	PASS
n38	30	15	515500	19@9	CP_QAM256	17.09	16.59	33	PASS
n38	30	15	515500	1@1	CP_QAM256	17.27	16.77	33	PASS
n38	30	15	515500	1@36	CP_QAM256	17.31	16.81	33	PASS
n38	30	15	519000	18@9	DFT_BPSK	23.69	23.19	33	PASS
n38	30	15	519000	1@1	DFT_BPSK	23.70	23.2	33	PASS
n38	30	15	519000	1@36	DFT_BPSK	23.64	23.14	33	PASS
n38	30	15	519000	18@9	DFT_QPSK	23.70	23.2	33	PASS
n38	30	15	519000	1@1	DFT_QPSK	23.48	22.98	33	PASS
n38	30	15	519000	1@36	DFT_QPSK	23.48	22.98	33	PASS
n38	30	15	519000	18@9	DFT_QAM16	22.67	22.17	33	PASS
n38	30	15	519000	1@1	DFT_QAM16	22.94	22.44	33	PASS
n38	30	15	519000	1@36	DFT_QAM16	22.95	22.45	33	PASS
n38	30	15	519000	18@9	DFT_QAM64	21.21	20.71	33	PASS
n38	30	15	519000	1@1	DFT_QAM64	21.40	20.9	33	PASS
n38	30	15	519000	1@36	DFT_QAM64	21.43	20.93	33	PASS
n38	30	15	519000	18@9	DFT_QAM256	19.25	18.75	33	PASS
n38	30	15	519000	1@1	DFT_QAM256	19.33	18.83	33	PASS
n38	30	15	519000	1@36	DFT_QAM256	19.34	18.84	33	PASS
n38	30	15	519000	19@9	CP_QPSK	22.19	21.69	33	PASS
n38	30	15	519000	1@1	CP_QPSK	22.19	21.69	33	PASS
n38	30	15	519000	1@36	CP_QPSK	22.22	21.72	33	PASS
n38	30	15	519000	19@9	CP_QAM16	21.75	21.25	33	PASS

n38	30	15	519000	1@1	CP_QAM16	21.63	21.13	33	PASS
n38	30	15	519000	1@36	CP_QAM16	21.66	21.16	33	PASS
n38	30	15	519000	19@9	CP_QAM64	20.24	19.74	33	PASS
n38	30	15	519000	1@1	CP_QAM64	20.04	19.54	33	PASS
n38	30	15	519000	1@36	CP_QAM64	20.13	19.63	33	PASS
n38	30	15	519000	19@9	CP_QAM256	17.19	16.69	33	PASS
n38	30	15	519000	1@1	CP_QAM256	17.19	16.69	33	PASS
n38	30	15	519000	1@36	CP_QAM256	17.29	16.79	33	PASS
n38	30	15	522500	18@9	DFT_BPSK	23.76	23.26	33	PASS
n38	30	15	522500	1@1	DFT_BPSK	23.59	23.09	33	PASS
n38	30	15	522500	1@36	DFT_BPSK	23.74	23.24	33	PASS
n38	30	15	522500	18@9	DFT_QPSK	23.75	23.25	33	PASS
n38	30	15	522500	1@1	DFT_QPSK	23.51	23.01	33	PASS
n38	30	15	522500	1@36	DFT_QPSK	23.55	23.05	33	PASS
n38	30	15	522500	18@9	DFT_QAM16	22.79	22.29	33	PASS
n38	30	15	522500	1@1	DFT_QAM16	22.84	22.34	33	PASS
n38	30	15	522500	1@36	DFT_QAM16	22.86	22.36	33	PASS
n38	30	15	522500	18@9	DFT_QAM64	21.20	20.7	33	PASS
n38	30	15	522500	1@1	DFT_QAM64	21.39	20.89	33	PASS
n38	30	15	522500	1@36	DFT_QAM64	21.63	21.13	33	PASS
n38	30	15	522500	18@9	DFT_QAM256	19.34	18.84	33	PASS
n38	30	15	522500	1@1	DFT_QAM256	19.24	18.74	33	PASS
n38	30	15	522500	1@36	DFT_QAM256	19.48	18.98	33	PASS
n38	30	15	522500	19@9	CP_QPSK	22.20	21.7	33	PASS
n38	30	15	522500	1@1	CP_QPSK	22.19	21.69	33	PASS
n38	30	15	522500	1@36	CP_QPSK	22.20	21.7	33	PASS
n38	30	15	522500	19@9	CP_QAM16	21.69	21.19	33	PASS
n38	30	15	522500	1@1	CP_QAM16	21.60	21.1	33	PASS
n38	30	15	522500	1@36	CP_QAM16	21.80	21.3	33	PASS
n38	30	15	522500	19@9	CP_QAM64	20.22	19.72	33	PASS
n38	30	15	522500	1@1	CP_QAM64	20.18	19.68	33	PASS
n38	30	15	522500	1@36	CP_QAM64	20.09	19.59	33	PASS
n38	30	15	522500	19@9	CP_QAM256	17.20	16.7	33	PASS
n38	30	15	522500	1@1	CP_QAM256	17.24	16.74	33	PASS
n38	30	15	522500	1@36	CP_QAM256	17.27	16.77	33	PASS
n38	30	20	516000	25@12	DFT_BPSK	23.68	23.18	33	PASS
n38	30	20	516000	1@1	DFT_BPSK	23.51	23.01	33	PASS
n38	30	20	516000	1@49	DFT_BPSK	23.62	23.12	33	PASS
n38	30	20	516000	25@12	DFT_QPSK	23.72	23.22	33	PASS
n38	30	20	516000	1@1	DFT_QPSK	23.40	22.9	33	PASS
n38	30	20	516000	1@49	DFT_QPSK	23.52	23.02	33	PASS
n38	30	20	516000	25@12	DFT_QAM16	22.74	22.24	33	PASS
n38	30	20	516000	1@1	DFT_QAM16	22.76	22.26	33	PASS
n38	30	20	516000	1@49	DFT_QAM16	22.83	22.33	33	PASS

n38	30	20	516000	25@12	DFT_QAM64	21.35	20.85	33	PASS
n38	30	20	516000	1@1	DFT_QAM64	21.19	20.69	33	PASS
n38	30	20	516000	1@49	DFT_QAM64	21.55	21.05	33	PASS
n38	30	20	516000	25@12	DFT_QAM256	19.32	18.82	33	PASS
n38	30	20	516000	1@1	DFT_QAM256	19.10	18.6	33	PASS
n38	30	20	516000	1@49	DFT_QAM256	19.47	18.97	33	PASS
n38	30	20	516000	25@12	CP_QPSK	22.22	21.72	33	PASS
n38	30	20	516000	1@1	CP_QPSK	22.17	21.67	33	PASS
n38	30	20	516000	1@49	CP_QPSK	22.19	21.69	33	PASS
n38	30	20	516000	25@12	CP_QAM16	21.79	21.29	33	PASS
n38	30	20	516000	1@1	CP_QAM16	21.44	20.94	33	PASS
n38	30	20	516000	1@49	CP_QAM16	21.77	21.27	33	PASS
n38	30	20	516000	25@12	CP_QAM64	20.22	19.72	33	PASS
n38	30	20	516000	1@1	CP_QAM64	19.80	19.3	33	PASS
n38	30	20	516000	1@49	CP_QAM64	19.99	19.49	33	PASS
n38	30	20	516000	25@12	CP_QAM256	17.21	16.71	33	PASS
n38	30	20	516000	1@1	CP_QAM256	17.20	16.7	33	PASS
n38	30	20	516000	1@49	CP_QAM256	17.29	16.79	33	PASS
n38	30	20	519000	25@12	DFT_BPSK	23.69	23.19	33	PASS
n38	30	20	519000	1@1	DFT_BPSK	23.56	23.06	33	PASS
n38	30	20	519000	1@49	DFT_BPSK	23.59	23.09	33	PASS
n38	30	20	519000	25@12	DFT_QPSK	23.68	23.18	33	PASS
n38	30	20	519000	1@1	DFT_QPSK	23.47	22.97	33	PASS
n38	30	20	519000	1@49	DFT_QPSK	23.47	22.97	33	PASS
n38	30	20	519000	25@12	DFT_QAM16	22.73	22.23	33	PASS
n38	30	20	519000	1@1	DFT_QAM16	22.66	22.16	33	PASS
n38	30	20	519000	1@49	DFT_QAM16	22.76	22.26	33	PASS
n38	30	20	519000	25@12	DFT_QAM64	21.16	20.66	33	PASS
n38	30	20	519000	1@1	DFT_QAM64	21.47	20.97	33	PASS
n38	30	20	519000	1@49	DFT_QAM64	21.53	21.03	33	PASS
n38	30	20	519000	25@12	DFT_QAM256	19.20	18.7	33	PASS
n38	30	20	519000	1@1	DFT_QAM256	19.40	18.9	33	PASS
n38	30	20	519000	1@49	DFT_QAM256	19.44	18.94	33	PASS
n38	30	20	519000	25@12	CP_QPSK	22.20	21.7	33	PASS
n38	30	20	519000	1@1	CP_QPSK	22.15	21.65	33	PASS
n38	30	20	519000	1@49	CP_QPSK	22.15	21.65	33	PASS
n38	30	20	519000	25@12	CP_QAM16	21.70	21.2	33	PASS
n38	30	20	519000	1@1	CP_QAM16	22.03	21.53	33	PASS
n38	30	20	519000	1@49	CP_QAM16	21.95	21.45	33	PASS
n38	30	20	519000	25@12	CP_QAM64	20.25	19.75	33	PASS
n38	30	20	519000	1@1	CP_QAM64	20.13	19.63	33	PASS
n38	30	20	519000	1@49	CP_QAM64	20.07	19.57	33	PASS
n38	30	20	519000	25@12	CP_QAM256	17.21	16.71	33	PASS
n38	30	20	519000	1@1	CP_QAM256	17.25	16.75	33	PASS

n38	30	20	519000	1@49	CP_QAM256	17.32	16.82	33	PASS
n38	30	20	522000	25@12	DFT_BPSK	23.76	23.26	33	PASS
n38	30	20	522000	1@1	DFT_BPSK	23.65	23.15	33	PASS
n38	30	20	522000	1@49	DFT_BPSK	23.59	23.09	33	PASS
n38	30	20	522000	25@12	DFT_QPSK	23.77	23.27	33	PASS
n38	30	20	522000	1@1	DFT_QPSK	23.46	22.96	33	PASS
n38	30	20	522000	1@49	DFT_QPSK	23.43	22.93	33	PASS
n38	30	20	522000	25@12	DFT_QAM16	22.72	22.22	33	PASS
n38	30	20	522000	1@1	DFT_QAM16	22.63	22.13	33	PASS
n38	30	20	522000	1@49	DFT_QAM16	22.73	22.23	33	PASS
n38	30	20	522000	25@12	DFT_QAM64	21.22	20.72	33	PASS
n38	30	20	522000	1@1	DFT_QAM64	21.53	21.03	33	PASS
n38	30	20	522000	1@49	DFT_QAM64	21.32	20.82	33	PASS
n38	30	20	522000	25@12	DFT_QAM256	19.04	18.54	33	PASS
n38	30	20	522000	1@1	DFT_QAM256	19.40	18.9	33	PASS
n38	30	20	522000	1@49	DFT_QAM256	19.19	18.69	33	PASS
n38	30	20	522000	25@12	CP_QPSK	22.31	21.81	33	PASS
n38	30	20	522000	1@1	CP_QPSK	22.16	21.66	33	PASS
n38	30	20	522000	1@49	CP_QPSK	22.13	21.63	33	PASS
n38	30	20	522000	25@12	CP_QAM16	21.73	21.23	33	PASS
n38	30	20	522000	1@1	CP_QAM16	21.96	21.46	33	PASS
n38	30	20	522000	1@49	CP_QAM16	21.99	21.49	33	PASS
n38	30	20	522000	25@12	CP_QAM64	20.25	19.75	33	PASS
n38	30	20	522000	1@1	CP_QAM64	20.07	19.57	33	PASS
n38	30	20	522000	1@49	CP_QAM64	19.93	19.43	33	PASS
n38	30	20	522000	25@12	CP_QAM256	17.15	16.65	33	PASS
n38	30	20	522000	1@1	CP_QAM256	17.21	16.71	33	PASS
n38	30	20	522000	1@49	CP_QAM256	17.22	16.72	33	PASS
n38	30	40	518000	50@25	DFT_BPSK	23.70	23.2	33	PASS
n38	30	40	518000	1@1	DFT_BPSK	23.16	22.66	33	PASS
n38	30	40	518000	1@104	DFT_BPSK	23.28	22.78	33	PASS
n38	30	40	518000	50@25	DFT_QPSK	23.69	23.19	33	PASS
n38	30	40	518000	1@1	DFT_QPSK	23.03	22.53	33	PASS
n38	30	40	518000	1@104	DFT_QPSK	23.13	22.63	33	PASS
n38	30	40	518000	50@25	DFT_QAM16	22.66	22.16	33	PASS
n38	30	40	518000	1@1	DFT_QAM16	22.22	21.72	33	PASS
n38	30	40	518000	1@104	DFT_QAM16	22.38	21.88	33	PASS
n38	30	40	518000	50@25	DFT_QAM64	21.23	20.73	33	PASS
n38	30	40	518000	1@1	DFT_QAM64	21.12	20.62	33	PASS
n38	30	40	518000	1@104	DFT_QAM64	21.22	20.72	33	PASS
n38	30	40	518000	50@25	DFT_QAM256	19.26	18.76	33	PASS
n38	30	40	518000	1@1	DFT_QAM256	18.77	18.27	33	PASS
n38	30	40	518000	1@104	DFT_QAM256	19.11	18.61	33	PASS
n38	30	40	518000	53@26	CP_QPSK	22.19	21.69	33	PASS

n38	30	40	518000	1@1	CP_QPSK	21.83	21.33	33	PASS
n38	30	40	518000	1@104	CP_QPSK	21.86	21.36	33	PASS
n38	30	40	518000	53@26	CP_QAM16	21.64	21.14	33	PASS
n38	30	40	518000	1@1	CP_QAM16	21.54	21.04	33	PASS
n38	30	40	518000	1@104	CP_QAM16	21.70	21.2	33	PASS
n38	30	40	518000	53@26	CP_QAM64	20.19	19.69	33	PASS
n38	30	40	518000	1@1	CP_QAM64	19.46	18.96	33	PASS
n38	30	40	518000	1@104	CP_QAM64	19.73	19.23	33	PASS
n38	30	40	518000	53@26	CP_QAM256	17.17	16.67	33	PASS
n38	30	40	518000	1@1	CP_QAM256	16.78	16.28	33	PASS
n38	30	40	518000	1@104	CP_QAM256	17.03	16.53	33	PASS
n38	30	40	519000	50@25	DFT_BPSK	23.65	23.15	33	PASS
n38	30	40	519000	1@1	DFT_BPSK	23.15	22.65	33	PASS
n38	30	40	519000	1@104	DFT_BPSK	23.20	22.7	33	PASS
n38	30	40	519000	50@25	DFT_QPSK	23.71	23.21	33	PASS
n38	30	40	519000	1@1	DFT_QPSK	23.02	22.52	33	PASS
n38	30	40	519000	1@104	DFT_QPSK	23.06	22.56	33	PASS
n38	30	40	519000	50@25	DFT_QAM16	22.70	22.2	33	PASS
n38	30	40	519000	1@1	DFT_QAM16	22.44	21.94	33	PASS
n38	30	40	519000	1@104	DFT_QAM16	22.44	21.94	33	PASS
n38	30	40	519000	50@25	DFT_QAM64	21.25	20.75	33	PASS
n38	30	40	519000	1@1	DFT_QAM64	20.89	20.39	33	PASS
n38	30	40	519000	1@104	DFT_QAM64	20.88	20.38	33	PASS
n38	30	40	519000	50@25	DFT_QAM256	19.21	18.71	33	PASS
n38	30	40	519000	1@1	DFT_QAM256	19.00	18.5	33	PASS
n38	30	40	519000	1@104	DFT_QAM256	19.03	18.53	33	PASS
n38	30	40	519000	53@26	CP_QPSK	22.18	21.68	33	PASS
n38	30	40	519000	1@1	CP_QPSK	21.81	21.31	33	PASS
n38	30	40	519000	1@104	CP_QPSK	21.82	21.32	33	PASS
n38	30	40	519000	53@26	CP_QAM16	21.59	21.09	33	PASS
n38	30	40	519000	1@1	CP_QAM16	21.20	20.7	33	PASS
n38	30	40	519000	1@104	CP_QAM16	21.31	20.81	33	PASS
n38	30	40	519000	53@26	CP_QAM64	20.12	19.62	33	PASS
n38	30	40	519000	1@1	CP_QAM64	19.48	18.98	33	PASS
n38	30	40	519000	1@104	CP_QAM64	19.69	19.19	33	PASS
n38	30	40	519000	53@26	CP_QAM256	17.14	16.64	33	PASS
n38	30	40	519000	1@1	CP_QAM256	16.94	16.44	33	PASS
n38	30	40	519000	1@104	CP_QAM256	16.79	16.29	33	PASS
n38	30	40	520000	50@25	DFT_BPSK	23.70	23.2	33	PASS
n38	30	40	520000	1@1	DFT_BPSK	23.24	22.74	33	PASS
n38	30	40	520000	1@104	DFT_BPSK	23.32	22.82	33	PASS
n38	30	40	520000	50@25	DFT_QPSK	23.72	23.22	33	PASS
n38	30	40	520000	1@1	DFT_QPSK	23.08	22.58	33	PASS
n38	30	40	520000	1@104	DFT_QPSK	23.06	22.56	33	PASS

n38	30	40	520000	50@25	DFT_QAM16	22.70	22.2	33	PASS
n38	30	40	520000	1@1	DFT_QAM16	22.52	22.02	33	PASS
n38	30	40	520000	1@104	DFT_QAM16	22.52	22.02	33	PASS
n38	30	40	520000	50@25	DFT_QAM64	21.29	20.79	33	PASS
n38	30	40	520000	1@1	DFT_QAM64	20.86	20.36	33	PASS
n38	30	40	520000	1@104	DFT_QAM64	20.96	20.46	33	PASS
n38	30	40	520000	50@25	DFT_QAM256	19.23	18.73	33	PASS
n38	30	40	520000	1@1	DFT_QAM256	19.03	18.53	33	PASS
n38	30	40	520000	1@104	DFT_QAM256	18.82	18.32	33	PASS
n38	30	40	520000	53@26	CP_QPSK	22.15	21.65	33	PASS
n38	30	40	520000	1@1	CP_QPSK	21.82	21.32	33	PASS
n38	30	40	520000	1@104	CP_QPSK	21.85	21.35	33	PASS
n38	30	40	520000	53@26	CP_QAM16	21.73	21.23	33	PASS
n38	30	40	520000	1@1	CP_QAM16	21.21	20.71	33	PASS
n38	30	40	520000	1@104	CP_QAM16	21.37	20.87	33	PASS
n38	30	40	520000	53@26	CP_QAM64	20.21	19.71	33	PASS
n38	30	40	520000	1@1	CP_QAM64	19.68	19.18	33	PASS
n38	30	40	520000	1@104	CP_QAM64	19.60	19.1	33	PASS
n38	30	40	520000	53@26	CP_QAM256	17.16	16.66	33	PASS
n38	30	40	520000	1@1	CP_QAM256	16.80	16.3	33	PASS
n38	30	40	520000	1@104	CP_QAM256	16.77	16.27	33	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n38	30	40	519000	50@25	DFT_BPSK	3.87	-1.99	0.00	Within authorized band for 5G NR n38	PASS
n38	30	40	519000	50@25	DFT_BPSK	3.45	-2.46	0.00		PASS
n38	30	40	519000	50@25	DFT_BPSK	4.45	1.13	0.00		PASS
n38	30	40	519000	50@25	DFT_QPSK	3.87	-8.33	0.00		PASS
n38	30	40	519000	50@25	DFT_QPSK	3.45	-8.62	0.00		PASS
n38	30	40	519000	50@25	DFT_QPSK	4.45	-1.72	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n38	30	40	519000	50@25	DFT_BPSK	-30	-3.61	0.00	Within authorized band for 5G NR n38	PASS
n38	30	40	519000	50@25	DFT_BPSK	-20	-4.58	0.00		PASS
n38	30	40	519000	50@25	DFT_BPSK	-10	-3.32	0.00		PASS
n38	30	40	519000	50@25	DFT_BPSK	0	-1.99	0.00		PASS
n38	30	40	519000	50@25	DFT_BPSK	10	-1.93	0.00		PASS
n38	30	40	519000	50@25	DFT_BPSK	20	-3.37	0.00		PASS
n38	30	40	519000	50@25	DFT_BPSK	30	-5.76	0.00		PASS
n38	30	40	519000	50@25	DFT_BPSK	40	-6.57	0.00		PASS
n38	30	40	519000	50@25	DFT_BPSK	50	-5.32	0.00		PASS
n38	30	40	519000	50@25	DFT_QPSK	-30	-4.31	0.00		PASS
n38	30	40	519000	50@25	DFT_QPSK	-20	-3.26	0.00		PASS
n38	30	40	519000	50@25	DFT_QPSK	-10	-1.51	0.00		PASS
n38	30	40	519000	50@25	DFT_QPSK	0	-4.6	0.00		PASS
n38	30	40	519000	50@25	DFT_QPSK	10	-4.11	0.00		PASS
n38	30	40	519000	50@25	DFT_QPSK	20	-3.59	0.00		PASS
n38	30	40	519000	50@25	DFT_QPSK	30	-2.46	0.00		PASS
n38	30	40	519000	50@25	DFT_QPSK	40	-2.1	0.00		PASS
n38	30	40	519000	50@25	DFT_QPSK	50	-5.06	0.00		PASS

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n38	30	10	519000	24@0	DFT_BPSK	4.54	13	PASS
n38	30	10	519000	24@0	DFT_QPSK	5.55	13	PASS
n38	30	10	519000	24@0	DFT_QAM16	6.40	13	PASS
n38	30	10	519000	24@0	DFT_QAM64	6.59	13	PASS
n38	30	10	519000	24@0	DFT_QAM256	6.78	13	PASS
n38	30	15	519000	36@0	DFT_BPSK	4.60	13	PASS
n38	30	15	519000	36@0	DFT_QPSK	5.58	13	PASS
n38	30	15	519000	36@0	DFT_QAM16	6.45	13	PASS
n38	30	15	519000	36@0	DFT_QAM64	6.67	13	PASS
n38	30	15	519000	36@0	DFT_QAM256	7.09	13	PASS
n38	30	20	519000	50@0	DFT_BPSK	4.62	13	PASS
n38	30	20	519000	50@0	DFT_QPSK	5.64	13	PASS
n38	30	20	519000	50@0	DFT_QAM16	6.48	13	PASS
n38	30	20	519000	50@0	DFT_QAM64	6.74	13	PASS
n38	30	20	519000	50@0	DFT_QAM256	6.84	13	PASS
n38	30	40	519000	100@0	DFT_BPSK	4.62	13	PASS
n38	30	40	519000	100@0	DFT_QPSK	5.68	13	PASS
n38	30	40	519000	100@0	DFT_QAM16	6.56	13	PASS
n38	30	40	519000	100@0	DFT_QAM64	6.69	13	PASS
n38	30	40	519000	100@0	DFT_QAM256	7.02	13	PASS


n38 SCS=30kHz DFT_BPSK BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QAM16 BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QAM64 BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QAM256 BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_BPSK BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QPSK BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QAM16 BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QAM64 BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QAM256 BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_BPSK BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QPSK BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QAM16 BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QAM64 BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QAM256 BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_BPSK BW=40MHz Channel=519000 RB=100@0




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=519000 RB=100@0




n38 SCS=30kHz DFT_QAM16 BW=40MHz Channel=519000 RB=100@0



n38 SCS=30kHz DFT_QAM64 BW=40MHz Channel=519000 RB=100@0



n38 SCS=30kHz DFT_QAM256 BW=40MHz Channel=519000 RB=100@0




4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n38	30	10	515000	24@0	DFT_BPSK	8.620	9.230	PASS
n38	30	10	515000	24@0	DFT_QPSK	8.610	9.200	PASS
n38	30	10	515000	24@0	DFT_QAM16	8.610	9.210	PASS
n38	30	10	515000	24@0	DFT_QAM64	8.650	9.250	PASS
n38	30	10	515000	24@0	DFT_QAM256	8.610	9.180	PASS
n38	30	10	515000	24@0	CP_QPSK	8.620	9.180	PASS
n38	30	10	519000	24@0	DFT_BPSK	8.620	9.250	PASS
n38	30	10	519000	24@0	DFT_QPSK	8.610	9.230	PASS
n38	30	10	519000	24@0	DFT_QAM16	8.610	9.220	PASS
n38	30	10	519000	24@0	DFT_QAM64	8.640	9.250	PASS
n38	30	10	519000	24@0	DFT_QAM256	8.620	9.210	PASS
n38	30	10	519000	24@0	CP_QPSK	8.620	9.230	PASS
n38	30	10	523000	24@0	DFT_BPSK	8.620	9.180	PASS
n38	30	10	523000	24@0	DFT_QPSK	8.610	9.170	PASS
n38	30	10	523000	24@0	DFT_QAM16	8.610	9.200	PASS
n38	30	10	523000	24@0	DFT_QAM64	8.650	9.270	PASS
n38	30	10	523000	24@0	DFT_QAM256	8.620	9.220	PASS
n38	30	10	523000	24@0	CP_QPSK	8.640	9.250	PASS
n38	30	15	515500	36@0	DFT_BPSK	13.510	13.750	PASS
n38	30	15	515500	36@0	DFT_QPSK	13.470	13.720	PASS
n38	30	15	515500	36@0	DFT_QAM16	13.460	13.790	PASS
n38	30	15	515500	36@0	DFT_QAM64	13.520	13.710	PASS
n38	30	15	515500	36@0	DFT_QAM256	13.460	13.800	PASS
n38	30	15	515500	38@0	CP_QPSK	13.640	14.460	PASS
n38	30	15	519000	36@0	DFT_BPSK	13.510	13.770	PASS
n38	30	15	519000	36@0	DFT_QPSK	13.470	13.750	PASS
n38	30	15	519000	36@0	DFT_QAM16	13.460	13.730	PASS
n38	30	15	519000	36@0	DFT_QAM64	13.520	13.740	PASS
n38	30	15	519000	36@0	DFT_QAM256	13.510	13.770	PASS
n38	30	15	519000	38@0	CP_QPSK	13.640	14.420	PASS
n38	30	15	522500	36@0	DFT_BPSK	13.510	13.760	PASS
n38	30	15	522500	36@0	DFT_QPSK	13.500	13.730	PASS
n38	30	15	522500	36@0	DFT_QAM16	13.470	13.760	PASS
n38	30	15	522500	36@0	DFT_QAM64	13.560	13.760	PASS
n38	30	15	522500	36@0	DFT_QAM256	13.520	13.720	PASS
n38	30	15	522500	38@0	CP_QPSK	13.640	14.440	PASS
n38	30	20	516000	50@0	DFT_BPSK	18.020	18.910	PASS
n38	30	20	516000	50@0	DFT_QPSK	18.040	18.920	PASS
n38	30	20	516000	50@0	DFT_QAM16	18.030	18.920	PASS

n38	30	20	516000	50@0	DFT_QAM64	18.090	18.910	PASS
n38	30	20	516000	50@0	DFT_QAM256	18.080	18.950	PASS
n38	30	20	516000	51@0	CP_QPSK	18.270	19.300	PASS
n38	30	20	519000	50@0	DFT_BPSK	18.020	18.920	PASS
n38	30	20	519000	50@0	DFT_QPSK	18.040	18.910	PASS
n38	30	20	519000	50@0	DFT_QAM16	18.030	18.920	PASS
n38	30	20	519000	50@0	DFT_QAM64	18.080	18.920	PASS
n38	30	20	519000	50@0	DFT_QAM256	18.090	18.940	PASS
n38	30	20	519000	51@0	CP_QPSK	18.270	19.300	PASS
n38	30	20	522000	50@0	DFT_BPSK	18.020	18.910	PASS
n38	30	20	522000	50@0	DFT_QPSK	18.080	18.910	PASS
n38	30	20	522000	50@0	DFT_QAM16	18.090	18.930	PASS
n38	30	20	522000	50@0	DFT_QAM64	18.090	18.930	PASS
n38	30	20	522000	50@0	DFT_QAM256	18.080	18.930	PASS
n38	30	20	522000	51@0	CP_QPSK	18.270	19.320	PASS
n38	30	40	518000	100@0	DFT_BPSK	37.350	37.870	PASS
n38	30	40	518000	100@0	DFT_QPSK	37.350	37.860	PASS
n38	30	40	518000	100@0	DFT_QAM16	37.450	37.860	PASS
n38	30	40	518000	100@0	DFT_QAM64	37.330	37.860	PASS
n38	30	40	518000	100@0	DFT_QAM256	37.460	37.910	PASS
n38	30	40	518000	106@0	CP_QPSK	37.980	40.040	PASS
n38	30	40	519000	100@0	DFT_BPSK	37.450	37.860	PASS
n38	30	40	519000	100@0	DFT_QPSK	37.340	37.860	PASS
n38	30	40	519000	100@0	DFT_QAM16	37.340	37.860	PASS
n38	30	40	519000	100@0	DFT_QAM64	37.340	37.850	PASS
n38	30	40	519000	100@0	DFT_QAM256	37.440	37.870	PASS
n38	30	40	519000	106@0	CP_QPSK	37.970	40.050	PASS
n38	30	40	520000	100@0	DFT_BPSK	37.350	37.860	PASS
n38	30	40	520000	100@0	DFT_QPSK	37.350	37.860	PASS
n38	30	40	520000	100@0	DFT_QAM16	37.340	37.870	PASS
n38	30	40	520000	100@0	DFT_QAM64	37.340	37.850	PASS
n38	30	40	520000	100@0	DFT_QAM256	37.470	37.900	PASS
n38	30	40	520000	106@0	CP_QPSK	37.970	40.020	PASS

n38 SCS=30kHz DFT_BPSK BW=10MHz Channel=515000 RB=24@0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=515000 RB=24@0




n38 SCS=30kHz DFT_QAM16 BW=10MHz Channel=515000 RB=24@0




n38 SCS=30kHz DFT_QAM64 BW=10MHz Channel=515000 RB=24@0




n38 SCS=30kHz DFT_QAM256 BW=10MHz Channel=515000 RB=24@0




n38 SCS=30kHz CP_QPSK BW=10MHz Channel=515000 RB=24@0




n38 SCS=30kHz DFT_BPSK BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QAM16 BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QAM64 BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_QAM256 BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz CP_QPSK BW=10MHz Channel=519000 RB=24@0




n38 SCS=30kHz DFT_BPSK BW=10MHz Channel=523000 RB=24@0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=523000 RB=24@0




n38 SCS=30kHz DFT_QAM16 BW=10MHz Channel=523000 RB=24@0




n38 SCS=30kHz DFT_QAM64 BW=10MHz Channel=523000 RB=24@0




n38 SCS=30kHz DFT_QAM256 BW=10MHz Channel=523000 RB=24@0




n38 SCS=30kHz CP_QPSK BW=10MHz Channel=523000 RB=24@0



n38 SCS=30kHz DFT_BPSK BW=15MHz Channel=515500 RB=36@0




n38 SCS=30kHz DFT_QPSK BW=15MHz Channel=515500 RB=36@0




n38 SCS=30kHz DFT_QAM16 BW=15MHz Channel=515500 RB=36@0




n38 SCS=30kHz DFT_QAM64 BW=15MHz Channel=515500 RB=36@0




n38 SCS=30kHz DFT_QAM256 BW=15MHz Channel=515500 RB=36@0




n38 SCS=30kHz CP_QPSK BW=15MHz Channel=515500 RB=38@0




n38 SCS=30kHz DFT_BPSK BW=15MHz Channel=519000 RB=36@0



n38 SCS=30kHz DFT_QPSK BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QAM16 BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QAM64 BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz DFT_QAM256 BW=15MHz Channel=519000 RB=36@0




n38 SCS=30kHz CP_QPSK BW=15MHz Channel=519000 RB=38@0




n38 SCS=30kHz DFT_BPSK BW=15MHz Channel=522500 RB=36@0




n38 SCS=30kHz DFT_QPSK BW=15MHz Channel=522500 RB=36@0




n38 SCS=30kHz DFT_QAM16 BW=15MHz Channel=522500 RB=36@0




n38 SCS=30kHz DFT_QAM64 BW=15MHz Channel=522500 RB=36@0




n38 SCS=30kHz DFT_QAM256 BW=15MHz Channel=522500 RB=36@0




n38 SCS=30kHz CP_QPSK BW=15MHz Channel=522500 RB=38@0




n38 SCS=30kHz DFT_BPSK BW=20MHz Channel=516000 RB=50@0




n38 SCS=30kHz DFT_QPSK BW=20MHz Channel=516000 RB=50@0




n38 SCS=30kHz DFT_QAM16 BW=20MHz Channel=516000 RB=50@0




n38 SCS=30kHz DFT_QAM64 BW=20MHz Channel=516000 RB=50@0




n38 SCS=30kHz DFT_QAM256 BW=20MHz Channel=516000 RB=50@0




n38 SCS=30kHz CP_QPSK BW=20MHz Channel=516000 RB=51@0




n38 SCS=30kHz DFT_BPSK BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QPSK BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QAM16 BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QAM64 BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz DFT_QAM256 BW=20MHz Channel=519000 RB=50@0




n38 SCS=30kHz CP_QPSK BW=20MHz Channel=519000 RB=51@0




n38 SCS=30kHz DFT_BPSK BW=20MHz Channel=522000 RB=50@0




n38 SCS=30kHz DFT_QPSK BW=20MHz Channel=522000 RB=50@0




n38 SCS=30kHz DFT_QAM16 BW=20MHz Channel=522000 RB=50@0




n38 SCS=30kHz DFT_QAM64 BW=20MHz Channel=522000 RB=50@0




n38 SCS=30kHz DFT_QAM256 BW=20MHz Channel=522000 RB=50@0




n38 SCS=30kHz CP_QPSK BW=20MHz Channel=522000 RB=51@0




n38 SCS=30kHz DFT_BPSK BW=40MHz Channel=518000 RB=100@0




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=518000 RB=100@0



n38 SCS=30kHz DFT_QAM16 BW=40MHz Channel=518000 RB=100@0




n38 SCS=30kHz DFT_QAM64 BW=40MHz Channel=518000 RB=100@0




n38 SCS=30kHz DFT_QAM256 BW=40MHz Channel=518000 RB=100@0




n38 SCS=30kHz CP_QPSK BW=40MHz Channel=518000 RB=106@0




n38 SCS=30kHz DFT_BPSK BW=40MHz Channel=519000 RB=100@0




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=519000 RB=100@0




n38 SCS=30kHz DFT_QAM16 BW=40MHz Channel=519000 RB=100@0




n38 SCS=30kHz DFT_QAM64 BW=40MHz Channel=519000 RB=100@0




n38 SCS=30kHz DFT_QAM256 BW=40MHz Channel=519000 RB=100@0




n38 SCS=30kHz CP_QPSK BW=40MHz Channel=519000 RB=106@0




n38 SCS=30kHz DFT_BPSK BW=40MHz Channel=520000 RB=100@0




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=520000 RB=100@0




n38 SCS=30kHz DFT_QAM16 BW=40MHz Channel=520000 RB=100@0




n38 SCS=30kHz DFT_QAM64 BW=40MHz Channel=520000 RB=100@0



n38 SCS=30kHz DFT_QAM256 BW=40MHz Channel=520000 RB=100@0




n38 SCS=30kHz CP_QPSK BW=40MHz Channel=520000 RB=106@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n38	30	10	515000	24@0	DFT_QPSK	2559.77	-37.57	-25	PASS
n38	30	10	515000	1@0	DFT_QPSK	2558.63	-34.57	-25	PASS
n38	30	10	523000	24@0	DFT_QPSK	2621.00	-20.94	-10	PASS
n38	30	10	523000	1@23	DFT_QPSK	2621.25	-18.12	-10	PASS
n38	30	40	518000	100@0	DFT_QPSK	2529.15	-41.12	-25	PASS
n38	30	40	518000	1@0	DFT_QPSK	2568.98	-18.87	-10	PASS
n38	30	40	520000	100@0	DFT_QPSK	2668.13	-41.31	-25	PASS
n38	30	40	520000	1@105	DFT_QPSK	2621.09	-21.77	-10	PASS


n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=515000 RB=24@0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=515000 RB=1@0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=523000 RB=24@0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=523000 RB=1@23




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=518000 RB=100@0




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=518000 RB=1@0



n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=520000 RB=100@0




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=520000 RB=1@105




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n38	30	10	515000	24@0	DFT_QPSK	25847.55	-33.22	-25	PASS
n38	30	10	515000	1@0	DFT_QPSK	26260.30	-32.54	-25	PASS
n38	30	10	515000	1@23	DFT_QPSK	26236.25	-32.89	-25	PASS
n38	30	10	519000	24@0	DFT_QPSK	26296.70	-33.49	-25	PASS
n38	30	10	519000	1@0	DFT_QPSK	25542.05	-32.13	-25	PASS
n38	30	10	519000	1@23	DFT_QPSK	25603.80	-33.28	-25	PASS
n38	30	10	523000	24@0	DFT_QPSK	26225.85	-33.21	-25	PASS
n38	30	10	523000	1@0	DFT_QPSK	26192.05	-32.00	-25	PASS
n38	30	10	523000	1@23	DFT_QPSK	26348.05	-33.29	-25	PASS
n38	30	40	518000	100@0	DFT_QPSK	26264.20	-33.33	-25	PASS
n38	30	40	518000	1@0	DFT_QPSK	25776.05	-32.93	-25	PASS
n38	30	40	518000	1@105	DFT_QPSK	25675.30	-33.11	-25	PASS
n38	30	40	519000	100@0	DFT_QPSK	26260.95	-33.34	-25	PASS
n38	30	40	519000	1@0	DFT_QPSK	26488.45	-32.55	-25	PASS
n38	30	40	519000	1@105	DFT_QPSK	26269.40	-33.25	-25	PASS
n38	30	40	520000	100@0	DFT_QPSK	24274.55	-33.09	-25	PASS
n38	30	40	520000	1@0	DFT_QPSK	23643.40	-32.91	-25	PASS
n38	30	40	520000	1@105	DFT_QPSK	26281.75	-33.42	-25	PASS


n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=515000 RB=24@0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=515000 RB=1@0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=515000 RB=1 @23




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=519000 RB=24 @0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=519000 RB=1 @0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=519000 RB=1 @23




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=523000 RB=24@0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=523000 RB=1@0




n38 SCS=30kHz DFT_QPSK BW=10MHz Channel=523000 RB=1 @23




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=518000 RB=100 @0




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=518000 RB=1 @0




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=518000 RB=1 @105




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=519000 RB=100@0




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=519000 RB=1@0




n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=519000 RB=1@105



n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=520000 RB=100@0



n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=520000 RB=1 @0



n38 SCS=30kHz DFT_QPSK BW=40MHz Channel=520000 RB=1 @105

