

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	ERP (dBm)	Limit (dBm)	Verdict
n71	15	5	133100	12@6	DFT_BPSK	22.49	15.41	34.77	PASS
n71	15	5	133100	1@1	DFT_BPSK	22.38	15.3	34.77	PASS
n71	15	5	133100	1@23	DFT_BPSK	22.45	15.37	34.77	PASS
n71	15	5	133100	12@6	DFT_QPSK	22.50	15.42	34.77	PASS
n71	15	5	133100	1@1	DFT_QPSK	22.31	15.23	34.77	PASS
n71	15	5	133100	1@23	DFT_QPSK	22.33	15.25	34.77	PASS
n71	15	5	133100	12@6	DFT_QAM16	21.49	14.41	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM16	21.63	14.55	34.77	PASS
n71	15	5	133100	1@23	DFT_QAM16	21.54	14.46	34.77	PASS
n71	15	5	133100	12@6	DFT_QAM64	19.98	12.9	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM64	19.93	12.85	34.77	PASS
n71	15	5	133100	1@23	DFT_QAM64	20.01	12.93	34.77	PASS
n71	15	5	133100	12@6	DFT_QAM256	18.13	11.05	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM256	17.91	10.83	34.77	PASS
n71	15	5	133100	1@23	DFT_QAM256	17.99	10.91	34.77	PASS
n71	15	5	133100	13@6	CP_QPSK	20.94	13.86	34.77	PASS
n71	15	5	133100	1@1	CP_QPSK	20.91	13.83	34.77	PASS
n71	15	5	133100	1@23	CP_QPSK	21.10	14.02	34.77	PASS
n71	15	5	133100	13@6	CP_QAM16	20.44	13.36	34.77	PASS
n71	15	5	133100	1@1	CP_QAM16	20.56	13.48	34.77	PASS
n71	15	5	133100	1@23	CP_QAM16	20.97	13.89	34.77	PASS
n71	15	5	133100	13@6	CP_QAM64	19.03	11.95	34.77	PASS
n71	15	5	133100	1@1	CP_QAM64	19.69	12.61	34.77	PASS
n71	15	5	133100	1@23	CP_QAM64	19.91	12.83	34.77	PASS
n71	15	5	133100	13@6	CP_QAM256	16.03	8.95	34.77	PASS
n71	15	5	133100	1@1	CP_QAM256	16.46	9.38	34.77	PASS
n71	15	5	133100	1@23	CP_QAM256	16.56	9.48	34.77	PASS
n71	15	5	136100	12@6	DFT_BPSK	22.68	15.6	34.77	PASS
n71	15	5	136100	1@1	DFT_BPSK	22.65	15.57	34.77	PASS
n71	15	5	136100	1@23	DFT_BPSK	22.52	15.44	34.77	PASS
n71	15	5	136100	12@6	DFT_QPSK	22.60	15.52	34.77	PASS
n71	15	5	136100	1@1	DFT_QPSK	22.45	15.37	34.77	PASS
n71	15	5	136100	1@23	DFT_QPSK	22.49	15.41	34.77	PASS
n71	15	5	136100	12@6	DFT_QAM16	21.62	14.54	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM16	21.74	14.66	34.77	PASS
n71	15	5	136100	1@23	DFT_QAM16	21.44	14.36	34.77	PASS
n71	15	5	136100	12@6	DFT_QAM64	20.15	13.07	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM64	20.13	13.05	34.77	PASS
n71	15	5	136100	1@23	DFT_QAM64	20.19	13.11	34.77	PASS

n71	15	5	136100	12@6	DFT_QAM256	18.26	11.18	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM256	18.17	11.09	34.77	PASS
n71	15	5	136100	1@23	DFT_QAM256	18.18	11.1	34.77	PASS
n71	15	5	136100	13@6	CP_QPSK	21.16	14.08	34.77	PASS
n71	15	5	136100	1@1	CP_QPSK	21.10	14.02	34.77	PASS
n71	15	5	136100	1@23	CP_QPSK	21.14	14.06	34.77	PASS
n71	15	5	136100	13@6	CP_QAM16	20.62	13.54	34.77	PASS
n71	15	5	136100	1@1	CP_QAM16	20.69	13.61	34.77	PASS
n71	15	5	136100	1@23	CP_QAM16	20.67	13.59	34.77	PASS
n71	15	5	136100	13@6	CP_QAM64	19.31	12.23	34.77	PASS
n71	15	5	136100	1@1	CP_QAM64	19.09	12.01	34.77	PASS
n71	15	5	136100	1@23	CP_QAM64	19.70	12.62	34.77	PASS
n71	15	5	136100	13@6	CP_QAM256	16.19	9.11	34.77	PASS
n71	15	5	136100	1@1	CP_QAM256	16.58	9.5	34.77	PASS
n71	15	5	136100	1@23	CP_QAM256	16.48	9.4	34.77	PASS
n71	15	5	139100	12@6	DFT_BPSK	22.72	15.64	34.77	PASS
n71	15	5	139100	1@1	DFT_BPSK	22.70	15.62	34.77	PASS
n71	15	5	139100	1@23	DFT_BPSK	22.69	15.61	34.77	PASS
n71	15	5	139100	12@6	DFT_QPSK	22.71	15.63	34.77	PASS
n71	15	5	139100	1@1	DFT_QPSK	22.53	15.45	34.77	PASS
n71	15	5	139100	1@23	DFT_QPSK	22.52	15.44	34.77	PASS
n71	15	5	139100	12@6	DFT_QAM16	21.63	14.55	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM16	21.86	14.78	34.77	PASS
n71	15	5	139100	1@23	DFT_QAM16	21.87	14.79	34.77	PASS
n71	15	5	139100	12@6	DFT_QAM64	20.22	13.14	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM64	20.26	13.18	34.77	PASS
n71	15	5	139100	1@23	DFT_QAM64	20.22	13.14	34.77	PASS
n71	15	5	139100	12@6	DFT_QAM256	18.40	11.32	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM256	18.20	11.12	34.77	PASS
n71	15	5	139100	1@23	DFT_QAM256	18.21	11.13	34.77	PASS
n71	15	5	139100	13@6	CP_QPSK	21.24	14.16	34.77	PASS
n71	15	5	139100	1@1	CP_QPSK	21.24	14.16	34.77	PASS
n71	15	5	139100	1@23	CP_QPSK	21.20	14.12	34.77	PASS
n71	15	5	139100	13@6	CP_QAM16	20.75	13.67	34.77	PASS
n71	15	5	139100	1@1	CP_QAM16	20.76	13.68	34.77	PASS
n71	15	5	139100	1@23	CP_QAM16	20.76	13.68	34.77	PASS
n71	15	5	139100	13@6	CP_QAM64	19.23	12.15	34.77	PASS
n71	15	5	139100	1@1	CP_QAM64	19.54	12.46	34.77	PASS
n71	15	5	139100	1@23	CP_QAM64	19.03	11.95	34.77	PASS
n71	15	5	139100	13@6	CP_QAM256	16.26	9.18	34.77	PASS
n71	15	5	139100	1@1	CP_QAM256	16.51	9.43	34.77	PASS
n71	15	5	139100	1@23	CP_QAM256	16.76	9.68	34.77	PASS
n71	15	10	133600	25@12	DFT_BPSK	22.36	15.28	34.77	PASS
n71	15	10	133600	1@1	DFT_BPSK	22.19	15.11	34.77	PASS

n71	15	10	133600	1@50	DFT_BPSK	22.36	15.28	34.77	PASS
n71	15	10	133600	25@12	DFT_QPSK	22.38	15.3	34.77	PASS
n71	15	10	133600	1@1	DFT_QPSK	22.11	15.03	34.77	PASS
n71	15	10	133600	1@50	DFT_QPSK	22.13	15.05	34.77	PASS
n71	15	10	133600	25@12	DFT_QAM16	21.34	14.26	34.77	PASS
n71	15	10	133600	1@1	DFT_QAM16	21.29	14.21	34.77	PASS
n71	15	10	133600	1@50	DFT_QAM16	21.44	14.36	34.77	PASS
n71	15	10	133600	25@12	DFT_QAM64	19.82	12.74	34.77	PASS
n71	15	10	133600	1@1	DFT_QAM64	19.88	12.8	34.77	PASS
n71	15	10	133600	1@50	DFT_QAM64	19.79	12.71	34.77	PASS
n71	15	10	133600	25@12	DFT_QAM256	17.86	10.78	34.77	PASS
n71	15	10	133600	1@1	DFT_QAM256	17.86	10.78	34.77	PASS
n71	15	10	133600	1@50	DFT_QAM256	17.96	10.88	34.77	PASS
n71	15	10	133600	26@13	CP_QPSK	20.86	13.78	34.77	PASS
n71	15	10	133600	1@1	CP_QPSK	20.83	13.75	34.77	PASS
n71	15	10	133600	1@50	CP_QPSK	20.90	13.82	34.77	PASS
n71	15	10	133600	26@13	CP_QAM16	20.30	13.22	34.77	PASS
n71	15	10	133600	1@1	CP_QAM16	20.70	13.62	34.77	PASS
n71	15	10	133600	1@50	CP_QAM16	20.78	13.7	34.77	PASS
n71	15	10	133600	26@13	CP_QAM64	18.92	11.84	34.77	PASS
n71	15	10	133600	1@1	CP_QAM64	18.67	11.59	34.77	PASS
n71	15	10	133600	1@50	CP_QAM64	19.40	12.32	34.77	PASS
n71	15	10	133600	26@13	CP_QAM256	15.83	8.75	34.77	PASS
n71	15	10	133600	1@1	CP_QAM256	16.20	9.12	34.77	PASS
n71	15	10	133600	1@50	CP_QAM256	16.32	9.24	34.77	PASS
n71	15	10	136100	25@12	DFT_BPSK	22.45	15.37	34.77	PASS
n71	15	10	136100	1@1	DFT_BPSK	22.41	15.33	34.77	PASS
n71	15	10	136100	1@50	DFT_BPSK	22.32	15.24	34.77	PASS
n71	15	10	136100	25@12	DFT_QPSK	22.38	15.3	34.77	PASS
n71	15	10	136100	1@1	DFT_QPSK	22.30	15.22	34.77	PASS
n71	15	10	136100	1@50	DFT_QPSK	22.29	15.21	34.77	PASS
n71	15	10	136100	25@12	DFT_QAM16	21.40	14.32	34.77	PASS
n71	15	10	136100	1@1	DFT_QAM16	21.30	14.22	34.77	PASS
n71	15	10	136100	1@50	DFT_QAM16	21.27	14.19	34.77	PASS
n71	15	10	136100	25@12	DFT_QAM64	19.88	12.8	34.77	PASS
n71	15	10	136100	1@1	DFT_QAM64	20.06	12.98	34.77	PASS
n71	15	10	136100	1@50	DFT_QAM64	19.92	12.84	34.77	PASS
n71	15	10	136100	25@12	DFT_QAM256	17.98	10.9	34.77	PASS
n71	15	10	136100	1@1	DFT_QAM256	17.95	10.87	34.77	PASS
n71	15	10	136100	1@50	DFT_QAM256	17.93	10.85	34.77	PASS
n71	15	10	136100	26@13	CP_QPSK	20.94	13.86	34.77	PASS
n71	15	10	136100	1@1	CP_QPSK	20.82	13.74	34.77	PASS
n71	15	10	136100	1@50	CP_QPSK	20.92	13.84	34.77	PASS
n71	15	10	136100	26@13	CP_QAM16	20.37	13.29	34.77	PASS

n71	15	10	136100	1@1	CP_QAM16	20.78	13.7	34.77	PASS
n71	15	10	136100	1@50	CP_QAM16	20.79	13.71	34.77	PASS
n71	15	10	136100	26@13	CP_QAM64	19.03	11.95	34.77	PASS
n71	15	10	136100	1@1	CP_QAM64	18.87	11.79	34.77	PASS
n71	15	10	136100	1@50	CP_QAM64	19.43	12.35	34.77	PASS
n71	15	10	136100	26@13	CP_QAM256	15.93	8.85	34.77	PASS
n71	15	10	136100	1@1	CP_QAM256	16.61	9.53	34.77	PASS
n71	15	10	136100	1@50	CP_QAM256	16.36	9.28	34.77	PASS
n71	15	10	138600	25@12	DFT_BPSK	22.50	15.42	34.77	PASS
n71	15	10	138600	1@1	DFT_BPSK	22.39	15.31	34.77	PASS
n71	15	10	138600	1@50	DFT_BPSK	22.39	15.31	34.77	PASS
n71	15	10	138600	25@12	DFT_QPSK	22.46	15.38	34.77	PASS
n71	15	10	138600	1@1	DFT_QPSK	22.38	15.3	34.77	PASS
n71	15	10	138600	1@50	DFT_QPSK	22.25	15.17	34.77	PASS
n71	15	10	138600	25@12	DFT_QAM16	21.55	14.47	34.77	PASS
n71	15	10	138600	1@1	DFT_QAM16	21.59	14.51	34.77	PASS
n71	15	10	138600	1@50	DFT_QAM16	21.60	14.52	34.77	PASS
n71	15	10	138600	25@12	DFT_QAM64	20.00	12.92	34.77	PASS
n71	15	10	138600	1@1	DFT_QAM64	19.94	12.86	34.77	PASS
n71	15	10	138600	1@50	DFT_QAM64	19.96	12.88	34.77	PASS
n71	15	10	138600	25@12	DFT_QAM256	18.09	11.01	34.77	PASS
n71	15	10	138600	1@1	DFT_QAM256	18.01	10.93	34.77	PASS
n71	15	10	138600	1@50	DFT_QAM256	18.02	10.94	34.77	PASS
n71	15	10	138600	26@13	CP_QPSK	20.99	13.91	34.77	PASS
n71	15	10	138600	1@1	CP_QPSK	20.94	13.86	34.77	PASS
n71	15	10	138600	1@50	CP_QPSK	21.12	14.04	34.77	PASS
n71	15	10	138600	26@13	CP_QAM16	20.46	13.38	34.77	PASS
n71	15	10	138600	1@1	CP_QAM16	20.88	13.8	34.77	PASS
n71	15	10	138600	1@50	CP_QAM16	20.57	13.49	34.77	PASS
n71	15	10	138600	26@13	CP_QAM64	19.00	11.92	34.77	PASS
n71	15	10	138600	1@1	CP_QAM64	19.49	12.41	34.77	PASS
n71	15	10	138600	1@50	CP_QAM64	18.93	11.85	34.77	PASS
n71	15	10	138600	26@13	CP_QAM256	15.95	8.87	34.77	PASS
n71	15	10	138600	1@1	CP_QAM256	16.35	9.27	34.77	PASS
n71	15	10	138600	1@50	CP_QAM256	16.36	9.28	34.77	PASS
n71	15	15	134100	36@18	DFT_BPSK	22.52	15.44	34.77	PASS
n71	15	15	134100	1@1	DFT_BPSK	22.32	15.24	34.77	PASS
n71	15	15	134100	1@77	DFT_BPSK	22.39	15.31	34.77	PASS
n71	15	15	134100	36@18	DFT_QPSK	22.48	15.4	34.77	PASS
n71	15	15	134100	1@1	DFT_QPSK	22.13	15.05	34.77	PASS
n71	15	15	134100	1@77	DFT_QPSK	22.36	15.28	34.77	PASS
n71	15	15	134100	36@18	DFT_QAM16	21.40	14.32	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM16	21.39	14.31	34.77	PASS
n71	15	15	134100	1@77	DFT_QAM16	21.53	14.45	34.77	PASS

n71	15	15	134100	36@18	DFT_QAM64	19.94	12.86	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM64	19.87	12.79	34.77	PASS
n71	15	15	134100	1@77	DFT_QAM64	20.08	13	34.77	PASS
n71	15	15	134100	36@18	DFT_QAM256	18.02	10.94	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM256	17.86	10.78	34.77	PASS
n71	15	15	134100	1@77	DFT_QAM256	17.96	10.88	34.77	PASS
n71	15	15	134100	39@19	CP_QPSK	21.00	13.92	34.77	PASS
n71	15	15	134100	1@1	CP_QPSK	20.85	13.77	34.77	PASS
n71	15	15	134100	1@77	CP_QPSK	21.00	13.92	34.77	PASS
n71	15	15	134100	39@19	CP_QAM16	20.55	13.47	34.77	PASS
n71	15	15	134100	1@1	CP_QAM16	20.91	13.83	34.77	PASS
n71	15	15	134100	1@77	CP_QAM16	20.49	13.41	34.77	PASS
n71	15	15	134100	39@19	CP_QAM64	19.08	12	34.77	PASS
n71	15	15	134100	1@1	CP_QAM64	18.68	11.6	34.77	PASS
n71	15	15	134100	1@77	CP_QAM64	19.54	12.46	34.77	PASS
n71	15	15	134100	39@19	CP_QAM256	16.03	8.95	34.77	PASS
n71	15	15	134100	1@1	CP_QAM256	16.49	9.41	34.77	PASS
n71	15	15	134100	1@77	CP_QAM256	16.52	9.44	34.77	PASS
n71	15	15	136100	36@18	DFT_BPSK	22.58	15.5	34.77	PASS
n71	15	15	136100	1@1	DFT_BPSK	22.44	15.36	34.77	PASS
n71	15	15	136100	1@77	DFT_BPSK	22.47	15.39	34.77	PASS
n71	15	15	136100	36@18	DFT_QPSK	22.62	15.54	34.77	PASS
n71	15	15	136100	1@1	DFT_QPSK	22.36	15.28	34.77	PASS
n71	15	15	136100	1@77	DFT_QPSK	22.26	15.18	34.77	PASS
n71	15	15	136100	36@18	DFT_QAM16	21.56	14.48	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM16	21.60	14.52	34.77	PASS
n71	15	15	136100	1@77	DFT_QAM16	21.60	14.52	34.77	PASS
n71	15	15	136100	36@18	DFT_QAM64	20.10	13.02	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM64	20.04	12.96	34.77	PASS
n71	15	15	136100	1@77	DFT_QAM64	20.11	13.03	34.77	PASS
n71	15	15	136100	36@18	DFT_QAM256	18.13	11.05	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM256	18.03	10.95	34.77	PASS
n71	15	15	136100	1@77	DFT_QAM256	18.03	10.95	34.77	PASS
n71	15	15	136100	39@19	CP_QPSK	21.09	14.01	34.77	PASS
n71	15	15	136100	1@1	CP_QPSK	21.10	14.02	34.77	PASS
n71	15	15	136100	1@77	CP_QPSK	21.15	14.07	34.77	PASS
n71	15	15	136100	39@19	CP_QAM16	20.63	13.55	34.77	PASS
n71	15	15	136100	1@1	CP_QAM16	20.88	13.8	34.77	PASS
n71	15	15	136100	1@77	CP_QAM16	21.02	13.94	34.77	PASS
n71	15	15	136100	39@19	CP_QAM64	19.18	12.1	34.77	PASS
n71	15	15	136100	1@1	CP_QAM64	19.04	11.96	34.77	PASS
n71	15	15	136100	1@77	CP_QAM64	19.53	12.45	34.77	PASS
n71	15	15	136100	39@19	CP_QAM256	16.07	8.99	34.77	PASS
n71	15	15	136100	1@1	CP_QAM256	16.44	9.36	34.77	PASS

n71	15	15	136100	1@77	CP_QAM256	16.44	9.36	34.77	PASS
n71	15	15	138100	36@18	DFT_BPSK	22.66	15.58	34.77	PASS
n71	15	15	138100	1@1	DFT_BPSK	22.49	15.41	34.77	PASS
n71	15	15	138100	1@77	DFT_BPSK	22.54	15.46	34.77	PASS
n71	15	15	138100	36@18	DFT_QPSK	22.70	15.62	34.77	PASS
n71	15	15	138100	1@1	DFT_QPSK	22.30	15.22	34.77	PASS
n71	15	15	138100	1@77	DFT_QPSK	22.45	15.37	34.77	PASS
n71	15	15	138100	36@18	DFT_QAM16	21.68	14.6	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM16	21.65	14.57	34.77	PASS
n71	15	15	138100	1@77	DFT_QAM16	21.64	14.56	34.77	PASS
n71	15	15	138100	36@18	DFT_QAM64	20.18	13.1	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM64	19.99	12.91	34.77	PASS
n71	15	15	138100	1@77	DFT_QAM64	20.06	12.98	34.77	PASS
n71	15	15	138100	36@18	DFT_QAM256	18.21	11.13	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM256	18.09	11.01	34.77	PASS
n71	15	15	138100	1@77	DFT_QAM256	18.16	11.08	34.77	PASS
n71	15	15	138100	39@19	CP_QPSK	21.12	14.04	34.77	PASS
n71	15	15	138100	1@1	CP_QPSK	21.11	14.03	34.77	PASS
n71	15	15	138100	1@77	CP_QPSK	21.13	14.05	34.77	PASS
n71	15	15	138100	39@19	CP_QAM16	20.66	13.58	34.77	PASS
n71	15	15	138100	1@1	CP_QAM16	20.99	13.91	34.77	PASS
n71	15	15	138100	1@77	CP_QAM16	20.66	13.58	34.77	PASS
n71	15	15	138100	39@19	CP_QAM64	19.13	12.05	34.77	PASS
n71	15	15	138100	1@1	CP_QAM64	19.00	11.92	34.77	PASS
n71	15	15	138100	1@77	CP_QAM64	19.49	12.41	34.77	PASS
n71	15	15	138100	39@19	CP_QAM256	16.16	9.08	34.77	PASS
n71	15	15	138100	1@1	CP_QAM256	16.43	9.35	34.77	PASS
n71	15	15	138100	1@77	CP_QAM256	16.51	9.43	34.77	PASS
n71	15	20	134600	50@25	DFT_BPSK	22.56	15.48	34.77	PASS
n71	15	20	134600	1@1	DFT_BPSK	22.25	15.17	34.77	PASS
n71	15	20	134600	1@104	DFT_BPSK	22.46	15.38	34.77	PASS
n71	15	20	134600	50@25	DFT_QPSK	22.50	15.42	34.77	PASS
n71	15	20	134600	1@1	DFT_QPSK	22.18	15.1	34.77	PASS
n71	15	20	134600	1@104	DFT_QPSK	22.25	15.17	34.77	PASS
n71	15	20	134600	50@25	DFT_QAM16	21.44	14.36	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM16	21.43	14.35	34.77	PASS
n71	15	20	134600	1@104	DFT_QAM16	21.57	14.49	34.77	PASS
n71	15	20	134600	50@25	DFT_QAM64	19.91	12.83	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM64	19.65	12.57	34.77	PASS
n71	15	20	134600	1@104	DFT_QAM64	19.68	12.6	34.77	PASS
n71	15	20	134600	50@25	DFT_QAM256	17.98	10.9	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM256	17.90	10.82	34.77	PASS
n71	15	20	134600	1@104	DFT_QAM256	18.02	10.94	34.77	PASS
n71	15	20	134600	53@26	CP_QPSK	21.05	13.97	34.77	PASS

n71	15	20	134600	1@1	CP_QPSK	20.81	13.73	34.77	PASS
n71	15	20	134600	1@104	CP_QPSK	21.06	13.98	34.77	PASS
n71	15	20	134600	53@26	CP_QAM16	20.53	13.45	34.77	PASS
n71	15	20	134600	1@1	CP_QAM16	20.48	13.4	34.77	PASS
n71	15	20	134600	1@104	CP_QAM16	20.96	13.88	34.77	PASS
n71	15	20	134600	53@26	CP_QAM64	19.05	11.97	34.77	PASS
n71	15	20	134600	1@1	CP_QAM64	19.21	12.13	34.77	PASS
n71	15	20	134600	1@104	CP_QAM64	19.44	12.36	34.77	PASS
n71	15	20	134600	53@26	CP_QAM256	16.10	9.02	34.77	PASS
n71	15	20	134600	1@1	CP_QAM256	16.36	9.28	34.77	PASS
n71	15	20	134600	1@104	CP_QAM256	16.37	9.29	34.77	PASS
n71	15	20	136100	50@25	DFT_BPSK	22.62	15.54	34.77	PASS
n71	15	20	136100	1@1	DFT_BPSK	22.36	15.28	34.77	PASS
n71	15	20	136100	1@104	DFT_BPSK	22.46	15.38	34.77	PASS
n71	15	20	136100	50@25	DFT_QPSK	22.56	15.48	34.77	PASS
n71	15	20	136100	1@1	DFT_QPSK	22.29	15.21	34.77	PASS
n71	15	20	136100	1@104	DFT_QPSK	22.28	15.2	34.77	PASS
n71	15	20	136100	50@25	DFT_QAM16	21.63	14.55	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM16	21.51	14.43	34.77	PASS
n71	15	20	136100	1@104	DFT_QAM16	21.67	14.59	34.77	PASS
n71	15	20	136100	50@25	DFT_QAM64	20.11	13.03	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM64	19.98	12.9	34.77	PASS
n71	15	20	136100	1@104	DFT_QAM64	19.99	12.91	34.77	PASS
n71	15	20	136100	50@25	DFT_QAM256	18.04	10.96	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM256	17.99	10.91	34.77	PASS
n71	15	20	136100	1@104	DFT_QAM256	17.93	10.85	34.77	PASS
n71	15	20	136100	53@26	CP_QPSK	21.15	14.07	34.77	PASS
n71	15	20	136100	1@1	CP_QPSK	21.07	13.99	34.77	PASS
n71	15	20	136100	1@104	CP_QPSK	21.11	14.03	34.77	PASS
n71	15	20	136100	53@26	CP_QAM16	20.58	13.5	34.77	PASS
n71	15	20	136100	1@1	CP_QAM16	20.85	13.77	34.77	PASS
n71	15	20	136100	1@104	CP_QAM16	20.53	13.45	34.77	PASS
n71	15	20	136100	53@26	CP_QAM64	19.07	11.99	34.77	PASS
n71	15	20	136100	1@1	CP_QAM64	18.90	11.82	34.77	PASS
n71	15	20	136100	1@104	CP_QAM64	19.76	12.68	34.77	PASS
n71	15	20	136100	53@26	CP_QAM256	16.15	9.07	34.77	PASS
n71	15	20	136100	1@1	CP_QAM256	16.43	9.35	34.77	PASS
n71	15	20	136100	1@104	CP_QAM256	16.58	9.5	34.77	PASS
n71	15	20	137600	50@25	DFT_BPSK	22.68	15.6	34.77	PASS
n71	15	20	137600	1@1	DFT_BPSK	22.51	15.43	34.77	PASS
n71	15	20	137600	1@104	DFT_BPSK	22.51	15.43	34.77	PASS
n71	15	20	137600	50@25	DFT_QPSK	22.65	15.57	34.77	PASS
n71	15	20	137600	1@1	DFT_QPSK	22.39	15.31	34.77	PASS
n71	15	20	137600	1@104	DFT_QPSK	22.37	15.29	34.77	PASS

n71	15	20	137600	50@25	DFT_QAM16	21.67	14.59	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM16	21.70	14.62	34.77	PASS
n71	15	20	137600	1@104	DFT_QAM16	21.63	14.55	34.77	PASS
n71	15	20	137600	50@25	DFT_QAM64	20.11	13.03	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM64	20.13	13.05	34.77	PASS
n71	15	20	137600	1@104	DFT_QAM64	20.04	12.96	34.77	PASS
n71	15	20	137600	50@25	DFT_QAM256	18.19	11.11	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM256	18.05	10.97	34.77	PASS
n71	15	20	137600	1@104	DFT_QAM256	17.98	10.9	34.77	PASS
n71	15	20	137600	53@26	CP_QPSK	21.19	14.11	34.77	PASS
n71	15	20	137600	1@1	CP_QPSK	21.18	14.1	34.77	PASS
n71	15	20	137600	1@104	CP_QPSK	21.05	13.97	34.77	PASS
n71	15	20	137600	53@26	CP_QAM16	20.59	13.51	34.77	PASS
n71	15	20	137600	1@1	CP_QAM16	20.58	13.5	34.77	PASS
n71	15	20	137600	1@104	CP_QAM16	20.60	13.52	34.77	PASS
n71	15	20	137600	53@26	CP_QAM64	19.20	12.12	34.77	PASS
n71	15	20	137600	1@1	CP_QAM64	19.89	12.81	34.77	PASS
n71	15	20	137600	1@104	CP_QAM64	19.67	12.59	34.77	PASS
n71	15	20	137600	53@26	CP_QAM256	16.11	9.03	34.77	PASS
n71	15	20	137600	1@1	CP_QAM256	16.60	9.52	34.77	PASS
n71	15	20	137600	1@104	CP_QAM256	16.47	9.39	34.77	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n71	15	20	136100	50@25	DFT_BPSK	3.87	-3.45	-0.01	Within authorized band for 5G NR n71	PASS
n71	15	20	136100	50@25	DFT_BPSK	3.45	-4.08	-0.01		PASS
n71	15	20	136100	50@25	DFT_BPSK	4.45	-3.37	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	3.87	-6.36	-0.01		PASS
n71	15	20	136100	50@25	DFT_QPSK	3.45	-5.17	-0.01		PASS
n71	15	20	136100	50@25	DFT_QPSK	4.45	-5.54	-0.01		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n71	15	20	136100	50@25	DFT_BPSK	-30	-3.25	0.00	Within authorized band for 5G NR n71	PASS
n71	15	20	136100	50@25	DFT_BPSK	-20	-2.54	0.00		PASS
n71	15	20	136100	50@25	DFT_BPSK	-10	-5.26	-0.01		PASS
n71	15	20	136100	50@25	DFT_BPSK	0	-2.49	0.00		PASS
n71	15	20	136100	50@25	DFT_BPSK	10	-4.38	0.00		PASS
n71	15	20	136100	50@25	DFT_BPSK	20	-3.29	0.00		PASS
n71	15	20	136100	50@25	DFT_BPSK	30	-2.59	0.00		PASS
n71	15	20	136100	50@25	DFT_BPSK	40	-5.23	-0.01		PASS
n71	15	20	136100	50@25	DFT_BPSK	50	-6.28	-0.01		PASS
n71	15	20	136100	50@25	DFT_QPSK	-30	-6.19	-0.01		PASS
n71	15	20	136100	50@25	DFT_QPSK	-20	-3.25	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	-10	-4.39	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	0	-4.25	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	10	-2.69	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	20	-6.28	-0.01		PASS
n71	15	20	136100	50@25	DFT_QPSK	30	-2.64	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	40	-3.58	0.00		PASS
n71	15	20	136100	50@25	DFT_QPSK	50	-5.94	-0.01		PASS

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n71	15	5	136100	25@0	DFT_BPSK	4.69	13	PASS
n71	15	5	136100	25@0	DFT_QPSK	6.04	13	PASS
n71	15	5	136100	25@0	DFT_QAM16	7.12	13	PASS
n71	15	5	136100	25@0	DFT_QAM64	7.02	13	PASS
n71	15	5	136100	25@0	DFT_QAM256	7.10	13	PASS
n71	15	10	136100	50@0	DFT_BPSK	4.93	13	PASS
n71	15	10	136100	50@0	DFT_QPSK	6.25	13	PASS
n71	15	10	136100	50@0	DFT_QAM16	7.01	13	PASS
n71	15	10	136100	50@0	DFT_QAM64	7.34	13	PASS
n71	15	10	136100	50@0	DFT_QAM256	7.35	13	PASS
n71	15	15	136100	75@0	DFT_BPSK	4.89	13	PASS
n71	15	15	136100	75@0	DFT_QPSK	6.19	13	PASS
n71	15	15	136100	75@0	DFT_QAM16	7.00	13	PASS
n71	15	15	136100	75@0	DFT_QAM64	7.12	13	PASS
n71	15	15	136100	75@0	DFT_QAM256	7.46	13	PASS
n71	15	20	136100	100@0	DFT_BPSK	4.86	13	PASS
n71	15	20	136100	100@0	DFT_QPSK	6.15	13	PASS
n71	15	20	136100	100@0	DFT_QAM16	6.86	13	PASS
n71	15	20	136100	100@0	DFT_QAM64	7.01	13	PASS
n71	15	20	136100	100@0	DFT_QAM256	7.33	13	PASS


n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=136100 RB=100@0




4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n71	15	5	133100	25@0	DFT_BPSK	4.490	4.780	PASS
n71	15	5	133100	25@0	DFT_QPSK	4.500	4.800	PASS
n71	15	5	133100	25@0	DFT_QAM16	4.490	4.780	PASS
n71	15	5	133100	25@0	DFT_QAM64	4.490	4.760	PASS
n71	15	5	133100	25@0	DFT_QAM256	4.500	4.830	PASS
n71	15	5	133100	25@0	CP_QPSK	4.490	4.830	PASS
n71	15	5	136100	25@0	DFT_BPSK	4.500	4.770	PASS
n71	15	5	136100	25@0	DFT_QPSK	4.500	4.780	PASS
n71	15	5	136100	25@0	DFT_QAM16	4.490	4.790	PASS
n71	15	5	136100	25@0	DFT_QAM64	4.490	4.770	PASS
n71	15	5	136100	25@0	DFT_QAM256	4.490	4.780	PASS
n71	15	5	136100	25@0	CP_QPSK	4.500	4.900	PASS
n71	15	5	139100	25@0	DFT_BPSK	4.490	4.780	PASS
n71	15	5	139100	25@0	DFT_QPSK	4.490	4.780	PASS
n71	15	5	139100	25@0	DFT_QAM16	4.490	4.790	PASS
n71	15	5	139100	25@0	DFT_QAM64	4.490	4.770	PASS
n71	15	5	139100	25@0	DFT_QAM256	4.490	4.770	PASS
n71	15	5	139100	25@0	CP_QPSK	4.490	4.780	PASS
n71	15	10	133600	50@0	DFT_BPSK	9.210	9.470	PASS
n71	15	10	133600	50@0	DFT_QPSK	9.220	9.500	PASS
n71	15	10	133600	50@0	DFT_QAM16	9.250	9.490	PASS
n71	15	10	133600	50@0	DFT_QAM64	9.240	9.500	PASS
n71	15	10	133600	50@0	DFT_QAM256	9.240	9.540	PASS
n71	15	10	133600	52@0	CP_QPSK	9.330	9.890	PASS
n71	15	10	136100	50@0	DFT_BPSK	9.210	9.490	PASS
n71	15	10	136100	50@0	DFT_QPSK	9.240	9.500	PASS
n71	15	10	136100	50@0	DFT_QAM16	9.250	9.500	PASS
n71	15	10	136100	50@0	DFT_QAM64	9.250	9.500	PASS
n71	15	10	136100	50@0	DFT_QAM256	9.240	9.510	PASS
n71	15	10	136100	52@0	CP_QPSK	9.330	9.870	PASS
n71	15	10	138600	50@0	DFT_BPSK	9.220	9.490	PASS
n71	15	10	138600	50@0	DFT_QPSK	9.240	9.500	PASS
n71	15	10	138600	50@0	DFT_QAM16	9.260	9.500	PASS
n71	15	10	138600	50@0	DFT_QAM64	9.210	9.490	PASS
n71	15	10	138600	50@0	DFT_QAM256	9.250	9.530	PASS
n71	15	10	138600	52@0	CP_QPSK	9.330	9.870	PASS
n71	15	15	134100	75@0	DFT_BPSK	13.980	14.230	PASS
n71	15	15	134100	75@0	DFT_QPSK	13.990	14.210	PASS
n71	15	15	134100	75@0	DFT_QAM16	14.010	14.240	PASS

n71	15	15	134100	75@0	DFT_QAM64	14.000	14.250	PASS
n71	15	15	134100	75@0	DFT_QAM256	13.990	14.250	PASS
n71	15	15	134100	79@0	CP_QPSK	14.170	14.970	PASS
n71	15	15	136100	75@0	DFT_BPSK	14.000	14.230	PASS
n71	15	15	136100	75@0	DFT_QPSK	13.990	14.230	PASS
n71	15	15	136100	75@0	DFT_QAM16	14.040	14.250	PASS
n71	15	15	136100	75@0	DFT_QAM64	14.010	14.250	PASS
n71	15	15	136100	75@0	DFT_QAM256	14.010	14.250	PASS
n71	15	15	136100	79@0	CP_QPSK	14.180	14.980	PASS
n71	15	15	138100	75@0	DFT_BPSK	14.000	14.220	PASS
n71	15	15	138100	75@0	DFT_QPSK	14.000	14.230	PASS
n71	15	15	138100	75@0	DFT_QAM16	14.050	14.240	PASS
n71	15	15	138100	75@0	DFT_QAM64	14.040	14.240	PASS
n71	15	15	138100	75@0	DFT_QAM256	14.040	14.240	PASS
n71	15	15	138100	79@0	CP_QPSK	14.170	14.970	PASS
n71	15	20	134600	100@0	DFT_BPSK	18.730	18.930	PASS
n71	15	20	134600	100@0	DFT_QPSK	18.750	18.940	PASS
n71	15	20	134600	100@0	DFT_QAM16	18.760	18.970	PASS
n71	15	20	134600	100@0	DFT_QAM64	18.740	18.950	PASS
n71	15	20	134600	100@0	DFT_QAM256	18.750	18.970	PASS
n71	15	20	134600	106@0	CP_QPSK	18.990	20.050	PASS
n71	15	20	136100	100@0	DFT_BPSK	18.800	18.960	PASS
n71	15	20	136100	100@0	DFT_QPSK	18.760	18.940	PASS
n71	15	20	136100	100@0	DFT_QAM16	18.810	18.940	PASS
n71	15	20	136100	100@0	DFT_QAM64	18.810	18.970	PASS
n71	15	20	136100	100@0	DFT_QAM256	18.750	18.980	PASS
n71	15	20	136100	106@0	CP_QPSK	18.990	20.060	PASS
n71	15	20	137600	100@0	DFT_BPSK	18.800	18.940	PASS
n71	15	20	137600	100@0	DFT_QPSK	18.750	18.920	PASS
n71	15	20	137600	100@0	DFT_QAM16	18.810	18.960	PASS
n71	15	20	137600	100@0	DFT_QAM64	18.750	18.940	PASS
n71	15	20	137600	100@0	DFT_QAM256	18.810	18.950	PASS
n71	15	20	137600	106@0	CP_QPSK	18.990	20.040	PASS


n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=139100 RB=25 @0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=139100 RB=25 @0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz CP_QPSK BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz CP_QPSK BW=10MHz Channel=133600 RB=52@0




n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz CP_QPSK BW=10MHz Channel=136100 RB=52@0




n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=138600 RB=50@0



n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz CP_QPSK BW=10MHz Channel=138600 RB=52@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=134100 RB=79@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=136100 RB=79@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz CP_QPSK BW=15MHz Channel=138100 RB=79@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=134600 RB=106@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=136100 RB=106@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=100@0



n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=137600 RB=100@0



n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz CP_QPSK BW=20MHz Channel=137600 RB=106@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n71	15	5	133100	25@0	DFT_QPSK	662.59	-38.31	-13	PASS
n71	15	5	133100	1@0	DFT_QPSK	663.00	-16.31	-13	PASS
n71	15	5	139100	25@0	DFT_QPSK	698.16	-44.40	-13	PASS
n71	15	5	139100	1@24	DFT_QPSK	698.00	-19.15	-13	PASS
n71	15	20	134600	100@0	DFT_QPSK	662.64	-45.15	-13	PASS
n71	15	20	134600	1@0	DFT_QPSK	662.08	-28.90	-13	PASS
n71	15	20	137600	100@0	DFT_QPSK	698.36	-40.96	-13	PASS
n71	15	20	137600	1@105	DFT_QPSK	698.00	-30.30	-13	PASS


n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=1@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=1@24




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=1@0



n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=1@105




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n71	15	5	133100	25@0	DFT_QPSK	3885.18	-38.19	-13	PASS
n71	15	5	133100	1@0	DFT_QPSK	3825.78	-37.62	-13	PASS
n71	15	5	133100	1@24	DFT_QPSK	3881.58	-38.02	-13	PASS
n71	15	5	136100	25@0	DFT_QPSK	3707.43	-38.12	-13	PASS
n71	15	5	136100	1@0	DFT_QPSK	3764.58	-37.96	-13	PASS
n71	15	5	136100	1@24	DFT_QPSK	3818.13	-38.08	-13	PASS
n71	15	5	139100	25@0	DFT_QPSK	3783.03	-38.31	-13	PASS
n71	15	5	139100	1@0	DFT_QPSK	3805.30	-37.55	-13	PASS
n71	15	5	139100	1@24	DFT_QPSK	5061.70	-38.37	-13	PASS
n71	15	20	134600	100@0	DFT_QPSK	3823.98	-38.26	-13	PASS
n71	15	20	134600	1@0	DFT_QPSK	3808.00	-38.04	-13	PASS
n71	15	20	134600	1@105	DFT_QPSK	3759.85	-37.55	-13	PASS
n71	15	20	136100	100@0	DFT_QPSK	3809.13	-38.51	-13	PASS
n71	15	20	136100	1@0	DFT_QPSK	3761.20	-37.74	-13	PASS
n71	15	20	136100	1@105	DFT_QPSK	3805.53	-37.87	-13	PASS
n71	15	20	137600	100@0	DFT_QPSK	3791.58	-38.26	-13	PASS
n71	15	20	137600	1@0	DFT_QPSK	3699.33	-38.50	-13	PASS
n71	15	20	137600	1@105	DFT_QPSK	3809.13	-38.05	-13	PASS


n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=1@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=1@24




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=1@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=1@24




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=1@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=1@24




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=1 @0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=1 @105




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=1@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=1@105



n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=100@0



n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=1 @0



n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=1 @105

