

1 Conducted output power for NR FR1

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Power (dBm) | Gain (dBm) | EIRP (dBm) | EIRP Limit (dBm) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|-------------|------------|------------|------------------|---------|
| n41 | 15 | 10 | 500202 | 25@12 | DFT_BPSK | 25.67 | 0.38 | 26.05 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | DFT_BPSK | 25.62 | 0.38 | 26.00 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | DFT_BPSK | 25.64 | 0.38 | 26.02 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 25@12 | DFT_QPSK | 25.71 | 0.38 | 26.09 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | DFT_QPSK | 25.40 | 0.38 | 25.78 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | DFT_QPSK | 25.47 | 0.38 | 25.85 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 25@12 | DFT_QAM16 | 24.68 | 0.38 | 25.06 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | DFT_QAM16 | 24.46 | 0.38 | 24.84 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | DFT_QAM16 | 24.68 | 0.38 | 25.06 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 25@12 | DFT_QAM64 | 23.28 | 0.38 | 23.66 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | DFT_QAM64 | 23.06 | 0.38 | 23.44 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | DFT_QAM64 | 23.13 | 0.38 | 23.51 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 25@12 | DFT_QAM256 | 21.20 | 0.38 | 21.58 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | DFT_QAM256 | 21.44 | 0.38 | 21.82 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | DFT_QAM256 | 21.47 | 0.38 | 21.85 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 26@13 | CP_QPSK | 24.16 | 0.38 | 24.54 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | CP_QPSK | 24.15 | 0.38 | 24.53 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | CP_QPSK | 24.20 | 0.38 | 24.58 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 26@13 | CP_QAM16 | 23.70 | 0.38 | 24.08 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | CP_QAM16 | 23.90 | 0.38 | 24.28 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | CP_QAM16 | 23.62 | 0.38 | 24.00 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 26@13 | CP_QAM64 | 22.27 | 0.38 | 22.65 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | CP_QAM64 | 22.32 | 0.38 | 22.70 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | CP_QAM64 | 22.57 | 0.38 | 22.95 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 26@13 | CP_QAM256 | 19.18 | 0.38 | 19.56 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@1 | CP_QAM256 | 19.40 | 0.38 | 19.78 | 33 | PASS |
| n41 | 15 | 10 | 500202 | 1@50 | CP_QAM256 | 19.26 | 0.38 | 19.64 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 25@12 | DFT_BPSK | 25.55 | 0.38 | 25.93 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | DFT_BPSK | 25.44 | 0.38 | 25.82 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | DFT_BPSK | 25.54 | 0.38 | 25.92 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 25@12 | DFT_QPSK | 25.54 | 0.38 | 25.92 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | DFT_QPSK | 25.40 | 0.38 | 25.78 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | DFT_QPSK | 25.33 | 0.38 | 25.71 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 25@12 | DFT_QAM16 | 24.65 | 0.38 | 25.03 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | DFT_QAM16 | 24.39 | 0.38 | 24.77 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | DFT_QAM16 | 24.54 | 0.38 | 24.92 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 25@12 | DFT_QAM64 | 23.09 | 0.38 | 23.47 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | DFT_QAM64 | 23.11 | 0.38 | 23.49 | 33 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|-------|------------|-------|------|-------|----|------|
| n41 | 15 | 10 | 518601 | 1@50 | DFT_QAM64 | 23.19 | 0.38 | 23.57 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 25@12 | DFT_QAM256 | 21.16 | 0.38 | 21.54 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | DFT_QAM256 | 21.39 | 0.38 | 21.77 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | DFT_QAM256 | 21.40 | 0.38 | 21.78 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 26@13 | CP_QPSK | 24.06 | 0.38 | 24.44 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | CP_QPSK | 24.09 | 0.38 | 24.47 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | CP_QPSK | 24.11 | 0.38 | 24.49 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 26@13 | CP_QAM16 | 23.59 | 0.38 | 23.97 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | CP_QAM16 | 23.56 | 0.38 | 23.94 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | CP_QAM16 | 23.51 | 0.38 | 23.89 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 26@13 | CP_QAM64 | 22.14 | 0.38 | 22.52 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | CP_QAM64 | 22.49 | 0.38 | 22.87 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | CP_QAM64 | 22.05 | 0.38 | 22.43 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 26@13 | CP_QAM256 | 19.22 | 0.38 | 19.60 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@1 | CP_QAM256 | 19.33 | 0.38 | 19.71 | 33 | PASS |
| n41 | 15 | 10 | 518601 | 1@50 | CP_QAM256 | 19.55 | 0.38 | 19.93 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 25@12 | DFT_BPSK | 25.46 | 0.38 | 25.84 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | DFT_BPSK | 25.25 | 0.38 | 25.63 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | DFT_BPSK | 25.48 | 0.38 | 25.86 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 25@12 | DFT_QPSK | 25.49 | 0.38 | 25.87 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | DFT_QPSK | 25.15 | 0.38 | 25.53 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | DFT_QPSK | 25.35 | 0.38 | 25.73 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 25@12 | DFT_QAM16 | 24.48 | 0.38 | 24.86 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | DFT_QAM16 | 24.36 | 0.38 | 24.74 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | DFT_QAM16 | 24.39 | 0.38 | 24.77 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 25@12 | DFT_QAM64 | 23.09 | 0.38 | 23.47 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | DFT_QAM64 | 23.05 | 0.38 | 23.43 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | DFT_QAM64 | 23.21 | 0.38 | 23.59 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 25@12 | DFT_QAM256 | 21.00 | 0.38 | 21.38 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | DFT_QAM256 | 21.27 | 0.38 | 21.65 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | DFT_QAM256 | 21.41 | 0.38 | 21.79 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 26@13 | CP_QPSK | 24.08 | 0.38 | 24.46 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | CP_QPSK | 23.93 | 0.38 | 24.31 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | CP_QPSK | 24.03 | 0.38 | 24.41 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 26@13 | CP_QAM16 | 23.61 | 0.38 | 23.99 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | CP_QAM16 | 23.76 | 0.38 | 24.14 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | CP_QAM16 | 23.49 | 0.38 | 23.87 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 26@13 | CP_QAM64 | 22.16 | 0.38 | 22.54 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | CP_QAM64 | 21.98 | 0.38 | 22.36 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | CP_QAM64 | 22.08 | 0.38 | 22.46 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 26@13 | CP_QAM256 | 19.13 | 0.38 | 19.51 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@1 | CP_QAM256 | 19.17 | 0.38 | 19.55 | 33 | PASS |
| n41 | 15 | 10 | 537000 | 1@50 | CP_QAM256 | 19.56 | 0.38 | 19.94 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 36@18 | DFT_BPSK | 25.84 | 0.38 | 26.22 | 33 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|-------|------------|-------|------|-------|----|------|
| n41 | 15 | 15 | 500700 | 1@1 | DFT_BPSK | 25.73 | 0.38 | 26.11 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | DFT_BPSK | 25.75 | 0.38 | 26.13 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 36@18 | DFT_QPSK | 25.88 | 0.38 | 26.26 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | DFT_QPSK | 25.54 | 0.38 | 25.92 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | DFT_QPSK | 25.57 | 0.38 | 25.95 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 36@18 | DFT_QAM16 | 24.87 | 0.38 | 25.25 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | DFT_QAM16 | 24.55 | 0.38 | 24.93 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | DFT_QAM16 | 24.53 | 0.38 | 24.91 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 36@18 | DFT_QAM64 | 23.32 | 0.38 | 23.70 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | DFT_QAM64 | 23.23 | 0.38 | 23.61 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | DFT_QAM64 | 23.37 | 0.38 | 23.75 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 36@18 | DFT_QAM256 | 21.38 | 0.38 | 21.76 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | DFT_QAM256 | 21.33 | 0.38 | 21.71 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | DFT_QAM256 | 21.54 | 0.38 | 21.92 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 39@19 | CP_QPSK | 24.35 | 0.38 | 24.73 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | CP_QPSK | 24.25 | 0.38 | 24.63 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | CP_QPSK | 24.26 | 0.38 | 24.64 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 39@19 | CP_QAM16 | 23.85 | 0.38 | 24.23 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | CP_QAM16 | 23.69 | 0.38 | 24.07 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | CP_QAM16 | 24.05 | 0.38 | 24.43 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 39@19 | CP_QAM64 | 22.36 | 0.38 | 22.74 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | CP_QAM64 | 22.60 | 0.38 | 22.98 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | CP_QAM64 | 22.68 | 0.38 | 23.06 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 39@19 | CP_QAM256 | 19.38 | 0.38 | 19.76 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@1 | CP_QAM256 | 19.60 | 0.38 | 19.98 | 33 | PASS |
| n41 | 15 | 15 | 500700 | 1@77 | CP_QAM256 | 19.34 | 0.38 | 19.72 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 36@18 | DFT_BPSK | 25.74 | 0.38 | 26.12 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | DFT_BPSK | 25.68 | 0.38 | 26.06 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | DFT_BPSK | 25.62 | 0.38 | 26.00 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 36@18 | DFT_QPSK | 25.73 | 0.38 | 26.11 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | DFT_QPSK | 25.48 | 0.38 | 25.86 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | DFT_QPSK | 25.69 | 0.38 | 26.07 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 36@18 | DFT_QAM16 | 24.83 | 0.38 | 25.21 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | DFT_QAM16 | 24.75 | 0.38 | 25.13 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | DFT_QAM16 | 24.72 | 0.38 | 25.10 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 36@18 | DFT_QAM64 | 23.27 | 0.38 | 23.65 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | DFT_QAM64 | 22.99 | 0.38 | 23.37 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | DFT_QAM64 | 23.00 | 0.38 | 23.38 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 36@18 | DFT_QAM256 | 21.31 | 0.38 | 21.69 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | DFT_QAM256 | 21.53 | 0.38 | 21.91 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | DFT_QAM256 | 21.55 | 0.38 | 21.93 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 39@19 | CP_QPSK | 24.26 | 0.38 | 24.64 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | CP_QPSK | 24.22 | 0.38 | 24.60 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | CP_QPSK | 24.21 | 0.38 | 24.59 | 33 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|-------|------------|-------|------|-------|----|------|
| n41 | 15 | 15 | 518601 | 39@19 | CP_QAM16 | 23.80 | 0.38 | 24.18 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | CP_QAM16 | 24.00 | 0.38 | 24.38 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | CP_QAM16 | 24.04 | 0.38 | 24.42 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 39@19 | CP_QAM64 | 22.32 | 0.38 | 22.70 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | CP_QAM64 | 22.28 | 0.38 | 22.66 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | CP_QAM64 | 22.67 | 0.38 | 23.05 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 39@19 | CP_QAM256 | 19.37 | 0.38 | 19.75 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@1 | CP_QAM256 | 19.49 | 0.38 | 19.87 | 33 | PASS |
| n41 | 15 | 15 | 518601 | 1@77 | CP_QAM256 | 19.42 | 0.38 | 19.80 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 36@18 | DFT_BPSK | 25.54 | 0.38 | 25.92 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | DFT_BPSK | 25.36 | 0.38 | 25.74 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | DFT_BPSK | 25.54 | 0.38 | 25.92 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 36@18 | DFT_QPSK | 25.58 | 0.38 | 25.96 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | DFT_QPSK | 25.21 | 0.38 | 25.59 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | DFT_QPSK | 25.57 | 0.38 | 25.95 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 36@18 | DFT_QAM16 | 24.58 | 0.38 | 24.96 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | DFT_QAM16 | 24.43 | 0.38 | 24.81 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | DFT_QAM16 | 24.84 | 0.38 | 25.22 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 36@18 | DFT_QAM64 | 23.12 | 0.38 | 23.50 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | DFT_QAM64 | 23.08 | 0.38 | 23.46 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | DFT_QAM64 | 23.17 | 0.38 | 23.55 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 36@18 | DFT_QAM256 | 21.19 | 0.38 | 21.57 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | DFT_QAM256 | 21.23 | 0.38 | 21.61 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | DFT_QAM256 | 21.48 | 0.38 | 21.86 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 39@19 | CP_QPSK | 24.12 | 0.38 | 24.50 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | CP_QPSK | 23.84 | 0.38 | 24.22 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | CP_QPSK | 24.27 | 0.38 | 24.65 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 39@19 | CP_QAM16 | 23.71 | 0.38 | 24.09 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | CP_QAM16 | 23.47 | 0.38 | 23.85 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | CP_QAM16 | 23.68 | 0.38 | 24.06 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 39@19 | CP_QAM64 | 22.20 | 0.38 | 22.58 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | CP_QAM64 | 22.07 | 0.38 | 22.45 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | CP_QAM64 | 22.20 | 0.38 | 22.58 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 39@19 | CP_QAM256 | 19.30 | 0.38 | 19.68 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@1 | CP_QAM256 | 19.36 | 0.38 | 19.74 | 33 | PASS |
| n41 | 15 | 15 | 536499 | 1@77 | CP_QAM256 | 19.57 | 0.38 | 19.95 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 50@25 | DFT_BPSK | 25.85 | 0.38 | 26.23 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | DFT_BPSK | 25.69 | 0.38 | 26.07 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | DFT_BPSK | 25.69 | 0.38 | 26.07 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 50@25 | DFT_QPSK | 25.91 | 0.38 | 26.29 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | DFT_QPSK | 25.58 | 0.38 | 25.96 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | DFT_QPSK | 25.64 | 0.38 | 26.02 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 50@25 | DFT_QAM16 | 24.88 | 0.38 | 25.26 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | DFT_QAM16 | 24.71 | 0.38 | 25.09 | 33 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|-------|------------|-------|------|-------|----|------|
| n41 | 15 | 20 | 501201 | 1@104 | DFT_QAM16 | 24.93 | 0.38 | 25.31 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 50@25 | DFT_QAM64 | 23.48 | 0.38 | 23.86 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | DFT_QAM64 | 23.30 | 0.38 | 23.68 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | DFT_QAM64 | 23.00 | 0.38 | 23.38 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 50@25 | DFT_QAM256 | 21.49 | 0.38 | 21.87 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | DFT_QAM256 | 21.45 | 0.38 | 21.83 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | DFT_QAM256 | 21.46 | 0.38 | 21.84 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 53@26 | CP_QPSK | 24.36 | 0.38 | 24.74 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | CP_QPSK | 24.19 | 0.38 | 24.57 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | CP_QPSK | 24.32 | 0.38 | 24.70 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 53@26 | CP_QAM16 | 23.89 | 0.38 | 24.27 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | CP_QAM16 | 23.67 | 0.38 | 24.05 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | CP_QAM16 | 23.65 | 0.38 | 24.03 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 53@26 | CP_QAM64 | 22.36 | 0.38 | 22.74 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | CP_QAM64 | 22.60 | 0.38 | 22.98 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | CP_QAM64 | 22.24 | 0.38 | 22.62 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 53@26 | CP_QAM256 | 19.35 | 0.38 | 19.73 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@1 | CP_QAM256 | 19.47 | 0.38 | 19.85 | 33 | PASS |
| n41 | 15 | 20 | 501201 | 1@104 | CP_QAM256 | 19.46 | 0.38 | 19.84 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 50@25 | DFT_BPSK | 25.75 | 0.38 | 26.13 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | DFT_BPSK | 25.62 | 0.38 | 26.00 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | DFT_BPSK | 25.59 | 0.38 | 25.97 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 50@25 | DFT_QPSK | 25.76 | 0.38 | 26.14 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | DFT_QPSK | 25.53 | 0.38 | 25.91 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | DFT_QPSK | 25.45 | 0.38 | 25.83 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 50@25 | DFT_QAM16 | 24.80 | 0.38 | 25.18 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | DFT_QAM16 | 24.71 | 0.38 | 25.09 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | DFT_QAM16 | 24.73 | 0.38 | 25.11 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 50@25 | DFT_QAM64 | 23.30 | 0.38 | 23.68 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | DFT_QAM64 | 23.31 | 0.38 | 23.69 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | DFT_QAM64 | 23.39 | 0.38 | 23.77 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 50@25 | DFT_QAM256 | 21.32 | 0.38 | 21.70 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | DFT_QAM256 | 21.53 | 0.38 | 21.91 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | DFT_QAM256 | 21.34 | 0.38 | 21.72 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 53@26 | CP_QPSK | 24.29 | 0.38 | 24.67 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | CP_QPSK | 24.14 | 0.38 | 24.52 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | CP_QPSK | 24.31 | 0.38 | 24.69 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 53@26 | CP_QAM16 | 23.84 | 0.38 | 24.22 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | CP_QAM16 | 23.65 | 0.38 | 24.03 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | CP_QAM16 | 23.64 | 0.38 | 24.02 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 53@26 | CP_QAM64 | 22.39 | 0.38 | 22.77 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@1 | CP_QAM64 | 22.19 | 0.38 | 22.57 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | CP_QAM64 | 22.63 | 0.38 | 23.01 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 53@26 | CP_QAM256 | 19.30 | 0.38 | 19.68 | 33 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|-------|------------|-------|------|-------|----|------|
| n41 | 15 | 20 | 518601 | 1@1 | CP_QAM256 | 19.37 | 0.38 | 19.75 | 33 | PASS |
| n41 | 15 | 20 | 518601 | 1@104 | CP_QAM256 | 19.60 | 0.38 | 19.98 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 50@25 | DFT_BPSK | 25.46 | 0.38 | 25.84 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | DFT_BPSK | 25.35 | 0.38 | 25.73 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | DFT_BPSK | 25.52 | 0.38 | 25.90 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 50@25 | DFT_QPSK | 25.57 | 0.38 | 25.95 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | DFT_QPSK | 25.17 | 0.38 | 25.55 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | DFT_QPSK | 25.37 | 0.38 | 25.75 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 50@25 | DFT_QAM16 | 24.59 | 0.38 | 24.97 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | DFT_QAM16 | 24.50 | 0.38 | 24.88 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | DFT_QAM16 | 24.70 | 0.38 | 25.08 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 50@25 | DFT_QAM64 | 23.25 | 0.38 | 23.63 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | DFT_QAM64 | 23.07 | 0.38 | 23.45 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | DFT_QAM64 | 23.25 | 0.38 | 23.63 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 50@25 | DFT_QAM256 | 21.22 | 0.38 | 21.60 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | DFT_QAM256 | 21.21 | 0.38 | 21.59 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | DFT_QAM256 | 21.45 | 0.38 | 21.83 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 53@26 | CP_QPSK | 24.13 | 0.38 | 24.51 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | CP_QPSK | 24.03 | 0.38 | 24.41 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | CP_QPSK | 24.24 | 0.38 | 24.62 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 53@26 | CP_QAM16 | 23.70 | 0.38 | 24.08 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | CP_QAM16 | 23.40 | 0.38 | 23.78 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | CP_QAM16 | 23.62 | 0.38 | 24.00 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 53@26 | CP_QAM64 | 22.16 | 0.38 | 22.54 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | CP_QAM64 | 22.35 | 0.38 | 22.73 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | CP_QAM64 | 22.46 | 0.38 | 22.84 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 53@26 | CP_QAM256 | 19.32 | 0.38 | 19.70 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@1 | CP_QAM256 | 19.41 | 0.38 | 19.79 | 33 | PASS |
| n41 | 15 | 20 | 535998 | 1@104 | CP_QAM256 | 19.55 | 0.38 | 19.93 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | DFT_BPSK | 25.86 | 0.38 | 26.24 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | DFT_BPSK | 25.40 | 0.38 | 25.78 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | DFT_BPSK | 25.55 | 0.38 | 25.93 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | DFT_QPSK | 25.80 | 0.38 | 26.18 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | DFT_QPSK | 25.27 | 0.38 | 25.65 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | DFT_QPSK | 25.36 | 0.38 | 25.74 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | DFT_QAM16 | 24.86 | 0.38 | 25.24 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | DFT_QAM16 | 24.51 | 0.38 | 24.89 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | DFT_QAM16 | 24.52 | 0.38 | 24.90 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | DFT_QAM64 | 23.39 | 0.38 | 23.77 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | DFT_QAM64 | 23.09 | 0.38 | 23.47 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | DFT_QAM64 | 23.09 | 0.38 | 23.47 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | DFT_QAM256 | 21.43 | 0.38 | 21.81 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | DFT_QAM256 | 21.16 | 0.38 | 21.54 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | DFT_QAM256 | 21.35 | 0.38 | 21.73 | 33 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|-------|------------|-------|------|-------|----|------|
| n41 | 15 | 30 | 502200 | 80@40 | CP_QPSK | 24.33 | 0.38 | 24.71 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | CP_QPSK | 24.03 | 0.38 | 24.41 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | CP_QPSK | 24.00 | 0.38 | 24.38 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | CP_QAM16 | 23.87 | 0.38 | 24.25 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | CP_QAM16 | 23.78 | 0.38 | 24.16 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | CP_QAM16 | 23.39 | 0.38 | 23.77 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | CP_QAM64 | 22.34 | 0.38 | 22.72 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | CP_QAM64 | 22.02 | 0.38 | 22.40 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | CP_QAM64 | 22.36 | 0.38 | 22.74 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 80@40 | CP_QAM256 | 19.47 | 0.38 | 19.85 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@1 | CP_QAM256 | 19.18 | 0.38 | 19.56 | 33 | PASS |
| n41 | 15 | 30 | 502200 | 1@158 | CP_QAM256 | 19.39 | 0.38 | 19.77 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | DFT_BPSK | 25.69 | 0.38 | 26.07 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | DFT_BPSK | 25.36 | 0.38 | 25.74 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | DFT_BPSK | 25.51 | 0.38 | 25.89 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | DFT_QPSK | 25.78 | 0.38 | 26.16 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | DFT_QPSK | 25.37 | 0.38 | 25.75 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | DFT_QPSK | 25.41 | 0.38 | 25.79 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | DFT_QAM16 | 24.79 | 0.38 | 25.17 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | DFT_QAM16 | 24.51 | 0.38 | 24.89 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | DFT_QAM16 | 24.65 | 0.38 | 25.03 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | DFT_QAM64 | 23.26 | 0.38 | 23.64 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | DFT_QAM64 | 23.10 | 0.38 | 23.48 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | DFT_QAM64 | 22.91 | 0.38 | 23.29 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | DFT_QAM256 | 21.33 | 0.38 | 21.71 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | DFT_QAM256 | 21.29 | 0.38 | 21.67 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | DFT_QAM256 | 21.50 | 0.38 | 21.88 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | CP_QPSK | 24.31 | 0.38 | 24.69 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | CP_QPSK | 24.00 | 0.38 | 24.38 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | CP_QPSK | 23.95 | 0.38 | 24.33 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | CP_QAM16 | 23.82 | 0.38 | 24.20 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | CP_QAM16 | 23.54 | 0.38 | 23.92 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | CP_QAM16 | 23.75 | 0.38 | 24.13 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | CP_QAM64 | 22.28 | 0.38 | 22.66 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | CP_QAM64 | 22.40 | 0.38 | 22.78 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | CP_QAM64 | 22.16 | 0.38 | 22.54 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 80@40 | CP_QAM256 | 19.42 | 0.38 | 19.80 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@1 | CP_QAM256 | 19.50 | 0.38 | 19.88 | 33 | PASS |
| n41 | 15 | 30 | 518601 | 1@158 | CP_QAM256 | 19.41 | 0.38 | 19.79 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | DFT_BPSK | 25.41 | 0.38 | 25.79 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | DFT_BPSK | 25.23 | 0.38 | 25.61 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | DFT_BPSK | 25.36 | 0.38 | 25.74 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | DFT_QPSK | 25.41 | 0.38 | 25.79 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | DFT_QPSK | 25.06 | 0.38 | 25.44 | 33 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|--------|------------|-------|------|-------|----|------|
| n41 | 15 | 30 | 534999 | 1@158 | DFT_QPSK | 25.29 | 0.38 | 25.67 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | DFT_QAM16 | 24.59 | 0.38 | 24.97 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | DFT_QAM16 | 24.31 | 0.38 | 24.69 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | DFT_QAM16 | 24.67 | 0.38 | 25.05 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | DFT_QAM64 | 23.05 | 0.38 | 23.43 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | DFT_QAM64 | 22.74 | 0.38 | 23.12 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | DFT_QAM64 | 22.93 | 0.38 | 23.31 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | DFT_QAM256 | 21.13 | 0.38 | 21.51 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | DFT_QAM256 | 21.15 | 0.38 | 21.53 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | DFT_QAM256 | 21.32 | 0.38 | 21.70 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | CP_QPSK | 24.06 | 0.38 | 24.44 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | CP_QPSK | 23.78 | 0.38 | 24.16 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | CP_QPSK | 23.94 | 0.38 | 24.32 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | CP_QAM16 | 23.63 | 0.38 | 24.01 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | CP_QAM16 | 23.30 | 0.38 | 23.68 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | CP_QAM16 | 23.75 | 0.38 | 24.13 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | CP_QAM64 | 22.16 | 0.38 | 22.54 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | CP_QAM64 | 22.22 | 0.38 | 22.60 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | CP_QAM64 | 22.23 | 0.38 | 22.61 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 80@40 | CP_QAM256 | 19.24 | 0.38 | 19.62 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@1 | CP_QAM256 | 19.09 | 0.38 | 19.47 | 33 | PASS |
| n41 | 15 | 30 | 534999 | 1@158 | CP_QAM256 | 19.40 | 0.38 | 19.78 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | DFT_BPSK | 25.86 | 0.38 | 26.24 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | DFT_BPSK | 25.21 | 0.38 | 25.59 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | DFT_BPSK | 25.29 | 0.38 | 25.67 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | DFT_QPSK | 25.86 | 0.38 | 26.24 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | DFT_QPSK | 25.22 | 0.38 | 25.60 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | DFT_QPSK | 25.26 | 0.38 | 25.64 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | DFT_QAM16 | 24.92 | 0.38 | 25.30 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | DFT_QAM16 | 24.48 | 0.38 | 24.86 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | DFT_QAM16 | 24.27 | 0.38 | 24.65 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | DFT_QAM64 | 23.34 | 0.38 | 23.72 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | DFT_QAM64 | 22.91 | 0.38 | 23.29 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | DFT_QAM64 | 22.75 | 0.38 | 23.13 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | DFT_QAM256 | 21.41 | 0.38 | 21.79 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | DFT_QAM256 | 21.06 | 0.38 | 21.44 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | DFT_QAM256 | 21.16 | 0.38 | 21.54 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | CP_QPSK | 24.36 | 0.38 | 24.74 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | CP_QPSK | 23.82 | 0.38 | 24.20 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | CP_QPSK | 23.81 | 0.38 | 24.19 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | CP_QAM16 | 23.81 | 0.38 | 24.19 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | CP_QAM16 | 23.24 | 0.38 | 23.62 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | CP_QAM16 | 23.49 | 0.38 | 23.87 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | CP_QAM64 | 22.42 | 0.38 | 22.80 | 33 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|--------|------------|-------|------|-------|----|------|
| n41 | 15 | 40 | 503202 | 1@1 | CP_QAM64 | 22.28 | 0.38 | 22.66 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | CP_QAM64 | 22.04 | 0.38 | 22.42 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 108@54 | CP_QAM256 | 19.44 | 0.38 | 19.82 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@1 | CP_QAM256 | 19.23 | 0.38 | 19.61 | 33 | PASS |
| n41 | 15 | 40 | 503202 | 1@214 | CP_QAM256 | 19.20 | 0.38 | 19.58 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | DFT_BPSK | 25.70 | 0.38 | 26.08 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | DFT_BPSK | 25.20 | 0.38 | 25.58 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | DFT_BPSK | 25.31 | 0.38 | 25.69 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | DFT_QPSK | 25.73 | 0.38 | 26.11 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | DFT_QPSK | 25.08 | 0.38 | 25.46 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | DFT_QPSK | 25.19 | 0.38 | 25.57 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | DFT_QAM16 | 24.77 | 0.38 | 25.15 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | DFT_QAM16 | 24.27 | 0.38 | 24.65 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | DFT_QAM16 | 24.42 | 0.38 | 24.80 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | DFT_QAM64 | 23.35 | 0.38 | 23.73 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | DFT_QAM64 | 22.90 | 0.38 | 23.28 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | DFT_QAM64 | 22.99 | 0.38 | 23.37 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | DFT_QAM256 | 21.34 | 0.38 | 21.72 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | DFT_QAM256 | 21.06 | 0.38 | 21.44 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | DFT_QAM256 | 21.13 | 0.38 | 21.51 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | CP_QPSK | 24.22 | 0.38 | 24.60 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | CP_QPSK | 23.76 | 0.38 | 24.14 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | CP_QPSK | 23.82 | 0.38 | 24.20 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | CP_QAM16 | 23.80 | 0.38 | 24.18 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | CP_QAM16 | 23.25 | 0.38 | 23.63 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | CP_QAM16 | 23.56 | 0.38 | 23.94 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | CP_QAM64 | 22.33 | 0.38 | 22.71 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | CP_QAM64 | 22.11 | 0.38 | 22.49 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | CP_QAM64 | 22.23 | 0.38 | 22.61 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 108@54 | CP_QAM256 | 19.31 | 0.38 | 19.69 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@1 | CP_QAM256 | 19.22 | 0.38 | 19.60 | 33 | PASS |
| n41 | 15 | 40 | 518598 | 1@214 | CP_QAM256 | 19.27 | 0.38 | 19.65 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | DFT_BPSK | 25.51 | 0.38 | 25.89 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | DFT_BPSK | 25.03 | 0.38 | 25.41 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | DFT_BPSK | 25.11 | 0.38 | 25.49 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | DFT_QPSK | 25.46 | 0.38 | 25.84 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | DFT_QPSK | 24.88 | 0.38 | 25.26 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | DFT_QPSK | 24.97 | 0.38 | 25.35 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | DFT_QAM16 | 24.59 | 0.38 | 24.97 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | DFT_QAM16 | 24.11 | 0.38 | 24.49 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | DFT_QAM16 | 24.21 | 0.38 | 24.59 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | DFT_QAM64 | 23.14 | 0.38 | 23.52 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | DFT_QAM64 | 22.44 | 0.38 | 22.82 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | DFT_QAM64 | 22.77 | 0.38 | 23.15 | 33 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|--------|------------|-------|------|-------|----|------|
| n41 | 15 | 40 | 534000 | 108@54 | DFT_QAM256 | 21.19 | 0.38 | 21.57 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | DFT_QAM256 | 20.91 | 0.38 | 21.29 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | DFT_QAM256 | 21.10 | 0.38 | 21.48 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | CP_QPSK | 24.09 | 0.38 | 24.47 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | CP_QPSK | 23.54 | 0.38 | 23.92 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | CP_QPSK | 23.65 | 0.38 | 24.03 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | CP_QAM16 | 23.55 | 0.38 | 23.93 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | CP_QAM16 | 23.09 | 0.38 | 23.47 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | CP_QAM16 | 23.20 | 0.38 | 23.58 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | CP_QAM64 | 22.18 | 0.38 | 22.56 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | CP_QAM64 | 21.72 | 0.38 | 22.10 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | CP_QAM64 | 22.17 | 0.38 | 22.55 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 108@54 | CP_QAM256 | 19.18 | 0.38 | 19.56 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@1 | CP_QAM256 | 18.97 | 0.38 | 19.35 | 33 | PASS |
| n41 | 15 | 40 | 534000 | 1@214 | CP_QAM256 | 19.13 | 0.38 | 19.51 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | DFT_BPSK | 25.81 | 0.38 | 26.19 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | DFT_BPSK | 25.43 | 0.38 | 25.81 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | DFT_BPSK | 25.50 | 0.38 | 25.88 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | DFT_QPSK | 25.78 | 0.38 | 26.16 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | DFT_QPSK | 25.40 | 0.38 | 25.78 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | DFT_QPSK | 25.46 | 0.38 | 25.84 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | DFT_QAM16 | 24.90 | 0.38 | 25.28 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | DFT_QAM16 | 24.73 | 0.38 | 25.11 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | DFT_QAM16 | 24.71 | 0.38 | 25.09 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | DFT_QAM64 | 23.37 | 0.38 | 23.75 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | DFT_QAM64 | 23.16 | 0.38 | 23.54 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | DFT_QAM64 | 23.22 | 0.38 | 23.60 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | DFT_QAM256 | 21.41 | 0.38 | 21.79 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | DFT_QAM256 | 21.39 | 0.38 | 21.77 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | DFT_QAM256 | 21.40 | 0.38 | 21.78 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | CP_QPSK | 24.39 | 0.38 | 24.77 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | CP_QPSK | 24.17 | 0.38 | 24.55 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | CP_QPSK | 24.16 | 0.38 | 24.54 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | CP_QAM16 | 23.78 | 0.38 | 24.16 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | CP_QAM16 | 23.61 | 0.38 | 23.99 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | CP_QAM16 | 23.58 | 0.38 | 23.96 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | CP_QAM64 | 22.35 | 0.38 | 22.73 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | CP_QAM64 | 22.45 | 0.38 | 22.83 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | CP_QAM64 | 22.43 | 0.38 | 22.81 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 135@67 | CP_QAM256 | 19.39 | 0.38 | 19.77 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@1 | CP_QAM256 | 19.46 | 0.38 | 19.84 | 33 | PASS |
| n41 | 15 | 50 | 504201 | 1@268 | CP_QAM256 | 19.50 | 0.38 | 19.88 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_BPSK | 25.81 | 0.38 | 26.19 | 33 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|--------|------------|-------|------|-------|----|------|
| n41 | 15 | 50 | 518601 | 1@1 | DFT_BPSK | 25.57 | 0.38 | 25.95 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | DFT_BPSK | 25.75 | 0.38 | 26.13 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QPSK | 25.76 | 0.38 | 26.14 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | DFT_QPSK | 25.40 | 0.38 | 25.78 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | DFT_QPSK | 25.50 | 0.38 | 25.88 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QAM16 | 24.82 | 0.38 | 25.20 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | DFT_QAM16 | 24.45 | 0.38 | 24.83 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | DFT_QAM16 | 24.66 | 0.38 | 25.04 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QAM64 | 23.34 | 0.38 | 23.72 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | DFT_QAM64 | 23.08 | 0.38 | 23.46 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | DFT_QAM64 | 23.17 | 0.38 | 23.55 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | DFT_QAM256 | 21.46 | 0.38 | 21.84 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | DFT_QAM256 | 21.52 | 0.38 | 21.90 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | DFT_QAM256 | 21.54 | 0.38 | 21.92 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | CP_QPSK | 24.39 | 0.38 | 24.77 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | CP_QPSK | 24.18 | 0.38 | 24.56 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | CP_QPSK | 24.29 | 0.38 | 24.67 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | CP_QAM16 | 23.82 | 0.38 | 24.20 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | CP_QAM16 | 23.94 | 0.38 | 24.32 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | CP_QAM16 | 23.70 | 0.38 | 24.08 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | CP_QAM64 | 22.41 | 0.38 | 22.79 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | CP_QAM64 | 22.61 | 0.38 | 22.99 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | CP_QAM64 | 22.73 | 0.38 | 23.11 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 135@67 | CP_QAM256 | 19.36 | 0.38 | 19.74 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@1 | CP_QAM256 | 19.33 | 0.38 | 19.71 | 33 | PASS |
| n41 | 15 | 50 | 518601 | 1@268 | CP_QAM256 | 19.42 | 0.38 | 19.80 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | DFT_BPSK | 25.55 | 0.38 | 25.93 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | DFT_BPSK | 25.28 | 0.38 | 25.66 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | DFT_BPSK | 25.47 | 0.38 | 25.85 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | DFT_QPSK | 25.53 | 0.38 | 25.91 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | DFT_QPSK | 25.35 | 0.38 | 25.73 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | DFT_QPSK | 25.48 | 0.38 | 25.86 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | DFT_QAM16 | 24.60 | 0.38 | 24.98 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | DFT_QAM16 | 24.59 | 0.38 | 24.97 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | DFT_QAM16 | 24.57 | 0.38 | 24.95 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | DFT_QAM64 | 23.15 | 0.38 | 23.53 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | DFT_QAM64 | 23.11 | 0.38 | 23.49 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | DFT_QAM64 | 23.02 | 0.38 | 23.40 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | DFT_QAM256 | 21.22 | 0.38 | 21.60 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | DFT_QAM256 | 21.26 | 0.38 | 21.64 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | DFT_QAM256 | 21.27 | 0.38 | 21.65 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | CP_QPSK | 24.11 | 0.38 | 24.49 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | CP_QPSK | 24.01 | 0.38 | 24.39 | 33 | PASS |

| | | | | | | | | | | |
|-----|----|----|--------|--------|-----------|-------|------|-------|----|------|
| n41 | 15 | 50 | 532998 | 1@268 | CP_QPSK | 24.16 | 0.38 | 24.54 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | CP_QAM16 | 23.61 | 0.38 | 23.99 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | CP_QAM16 | 23.95 | 0.38 | 24.33 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | CP_QAM16 | 24.09 | 0.38 | 24.47 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | CP_QAM64 | 22.18 | 0.38 | 22.56 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | CP_QAM64 | 22.14 | 0.38 | 22.52 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | CP_QAM64 | 22.44 | 0.38 | 22.82 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 135@67 | CP_QAM256 | 19.25 | 0.38 | 19.63 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@1 | CP_QAM256 | 19.33 | 0.38 | 19.71 | 33 | PASS |
| n41 | 15 | 50 | 532998 | 1@268 | CP_QAM256 | 19.55 | 0.38 | 19.93 | 33 | PASS |

2 Frequency stability for NR FR1

NT:

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Voltage (Vdc) | Result(Hz) | Result (ppm) | Limit (ppm) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|---------------|------------|--------------|--------------------------------------|---------|
| n41 | 15 | 50 | 519000 | 135@67 | DFT_BPSK | 3.89 | -8.83 | 0.00 | Within authorized band for 5G NR n41 | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_BPSK | 3.45 | -5.97 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_BPSK | 4.48 | -9.22 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_QPSK | 3.89 | -12.30 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_QPSK | 3.45 | -8.33 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_QPSK | 4.48 | -11.88 | 0.00 | | PASS |

Note: Only the worst case shown in the report.

NV:

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Voltage (Vdc) | Result(Hz) | Result (ppm) | Limit (ppm) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|---------------|------------|--------------|--------------------------------------|---------|
| n41 | 15 | 50 | 519000 | 135@67 | DFT_BPSK | -30 | -8.69 | 0.00 | Within authorized band for 5G NR n41 | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_BPSK | -20 | -5.49 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_BPSK | -10 | -8.76 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_BPSK | 0 | -11.92 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_BPSK | 10 | -8.2 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_BPSK | 20 | -11.77 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_BPSK | 30 | -9.38 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_BPSK | 40 | -5.48 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_BPSK | 50 | -8.4 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_QPSK | -30 | -12.55 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_QPSK | -20 | -9.18 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_QPSK | -10 | -9.59 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_QPSK | 0 | -9.39 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_QPSK | 10 | -9.19 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_QPSK | 20 | -8.98 | 0.00 | | PASS |


| | | | | | | | | | | |
|-----|----|----|--------|--------|----------|----|-------|------|--|------|
| n41 | 15 | 50 | 519000 | 135@67 | DFT_QPSK | 30 | -9.48 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_QPSK | 40 | -9.67 | 0.00 | | PASS |
| n41 | 15 | 50 | 519000 | 135@67 | DFT_QPSK | 50 | -9.8 | 0.00 | | PASS |

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | Result (dB) | high Limit (dB) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|-------------|-----------------|---------|
| n41 | 15 | 10 | 518601 | 50@0 | DFT_BPSK | 4.22 | 13 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QPSK | 5.15 | 13 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QAM16 | 5.93 | 13 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QAM64 | 6.39 | 13 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QAM256 | 6.96 | 13 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_BPSK | 4.22 | 13 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QPSK | 5.26 | 13 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QAM16 | 6.03 | 13 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QAM64 | 7.58 | 13 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QAM256 | 7.17 | 13 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_BPSK | 4.40 | 13 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QPSK | 5.53 | 13 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QAM16 | 6.26 | 13 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QAM64 | 6.57 | 13 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QAM256 | 7.10 | 13 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_BPSK | 4.36 | 13 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QPSK | 5.40 | 13 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QAM16 | 6.18 | 13 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QAM64 | 6.46 | 13 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QAM256 | 7.00 | 13 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_BPSK | 4.84 | 13 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QPSK | 5.49 | 13 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QAM16 | 6.27 | 13 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QAM64 | 6.57 | 13 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QAM256 | 7.02 | 13 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_BPSK | 4.91 | 13 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QPSK | 5.60 | 13 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QAM16 | 6.25 | 13 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QAM64 | 6.56 | 13 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QAM256 | 6.90 | 13 | PASS |


n41 SCS=15kHz DFT_BPSK BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QPSK BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QAM16 BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QAM64 BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QAM256 BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_BPSK BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_QPSK BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_QAM16 BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_QAM64 BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_QAM256 BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_BPSK BW=20MHz Channel=518601 RB=100@0




n41 SCS=15kHz DFT_QPSK BW=20MHz Channel=518601 RB=100@0




n41 SCS=15kHz DFT_QAM16 BW=20MHz Channel=518601 RB=100@0




n41 SCS=15kHz DFT_QAM64 BW=20MHz Channel=518601 RB=100@0




n41 SCS=15kHz DFT_QAM256 BW=20MHz Channel=518601 RB=100@0




n41 SCS=15kHz DFT_BPSK BW=30MHz Channel=518601 RB=160@0




n41 SCS=15kHz DFT_QPSK BW=30MHz Channel=518601 RB=160@0




n41 SCS=15kHz DFT_QAM16 BW=30MHz Channel=518601 RB=160@0




n41 SCS=15kHz DFT_QAM64 BW=30MHz Channel=518601 RB=160@0




n41 SCS=15kHz DFT_QAM256 BW=30MHz Channel=518601 RB=160@0




n41 SCS=15kHz DFT_BPSK BW=40MHz Channel=518598 RB=216@0




n41 SCS=15kHz DFT_QPSK BW=40MHz Channel=518598 RB=216@0




n41 SCS=15kHz DFT_QAM16 BW=40MHz Channel=518598 RB=216@0




n41 SCS=15kHz DFT_QAM64 BW=40MHz Channel=518598 RB=216@0




n41 SCS=15kHz DFT_QAM256 BW=40MHz Channel=518598 RB=216@0




n41 SCS=15kHz DFT_BPSK BW=50MHz Channel=518601 RB=270@0




n41 SCS=15kHz DFT_QPSK BW=50MHz Channel=518601 RB=270@0




n41 SCS=15kHz DFT_QAM16 BW=50MHz Channel=518601 RB=270@0



n41 SCS=15kHz DFT_QAM64 BW=50MHz Channel=518601 RB=270@0



n41 SCS=15kHz DFT_QAM256 BW=50MHz Channel=518601 RB=270@0




4 Occupied bandwidth for NR FR1

| Band | SCS (kHz) | Bandwidth (MHz) | UL Channel | RB Allocation | Modulation | 99% OBW (MHz) | -26dB EBW (MHz) | Verdict |
|------|-----------|-----------------|------------|---------------|------------|---------------|-----------------|---------|
| n41 | 15 | 10 | 500202 | 50@0 | DFT_BPSK | 9.210 | 9.490 | PASS |
| n41 | 15 | 10 | 500202 | 50@0 | DFT_QPSK | 9.210 | 9.490 | PASS |
| n41 | 15 | 10 | 500202 | 50@0 | DFT_QAM16 | 9.210 | 9.480 | PASS |
| n41 | 15 | 10 | 500202 | 50@0 | DFT_QAM64 | 9.210 | 9.470 | PASS |
| n41 | 15 | 10 | 500202 | 50@0 | DFT_QAM256 | 9.220 | 9.490 | PASS |
| n41 | 15 | 10 | 500202 | 52@0 | CP_QPSK | 9.330 | 9.860 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_BPSK | 9.220 | 9.470 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QPSK | 9.220 | 9.460 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QAM16 | 9.210 | 9.480 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QAM64 | 9.210 | 9.480 | PASS |
| n41 | 15 | 10 | 518601 | 50@0 | DFT_QAM256 | 9.250 | 9.480 | PASS |
| n41 | 15 | 10 | 518601 | 52@0 | CP_QPSK | 9.330 | 9.840 | PASS |
| n41 | 15 | 10 | 537000 | 50@0 | DFT_BPSK | 9.210 | 9.470 | PASS |
| n41 | 15 | 10 | 537000 | 50@0 | DFT_QPSK | 9.210 | 9.480 | PASS |
| n41 | 15 | 10 | 537000 | 50@0 | DFT_QAM16 | 9.200 | 9.480 | PASS |
| n41 | 15 | 10 | 537000 | 50@0 | DFT_QAM64 | 9.200 | 9.460 | PASS |
| n41 | 15 | 10 | 537000 | 50@0 | DFT_QAM256 | 9.240 | 9.470 | PASS |
| n41 | 15 | 10 | 537000 | 52@0 | CP_QPSK | 9.330 | 9.850 | PASS |
| n41 | 15 | 15 | 500700 | 75@0 | DFT_BPSK | 13.990 | 14.210 | PASS |
| n41 | 15 | 15 | 500700 | 75@0 | DFT_QPSK | 13.950 | 14.210 | PASS |
| n41 | 15 | 15 | 500700 | 75@0 | DFT_QAM16 | 13.990 | 14.200 | PASS |
| n41 | 15 | 15 | 500700 | 75@0 | DFT_QAM64 | 14.000 | 14.210 | PASS |
| n41 | 15 | 15 | 500700 | 75@0 | DFT_QAM256 | 13.950 | 14.190 | PASS |
| n41 | 15 | 15 | 500700 | 79@0 | CP_QPSK | 14.170 | 14.940 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_BPSK | 14.000 | 14.210 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QPSK | 13.990 | 14.190 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QAM16 | 14.000 | 14.200 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QAM64 | 14.000 | 14.200 | PASS |
| n41 | 15 | 15 | 518601 | 75@0 | DFT_QAM256 | 13.990 | 14.200 | PASS |
| n41 | 15 | 15 | 518601 | 79@0 | CP_QPSK | 14.170 | 14.940 | PASS |
| n41 | 15 | 15 | 536499 | 75@0 | DFT_BPSK | 14.010 | 14.210 | PASS |
| n41 | 15 | 15 | 536499 | 75@0 | DFT_QPSK | 13.950 | 14.210 | PASS |
| n41 | 15 | 15 | 536499 | 75@0 | DFT_QAM16 | 13.990 | 14.200 | PASS |
| n41 | 15 | 15 | 536499 | 75@0 | DFT_QAM64 | 14.000 | 14.210 | PASS |
| n41 | 15 | 15 | 536499 | 75@0 | DFT_QAM256 | 14.000 | 14.210 | PASS |
| n41 | 15 | 15 | 536499 | 79@0 | CP_QPSK | 14.170 | 14.940 | PASS |
| n41 | 15 | 20 | 501201 | 100@0 | DFT_BPSK | 18.680 | 18.930 | PASS |
| n41 | 15 | 20 | 501201 | 100@0 | DFT_QPSK | 18.740 | 18.910 | PASS |
| n41 | 15 | 20 | 501201 | 100@0 | DFT_QAM16 | 18.730 | 18.910 | PASS |

| | | | | | | | | |
|-----|----|----|--------|-------|------------|--------|--------|------|
| n41 | 15 | 20 | 501201 | 100@0 | DFT_QAM64 | 18.730 | 18.890 | PASS |
| n41 | 15 | 20 | 501201 | 100@0 | DFT_QAM256 | 18.670 | 18.900 | PASS |
| n41 | 15 | 20 | 501201 | 106@0 | CP_QPSK | 18.990 | 20.020 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_BPSK | 18.740 | 18.930 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QPSK | 18.810 | 18.910 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QAM16 | 18.760 | 18.900 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QAM64 | 18.750 | 18.900 | PASS |
| n41 | 15 | 20 | 518601 | 100@0 | DFT_QAM256 | 18.730 | 18.900 | PASS |
| n41 | 15 | 20 | 518601 | 106@0 | CP_QPSK | 18.990 | 20.010 | PASS |
| n41 | 15 | 20 | 535998 | 100@0 | DFT_BPSK | 18.730 | 18.930 | PASS |
| n41 | 15 | 20 | 535998 | 100@0 | DFT_QPSK | 18.740 | 18.920 | PASS |
| n41 | 15 | 20 | 535998 | 100@0 | DFT_QAM16 | 18.750 | 18.920 | PASS |
| n41 | 15 | 20 | 535998 | 100@0 | DFT_QAM64 | 18.740 | 18.900 | PASS |
| n41 | 15 | 20 | 535998 | 100@0 | DFT_QAM256 | 18.750 | 18.910 | PASS |
| n41 | 15 | 20 | 535998 | 106@0 | CP_QPSK | 19.000 | 20.030 | PASS |
| n41 | 15 | 30 | 502200 | 160@0 | DFT_BPSK | 28.610 | 30.190 | PASS |
| n41 | 15 | 30 | 502200 | 160@0 | DFT_QPSK | 28.700 | 30.200 | PASS |
| n41 | 15 | 30 | 502200 | 160@0 | DFT_QAM16 | 28.690 | 30.170 | PASS |
| n41 | 15 | 30 | 502200 | 160@0 | DFT_QAM64 | 28.620 | 30.180 | PASS |
| n41 | 15 | 30 | 502200 | 160@0 | DFT_QAM256 | 28.690 | 30.180 | PASS |
| n41 | 15 | 30 | 502200 | 160@0 | CP_QPSK | 28.690 | 30.220 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_BPSK | 28.620 | 30.180 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QPSK | 28.690 | 30.200 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QAM16 | 28.690 | 30.190 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QAM64 | 28.680 | 30.200 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | DFT_QAM256 | 28.620 | 30.180 | PASS |
| n41 | 15 | 30 | 518601 | 160@0 | CP_QPSK | 28.700 | 30.220 | PASS |
| n41 | 15 | 30 | 534999 | 160@0 | DFT_BPSK | 28.720 | 30.220 | PASS |
| n41 | 15 | 30 | 534999 | 160@0 | DFT_QPSK | 28.720 | 30.220 | PASS |
| n41 | 15 | 30 | 534999 | 160@0 | DFT_QAM16 | 28.710 | 30.200 | PASS |
| n41 | 15 | 30 | 534999 | 160@0 | DFT_QAM64 | 28.700 | 30.210 | PASS |
| n41 | 15 | 30 | 534999 | 160@0 | DFT_QAM256 | 28.700 | 30.190 | PASS |
| n41 | 15 | 30 | 534999 | 160@0 | CP_QPSK | 28.720 | 30.250 | PASS |
| n41 | 15 | 40 | 503202 | 216@0 | DFT_BPSK | 38.630 | 40.720 | PASS |
| n41 | 15 | 40 | 503202 | 216@0 | DFT_QPSK | 38.720 | 40.740 | PASS |
| n41 | 15 | 40 | 503202 | 216@0 | DFT_QAM16 | 38.630 | 40.710 | PASS |
| n41 | 15 | 40 | 503202 | 216@0 | DFT_QAM64 | 38.730 | 40.720 | PASS |
| n41 | 15 | 40 | 503202 | 216@0 | DFT_QAM256 | 38.730 | 40.720 | PASS |
| n41 | 15 | 40 | 503202 | 216@0 | CP_QPSK | 38.730 | 40.760 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_BPSK | 38.730 | 40.740 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QPSK | 38.640 | 40.720 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QAM16 | 38.740 | 40.740 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QAM64 | 38.730 | 40.720 | PASS |

| | | | | | | | | |
|-----|----|----|--------|-------|------------|--------|--------|------|
| n41 | 15 | 40 | 518598 | 216@0 | DFT_QAM256 | 38.740 | 40.760 | PASS |
| n41 | 15 | 40 | 518598 | 216@0 | CP_QPSK | 38.730 | 40.760 | PASS |
| n41 | 15 | 40 | 534000 | 216@0 | DFT_BPSK | 38.770 | 40.760 | PASS |
| n41 | 15 | 40 | 534000 | 216@0 | DFT_QPSK | 38.780 | 40.770 | PASS |
| n41 | 15 | 40 | 534000 | 216@0 | DFT_QAM16 | 38.760 | 40.740 | PASS |
| n41 | 15 | 40 | 534000 | 216@0 | DFT_QAM64 | 38.770 | 40.750 | PASS |
| n41 | 15 | 40 | 534000 | 216@0 | DFT_QAM256 | 38.780 | 40.770 | PASS |
| n41 | 15 | 40 | 534000 | 216@0 | CP_QPSK | 38.780 | 40.800 | PASS |
| n41 | 15 | 50 | 504201 | 270@0 | DFT_BPSK | 48.300 | 50.870 | PASS |
| n41 | 15 | 50 | 504201 | 270@0 | DFT_QPSK | 48.270 | 50.840 | PASS |
| n41 | 15 | 50 | 504201 | 270@0 | DFT_QAM16 | 48.270 | 50.820 | PASS |
| n41 | 15 | 50 | 504201 | 270@0 | DFT_QAM64 | 48.290 | 50.820 | PASS |
| n41 | 15 | 50 | 504201 | 270@0 | DFT_QAM256 | 48.280 | 50.810 | PASS |
| n41 | 15 | 50 | 504201 | 270@0 | CP_QPSK | 48.290 | 50.890 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_BPSK | 48.420 | 50.900 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QPSK | 48.300 | 50.860 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QAM16 | 48.400 | 50.850 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QAM64 | 48.420 | 50.880 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | DFT_QAM256 | 48.400 | 50.880 | PASS |
| n41 | 15 | 50 | 518601 | 270@0 | CP_QPSK | 48.410 | 50.900 | PASS |
| n41 | 15 | 50 | 532998 | 270@0 | DFT_BPSK | 48.460 | 50.890 | PASS |
| n41 | 15 | 50 | 532998 | 270@0 | DFT_QPSK | 48.450 | 50.890 | PASS |
| n41 | 15 | 50 | 532998 | 270@0 | DFT_QAM16 | 48.460 | 50.880 | PASS |
| n41 | 15 | 50 | 532998 | 270@0 | DFT_QAM64 | 48.460 | 50.860 | PASS |
| n41 | 15 | 50 | 532998 | 270@0 | DFT_QAM256 | 48.460 | 50.860 | PASS |
| n41 | 15 | 50 | 532998 | 270@0 | CP_QPSK | 48.480 | 50.950 | PASS |

n41 SCS=15kHz DFT_BPSK BW=10MHz Channel=500202 RB=50@0




n41 SCS=15kHz DFT_QPSK BW=10MHz Channel=500202 RB=50@0



n41 SCS=15kHz DFT_QAM16 BW=10MHz Channel=500202 RB=50@0




n41 SCS=15kHz DFT_QAM64 BW=10MHz Channel=500202 RB=50@0




n41 SCS=15kHz DFT_QAM256 BW=10MHz Channel=500202 RB=50@0




n41 SCS=15kHz CP_QPSK BW=10MHz Channel=500202 RB=52@0



n41 SCS=15kHz DFT_BPSK BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QPSK BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QAM16 BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz DFT_QAM64 BW=10MHz Channel=518601 RB=50@0



n41 SCS=15kHz DFT_QAM256 BW=10MHz Channel=518601 RB=50@0




n41 SCS=15kHz CP_QPSK BW=10MHz Channel=518601 RB=52@0



n41 SCS=15kHz DFT_BPSK BW=10MHz Channel=537000 RB=50@0




n41 SCS=15kHz DFT_QPSK BW=10MHz Channel=537000 RB=50@0




n41 SCS=15kHz DFT_QAM16 BW=10MHz Channel=537000 RB=50@0




n41 SCS=15kHz DFT_QAM64 BW=10MHz Channel=537000 RB=50@0



n41 SCS=15kHz DFT_QAM256 BW=10MHz Channel=537000 RB=50@0




n41 SCS=15kHz CP_QPSK BW=10MHz Channel=537000 RB=52@0



n41 SCS=15kHz DFT_BPSK BW=15MHz Channel=500700 RB=75@0



n41 SCS=15kHz DFT_QPSK BW=15MHz Channel=500700 RB=75@0




n41 SCS=15kHz DFT_QAM16 BW=15MHz Channel=500700 RB=75@0




n41 SCS=15kHz DFT_QAM64 BW=15MHz Channel=500700 RB=75@0



n41 SCS=15kHz DFT_QAM256 BW=15MHz Channel=500700 RB=75@0




n41 SCS=15kHz CP_QPSK BW=15MHz Channel=500700 RB=79@0




n41 SCS=15kHz DFT_BPSK BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_QPSK BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_QAM16 BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_QAM64 BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz DFT_QAM256 BW=15MHz Channel=518601 RB=75@0




n41 SCS=15kHz CP_QPSK BW=15MHz Channel=518601 RB=79@0



n41 SCS=15kHz DFT_BPSK BW=15MHz Channel=536499 RB=75@0




n41 SCS=15kHz DFT_QPSK BW=15MHz Channel=536499 RB=75@0



n41 SCS=15kHz DFT_QAM16 BW=15MHz Channel=536499 RB=75@0




n41 SCS=15kHz DFT_QAM64 BW=15MHz Channel=536499 RB=75@0



n41 SCS=15kHz DFT_QAM256 BW=15MHz Channel=536499 RB=75@0




n41 SCS=15kHz CP_QPSK BW=15MHz Channel=536499 RB=79@0



n41 SCS=15kHz DFT_BPSK BW=20MHz Channel=501201 RB=100@0



n41 SCS=15kHz DFT_QPSK BW=20MHz Channel=501201 RB=100@0



n41 SCS=15kHz DFT_QAM16 BW=20MHz Channel=501201 RB=100@0