

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	Gain (dBm)	ERP (dBm)	ERP Limit (dBm)	Verdict
n5	30	10	165800	12@6	DFT_BPSK	23.18	-5.38	15.65	38.45	PASS
n5	30	10	165800	1@1	DFT_BPSK	23.12	-5.38	15.59	38.45	PASS
n5	30	10	165800	1@22	DFT_BPSK	23.08	-5.38	15.55	38.45	PASS
n5	30	10	165800	12@6	DFT_QPSK	23.12	-5.38	15.59	38.45	PASS
n5	30	10	165800	1@1	DFT_QPSK	23.01	-5.38	15.48	38.45	PASS
n5	30	10	165800	1@22	DFT_QPSK	22.93	-5.38	15.40	38.45	PASS
n5	30	10	165800	12@6	DFT_QAM16	22.27	-5.38	14.74	38.45	PASS
n5	30	10	165800	1@1	DFT_QAM16	22.18	-5.38	14.65	38.45	PASS
n5	30	10	165800	1@22	DFT_QAM16	22.29	-5.38	14.76	38.45	PASS
n5	30	10	165800	12@6	DFT_QAM64	20.70	-5.38	13.17	38.45	PASS
n5	30	10	165800	1@1	DFT_QAM64	20.99	-5.38	13.46	38.45	PASS
n5	30	10	165800	1@22	DFT_QAM64	20.91	-5.38	13.38	38.45	PASS
n5	30	10	165800	12@6	DFT_QAM256	18.66	-5.38	11.13	38.45	PASS
n5	30	10	165800	1@1	DFT_QAM256	18.59	-5.38	11.06	38.45	PASS
n5	30	10	165800	1@22	DFT_QAM256	18.54	-5.38	11.01	38.45	PASS
n5	30	10	165800	12@6	CP_QPSK	21.55	-5.38	14.02	38.45	PASS
n5	30	10	165800	1@1	CP_QPSK	21.57	-5.38	14.04	38.45	PASS
n5	30	10	165800	1@22	CP_QPSK	21.51	-5.38	13.98	38.45	PASS
n5	30	10	165800	12@6	CP_QAM16	21.07	-5.38	13.54	38.45	PASS
n5	30	10	165800	1@1	CP_QAM16	20.99	-5.38	13.46	38.45	PASS
n5	30	10	165800	1@22	CP_QAM16	21.35	-5.38	13.82	38.45	PASS
n5	30	10	165800	12@6	CP_QAM64	19.75	-5.38	12.22	38.45	PASS
n5	30	10	165800	1@1	CP_QAM64	19.89	-5.38	12.36	38.45	PASS
n5	30	10	165800	1@22	CP_QAM64	19.79	-5.38	12.26	38.45	PASS
n5	30	10	165800	12@6	CP_QAM256	16.79	-5.38	9.26	38.45	PASS
n5	30	10	165800	1@1	CP_QAM256	16.71	-5.38	9.18	38.45	PASS
n5	30	10	165800	1@22	CP_QAM256	16.75	-5.38	9.22	38.45	PASS
n5	30	10	167300	12@6	DFT_BPSK	23.02	-5.38	15.49	38.45	PASS
n5	30	10	167300	1@1	DFT_BPSK	23.07	-5.38	15.54	38.45	PASS
n5	30	10	167300	1@22	DFT_BPSK	22.88	-5.38	15.35	38.45	PASS
n5	30	10	167300	12@6	DFT_QPSK	23.01	-5.38	15.48	38.45	PASS
n5	30	10	167300	1@1	DFT_QPSK	22.94	-5.38	15.41	38.45	PASS
n5	30	10	167300	1@22	DFT_QPSK	22.74	-5.38	15.21	38.45	PASS
n5	30	10	167300	12@6	DFT_QAM16	22.06	-5.38	14.53	38.45	PASS
n5	30	10	167300	1@1	DFT_QAM16	21.99	-5.38	14.46	38.45	PASS
n5	30	10	167300	1@22	DFT_QAM16	21.84	-5.38	14.31	38.45	PASS
n5	30	10	167300	12@6	DFT_QAM64	20.65	-5.38	13.12	38.45	PASS
n5	30	10	167300	1@1	DFT_QAM64	20.59	-5.38	13.06	38.45	PASS
n5	30	10	167300	1@22	DFT_QAM64	20.58	-5.38	13.05	38.45	PASS

n5	30	10	167300	12@6	DFT_QAM256	18.43	-5.38	10.90	38.45	PASS
n5	30	10	167300	1@1	DFT_QAM256	18.50	-5.38	10.97	38.45	PASS
n5	30	10	167300	1@22	DFT_QAM256	18.45	-5.38	10.92	38.45	PASS
n5	30	10	167300	12@6	CP_QPSK	21.39	-5.38	13.86	38.45	PASS
n5	30	10	167300	1@1	CP_QPSK	21.63	-5.38	14.10	38.45	PASS
n5	30	10	167300	1@22	CP_QPSK	21.31	-5.38	13.78	38.45	PASS
n5	30	10	167300	12@6	CP_QAM16	20.93	-5.38	13.40	38.45	PASS
n5	30	10	167300	1@1	CP_QAM16	21.57	-5.38	14.04	38.45	PASS
n5	30	10	167300	1@22	CP_QAM16	21.36	-5.38	13.83	38.45	PASS
n5	30	10	167300	12@6	CP_QAM64	19.51	-5.38	11.98	38.45	PASS
n5	30	10	167300	1@1	CP_QAM64	20.18	-5.38	12.65	38.45	PASS
n5	30	10	167300	1@22	CP_QAM64	19.97	-5.38	12.44	38.45	PASS
n5	30	10	167300	12@6	CP_QAM256	16.63	-5.38	9.10	38.45	PASS
n5	30	10	167300	1@1	CP_QAM256	16.64	-5.38	9.11	38.45	PASS
n5	30	10	167300	1@22	CP_QAM256	16.45	-5.38	8.92	38.45	PASS
n5	30	10	168800	12@6	DFT_BPSK	22.99	-5.38	15.46	38.45	PASS
n5	30	10	168800	1@1	DFT_BPSK	22.88	-5.38	15.35	38.45	PASS
n5	30	10	168800	1@22	DFT_BPSK	22.86	-5.38	15.33	38.45	PASS
n5	30	10	168800	12@6	DFT_QPSK	23.01	-5.38	15.48	38.45	PASS
n5	30	10	168800	1@1	DFT_QPSK	22.71	-5.38	15.18	38.45	PASS
n5	30	10	168800	1@22	DFT_QPSK	22.74	-5.38	15.21	38.45	PASS
n5	30	10	168800	12@6	DFT_QAM16	21.97	-5.38	14.44	38.45	PASS
n5	30	10	168800	1@1	DFT_QAM16	21.86	-5.38	14.33	38.45	PASS
n5	30	10	168800	1@22	DFT_QAM16	22.32	-5.38	14.79	38.45	PASS
n5	30	10	168800	12@6	DFT_QAM64	20.68	-5.38	13.15	38.45	PASS
n5	30	10	168800	1@1	DFT_QAM64	20.32	-5.38	12.79	38.45	PASS
n5	30	10	168800	1@22	DFT_QAM64	20.56	-5.38	13.03	38.45	PASS
n5	30	10	168800	12@6	DFT_QAM256	18.33	-5.38	10.80	38.45	PASS
n5	30	10	168800	1@1	DFT_QAM256	18.28	-5.38	10.75	38.45	PASS
n5	30	10	168800	1@22	DFT_QAM256	18.24	-5.38	10.71	38.45	PASS
n5	30	10	168800	12@6	CP_QPSK	21.53	-5.38	14.00	38.45	PASS
n5	30	10	168800	1@1	CP_QPSK	21.24	-5.38	13.71	38.45	PASS
n5	30	10	168800	1@22	CP_QPSK	21.32	-5.38	13.79	38.45	PASS
n5	30	10	168800	12@6	CP_QAM16	20.82	-5.38	13.29	38.45	PASS
n5	30	10	168800	1@1	CP_QAM16	21.29	-5.38	13.76	38.45	PASS
n5	30	10	168800	1@22	CP_QAM16	21.30	-5.38	13.77	38.45	PASS
n5	30	10	168800	12@6	CP_QAM64	19.40	-5.38	11.87	38.45	PASS
n5	30	10	168800	1@1	CP_QAM64	19.95	-5.38	12.42	38.45	PASS
n5	30	10	168800	1@22	CP_QAM64	19.52	-5.38	11.99	38.45	PASS
n5	30	10	168800	12@6	CP_QAM256	16.44	-5.38	8.91	38.45	PASS
n5	30	10	168800	1@1	CP_QAM256	16.42	-5.38	8.89	38.45	PASS
n5	30	10	168800	1@22	CP_QAM256	16.52	-5.38	8.99	38.45	PASS
n5	30	15	166300	18@9	DFT_BPSK	23.03	-5.38	15.50	38.45	PASS

n5	30	15	166300	1@1	DFT_BPSK	23.11	-5.38	15.58	38.45	PASS
n5	30	15	166300	1@36	DFT_BPSK	22.89	-5.38	15.36	38.45	PASS
n5	30	15	166300	18@9	DFT_QPSK	23.08	-5.38	15.55	38.45	PASS
n5	30	15	166300	1@1	DFT_QPSK	22.96	-5.38	15.43	38.45	PASS
n5	30	15	166300	1@36	DFT_QPSK	22.77	-5.38	15.24	38.45	PASS
n5	30	15	166300	18@9	DFT_QAM16	22.24	-5.38	14.71	38.45	PASS
n5	30	15	166300	1@1	DFT_QAM16	22.16	-5.38	14.63	38.45	PASS
n5	30	15	166300	1@36	DFT_QAM16	22.37	-5.38	14.84	38.45	PASS
n5	30	15	166300	18@9	DFT_QAM64	20.77	-5.38	13.24	38.45	PASS
n5	30	15	166300	1@1	DFT_QAM64	20.73	-5.38	13.20	38.45	PASS
n5	30	15	166300	1@36	DFT_QAM64	20.23	-5.38	12.70	38.45	PASS
n5	30	15	166300	18@9	DFT_QAM256	18.60	-5.38	11.07	38.45	PASS
n5	30	15	166300	1@1	DFT_QAM256	18.52	-5.38	10.99	38.45	PASS
n5	30	15	166300	1@36	DFT_QAM256	18.49	-5.38	10.96	38.45	PASS
n5	30	15	166300	19@9	CP_QPSK	21.82	-5.38	14.29	38.45	PASS
n5	30	15	166300	1@1	CP_QPSK	21.55	-5.38	14.02	38.45	PASS
n5	30	15	166300	1@36	CP_QPSK	21.33	-5.38	13.80	38.45	PASS
n5	30	15	166300	19@9	CP_QAM16	21.24	-5.38	13.71	38.45	PASS
n5	30	15	166300	1@1	CP_QAM16	21.53	-5.38	14.00	38.45	PASS
n5	30	15	166300	1@36	CP_QAM16	20.98	-5.38	13.45	38.45	PASS
n5	30	15	166300	19@9	CP_QAM64	19.85	-5.38	12.32	38.45	PASS
n5	30	15	166300	1@1	CP_QAM64	19.71	-5.38	12.18	38.45	PASS
n5	30	15	166300	1@36	CP_QAM64	19.50	-5.38	11.97	38.45	PASS
n5	30	15	166300	19@9	CP_QAM256	16.71	-5.38	9.18	38.45	PASS
n5	30	15	166300	1@1	CP_QAM256	16.61	-5.38	9.08	38.45	PASS
n5	30	15	166300	1@36	CP_QAM256	16.45	-5.38	8.92	38.45	PASS
n5	30	15	167300	18@9	DFT_BPSK	22.96	-5.38	15.43	38.45	PASS
n5	30	15	167300	1@1	DFT_BPSK	23.04	-5.38	15.51	38.45	PASS
n5	30	15	167300	1@36	DFT_BPSK	22.84	-5.38	15.31	38.45	PASS
n5	30	15	167300	18@9	DFT_QPSK	22.94	-5.38	15.41	38.45	PASS
n5	30	15	167300	1@1	DFT_QPSK	22.93	-5.38	15.40	38.45	PASS
n5	30	15	167300	1@36	DFT_QPSK	22.70	-5.38	15.17	38.45	PASS
n5	30	15	167300	18@9	DFT_QAM16	22.11	-5.38	14.58	38.45	PASS
n5	30	15	167300	1@1	DFT_QAM16	22.48	-5.38	14.95	38.45	PASS
n5	30	15	167300	1@36	DFT_QAM16	22.24	-5.38	14.71	38.45	PASS
n5	30	15	167300	18@9	DFT_QAM64	20.63	-5.38	13.10	38.45	PASS
n5	30	15	167300	1@1	DFT_QAM64	20.63	-5.38	13.10	38.45	PASS
n5	30	15	167300	1@36	DFT_QAM64	20.32	-5.38	12.79	38.45	PASS
n5	30	15	167300	18@9	DFT_QAM256	18.50	-5.38	10.97	38.45	PASS
n5	30	15	167300	1@1	DFT_QAM256	18.70	-5.38	11.17	38.45	PASS
n5	30	15	167300	1@36	DFT_QAM256	18.46	-5.38	10.93	38.45	PASS
n5	30	15	167300	19@9	CP_QPSK	21.63	-5.38	14.10	38.45	PASS
n5	30	15	167300	1@1	CP_QPSK	21.38	-5.38	13.85	38.45	PASS

n5	30	15	167300	1@36	CP_QPSK	21.30	-5.38	13.77	38.45	PASS
n5	30	15	167300	19@9	CP_QAM16	21.16	-5.38	13.63	38.45	PASS
n5	30	15	167300	1@1	CP_QAM16	21.13	-5.38	13.60	38.45	PASS
n5	30	15	167300	1@36	CP_QAM16	21.21	-5.38	13.68	38.45	PASS
n5	30	15	167300	19@9	CP_QAM64	19.71	-5.38	12.18	38.45	PASS
n5	30	15	167300	1@1	CP_QAM64	19.69	-5.38	12.16	38.45	PASS
n5	30	15	167300	1@36	CP_QAM64	19.71	-5.38	12.18	38.45	PASS
n5	30	15	167300	19@9	CP_QAM256	16.51	-5.38	8.98	38.45	PASS
n5	30	15	167300	1@1	CP_QAM256	16.64	-5.38	9.11	38.45	PASS
n5	30	15	167300	1@36	CP_QAM256	16.37	-5.38	8.84	38.45	PASS
n5	30	15	168300	18@9	DFT_BPSK	22.88	-5.38	15.35	38.45	PASS
n5	30	15	168300	1@1	DFT_BPSK	22.90	-5.38	15.37	38.45	PASS
n5	30	15	168300	1@36	DFT_BPSK	22.78	-5.38	15.25	38.45	PASS
n5	30	15	168300	18@9	DFT_QPSK	22.86	-5.38	15.33	38.45	PASS
n5	30	15	168300	1@1	DFT_QPSK	22.82	-5.38	15.29	38.45	PASS
n5	30	15	168300	1@36	DFT_QPSK	22.63	-5.38	15.10	38.45	PASS
n5	30	15	168300	18@9	DFT_QAM16	22.00	-5.38	14.47	38.45	PASS
n5	30	15	168300	1@1	DFT_QAM16	22.02	-5.38	14.49	38.45	PASS
n5	30	15	168300	1@36	DFT_QAM16	21.93	-5.38	14.40	38.45	PASS
n5	30	15	168300	18@9	DFT_QAM64	20.57	-5.38	13.04	38.45	PASS
n5	30	15	168300	1@1	DFT_QAM64	20.70	-5.38	13.17	38.45	PASS
n5	30	15	168300	1@36	DFT_QAM64	20.68	-5.38	13.15	38.45	PASS
n5	30	15	168300	18@9	DFT_QAM256	18.42	-5.38	10.89	38.45	PASS
n5	30	15	168300	1@1	DFT_QAM256	18.58	-5.38	11.05	38.45	PASS
n5	30	15	168300	1@36	DFT_QAM256	18.25	-5.38	10.72	38.45	PASS
n5	30	15	168300	19@9	CP_QPSK	21.45	-5.38	13.92	38.45	PASS
n5	30	15	168300	1@1	CP_QPSK	21.28	-5.38	13.75	38.45	PASS
n5	30	15	168300	1@36	CP_QPSK	21.16	-5.38	13.63	38.45	PASS
n5	30	15	168300	19@9	CP_QAM16	21.05	-5.38	13.52	38.45	PASS
n5	30	15	168300	1@1	CP_QAM16	20.83	-5.38	13.30	38.45	PASS
n5	30	15	168300	1@36	CP_QAM16	20.68	-5.38	13.15	38.45	PASS
n5	30	15	168300	19@9	CP_QAM64	19.54	-5.38	12.01	38.45	PASS
n5	30	15	168300	1@1	CP_QAM64	19.49	-5.38	11.96	38.45	PASS
n5	30	15	168300	1@36	CP_QAM64	19.58	-5.38	12.05	38.45	PASS
n5	30	15	168300	19@9	CP_QAM256	16.43	-5.38	8.90	38.45	PASS
n5	30	15	168300	1@1	CP_QAM256	16.46	-5.38	8.93	38.45	PASS
n5	30	15	168300	1@36	CP_QAM256	16.36	-5.38	8.83	38.45	PASS
n5	30	20	166800	25@12	DFT_BPSK	23.15	-5.38	15.62	38.45	PASS
n5	30	20	166800	1@1	DFT_BPSK	23.07	-5.38	15.54	38.45	PASS
n5	30	20	166800	1@49	DFT_BPSK	22.81	-5.38	15.28	38.45	PASS
n5	30	20	166800	25@12	DFT_QPSK	23.13	-5.38	15.60	38.45	PASS
n5	30	20	166800	1@1	DFT_QPSK	23.06	-5.38	15.53	38.45	PASS
n5	30	20	166800	1@49	DFT_QPSK	22.81	-5.38	15.28	38.45	PASS

n5	30	20	166800	25@12	DFT_QAM16	22.07	-5.38	14.54	38.45	PASS
n5	30	20	166800	1@1	DFT_QAM16	22.21	-5.38	14.68	38.45	PASS
n5	30	20	166800	1@49	DFT_QAM16	21.86	-5.38	14.33	38.45	PASS
n5	30	20	166800	25@12	DFT_QAM64	20.65	-5.38	13.12	38.45	PASS
n5	30	20	166800	1@1	DFT_QAM64	20.92	-5.38	13.39	38.45	PASS
n5	30	20	166800	1@49	DFT_QAM64	20.70	-5.38	13.17	38.45	PASS
n5	30	20	166800	25@12	DFT_QAM256	18.57	-5.38	11.04	38.45	PASS
n5	30	20	166800	1@1	DFT_QAM256	18.65	-5.38	11.12	38.45	PASS
n5	30	20	166800	1@49	DFT_QAM256	18.46	-5.38	10.93	38.45	PASS
n5	30	20	166800	25@12	CP_QPSK	21.68	-5.38	14.15	38.45	PASS
n5	30	20	166800	1@1	CP_QPSK	21.52	-5.38	13.99	38.45	PASS
n5	30	20	166800	1@49	CP_QPSK	21.25	-5.38	13.72	38.45	PASS
n5	30	20	166800	25@12	CP_QAM16	21.16	-5.38	13.63	38.45	PASS
n5	30	20	166800	1@1	CP_QAM16	21.02	-5.38	13.49	38.45	PASS
n5	30	20	166800	1@49	CP_QAM16	20.71	-5.38	13.18	38.45	PASS
n5	30	20	166800	25@12	CP_QAM64	19.65	-5.38	12.12	38.45	PASS
n5	30	20	166800	1@1	CP_QAM64	19.88	-5.38	12.35	38.45	PASS
n5	30	20	166800	1@49	CP_QAM64	19.74	-5.38	12.21	38.45	PASS
n5	30	20	166800	25@12	CP_QAM256	16.61	-5.38	9.08	38.45	PASS
n5	30	20	166800	1@1	CP_QAM256	16.61	-5.38	9.08	38.45	PASS
n5	30	20	166800	1@49	CP_QAM256	16.34	-5.38	8.81	38.45	PASS
n5	30	20	167300	25@12	DFT_BPSK	23.05	-5.38	15.52	38.45	PASS
n5	30	20	167300	1@1	DFT_BPSK	23.07	-5.38	15.54	38.45	PASS
n5	30	20	167300	1@49	DFT_BPSK	22.91	-5.38	15.38	38.45	PASS
n5	30	20	167300	25@12	DFT_QPSK	23.06	-5.38	15.53	38.45	PASS
n5	30	20	167300	1@1	DFT_QPSK	22.94	-5.38	15.41	38.45	PASS
n5	30	20	167300	1@49	DFT_QPSK	22.78	-5.38	15.25	38.45	PASS
n5	30	20	167300	25@12	DFT_QAM16	22.01	-5.38	14.48	38.45	PASS
n5	30	20	167300	1@1	DFT_QAM16	22.45	-5.38	14.92	38.45	PASS
n5	30	20	167300	1@49	DFT_QAM16	22.19	-5.38	14.66	38.45	PASS
n5	30	20	167300	25@12	DFT_QAM64	20.55	-5.38	13.02	38.45	PASS
n5	30	20	167300	1@1	DFT_QAM64	20.67	-5.38	13.14	38.45	PASS
n5	30	20	167300	1@49	DFT_QAM64	20.34	-5.38	12.81	38.45	PASS
n5	30	20	167300	25@12	DFT_QAM256	18.53	-5.38	11.00	38.45	PASS
n5	30	20	167300	1@1	DFT_QAM256	18.51	-5.38	10.98	38.45	PASS
n5	30	20	167300	1@49	DFT_QAM256	18.46	-5.38	10.93	38.45	PASS
n5	30	20	167300	25@12	CP_QPSK	21.65	-5.38	14.12	38.45	PASS
n5	30	20	167300	1@1	CP_QPSK	21.55	-5.38	14.02	38.45	PASS
n5	30	20	167300	1@49	CP_QPSK	21.24	-5.38	13.71	38.45	PASS
n5	30	20	167300	25@12	CP_QAM16	21.14	-5.38	13.61	38.45	PASS
n5	30	20	167300	1@1	CP_QAM16	21.18	-5.38	13.65	38.45	PASS
n5	30	20	167300	1@49	CP_QAM16	20.96	-5.38	13.43	38.45	PASS
n5	30	20	167300	25@12	CP_QAM64	19.67	-5.38	12.14	38.45	PASS

n5	30	20	167300	1@1	CP_QAM64	19.87	-5.38	12.34	38.45	PASS
n5	30	20	167300	1@49	CP_QAM64	19.44	-5.38	11.91	38.45	PASS
n5	30	20	167300	25@12	CP_QAM256	16.56	-5.38	9.03	38.45	PASS
n5	30	20	167300	1@1	CP_QAM256	16.55	-5.38	9.02	38.45	PASS
n5	30	20	167300	1@49	CP_QAM256	16.39	-5.38	8.86	38.45	PASS
n5	30	20	167800	25@12	DFT_BPSK	23.08	-5.38	15.55	38.45	PASS
n5	30	20	167800	1@1	DFT_BPSK	23.04	-5.38	15.51	38.45	PASS
n5	30	20	167800	1@49	DFT_BPSK	22.82	-5.38	15.29	38.45	PASS
n5	30	20	167800	25@12	DFT_QPSK	23.00	-5.38	15.47	38.45	PASS
n5	30	20	167800	1@1	DFT_QPSK	22.99	-5.38	15.46	38.45	PASS
n5	30	20	167800	1@49	DFT_QPSK	22.66	-5.38	15.13	38.45	PASS
n5	30	20	167800	25@12	DFT_QAM16	22.00	-5.38	14.47	38.45	PASS
n5	30	20	167800	1@1	DFT_QAM16	22.06	-5.38	14.53	38.45	PASS
n5	30	20	167800	1@49	DFT_QAM16	21.93	-5.38	14.40	38.45	PASS
n5	30	20	167800	25@12	DFT_QAM64	20.49	-5.38	12.96	38.45	PASS
n5	30	20	167800	1@1	DFT_QAM64	20.68	-5.38	13.15	38.45	PASS
n5	30	20	167800	1@49	DFT_QAM64	20.44	-5.38	12.91	38.45	PASS
n5	30	20	167800	25@12	DFT_QAM256	18.41	-5.38	10.88	38.45	PASS
n5	30	20	167800	1@1	DFT_QAM256	18.50	-5.38	10.97	38.45	PASS
n5	30	20	167800	1@49	DFT_QAM256	18.39	-5.38	10.86	38.45	PASS
n5	30	20	167800	25@12	CP_QPSK	21.56	-5.38	14.03	38.45	PASS
n5	30	20	167800	1@1	CP_QPSK	21.55	-5.38	14.02	38.45	PASS
n5	30	20	167800	1@49	CP_QPSK	21.25	-5.38	13.72	38.45	PASS
n5	30	20	167800	25@12	CP_QAM16	21.05	-5.38	13.52	38.45	PASS
n5	30	20	167800	1@1	CP_QAM16	20.95	-5.38	13.42	38.45	PASS
n5	30	20	167800	1@49	CP_QAM16	21.13	-5.38	13.60	38.45	PASS
n5	30	20	167800	25@12	CP_QAM64	19.59	-5.38	12.06	38.45	PASS
n5	30	20	167800	1@1	CP_QAM64	19.58	-5.38	12.05	38.45	PASS
n5	30	20	167800	1@49	CP_QAM64	19.58	-5.38	12.05	38.45	PASS
n5	30	20	167800	25@12	CP_QAM256	16.60	-5.38	9.07	38.45	PASS
n5	30	20	167800	1@1	CP_QAM256	16.60	-5.38	9.07	38.45	PASS
n5	30	20	167800	1@49	CP_QAM256	16.42	-5.38	8.89	38.45	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n5	30	20	167300	25@12	DFT_BPSK	3.45	-4.14	0.00	Within authorized band for 5G NR n5	PASS
n5	30	20	167300	25@12	DFT_BPSK	3.85	-3.08	0.00		PASS
n5	30	20	167300	25@12	DFT_BPSK	4.40	-4.21	-0.01		PASS
n5	30	20	167300	25@12	DFT_QPSK	3.45	-4.27	-0.01		PASS
n5	30	20	167300	25@12	DFT_QPSK	3.85	-5.10	-0.01		PASS
n5	30	20	167300	25@12	DFT_QPSK	4.40	-3.08	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n5	30	20	167300	25@12	DFT_BPSK	-30	-2.35	0.00	Within authorized band for 5G NR n5	PASS
n5	30	20	167300	25@12	DFT_BPSK	-20	-1.52	0.00		PASS
n5	30	20	167300	25@12	DFT_BPSK	-10	-4.87	-0.01		PASS
n5	30	20	167300	25@12	DFT_BPSK	0	-3.98	0.00		PASS
n5	30	20	167300	25@12	DFT_BPSK	10	-4.82	-0.01		PASS
n5	30	20	167300	25@12	DFT_BPSK	20	-3.8	0.00		PASS
n5	30	20	167300	25@12	DFT_BPSK	30	-5.57	-0.01		PASS
n5	30	20	167300	25@12	DFT_BPSK	40	-4.15	0.00		PASS
n5	30	20	167300	25@12	DFT_BPSK	50	-4.88	-0.01		PASS
n5	30	20	167300	25@12	DFT_QPSK	-30	-3.71	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	-20	-2.2	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	-10	-1.89	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	0	-4.56	-0.01		PASS
n5	30	20	167300	25@12	DFT_QPSK	10	-3.5	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	20	-4.55	-0.01		PASS
n5	30	20	167300	25@12	DFT_QPSK	30	-3.58	0.00		PASS
n5	30	20	167300	25@12	DFT_QPSK	40	-5.98	-0.01	PASS	
n5	30	20	167300	25@12	DFT_QPSK	50	-4.23	-0.01	PASS	

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n5	30	10	167300	24@0	DFT_BPSK	4.27	13	PASS
n5	30	10	167300	24@0	DFT_QPSK	4.70	13	PASS
n5	30	10	167300	24@0	DFT_QAM16	5.52	13	PASS
n5	30	10	167300	24@0	DFT_QAM64	6.02	13	PASS
n5	30	10	167300	24@0	DFT_QAM256	6.95	13	PASS
n5	30	15	167300	36@0	DFT_BPSK	4.27	13	PASS
n5	30	15	167300	36@0	DFT_QPSK	5.03	13	PASS
n5	30	15	167300	36@0	DFT_QAM16	5.82	13	PASS
n5	30	15	167300	36@0	DFT_QAM64	6.20	13	PASS
n5	30	15	167300	36@0	DFT_QAM256	6.89	13	PASS
n5	30	20	167300	50@0	DFT_BPSK	4.47	13	PASS
n5	30	20	167300	50@0	DFT_QPSK	5.35	13	PASS
n5	30	20	167300	50@0	DFT_QAM16	6.10	13	PASS
n5	30	20	167300	50@0	DFT_QAM64	6.53	13	PASS
n5	30	20	167300	50@0	DFT_QAM256	6.89	13	PASS


n5 SCS=30kHz DFT_BPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_QAM16 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_QAM64 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_QAM256 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_BPSK BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_QPSK BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_QAM16 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_QAM64 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_QAM256 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_BPSK BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_QAM16 BW=20MHz Channel=167300 RB=50@0



n5 SCS=30kHz DFT_QAM64 BW=20MHz Channel=167300 RB=50@0



n5 SCS=30kHz DFT_QAM256 BW=20MHz Channel=167300 RB=50@0




4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n5	30	10	165800	24@0	DFT_BPSK	8.626	9.337	PASS
n5	30	10	165800	24@0	DFT_QPSK	8.572	9.309	PASS
n5	30	10	165800	24@0	DFT_QAM16	8.608	9.085	PASS
n5	30	10	165800	24@0	DFT_QAM64	8.632	9.289	PASS
n5	30	10	165800	24@0	DFT_QAM256	8.539	9.197	PASS
n5	30	10	165800	24@0	CP_QPSK	8.613	9.070	PASS
n5	30	10	167300	24@0	DFT_BPSK	8.629	9.197	PASS
n5	30	10	167300	24@0	DFT_QPSK	8.579	9.406	PASS
n5	30	10	167300	24@0	DFT_QAM16	8.657	9.086	PASS
n5	30	10	167300	24@0	DFT_QAM64	8.534	9.348	PASS
n5	30	10	167300	24@0	DFT_QAM256	8.602	9.327	PASS
n5	30	10	167300	24@0	CP_QPSK	8.642	10.825	PASS
n5	30	10	168800	24@0	DFT_BPSK	8.601	9.376	PASS
n5	30	10	168800	24@0	DFT_QPSK	8.623	9.202	PASS
n5	30	10	168800	24@0	DFT_QAM16	8.597	9.230	PASS
n5	30	10	168800	24@0	DFT_QAM64	8.562	9.270	PASS
n5	30	10	168800	24@0	DFT_QAM256	8.589	9.263	PASS

n5	30	10	168800	24@0	CP_QPSK	8.653	9.393	PASS
n5	30	15	166300	36@0	DFT_BPSK	12.961	13.587	PASS
n5	30	15	166300	36@0	DFT_QPSK	12.855	13.656	PASS
n5	30	15	166300	36@0	DFT_QAM16	12.976	13.813	PASS
n5	30	15	166300	36@0	DFT_QAM64	12.967	13.560	PASS
n5	30	15	166300	36@0	DFT_QAM256	12.992	13.605	PASS
n5	30	15	166300	38@0	CP_QPSK	13.552	14.816	PASS
n5	30	15	167300	36@0	DFT_BPSK	12.907	13.755	PASS
n5	30	15	167300	36@0	DFT_QPSK	12.975	13.821	PASS
n5	30	15	167300	36@0	DFT_QAM16	12.932	13.660	PASS
n5	30	15	167300	36@0	DFT_QAM64	12.967	13.674	PASS
n5	30	15	167300	36@0	DFT_QAM256	12.970	13.940	PASS
n5	30	15	167300	38@0	CP_QPSK	13.724	15.960	PASS
n5	30	15	168300	36@0	DFT_BPSK	12.914	13.652	PASS
n5	30	15	168300	36@0	DFT_QPSK	12.881	13.600	PASS
n5	30	15	168300	36@0	DFT_QAM16	12.874	13.735	PASS
n5	30	15	168300	36@0	DFT_QAM64	12.885	13.669	PASS
n5	30	15	168300	36@0	DFT_QAM256	12.866	13.680	PASS
n5	30	15	168300	38@0	CP_QPSK	13.579	14.852	PASS
n5	30	20	166800	50@0	DFT_BPSK	17.885	18.968	PASS
n5	30	20	166800	50@0	DFT_QPSK	17.919	19.050	PASS
n5	30	20	166800	50@0	DFT_QAM16	17.923	18.881	PASS
n5	30	20	166800	50@0	DFT_QAM64	18.029	18.851	PASS
n5	30	20	166800	50@0	DFT_QAM256	17.947	18.920	PASS
n5	30	20	166800	51@0	CP_QPSK	18.253	19.341	PASS
n5	30	20	167300	50@0	DFT_BPSK	17.967	19.058	PASS
n5	30	20	167300	50@0	DFT_QPSK	17.860	18.928	PASS
n5	30	20	167300	50@0	DFT_QAM16	17.854	18.910	PASS
n5	30	20	167300	50@0	DFT_QAM64	17.933	19.029	PASS
n5	30	20	167300	50@0	DFT_QAM256	17.980	18.951	PASS
n5	30	20	167300	51@0	CP_QPSK	18.286	19.318	PASS
n5	30	20	167800	50@0	DFT_BPSK	17.906	18.944	PASS
n5	30	20	167800	50@0	DFT_QPSK	17.961	18.919	PASS
n5	30	20	167800	50@0	DFT_QAM16	17.958	19.089	PASS
n5	30	20	167800	50@0	DFT_QAM64	17.962	18.893	PASS
n5	30	20	167800	50@0	DFT_QAM256	17.996	18.906	PASS
n5	30	20	167800	51@0	CP_QPSK	18.356	20.055	PASS


n5 SCS=30kHz DFT_BPSK BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz DFT_QAM16 BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz DFT_QAM64 BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz DFT_QAM256 BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz CP_QPSK BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz DFT_BPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_QAM16 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_QAM64 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_QAM256 BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz CP_QPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_BPSK BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT_QAM16 BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT_QAM64 BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT_QAM256 BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz CP_QPSK BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT_BPSK BW=15MHz Channel=166300 RB=36@0




n5 SCS=30kHz DFT_QPSK BW=15MHz Channel=166300 RB=36@0




n5 SCS=30kHz DFT_QAM16 BW=15MHz Channel=166300 RB=36@0




n5 SCS=30kHz DFT_QAM64 BW=15MHz Channel=166300 RB=36@0




n5 SCS=30kHz DFT_QAM256 BW=15MHz Channel=166300 RB=36@0




n5 SCS=30kHz CP_QPSK BW=15MHz Channel=166300 RB=38@0




n5 SCS=30kHz DFT_BPSK BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_QPSK BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_QAM16 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_QAM64 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz DFT_QAM256 BW=15MHz Channel=167300 RB=36@0




n5 SCS=30kHz CP_QPSK BW=15MHz Channel=167300 RB=38@0




n5 SCS=30kHz DFT_BPSK BW=15MHz Channel=168300 RB=36@0




n5 SCS=30kHz DFT_QPSK BW=15MHz Channel=168300 RB=36@0




n5 SCS=30kHz DFT_QAM16 BW=15MHz Channel=168300 RB=36@0




n5 SCS=30kHz DFT_QAM64 BW=15MHz Channel=168300 RB=36@0




n5 SCS=30kHz DFT_QAM256 BW=15MHz Channel=168300 RB=36@0




n5 SCS=30kHz CP_QPSK BW=15MHz Channel=168300 RB=38@0




n5 SCS=30kHz DFT_BPSK BW=20MHz Channel=166800 RB=50@0




n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=166800 RB=50@0




n5 SCS=30kHz DFT_QAM16 BW=20MHz Channel=166800 RB=50@0




n5 SCS=30kHz DFT_QAM64 BW=20MHz Channel=166800 RB=50@0




n5 SCS=30kHz DFT_QAM256 BW=20MHz Channel=166800 RB=50@0




n5 SCS=30kHz CP_QPSK BW=20MHz Channel=166800 RB=51@0




n5 SCS=30kHz DFT_BPSK BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_QAM16 BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_QAM64 BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_QAM256 BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz CP_QPSK BW=20MHz Channel=167300 RB=51@0




n5 SCS=30kHz DFT_BPSK BW=20MHz Channel=167800 RB=50@0




n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=167800 RB=50@0




n5 SCS=30kHz DFT_QAM16 BW=20MHz Channel=167800 RB=50@0




n5 SCS=30kHz DFT_QAM64 BW=20MHz Channel=167800 RB=50@0



n5 SCS=30kHz DFT_QAM256 BW=20MHz Channel=167800 RB=50@0



n5 SCS=30kHz CP_QPSK BW=20MHz Channel=167800 RB=51@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n5	30	10	165800	24@0	DFT_QPSK	819.88	-46.76	-13	PASS
n5	30	10	165800	1@0	DFT_QPSK	823.96	-37.13	-13	PASS
n5	30	10	168800	24@0	DFT_QPSK	849.94	-46.36	-13	PASS
n5	30	10	168800	1@23	DFT_QPSK	849.02	-39.31	-13	PASS
n5	30	20	166800	50@0	DFT_QPSK	821.44	-41.47	-13	PASS
n5	30	20	166800	1@0	DFT_QPSK	824.00	-46.85	-13	PASS
n5	30	20	167800	50@0	DFT_QPSK	849.12	-39.99	-13	PASS
n5	30	20	167800	1@50	DFT_QPSK	849.60	-44.89	-13	PASS


n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=165800 RB=1@0




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=168800 RB=1@23



n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=166800 RB=50@0



n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=166800 RB=1@0



n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=167800 RB=50@0




n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=167800 RB=1@50




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n5	30	10	165800	24@0	DFT_QPSK	3841.08	-37.66	-13	PASS
n5	30	10	165800	1@0	DFT_QPSK	3827.80	-37.35	-13	PASS
n5	30	10	165800	1@23	DFT_QPSK	3749.50	-37.15	-13	PASS
n5	30	10	167300	24@0	DFT_QPSK	3762.10	-37.14	-13	PASS
n5	30	10	167300	1@0	DFT_QPSK	5102.43	-37.18	-13	PASS
n5	30	10	167300	1@23	DFT_QPSK	3830.73	-38.19	-13	PASS
n5	30	10	168800	24@0	DFT_QPSK	3717.78	-37.47	-13	PASS
n5	30	10	168800	1@0	DFT_QPSK	3743.20	-38.04	-13	PASS
n5	30	10	168800	1@23	DFT_QPSK	3888.55	-38.14	-13	PASS
n5	30	20	166800	50@0	DFT_QPSK	3857.73	-37.01	-13	PASS
n5	30	20	166800	1@0	DFT_QPSK	3828.03	-37.61	-13	PASS
n5	30	20	166800	1@50	DFT_QPSK	3760.30	-37.64	-13	PASS
n5	30	20	167300	50@0	DFT_QPSK	3749.50	-37.91	-13	PASS
n5	30	20	167300	1@0	DFT_QPSK	3798.78	-37.37	-13	PASS
n5	30	20	167300	1@50	DFT_QPSK	3792.03	-38.06	-13	PASS
n5	30	20	167800	50@0	DFT_QPSK	3637.68	-37.52	-13	PASS
n5	30	20	167800	1@0	DFT_QPSK	3764.58	-38.10	-13	PASS
n5	30	20	167800	1@50	DFT_QPSK	3811.83	-37.34	-13	PASS


n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=165800 RB=24@0




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=165800 RB=1@0




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=165800 RB=1@23




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=167300 RB=24@0




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=167300 RB=1@0




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=167300 RB=1@23




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=168800 RB=24@0




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=168800 RB=1@0




n5 SCS=30kHz DFT_QPSK BW=10MHz Channel=168800 RB=1@23




n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=166800 RB=50@0




n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=166800 RB=1@0




n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=166800 RB=1@50




n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=167300 RB=50@0




n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=167300 RB=1@0




n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=167300 RB=1@50



n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=167800 RB=50@0



n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=167800 RB=1@0



n5 SCS=30kHz DFT_QPSK BW=20MHz Channel=167800 RB=1@50

