




# FCC RF Test Report

## (LTE)

**Report No.:** JYTSZ-R12-2400054  
**Applicant:** INFINIX MOBILITY LIMITED  
**Address of Applicant:** FLAT N 16/F BLOCK B UNIVERSAL INDUSTRIAL CENTRE  
19-25 SHAN MEI STREET FOTAN NT HONGKONG

### Equipment Under Test (EUT)

**Product Name:** Mobile Phone  
**Model No.:** X6851B  
**Trade Mark:** Infinix  
**FCC ID:** 2AIZN-X6851B  
**Applicable Standards:** FCC CFR Title 47 Part 2, 22H, 24E, 27L & H & M & Q  
**Date of Sample Receipt:** 11 Jan., 2024  
**Date of Test:** 12 Jan., to 25 Mar., 2024  
**Date of Report Issued:** 29 Mar., 2024  
**Test Result:** PASS

<b>Tested by:</b>		<b>Date:</b>	29 Mar., 2024
<b>Reviewed by:</b>		<b>Date:</b>	29 Mar., 2024
<b>Approved by:</b>		<b>Date:</b>	29 Mar., 2024

**Manager**

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in above the application standard version. Test results reported herein relate only to the item(s) tested.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

## 1 Version

Version No.	Date	Description
00	26 Mar., 2024	Original
01	29 Mar., 2024	Update page 3 of the report

## 2 Contents

Page

Cover Page .....	1
1 Version .....	2
2 Contents .....	3
3 General Information .....	4
3.1 Client Information .....	4
3.2 General Description of E.U.T. ....	4
3.3 Test Mode and Environment .....	5
3.4 Description of Test Auxiliary Equipment .....	5
3.5 Measurement Uncertainty .....	5
3.6 Additions to, Deviations, or Exclusions from the Method .....	5
3.7 Laboratory Facility .....	5
3.8 Laboratory Location .....	6
3.9 Test Instruments List .....	6
4 Measurement Setup and Procedure .....	8
4.1 Test Channel .....	8
4.2 Test Setup .....	10
4.3 Test Procedure .....	11
5 Test Results .....	12
5.1 Summary .....	12
5.1.1 Clause and Data Summary .....	12
5.1.2 Test Limit .....	14
5.2 RF Output Power Spot-check .....	16

### 3 General Information

#### 3.1 Client Information

Applicant:	INFINIX MOBILITY LIMITED
Address:	FLAT N 16/F BLOCK B UNIVERSAL INDUSTRIAL CENTRE 19-25 SHAN MEI STREET FOTAN NT HONGKONG
Manufacturer:	INFINIX MOBILITY LIMITED
Address:	FLAT N 16/F BLOCK B UNIVERSAL INDUSTRIAL CENTRE 19-25 SHAN MEI STREET FOTAN NT HONGKONG
Factory:	SHENZHEN TECNO TECHNOLOGY CO., LTD.
Address:	101, Building 24, Waijing Industrial Park, Fumin Community, Fucheng Street, Longhua District, Shenzhen City, P.R.China

#### 3.2 General Description of E.U.T.

Product Name:	Mobile Phone	
Model No.:	X6851B	
Operation Frequency Range:	LTE band 2:	Tx: 1850 MHz - 1910 MHz Rx: 1930 MHz - 1990 MHz
	LTE band 4:	Tx: 1710 MHz - 1755 MHz Rx: 2110 MHz - 2155 MHz
	LTE band 5:	Tx: 824 MHz - 849 MHz Rx: 869 MHz - 894 MHz
	LTE band 7:	Tx: 2500 MHz - 2570 MHz Rx: 2620 MHz - 2690 MHz
	LTE band 12:	Tx: 699 MHz - 716 MHz Rx: 729 MHz - 746 MHz
	LTE band 17:	Tx: 704 MHz - 716 MHz Rx: 734 MHz - 746 MHz
	LTE band 38:	Tx: 2570 MHz - 2620 MHz Rx: 2570 MHz - 2620 MHz
	LTE band 41:	Tx: 2496 MHz - 2690 MHz Rx: 2496 MHz - 2690 MHz
	LTE band 42:	Tx: 3450 MHz - 3550 MHz Rx: 3450 MHz - 3550 MHz
	LTE band 66:	Tx: 1710 MHz - 1780 MHz Rx: 2110 MHz - 2200 MHz
Modulation Type:	<input checked="" type="checkbox"/> QPSK <input checked="" type="checkbox"/> 16QAM <input checked="" type="checkbox"/> 64QAM	
Antenna Type:	Internal Antenna	
Antenna Gain:	LTE band 2:	ANT1: -5.20 dBi (declare by Applicant)
	LTE band 4:	ANT2: -4.38 dBi (declare by Applicant)
	LTE band 5:	ANT1: -6.80 dBi (declare by Applicant)
	LTE band 7:	ANT2: -3.76 dBi (declare by Applicant)
	LTE band 12:	ANT1: -8.16 dBi (declare by Applicant)
	LTE band 17:	ANT1: -8.16 dBi (declare by Applicant)
	LTE band 38:	ANT2: -3.76 dBi (declare by Applicant)
	LTE band 41:	ANT2: -3.76 dBi (declare by Applicant)
	LTE band 42:	ANT7: -1.85 dBi (declare by Applicant)
	LTE band 66:	ANT2: -4.38 dBi (declare by Applicant)
	LTE band 7:	ANT6: -1.84 dBi (declare by Applicant)
	LTE band 41:	ANT6: -1.74 dBi (declare by Applicant)
	LTE band 66:	ANT6: -1.84 dBi (declare by Applicant)
Power Supply:	Rechargeable Li-ion Polymer Battery DC3.91V, 4500mAh	
AC Adapter:	Model: U1000XSA Input: AC100-240V, 50/60Hz, 2.3A Output: DC 5.0V, 3.0A 15.0W or DC 5.0V-11.0V, 9.1A or DC 4.0V-20.0V, 5.0A 100.0W MAX	
Test Sample Condition:	The test samples were provided in good working order with no visible defects.	

### 3.3 Test Mode and Environment

Test Mode:	
QPSK mode:	Keep the EUT communication with simulated station in QPSK mode
16QAM mode:	Keep the EUT communication with simulated station in 16QAM mode
64QAM mode:	Keep the EUT communication with simulated station in 64QAM mode
<i>Remark: The EUT has been tested under continuous transmitting mode. Channel Low, Mid and High for each type band with rated data rate were chosen for full testing. The field strength of spurious radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for these modes. Just the worst case position (H mode) shown in report.</i>	
Operating Environment:	
Temperature:	Normal: 15°C ~ 35°C, Extreme: -30°C ~ +50°C
Humidity:	20 % ~ 75 % RH
Atmospheric Pressure:	1008 mbar
Voltage:	Nominal: 3.91 Vdc, Extreme: Low 3.45 Vdc, High 4.50 Vdc
Transmitting antenna:	
<b>Note:</b> For LTE Band 7/38/41/66, when only Band 7/38/41/66 is working, the transmitting antenna for Band 7/38/41/66 is ANT 2; When Band 7/38/41/66 is working on EN-DC mode, the transmitting antenna of Band 7/38/41/66 switches to ANT 6.	
Test Engineer:	Toby Huang (Conducted measurement)

### 3.4 Description of Test Auxiliary Equipment

Test Equipment	Manufacturer	Model No.	Serial No.
Simulated Station	Anritsu	MT8820C	6201026545

### 3.5 Measurement Uncertainty

Please refer to FCC ID: 2AIZN-X6851, report No.: JYTSZ-R12-2400311.

### 3.6 Additions to, Deviations, or Exclusions from the Method

No
----

### 3.7 Laboratory Facility

<p>The test facility is recognized, certified, or accredited by the following organizations:</p> <ul style="list-style-type: none"> <li>● <b>FCC - Designation No.: CN1211</b> JianYan Testing Group Shenzhen Co., Ltd. has been accredited as a testing laboratory by FCC(Federal Communications Commission). The test firm Registration No. is 727551.</li> <li>● <b>ISED – CAB identifier.: CN0021</b> The 3m Semi-anechoic chamber and 10m Semi-anechoic chamber of JianYan Testing Group Shenzhen Co., Ltd. has been Registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 10106A-1.</li> <li>● <b>CNAS - Registration No.: CNAS L15527</b> JianYan Testing Group Shenzhen Co., Ltd. is accredited to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration laboratories for the competence of testing. The Registration No. is CNAS L15527.</li> <li>● <b>A2LA - Registration No.: 4346.01</b> This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017 General requirements for the competence of testing and calibration laboratories. The test scope can be found as below link: <a href="https://portal.a2la.org/scopepdf/4346-01.pdf">https://portal.a2la.org/scopepdf/4346-01.pdf</a></li> </ul>
--

### 3.8 Laboratory Location

JianYan Testing Group Shenzhen Co., Ltd.  
 Address: No.101, Building 8, Innovation Wisdom Port, No.155 Hongtian Road, Huangpu Community, Xinqiao Street, Bao'an District, Shenzhen, Guangdong, People's Republic of China.  
 Tel: +86-755-23118282, Fax: +86-755-23116366  
 Email: info-JYTee@lets.com, Website: <http://jyt.lets.com>

### 3.9 Test Instruments List

Radiated Emission(3m SAC):					
Test Equipment	Manufacturer	Model No.	Manage No.	Cal. Date (mm-dd-yy)	Cal. Due date (mm-dd-yy)
3m SAC	ETS	9m*6m*6m	WXJ001-1	04-14-2021	04-13-2024
Loop Antenna	Schwarzbeck	FMZB 1519 B	WXJ002-4	02-09-2023	02-08-2024
				05-01-2024	04-01-2025
BiConiLog Antenna	Schwarzbeck	VULB9163	WXJ002	02-09-2023	02-08-2024
				01-09-2024	01-08-2025
Biconical Antenna	Schwarzbeck	VUBA9117	WXJ002-1	07-02-2021	07-01-2024
Pre-amplifier (30MHz ~ 1GHz)	Schwarzbeck	BBV9743B	WXJ001-2	01-10-2023	01-09-2024
				12-27-2023	12-26-2024
EMI Test Receiver	Rohde & Schwarz	ESRP7	WXJ003-1	01-11-2023	01-10-2024
				12-27-2023	12-26-2024
Coaxial Cable (30MHz ~ 1GHz)	JYTSZ	JYT3M-1G-NN-8M	WXG001-4	01-18-2023	01-17-2024
				01-17-2024	01-16-2025
Band Reject Filter Group	Tonscend	JS0806-F	WXJ089	N/A	
Test Software	Tonscend	TS+	Version: 3.0.0.1		

<b>Radiated Emission(3m FAR):</b>					
<b>Test Equipment</b>	<b>Manufacturer</b>	<b>Model No.</b>	<b>Manage No.</b>	<b>Cal. Date (mm-dd-yy)</b>	<b>Cal. Due date (mm-dd-yy)</b>
3m FAR	YUNYI	9m*6m*6m	WXJ097	06-15-2023	06-14-2028
BiConiLog Antenna	Schwarzbeck	VULB9163	WXJ097-2	07-13-2023	07-12-2024
Biconical Antenna	Schwarzbeck	VUBA9117	WXJ002-1	07-02-2021	07-01-2024
Horn Antenna	Schwarzbeck	BBHA9120D	WXJ097-3	07-14-2023	07-13-2024
Horn Antenna	Schwarzbeck	BBHA9120D	WXJ002-3	01-09-2023	01-08-2024
				12-28-2023	12-27-2024
Horn Antenna	Schwarzbeck	BBHA9170	WXJ002-5	01-09-2023	01-08-2024
				12-28-2023	12-27-2024
Horn Antenna	Schwarzbeck	BBHA9170	WXJ002-6	01-09-2023	01-08-2024
				12-28-2023	12-27-2024
Pre-amplifier (30MHz ~ 1GHz)	YUNYI	PAM-310N	WXJ097-5	05-14-2023	05-13-2024
Pre-amplifier (1GHz ~ 18GHz)	YUNYI	PAM-118N	WXJ097-6	05-14-2023	05-13-2024
Pre-amplifier (18GHz ~ 40GHz)	RF System	TRLA-180400G45B	WXJ002-7	01-11-2023	01-10-2024
				12-27-2023	12-26-2024
EMI Test Receiver	Rohde & Schwarz	ESCI3	WXJ003	01-10-2023	01-09-2024
				12-27-2023	12-26-2024
Spectrum Analyzer	Rohde & Schwarz	FSP 30	WXJ004	01-10-2023	01-09-2024
				12-27-2023	12-26-2024
Spectrum Analyzer	KEYSIGHT	N9010B	WXJ081-1	06-13-2023	06-12-2024
Coaxial Cable (30MHz ~ 1GHz)	JYTSZ	JYT3M-1G-NN-13M	WXG097-1	08-01-2023	07-31-2024
Coaxial Cable (1GHz ~ 18GHz)	JYTSZ	JYT3M-18G-NN-8M	WXG097-2	08-01-2023	07-31-2024
Coaxial Cable (18GHz ~ 40GHz)	JYTSZ	JYT3M-40G-SS-8M	WXG097-3	08-01-2023	07-31-2024
High Band Reject Filter Group	Tonscend	JS0806-F	WXJ089	N/A	
Low Band Reject Filter Group	Tonscend	JS0806-F	WXJ097-4	N/A	
Test Software	Tonscend	TS+	Version: 5.0.0		

<b>Conducted Method:</b>					
<b>Test Equipment</b>	<b>Manufacturer</b>	<b>Model No.</b>	<b>Manage No.</b>	<b>Cal. Date (mm-dd-yy)</b>	<b>Cal. Due date (mm-dd-yy)</b>
Spectrum Analyzer	Keysight	N9020A	WXJ094	09-25-2023	09-24-2024
Simulated Station	Rohde & Schwarz	CMW500	WXJ081	06-13-2023	06-12-2024
Temperature Humidity Chamber	ZHONG ZHI	CZ-A-80D	WXJ032-3	01-09-2023	01-08-2025
DC Power Supply	Keysight	E3642A	WXJ025-2	N/A	
RF Control Unit	Tonscend	JS0806-1	WXG010	N/A	
Band Reject Filter Group	Tonscend	JS0806-F	WXG010-1	N/A	
Test Software	Tonscend	TS+	Version: 2.6.9.0526		

## 4 Measurement Setup and Procedure

### 4.1 Test Channel

According to ANSI C63.26-2015 chapter 5.1.2.1 Table 2 requirement, select lowest channel, middle channel, and highest channel in the frequency range in which device operates for testing. The detailed frequency points are as follows:

LTE band 2					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
<b>1.4 MHz</b>			<b>3 MHz</b>		
Lowest channel	18607	1850.7	Lowest channel	18915	1851.5
Middle channel	18900	1880.0	Middle channel	18900	1880.0
Highest channel	19193	1909.3	Highest channel	19185	1908.5
<b>5 MHz</b>			<b>10 MHz</b>		
Lowest channel	18625	1852.5	Lowest channel	18650	1855.0
Middle channel	18900	1880.0	Middle channel	18900	1880.0
Highest channel	19175	1907.5	Highest channel	19150	1905.0
<b>15 MHz</b>			<b>20 MHz</b>		
Lowest channel	18675	1857.5	Lowest channel	18700	1860.0
Middle channel	18900	1880.0	Middle channel	18900	1880.0
Highest channel	19125	1902.5	Highest channel	19100	1900.0
LTE band 5					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
<b>1.4 MHz</b>			<b>3 MHz</b>		
Lowest channel	20407	824.7	Lowest channel	20415	825.5
Middle channel	20525	836.5	Middle channel	20525	836.5
Highest channel	20643	848.3	Highest channel	20635	847.5
<b>5 MHz</b>			<b>10 MHz</b>		
Lowest channel	20425	826.5	Lowest channel	20450	829.0
Middle channel	20525	836.5	Middle channel	20525	836.5
Highest channel	20625	846.5	Highest channel	20600	844.0
LTE band 7					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
<b>5 MHz</b>			<b>10 MHz</b>		
Lowest channel	20775	2502.5	Lowest channel	20800	2505.0
Middle channel	21100	2535.0	Middle channel	21100	2535.0
Highest channel	21425	2567.5	Highest channel	21400	2565.0
<b>15 MHz</b>			<b>20 MHz</b>		
Lowest channel	20825	2507.5	Lowest channel	20850	2510.0
Middle channel	21100	2535.0	Middle channel	21100	2535.0
Highest channel	21375	2562.5	Highest channel	21350	2560.0




LTE band 12 Include LTE band 17					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
<b>1.4 MHz</b>			<b>3 MHz</b>		
Lowest channel	23017	699.70	Lowest channel	23025	700.50
Middle channel	23095	707.50	Middle channel	23095	707.50
Highest channel	23173	715.30	Highest channel	23165	714.50
<b>5 MHz</b>			<b>10 MHz</b>		
Lowest channel	23035	701.50	Lowest channel	23060	704.00
Middle channel	23095	707.50	Middle channel	23095	707.50
Highest channel	23155	713.50	Highest channel	23130	711.00
LTE band 41 Include LTE band 38					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
<b>5 MHz</b>			<b>10 MHz</b>		
Lowest channel	39675	2498.5	Lowest channel	39700	2501.0
Middle channel	40620	2593.0	Middle channel	40620	2593.0
Highest channel	41565	2687.5	Highest channel	41540	2685.0
<b>15 MHz</b>			<b>20 MHz</b>		
Lowest channel	39725	2503.5	Lowest channel	39750	2506.0
Middle channel	40620	2593.0	Middle channel	40620	2593.0
Highest channel	41515	2682.5	Highest channel	41490	2680.0
LTE band 66 Include LTE band 4					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
<b>1.4 MHz</b>			<b>3 MHz</b>		
Lowest channel	131979	1710.7	Lowest channel	131987	1711.5
Middle channel	132322	1745.0	Middle channel	132322	1745.0
Highest channel	132665	1779.3	Highest channel	132657	1778.5
<b>5 MHz</b>			<b>10 MHz</b>		
Lowest channel	131997	1712.5	Lowest channel	132022	1715.0
Middle channel	132322	1745.5	Middle channel	132322	1745.0
Highest channel	132647	1777.5	Highest channel	132622	1775.0
<b>15 MHz</b>			<b>20 MHz</b>		
Lowest channel	132047	1717.5	Lowest channel	132072	1720.0
Middle channel	132322	1745.0	Middle channel	132322	1745.0
Highest channel	132597	1772.5	Highest channel	132572	1770.0
LTE band 42(3450-3550MHz)					
Channels		Frequency (MHz)	Channels		Frequency (MHz)
<b>5 MHz</b>			<b>10 MHz</b>		
Lowest channel	42115	3452.5	Lowest channel	42140	3455.0
Middle channel	42590	3500.0	Middle channel	42590	3500.0
Highest channel	43065	3547.5	Highest channel	43040	3545.0
<b>15 MHz</b>			<b>20 MHz</b>		
Lowest channel	42165	3457.5	Lowest channel	42190	3460.0
Middle channel	42590	3500.0	Middle channel	42590	3500.0
Highest channel	43015	3542.5	Highest channel	42990	3540.0


## 4.2 Test Setup

### 1) Radiated emission measurement:


Below 1GHz (3m SAC)



Above 1GHz (3m FAR)



### 2) Conducted test method



### 4.3 Test Procedure

Test method	Test step
Radiated emission	<p><b>For below 1GHz:</b></p> <ol style="list-style-type: none"> <li>The EUT was placed on the tabletop of a rotating table 0.8 m the ground at a 3 m semi anechoic chamber. The measurement distance from the EUT to the receiving antenna is 3 m.</li> <li>EUT works in each mode of operation that needs to be tested , and having the EUT continuously working, respectively on 3 axis (X, Y &amp; Z) and considered typical configuration to obtain worst position. The highest signal levels relative to the limit shall be determined by rotating the EUT from 0° to 360° and with varying the measurement antenna height between 1 m and 4 m in vertical and horizontal polarizations.</li> <li>Open the test software to control the test antenna and test turntable. Perform the test, save the test results, and export the test data.</li> </ol> <p><b>For above 1GHz:</b></p> <ol style="list-style-type: none"> <li>The EUT was placed on the tabletop of a rotating table 1.5 m the ground at a 3 m fully anechoic room. The measurement distance from the EUT to the receiving antenna is 3 m.</li> <li>EUT works in each mode of operation that needs to be tested , and having the EUT continuously working, respectively on 3 axis (X, Y &amp; Z) and considered typical configuration to obtain worst position. The highest signal levels relative to the limit shall be determined by rotating the EUT from 0° to 360° and with varying the measurement antenna height between 1 m and 4 m in vertical and horizontal polarizations.</li> <li>Open the test software to control the test antenna and test turntable. Perform the test, save the test results, and export the test data.</li> </ol>
Conducted test method	<ol style="list-style-type: none"> <li>The LTE antenna port of EUT was connected to the test port of the test system through an RF cable.</li> <li>The EUT is keeping in continuous transmission mode and tested in all modulation modes.</li> <li>Open the test software, prepare a test plan, and control the system through the software. After the test is completed, the test report is exported through the test software.</li> </ol>

## 5 Test Results

### 5.1 Summary

#### 5.1.1 Clause and Data Summary

This report is revised according to the JYTSZ-R12-2400311 report, FCC ID: 2AIZN-X6851 issued by JianYan Testing Group Shenzhen Co., Ltd. Differences: The X6851B has one more HL3179 fast charge chip and peripheral devices than the X6851. The X6851B and X6851 battery connectors are different. The X6851 charges 45W and the X6851B charges 100W. The appearance of the prototype is different in color. The model update and, so need to spot-check Conducted Output Power.

Test items	Standard clause	Test data	Result
RF Exposure (SAR)	Part 1.1307 Part 2.1093	Please refer to report No.: JYTSZ-R12-2400311.	Please refer to report No.: JYTSZ-R12-2400311.
RF Output Power	Part 2.1046 Part 22.913 (a)(5) Part 24.232 (c) Part 27.50 (c)(10) Part 27.50 (d)(4) Part 27.50 (h)(2) Part 27.50 (k)(3)	Please refer to report No.: JYTSZ-R12-2400311.	Please refer to report No.: JYTSZ-R12-2400311.
Peak-to-Average Power Ratio	Part 24.232 (d) Part 27.50 (d)(5) Part 27.50 (k)(4)	Please refer to report No.: JYTSZ-R12-2400311	Please refer to report No.: JYTSZ-R12-2400311.
Modulation Characteristics	Part 2.1047	Please refer to report No.: JYTSZ-R12-2400311.	Please refer to report No.: JYTSZ-R12-2400311.
26dB Emission Bandwidth 99% Occupied Bandwidth	Part 2.1049 Part 27.53 (n)(2)	Please refer to report No.: JYTSZ-R12-2400311.	Please refer to report No.: JYTSZ-R12-2400311.
Out of Band Emission at Antenna Terminals	Part 2.1051 Part 22.917 (a) Part 24.238 (a) Part 27.53 (g) Part 27.53 (h) Part 27.53 (m)(4) Part 27.53 (n)(2)	Please refer to report No.: JYTSZ-R12-2400311.	Please refer to report No.: JYTSZ-R12-2400311.
Field Strength of Spurious Radiation	Part 2.1053 Part 22.917 (a) Part 24.238 (a) Part 27.53 (g) Part 27.53 (h) Part 27.53 (m)(4) Part 27.53 (n)(2)	Please refer to report No.: JYTSZ-R12-2400311.	Please refer to report No.: JYTSZ-R12-2400311.
Frequency Stability vs. Temperature	Part 2.1055 (a)(1)(b) Part 22.355 Part 24.235 Part 27.54	Please refer to report No.: JYTSZ-R12-2400311.	Please refer to report No.: JYTSZ-R12-2400311.

Frequency Stability vs. Voltage	Part 2.1055 (d)(2) Part 22.355 Part 24.235 Part 27.54	Please refer to report No.: JYTSZ-R12-2400311.	Please refer to report No.: JYTSZ-R12-2400311.
<b>Remark:</b> 1. Please refer to FCC ID: 2AIZN-X6851, report No.: JYTSZ-R12-2400311 issue by JianYan Testing Group Shenzhen Co., Ltd. 2. The cable insertion loss used by "RF Output Power" and other conduction measurement items is 0.5dB (Fundamental Frequency below 1GHz)/1.0dB (Fundamental Frequency above 1GHz) (provided by the customer).			
<b>Test Method:</b>	ANSI/TIA-603-E-2016 ANSI C63.26-2015		

5.1.2 Test Limit

Test items	Limit
RF Output Power	<p><b>LTE band 2/7/38/41:</b> 2W EIRP  <b>LTE band 4/66:</b> 1W EIRP  <b>LTE band 5:</b> 7W ERP  <b>LTE band 12/17:</b> 3W ERP  <b>LTE band 42:</b> 1W ERP</p>
Peak-to-Average Power Ratio	<p><b>LTE band 2/4:</b>The peak-to-average ratio (PAR) of the transmission may not exceed 13 dB  <b>Other bands:</b> N/A report only</p>
Modulation Characteristics	N/A
26dB Emission Bandwidth 99% Occupied Bandwidth	N/A
<p>Out of Band Emission at Antenna Terminals</p> <p>Field Strength of Spurious Radiation</p>	<p><b>LTE band 2, 4, 5, 12, 17, 66:</b>  The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least <math>43 + 10 \log(P)</math> dB.</p> <p><b>LTE band 7, 38, 41:</b>  For mobile digital stations, the attenuation factor shall be not less than <math>40 + 10 \log(P)</math> dB on all frequencies between the channel edge and 5 megahertz from the channel edge, <math>43 + 10 \log(P)</math> dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and <math>55 + 10 \log(P)</math> dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than <math>43 + 10 \log(P)</math> dB on all frequencies between 2490.5 MHz and 2496 MHz and <math>55 + 10 \log(P)</math> dB at or below 2490.5 MHz.</p> <p><b>LTE band 42:</b>  For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed <math>13 \text{ dBm/MHz}</math>. Compliance with this paragraph (n)(2) is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed, but limited to a maximum of 200 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.</p>

Frequency Stability vs. Temperature

Frequency Stability vs. Voltage

**LTE band 2:**

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

**LTE band 4, 7, 12, 17, 38, 41, 42, 66:**

The frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

**LTE band 5:**

Except as otherwise provided in this part, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table C-1 of this section.

**TABLE C-1—FREQUENCY TOLERANCE FOR TRANSMITTERS IN THE PUBLIC MOBILE SERVICES**

Frequency range (MHz)	Base, fixed (ppm)	Mobile >3 watts (ppm)	Mobile ≤3 watts (ppm)
25 to 50	20.0	20.0	50.0
50 to 450	5.0	5.0	50.0
450 to 512	2.5	5.0	5.0
821 to 896	1.5	2.5	2.5
928 to 929	5.0	n/a	n/a
929 to 960	1.5	n/a	n/a
2110 to 2220	10.0	n/a	n/a

## 5.2 RF Output Power Spot-check

### Appendix A: Effective (Isotropic) Radiated Power Output Data

#### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power (dBm)	ERP/EIRP (dBm)	ERP/EIRP Limit (dBm)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	23.28	18.08	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	23.26	18.06	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	23.31	18.11	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	23.37	18.17	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	23.39	18.19	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#2	23.40	18.2	33.01	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	22.39	17.19	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	23.41	18.21	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	23.38	18.18	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	23.43	18.23	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	23.46	18.26	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	23.45	18.25	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#2	23.45	18.25	33.01	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	22.42	17.22	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	23.23	18.03	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	23.18	17.98	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	23.19	17.99	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	23.23	18.03	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	23.24	18.04	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#2	23.26	18.06	33.01	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	22.38	17.18	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	22.42	17.22	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.50	17.3	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	22.42	17.22	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	22.33	17.13	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	22.31	17.11	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#2	22.34	17.14	33.01	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	21.46	16.26	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	22.63	17.43	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.64	17.44	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	22.62	17.42	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	22.35	17.15	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	22.33	17.13	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#2	22.33	17.13	33.01	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	21.28	16.08	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	22.16	16.96	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	22.22	17.02	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	22.19	16.99	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	22.29	17.09	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	22.30	17.1	33.01	PASS



Band2	1.4MHz	16QAM	19193	3RB#2	22.31	17.11	33.01	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	21.33	16.13	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#0	21.71	16.51	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#2	21.71	16.51	33.01	PASS
Band2	1.4MHz	64QAM	18607	1RB#5	21.72	16.52	33.01	PASS
Band2	1.4MHz	64QAM	18607	3RB#0	21.39	16.19	33.01	PASS
Band2	1.4MHz	64QAM	18607	3RB#1	21.37	16.17	33.01	PASS
Band2	1.4MHz	64QAM	18607	3RB#2	21.37	16.17	33.01	PASS
Band2	1.4MHz	64QAM	18607	6RB#0	20.39	15.19	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#0	21.42	16.22	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#2	21.43	16.23	33.01	PASS
Band2	1.4MHz	64QAM	18900	1RB#5	21.42	16.22	33.01	PASS
Band2	1.4MHz	64QAM	18900	3RB#0	21.25	16.05	33.01	PASS
Band2	1.4MHz	64QAM	18900	3RB#1	21.23	16.03	33.01	PASS
Band2	1.4MHz	64QAM	18900	3RB#2	21.24	16.04	33.01	PASS
Band2	1.4MHz	64QAM	18900	6RB#0	20.42	15.22	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#0	21.63	16.43	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#2	21.66	16.46	33.01	PASS
Band2	1.4MHz	64QAM	19193	1RB#5	21.62	16.42	33.01	PASS
Band2	1.4MHz	64QAM	19193	3RB#0	21.41	16.21	33.01	PASS
Band2	1.4MHz	64QAM	19193	3RB#1	21.41	16.21	33.01	PASS
Band2	1.4MHz	64QAM	19193	3RB#2	21.42	16.22	33.01	PASS
Band2	1.4MHz	64QAM	19193	6RB#0	20.24	15.04	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#0	23.42	18.22	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#7	23.46	18.26	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#14	23.49	18.29	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#0	22.40	17.2	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#4	22.39	17.19	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#7	22.40	17.2	33.01	PASS
Band2	3MHz	QPSK	18615	15RB#0	22.42	17.22	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#0	23.47	18.27	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#7	23.41	18.21	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#14	23.43	18.23	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#0	22.44	17.24	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#4	22.41	17.21	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#7	22.40	17.2	33.01	PASS
Band2	3MHz	QPSK	18900	15RB#0	22.42	17.22	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#0	23.24	18.04	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#7	23.22	18.02	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#14	23.18	17.98	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#0	22.36	17.16	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#4	22.31	17.11	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#7	22.32	17.12	33.01	PASS
Band2	3MHz	QPSK	19185	15RB#0	22.39	17.19	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#0	22.58	17.38	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#7	22.66	17.46	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#14	22.68	17.48	33.01	PASS

Band2	3MHz	16QAM	18615	8RB#0	21.47	16.27	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#4	21.46	16.26	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#7	21.48	16.28	33.01	PASS
Band2	3MHz	16QAM	18615	15RB#0	21.46	16.26	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#0	22.68	17.48	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#7	22.61	17.41	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#14	22.61	17.41	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#0	21.43	16.23	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#4	21.44	16.24	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#7	21.44	16.24	33.01	PASS
Band2	3MHz	16QAM	18900	15RB#0	21.36	16.16	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#0	22.17	16.97	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#7	22.22	17.02	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#14	22.21	17.01	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#0	21.40	16.2	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#4	21.42	16.22	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#7	21.38	16.18	33.01	PASS
Band2	3MHz	16QAM	19185	15RB#0	21.33	16.13	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#0	21.41	16.21	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#7	21.45	16.25	33.01	PASS
Band2	3MHz	64QAM	18615	1RB#14	21.46	16.26	33.01	PASS
Band2	3MHz	64QAM	18615	8RB#0	20.56	15.36	33.01	PASS
Band2	3MHz	64QAM	18615	8RB#4	20.59	15.39	33.01	PASS
Band2	3MHz	64QAM	18615	8RB#7	20.56	15.36	33.01	PASS
Band2	3MHz	64QAM	18615	15RB#0	20.67	15.47	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#0	21.49	16.29	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#7	21.46	16.26	33.01	PASS
Band2	3MHz	64QAM	18900	1RB#14	21.49	16.29	33.01	PASS
Band2	3MHz	64QAM	18900	8RB#0	20.63	15.43	33.01	PASS
Band2	3MHz	64QAM	18900	8RB#4	20.57	15.37	33.01	PASS
Band2	3MHz	64QAM	18900	8RB#7	20.57	15.37	33.01	PASS
Band2	3MHz	64QAM	18900	15RB#0	20.55	15.35	33.01	PASS
Band2	3MHz	64QAM	19185	1RB#0	21.63	16.43	33.01	PASS
Band2	3MHz	64QAM	19185	1RB#7	21.67	16.47	33.01	PASS
Band2	3MHz	64QAM	19185	1RB#14	21.68	16.48	33.01	PASS
Band2	3MHz	64QAM	19185	8RB#0	20.36	15.16	33.01	PASS
Band2	3MHz	64QAM	19185	8RB#4	20.39	15.19	33.01	PASS
Band2	3MHz	64QAM	19185	8RB#7	20.34	15.14	33.01	PASS
Band2	3MHz	64QAM	19185	15RB#0	20.27	15.07	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#0	23.56	18.36	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#12	23.61	18.41	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#24	23.66	18.46	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#0	22.43	17.23	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#6	22.44	17.24	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#11	22.41	17.21	33.01	PASS
Band2	5MHz	QPSK	18625	25RB#0	22.44	17.24	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#0	23.54	18.34	33.01	PASS

Band2	5MHz	QPSK	18900	1RB#12	23.51	18.31	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#24	23.57	18.37	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#0	22.45	17.25	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#6	22.45	17.25	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#11	22.45	17.25	33.01	PASS
Band2	5MHz	QPSK	18900	25RB#0	22.46	17.26	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#0	23.49	18.29	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#12	23.49	18.29	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#24	23.50	18.3	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#0	22.46	17.26	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#6	22.39	17.19	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#11	22.40	17.2	33.01	PASS
Band2	5MHz	QPSK	19175	25RB#0	22.39	17.19	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#0	22.41	17.21	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#12	22.45	17.25	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#24	22.49	17.29	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#0	21.44	16.24	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#6	21.43	16.23	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#11	21.43	16.23	33.01	PASS
Band2	5MHz	16QAM	18625	25RB#0	21.45	16.25	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#0	22.68	17.48	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#12	22.66	17.46	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#24	22.73	17.53	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#0	21.50	16.3	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#6	21.46	16.26	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#11	21.46	16.26	33.01	PASS
Band2	5MHz	16QAM	18900	25RB#0	21.43	16.23	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#0	22.46	17.26	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#12	22.42	17.22	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#24	22.43	17.23	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#0	21.42	16.22	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#6	21.41	16.21	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#11	21.41	16.21	33.01	PASS
Band2	5MHz	16QAM	19175	25RB#0	21.39	16.19	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#0	21.37	16.17	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#12	21.42	16.22	33.01	PASS
Band2	5MHz	64QAM	18625	1RB#24	21.44	16.24	33.01	PASS
Band2	5MHz	64QAM	18625	12RB#0	20.61	15.41	33.01	PASS
Band2	5MHz	64QAM	18625	12RB#6	20.58	15.38	33.01	PASS
Band2	5MHz	64QAM	18625	12RB#11	20.56	15.36	33.01	PASS
Band2	5MHz	64QAM	18625	25RB#0	20.58	15.38	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#0	22.03	16.83	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#12	22.00	16.8	33.01	PASS
Band2	5MHz	64QAM	18900	1RB#24	22.02	16.82	33.01	PASS
Band2	5MHz	64QAM	18900	12RB#0	20.66	15.46	33.01	PASS
Band2	5MHz	64QAM	18900	12RB#6	20.66	15.46	33.01	PASS
Band2	5MHz	64QAM	18900	12RB#11	20.60	15.4	33.01	PASS

Band2	5MHz	64QAM	18900	25RB#0	20.41	15.21	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#0	21.68	16.48	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#12	21.68	16.48	33.01	PASS
Band2	5MHz	64QAM	19175	1RB#24	21.66	16.46	33.01	PASS
Band2	5MHz	64QAM	19175	12RB#0	20.42	15.22	33.01	PASS
Band2	5MHz	64QAM	19175	12RB#6	20.44	15.24	33.01	PASS
Band2	5MHz	64QAM	19175	12RB#11	20.44	15.24	33.01	PASS
Band2	5MHz	64QAM	19175	25RB#0	20.37	15.17	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#0	23.46	18.26	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#24	23.58	18.38	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#49	23.54	18.34	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#0	22.48	17.28	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#12	22.48	17.28	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#24	22.45	17.25	33.01	PASS
Band2	10MHz	QPSK	18650	50RB#0	22.55	17.35	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#0	23.42	18.22	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#24	23.51	18.31	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#49	23.46	18.26	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#0	22.48	17.28	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#12	22.48	17.28	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#24	22.48	17.28	33.01	PASS
Band2	10MHz	QPSK	18900	50RB#0	22.50	17.3	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#0	23.39	18.19	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#24	23.36	18.16	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#49	23.28	18.08	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#0	22.45	17.25	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#12	22.45	17.25	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#24	22.46	17.26	33.01	PASS
Band2	10MHz	QPSK	19150	50RB#0	22.46	17.26	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#0	22.63	17.43	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#24	22.71	17.51	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#49	22.69	17.49	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#0	21.46	16.26	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#12	21.48	16.28	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#24	21.49	16.29	33.01	PASS
Band2	10MHz	16QAM	18650	50RB#0	21.51	16.31	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#0	22.64	17.44	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#24	22.72	17.52	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#49	22.64	17.44	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#0	21.51	16.31	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#12	21.50	16.3	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#24	21.51	16.31	33.01	PASS
Band2	10MHz	16QAM	18900	50RB#0	21.48	16.28	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#0	22.32	17.12	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#24	22.31	17.11	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#49	22.26	17.06	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#0	21.49	16.29	33.01	PASS

Band2	10MHz	16QAM	19150	25RB#12	21.51	16.31	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#24	21.52	16.32	33.01	PASS
Band2	10MHz	16QAM	19150	50RB#0	21.44	16.24	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#0	21.45	16.25	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#24	21.51	16.31	33.01	PASS
Band2	10MHz	64QAM	18650	1RB#49	21.47	16.27	33.01	PASS
Band2	10MHz	64QAM	18650	25RB#0	20.60	15.4	33.01	PASS
Band2	10MHz	64QAM	18650	25RB#12	20.61	15.41	33.01	PASS
Band2	10MHz	64QAM	18650	25RB#24	20.61	15.41	33.01	PASS
Band2	10MHz	64QAM	18650	50RB#0	20.63	15.43	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#0	21.44	16.24	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#24	21.54	16.34	33.01	PASS
Band2	10MHz	64QAM	18900	1RB#49	21.54	16.34	33.01	PASS
Band2	10MHz	64QAM	18900	25RB#0	20.61	15.41	33.01	PASS
Band2	10MHz	64QAM	18900	25RB#12	20.62	15.42	33.01	PASS
Band2	10MHz	64QAM	18900	25RB#24	20.57	15.37	33.01	PASS
Band2	10MHz	64QAM	18900	50RB#0	20.59	15.39	33.01	PASS
Band2	10MHz	64QAM	19150	1RB#0	21.71	16.51	33.01	PASS
Band2	10MHz	64QAM	19150	1RB#24	21.78	16.58	33.01	PASS
Band2	10MHz	64QAM	19150	1RB#49	21.70	16.5	33.01	PASS
Band2	10MHz	64QAM	19150	25RB#0	20.40	15.2	33.01	PASS
Band2	10MHz	64QAM	19150	25RB#12	20.42	15.22	33.01	PASS
Band2	10MHz	64QAM	19150	25RB#24	20.43	15.23	33.01	PASS
Band2	10MHz	64QAM	19150	50RB#0	20.37	15.17	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#0	23.29	18.09	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#37	23.48	18.28	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#74	23.41	18.21	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#0	22.45	17.25	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#16	22.44	17.24	33.01	PASS
Band2	15MHz	QPSK	18675	36RB#35	22.43	17.23	33.01	PASS
Band2	15MHz	QPSK	18675	75RB#0	22.51	17.31	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#0	23.40	18.2	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#37	23.48	18.28	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#74	23.42	18.22	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#0	22.47	17.27	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#16	22.46	17.26	33.01	PASS
Band2	15MHz	QPSK	18900	36RB#35	22.44	17.24	33.01	PASS
Band2	15MHz	QPSK	18900	75RB#0	22.48	17.28	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#0	23.44	18.24	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#37	23.48	18.28	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#74	23.37	18.17	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#0	22.46	17.26	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#16	22.43	17.23	33.01	PASS
Band2	15MHz	QPSK	19125	36RB#35	22.45	17.25	33.01	PASS
Band2	15MHz	QPSK	19125	75RB#0	22.45	17.25	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#0	22.64	17.44	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#37	22.83	17.63	33.01	PASS

Band2	15MHz	16QAM	18675	1RB#74	22.70	17.5	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#0	21.53	16.33	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#16	21.57	16.37	33.01	PASS
Band2	15MHz	16QAM	18675	36RB#35	21.56	16.36	33.01	PASS
Band2	15MHz	16QAM	18675	75RB#0	21.54	16.34	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#0	22.32	17.12	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#37	22.43	17.23	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#74	22.38	17.18	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#0	21.42	16.22	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#16	21.42	16.22	33.01	PASS
Band2	15MHz	16QAM	18900	36RB#35	21.40	16.2	33.01	PASS
Band2	15MHz	16QAM	18900	75RB#0	21.51	16.31	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#0	22.62	17.42	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#37	22.71	17.51	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#74	22.53	17.33	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#0	21.45	16.25	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#16	21.41	16.21	33.01	PASS
Band2	15MHz	16QAM	19125	36RB#35	21.42	16.22	33.01	PASS
Band2	15MHz	16QAM	19125	75RB#0	21.38	16.18	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#0	21.53	16.33	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#37	21.71	16.51	33.01	PASS
Band2	15MHz	64QAM	18675	1RB#74	21.62	16.42	33.01	PASS
Band2	15MHz	64QAM	18675	36RB#0	20.60	15.4	33.01	PASS
Band2	15MHz	64QAM	18675	36RB#16	20.60	15.4	33.01	PASS
Band2	15MHz	64QAM	18675	36RB#35	20.60	15.4	33.01	PASS
Band2	15MHz	64QAM	18675	75RB#0	20.65	15.45	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#0	21.69	16.49	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#37	21.82	16.62	33.01	PASS
Band2	15MHz	64QAM	18900	1RB#74	21.73	16.53	33.01	PASS
Band2	15MHz	64QAM	18900	36RB#0	20.55	15.35	33.01	PASS
Band2	15MHz	64QAM	18900	36RB#16	20.52	15.32	33.01	PASS
Band2	15MHz	64QAM	18900	36RB#35	20.53	15.33	33.01	PASS
Band2	15MHz	64QAM	18900	75RB#0	20.66	15.46	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#0	21.42	16.22	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#37	21.44	16.24	33.01	PASS
Band2	15MHz	64QAM	19125	1RB#74	21.34	16.14	33.01	PASS
Band2	15MHz	64QAM	19125	36RB#0	20.45	15.25	33.01	PASS
Band2	15MHz	64QAM	19125	36RB#16	20.46	15.26	33.01	PASS
Band2	15MHz	64QAM	19125	36RB#35	20.46	15.26	33.01	PASS
Band2	15MHz	64QAM	19125	75RB#0	20.40	15.2	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#0	23.34	18.14	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#49	23.53	18.33	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#99	23.42	18.22	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#0	22.56	17.36	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#24	22.57	17.37	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#49	22.57	17.37	33.01	PASS
Band2	20MHz	QPSK	18700	100RB#0	22.55	17.35	33.01	PASS

Band2	20MHz	QPSK	18900	1RB#0	23.32	18.12	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#49	23.44	18.24	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#99	23.34	18.14	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#0	22.45	17.25	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#24	22.44	17.24	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#49	22.46	17.26	33.01	PASS
Band2	20MHz	QPSK	18900	100RB#0	22.52	17.32	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#0	23.56	18.36	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#49	23.60	18.4	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#99	23.52	18.32	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#0	22.55	17.35	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#24	22.52	17.32	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#49	22.53	17.33	33.01	PASS
Band2	20MHz	QPSK	19100	100RB#0	22.47	17.27	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#0	22.63	17.43	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#49	22.80	17.6	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#99	22.71	17.51	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#0	21.55	16.35	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#24	21.56	16.36	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#49	21.57	16.37	33.01	PASS
Band2	20MHz	16QAM	18700	100RB#0	21.53	16.33	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#0	22.46	17.26	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#49	22.59	17.39	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#99	22.51	17.31	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#0	21.48	16.28	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#24	21.49	16.29	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#49	21.51	16.31	33.01	PASS
Band2	20MHz	16QAM	18900	100RB#0	21.50	16.3	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#0	22.52	17.32	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#49	22.59	17.39	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#99	22.43	17.23	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#0	21.50	16.3	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#24	21.48	16.28	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#49	21.49	16.29	33.01	PASS
Band2	20MHz	16QAM	19100	100RB#0	21.46	16.26	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#0	21.61	16.41	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#49	21.81	16.61	33.01	PASS
Band2	20MHz	64QAM	18700	1RB#99	21.72	16.52	33.01	PASS
Band2	20MHz	64QAM	18700	50RB#0	20.72	15.52	33.01	PASS
Band2	20MHz	64QAM	18700	50RB#24	20.74	15.54	33.01	PASS
Band2	20MHz	64QAM	18700	50RB#49	20.73	15.53	33.01	PASS
Band2	20MHz	64QAM	18700	100RB#0	20.69	15.49	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#0	21.37	16.17	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#49	21.48	16.28	33.01	PASS
Band2	20MHz	64QAM	18900	1RB#99	21.39	16.19	33.01	PASS
Band2	20MHz	64QAM	18900	50RB#0	20.56	15.36	33.01	PASS
Band2	20MHz	64QAM	18900	50RB#24	20.57	15.37	33.01	PASS

Band2	20MHz	64QAM	18900	50RB#49	20.62	15.42	33.01	PASS
Band2	20MHz	64QAM	18900	100RB#0	20.61	15.41	33.01	PASS
Band2	20MHz	64QAM	19100	1RB#0	21.78	16.58	33.01	PASS
Band2	20MHz	64QAM	19100	1RB#49	21.82	16.62	33.01	PASS
Band2	20MHz	64QAM	19100	1RB#99	21.68	16.48	33.01	PASS
Band2	20MHz	64QAM	19100	50RB#0	20.50	15.3	33.01	PASS
Band2	20MHz	64QAM	19100	50RB#24	20.51	15.31	33.01	PASS
Band2	20MHz	64QAM	19100	50RB#49	20.51	15.31	33.01	PASS
Band2	20MHz	64QAM	19100	100RB#0	20.42	15.22	33.01	PASS
Band5	1.4MHz	QPSK	20407	1RB#0	23.42	14.47	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.41	14.46	38.45	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.42	14.47	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	23.50	14.55	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	23.47	14.52	38.45	PASS
Band5	1.4MHz	QPSK	20407	3RB#2	23.49	14.54	38.45	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.47	13.52	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	23.79	14.84	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	23.79	14.84	38.45	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	23.80	14.85	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	23.87	14.92	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.85	14.9	38.45	PASS
Band5	1.4MHz	QPSK	20525	3RB#2	23.87	14.92	38.45	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	22.84	13.89	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	23.76	14.81	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	23.74	14.79	38.45	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	23.74	14.79	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	23.76	14.81	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	23.76	14.81	38.45	PASS
Band5	1.4MHz	QPSK	20643	3RB#2	23.77	14.82	38.45	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	22.80	13.85	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	22.60	13.65	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.69	13.74	38.45	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	22.64	13.69	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	22.41	13.46	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	22.39	13.44	38.45	PASS
Band5	1.4MHz	16QAM	20407	3RB#2	22.40	13.45	38.45	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	21.37	12.42	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	23.02	14.07	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	23.08	14.13	38.45	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	23.03	14.08	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	22.76	13.81	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#1	22.75	13.8	38.45	PASS
Band5	1.4MHz	16QAM	20525	3RB#2	22.77	13.82	38.45	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	21.77	12.82	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	22.70	13.75	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	22.73	13.78	38.45	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	22.70	13.75	38.45	PASS



Band5	1.4MHz	16QAM	20643	3RB#0	22.76	13.81	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	22.74	13.79	38.45	PASS
Band5	1.4MHz	16QAM	20643	3RB#2	22.76	13.81	38.45	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	21.82	12.87	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#0	21.46	12.51	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#2	21.45	12.5	38.45	PASS
Band5	1.4MHz	64QAM	20407	1RB#5	21.49	12.54	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#0	21.32	12.37	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#1	21.32	12.37	38.45	PASS
Band5	1.4MHz	64QAM	20407	3RB#2	21.34	12.39	38.45	PASS
Band5	1.4MHz	64QAM	20407	6RB#0	20.27	11.32	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#0	21.86	12.91	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#2	21.89	12.94	38.45	PASS
Band5	1.4MHz	64QAM	20525	1RB#5	21.88	12.93	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#0	21.66	12.71	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#1	21.69	12.74	38.45	PASS
Band5	1.4MHz	64QAM	20525	3RB#2	21.69	12.74	38.45	PASS
Band5	1.4MHz	64QAM	20525	6RB#0	20.66	11.71	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#0	22.11	13.16	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#2	22.11	13.16	38.45	PASS
Band5	1.4MHz	64QAM	20643	1RB#5	22.11	13.16	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#0	21.91	12.96	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#1	21.92	12.97	38.45	PASS
Band5	1.4MHz	64QAM	20643	3RB#2	21.90	12.95	38.45	PASS
Band5	1.4MHz	64QAM	20643	6RB#0	20.73	11.78	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#0	23.43	14.48	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#7	23.44	14.49	38.45	PASS
Band5	3MHz	QPSK	20415	1RB#14	23.48	14.53	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.51	13.56	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.46	13.51	38.45	PASS
Band5	3MHz	QPSK	20415	8RB#7	22.51	13.56	38.45	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.52	13.57	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#0	23.76	14.81	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#7	23.83	14.88	38.45	PASS
Band5	3MHz	QPSK	20525	1RB#14	23.79	14.84	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#0	22.81	13.86	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.82	13.87	38.45	PASS
Band5	3MHz	QPSK	20525	8RB#7	22.86	13.91	38.45	PASS
Band5	3MHz	QPSK	20525	15RB#0	22.83	13.88	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#0	23.87	14.92	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#7	23.90	14.95	38.45	PASS
Band5	3MHz	QPSK	20635	1RB#14	23.85	14.9	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#0	22.84	13.89	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#4	22.84	13.89	38.45	PASS
Band5	3MHz	QPSK	20635	8RB#7	22.80	13.85	38.45	PASS
Band5	3MHz	QPSK	20635	15RB#0	22.82	13.87	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.65	13.7	38.45	PASS

Band5	3MHz	16QAM	20415	1RB#7	22.68	13.73	38.45	PASS
Band5	3MHz	16QAM	20415	1RB#14	22.65	13.7	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#0	21.48	12.53	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#4	21.50	12.55	38.45	PASS
Band5	3MHz	16QAM	20415	8RB#7	21.50	12.55	38.45	PASS
Band5	3MHz	16QAM	20415	15RB#0	21.43	12.48	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#0	22.68	13.73	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#7	22.77	13.82	38.45	PASS
Band5	3MHz	16QAM	20525	1RB#14	22.76	13.81	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#0	21.83	12.88	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#4	21.84	12.89	38.45	PASS
Band5	3MHz	16QAM	20525	8RB#7	21.91	12.96	38.45	PASS
Band5	3MHz	16QAM	20525	15RB#0	21.78	12.83	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#0	23.07	14.12	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#7	23.07	14.12	38.45	PASS
Band5	3MHz	16QAM	20635	1RB#14	23.02	14.07	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#0	21.91	12.96	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#4	21.92	12.97	38.45	PASS
Band5	3MHz	16QAM	20635	8RB#7	21.88	12.93	38.45	PASS
Band5	3MHz	16QAM	20635	15RB#0	21.87	12.92	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#0	21.45	12.5	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#7	21.52	12.57	38.45	PASS
Band5	3MHz	64QAM	20415	1RB#14	21.53	12.58	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#0	20.48	11.53	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#4	20.52	11.57	38.45	PASS
Band5	3MHz	64QAM	20415	8RB#7	20.53	11.58	38.45	PASS
Band5	3MHz	64QAM	20415	15RB#0	20.44	11.49	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#0	22.06	13.11	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#7	22.21	13.26	38.45	PASS
Band5	3MHz	64QAM	20525	1RB#14	22.21	13.26	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#0	20.80	11.85	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#4	20.81	11.86	38.45	PASS
Band5	3MHz	64QAM	20525	8RB#7	20.86	11.91	38.45	PASS
Band5	3MHz	64QAM	20525	15RB#0	20.77	11.82	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#0	21.81	12.86	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#7	21.86	12.91	38.45	PASS
Band5	3MHz	64QAM	20635	1RB#14	21.81	12.86	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#0	20.86	11.91	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#4	20.87	11.92	38.45	PASS
Band5	3MHz	64QAM	20635	8RB#7	20.81	11.86	38.45	PASS
Band5	3MHz	64QAM	20635	15RB#0	20.88	11.93	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#0	23.60	14.65	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#12	23.62	14.67	38.45	PASS
Band5	5MHz	QPSK	20425	1RB#24	23.68	14.73	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.48	13.53	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.51	13.56	38.45	PASS
Band5	5MHz	QPSK	20425	12RB#11	22.46	13.51	38.45	PASS

Band5	5MHz	QPSK	20425	25RB#0	22.51	13.56	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#0	23.93	14.98	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#12	24.01	15.06	38.45	PASS
Band5	5MHz	QPSK	20525	1RB#24	24.05	15.1	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#0	22.86	13.91	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#6	22.84	13.89	38.45	PASS
Band5	5MHz	QPSK	20525	12RB#11	22.86	13.91	38.45	PASS
Band5	5MHz	QPSK	20525	25RB#0	22.88	13.93	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#0	24.08	15.13	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#12	24.06	15.11	38.45	PASS
Band5	5MHz	QPSK	20625	1RB#24	23.97	15.02	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#0	22.97	14.02	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#6	22.93	13.98	38.45	PASS
Band5	5MHz	QPSK	20625	12RB#11	22.92	13.97	38.45	PASS
Band5	5MHz	QPSK	20625	25RB#0	22.87	13.92	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#0	22.71	13.76	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#12	22.77	13.82	38.45	PASS
Band5	5MHz	16QAM	20425	1RB#24	22.86	13.91	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.49	12.54	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.54	12.59	38.45	PASS
Band5	5MHz	16QAM	20425	12RB#11	21.49	12.54	38.45	PASS
Band5	5MHz	16QAM	20425	25RB#0	21.53	12.58	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#0	22.89	13.94	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#12	22.99	14.04	38.45	PASS
Band5	5MHz	16QAM	20525	1RB#24	22.96	14.01	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#0	21.88	12.93	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#6	21.87	12.92	38.45	PASS
Band5	5MHz	16QAM	20525	12RB#11	21.87	12.92	38.45	PASS
Band5	5MHz	16QAM	20525	25RB#0	21.91	12.96	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#0	22.94	13.99	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#12	22.87	13.92	38.45	PASS
Band5	5MHz	16QAM	20625	1RB#24	22.86	13.91	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#0	21.91	12.96	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#6	21.93	12.98	38.45	PASS
Band5	5MHz	16QAM	20625	12RB#11	21.91	12.96	38.45	PASS
Band5	5MHz	16QAM	20625	25RB#0	21.93	12.98	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#0	22.02	13.07	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#12	22.07	13.12	38.45	PASS
Band5	5MHz	64QAM	20425	1RB#24	22.15	13.2	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#0	20.57	11.62	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#6	20.49	11.54	38.45	PASS
Band5	5MHz	64QAM	20425	12RB#11	20.49	11.54	38.45	PASS
Band5	5MHz	64QAM	20425	25RB#0	20.49	11.54	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#0	22.14	13.19	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#12	22.19	13.24	38.45	PASS
Band5	5MHz	64QAM	20525	1RB#24	22.19	13.24	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#0	20.86	11.91	38.45	PASS

Band5	5MHz	64QAM	20525	12RB#6	20.87	11.92	38.45	PASS
Band5	5MHz	64QAM	20525	12RB#11	20.87	11.92	38.45	PASS
Band5	5MHz	64QAM	20525	25RB#0	20.88	11.93	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#0	21.88	12.93	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#12	21.81	12.86	38.45	PASS
Band5	5MHz	64QAM	20625	1RB#24	21.83	12.88	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#0	20.94	11.99	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#6	20.92	11.97	38.45	PASS
Band5	5MHz	64QAM	20625	12RB#11	20.92	11.97	38.45	PASS
Band5	5MHz	64QAM	20625	25RB#0	20.85	11.9	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.40	14.45	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.57	14.62	38.45	PASS
Band5	10MHz	QPSK	20450	1RB#49	23.65	14.7	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.47	13.52	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#12	22.43	13.48	38.45	PASS
Band5	10MHz	QPSK	20450	25RB#24	22.49	13.54	38.45	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.63	13.68	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.71	14.76	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#24	23.86	14.91	38.45	PASS
Band5	10MHz	QPSK	20525	1RB#49	23.88	14.93	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#0	22.78	13.83	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#12	22.83	13.88	38.45	PASS
Band5	10MHz	QPSK	20525	25RB#24	22.82	13.87	38.45	PASS
Band5	10MHz	QPSK	20525	50RB#0	22.94	13.99	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#0	23.89	14.94	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#24	23.95	15	38.45	PASS
Band5	10MHz	QPSK	20600	1RB#49	23.91	14.96	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#0	22.92	13.97	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#12	22.90	13.95	38.45	PASS
Band5	10MHz	QPSK	20600	25RB#24	22.89	13.94	38.45	PASS
Band5	10MHz	QPSK	20600	50RB#0	22.93	13.98	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.62	13.67	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#24	22.76	13.81	38.45	PASS
Band5	10MHz	16QAM	20450	1RB#49	22.84	13.89	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#0	21.52	12.57	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#12	21.51	12.56	38.45	PASS
Band5	10MHz	16QAM	20450	25RB#24	21.52	12.57	38.45	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.63	12.68	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.62	13.67	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#24	22.78	13.83	38.45	PASS
Band5	10MHz	16QAM	20525	1RB#49	22.81	13.86	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#0	21.84	12.89	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#12	21.85	12.9	38.45	PASS
Band5	10MHz	16QAM	20525	25RB#24	21.89	12.94	38.45	PASS
Band5	10MHz	16QAM	20525	50RB#0	21.94	12.99	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#0	23.04	14.09	38.45	PASS
Band5	10MHz	16QAM	20600	1RB#24	23.11	14.16	38.45	PASS

Band5	10MHz	16QAM	20600	1RB#49	23.03	14.08	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#0	21.88	12.93	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#12	21.90	12.95	38.45	PASS
Band5	10MHz	16QAM	20600	25RB#24	21.91	12.96	38.45	PASS
Band5	10MHz	16QAM	20600	50RB#0	21.86	12.91	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#0	21.43	12.48	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#24	21.60	12.65	38.45	PASS
Band5	10MHz	64QAM	20450	1RB#49	21.70	12.75	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#0	20.45	11.5	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#12	20.44	11.49	38.45	PASS
Band5	10MHz	64QAM	20450	25RB#24	20.46	11.51	38.45	PASS
Band5	10MHz	64QAM	20450	50RB#0	20.59	11.64	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#0	21.97	13.02	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#24	22.24	13.29	38.45	PASS
Band5	10MHz	64QAM	20525	1RB#49	22.25	13.3	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#0	20.77	11.82	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#12	20.77	11.82	38.45	PASS
Band5	10MHz	64QAM	20525	25RB#24	20.78	11.83	38.45	PASS
Band5	10MHz	64QAM	20525	50RB#0	20.88	11.93	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#0	21.83	12.88	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#24	21.90	12.95	38.45	PASS
Band5	10MHz	64QAM	20600	1RB#49	21.85	12.9	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#0	20.87	11.92	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#12	20.88	11.93	38.45	PASS
Band5	10MHz	64QAM	20600	25RB#24	20.89	11.94	38.45	PASS
Band5	10MHz	64QAM	20600	50RB#0	20.85	11.9	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#0	22.49	18.73	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#12	22.51	18.75	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#24	22.52	18.76	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#0	21.30	17.54	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#6	21.30	17.54	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#11	21.32	17.56	38.45	PASS
Band7	5MHz	QPSK	20775	25RB#0	21.33	17.57	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#0	22.49	18.73	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#12	22.46	18.7	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#24	22.45	18.69	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#0	21.34	17.58	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#6	21.29	17.53	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#11	21.33	17.57	38.45	PASS
Band7	5MHz	QPSK	21100	25RB#0	21.30	17.54	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#0	22.31	18.55	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#12	22.27	18.51	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#24	22.35	18.59	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#0	21.24	17.48	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#6	21.24	17.48	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#11	21.22	17.46	38.45	PASS
Band7	5MHz	QPSK	21425	25RB#0	21.17	17.41	38.45	PASS

Band7	5MHz	16QAM	20775	1RB#0	21.33	17.57	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#12	21.37	17.61	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#24	21.38	17.62	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#0	20.29	16.53	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#6	20.30	16.54	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#11	20.31	16.55	38.45	PASS
Band7	5MHz	16QAM	20775	25RB#0	20.38	16.62	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#0	21.59	17.83	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#12	21.58	17.82	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#24	21.58	17.82	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#0	20.37	16.61	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#6	20.38	16.62	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#11	20.35	16.59	38.45	PASS
Band7	5MHz	16QAM	21100	25RB#0	20.31	16.55	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#0	21.24	17.48	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#12	21.22	17.46	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#24	21.23	17.47	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#0	20.20	16.44	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#6	20.25	16.49	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#11	20.23	16.47	38.45	PASS
Band7	5MHz	16QAM	21425	25RB#0	20.21	16.45	38.45	PASS
Band7	5MHz	64QAM	20775	1RB#0	20.31	16.55	38.45	PASS
Band7	5MHz	64QAM	20775	1RB#12	20.32	16.56	38.45	PASS
Band7	5MHz	64QAM	20775	1RB#24	20.34	16.58	38.45	PASS
Band7	5MHz	64QAM	20775	12RB#0	19.34	15.58	38.45	PASS
Band7	5MHz	64QAM	20775	12RB#6	19.34	15.58	38.45	PASS
Band7	5MHz	64QAM	20775	12RB#11	19.34	15.58	38.45	PASS
Band7	5MHz	64QAM	20775	25RB#0	19.32	15.56	38.45	PASS
Band7	5MHz	64QAM	21100	1RB#0	20.96	17.2	38.45	PASS
Band7	5MHz	64QAM	21100	1RB#12	20.91	17.15	38.45	PASS
Band7	5MHz	64QAM	21100	1RB#24	20.89	17.13	38.45	PASS
Band7	5MHz	64QAM	21100	12RB#0	19.36	15.6	38.45	PASS
Band7	5MHz	64QAM	21100	12RB#6	19.35	15.59	38.45	PASS
Band7	5MHz	64QAM	21100	12RB#11	19.38	15.62	38.45	PASS
Band7	5MHz	64QAM	21100	25RB#0	19.25	15.49	38.45	PASS
Band7	5MHz	64QAM	21425	1RB#0	20.48	16.72	38.45	PASS
Band7	5MHz	64QAM	21425	1RB#12	20.48	16.72	38.45	PASS
Band7	5MHz	64QAM	21425	1RB#24	20.46	16.7	38.45	PASS
Band7	5MHz	64QAM	21425	12RB#0	19.28	15.52	38.45	PASS
Band7	5MHz	64QAM	21425	12RB#6	19.24	15.48	38.45	PASS
Band7	5MHz	64QAM	21425	12RB#11	19.23	15.47	38.45	PASS
Band7	5MHz	64QAM	21425	25RB#0	19.19	15.43	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#0	22.22	18.46	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#24	22.30	18.54	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#49	22.32	18.56	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#0	21.28	17.52	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#12	21.28	17.52	38.45	PASS

Band7	10MHz	QPSK	20800	25RB#24	21.28	17.52	38.45	PASS
Band7	10MHz	QPSK	20800	50RB#0	21.34	17.58	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#0	22.28	18.52	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#24	22.32	18.56	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#49	22.26	18.5	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#0	21.28	17.52	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#12	21.32	17.56	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#24	21.27	17.51	38.45	PASS
Band7	10MHz	QPSK	21100	50RB#0	21.36	17.6	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#0	22.18	18.42	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#24	22.22	18.46	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#49	22.19	18.43	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#0	21.23	17.47	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#12	21.21	17.45	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#24	21.23	17.47	38.45	PASS
Band7	10MHz	QPSK	21400	50RB#0	21.21	17.45	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#0	21.45	17.69	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#24	21.53	17.77	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#49	21.52	17.76	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#0	20.32	16.56	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#12	20.31	16.55	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#24	20.31	16.55	38.45	PASS
Band7	10MHz	16QAM	20800	50RB#0	20.37	16.61	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#0	21.19	17.43	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#24	21.24	17.48	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#49	21.18	17.42	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#0	20.32	16.56	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#12	20.37	16.61	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#24	20.35	16.59	38.45	PASS
Band7	10MHz	16QAM	21100	50RB#0	20.28	16.52	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#0	21.36	17.6	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#24	21.37	17.61	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#49	21.33	17.57	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#0	20.21	16.45	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#12	20.23	16.47	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#24	20.23	16.47	38.45	PASS
Band7	10MHz	16QAM	21400	50RB#0	20.19	16.43	38.45	PASS
Band7	10MHz	64QAM	20800	1RB#0	20.28	16.52	38.45	PASS
Band7	10MHz	64QAM	20800	1RB#24	20.36	16.6	38.45	PASS
Band7	10MHz	64QAM	20800	1RB#49	20.38	16.62	38.45	PASS
Band7	10MHz	64QAM	20800	25RB#0	19.24	15.48	38.45	PASS
Band7	10MHz	64QAM	20800	25RB#12	19.24	15.48	38.45	PASS
Band7	10MHz	64QAM	20800	25RB#24	19.20	15.44	38.45	PASS
Band7	10MHz	64QAM	20800	50RB#0	19.35	15.59	38.45	PASS
Band7	10MHz	64QAM	21100	1RB#0	20.60	16.84	38.45	PASS
Band7	10MHz	64QAM	21100	1RB#24	20.66	16.9	38.45	PASS
Band7	10MHz	64QAM	21100	1RB#49	20.59	16.83	38.45	PASS

Band7	10MHz	64QAM	21100	25RB#0	19.20	15.44	38.45	PASS
Band7	10MHz	64QAM	21100	25RB#12	19.26	15.5	38.45	PASS
Band7	10MHz	64QAM	21100	25RB#24	19.21	15.45	38.45	PASS
Band7	10MHz	64QAM	21100	50RB#0	19.29	15.53	38.45	PASS
Band7	10MHz	64QAM	21400	1RB#0	20.15	16.39	38.45	PASS
Band7	10MHz	64QAM	21400	1RB#24	20.18	16.42	38.45	PASS
Band7	10MHz	64QAM	21400	1RB#49	20.14	16.38	38.45	PASS
Band7	10MHz	64QAM	21400	25RB#0	19.21	15.45	38.45	PASS
Band7	10MHz	64QAM	21400	25RB#12	19.20	15.44	38.45	PASS
Band7	10MHz	64QAM	21400	25RB#24	19.20	15.44	38.45	PASS
Band7	10MHz	64QAM	21400	50RB#0	19.16	15.4	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#0	22.17	18.41	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#37	22.32	18.56	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#74	22.25	18.49	38.45	PASS
Band7	15MHz	QPSK	20825	36RB#0	21.24	17.48	38.45	PASS
Band7	15MHz	QPSK	20825	36RB#16	21.29	17.53	38.45	PASS
Band7	15MHz	QPSK	20825	36RB#35	21.22	17.46	38.45	PASS
Band7	15MHz	QPSK	20825	75RB#0	21.30	17.54	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#0	22.31	18.55	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#37	22.27	18.51	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#74	22.13	18.37	38.45	PASS
Band7	15MHz	QPSK	21100	36RB#0	21.28	17.52	38.45	PASS
Band7	15MHz	QPSK	21100	36RB#16	21.25	17.49	38.45	PASS
Band7	15MHz	QPSK	21100	36RB#35	21.28	17.52	38.45	PASS
Band7	15MHz	QPSK	21100	75RB#0	21.26	17.5	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#0	22.08	18.32	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#37	22.13	18.37	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#74	22.02	18.26	38.45	PASS
Band7	15MHz	QPSK	21375	36RB#0	21.16	17.4	38.45	PASS
Band7	15MHz	QPSK	21375	36RB#16	21.19	17.43	38.45	PASS
Band7	15MHz	QPSK	21375	36RB#35	21.16	17.4	38.45	PASS
Band7	15MHz	QPSK	21375	75RB#0	21.19	17.43	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#0	21.50	17.74	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#37	21.62	17.86	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#74	21.55	17.79	38.45	PASS
Band7	15MHz	16QAM	20825	36RB#0	20.28	16.52	38.45	PASS
Band7	15MHz	16QAM	20825	36RB#16	20.32	16.56	38.45	PASS
Band7	15MHz	16QAM	20825	36RB#35	20.29	16.53	38.45	PASS
Band7	15MHz	16QAM	20825	75RB#0	20.34	16.58	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#0	21.23	17.47	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#37	21.56	17.8	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#74	21.43	17.67	38.45	PASS
Band7	15MHz	16QAM	21100	36RB#0	20.37	16.61	38.45	PASS
Band7	15MHz	16QAM	21100	36RB#16	20.31	16.55	38.45	PASS
Band7	15MHz	16QAM	21100	36RB#35	20.34	16.58	38.45	PASS
Band7	15MHz	16QAM	21100	75RB#0	20.26	16.5	38.45	PASS
Band7	15MHz	16QAM	21375	1RB#0	21.02	17.26	38.45	PASS



Band7	15MHz	16QAM	21375	1RB#37	21.07	17.31	38.45	PASS
Band7	15MHz	16QAM	21375	1RB#74	20.99	17.23	38.45	PASS
Band7	15MHz	16QAM	21375	36RB#0	20.19	16.43	38.45	PASS
Band7	15MHz	16QAM	21375	36RB#16	20.14	16.38	38.45	PASS
Band7	15MHz	16QAM	21375	36RB#35	20.18	16.42	38.45	PASS
Band7	15MHz	16QAM	21375	75RB#0	20.19	16.43	38.45	PASS
Band7	15MHz	64QAM	20825	1RB#0	20.40	16.64	38.45	PASS
Band7	15MHz	64QAM	20825	1RB#37	20.54	16.78	38.45	PASS
Band7	15MHz	64QAM	20825	1RB#74	20.47	16.71	38.45	PASS
Band7	15MHz	64QAM	20825	36RB#0	19.26	15.5	38.45	PASS
Band7	15MHz	64QAM	20825	36RB#16	19.27	15.51	38.45	PASS
Band7	15MHz	64QAM	20825	36RB#35	19.25	15.49	38.45	PASS
Band7	15MHz	64QAM	20825	75RB#0	19.32	15.56	38.45	PASS
Band7	15MHz	64QAM	21100	1RB#0	20.65	16.89	38.45	PASS
Band7	15MHz	64QAM	21100	1RB#37	20.46	16.7	38.45	PASS
Band7	15MHz	64QAM	21100	1RB#74	20.33	16.57	38.45	PASS
Band7	15MHz	64QAM	21100	36RB#0	19.24	15.48	38.45	PASS
Band7	15MHz	64QAM	21100	36RB#16	19.29	15.53	38.45	PASS
Band7	15MHz	64QAM	21100	36RB#35	19.24	15.48	38.45	PASS
Band7	15MHz	64QAM	21100	75RB#0	19.30	15.54	38.45	PASS
Band7	15MHz	64QAM	21375	1RB#0	20.40	16.64	38.45	PASS
Band7	15MHz	64QAM	21375	1RB#37	20.49	16.73	38.45	PASS
Band7	15MHz	64QAM	21375	1RB#74	20.43	16.67	38.45	PASS
Band7	15MHz	64QAM	21375	36RB#0	19.17	15.41	38.45	PASS
Band7	15MHz	64QAM	21375	36RB#16	19.17	15.41	38.45	PASS
Band7	15MHz	64QAM	21375	36RB#35	19.18	15.42	38.45	PASS
Band7	15MHz	64QAM	21375	75RB#0	19.13	15.37	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#0	22.20	18.44	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#49	22.35	18.59	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#99	22.30	18.54	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#0	21.24	17.48	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#24	21.28	17.52	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#49	21.25	17.49	38.45	PASS
Band7	20MHz	QPSK	20850	100RB#0	21.31	17.55	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#0	22.15	18.39	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#49	22.25	18.49	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#99	22.08	18.32	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#0	21.30	17.54	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#24	21.30	17.54	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#49	21.34	17.58	38.45	PASS
Band7	20MHz	QPSK	21100	100RB#0	21.34	17.58	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#0	22.22	18.46	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#49	22.36	18.6	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#99	21.99	18.23	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#0	21.21	17.45	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#24	21.23	17.47	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#49	21.21	17.45	38.45	PASS

Band7	20MHz	QPSK	21350	100RB#0	21.20	17.44	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#0	21.48	17.72	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#49	21.62	17.86	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#99	21.60	17.84	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#0	20.28	16.52	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#24	20.28	16.52	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#49	20.24	16.48	38.45	PASS
Band7	20MHz	16QAM	20850	100RB#0	20.29	16.53	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#0	21.31	17.55	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#49	21.40	17.64	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#99	21.25	17.49	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#0	20.33	16.57	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#24	20.34	16.58	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#49	20.34	16.58	38.45	PASS
Band7	20MHz	16QAM	21100	100RB#0	20.33	16.57	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#0	21.13	17.37	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#49	21.33	17.57	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#99	20.83	17.07	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#0	20.20	16.44	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#24	20.22	16.46	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#49	20.20	16.44	38.45	PASS
Band7	20MHz	16QAM	21350	100RB#0	20.19	16.43	38.45	PASS
Band7	20MHz	64QAM	20850	1RB#0	20.47	16.71	38.45	PASS
Band7	20MHz	64QAM	20850	1RB#49	20.62	16.86	38.45	PASS
Band7	20MHz	64QAM	20850	1RB#99	20.58	16.82	38.45	PASS
Band7	20MHz	64QAM	20850	50RB#0	19.25	15.49	38.45	PASS
Band7	20MHz	64QAM	20850	50RB#24	19.26	15.5	38.45	PASS
Band7	20MHz	64QAM	20850	50RB#49	19.23	15.47	38.45	PASS
Band7	20MHz	64QAM	20850	100RB#0	19.31	15.55	38.45	PASS
Band7	20MHz	64QAM	21100	1RB#0	20.20	16.44	38.45	PASS
Band7	20MHz	64QAM	21100	1RB#49	20.32	16.56	38.45	PASS
Band7	20MHz	64QAM	21100	1RB#99	20.13	16.37	38.45	PASS
Band7	20MHz	64QAM	21100	50RB#0	19.29	15.53	38.45	PASS
Band7	20MHz	64QAM	21100	50RB#24	19.29	15.53	38.45	PASS
Band7	20MHz	64QAM	21100	50RB#49	19.31	15.55	38.45	PASS
Band7	20MHz	64QAM	21100	100RB#0	19.28	15.52	38.45	PASS
Band7	20MHz	64QAM	21350	1RB#0	20.42	16.66	38.45	PASS
Band7	20MHz	64QAM	21350	1RB#49	20.55	16.79	38.45	PASS
Band7	20MHz	64QAM	21350	1RB#99	20.05	16.29	38.45	PASS
Band7	20MHz	64QAM	21350	50RB#0	19.18	15.42	38.45	PASS
Band7	20MHz	64QAM	21350	50RB#24	19.22	15.46	38.45	PASS
Band7	20MHz	64QAM	21350	50RB#49	19.21	15.45	38.45	PASS
Band7	20MHz	64QAM	21350	100RB#0	19.13	15.37	38.45	PASS
Band41	5MHz	QPSK	39675	1RB#0	24.87	21.11	33.01	PASS
Band41	5MHz	QPSK	39675	1RB#12	24.88	21.12	33.01	PASS
Band41	5MHz	QPSK	39675	1RB#24	24.92	21.16	33.01	PASS
Band41	5MHz	QPSK	39675	12RB#0	23.92	20.16	33.01	PASS

Band41	5MHz	QPSK	39675	12RB#6	23.94	20.18	33.01	PASS
Band41	5MHz	QPSK	39675	12RB#11	23.93	20.17	33.01	PASS
Band41	5MHz	QPSK	39675	25RB#0	23.88	20.12	33.01	PASS
Band41	5MHz	QPSK	40620	1RB#0	24.88	21.12	33.01	PASS
Band41	5MHz	QPSK	40620	1RB#12	24.82	21.06	33.01	PASS
Band41	5MHz	QPSK	40620	1RB#24	24.87	21.11	33.01	PASS
Band41	5MHz	QPSK	40620	12RB#0	23.61	19.85	33.01	PASS
Band41	5MHz	QPSK	40620	12RB#6	23.62	19.86	33.01	PASS
Band41	5MHz	QPSK	40620	12RB#11	23.62	19.86	33.01	PASS
Band41	5MHz	QPSK	40620	25RB#0	23.64	19.88	33.01	PASS
Band41	5MHz	QPSK	41565	1RB#0	24.53	20.77	33.01	PASS
Band41	5MHz	QPSK	41565	1RB#12	24.55	20.79	33.01	PASS
Band41	5MHz	QPSK	41565	1RB#24	24.60	20.84	33.01	PASS
Band41	5MHz	QPSK	41565	12RB#0	23.59	19.83	33.01	PASS
Band41	5MHz	QPSK	41565	12RB#6	23.58	19.82	33.01	PASS
Band41	5MHz	QPSK	41565	12RB#11	23.58	19.82	33.01	PASS
Band41	5MHz	QPSK	41565	25RB#0	23.64	19.88	33.01	PASS
Band41	5MHz	16QAM	39675	1RB#0	24.08	20.32	33.01	PASS
Band41	5MHz	16QAM	39675	1RB#12	24.04	20.28	33.01	PASS
Band41	5MHz	16QAM	39675	1RB#24	24.08	20.32	33.01	PASS
Band41	5MHz	16QAM	39675	12RB#0	22.88	19.12	33.01	PASS
Band41	5MHz	16QAM	39675	12RB#6	22.86	19.1	33.01	PASS
Band41	5MHz	16QAM	39675	12RB#11	22.87	19.11	33.01	PASS
Band41	5MHz	16QAM	39675	25RB#0	22.86	19.1	33.01	PASS
Band41	5MHz	16QAM	40620	1RB#0	23.97	20.21	33.01	PASS
Band41	5MHz	16QAM	40620	1RB#12	23.94	20.18	33.01	PASS
Band41	5MHz	16QAM	40620	1RB#24	23.93	20.17	33.01	PASS
Band41	5MHz	16QAM	40620	12RB#0	22.61	18.85	33.01	PASS
Band41	5MHz	16QAM	40620	12RB#6	22.63	18.87	33.01	PASS
Band41	5MHz	16QAM	40620	12RB#11	22.61	18.85	33.01	PASS
Band41	5MHz	16QAM	40620	25RB#0	22.63	18.87	33.01	PASS
Band41	5MHz	16QAM	41565	1RB#0	23.81	20.05	33.01	PASS
Band41	5MHz	16QAM	41565	1RB#12	23.80	20.04	33.01	PASS
Band41	5MHz	16QAM	41565	1RB#24	23.56	19.8	33.01	PASS
Band41	5MHz	16QAM	41565	12RB#0	22.67	18.91	33.01	PASS
Band41	5MHz	16QAM	41565	12RB#6	22.60	18.84	33.01	PASS
Band41	5MHz	16QAM	41565	12RB#11	22.66	18.9	33.01	PASS
Band41	5MHz	16QAM	41565	25RB#0	22.66	18.9	33.01	PASS
Band41	5MHz	64QAM	39675	1RB#0	23.05	19.29	33.01	PASS
Band41	5MHz	64QAM	39675	1RB#12	23.05	19.29	33.01	PASS
Band41	5MHz	64QAM	39675	1RB#24	23.08	19.32	33.01	PASS
Band41	5MHz	64QAM	39675	12RB#0	21.84	18.08	33.01	PASS
Band41	5MHz	64QAM	39675	12RB#6	21.86	18.1	33.01	PASS
Band41	5MHz	64QAM	39675	12RB#11	21.86	18.1	33.01	PASS
Band41	5MHz	64QAM	39675	25RB#0	21.86	18.1	33.01	PASS
Band41	5MHz	64QAM	40620	1RB#0	22.99	19.23	33.01	PASS
Band41	5MHz	64QAM	40620	1RB#12	22.95	19.19	33.01	PASS

Band41	5MHz	64QAM	40620	1RB#24	22.96	19.2	33.01	PASS
Band41	5MHz	64QAM	40620	12RB#0	21.62	17.86	33.01	PASS
Band41	5MHz	64QAM	40620	12RB#6	21.56	17.8	33.01	PASS
Band41	5MHz	64QAM	40620	12RB#11	21.60	17.84	33.01	PASS
Band41	5MHz	64QAM	40620	25RB#0	21.64	17.88	33.01	PASS
Band41	5MHz	64QAM	41565	1RB#0	23.14	19.38	33.01	PASS
Band41	5MHz	64QAM	41565	1RB#12	22.96	19.2	33.01	PASS
Band41	5MHz	64QAM	41565	1RB#24	22.69	18.93	33.01	PASS
Band41	5MHz	64QAM	41565	12RB#0	21.67	17.91	33.01	PASS
Band41	5MHz	64QAM	41565	12RB#6	21.69	17.93	33.01	PASS
Band41	5MHz	64QAM	41565	12RB#11	21.67	17.91	33.01	PASS
Band41	5MHz	64QAM	41565	25RB#0	21.62	17.86	33.01	PASS
Band41	10MHz	QPSK	39700	1RB#0	24.87	21.11	33.01	PASS
Band41	10MHz	QPSK	39700	1RB#24	24.92	21.16	33.01	PASS
Band41	10MHz	QPSK	39700	1RB#49	24.96	21.2	33.01	PASS
Band41	10MHz	QPSK	39700	25RB#0	23.91	20.15	33.01	PASS
Band41	10MHz	QPSK	39700	25RB#12	23.93	20.17	33.01	PASS
Band41	10MHz	QPSK	39700	25RB#24	23.92	20.16	33.01	PASS
Band41	10MHz	QPSK	39700	50RB#0	23.92	20.16	33.01	PASS
Band41	10MHz	QPSK	40620	1RB#0	24.64	20.88	33.01	PASS
Band41	10MHz	QPSK	40620	1RB#24	24.71	20.95	33.01	PASS
Band41	10MHz	QPSK	40620	1RB#49	24.65	20.89	33.01	PASS
Band41	10MHz	QPSK	40620	25RB#0	23.61	19.85	33.01	PASS
Band41	10MHz	QPSK	40620	25RB#12	23.61	19.85	33.01	PASS
Band41	10MHz	QPSK	40620	25RB#24	23.61	19.85	33.01	PASS
Band41	10MHz	QPSK	40620	50RB#0	23.61	19.85	33.01	PASS
Band41	10MHz	QPSK	41540	1RB#0	24.46	20.7	33.01	PASS
Band41	10MHz	QPSK	41540	1RB#24	24.53	20.77	33.01	PASS
Band41	10MHz	QPSK	41540	1RB#49	24.60	20.84	33.01	PASS
Band41	10MHz	QPSK	41540	25RB#0	23.53	19.77	33.01	PASS
Band41	10MHz	QPSK	41540	25RB#12	23.51	19.75	33.01	PASS
Band41	10MHz	QPSK	41540	25RB#24	23.51	19.75	33.01	PASS
Band41	10MHz	QPSK	41540	50RB#0	23.63	19.87	33.01	PASS
Band41	10MHz	16QAM	39700	1RB#0	24.17	20.41	33.01	PASS
Band41	10MHz	16QAM	39700	1RB#24	24.18	20.42	33.01	PASS
Band41	10MHz	16QAM	39700	1RB#49	24.27	20.51	33.01	PASS
Band41	10MHz	16QAM	39700	25RB#0	22.98	19.22	33.01	PASS
Band41	10MHz	16QAM	39700	25RB#12	22.97	19.21	33.01	PASS
Band41	10MHz	16QAM	39700	25RB#24	22.97	19.21	33.01	PASS
Band41	10MHz	16QAM	39700	50RB#0	22.91	19.15	33.01	PASS
Band41	10MHz	16QAM	40620	1RB#0	23.95	20.19	33.01	PASS
Band41	10MHz	16QAM	40620	1RB#24	23.99	20.23	33.01	PASS
Band41	10MHz	16QAM	40620	1RB#49	23.98	20.22	33.01	PASS
Band41	10MHz	16QAM	40620	25RB#0	22.67	18.91	33.01	PASS
Band41	10MHz	16QAM	40620	25RB#12	22.69	18.93	33.01	PASS
Band41	10MHz	16QAM	40620	25RB#24	22.68	18.92	33.01	PASS
Band41	10MHz	16QAM	40620	50RB#0	22.60	18.84	33.01	PASS

Band41	10MHz	16QAM	41540	1RB#0	23.48	19.72	33.01	PASS
Band41	10MHz	16QAM	41540	1RB#24	23.61	19.85	33.01	PASS
Band41	10MHz	16QAM	41540	1RB#49	23.67	19.91	33.01	PASS
Band41	10MHz	16QAM	41540	25RB#0	22.53	18.77	33.01	PASS
Band41	10MHz	16QAM	41540	25RB#12	22.57	18.81	33.01	PASS
Band41	10MHz	16QAM	41540	25RB#24	22.56	18.8	33.01	PASS
Band41	10MHz	16QAM	41540	50RB#0	22.62	18.86	33.01	PASS
Band41	10MHz	64QAM	39700	1RB#0	23.23	19.47	33.01	PASS
Band41	10MHz	64QAM	39700	1RB#24	23.25	19.49	33.01	PASS
Band41	10MHz	64QAM	39700	1RB#49	23.32	19.56	33.01	PASS
Band41	10MHz	64QAM	39700	25RB#0	21.91	18.15	33.01	PASS
Band41	10MHz	64QAM	39700	25RB#12	21.89	18.13	33.01	PASS
Band41	10MHz	64QAM	39700	25RB#24	21.90	18.14	33.01	PASS
Band41	10MHz	64QAM	39700	50RB#0	21.93	18.17	33.01	PASS
Band41	10MHz	64QAM	40620	1RB#0	22.98	19.22	33.01	PASS
Band41	10MHz	64QAM	40620	1RB#24	23.04	19.28	33.01	PASS
Band41	10MHz	64QAM	40620	1RB#49	22.99	19.23	33.01	PASS
Band41	10MHz	64QAM	40620	25RB#0	21.59	17.83	33.01	PASS
Band41	10MHz	64QAM	40620	25RB#12	21.59	17.83	33.01	PASS
Band41	10MHz	64QAM	40620	25RB#24	21.58	17.82	33.01	PASS
Band41	10MHz	64QAM	40620	50RB#0	21.61	17.85	33.01	PASS
Band41	10MHz	64QAM	41540	1RB#0	22.37	18.61	33.01	PASS
Band41	10MHz	64QAM	41540	1RB#24	22.49	18.73	33.01	PASS
Band41	10MHz	64QAM	41540	1RB#49	22.54	18.78	33.01	PASS
Band41	10MHz	64QAM	41540	25RB#0	21.44	17.68	33.01	PASS
Band41	10MHz	64QAM	41540	25RB#12	21.42	17.66	33.01	PASS
Band41	10MHz	64QAM	41540	25RB#24	21.42	17.66	33.01	PASS
Band41	10MHz	64QAM	41540	50RB#0	21.57	17.81	33.01	PASS
Band41	15MHz	QPSK	39725	1RB#0	24.96	21.2	33.01	PASS
Band41	15MHz	QPSK	39725	1RB#37	25.03	21.27	33.01	PASS
Band41	15MHz	QPSK	39725	1RB#74	25.01	21.25	33.01	PASS
Band41	15MHz	QPSK	39725	36RB#0	23.87	20.11	33.01	PASS
Band41	15MHz	QPSK	39725	36RB#16	23.86	20.1	33.01	PASS
Band41	15MHz	QPSK	39725	36RB#35	23.85	20.09	33.01	PASS
Band41	15MHz	QPSK	39725	75RB#0	23.92	20.16	33.01	PASS
Band41	15MHz	QPSK	40620	1RB#0	24.61	20.85	33.01	PASS
Band41	15MHz	QPSK	40620	1RB#37	24.65	20.89	33.01	PASS
Band41	15MHz	QPSK	40620	1RB#74	24.58	20.82	33.01	PASS
Band41	15MHz	QPSK	40620	36RB#0	23.56	19.8	33.01	PASS
Band41	15MHz	QPSK	40620	36RB#16	23.56	19.8	33.01	PASS
Band41	15MHz	QPSK	40620	36RB#35	23.52	19.76	33.01	PASS
Band41	15MHz	QPSK	40620	75RB#0	23.57	19.81	33.01	PASS
Band41	15MHz	QPSK	41515	1RB#0	24.52	20.76	33.01	PASS
Band41	15MHz	QPSK	41515	1RB#37	24.72	20.96	33.01	PASS
Band41	15MHz	QPSK	41515	1RB#74	24.76	21	33.01	PASS
Band41	15MHz	QPSK	41515	36RB#0	23.44	19.68	33.01	PASS
Band41	15MHz	QPSK	41515	36RB#16	23.45	19.69	33.01	PASS

Band41	15MHz	QPSK	41515	36RB#35	23.43	19.67	33.01	PASS
Band41	15MHz	QPSK	41515	75RB#0	23.51	19.75	33.01	PASS
Band41	15MHz	16QAM	39725	1RB#0	23.84	20.08	33.01	PASS
Band41	15MHz	16QAM	39725	1RB#37	23.95	20.19	33.01	PASS
Band41	15MHz	16QAM	39725	1RB#74	23.96	20.2	33.01	PASS
Band41	15MHz	16QAM	39725	36RB#0	22.90	19.14	33.01	PASS
Band41	15MHz	16QAM	39725	36RB#16	22.88	19.12	33.01	PASS
Band41	15MHz	16QAM	39725	36RB#35	22.90	19.14	33.01	PASS
Band41	15MHz	16QAM	39725	75RB#0	22.92	19.16	33.01	PASS
Band41	15MHz	16QAM	40620	1RB#0	23.92	20.16	33.01	PASS
Band41	15MHz	16QAM	40620	1RB#37	23.99	20.23	33.01	PASS
Band41	15MHz	16QAM	40620	1RB#74	23.91	20.15	33.01	PASS
Band41	15MHz	16QAM	40620	36RB#0	22.58	18.82	33.01	PASS
Band41	15MHz	16QAM	40620	36RB#16	22.58	18.82	33.01	PASS
Band41	15MHz	16QAM	40620	36RB#35	22.58	18.82	33.01	PASS
Band41	15MHz	16QAM	40620	75RB#0	22.61	18.85	33.01	PASS
Band41	15MHz	16QAM	41515	1RB#0	23.42	19.66	33.01	PASS
Band41	15MHz	16QAM	41515	1RB#37	23.58	19.82	33.01	PASS
Band41	15MHz	16QAM	41515	1RB#74	23.64	19.88	33.01	PASS
Band41	15MHz	16QAM	41515	36RB#0	22.46	18.7	33.01	PASS
Band41	15MHz	16QAM	41515	36RB#16	22.47	18.71	33.01	PASS
Band41	15MHz	16QAM	41515	36RB#35	22.48	18.72	33.01	PASS
Band41	15MHz	16QAM	41515	75RB#0	22.54	18.78	33.01	PASS
Band41	15MHz	64QAM	39725	1RB#0	23.12	19.36	33.01	PASS
Band41	15MHz	64QAM	39725	1RB#37	23.23	19.47	33.01	PASS
Band41	15MHz	64QAM	39725	1RB#74	23.25	19.49	33.01	PASS
Band41	15MHz	64QAM	39725	36RB#0	21.90	18.14	33.01	PASS
Band41	15MHz	64QAM	39725	36RB#16	21.89	18.13	33.01	PASS
Band41	15MHz	64QAM	39725	36RB#35	21.90	18.14	33.01	PASS
Band41	15MHz	64QAM	39725	75RB#0	21.90	18.14	33.01	PASS
Band41	15MHz	64QAM	40620	1RB#0	22.95	19.19	33.01	PASS
Band41	15MHz	64QAM	40620	1RB#37	23.02	19.26	33.01	PASS
Band41	15MHz	64QAM	40620	1RB#74	22.93	19.17	33.01	PASS
Band41	15MHz	64QAM	40620	36RB#0	21.58	17.82	33.01	PASS
Band41	15MHz	64QAM	40620	36RB#16	21.58	17.82	33.01	PASS
Band41	15MHz	64QAM	40620	36RB#35	21.58	17.82	33.01	PASS
Band41	15MHz	64QAM	40620	75RB#0	21.59	17.83	33.01	PASS
Band41	15MHz	64QAM	41515	1RB#0	22.70	18.94	33.01	PASS
Band41	15MHz	64QAM	41515	1RB#37	22.89	19.13	33.01	PASS
Band41	15MHz	64QAM	41515	1RB#74	22.96	19.2	33.01	PASS
Band41	15MHz	64QAM	41515	36RB#0	21.47	17.71	33.01	PASS
Band41	15MHz	64QAM	41515	36RB#16	21.47	17.71	33.01	PASS
Band41	15MHz	64QAM	41515	36RB#35	21.46	17.7	33.01	PASS
Band41	15MHz	64QAM	41515	75RB#0	21.53	17.77	33.01	PASS
Band41	20MHz	QPSK	39750	1RB#0	24.73	20.97	33.01	PASS
Band41	20MHz	QPSK	39750	1RB#49	24.90	21.14	33.01	PASS
Band41	20MHz	QPSK	39750	1RB#99	24.90	21.14	33.01	PASS

Band41	20MHz	QPSK	39750	50RB#0	23.94	20.18	33.01	PASS
Band41	20MHz	QPSK	39750	50RB#24	23.92	20.16	33.01	PASS
Band41	20MHz	QPSK	39750	50RB#49	23.92	20.16	33.01	PASS
Band41	20MHz	QPSK	39750	100RB#0	23.93	20.17	33.01	PASS
Band41	20MHz	QPSK	40620	1RB#0	24.51	20.75	33.01	PASS
Band41	20MHz	QPSK	40620	1RB#49	24.61	20.85	33.01	PASS
Band41	20MHz	QPSK	40620	1RB#99	24.51	20.75	33.01	PASS
Band41	20MHz	QPSK	40620	50RB#0	23.60	19.84	33.01	PASS
Band41	20MHz	QPSK	40620	50RB#24	23.59	19.83	33.01	PASS
Band41	20MHz	QPSK	40620	50RB#49	23.59	19.83	33.01	PASS
Band41	20MHz	QPSK	40620	100RB#0	23.64	19.88	33.01	PASS
Band41	20MHz	QPSK	41490	1RB#0	24.23	20.47	33.01	PASS
Band41	20MHz	QPSK	41490	1RB#49	24.43	20.67	33.01	PASS
Band41	20MHz	QPSK	41490	1RB#99	24.52	20.76	33.01	PASS
Band41	20MHz	QPSK	41490	50RB#0	23.43	19.67	33.01	PASS
Band41	20MHz	QPSK	41490	50RB#24	23.41	19.65	33.01	PASS
Band41	20MHz	QPSK	41490	50RB#49	23.42	19.66	33.01	PASS
Band41	20MHz	QPSK	41490	100RB#0	23.48	19.72	33.01	PASS
Band41	20MHz	16QAM	39750	1RB#0	23.91	20.15	33.01	PASS
Band41	20MHz	16QAM	39750	1RB#49	24.10	20.34	33.01	PASS
Band41	20MHz	16QAM	39750	1RB#99	24.07	20.31	33.01	PASS
Band41	20MHz	16QAM	39750	50RB#0	22.94	19.18	33.01	PASS
Band41	20MHz	16QAM	39750	50RB#24	22.92	19.16	33.01	PASS
Band41	20MHz	16QAM	39750	50RB#49	22.97	19.21	33.01	PASS
Band41	20MHz	16QAM	39750	100RB#0	22.92	19.16	33.01	PASS
Band41	20MHz	16QAM	40620	1RB#0	23.67	19.91	33.01	PASS
Band41	20MHz	16QAM	40620	1RB#49	23.76	20	33.01	PASS
Band41	20MHz	16QAM	40620	1RB#99	23.67	19.91	33.01	PASS
Band41	20MHz	16QAM	40620	50RB#0	22.59	18.83	33.01	PASS
Band41	20MHz	16QAM	40620	50RB#24	22.58	18.82	33.01	PASS
Band41	20MHz	16QAM	40620	50RB#49	22.57	18.81	33.01	PASS
Band41	20MHz	16QAM	40620	100RB#0	22.61	18.85	33.01	PASS
Band41	20MHz	16QAM	41490	1RB#0	22.96	19.2	33.01	PASS
Band41	20MHz	16QAM	41490	1RB#49	23.16	19.4	33.01	PASS
Band41	20MHz	16QAM	41490	1RB#99	23.29	19.53	33.01	PASS
Band41	20MHz	16QAM	41490	50RB#0	22.45	18.69	33.01	PASS
Band41	20MHz	16QAM	41490	50RB#24	22.44	18.68	33.01	PASS
Band41	20MHz	16QAM	41490	50RB#49	22.42	18.66	33.01	PASS
Band41	20MHz	16QAM	41490	100RB#0	22.50	18.74	33.01	PASS
Band41	20MHz	64QAM	39750	1RB#0	22.90	19.14	33.01	PASS
Band41	20MHz	64QAM	39750	1RB#49	23.07	19.31	33.01	PASS
Band41	20MHz	64QAM	39750	1RB#99	23.06	19.3	33.01	PASS
Band41	20MHz	64QAM	39750	50RB#0	21.88	18.12	33.01	PASS
Band41	20MHz	64QAM	39750	50RB#24	21.91	18.15	33.01	PASS
Band41	20MHz	64QAM	39750	50RB#49	21.90	18.14	33.01	PASS
Band41	20MHz	64QAM	39750	100RB#0	21.89	18.13	33.01	PASS
Band41	20MHz	64QAM	40620	1RB#0	22.68	18.92	33.01	PASS

Band41	20MHz	64QAM	40620	1RB#49	22.77	19.01	33.01	PASS
Band41	20MHz	64QAM	40620	1RB#99	22.66	18.9	33.01	PASS
Band41	20MHz	64QAM	40620	50RB#0	21.52	17.76	33.01	PASS
Band41	20MHz	64QAM	40620	50RB#24	21.54	17.78	33.01	PASS
Band41	20MHz	64QAM	40620	50RB#49	21.52	17.76	33.01	PASS
Band41	20MHz	64QAM	40620	100RB#0	21.58	17.82	33.01	PASS
Band41	20MHz	64QAM	41490	1RB#0	22.38	18.62	33.01	PASS
Band41	20MHz	64QAM	41490	1RB#49	22.57	18.81	33.01	PASS
Band41	20MHz	64QAM	41490	1RB#99	22.70	18.94	33.01	PASS
Band41	20MHz	64QAM	41490	50RB#0	21.44	17.68	33.01	PASS
Band41	20MHz	64QAM	41490	50RB#24	21.46	17.7	33.01	PASS
Band41	20MHz	64QAM	41490	50RB#49	21.46	17.7	33.01	PASS
Band41	20MHz	64QAM	41490	100RB#0	21.49	17.73	33.01	PASS
42(3450-3550)	5MHz	QPSK	42115	1RB#0	22.90	21.05	30.00	PASS
42(3450-3550)	5MHz	QPSK	42115	1RB#12	22.87	21.02	30.00	PASS
42(3450-3550)	5MHz	QPSK	42115	1RB#24	22.86	21.01	30.00	PASS
42(3450-3550)	5MHz	QPSK	42115	12RB#0	21.90	20.05	30.00	PASS
42(3450-3550)	5MHz	QPSK	42115	12RB#6	21.98	20.13	30.00	PASS
42(3450-3550)	5MHz	QPSK	42115	12RB#13	21.94	20.09	30.00	PASS
42(3450-3550)	5MHz	QPSK	42115	25RB#0	21.96	20.11	30.00	PASS
42(3450-3550)	5MHz	QPSK	42590	1RB#0	23.09	21.24	30.00	PASS
42(3450-3550)	5MHz	QPSK	42590	1RB#12	23.05	21.2	30.00	PASS
42(3450-3550)	5MHz	QPSK	42590	1RB#24	23.03	21.18	30.00	PASS
42(3450-3550)	5MHz	QPSK	42590	12RB#0	22.12	20.27	30.00	PASS
42(3450-3550)	5MHz	QPSK	42590	12RB#6	22.14	20.29	30.00	PASS
42(3450-3550)	5MHz	QPSK	42590	12RB#13	22.00	20.15	30.00	PASS
42(3450-3550)	5MHz	QPSK	42590	25RB#0	22.09	20.24	30.00	PASS
42(3450-3550)	5MHz	QPSK	43065	1RB#0	22.96	21.11	30.00	PASS
42(3450-3550)	5MHz	QPSK	43065	1RB#12	22.88	21.03	30.00	PASS
42(3450-3550)	5MHz	QPSK	43065	1RB#24	22.94	21.09	30.00	PASS
42(3450-3550)	5MHz	QPSK	43065	12RB#0	21.89	20.04	30.00	PASS
42(3450-3550)	5MHz	QPSK	43065	12RB#6	21.96	20.11	30.00	PASS
42(3450-3550)	5MHz	QPSK	43065	12RB#13	21.89	20.04	30.00	PASS
42(3450-3550)	5MHz	QPSK	43065	25RB#0	21.92	20.07	30.00	PASS
42(3450-3550)	5MHz	16QAM	42115	1RB#0	22.01	20.16	30.00	PASS
42(3450-3550)	5MHz	16QAM	42115	1RB#12	22.04	20.19	30.00	PASS
42(3450-3550)	5MHz	16QAM	42115	1RB#24	22.24	20.39	30.00	PASS
42(3450-3550)	5MHz	16QAM	42115	12RB#0	20.89	19.04	30.00	PASS
42(3450-3550)	5MHz	16QAM	42115	12RB#6	20.92	19.07	30.00	PASS
42(3450-3550)	5MHz	16QAM	42115	12RB#13	20.87	19.02	30.00	PASS
42(3450-3550)	5MHz	16QAM	42115	25RB#0	20.93	19.08	30.00	PASS
42(3450-3550)	5MHz	16QAM	42590	1RB#0	22.17	20.32	30.00	PASS
42(3450-3550)	5MHz	16QAM	42590	1RB#12	22.16	20.31	30.00	PASS
42(3450-3550)	5MHz	16QAM	42590	1RB#24	22.14	20.29	30.00	PASS
42(3450-3550)	5MHz	16QAM	42590	12RB#0	21.12	19.27	30.00	PASS
42(3450-3550)	5MHz	16QAM	42590	12RB#6	21.13	19.28	30.00	PASS
42(3450-3550)	5MHz	16QAM	42590	12RB#13	21.06	19.21	30.00	PASS



42(3450-3550)	5MHz	16QAM	42590	25RB#0	21.06	19.21	30.00	PASS
42(3450-3550)	5MHz	16QAM	43065	1RB#0	21.96	20.11	30.00	PASS
42(3450-3550)	5MHz	16QAM	43065	1RB#12	21.95	20.1	30.00	PASS
42(3450-3550)	5MHz	16QAM	43065	1RB#24	21.94	20.09	30.00	PASS
42(3450-3550)	5MHz	16QAM	43065	12RB#0	20.81	18.96	30.00	PASS
42(3450-3550)	5MHz	16QAM	43065	12RB#6	20.88	19.03	30.00	PASS
42(3450-3550)	5MHz	16QAM	43065	12RB#13	20.86	19.01	30.00	PASS
42(3450-3550)	5MHz	16QAM	43065	25RB#0	20.89	19.04	30.00	PASS
42(3450-3550)	5MHz	64QAM	42115	1RB#0	21.33	19.48	30.00	PASS
42(3450-3550)	5MHz	64QAM	42115	1RB#12	21.32	19.47	30.00	PASS
42(3450-3550)	5MHz	64QAM	42115	1RB#24	21.09	19.24	30.00	PASS
42(3450-3550)	5MHz	64QAM	42115	12RB#0	19.83	17.98	30.00	PASS
42(3450-3550)	5MHz	64QAM	42115	12RB#6	19.86	18.01	30.00	PASS
42(3450-3550)	5MHz	64QAM	42115	12RB#13	19.82	17.97	30.00	PASS
42(3450-3550)	5MHz	64QAM	42115	25RB#0	19.91	18.06	30.00	PASS
42(3450-3550)	5MHz	64QAM	42590	1RB#0	21.55	19.7	30.00	PASS
42(3450-3550)	5MHz	64QAM	42590	1RB#12	21.48	19.63	30.00	PASS
42(3450-3550)	5MHz	64QAM	42590	1RB#24	21.47	19.62	30.00	PASS
42(3450-3550)	5MHz	64QAM	42590	12RB#0	20.15	18.3	30.00	PASS
42(3450-3550)	5MHz	64QAM	42590	12RB#6	20.09	18.24	30.00	PASS
42(3450-3550)	5MHz	64QAM	42590	12RB#13	20.06	18.21	30.00	PASS
42(3450-3550)	5MHz	64QAM	42590	25RB#0	19.97	18.12	30.00	PASS
42(3450-3550)	5MHz	64QAM	43065	1RB#0	20.81	18.96	30.00	PASS
42(3450-3550)	5MHz	64QAM	43065	1RB#12	20.84	18.99	30.00	PASS
42(3450-3550)	5MHz	64QAM	43065	1RB#24	20.85	19	30.00	PASS
42(3450-3550)	5MHz	64QAM	43065	12RB#0	19.79	17.94	30.00	PASS
42(3450-3550)	5MHz	64QAM	43065	12RB#6	19.84	17.99	30.00	PASS
42(3450-3550)	5MHz	64QAM	43065	12RB#13	19.82	17.97	30.00	PASS
42(3450-3550)	5MHz	64QAM	43065	25RB#0	19.91	18.06	30.00	PASS
42(3450-3550)	10MHz	QPSK	42140	1RB#0	22.98	21.13	30.00	PASS
42(3450-3550)	10MHz	QPSK	42140	1RB#24	22.98	21.13	30.00	PASS
42(3450-3550)	10MHz	QPSK	42140	1RB#49	22.88	21.03	30.00	PASS
42(3450-3550)	10MHz	QPSK	42140	25RB#0	21.92	20.07	30.00	PASS
42(3450-3550)	10MHz	QPSK	42140	25RB#12	21.97	20.12	30.00	PASS
42(3450-3550)	10MHz	QPSK	42140	25RB#25	21.91	20.06	30.00	PASS
42(3450-3550)	10MHz	QPSK	42140	50RB#0	21.91	20.06	30.00	PASS
42(3450-3550)	10MHz	QPSK	42590	1RB#0	23.10	21.25	30.00	PASS
42(3450-3550)	10MHz	QPSK	42590	1RB#24	23.15	21.3	30.00	PASS
42(3450-3550)	10MHz	QPSK	42590	1RB#49	23.09	21.24	30.00	PASS
42(3450-3550)	10MHz	QPSK	42590	25RB#0	22.08	20.23	30.00	PASS
42(3450-3550)	10MHz	QPSK	42590	25RB#12	22.06	20.21	30.00	PASS
42(3450-3550)	10MHz	QPSK	42590	25RB#25	22.07	20.22	30.00	PASS
42(3450-3550)	10MHz	QPSK	42590	50RB#0	22.10	20.25	30.00	PASS
42(3450-3550)	10MHz	QPSK	43040	1RB#0	22.94	21.09	30.00	PASS
42(3450-3550)	10MHz	QPSK	43040	1RB#24	22.95	21.1	30.00	PASS
42(3450-3550)	10MHz	QPSK	43040	1RB#49	22.92	21.07	30.00	PASS
42(3450-3550)	10MHz	QPSK	43040	25RB#0	21.86	20.01	30.00	PASS

42(3450-3550)	10MHz	QPSK	43040	25RB#12	21.87	20.02	30.00	PASS
42(3450-3550)	10MHz	QPSK	43040	25RB#25	21.85	20	30.00	PASS
42(3450-3550)	10MHz	QPSK	43040	50RB#0	21.90	20.05	30.00	PASS
42(3450-3550)	10MHz	16QAM	42140	1RB#0	22.18	20.33	30.00	PASS
42(3450-3550)	10MHz	16QAM	42140	1RB#24	22.16	20.31	30.00	PASS
42(3450-3550)	10MHz	16QAM	42140	1RB#49	22.06	20.21	30.00	PASS
42(3450-3550)	10MHz	16QAM	42140	25RB#0	20.98	19.13	30.00	PASS
42(3450-3550)	10MHz	16QAM	42140	25RB#12	21.00	19.15	30.00	PASS
42(3450-3550)	10MHz	16QAM	42140	25RB#25	20.95	19.1	30.00	PASS
42(3450-3550)	10MHz	16QAM	42140	50RB#0	20.94	19.09	30.00	PASS
42(3450-3550)	10MHz	16QAM	42590	1RB#0	21.79	19.94	30.00	PASS
42(3450-3550)	10MHz	16QAM	42590	1RB#24	21.87	20.02	30.00	PASS
42(3450-3550)	10MHz	16QAM	42590	1RB#49	21.79	19.94	30.00	PASS
42(3450-3550)	10MHz	16QAM	42590	25RB#0	21.06	19.21	30.00	PASS
42(3450-3550)	10MHz	16QAM	42590	25RB#12	21.03	19.18	30.00	PASS
42(3450-3550)	10MHz	16QAM	42590	25RB#25	21.03	19.18	30.00	PASS
42(3450-3550)	10MHz	16QAM	42590	50RB#0	21.06	19.21	30.00	PASS
42(3450-3550)	10MHz	16QAM	43040	1RB#0	21.79	19.94	30.00	PASS
42(3450-3550)	10MHz	16QAM	43040	1RB#24	21.82	19.97	30.00	PASS
42(3450-3550)	10MHz	16QAM	43040	1RB#49	21.81	19.96	30.00	PASS
42(3450-3550)	10MHz	16QAM	43040	25RB#0	20.90	19.05	30.00	PASS
42(3450-3550)	10MHz	16QAM	43040	25RB#12	20.83	18.98	30.00	PASS
42(3450-3550)	10MHz	16QAM	43040	25RB#25	20.91	19.06	30.00	PASS
42(3450-3550)	10MHz	16QAM	43040	50RB#0	20.90	19.05	30.00	PASS
42(3450-3550)	10MHz	64QAM	42140	1RB#0	21.15	19.3	30.00	PASS
42(3450-3550)	10MHz	64QAM	42140	1RB#24	21.21	19.36	30.00	PASS
42(3450-3550)	10MHz	64QAM	42140	1RB#49	21.10	19.25	30.00	PASS
42(3450-3550)	10MHz	64QAM	42140	25RB#0	19.94	18.09	30.00	PASS
42(3450-3550)	10MHz	64QAM	42140	25RB#12	19.92	18.07	30.00	PASS
42(3450-3550)	10MHz	64QAM	42140	25RB#25	19.83	17.98	30.00	PASS
42(3450-3550)	10MHz	64QAM	42140	50RB#0	19.88	18.03	30.00	PASS
42(3450-3550)	10MHz	64QAM	42590	1RB#0	20.79	18.94	30.00	PASS
42(3450-3550)	10MHz	64QAM	42590	1RB#24	20.85	19	30.00	PASS
42(3450-3550)	10MHz	64QAM	42590	1RB#49	20.78	18.93	30.00	PASS
42(3450-3550)	10MHz	64QAM	42590	25RB#0	19.93	18.08	30.00	PASS
42(3450-3550)	10MHz	64QAM	42590	25RB#12	19.92	18.07	30.00	PASS
42(3450-3550)	10MHz	64QAM	42590	25RB#25	19.90	18.05	30.00	PASS
42(3450-3550)	10MHz	64QAM	42590	50RB#0	19.98	18.13	30.00	PASS
42(3450-3550)	10MHz	64QAM	43040	1RB#0	21.23	19.38	30.00	PASS
42(3450-3550)	10MHz	64QAM	43040	1RB#24	21.25	19.4	30.00	PASS
42(3450-3550)	10MHz	64QAM	43040	1RB#49	21.27	19.42	30.00	PASS
42(3450-3550)	10MHz	64QAM	43040	25RB#0	19.89	18.04	30.00	PASS
42(3450-3550)	10MHz	64QAM	43040	25RB#12	19.80	17.95	30.00	PASS
42(3450-3550)	10MHz	64QAM	43040	25RB#25	19.92	18.07	30.00	PASS
42(3450-3550)	10MHz	64QAM	43040	50RB#0	19.87	18.02	30.00	PASS
42(3450-3550)	15MHz	QPSK	42165	1RB#0	22.91	21.06	30.00	PASS
42(3450-3550)	15MHz	QPSK	42165	1RB#38	22.93	21.08	30.00	PASS

42(3450-3550)	15MHz	QPSK	42165	1RB#74	22.81	20.96	30.00	PASS
42(3450-3550)	15MHz	QPSK	42165	38RB#0	21.84	19.99	30.00	PASS
42(3450-3550)	15MHz	QPSK	42165	38RB#18	21.89	20.04	30.00	PASS
42(3450-3550)	15MHz	QPSK	42165	38RB#37	21.89	20.04	30.00	PASS
42(3450-3550)	15MHz	QPSK	42165	75RB#0	21.88	20.03	30.00	PASS
42(3450-3550)	15MHz	QPSK	42590	1RB#0	23.15	21.3	30.00	PASS
42(3450-3550)	15MHz	QPSK	42590	1RB#38	23.21	21.36	30.00	PASS
42(3450-3550)	15MHz	QPSK	42590	1RB#74	23.15	21.3	30.00	PASS
42(3450-3550)	15MHz	QPSK	42590	38RB#0	22.09	20.24	30.00	PASS
42(3450-3550)	15MHz	QPSK	42590	38RB#18	22.07	20.22	30.00	PASS
42(3450-3550)	15MHz	QPSK	42590	38RB#37	22.06	20.21	30.00	PASS
42(3450-3550)	15MHz	QPSK	42590	75RB#0	22.07	20.22	30.00	PASS
42(3450-3550)	15MHz	QPSK	43015	1RB#0	22.89	21.04	30.00	PASS
42(3450-3550)	15MHz	QPSK	43015	1RB#38	22.84	20.99	30.00	PASS
42(3450-3550)	15MHz	QPSK	43015	1RB#74	22.85	21	30.00	PASS
42(3450-3550)	15MHz	QPSK	43015	38RB#0	21.87	20.02	30.00	PASS
42(3450-3550)	15MHz	QPSK	43015	38RB#18	21.83	19.98	30.00	PASS
42(3450-3550)	15MHz	QPSK	43015	38RB#37	21.84	19.99	30.00	PASS
42(3450-3550)	15MHz	QPSK	43015	75RB#0	21.84	19.99	30.00	PASS
42(3450-3550)	15MHz	16QAM	42165	1RB#0	22.11	20.26	30.00	PASS
42(3450-3550)	15MHz	16QAM	42165	1RB#38	22.10	20.25	30.00	PASS
42(3450-3550)	15MHz	16QAM	42165	1RB#74	21.99	20.14	30.00	PASS
42(3450-3550)	15MHz	16QAM	42165	38RB#0	21.90	20.05	30.00	PASS
42(3450-3550)	15MHz	16QAM	42165	38RB#18	21.89	20.04	30.00	PASS
42(3450-3550)	15MHz	16QAM	42165	38RB#37	21.90	20.05	30.00	PASS
42(3450-3550)	15MHz	16QAM	42165	75RB#0	20.89	19.04	30.00	PASS
42(3450-3550)	15MHz	16QAM	42590	1RB#0	21.87	20.02	30.00	PASS
42(3450-3550)	15MHz	16QAM	42590	1RB#38	21.96	20.11	30.00	PASS
42(3450-3550)	15MHz	16QAM	42590	1RB#74	21.85	20	30.00	PASS
42(3450-3550)	15MHz	16QAM	42590	38RB#0	22.08	20.23	30.00	PASS
42(3450-3550)	15MHz	16QAM	42590	38RB#18	22.06	20.21	30.00	PASS
42(3450-3550)	15MHz	16QAM	42590	38RB#37	22.05	20.2	30.00	PASS
42(3450-3550)	15MHz	16QAM	42590	75RB#0	21.05	19.2	30.00	PASS
42(3450-3550)	15MHz	16QAM	43015	1RB#0	21.79	19.94	30.00	PASS
42(3450-3550)	15MHz	16QAM	43015	1RB#38	21.77	19.92	30.00	PASS
42(3450-3550)	15MHz	16QAM	43015	1RB#74	21.76	19.91	30.00	PASS
42(3450-3550)	15MHz	16QAM	43015	38RB#0	21.84	19.99	30.00	PASS
42(3450-3550)	15MHz	16QAM	43015	38RB#18	21.83	19.98	30.00	PASS
42(3450-3550)	15MHz	16QAM	43015	38RB#37	21.84	19.99	30.00	PASS
42(3450-3550)	15MHz	16QAM	43015	75RB#0	20.81	18.96	30.00	PASS
42(3450-3550)	15MHz	64QAM	42165	1RB#0	21.12	19.27	30.00	PASS
42(3450-3550)	15MHz	64QAM	42165	1RB#38	21.12	19.27	30.00	PASS
42(3450-3550)	15MHz	64QAM	42165	1RB#74	20.97	19.12	30.00	PASS
42(3450-3550)	15MHz	64QAM	42165	38RB#0	21.90	20.05	30.00	PASS
42(3450-3550)	15MHz	64QAM	42165	38RB#18	21.89	20.04	30.00	PASS
42(3450-3550)	15MHz	64QAM	42165	38RB#37	21.89	20.04	30.00	PASS
42(3450-3550)	15MHz	64QAM	42165	75RB#0	19.90	18.05	30.00	PASS

42(3450-3550)	15MHz	64QAM	42590	1RB#0	21.21	19.36	30.00	PASS
42(3450-3550)	15MHz	64QAM	42590	1RB#38	21.29	19.44	30.00	PASS
42(3450-3550)	15MHz	64QAM	42590	1RB#74	21.21	19.36	30.00	PASS
42(3450-3550)	15MHz	64QAM	42590	38RB#0	22.07	20.22	30.00	PASS
42(3450-3550)	15MHz	64QAM	42590	38RB#18	22.06	20.21	30.00	PASS
42(3450-3550)	15MHz	64QAM	42590	38RB#37	22.05	20.2	30.00	PASS
42(3450-3550)	15MHz	64QAM	42590	75RB#0	20.05	18.2	30.00	PASS
42(3450-3550)	15MHz	64QAM	43015	1RB#0	21.22	19.37	30.00	PASS
42(3450-3550)	15MHz	64QAM	43015	1RB#38	21.20	19.35	30.00	PASS
42(3450-3550)	15MHz	64QAM	43015	1RB#74	21.20	19.35	30.00	PASS
42(3450-3550)	15MHz	64QAM	43015	38RB#0	21.84	19.99	30.00	PASS
42(3450-3550)	15MHz	64QAM	43015	38RB#18	21.84	19.99	30.00	PASS
42(3450-3550)	15MHz	64QAM	43015	38RB#37	21.84	19.99	30.00	PASS
42(3450-3550)	15MHz	64QAM	43015	75RB#0	19.87	18.02	30.00	PASS
42(3450-3550)	20MHz	QPSK	42190	1RB#0	22.87	21.02	30.00	PASS
42(3450-3550)	20MHz	QPSK	42190	1RB#49	22.87	21.02	30.00	PASS
42(3450-3550)	20MHz	QPSK	42190	1RB#99	22.65	20.8	30.00	PASS
42(3450-3550)	20MHz	QPSK	42190	50RB#0	21.93	20.08	30.00	PASS
42(3450-3550)	20MHz	QPSK	42190	50RB#25	21.87	20.02	30.00	PASS
42(3450-3550)	20MHz	QPSK	42190	50RB#50	21.84	19.99	30.00	PASS
42(3450-3550)	20MHz	QPSK	42190	100RB#0	21.82	19.97	30.00	PASS
42(3450-3550)	20MHz	QPSK	42590	1RB#0	22.92	21.07	30.00	PASS
42(3450-3550)	20MHz	QPSK	42590	1RB#49	23.04	21.19	30.00	PASS
42(3450-3550)	20MHz	QPSK	42590	1RB#99	22.89	21.04	30.00	PASS
42(3450-3550)	20MHz	QPSK	42590	50RB#0	22.08	20.23	30.00	PASS
42(3450-3550)	20MHz	QPSK	42590	50RB#25	22.08	20.23	30.00	PASS
42(3450-3550)	20MHz	QPSK	42590	50RB#50	22.11	20.26	30.00	PASS
42(3450-3550)	20MHz	QPSK	42590	100RB#0	22.05	20.2	30.00	PASS
42(3450-3550)	20MHz	QPSK	42990	1RB#0	23.00	21.15	30.00	PASS
42(3450-3550)	20MHz	QPSK	42990	1RB#49	22.91	21.06	30.00	PASS
42(3450-3550)	20MHz	QPSK	42990	1RB#99	22.80	20.95	30.00	PASS
42(3450-3550)	20MHz	QPSK	42990	50RB#0	21.91	20.06	30.00	PASS
42(3450-3550)	20MHz	QPSK	42990	50RB#25	21.96	20.11	30.00	PASS
42(3450-3550)	20MHz	QPSK	42990	50RB#50	21.86	20.01	30.00	PASS
42(3450-3550)	20MHz	QPSK	42990	100RB#0	21.90	20.05	30.00	PASS
42(3450-3550)	20MHz	16QAM	42190	1RB#0	21.93	20.08	30.00	PASS
42(3450-3550)	20MHz	16QAM	42190	1RB#49	21.88	20.03	30.00	PASS
42(3450-3550)	20MHz	16QAM	42190	1RB#99	21.69	19.84	30.00	PASS
42(3450-3550)	20MHz	16QAM	42190	50RB#0	20.91	19.06	30.00	PASS
42(3450-3550)	20MHz	16QAM	42190	50RB#25	20.86	19.01	30.00	PASS
42(3450-3550)	20MHz	16QAM	42190	50RB#50	20.83	18.98	30.00	PASS
42(3450-3550)	20MHz	16QAM	42190	100RB#0	20.84	18.99	30.00	PASS
42(3450-3550)	20MHz	16QAM	42590	1RB#0	21.56	19.71	30.00	PASS
42(3450-3550)	20MHz	16QAM	42590	1RB#49	21.66	19.81	30.00	PASS
42(3450-3550)	20MHz	16QAM	42590	1RB#99	21.50	19.65	30.00	PASS
42(3450-3550)	20MHz	16QAM	42590	50RB#0	21.08	19.23	30.00	PASS
42(3450-3550)	20MHz	16QAM	42590	50RB#25	21.14	19.29	30.00	PASS

42(3450-3550)	20MHz	16QAM	42590	50RB#50	21.11	19.26	30.00	PASS
42(3450-3550)	20MHz	16QAM	42590	100RB#0	21.08	19.23	30.00	PASS
42(3450-3550)	20MHz	16QAM	42990	1RB#0	21.62	19.77	30.00	PASS
42(3450-3550)	20MHz	16QAM	42990	1RB#49	21.58	19.73	30.00	PASS
42(3450-3550)	20MHz	16QAM	42990	1RB#99	21.42	19.57	30.00	PASS
42(3450-3550)	20MHz	16QAM	42990	50RB#0	20.91	19.06	30.00	PASS
42(3450-3550)	20MHz	16QAM	42990	50RB#25	20.89	19.04	30.00	PASS
42(3450-3550)	20MHz	16QAM	42990	50RB#50	20.79	18.94	30.00	PASS
42(3450-3550)	20MHz	16QAM	42990	100RB#0	20.86	19.01	30.00	PASS
42(3450-3550)	20MHz	64QAM	42190	1RB#0	20.83	18.98	30.00	PASS
42(3450-3550)	20MHz	64QAM	42190	1RB#49	20.75	18.9	30.00	PASS
42(3450-3550)	20MHz	64QAM	42190	1RB#99	20.59	18.74	30.00	PASS
42(3450-3550)	20MHz	64QAM	42190	50RB#0	19.83	17.98	30.00	PASS
42(3450-3550)	20MHz	64QAM	42190	50RB#25	19.85	18	30.00	PASS
42(3450-3550)	20MHz	64QAM	42190	50RB#50	19.74	17.89	30.00	PASS
42(3450-3550)	20MHz	64QAM	42190	100RB#0	19.83	17.98	30.00	PASS
42(3450-3550)	20MHz	64QAM	42590	1RB#0	20.97	19.12	30.00	PASS
42(3450-3550)	20MHz	64QAM	42590	1RB#49	21.11	19.26	30.00	PASS
42(3450-3550)	20MHz	64QAM	42590	1RB#99	20.92	19.07	30.00	PASS
42(3450-3550)	20MHz	64QAM	42590	50RB#0	20.11	18.26	30.00	PASS
42(3450-3550)	20MHz	64QAM	42590	50RB#25	20.13	18.28	30.00	PASS
42(3450-3550)	20MHz	64QAM	42590	50RB#50	20.14	18.29	30.00	PASS
42(3450-3550)	20MHz	64QAM	42590	100RB#0	20.07	18.22	30.00	PASS
42(3450-3550)	20MHz	64QAM	42990	1RB#0	21.02	19.17	30.00	PASS
42(3450-3550)	20MHz	64QAM	42990	1RB#49	20.93	19.08	30.00	PASS
42(3450-3550)	20MHz	64QAM	42990	1RB#99	20.83	18.98	30.00	PASS
42(3450-3550)	20MHz	64QAM	42990	50RB#0	19.87	18.02	30.00	PASS
42(3450-3550)	20MHz	64QAM	42990	50RB#25	19.89	18.04	30.00	PASS
42(3450-3550)	20MHz	64QAM	42990	50RB#50	19.78	17.93	30.00	PASS
42(3450-3550)	20MHz	64QAM	42990	100RB#0	19.82	17.97	30.00	PASS
Band66	1.4MHz	QPSK	131979	1RB#0	22.85	18.47	38.45	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	22.83	18.45	38.45	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	22.83	18.45	38.45	PASS
Band66	1.4MHz	QPSK	131979	3RB#0	22.89	18.51	38.45	PASS
Band66	1.4MHz	QPSK	131979	3RB#1	22.90	18.52	38.45	PASS
Band66	1.4MHz	QPSK	131979	3RB#2	22.92	18.54	38.45	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	22.02	17.64	38.45	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	23.01	18.63	38.45	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	22.97	18.59	38.45	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	23.01	18.63	38.45	PASS
Band66	1.4MHz	QPSK	132322	3RB#0	23.16	18.78	38.45	PASS
Band66	1.4MHz	QPSK	132322	3RB#1	23.17	18.79	38.45	PASS
Band66	1.4MHz	QPSK	132322	3RB#2	23.16	18.78	38.45	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	22.12	17.74	38.45	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	23.04	18.66	38.45	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	22.99	18.61	38.45	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	23.03	18.65	38.45	PASS

Band66	1.4MHz	QPSK	132665	3RB#0	23.30	18.92	38.45	PASS
Band66	1.4MHz	QPSK	132665	3RB#1	23.26	18.88	38.45	PASS
Band66	1.4MHz	QPSK	132665	3RB#2	23.24	18.86	38.45	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	22.21	17.83	38.45	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	21.83	17.45	38.45	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	21.87	17.49	38.45	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	21.82	17.44	38.45	PASS
Band66	1.4MHz	16QAM	131979	3RB#0	21.96	17.58	38.45	PASS
Band66	1.4MHz	16QAM	131979	3RB#1	21.92	17.54	38.45	PASS
Band66	1.4MHz	16QAM	131979	3RB#2	21.96	17.58	38.45	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	21.16	16.78	38.45	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	22.28	17.9	38.45	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	22.36	17.98	38.45	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	22.30	17.92	38.45	PASS
Band66	1.4MHz	16QAM	132322	3RB#0	22.05	17.67	38.45	PASS
Band66	1.4MHz	16QAM	132322	3RB#1	22.08	17.7	38.45	PASS
Band66	1.4MHz	16QAM	132322	3RB#2	22.05	17.67	38.45	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	20.97	16.59	38.45	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	22.31	17.93	38.45	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	22.39	18.01	38.45	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	22.42	18.04	38.45	PASS
Band66	1.4MHz	16QAM	132665	3RB#0	22.12	17.74	38.45	PASS
Band66	1.4MHz	16QAM	132665	3RB#1	22.12	17.74	38.45	PASS
Band66	1.4MHz	16QAM	132665	3RB#2	22.16	17.78	38.45	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	21.09	16.71	38.45	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	21.49	17.11	38.45	PASS
Band66	1.4MHz	64QAM	131979	1RB#2	21.46	17.08	38.45	PASS
Band66	1.4MHz	64QAM	131979	1RB#5	21.45	17.07	38.45	PASS
Band66	1.4MHz	64QAM	131979	3RB#0	21.20	16.82	38.45	PASS
Band66	1.4MHz	64QAM	131979	3RB#1	21.20	16.82	38.45	PASS
Band66	1.4MHz	64QAM	131979	3RB#2	21.22	16.84	38.45	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	20.06	15.68	38.45	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	21.11	16.73	38.45	PASS
Band66	1.4MHz	64QAM	132322	1RB#2	21.16	16.78	38.45	PASS
Band66	1.4MHz	64QAM	132322	1RB#5	21.12	16.74	38.45	PASS
Band66	1.4MHz	64QAM	132322	3RB#0	20.92	16.54	38.45	PASS
Band66	1.4MHz	64QAM	132322	3RB#1	20.94	16.56	38.45	PASS
Band66	1.4MHz	64QAM	132322	3RB#2	20.94	16.56	38.45	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	20.10	15.72	38.45	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	21.16	16.78	38.45	PASS
Band66	1.4MHz	64QAM	132665	1RB#2	21.19	16.81	38.45	PASS
Band66	1.4MHz	64QAM	132665	1RB#5	21.18	16.8	38.45	PASS
Band66	1.4MHz	64QAM	132665	3RB#0	21.01	16.63	38.45	PASS
Band66	1.4MHz	64QAM	132665	3RB#1	21.01	16.63	38.45	PASS
Band66	1.4MHz	64QAM	132665	3RB#2	21.03	16.65	38.45	PASS
Band66	1.4MHz	64QAM	132665	6RB#0	20.19	15.81	38.45	PASS
Band66	3MHz	QPSK	131987	1RB#0	22.91	18.53	38.45	PASS

Band66	3MHz	QPSK	131987	1RB#7	22.90	18.52	38.45	PASS
Band66	3MHz	QPSK	131987	1RB#14	22.90	18.52	38.45	PASS
Band66	3MHz	QPSK	131987	8RB#0	21.98	17.6	38.45	PASS
Band66	3MHz	QPSK	131987	8RB#4	21.95	17.57	38.45	PASS
Band66	3MHz	QPSK	131987	8RB#7	21.92	17.54	38.45	PASS
Band66	3MHz	QPSK	131987	15RB#0	21.94	17.56	38.45	PASS
Band66	3MHz	QPSK	132322	1RB#0	23.05	18.67	38.45	PASS
Band66	3MHz	QPSK	132322	1RB#7	23.00	18.62	38.45	PASS
Band66	3MHz	QPSK	132322	1RB#14	22.99	18.61	38.45	PASS
Band66	3MHz	QPSK	132322	8RB#0	22.14	17.76	38.45	PASS
Band66	3MHz	QPSK	132322	8RB#4	22.13	17.75	38.45	PASS
Band66	3MHz	QPSK	132322	8RB#7	22.10	17.72	38.45	PASS
Band66	3MHz	QPSK	132322	15RB#0	22.12	17.74	38.45	PASS
Band66	3MHz	QPSK	132657	1RB#0	23.21	18.83	38.45	PASS
Band66	3MHz	QPSK	132657	1RB#7	23.23	18.85	38.45	PASS
Band66	3MHz	QPSK	132657	1RB#14	23.27	18.89	38.45	PASS
Band66	3MHz	QPSK	132657	8RB#0	22.17	17.79	38.45	PASS
Band66	3MHz	QPSK	132657	8RB#4	22.16	17.78	38.45	PASS
Band66	3MHz	QPSK	132657	8RB#7	22.17	17.79	38.45	PASS
Band66	3MHz	QPSK	132657	15RB#0	22.18	17.8	38.45	PASS
Band66	3MHz	16QAM	131987	1RB#0	22.20	17.82	38.45	PASS
Band66	3MHz	16QAM	131987	1RB#7	22.12	17.74	38.45	PASS
Band66	3MHz	16QAM	131987	1RB#14	22.10	17.72	38.45	PASS
Band66	3MHz	16QAM	131987	8RB#0	21.13	16.75	38.45	PASS
Band66	3MHz	16QAM	131987	8RB#4	21.13	16.75	38.45	PASS
Band66	3MHz	16QAM	131987	8RB#7	21.08	16.7	38.45	PASS
Band66	3MHz	16QAM	131987	15RB#0	21.04	16.66	38.45	PASS
Band66	3MHz	16QAM	132322	1RB#0	22.03	17.65	38.45	PASS
Band66	3MHz	16QAM	132322	1RB#7	22.00	17.62	38.45	PASS
Band66	3MHz	16QAM	132322	1RB#14	22.00	17.62	38.45	PASS
Band66	3MHz	16QAM	132322	8RB#0	21.18	16.8	38.45	PASS
Band66	3MHz	16QAM	132322	8RB#4	21.18	16.8	38.45	PASS
Band66	3MHz	16QAM	132322	8RB#7	21.30	16.92	38.45	PASS
Band66	3MHz	16QAM	132322	15RB#0	21.23	16.85	38.45	PASS
Band66	3MHz	16QAM	132657	1RB#0	22.37	17.99	38.45	PASS
Band66	3MHz	16QAM	132657	1RB#7	22.37	17.99	38.45	PASS
Band66	3MHz	16QAM	132657	1RB#14	22.41	18.03	38.45	PASS
Band66	3MHz	16QAM	132657	8RB#0	21.20	16.82	38.45	PASS
Band66	3MHz	16QAM	132657	8RB#4	21.25	16.87	38.45	PASS
Band66	3MHz	16QAM	132657	8RB#7	21.24	16.86	38.45	PASS
Band66	3MHz	16QAM	132657	15RB#0	21.20	16.82	38.45	PASS
Band66	3MHz	64QAM	131987	1RB#0	21.18	16.8	38.45	PASS
Band66	3MHz	64QAM	131987	1RB#7	21.16	16.78	38.45	PASS
Band66	3MHz	64QAM	131987	1RB#14	21.15	16.77	38.45	PASS
Band66	3MHz	64QAM	131987	8RB#0	20.16	15.78	38.45	PASS
Band66	3MHz	64QAM	131987	8RB#4	20.15	15.77	38.45	PASS
Band66	3MHz	64QAM	131987	8RB#7	20.12	15.74	38.45	PASS

Band66	3MHz	64QAM	131987	15RB#0	20.07	15.69	38.45	PASS
Band66	3MHz	64QAM	132322	1RB#0	21.46	17.08	38.45	PASS
Band66	3MHz	64QAM	132322	1RB#7	21.49	17.11	38.45	PASS
Band66	3MHz	64QAM	132322	1RB#14	21.45	17.07	38.45	PASS
Band66	3MHz	64QAM	132322	8RB#0	20.32	15.94	38.45	PASS
Band66	3MHz	64QAM	132322	8RB#4	20.33	15.95	38.45	PASS
Band66	3MHz	64QAM	132322	8RB#7	20.24	15.86	38.45	PASS
Band66	3MHz	64QAM	132322	15RB#0	20.18	15.8	38.45	PASS
Band66	3MHz	64QAM	132657	1RB#0	21.22	16.84	38.45	PASS
Band66	3MHz	64QAM	132657	1RB#7	21.25	16.87	38.45	PASS
Band66	3MHz	64QAM	132657	1RB#14	21.15	16.77	38.45	PASS
Band66	3MHz	64QAM	132657	8RB#0	20.35	15.97	38.45	PASS
Band66	3MHz	64QAM	132657	8RB#4	20.36	15.98	38.45	PASS
Band66	3MHz	64QAM	132657	8RB#7	20.35	15.97	38.45	PASS
Band66	3MHz	64QAM	132657	15RB#0	20.42	16.04	38.45	PASS
Band66	5MHz	QPSK	131997	1RB#0	23.14	18.76	38.45	PASS
Band66	5MHz	QPSK	131997	1RB#12	23.09	18.71	38.45	PASS
Band66	5MHz	QPSK	131997	1RB#24	23.10	18.72	38.45	PASS
Band66	5MHz	QPSK	131997	12RB#0	21.97	17.59	38.45	PASS
Band66	5MHz	QPSK	131997	12RB#6	21.96	17.58	38.45	PASS
Band66	5MHz	QPSK	131997	12RB#11	21.97	17.59	38.45	PASS
Band66	5MHz	QPSK	131997	25RB#0	21.91	17.53	38.45	PASS
Band66	5MHz	QPSK	132322	1RB#0	23.37	18.99	38.45	PASS
Band66	5MHz	QPSK	132322	1RB#12	23.33	18.95	38.45	PASS
Band66	5MHz	QPSK	132322	1RB#24	23.31	18.93	38.45	PASS
Band66	5MHz	QPSK	132322	12RB#0	22.16	17.78	38.45	PASS
Band66	5MHz	QPSK	132322	12RB#6	22.17	17.79	38.45	PASS
Band66	5MHz	QPSK	132322	12RB#11	22.18	17.8	38.45	PASS
Band66	5MHz	QPSK	132322	25RB#0	22.13	17.75	38.45	PASS
Band66	5MHz	QPSK	132647	1RB#0	23.27	18.89	38.45	PASS
Band66	5MHz	QPSK	132647	1RB#12	23.31	18.93	38.45	PASS
Band66	5MHz	QPSK	132647	1RB#24	23.36	18.98	38.45	PASS
Band66	5MHz	QPSK	132647	12RB#0	22.21	17.83	38.45	PASS
Band66	5MHz	QPSK	132647	12RB#6	22.19	17.81	38.45	PASS
Band66	5MHz	QPSK	132647	12RB#11	22.24	17.86	38.45	PASS
Band66	5MHz	QPSK	132647	25RB#0	22.20	17.82	38.45	PASS
Band66	5MHz	16QAM	131997	1RB#0	22.09	17.71	38.45	PASS
Band66	5MHz	16QAM	131997	1RB#12	22.04	17.66	38.45	PASS
Band66	5MHz	16QAM	131997	1RB#24	22.01	17.63	38.45	PASS
Band66	5MHz	16QAM	131997	12RB#0	21.12	16.74	38.45	PASS
Band66	5MHz	16QAM	131997	12RB#6	21.12	16.74	38.45	PASS
Band66	5MHz	16QAM	131997	12RB#11	21.15	16.77	38.45	PASS
Band66	5MHz	16QAM	131997	25RB#0	21.13	16.75	38.45	PASS
Band66	5MHz	16QAM	132322	1RB#0	22.20	17.82	38.45	PASS
Band66	5MHz	16QAM	132322	1RB#12	22.09	17.71	38.45	PASS
Band66	5MHz	16QAM	132322	1RB#24	22.13	17.75	38.45	PASS
Band66	5MHz	16QAM	132322	12RB#0	21.19	16.81	38.45	PASS



Band66	5MHz	16QAM	132322	12RB#6	21.21	16.83	38.45	PASS
Band66	5MHz	16QAM	132322	12RB#11	21.17	16.79	38.45	PASS
Band66	5MHz	16QAM	132322	25RB#0	21.31	16.93	38.45	PASS
Band66	5MHz	16QAM	132647	1RB#0	22.34	17.96	38.45	PASS
Band66	5MHz	16QAM	132647	1RB#12	22.41	18.03	38.45	PASS
Band66	5MHz	16QAM	132647	1RB#24	22.45	18.07	38.45	PASS
Band66	5MHz	16QAM	132647	12RB#0	21.26	16.88	38.45	PASS
Band66	5MHz	16QAM	132647	12RB#6	21.27	16.89	38.45	PASS
Band66	5MHz	16QAM	132647	12RB#11	21.25	16.87	38.45	PASS
Band66	5MHz	16QAM	132647	25RB#0	21.19	16.81	38.45	PASS
Band66	5MHz	64QAM	131997	1RB#0	21.50	17.12	38.45	PASS
Band66	5MHz	64QAM	131997	1RB#12	21.47	17.09	38.45	PASS
Band66	5MHz	64QAM	131997	1RB#24	21.43	17.05	38.45	PASS
Band66	5MHz	64QAM	131997	12RB#0	20.20	15.82	38.45	PASS
Band66	5MHz	64QAM	131997	12RB#6	20.18	15.8	38.45	PASS
Band66	5MHz	64QAM	131997	12RB#11	20.18	15.8	38.45	PASS
Band66	5MHz	64QAM	131997	25RB#0	20.10	15.72	38.45	PASS
Band66	5MHz	64QAM	132322	1RB#0	21.20	16.82	38.45	PASS
Band66	5MHz	64QAM	132322	1RB#12	21.15	16.77	38.45	PASS
Band66	5MHz	64QAM	132322	1RB#24	21.18	16.8	38.45	PASS
Band66	5MHz	64QAM	132322	12RB#0	20.36	15.98	38.45	PASS
Band66	5MHz	64QAM	132322	12RB#6	20.37	15.99	38.45	PASS
Band66	5MHz	64QAM	132322	12RB#11	20.37	15.99	38.45	PASS
Band66	5MHz	64QAM	132322	25RB#0	20.27	15.89	38.45	PASS
Band66	5MHz	64QAM	132647	1RB#0	21.73	17.35	38.45	PASS
Band66	5MHz	64QAM	132647	1RB#12	21.71	17.33	38.45	PASS
Band66	5MHz	64QAM	132647	1RB#24	21.73	17.35	38.45	PASS
Band66	5MHz	64QAM	132647	12RB#0	20.43	16.05	38.45	PASS
Band66	5MHz	64QAM	132647	12RB#6	20.44	16.06	38.45	PASS
Band66	5MHz	64QAM	132647	12RB#11	20.46	16.08	38.45	PASS
Band66	5MHz	64QAM	132647	25RB#0	20.34	15.96	38.45	PASS
Band66	10MHz	QPSK	132022	1RB#0	22.93	18.55	38.45	PASS
Band66	10MHz	QPSK	132022	1RB#24	22.88	18.5	38.45	PASS
Band66	10MHz	QPSK	132022	1RB#49	22.82	18.44	38.45	PASS
Band66	10MHz	QPSK	132022	25RB#0	21.92	17.54	38.45	PASS
Band66	10MHz	QPSK	132022	25RB#12	21.93	17.55	38.45	PASS
Band66	10MHz	QPSK	132022	25RB#24	21.93	17.55	38.45	PASS
Band66	10MHz	QPSK	132022	50RB#0	21.95	17.57	38.45	PASS
Band66	10MHz	QPSK	132322	1RB#0	22.80	18.42	38.45	PASS
Band66	10MHz	QPSK	132322	1RB#24	23.05	18.67	38.45	PASS
Band66	10MHz	QPSK	132322	1RB#49	22.99	18.61	38.45	PASS
Band66	10MHz	QPSK	132322	25RB#0	22.21	17.83	38.45	PASS
Band66	10MHz	QPSK	132322	25RB#12	22.18	17.8	38.45	PASS
Band66	10MHz	QPSK	132322	25RB#24	22.20	17.82	38.45	PASS
Band66	10MHz	QPSK	132322	50RB#0	22.21	17.83	38.45	PASS
Band66	10MHz	QPSK	132622	1RB#0	23.05	18.67	38.45	PASS
Band66	10MHz	QPSK	132622	1RB#24	23.08	18.7	38.45	PASS

Band66	10MHz	QPSK	132622	1RB#49	22.78	18.4	38.45	PASS
Band66	10MHz	QPSK	132622	25RB#0	22.14	17.76	38.45	PASS
Band66	10MHz	QPSK	132622	25RB#12	22.15	17.77	38.45	PASS
Band66	10MHz	QPSK	132622	25RB#24	22.15	17.77	38.45	PASS
Band66	10MHz	QPSK	132622	50RB#0	22.15	17.77	38.45	PASS
Band66	10MHz	16QAM	132022	1RB#0	22.15	17.77	38.45	PASS
Band66	10MHz	16QAM	132022	1RB#24	22.13	17.75	38.45	PASS
Band66	10MHz	16QAM	132022	1RB#49	22.02	17.64	38.45	PASS
Band66	10MHz	16QAM	132022	25RB#0	21.12	16.74	38.45	PASS
Band66	10MHz	16QAM	132022	25RB#12	21.16	16.78	38.45	PASS
Band66	10MHz	16QAM	132022	25RB#24	21.13	16.75	38.45	PASS
Band66	10MHz	16QAM	132022	50RB#0	21.08	16.7	38.45	PASS
Band66	10MHz	16QAM	132322	1RB#0	22.07	17.69	38.45	PASS
Band66	10MHz	16QAM	132322	1RB#24	22.07	17.69	38.45	PASS
Band66	10MHz	16QAM	132322	1RB#49	21.97	17.59	38.45	PASS
Band66	10MHz	16QAM	132322	25RB#0	21.26	16.88	38.45	PASS
Band66	10MHz	16QAM	132322	25RB#12	21.25	16.87	38.45	PASS
Band66	10MHz	16QAM	132322	25RB#24	21.23	16.85	38.45	PASS
Band66	10MHz	16QAM	132322	50RB#0	21.17	16.79	38.45	PASS
Band66	10MHz	16QAM	132622	1RB#0	22.10	17.72	38.45	PASS
Band66	10MHz	16QAM	132622	1RB#24	21.99	17.61	38.45	PASS
Band66	10MHz	16QAM	132622	1RB#49	21.94	17.56	38.45	PASS
Band66	10MHz	16QAM	132622	25RB#0	21.11	16.73	38.45	PASS
Band66	10MHz	16QAM	132622	25RB#12	21.12	16.74	38.45	PASS
Band66	10MHz	16QAM	132622	25RB#24	21.08	16.7	38.45	PASS
Band66	10MHz	16QAM	132622	50RB#0	21.12	16.74	38.45	PASS
Band66	10MHz	64QAM	132022	1RB#0	21.16	16.78	38.45	PASS
Band66	10MHz	64QAM	132022	1RB#24	21.12	16.74	38.45	PASS
Band66	10MHz	64QAM	132022	1RB#49	20.87	16.49	38.45	PASS
Band66	10MHz	64QAM	132022	25RB#0	20.08	15.7	38.45	PASS
Band66	10MHz	64QAM	132022	25RB#12	20.08	15.7	38.45	PASS
Band66	10MHz	64QAM	132022	25RB#24	20.08	15.7	38.45	PASS
Band66	10MHz	64QAM	132022	50RB#0	20.06	15.68	38.45	PASS
Band66	10MHz	64QAM	132322	1RB#0	21.53	17.15	38.45	PASS
Band66	10MHz	64QAM	132322	1RB#24	21.50	17.12	38.45	PASS
Band66	10MHz	64QAM	132322	1RB#49	21.44	17.06	38.45	PASS
Band66	10MHz	64QAM	132322	25RB#0	20.35	15.97	38.45	PASS
Band66	10MHz	64QAM	132322	25RB#12	20.33	15.95	38.45	PASS
Band66	10MHz	64QAM	132322	25RB#24	20.34	15.96	38.45	PASS
Band66	10MHz	64QAM	132322	50RB#0	20.29	15.91	38.45	PASS
Band66	10MHz	64QAM	132622	1RB#0	20.99	16.61	38.45	PASS
Band66	10MHz	64QAM	132622	1RB#24	21.02	16.64	38.45	PASS
Band66	10MHz	64QAM	132622	1RB#49	21.02	16.64	38.45	PASS
Band66	10MHz	64QAM	132622	25RB#0	20.29	15.91	38.45	PASS
Band66	10MHz	64QAM	132622	25RB#12	20.28	15.9	38.45	PASS
Band66	10MHz	64QAM	132622	25RB#24	20.25	15.87	38.45	PASS
Band66	10MHz	64QAM	132622	50RB#0	20.27	15.89	38.45	PASS

Band66	15MHz	QPSK	132047	1RB#0	22.87	18.49	38.45	PASS
Band66	15MHz	QPSK	132047	1RB#37	22.80	18.42	38.45	PASS
Band66	15MHz	QPSK	132047	1RB#74	22.71	18.33	38.45	PASS
Band66	15MHz	QPSK	132047	36RB#0	21.79	17.41	38.45	PASS
Band66	15MHz	QPSK	132047	36RB#16	21.78	17.4	38.45	PASS
Band66	15MHz	QPSK	132047	36RB#35	21.80	17.42	38.45	PASS
Band66	15MHz	QPSK	132047	75RB#0	21.77	17.39	38.45	PASS
Band66	15MHz	QPSK	132322	1RB#0	22.93	18.55	38.45	PASS
Band66	15MHz	QPSK	132322	1RB#37	23.00	18.62	38.45	PASS
Band66	15MHz	QPSK	132322	1RB#74	22.81	18.43	38.45	PASS
Band66	15MHz	QPSK	132322	36RB#0	22.09	17.71	38.45	PASS
Band66	15MHz	QPSK	132322	36RB#16	22.09	17.71	38.45	PASS
Band66	15MHz	QPSK	132322	36RB#35	22.09	17.71	38.45	PASS
Band66	15MHz	QPSK	132322	75RB#0	22.03	17.65	38.45	PASS
Band66	15MHz	QPSK	132597	1RB#0	22.74	18.36	38.45	PASS
Band66	15MHz	QPSK	132597	1RB#37	22.96	18.58	38.45	PASS
Band66	15MHz	QPSK	132597	1RB#74	22.98	18.6	38.45	PASS
Band66	15MHz	QPSK	132597	36RB#0	21.84	17.46	38.45	PASS
Band66	15MHz	QPSK	132597	36RB#16	21.89	17.51	38.45	PASS
Band66	15MHz	QPSK	132597	36RB#35	21.89	17.51	38.45	PASS
Band66	15MHz	QPSK	132597	75RB#0	22.00	17.62	38.45	PASS
Band66	15MHz	16QAM	132047	1RB#0	22.04	17.66	38.45	PASS
Band66	15MHz	16QAM	132047	1RB#37	21.97	17.59	38.45	PASS
Band66	15MHz	16QAM	132047	1RB#74	21.84	17.46	38.45	PASS
Band66	15MHz	16QAM	132047	36RB#0	20.96	16.58	38.45	PASS
Band66	15MHz	16QAM	132047	36RB#16	20.96	16.58	38.45	PASS
Band66	15MHz	16QAM	132047	36RB#35	20.98	16.6	38.45	PASS
Band66	15MHz	16QAM	132047	75RB#0	20.91	16.53	38.45	PASS
Band66	15MHz	16QAM	132322	1RB#0	22.25	17.87	38.45	PASS
Band66	15MHz	16QAM	132322	1RB#37	22.33	17.95	38.45	PASS
Band66	15MHz	16QAM	132322	1RB#74	22.16	17.78	38.45	PASS
Band66	15MHz	16QAM	132322	36RB#0	21.15	16.77	38.45	PASS
Band66	15MHz	16QAM	132322	36RB#16	21.14	16.76	38.45	PASS
Band66	15MHz	16QAM	132322	36RB#35	21.14	16.76	38.45	PASS
Band66	15MHz	16QAM	132322	75RB#0	21.20	16.82	38.45	PASS
Band66	15MHz	16QAM	132597	1RB#0	21.60	17.22	38.45	PASS
Band66	15MHz	16QAM	132597	1RB#37	21.95	17.57	38.45	PASS
Band66	15MHz	16QAM	132597	1RB#74	21.98	17.6	38.45	PASS
Band66	15MHz	16QAM	132597	36RB#0	20.79	16.41	38.45	PASS
Band66	15MHz	16QAM	132597	36RB#16	20.84	16.46	38.45	PASS
Band66	15MHz	16QAM	132597	36RB#35	20.83	16.45	38.45	PASS
Band66	15MHz	16QAM	132597	75RB#0	21.02	16.64	38.45	PASS
Band66	15MHz	64QAM	132047	1RB#0	21.02	16.64	38.45	PASS
Band66	15MHz	64QAM	132047	1RB#37	20.89	16.51	38.45	PASS
Band66	15MHz	64QAM	132047	1RB#74	20.81	16.43	38.45	PASS
Band66	15MHz	64QAM	132047	36RB#0	20.02	15.64	38.45	PASS
Band66	15MHz	64QAM	132047	36RB#16	20.02	15.64	38.45	PASS

Band66	15MHz	64QAM	132047	36RB#35	20.00	15.62	38.45	PASS
Band66	15MHz	64QAM	132047	75RB#0	19.85	15.47	38.45	PASS
Band66	15MHz	64QAM	132322	1RB#0	21.31	16.93	38.45	PASS
Band66	15MHz	64QAM	132322	1RB#37	21.23	16.85	38.45	PASS
Band66	15MHz	64QAM	132322	1RB#74	21.02	16.64	38.45	PASS
Band66	15MHz	64QAM	132322	36RB#0	20.21	15.83	38.45	PASS
Band66	15MHz	64QAM	132322	36RB#16	20.21	15.83	38.45	PASS
Band66	15MHz	64QAM	132322	36RB#35	20.22	15.84	38.45	PASS
Band66	15MHz	64QAM	132322	75RB#0	20.21	15.83	38.45	PASS
Band66	15MHz	64QAM	132597	1RB#0	21.03	16.65	38.45	PASS
Band66	15MHz	64QAM	132597	1RB#37	21.36	16.98	38.45	PASS
Band66	15MHz	64QAM	132597	1RB#74	21.42	17.04	38.45	PASS
Band66	15MHz	64QAM	132597	36RB#0	19.96	15.58	38.45	PASS
Band66	15MHz	64QAM	132597	36RB#16	19.96	15.58	38.45	PASS
Band66	15MHz	64QAM	132597	36RB#35	19.96	15.58	38.45	PASS
Band66	15MHz	64QAM	132597	75RB#0	20.16	15.78	38.45	PASS
Band66	20MHz	QPSK	132072	1RB#0	22.79	18.41	38.45	PASS
Band66	20MHz	QPSK	132072	1RB#49	22.70	18.32	38.45	PASS
Band66	20MHz	QPSK	132072	1RB#99	22.72	18.34	38.45	PASS
Band66	20MHz	QPSK	132072	50RB#0	21.83	17.45	38.45	PASS
Band66	20MHz	QPSK	132072	50RB#24	21.77	17.39	38.45	PASS
Band66	20MHz	QPSK	132072	50RB#49	21.82	17.44	38.45	PASS
Band66	20MHz	QPSK	132072	100RB#0	21.81	17.43	38.45	PASS
Band66	20MHz	QPSK	132322	1RB#0	22.74	18.36	38.45	PASS
Band66	20MHz	QPSK	132322	1RB#49	22.93	18.55	38.45	PASS
Band66	20MHz	QPSK	132322	1RB#99	22.69	18.31	38.45	PASS
Band66	20MHz	QPSK	132322	50RB#0	22.04	17.66	38.45	PASS
Band66	20MHz	QPSK	132322	50RB#24	22.05	17.67	38.45	PASS
Band66	20MHz	QPSK	132322	50RB#49	22.03	17.65	38.45	PASS
Band66	20MHz	QPSK	132322	100RB#0	21.99	17.61	38.45	PASS
Band66	20MHz	QPSK	132572	1RB#0	22.77	18.39	38.45	PASS
Band66	20MHz	QPSK	132572	1RB#49	23.07	18.69	38.45	PASS
Band66	20MHz	QPSK	132572	1RB#99	23.24	18.86	38.45	PASS
Band66	20MHz	QPSK	132572	50RB#0	21.86	17.48	38.45	PASS
Band66	20MHz	QPSK	132572	50RB#24	21.86	17.48	38.45	PASS
Band66	20MHz	QPSK	132572	50RB#49	21.86	17.48	38.45	PASS
Band66	20MHz	QPSK	132572	100RB#0	21.94	17.56	38.45	PASS
Band66	20MHz	16QAM	132072	1RB#0	22.07	17.69	38.45	PASS
Band66	20MHz	16QAM	132072	1RB#49	22.07	17.69	38.45	PASS
Band66	20MHz	16QAM	132072	1RB#99	22.01	17.63	38.45	PASS
Band66	20MHz	16QAM	132072	50RB#0	20.95	16.57	38.45	PASS
Band66	20MHz	16QAM	132072	50RB#24	20.96	16.58	38.45	PASS
Band66	20MHz	16QAM	132072	50RB#49	21.00	16.62	38.45	PASS
Band66	20MHz	16QAM	132072	100RB#0	20.92	16.54	38.45	PASS
Band66	20MHz	16QAM	132322	1RB#0	21.92	17.54	38.45	PASS
Band66	20MHz	16QAM	132322	1RB#49	22.12	17.74	38.45	PASS
Band66	20MHz	16QAM	132322	1RB#99	21.88	17.5	38.45	PASS

Band66	20MHz	16QAM	132322	50RB#0	21.23	16.85	38.45	PASS
Band66	20MHz	16QAM	132322	50RB#24	21.29	16.91	38.45	PASS
Band66	20MHz	16QAM	132322	50RB#49	21.30	16.92	38.45	PASS
Band66	20MHz	16QAM	132322	100RB#0	21.15	16.77	38.45	PASS
Band66	20MHz	16QAM	132572	1RB#0	21.76	17.38	38.45	PASS
Band66	20MHz	16QAM	132572	1RB#49	22.01	17.63	38.45	PASS
Band66	20MHz	16QAM	132572	1RB#99	22.15	17.77	38.45	PASS
Band66	20MHz	16QAM	132572	50RB#0	20.82	16.44	38.45	PASS
Band66	20MHz	16QAM	132572	50RB#24	20.83	16.45	38.45	PASS
Band66	20MHz	16QAM	132572	50RB#49	20.81	16.43	38.45	PASS
Band66	20MHz	16QAM	132572	100RB#0	20.94	16.56	38.45	PASS
Band66	20MHz	64QAM	132072	1RB#0	21.24	16.86	38.45	PASS
Band66	20MHz	64QAM	132072	1RB#49	21.22	16.84	38.45	PASS
Band66	20MHz	64QAM	132072	1RB#99	21.21	16.83	38.45	PASS
Band66	20MHz	64QAM	132072	50RB#0	19.95	15.57	38.45	PASS
Band66	20MHz	64QAM	132072	50RB#24	19.98	15.6	38.45	PASS
Band66	20MHz	64QAM	132072	50RB#49	19.97	15.59	38.45	PASS
Band66	20MHz	64QAM	132072	100RB#0	19.93	15.55	38.45	PASS
Band66	20MHz	64QAM	132322	1RB#0	20.99	16.61	38.45	PASS
Band66	20MHz	64QAM	132322	1RB#49	21.02	16.64	38.45	PASS
Band66	20MHz	64QAM	132322	1RB#99	20.78	16.4	38.45	PASS
Band66	20MHz	64QAM	132322	50RB#0	20.19	15.81	38.45	PASS
Band66	20MHz	64QAM	132322	50RB#24	20.15	15.77	38.45	PASS
Band66	20MHz	64QAM	132322	50RB#49	20.16	15.78	38.45	PASS
Band66	20MHz	64QAM	132322	100RB#0	20.12	15.74	38.45	PASS
Band66	20MHz	64QAM	132572	1RB#0	20.98	16.6	38.45	PASS
Band66	20MHz	64QAM	132572	1RB#49	21.27	16.89	38.45	PASS
Band66	20MHz	64QAM	132572	1RB#99	21.37	16.99	38.45	PASS
Band66	20MHz	64QAM	132572	50RB#0	19.97	15.59	38.45	PASS
Band66	20MHz	64QAM	132572	50RB#24	19.98	15.6	38.45	PASS
Band66	20MHz	64QAM	132572	50RB#49	19.98	15.6	38.45	PASS
Band66	20MHz	64QAM	132572	100RB#0	20.08	15.7	38.45	PASS

Remark: EIRP (dBm) = Conducted power (dBm) + Antenna Gain (dBi). (For Band 2 & 7 & 41 & 42 & 66)

ERP (dBm) = EIRP (dBm) - 2.15 (dB). (For Band 5 & 12)

-----End of report-----