


### 11.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.89	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.67	-25	Pass	2986
30	1000	0.1	RMS	880.421	-63.49	-25	Pass	9701
1000	2490	1	RMS	2490	-50.42	-25	Pass	1491
2490	2580	1	RMS	2526	22.79	60	Pass	401
2580	3000	1	RMS	2870	-48.45	-25	Pass	421
3000	12000	1	RMS	11842	-58.52	-25	Pass	9002
12000	26000	1	RMS	25200	-45.18	-25	Pass	14002



### 11.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.23	-70.93	-25	Pass	2986
30	1000	0.1	RMS	876.218	-63.42	-25	Pass	9701
1000	2490	1	RMS	2489	-50.44	-25	Pass	1491
2490	2580	1	RMS	2526	21.83	60	Pass	401
2580	3000	1	RMS	2870	-48.45	-25	Pass	421
3000	12000	1	RMS	11842	-58.62	-25	Pass	9002
12000	26000	1	RMS	25195	-45.23	-25	Pass	14002



### 11.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.82	-25	Pass	401
0.15	30	0.01	RMS	0.23	-71.08	-25	Pass	2986
30	1000	0.1	RMS	885.124	-63.42	-25	Pass	9701
1000	2490	1	RMS	2485	-50.47	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.77	60	Pass	401
2580	3000	1	RMS	2583	-47.72	-25	Pass	421
3000	12000	1	RMS	11851	-58.51	-25	Pass	9002
12000	26000	1	RMS	25198	-45.22	-25	Pass	14002



### 11.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-25	Pass	401
0.15	30	0.01	RMS	0.27	-70.88	-25	Pass	2986
30	1000	0.1	RMS	998.299	-63.56	-25	Pass	9701
1000	2490	1	RMS	2487	-50.43	-25	Pass	1491
2490	2580	1	RMS	2550.975	21.75	60	Pass	401
2580	3000	1	RMS	2583	-48.14	-25	Pass	421
3000	12000	1	RMS	11845	-58.57	-25	Pass	9002
12000	26000	1	RMS	25204	-45.16	-25	Pass	14002



## 12. LTE\_Band12


12.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	Pass	2986
30	689	0.1	RMS	470.3	-64.27	-13	Pass	6591
689	726	0.1	RMS	699.268	19.89	60	Pass	401
726	1000	0.1	RMS	895.8	-63.35	-13	Pass	2741
1000	3000	1	RMS	2868	-48.41	-13	Pass	2001
3000	10000	1	RMS	8899	-39.17	-13	Pass	7001




**12.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	Pass	2986
30	689	0.1	RMS	474.3	-64.27	-13	Pass	6591
689	726	0.1	RMS	699.268	18.88	60	Pass	401
726	1000	0.1	RMS	890.6	-63.06	-13	Pass	2741
1000	3000	1	RMS	2869	-48.38	-13	Pass	2001
3000	10000	1	RMS	8900	-39.17	-13	Pass	7001




**12.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.12	-13	Pass	2986
30	689	0.1	RMS	635.1	-64.31	-13	Pass	6591
689	726	0.1	RMS	707.038	20.01	60	Pass	401
726	1000	0.1	RMS	884.1	-63.11	-13	Pass	2741
1000	3000	1	RMS	2870	-48.36	-13	Pass	2001
3000	10000	1	RMS	8897	-39.16	-13	Pass	7001



**12.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.65	-13	Pass	2986
30	689	0.1	RMS	481.8	-64.23	-13	Pass	6591
689	726	0.1	RMS	707.038	19.07	60	Pass	401
726	1000	0.1	RMS	887.7	-63.08	-13	Pass	2741
1000	3000	1	RMS	2872	-48.39	-13	Pass	2001
3000	10000	1	RMS	8901	-39.13	-13	Pass	7001






**12.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	Pass	2986
30	689	0.1	RMS	474.2	-64.23	-13	Pass	6591
689	726	0.1	RMS	714.808	19.33	60	Pass	401
726	1000	0.1	RMS	886.4	-63.3	-13	Pass	2741
1000	3000	1	RMS	2868	-48.42	-13	Pass	2001
3000	10000	1	RMS	8900	-39.19	-13	Pass	7001




**12.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.35	-13	Pass	2986
30	689	0.1	RMS	475.6	-64.17	-13	Pass	6591
689	726	0.1	RMS	714.808	18.63	60	Pass	401
726	1000	0.1	RMS	911.3	-63.22	-13	Pass	2741
1000	3000	1	RMS	2871	-48.38	-13	Pass	2001
3000	10000	1	RMS	8901	-39.12	-13	Pass	7001




**12.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.7	-13	Pass	2986
30	689	0.1	RMS	476.3	-64.23	-13	Pass	6591
689	726	0.1	RMS	699.268	19.87	60	Pass	401
726	1000	0.1	RMS	897.8	-63.16	-13	Pass	2741
1000	3000	1	RMS	2870	-48.36	-13	Pass	2001
3000	10000	1	RMS	8902	-39.15	-13	Pass	7001




**12.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70	-13	Pass	2986
30	689	0.1	RMS	478.8	-64.15	-13	Pass	6591
689	726	0.1	RMS	699.268	19.02	60	Pass	401
726	1000	0.1	RMS	894.1	-63.32	-13	Pass	2741
1000	3000	1	RMS	2871	-48.36	-13	Pass	2001
3000	10000	1	RMS	8900	-39.19	-13	Pass	7001



**12.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.85	-13	Pass	2986
30	689	0.1	RMS	483.5	-64.25	-13	Pass	6591
689	726	0.1	RMS	706.205	19.75	60	Pass	401
726	1000	0.1	RMS	998.2	-63.13	-13	Pass	2741
1000	3000	1	RMS	2872	-48.36	-13	Pass	2001
3000	10000	1	RMS	8899	-39.09	-13	Pass	7001



### 12.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.66	-13	Pass	2986
30	689	0.1	RMS	484.4	-64.23	-13	Pass	6591
689	726	0.1	RMS	706.205	18.77	60	Pass	401
726	1000	0.1	RMS	897.8	-63.09	-13	Pass	2741
1000	3000	1	RMS	2875	-48.41	-13	Pass	2001
3000	10000	1	RMS	8900	-39.1	-13	Pass	7001



### 12.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.22	-13	Pass	2986
30	689	0.1	RMS	471.9	-64.28	-13	Pass	6591
689	726	0.1	RMS	713.235	19.87	60	Pass	401
726	1000	0.1	RMS	923.3	-63.18	-13	Pass	2741
1000	3000	1	RMS	2868	-48.4	-13	Pass	2001
3000	10000	1	RMS	8907	-39.19	-13	Pass	7001



### 12.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.32	-13	Pass	2986
30	689	0.1	RMS	486.7	-64.32	-13	Pass	6591
689	726	0.1	RMS	713.235	19.22	60	Pass	401
726	1000	0.1	RMS	883.2	-63.33	-13	Pass	2741
1000	3000	1	RMS	2872	-48.44	-13	Pass	2001
3000	10000	1	RMS	8900	-39.09	-13	Pass	7001






### 12.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.48	-13	Pass	2986
30	689	0.1	RMS	470	-64.05	-13	Pass	6591
689	726	0.1	RMS	699.36	19.93	60	Pass	401
726	1000	0.1	RMS	925.2	-63.34	-13	Pass	2741
1000	3000	1	RMS	2873	-48.41	-13	Pass	2001
3000	10000	1	RMS	8899	-39.17	-13	Pass	7001



### 12.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.7	-13	Pass	2986
30	689	0.1	RMS	489.9	-64.3	-13	Pass	6591
689	726	0.1	RMS	699.36	19	60	Pass	401
726	1000	0.1	RMS	998.8	-63.1	-13	Pass	2741
1000	3000	1	RMS	2874	-48.41	-13	Pass	2001
3000	10000	1	RMS	8906	-39.15	-13	Pass	7001



### 12.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.2	-13	Pass	2986
30	689	0.1	RMS	471.7	-64.26	-13	Pass	6591
689	726	0.1	RMS	705.373	19.73	60	Pass	401
726	1000	0.1	RMS	892	-63.13	-13	Pass	2741
1000	3000	1	RMS	2869	-48.39	-13	Pass	2001
3000	10000	1	RMS	8912	-39.21	-13	Pass	7001



### 12.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.38	-13	Pass	2986
30	689	0.1	RMS	504	-64.38	-13	Pass	6591
689	726	0.1	RMS	705.373	18.87	60	Pass	401
726	1000	0.1	RMS	907.1	-63.37	-13	Pass	2741
1000	3000	1	RMS	2876	-48.42	-13	Pass	2001
3000	10000	1	RMS	8899	-39.24	-13	Pass	7001



### 12.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.53	-13	Pass	2986
30	689	0.1	RMS	477.4	-64.29	-13	Pass	6591
689	726	0.1	RMS	711.293	19.49	60	Pass	401
726	1000	0.1	RMS	876.2	-63.27	-13	Pass	2741
1000	3000	1	RMS	2875	-48.41	-13	Pass	2001
3000	10000	1	RMS	8900	-39.14	-13	Pass	7001



### 12.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	Pass	2986
30	689	0.1	RMS	478.4	-64.12	-13	Pass	6591
689	726	0.1	RMS	711.293	18.63	60	Pass	401
726	1000	0.1	RMS	907	-63.31	-13	Pass	2741
1000	3000	1	RMS	2872	-48.39	-13	Pass	2001
3000	10000	1	RMS	8900	-39.18	-13	Pass	7001



### 12.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.2	-13	Pass	2986
30	689	0.1	RMS	485.7	-64.3	-13	Pass	6591
689	726	0.1	RMS	699.545	19.43	60	Pass	401
726	1000	0.1	RMS	896.5	-63.28	-13	Pass	2741
1000	3000	1	RMS	2869	-48.44	-13	Pass	2001
3000	10000	1	RMS	8907	-39.21	-13	Pass	7001



### 12.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.8	-13	Pass	2986
30	689	0.1	RMS	632.5	-64.27	-13	Pass	6591
689	726	0.1	RMS	699.545	18.56	60	Pass	401
726	1000	0.1	RMS	994.4	-63.14	-13	Pass	2741
1000	3000	1	RMS	2873	-48.38	-13	Pass	2001
3000	10000	1	RMS	8905	-39.12	-13	Pass	7001






### 12.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.78	-13	Pass	2986
30	689	0.1	RMS	489.2	-64.18	-13	Pass	6591
689	726	0.1	RMS	703.06	19.76	60	Pass	401
726	1000	0.1	RMS	892.3	-63.3	-13	Pass	2741
1000	3000	1	RMS	2868	-48.41	-13	Pass	2001
3000	10000	1	RMS	8900	-39.16	-13	Pass	7001



### 12.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.84	-13	Pass	2986
30	689	0.1	RMS	482.8	-64.29	-13	Pass	6591
689	726	0.1	RMS	703.06	18.74	60	Pass	401
726	1000	0.1	RMS	996.8	-63.3	-13	Pass	2741
1000	3000	1	RMS	2870	-48.38	-13	Pass	2001
3000	10000	1	RMS	8900	-39.11	-13	Pass	7001



### 12.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.53	-13	Pass	2986
30	689	0.1	RMS	482.4	-64.32	-13	Pass	6591
689	726	0.1	RMS	706.575	19.95	60	Pass	401
726	1000	0.1	RMS	873.6	-63.35	-13	Pass	2741
1000	3000	1	RMS	2869	-48.38	-13	Pass	2001
3000	10000	1	RMS	8900	-39.17	-13	Pass	7001



### 12.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.87	-13	Pass	2986
30	689	0.1	RMS	479.7	-64.27	-13	Pass	6591
689	726	0.1	RMS	706.575	19.08	60	Pass	401
726	1000	0.1	RMS	881.7	-63.14	-13	Pass	2741
1000	3000	1	RMS	2871	-48.37	-13	Pass	2001
3000	10000	1	RMS	8905	-39.17	-13	Pass	7001



### 13. LTE\_Band17


#### 13.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.4	-13	Pass	2986
30	694	0.1	RMS	693.6	-64.22	-13	Pass	6641
694	726	0.1	RMS	704.32	20.01	60	Pass	401
726	1000	0.1	RMS	887.3	-63.25	-13	Pass	2741
1000	3000	1	RMS	2880	-48.41	-13	Pass	2001
3000	10000	1	RMS	8908	-39.18	-13	Pass	7001




**13.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.14	-13	Pass	2986
30	694	0.1	RMS	482.6	-64.27	-13	Pass	6641
694	726	0.1	RMS	704.32	19	60	Pass	401
726	1000	0.1	RMS	904.7	-63.21	-13	Pass	2741
1000	3000	1	RMS	2869	-48.39	-13	Pass	2001
3000	10000	1	RMS	8896	-39.21	-13	Pass	7001




**13.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.23	-13	Pass	2986
30	694	0.1	RMS	693.5	-64.27	-13	Pass	6641
694	726	0.1	RMS	707.84	20.09	60	Pass	401
726	1000	0.1	RMS	890.5	-63.2	-13	Pass	2741
1000	3000	1	RMS	2877	-48.37	-13	Pass	2001
3000	10000	1	RMS	8904	-39.17	-13	Pass	7001



**13.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.31	-13	Pass	2986
30	694	0.1	RMS	477.4	-64.21	-13	Pass	6641
694	726	0.1	RMS	707.84	19.31	60	Pass	401
726	1000	0.1	RMS	882.8	-63.17	-13	Pass	2741
1000	3000	1	RMS	2869	-48.36	-13	Pass	2001
3000	10000	1	RMS	8907	-39.14	-13	Pass	7001






**13.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.87	-13	Pass	2986
30	694	0.1	RMS	694	-63.75	-13	Pass	6641
694	726	0.1	RMS	711.36	19.88	60	Pass	401
726	1000	0.1	RMS	906.4	-63.05	-13	Pass	2741
1000	3000	1	RMS	2869	-48.4	-13	Pass	2001
3000	10000	1	RMS	8904	-39.13	-13	Pass	7001




**13.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.45	-13	Pass	2986
30	694	0.1	RMS	481.5	-64.29	-13	Pass	6641
694	726	0.1	RMS	711.36	19.17	60	Pass	401
726	1000	0.1	RMS	895.2	-63.23	-13	Pass	2741
1000	3000	1	RMS	2869	-48.37	-13	Pass	2001
3000	10000	1	RMS	8901	-39.21	-13	Pass	7001




**13.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.81	-13	Pass	2986
30	694	0.1	RMS	694	-63.58	-13	Pass	6641
694	726	0.1	RMS	704.56	19.91	60	Pass	401
726	1000	0.1	RMS	890.7	-63.12	-13	Pass	2741
1000	3000	1	RMS	2871	-48.4	-13	Pass	2001
3000	10000	1	RMS	8901	-39.14	-13	Pass	7001




**13.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.37	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.92	-13	Pass	6641
694	726	0.1	RMS	704.56	18.96	60	Pass	401
726	1000	0.1	RMS	985.9	-63.21	-13	Pass	2741
1000	3000	1	RMS	2874	-48.37	-13	Pass	2001
3000	10000	1	RMS	8895	-39.17	-13	Pass	7001



**13.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.13	-13	Pass	2986
30	694	0.1	RMS	477.8	-64.18	-13	Pass	6641
694	726	0.1	RMS	705.6	20.11	60	Pass	401
726	1000	0.1	RMS	912.7	-63.08	-13	Pass	2741
1000	3000	1	RMS	2869	-48.39	-13	Pass	2001
3000	10000	1	RMS	8890	-39.18	-13	Pass	7001



### 13.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.55	-13	Pass	2986
30	694	0.1	RMS	487.9	-64.21	-13	Pass	6641
694	726	0.1	RMS	705.6	19.09	60	Pass	401
726	1000	0.1	RMS	747.4	-63.27	-13	Pass	2741
1000	3000	1	RMS	2876	-48.38	-13	Pass	2001
3000	10000	1	RMS	8901	-39.15	-13	Pass	7001



### 13.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.25	-13	Pass	2986
30	694	0.1	RMS	470.7	-64.09	-13	Pass	6641
694	726	0.1	RMS	706.56	19.82	60	Pass	401
726	1000	0.1	RMS	875.7	-63.27	-13	Pass	2741
1000	3000	1	RMS	2868	-48.38	-13	Pass	2001
3000	10000	1	RMS	8897	-39.22	-13	Pass	7001



### 13.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.04	-13	Pass	2986
30	694	0.1	RMS	484.1	-64.23	-13	Pass	6641
694	726	0.1	RMS	706.56	18.99	60	Pass	401
726	1000	0.1	RMS	908.7	-63.3	-13	Pass	2741
1000	3000	1	RMS	2868	-48.36	-13	Pass	2001
3000	10000	1	RMS	8902	-39.19	-13	Pass	7001






## 14. LTE\_Band38


### 14.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.49	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.22	-25	Pass	2986
30	1000	0.1	RMS	887.325	-59.47	-25	Pass	9701
1000	2560	1	RMS	2559	-45.87	-25	Pass	1561
2560	2630	1	RMS	2570.15	22.8	60	Pass	401
2630	3000	1	RMS	2876.05	-44.46	-25	Pass	401
3000	12000	1	RMS	5140	-51.91	-25	Pass	9002
12000	26500	1	RMS	25201	-42	-25	Pass	14502




**14.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.52	-25	Pass	2986
30	1000	0.1	RMS	922.048	-59.45	-25	Pass	9701
1000	2560	1	RMS	2558	-45.78	-25	Pass	1561
2560	2630	1	RMS	2570.325	22.6	60	Pass	401
2630	3000	1	RMS	2868.65	-44.49	-25	Pass	401
3000	12000	1	RMS	5141	-47.63	-25	Pass	9002
12000	26500	1	RMS	25202	-42	-25	Pass	14502




**14.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.29	-25	Pass	401
0.15	30	0.01	RMS	0.45	-67.94	-25	Pass	2986
30	1000	0.1	RMS	998.299	-59.5	-25	Pass	9701
1000	2560	1	RMS	2515	-46.16	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.51	60	Pass	401
2630	3000	1	RMS	2869.575	-44.45	-25	Pass	401
3000	12000	1	RMS	5186	-43	-25	Pass	9002
12000	26500	1	RMS	25197	-42.05	-25	Pass	14502




**14.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.67	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.42	-25	Pass	2986
30	1000	0.1	RMS	888.426	-59.43	-25	Pass	9701
1000	2560	1	RMS	2520	-46.18	-25	Pass	1561
2560	2630	1	RMS	2592.725	22.39	60	Pass	401
2630	3000	1	RMS	2871.425	-44.5	-25	Pass	401
3000	12000	1	RMS	5186	-52.32	-25	Pass	9002
12000	26500	1	RMS	25198	-41.97	-25	Pass	14502




**14.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.18	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.73	-25	Pass	2986
30	1000	0.1	RMS	877.919	-59.41	-25	Pass	9701
1000	2560	1	RMS	2525	-46.18	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.25	60	Pass	401
2630	3000	1	RMS	2868.65	-44.47	-25	Pass	401
3000	12000	1	RMS	5231	-46.19	-25	Pass	9002
12000	26500	1	RMS	25203	-41.93	-25	Pass	14502




**14.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.56	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.3	-25	Pass	2986
30	1000	0.1	RMS	889.527	-59.51	-25	Pass	9701
1000	2560	1	RMS	2519	-46.19	-25	Pass	1561
2560	2630	1	RMS	2615.125	22.27	60	Pass	401
2630	3000	1	RMS	2871.425	-44.45	-25	Pass	401
3000	12000	1	RMS	5231	-47.24	-25	Pass	9002
12000	26500	1	RMS	25202	-42.05	-25	Pass	14502




**14.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.29	-25	Pass	401
0.15	30	0.01	RMS	0.26	-67.46	-25	Pass	2986
30	1000	0.1	RMS	895.931	-59.45	-25	Pass	9701
1000	2560	1	RMS	2558	-42.55	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.94	60	Pass	401
2630	3000	1	RMS	2873.275	-44.47	-25	Pass	401
3000	12000	1	RMS	5141	-42.73	-25	Pass	9002
12000	26500	1	RMS	25201	-42.04	-25	Pass	14502



**14.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.22	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.2	-25	Pass	2986
30	1000	0.1	RMS	882.022	-59.47	-25	Pass	9701
1000	2560	1	RMS	2559	-41.36	-25	Pass	1561
2560	2630	1	RMS	2570.325	21.7	60	Pass	401
2630	3000	1	RMS	2868.65	-44.48	-25	Pass	401
3000	12000	1	RMS	5141	-41.85	-25	Pass	9002
12000	26500	1	RMS	25202	-41.94	-25	Pass	14502





**14.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.54	-25	Pass	2986
30	1000	0.1	RMS	881.922	-59.51	-25	Pass	9701
1000	2560	1	RMS	2559	-45.43	-25	Pass	1561
2560	2630	1	RMS	2590.625	23.48	60	Pass	401
2630	3000	1	RMS	2871.425	-44.49	-25	Pass	401
3000	12000	1	RMS	5182	-46.91	-25	Pass	9002
12000	26500	1	RMS	25196	-42.02	-25	Pass	14502



### 14.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.84	-25	Pass	401
0.15	30	0.01	RMS	0.18	-66.9	-25	Pass	2986
30	1000	0.1	RMS	904.237	-59.45	-25	Pass	9701
1000	2560	1	RMS	2558	-45.91	-25	Pass	1561
2560	2630	1	RMS	2590.45	22.51	60	Pass	401
2630	3000	1	RMS	2867.725	-44.51	-25	Pass	401
3000	12000	1	RMS	5181	-47.23	-25	Pass	9002
12000	26500	1	RMS	25202	-42.06	-25	Pass	14502



### 14.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.69	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.02	-25	Pass	2986
30	1000	0.1	RMS	894.83	-59.34	-25	Pass	9701
1000	2560	1	RMS	2560	-45.92	-25	Pass	1561
2560	2630	1	RMS	2610.575	23.54	60	Pass	401
2630	3000	1	RMS	2869.575	-44.47	-25	Pass	401
3000	12000	1	RMS	5221	-52.23	-25	Pass	9002
12000	26500	1	RMS	25190	-42	-25	Pass	14502



### 14.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.06	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.19	-25	Pass	2986
30	1000	0.1	RMS	886.925	-59.41	-25	Pass	9701
1000	2560	1	RMS	2560	-45.6	-25	Pass	1561
2560	2630	1	RMS	2610.575	22.24	60	Pass	401
2630	3000	1	RMS	2868.65	-44.45	-25	Pass	401
3000	12000	1	RMS	5221	-47.51	-25	Pass	9002
12000	26500	1	RMS	25204	-42.06	-25	Pass	14502



### 14.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.51	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.2	-25	Pass	2986
30	1000	0.1	RMS	912.142	-59.38	-25	Pass	9701
1000	2560	1	RMS	2559	-41.75	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.17	60	Pass	401
2630	3000	1	RMS	2871.425	-44.43	-25	Pass	401
3000	12000	1	RMS	5142	-46.88	-25	Pass	9002
12000	26500	1	RMS	25206	-41.94	-25	Pass	14502



### 14.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.48	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.12	-25	Pass	2986
30	1000	0.1	RMS	895.03	-59.45	-25	Pass	9701
1000	2560	1	RMS	2558	-41.4	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.44	60	Pass	401
2630	3000	1	RMS	2874.2	-44.45	-25	Pass	401
3000	12000	1	RMS	5142	-42.52	-25	Pass	9002
12000	26500	1	RMS	25206	-42	-25	Pass	14502



### 14.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.17	-25	Pass	401
0.15	30	0.01	RMS	0.22	-66.22	-25	Pass	2986
30	1000	0.1	RMS	906.038	-59.49	-25	Pass	9701
1000	2560	1	RMS	2558	-45.47	-25	Pass	1561
2560	2630	1	RMS	2588.35	23.42	60	Pass	401
2630	3000	1	RMS	2870.5	-44.45	-25	Pass	401
3000	12000	1	RMS	5177	-49.9	-25	Pass	9002
12000	26500	1	RMS	25199	-41.99	-25	Pass	14502



### 14.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.16	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.05	-25	Pass	2986
30	1000	0.1	RMS	933.356	-59.54	-25	Pass	9701
1000	2560	1	RMS	2560	-45.66	-25	Pass	1561
2560	2630	1	RMS	2588.175	21.87	60	Pass	401
2630	3000	1	RMS	2870.5	-44.44	-25	Pass	401
3000	12000	1	RMS	5177	-52.47	-25	Pass	9002
12000	26500	1	RMS	25210	-42.01	-25	Pass	14502






### 14.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.35	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.08	-25	Pass	2986
30	1000	0.1	RMS	919.347	-59.54	-25	Pass	9701
1000	2560	1	RMS	2558	-45.88	-25	Pass	1561
2560	2630	1	RMS	2605.675	23.11	60	Pass	401
2630	3000	1	RMS	2631.85	-42.89	-25	Pass	401
3000	12000	1	RMS	5212	-46.93	-25	Pass	9002
12000	26500	1	RMS	25200	-42.06	-25	Pass	14502



### 14.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.03	-25	Pass	2986
30	1000	0.1	RMS	905.337	-59.52	-25	Pass	9701
1000	2560	1	RMS	2557	-45.83	-25	Pass	1561
2560	2630	1	RMS	2605.675	21.94	60	Pass	401
2630	3000	1	RMS	2631.85	-42.49	-25	Pass	401
3000	12000	1	RMS	5211	-49.03	-25	Pass	9002
12000	26500	1	RMS	25195	-42.01	-25	Pass	14502



### 14.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.07	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.86	-25	Pass	2986
30	1000	0.1	RMS	905.037	-59.51	-25	Pass	9701
1000	2560	1	RMS	2559	-41.5	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.92	60	Pass	401
2630	3000	1	RMS	2868.65	-44.51	-25	Pass	401
3000	12000	1	RMS	5143	-45.83	-25	Pass	9002
12000	26500	1	RMS	25201	-41.96	-25	Pass	14502



### 14.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.74	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.09	-25	Pass	2986
30	1000	0.1	RMS	876.518	-59.38	-25	Pass	9701
1000	2560	1	RMS	2560	-40.63	-25	Pass	1561
2560	2630	1	RMS	2571.025	22.58	60	Pass	401
2630	3000	1	RMS	2868.65	-44.51	-25	Pass	401
3000	12000	1	RMS	5142	-41.96	-25	Pass	9002
12000	26500	1	RMS	25198	-42.03	-25	Pass	14502



### 14.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.21	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.22	-25	Pass	2986
30	1000	0.1	RMS	998.999	-59.45	-25	Pass	9701
1000	2560	1	RMS	2560	-45.39	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.44	60	Pass	401
2630	3000	1	RMS	2867.725	-44.5	-25	Pass	401
3000	12000	1	RMS	5172	-50.99	-25	Pass	9002
12000	26500	1	RMS	25201	-42.06	-25	Pass	14502



### 14.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.9	-25	Pass	2986
30	1000	0.1	RMS	874.717	-59.43	-25	Pass	9701
1000	2560	1	RMS	2560	-45.17	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.98	60	Pass	401
2630	3000	1	RMS	2871.425	-44.47	-25	Pass	401
3000	12000	1	RMS	5172	-44.97	-25	Pass	9002
12000	26500	1	RMS	25200	-42.03	-25	Pass	14502



### 14.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.25	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.31	-25	Pass	2986
30	1000	0.1	RMS	900.434	-59.52	-25	Pass	9701
1000	2560	1	RMS	2559	-45.78	-25	Pass	1561
2560	2630	1	RMS	2601.125	23.37	60	Pass	401
2630	3000	1	RMS	2632.775	-44.12	-25	Pass	401
3000	12000	1	RMS	5202	-44.41	-25	Pass	9002
12000	26500	1	RMS	25192	-42.06	-25	Pass	14502



### 14.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.29	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.17	-25	Pass	2986
30	1000	0.1	RMS	924.25	-59.46	-25	Pass	9701
1000	2560	1	RMS	2560	-45.87	-25	Pass	1561
2560	2630	1	RMS	2601.125	22.33	60	Pass	401
2630	3000	1	RMS	2636.475	-43.59	-25	Pass	401
3000	12000	1	RMS	5202	-46.02	-25	Pass	9002
12000	26500	1	RMS	25197	-41.99	-25	Pass	14502






## 15. LTE\_Band41 full


### 15.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.68	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.36	-25	Pass	2986
30	1000	0.1	RMS	886.024	-59.38	-25	Pass	9701
1000	2486	1	RMS	2486	-45.49	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.76	60	Pass	401
2700	3000	1	RMS	2874	-44.06	-25	Pass	401
3000	12000	1	RMS	4993	-38.59	-25	Pass	9002
12000	27000	1	RMS	25202	-40.63	-25	Pass	15002




**15.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.54	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.05	-25	Pass	2986
30	1000	0.1	RMS	883.523	-59.31	-25	Pass	9701
1000	2486	1	RMS	2486	-45.32	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.79	60	Pass	401
2700	3000	1	RMS	2867.25	-44.01	-25	Pass	401
3000	12000	1	RMS	4993	-38.87	-25	Pass	9002
12000	27000	1	RMS	25195	-40.63	-25	Pass	15002




**15.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.57	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.91	-25	Pass	2986
30	1000	0.1	RMS	896.131	-59.28	-25	Pass	9701
1000	2486	1	RMS	2486	-46.14	-25	Pass	1487
2486	2700	1	RMS	2590.325	24.16	60	Pass	401
2700	3000	1	RMS	2868	-44.06	-25	Pass	401
3000	12000	1	RMS	5182	-45.93	-25	Pass	9002
12000	27000	1	RMS	25198	-40.53	-25	Pass	15002




**15.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.65	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.03	-25	Pass	2986
30	1000	0.1	RMS	995.297	-59.3	-25	Pass	9701
1000	2486	1	RMS	2485	-46.04	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.96	60	Pass	401
2700	3000	1	RMS	2870.25	-44.05	-25	Pass	401
3000	12000	1	RMS	5181	-48	-25	Pass	9002
12000	27000	1	RMS	25201	-40.61	-25	Pass	15002




**15.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.26	-25	Pass	2986
30	1000	0.1	RMS	724.7	-59.26	-25	Pass	9701
1000	2486	1	RMS	2483	-46.05	-25	Pass	1487
2486	2700	1	RMS	2685.02	24.45	60	Pass	401
2700	3000	1	RMS	2868	-44.05	-25	Pass	401
3000	12000	1	RMS	5371	-48.57	-25	Pass	9002
12000	27000	1	RMS	25207	-40.62	-25	Pass	15002




**15.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.9	-25	Pass	401
0.15	30	0.01	RMS	0.24	-66.54	-25	Pass	2986
30	1000	0.1	RMS	724.6	-59.12	-25	Pass	9701
1000	2486	1	RMS	2483	-46.18	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.28	60	Pass	401
2700	3000	1	RMS	2871	-44.05	-25	Pass	401
3000	12000	1	RMS	5371	-49.83	-25	Pass	9002
12000	27000	1	RMS	25201	-40.65	-25	Pass	15002




**15.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.66	-25	Pass	2986
30	1000	0.1	RMS	888.126	-59.28	-25	Pass	9701
1000	2486	1	RMS	2485	-42.63	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.9	60	Pass	401
2700	3000	1	RMS	2871	-44.02	-25	Pass	401
3000	12000	1	RMS	4994	-44.59	-25	Pass	9002
12000	27000	1	RMS	25204	-40.61	-25	Pass	15002



**15.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.1	-25	Pass	2986
30	1000	0.1	RMS	905.637	-59.23	-25	Pass	9701
1000	2486	1	RMS	2486	-39.55	-25	Pass	1487
2486	2700	1	RMS	2496.165	24.32	60	Pass	401
2700	3000	1	RMS	2868.75	-44.06	-25	Pass	401
3000	12000	1	RMS	4993	-39.93	-25	Pass	9002
12000	27000	1	RMS	25202	-40.57	-25	Pass	15002





**15.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.31	-25	Pass	2986
30	1000	0.1	RMS	1000	-59.37	-25	Pass	9701
1000	2486	1	RMS	2484	-46.09	-25	Pass	1487
2486	2700	1	RMS	2588.185	24	60	Pass	401
2700	3000	1	RMS	2868.75	-44.04	-25	Pass	401
3000	12000	1	RMS	5177	-47.71	-25	Pass	9002
12000	27000	1	RMS	25191	-40.59	-25	Pass	15002



### 15.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.7	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.91	-25	Pass	2986
30	1000	0.1	RMS	894.83	-59.41	-25	Pass	9701
1000	2486	1	RMS	2483	-46.14	-25	Pass	1487
2486	2700	1	RMS	2588.185	23.78	60	Pass	401
2700	3000	1	RMS	2868.75	-44.04	-25	Pass	401
3000	12000	1	RMS	5178	-53.8	-25	Pass	9002
12000	27000	1	RMS	25198	-40.54	-25	Pass	15002



### 15.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.67	-25	Pass	401
0.15	30	0.01	RMS	0.17	-66.48	-25	Pass	2986
30	1000	0.1	RMS	885.424	-59.28	-25	Pass	9701
1000	2486	1	RMS	2486	-46.17	-25	Pass	1487
2486	2700	1	RMS	2680.205	24.11	60	Pass	401
2700	3000	1	RMS	2871	-44.06	-25	Pass	401
3000	12000	1	RMS	5361	-48.64	-25	Pass	9002
12000	27000	1	RMS	25200	-40.66	-25	Pass	15002



### 15.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.9	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.19	-25	Pass	2986
30	1000	0.1	RMS	719.9	-59.13	-25	Pass	9701
1000	2486	1	RMS	2482	-46.11	-25	Pass	1487
2486	2700	1	RMS	2680.205	23.92	60	Pass	401
2700	3000	1	RMS	2700	-44	-25	Pass	401
3000	12000	1	RMS	5361	-49.92	-25	Pass	9002
12000	27000	1	RMS	25201	-40.52	-25	Pass	15002



### 15.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.05	-25	Pass	2986
30	1000	0.1	RMS	885.024	-59.29	-25	Pass	9701
1000	2486	1	RMS	2485	-41.57	-25	Pass	1487
2486	2700	1	RMS	2496.7	24.21	60	Pass	401
2700	3000	1	RMS	2873.25	-44.08	-25	Pass	401
3000	12000	1	RMS	4993	-41.86	-25	Pass	9002
12000	27000	1	RMS	25201	-40.55	-25	Pass	15002



### 15.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.96	-25	Pass	2986
30	1000	0.1	RMS	991.594	-59.18	-25	Pass	9701
1000	2486	1	RMS	2484	-41.09	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.76	60	Pass	401
2700	3000	1	RMS	2869.5	-44.05	-25	Pass	401
3000	12000	1	RMS	4994	-39.25	-25	Pass	9002
12000	27000	1	RMS	25200	-40.49	-25	Pass	15002



### 15.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.26	-25	Pass	401
0.15	30	0.01	RMS	0.25	-66.52	-25	Pass	2986
30	1000	0.1	RMS	899.333	-59.34	-25	Pass	9701
1000	2486	1	RMS	2486	-46.13	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.17	60	Pass	401
2700	3000	1	RMS	2867.25	-44.07	-25	Pass	401
3000	12000	1	RMS	5173	-45.53	-25	Pass	9002
12000	27000	1	RMS	25198	-40.63	-25	Pass	15002



### 15.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.7	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.13	-25	Pass	2986
30	1000	0.1	RMS	890.027	-59.35	-25	Pass	9701
1000	2486	1	RMS	2486	-46.06	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.22	60	Pass	401
2700	3000	1	RMS	2869.5	-44.07	-25	Pass	401
3000	12000	1	RMS	5173	-49.35	-25	Pass	9002
12000	27000	1	RMS	25204	-40.65	-25	Pass	15002






### 15.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.65	-25	Pass	2986
30	1000	0.1	RMS	715.1	-59.27	-25	Pass	9701
1000	2486	1	RMS	2486	-46.18	-25	Pass	1487
2486	2700	1	RMS	2675.925	23.17	60	Pass	401
2700	3000	1	RMS	2702.25	-41.6	-25	Pass	401
3000	12000	1	RMS	5352	-50.37	-25	Pass	9002
12000	27000	1	RMS	25202	-40.61	-25	Pass	15002



### 15.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.29	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.37	-25	Pass	2986
30	1000	0.1	RMS	899.834	-59.21	-25	Pass	9701
1000	2486	1	RMS	2485	-46.15	-25	Pass	1487
2486	2700	1	RMS	2675.925	23.26	60	Pass	401
2700	3000	1	RMS	2702.25	-42.12	-25	Pass	401
3000	12000	1	RMS	5352	-48.71	-25	Pass	9002
12000	27000	1	RMS	25201	-40.65	-25	Pass	15002



### 15.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-69.91	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.86	-25	Pass	2986
30	1000	0.1	RMS	874.517	-59.34	-25	Pass	9701
1000	2486	1	RMS	2484	-42.11	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.29	60	Pass	401
2700	3000	1	RMS	2868	-44.09	-25	Pass	401
3000	12000	1	RMS	4995	-45.57	-25	Pass	9002
12000	27000	1	RMS	25197	-40.68	-25	Pass	15002



### 15.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.34	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.2	-25	Pass	2986
30	1000	0.1	RMS	900.034	-59.37	-25	Pass	9701
1000	2486	1	RMS	2486	-40.57	-25	Pass	1487
2486	2700	1	RMS	2497.235	23.1	60	Pass	401
2700	3000	1	RMS	2870.25	-44.08	-25	Pass	401
3000	12000	1	RMS	4994	-46.54	-25	Pass	9002
12000	27000	1	RMS	25201	-40.64	-25	Pass	15002



### 15.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.06	-25	Pass	2986
30	1000	0.1	RMS	908.94	-59.1	-25	Pass	9701
1000	2486	1	RMS	2485	-46.12	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.43	60	Pass	401
2700	3000	1	RMS	2870.25	-44.08	-25	Pass	401
3000	12000	1	RMS	5169	-49.11	-25	Pass	9002
12000	27000	1	RMS	25197	-40.66	-25	Pass	15002



### 15.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.24	-25	Pass	2986
30	1000	0.1	RMS	900.034	-59.33	-25	Pass	9701
1000	2486	1	RMS	2482	-46.08	-25	Pass	1487
2486	2700	1	RMS	2583.905	23.76	60	Pass	401
2700	3000	1	RMS	2868	-44.1	-25	Pass	401
3000	12000	1	RMS	5168	-49.14	-25	Pass	9002
12000	27000	1	RMS	25196	-40.73	-25	Pass	15002



### 15.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.23	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.32	-25	Pass	2986
30	1000	0.1	RMS	880.02	-59.37	-25	Pass	9701
1000	2486	1	RMS	2486	-46.12	-25	Pass	1487
2486	2700	1	RMS	2670.575	23.53	60	Pass	401
2700	3000	1	RMS	2706	-43.48	-25	Pass	401
3000	12000	1	RMS	11853	-54.02	-25	Pass	9002
12000	27000	1	RMS	25200	-40.63	-25	Pass	15002



### 15.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.35	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.24	-25	Pass	2986
30	1000	0.1	RMS	900.234	-59.26	-25	Pass	9701
1000	2486	1	RMS	2486	-46.16	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.72	60	Pass	401
2700	3000	1	RMS	2706	-43.16	-25	Pass	401
3000	12000	1	RMS	5342	-51.16	-25	Pass	9002
12000	27000	1	RMS	25198	-40.6	-25	Pass	15002






## 16. LTE\_Band42 3450-3550


### 16.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.09	-13	Pass	2986
30	1000	0.1	RMS	899.233	-59.25	-13	Pass	9701
1000	3000	1	RMS	2869	-44.01	-13	Pass	2001
3000	3430	1	RMS	3101	-40.03	-13	Pass	431
3430	3570	1	RMS	3449.95	22.65	60	Pass	401
3570	6500	1	RMS	5154	-38.88	-13	Pass	2931
6500	26500	1	RMS	25197	-41.4	-13	Pass	20003




**16.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.37	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.41	-13	Pass	2986
30	1000	0.1	RMS	901.635	-59.3	-13	Pass	9701
1000	3000	1	RMS	2870	-44.03	-13	Pass	2001
3000	3430	1	RMS	3099	-40.08	-13	Pass	431
3430	3570	1	RMS	3449.95	21.81	60	Pass	401
3570	6500	1	RMS	6185	-38.98	-13	Pass	2931
6500	26500	1	RMS	25200	-41.51	-13	Pass	20003




**16.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:42590, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-66.56	-13	Pass	2986
30	1000	0.1	RMS	911.942	-59.41	-13	Pass	9701
1000	3000	1	RMS	2870	-44.08	-13	Pass	2001
3000	3430	1	RMS	3101	-40.07	-13	Pass	431
3430	3570	1	RMS	3497.9	22.68	60	Pass	401
3570	6500	1	RMS	5118	-38.86	-13	Pass	2931
6500	26500	1	RMS	25199	-41.5	-13	Pass	20003




**16.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:42590, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-66.53	-13	Pass	2986
30	1000	0.1	RMS	991.094	-59.37	-13	Pass	9701
1000	3000	1	RMS	2874	-44.06	-13	Pass	2001
3000	3430	1	RMS	3101	-40.07	-13	Pass	431
3430	3570	1	RMS	3497.55	22.14	60	Pass	401
3570	6500	1	RMS	6201	-38.83	-13	Pass	2931
6500	26500	1	RMS	25198	-41.48	-13	Pass	20003




**16.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-66.66	-13	Pass	2986
30	1000	0.1	RMS	885.024	-59.34	-13	Pass	9701
1000	3000	1	RMS	2878	-44.08	-13	Pass	2001
3000	3430	1	RMS	3102	-40.05	-13	Pass	431
3430	3570	1	RMS	3545.15	22.18	60	Pass	401
3570	6500	1	RMS	5124	-38.93	-13	Pass	2931
6500	26500	1	RMS	25203	-41.52	-13	Pass	20003




**16.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.3	-13	Pass	401
0.15	30	0.01	RMS	0.37	-67.68	-13	Pass	2986
30	1000	0.1	RMS	893.73	-59.45	-13	Pass	9701
1000	3000	1	RMS	2868	-44.07	-13	Pass	2001
3000	3430	1	RMS	3101	-40.05	-13	Pass	431
3430	3570	1	RMS	3545.5	21.14	60	Pass	401
3570	6500	1	RMS	5123	-38.85	-13	Pass	2931
6500	26500	1	RMS	25201	-41.33	-13	Pass	20003




**16.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.92	-13	Pass	401
0.15	30	0.01	RMS	0.19	-67.31	-13	Pass	2986
30	1000	0.1	RMS	997.498	-59.26	-13	Pass	9701
1000	3000	1	RMS	2868	-44.08	-13	Pass	2001
3000	3430	1	RMS	3101	-40.07	-13	Pass	431
3430	3570	1	RMS	3450.65	22.66	60	Pass	401
3570	6500	1	RMS	5125	-38.89	-13	Pass	2931
6500	26500	1	RMS	25207	-41.49	-13	Pass	20003



**16.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.08	-13	Pass	401
0.15	30	0.01	RMS	0.22	-67.1	-13	Pass	2986
30	1000	0.1	RMS	889.727	-59.35	-13	Pass	9701
1000	3000	1	RMS	2879	-43.98	-13	Pass	2001
3000	3430	1	RMS	3101	-40.07	-13	Pass	431
3430	3570	1	RMS	3450.65	21.32	60	Pass	401
3570	6500	1	RMS	5128	-38.96	-13	Pass	2931
6500	26500	1	RMS	25200	-41.42	-13	Pass	20003





**16.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:42590, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67	-13	Pass	2986
30	1000	0.1	RMS	884.323	-59.17	-13	Pass	9701
1000	3000	1	RMS	2879	-44.11	-13	Pass	2001
3000	3430	1	RMS	3101	-40.07	-13	Pass	431
3430	3570	1	RMS	3495.45	21.94	60	Pass	401
3570	6500	1	RMS	5121	-38.95	-13	Pass	2931
6500	26500	1	RMS	25207	-41.52	-13	Pass	20003



### 16.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:42590, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.93	-13	Pass	401
0.15	30	0.01	RMS	0.18	-66.82	-13	Pass	2986
30	1000	0.1	RMS	891.428	-59.26	-13	Pass	9701
1000	3000	1	RMS	2879	-44.01	-13	Pass	2001
3000	3430	1	RMS	3101	-40.05	-13	Pass	431
3430	3570	1	RMS	3495.1	20.97	60	Pass	401
3570	6500	1	RMS	6138	-38.97	-13	Pass	2931
6500	26500	1	RMS	25201	-41.47	-13	Pass	20003



### 16.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.72	-13	Pass	401
0.15	30	0.01	RMS	0.21	-67.47	-13	Pass	2986
30	1000	0.1	RMS	882.522	-59.41	-13	Pass	9701
1000	3000	1	RMS	2867	-44.11	-13	Pass	2001
3000	3430	1	RMS	3101	-40.07	-13	Pass	431
3430	3570	1	RMS	3540.25	22.09	60	Pass	401
3570	6500	1	RMS	6183	-38.94	-13	Pass	2931
6500	26500	1	RMS	25200	-41.47	-13	Pass	20003



### 16.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.23	-13	Pass	2986
30	1000	0.1	RMS	929.153	-59.32	-13	Pass	9701
1000	3000	1	RMS	2874	-44.07	-13	Pass	2001
3000	3430	1	RMS	3101	-40.08	-13	Pass	431
3430	3570	1	RMS	3540.6	21.77	60	Pass	401
3570	6500	1	RMS	5123	-39	-13	Pass	2931
6500	26500	1	RMS	25199	-41.47	-13	Pass	20003



### 16.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.48	-13	Pass	401
0.15	30	0.01	RMS	0.18	-66.18	-13	Pass	2986
30	1000	0.1	RMS	905.637	-59.36	-13	Pass	9701
1000	3000	1	RMS	2871	-44.14	-13	Pass	2001
3000	3430	1	RMS	3100	-40.07	-13	Pass	431
3430	3570	1	RMS	3450.65	22.37	60	Pass	401
3570	6500	1	RMS	5172	-38.85	-13	Pass	2931
6500	26500	1	RMS	25198	-41.48	-13	Pass	20003



### 16.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.35	-13	Pass	401
0.15	30	0.01	RMS	0.21	-67.44	-13	Pass	2986
30	1000	0.1	RMS	918.846	-59.31	-13	Pass	9701
1000	3000	1	RMS	2871	-44.07	-13	Pass	2001
3000	3430	1	RMS	3102	-40.11	-13	Pass	431
3430	3570	1	RMS	3450.65	22.24	60	Pass	401
3570	6500	1	RMS	5122	-38.9	-13	Pass	2931
6500	26500	1	RMS	25199	-41.46	-13	Pass	20003



### 16.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:42590, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.05	-13	Pass	401
0.15	30	0.01	RMS	0.2	-66.93	-13	Pass	2986
30	1000	0.1	RMS	897.032	-59.38	-13	Pass	9701
1000	3000	1	RMS	2868	-44.06	-13	Pass	2001
3000	3430	1	RMS	3101	-40.09	-13	Pass	431
3430	3570	1	RMS	3493.35	22.14	60	Pass	401
3570	6500	1	RMS	5125	-38.94	-13	Pass	2931
6500	26500	1	RMS	25201	-41.43	-13	Pass	20003



### 16.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:42590, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.64	-13	Pass	401
0.15	30	0.01	RMS	0.37	-67.19	-13	Pass	2986
30	1000	0.1	RMS	998.199	-59.36	-13	Pass	9701
1000	3000	1	RMS	2870	-44.13	-13	Pass	2001
3000	3430	1	RMS	3101	-40.04	-13	Pass	431
3430	3570	1	RMS	3493.35	21.85	60	Pass	401
3570	6500	1	RMS	5125	-38.95	-13	Pass	2931
6500	26500	1	RMS	25201	-41.46	-13	Pass	20003






### 16.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-66.18	-13	Pass	2986
30	1000	0.1	RMS	892.729	-59.36	-13	Pass	9701
1000	3000	1	RMS	2871	-44.06	-13	Pass	2001
3000	3430	1	RMS	3101	-40.08	-13	Pass	431
3430	3570	1	RMS	3535.7	22.18	60	Pass	401
3570	6500	1	RMS	5144	-38.85	-13	Pass	2931
6500	26500	1	RMS	25204	-41.5	-13	Pass	20003



### 16.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-66.71	-13	Pass	2986
30	1000	0.1	RMS	993.296	-59.25	-13	Pass	9701
1000	3000	1	RMS	2878	-44.05	-13	Pass	2001
3000	3430	1	RMS	3101	-40.06	-13	Pass	431
3430	3570	1	RMS	3535.7	21.13	60	Pass	401
3570	6500	1	RMS	5152	-38.93	-13	Pass	2931
6500	26500	1	RMS	25201	-41.44	-13	Pass	20003



### 16.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.25	-13	Pass	401
0.15	30	0.01	RMS	0.19	-67.35	-13	Pass	2986
30	1000	0.1	RMS	906.138	-59.3	-13	Pass	9701
1000	3000	1	RMS	2870	-44.05	-13	Pass	2001
3000	3430	1	RMS	3101	-40.03	-13	Pass	431
3430	3570	1	RMS	3450.65	21.93	60	Pass	401
3570	6500	1	RMS	6193	-38.94	-13	Pass	2931
6500	26500	1	RMS	25200	-41.44	-13	Pass	20003



### 16.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.53	-13	Pass	401
0.15	30	0.01	RMS	0.22	-67.2	-13	Pass	2986
30	1000	0.1	RMS	893.229	-59.31	-13	Pass	9701
1000	3000	1	RMS	2878	-44.05	-13	Pass	2001
3000	3430	1	RMS	3101	-40.06	-13	Pass	431
3430	3570	1	RMS	3451	22.14	60	Pass	401
3570	6500	1	RMS	6195	-38.87	-13	Pass	2931
6500	26500	1	RMS	25200	-41.54	-13	Pass	20003



### 16.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-66.62	-13	Pass	2986
30	1000	0.1	RMS	877.819	-59.25	-13	Pass	9701
1000	3000	1	RMS	2875	-44.07	-13	Pass	2001
3000	3430	1	RMS	3101	-40.03	-13	Pass	431
3430	3570	1	RMS	3490.9	23.12	60	Pass	401
3570	6500	1	RMS	6197	-38.94	-13	Pass	2931
6500	26500	1	RMS	25202	-41.43	-13	Pass	20003



### 16.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:42590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.12	-13	Pass	2986
30	1000	0.1	RMS	892.629	-59.34	-13	Pass	9701
1000	3000	1	RMS	2868	-44.01	-13	Pass	2001
3000	3430	1	RMS	3100	-40.08	-13	Pass	431
3430	3570	1	RMS	3491.25	21.07	60	Pass	401
3570	6500	1	RMS	5123	-38.91	-13	Pass	2931
6500	26500	1	RMS	25197	-41.42	-13	Pass	20003



### 16.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.47	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.13	-13	Pass	2986
30	1000	0.1	RMS	892.229	-59.28	-13	Pass	9701
1000	3000	1	RMS	2873	-44.04	-13	Pass	2001
3000	3430	1	RMS	3101	-40.05	-13	Pass	431
3430	3570	1	RMS	3530.8	22.31	60	Pass	401
3570	6500	1	RMS	5122	-38.87	-13	Pass	2931
6500	26500	1	RMS	25201	-41.53	-13	Pass	20003



### 16.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.21	-13	Pass	401
0.15	30	0.01	RMS	0.2	-66.85	-13	Pass	2986
30	1000	0.1	RMS	909.94	-59.39	-13	Pass	9701
1000	3000	1	RMS	2873	-44.02	-13	Pass	2001
3000	3430	1	RMS	3101	-40.07	-13	Pass	431
3430	3570	1	RMS	3530.8	21.05	60	Pass	401
3570	6500	1	RMS	5129	-38.93	-13	Pass	2931
6500	26500	1	RMS	25206	-41.32	-13	Pass	20003






## 18. LTE\_Band66


18.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.27	-13	Pass	2986
30	1000	0.1	RMS	890.127	-63.43	-13	Pass	9701
1000	1700	1	RMS	1699	-52.31	-13	Pass	701
1700	1790	1	RMS	1710.125	22.75	60	Pass	401
1790	3000	1	RMS	2869	-48.37	-13	Pass	1211
3000	12000	1	RMS	11496	-38.78	-13	Pass	9002
12000	20000	1	RMS	19898	-29.54	-13	Pass	8001




**18.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.01	-13	Pass	2986
30	1000	0.1	RMS	883.723	-63.3	-13	Pass	9701
1000	1700	1	RMS	1700	-52.25	-13	Pass	701
1700	1790	1	RMS	1710.125	21.87	60	Pass	401
1790	3000	1	RMS	2869	-48.38	-13	Pass	1211
3000	12000	1	RMS	11839	-38.79	-13	Pass	9002
12000	20000	1	RMS	19883	-29.49	-13	Pass	8001




**18.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.24	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.84	-13	Pass	2986
30	1000	0.1	RMS	902.736	-63.54	-13	Pass	9701
1000	1700	1	RMS	1699	-52.38	-13	Pass	701
1700	1790	1	RMS	1744.55	22.67	60	Pass	401
1790	3000	1	RMS	2873	-48.38	-13	Pass	1211
3000	12000	1	RMS	11843	-38.77	-13	Pass	9002
12000	20000	1	RMS	19916	-29.52	-13	Pass	8001




**18.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2986
30	1000	0.1	RMS	901.535	-63.38	-13	Pass	9701
1000	1700	1	RMS	1684	-52.35	-13	Pass	701
1700	1790	1	RMS	1744.55	21.7	60	Pass	401
1790	3000	1	RMS	2868	-48.31	-13	Pass	1211
3000	12000	1	RMS	11847	-38.74	-13	Pass	9002
12000	20000	1	RMS	19907	-29.52	-13	Pass	8001




**18.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.06	-13	Pass	2986
30	1000	0.1	RMS	983.589	-63.18	-13	Pass	9701
1000	1700	1	RMS	1686	-52.31	-13	Pass	701
1700	1790	1	RMS	1778.75	22.74	60	Pass	401
1790	3000	1	RMS	2869	-48.36	-13	Pass	1211
3000	12000	1	RMS	11843	-38.78	-13	Pass	9002
12000	20000	1	RMS	19905	-29.52	-13	Pass	8001




**18.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.36	-13	Pass	2986
30	1000	0.1	RMS	899.333	-63.36	-13	Pass	9701
1000	1700	1	RMS	1685	-52.36	-13	Pass	701
1700	1790	1	RMS	1778.75	21.84	60	Pass	401
1790	3000	1	RMS	2871	-48.37	-13	Pass	1211
3000	12000	1	RMS	11850	-38.71	-13	Pass	9002
12000	20000	1	RMS	19900	-29.54	-13	Pass	8001




**18.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.36	-71.33	-13	Pass	2986
30	1000	0.1	RMS	908.039	-63.39	-13	Pass	9701
1000	1700	1	RMS	1700	-52.17	-13	Pass	701
1700	1790	1	RMS	1710.125	22.83	60	Pass	401
1790	3000	1	RMS	2877	-48.37	-13	Pass	1211
3000	12000	1	RMS	11841	-38.76	-13	Pass	9002
12000	20000	1	RMS	19902	-29.53	-13	Pass	8001



**18.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.37	-13	Pass	2986
30	1000	0.1	RMS	892.028	-63.34	-13	Pass	9701
1000	1700	1	RMS	1700	-52.24	-13	Pass	701
1700	1790	1	RMS	1710.125	22.04	60	Pass	401
1790	3000	1	RMS	2871	-48.38	-13	Pass	1211
3000	12000	1	RMS	11845	-38.73	-13	Pass	9002
12000	20000	1	RMS	19916	-29.45	-13	Pass	8001





**18.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.93	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.19	-13	Pass	2986
30	1000	0.1	RMS	889.927	-63.34	-13	Pass	9701
1000	1700	1	RMS	1677	-52.38	-13	Pass	701
1700	1790	1	RMS	1743.65	22.76	60	Pass	401
1790	3000	1	RMS	2869	-48.39	-13	Pass	1211
3000	12000	1	RMS	11852	-38.69	-13	Pass	9002
12000	20000	1	RMS	19898	-29.48	-13	Pass	8001



### 18.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	1000	0.1	RMS	900.934	-63.41	-13	Pass	9701
1000	1700	1	RMS	1673	-52.39	-13	Pass	701
1700	1790	1	RMS	1743.65	21.81	60	Pass	401
1790	3000	1	RMS	2871	-48.4	-13	Pass	1211
3000	12000	1	RMS	11823	-38.73	-13	Pass	9002
12000	20000	1	RMS	18291	-29.51	-13	Pass	8001



### 18.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.41	-13	Pass	401
0.15	30	0.01	RMS	0.31	-71.28	-13	Pass	2986
30	1000	0.1	RMS	909.74	-63.25	-13	Pass	9701
1000	1700	1	RMS	1678	-52.38	-13	Pass	701
1700	1790	1	RMS	1777.175	22.73	60	Pass	401
1790	3000	1	RMS	2874	-48.33	-13	Pass	1211
3000	12000	1	RMS	11838	-38.73	-13	Pass	9002
12000	20000	1	RMS	19912	-29.46	-13	Pass	8001



### 18.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.88	-13	Pass	2986
30	1000	0.1	RMS	990.194	-63.34	-13	Pass	9701
1000	1700	1	RMS	1682	-52.34	-13	Pass	701
1700	1790	1	RMS	1777.175	21.87	60	Pass	401
1790	3000	1	RMS	2869	-48.41	-13	Pass	1211
3000	12000	1	RMS	11852	-38.66	-13	Pass	9002
12000	20000	1	RMS	19910	-29.54	-13	Pass	8001



### 18.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.61	-13	Pass	2986
30	1000	0.1	RMS	892.028	-63.41	-13	Pass	9701
1000	1700	1	RMS	1700	-52.1	-13	Pass	701
1700	1790	1	RMS	1710.125	22.77	60	Pass	401
1790	3000	1	RMS	2875	-48.38	-13	Pass	1211
3000	12000	1	RMS	11500	-38.78	-13	Pass	9002
12000	20000	1	RMS	19905	-29.53	-13	Pass	8001



### 18.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.44	-13	Pass	2986
30	1000	0.1	RMS	882.722	-63.38	-13	Pass	9701
1000	1700	1	RMS	1700	-52.13	-13	Pass	701
1700	1790	1	RMS	1710.125	21.76	60	Pass	401
1790	3000	1	RMS	2874	-48.36	-13	Pass	1211
3000	12000	1	RMS	11838	-38.72	-13	Pass	9002
12000	20000	1	RMS	19899	-29.52	-13	Pass	8001



### 18.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	Pass	2986
30	1000	0.1	RMS	889.127	-63.47	-13	Pass	9701
1000	1700	1	RMS	1673	-52.37	-13	Pass	701
1700	1790	1	RMS	1742.75	22.83	60	Pass	401
1790	3000	1	RMS	2871	-48.36	-13	Pass	1211
3000	12000	1	RMS	11500	-38.69	-13	Pass	9002
12000	20000	1	RMS	19904	-29.48	-13	Pass	8001



### 18.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2986
30	1000	0.1	RMS	994.096	-63.51	-13	Pass	9701
1000	1700	1	RMS	1689	-52.37	-13	Pass	701
1700	1790	1	RMS	1742.75	21.96	60	Pass	401
1790	3000	1	RMS	2874	-48.38	-13	Pass	1211
3000	12000	1	RMS	11850	-38.79	-13	Pass	9002
12000	20000	1	RMS	19901	-29.49	-13	Pass	8001






### 18.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.81	-13	Pass	2986
30	1000	0.1	RMS	927.752	-63.4	-13	Pass	9701
1000	1700	1	RMS	1682	-52.3	-13	Pass	701
1700	1790	1	RMS	1775.15	22.71	60	Pass	401
1790	3000	1	RMS	2875	-48.38	-13	Pass	1211
3000	12000	1	RMS	11840	-38.71	-13	Pass	9002
12000	20000	1	RMS	19916	-29.49	-13	Pass	8001



### 18.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.48	-13	Pass	2986
30	1000	0.1	RMS	880.721	-63.33	-13	Pass	9701
1000	1700	1	RMS	1676	-52.34	-13	Pass	701
1700	1790	1	RMS	1775.15	21.87	60	Pass	401
1790	3000	1	RMS	2868	-48.38	-13	Pass	1211
3000	12000	1	RMS	11848	-38.62	-13	Pass	9002
12000	20000	1	RMS	19897	-29.51	-13	Pass	8001



### 18.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-13	Pass	2986
30	1000	0.1	RMS	866.612	-63.47	-13	Pass	9701
1000	1700	1	RMS	1693	-51.39	-13	Pass	701
1700	1790	1	RMS	1710.575	22.73	60	Pass	401
1790	3000	1	RMS	2869	-48.38	-13	Pass	1211
3000	12000	1	RMS	11501	-38.72	-13	Pass	9002
12000	20000	1	RMS	19897	-29.49	-13	Pass	8001



### 18.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.55	-13	Pass	2986
30	1000	0.1	RMS	895.431	-63.27	-13	Pass	9701
1000	1700	1	RMS	1700	-51.56	-13	Pass	701
1700	1790	1	RMS	1710.575	21.9	60	Pass	401
1790	3000	1	RMS	2876	-48.34	-13	Pass	1211
3000	12000	1	RMS	11504	-38.71	-13	Pass	9002
12000	20000	1	RMS	18293	-29.51	-13	Pass	8001



### 18.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2986
30	1000	0.1	RMS	876.018	-63.33	-13	Pass	9701
1000	1700	1	RMS	1700	-52.35	-13	Pass	701
1700	1790	1	RMS	1740.5	22.79	60	Pass	401
1790	3000	1	RMS	2872	-48.37	-13	Pass	1211
3000	12000	1	RMS	11842	-38.74	-13	Pass	9002
12000	20000	1	RMS	18286	-29.51	-13	Pass	8001



### 18.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.23	-13	Pass	2986
30	1000	0.1	RMS	901.535	-63.41	-13	Pass	9701
1000	1700	1	RMS	1678	-52.35	-13	Pass	701
1700	1790	1	RMS	1740.5	21.78	60	Pass	401
1790	3000	1	RMS	2871	-48.36	-13	Pass	1211
3000	12000	1	RMS	11848	-38.72	-13	Pass	9002
12000	20000	1	RMS	19900	-29.55	-13	Pass	8001



### 18.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.04	-13	Pass	2986
30	1000	0.1	RMS	878.92	-63.34	-13	Pass	9701
1000	1700	1	RMS	1680	-52.32	-13	Pass	701
1700	1790	1	RMS	1770.425	22.74	60	Pass	401
1790	3000	1	RMS	2870	-48.36	-13	Pass	1211
3000	12000	1	RMS	11832	-38.75	-13	Pass	9002
12000	20000	1	RMS	19883	-29.45	-13	Pass	8001



### 18.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2986
30	1000	0.1	RMS	890.027	-63.43	-13	Pass	9701
1000	1700	1	RMS	1677	-52.38	-13	Pass	701
1700	1790	1	RMS	1770.425	21.9	60	Pass	401
1790	3000	1	RMS	2869	-48.3	-13	Pass	1211
3000	12000	1	RMS	11839	-38.72	-13	Pass	9002
12000	20000	1	RMS	19920	-29.53	-13	Pass	8001






### 18.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	Pass	2986
30	1000	0.1	RMS	905.137	-63.37	-13	Pass	9701
1000	1700	1	RMS	1700	-50.27	-13	Pass	701
1700	1790	1	RMS	1710.8	22.7	60	Pass	401
1790	3000	1	RMS	2869	-48.39	-13	Pass	1211
3000	12000	1	RMS	11842	-38.74	-13	Pass	9002
12000	20000	1	RMS	19895	-29.45	-13	Pass	8001



### 18.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-13	Pass	2986
30	1000	0.1	RMS	904.937	-63.43	-13	Pass	9701
1000	1700	1	RMS	1700	-50.44	-13	Pass	701
1700	1790	1	RMS	1710.8	21.9	60	Pass	401
1790	3000	1	RMS	2869	-48.43	-13	Pass	1211
3000	12000	1	RMS	11843	-38.71	-13	Pass	9002
12000	20000	1	RMS	19898	-29.51	-13	Pass	8001



### 18.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-13	Pass	2986
30	1000	0.1	RMS	897.732	-63.36	-13	Pass	9701
1000	1700	1	RMS	1699	-52.38	-13	Pass	701
1700	1790	1	RMS	1738.25	22.73	60	Pass	401
1790	3000	1	RMS	2870	-48.42	-13	Pass	1211
3000	12000	1	RMS	11854	-38.74	-13	Pass	9002
12000	20000	1	RMS	18276	-29.52	-13	Pass	8001



### 18.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.81	-13	Pass	2986
30	1000	0.1	RMS	893.029	-63.29	-13	Pass	9701
1000	1700	1	RMS	1679	-52.32	-13	Pass	701
1700	1790	1	RMS	1738.25	21.73	60	Pass	401
1790	3000	1	RMS	2866	-48.4	-13	Pass	1211
3000	12000	1	RMS	11852	-38.78	-13	Pass	9002
12000	20000	1	RMS	19922	-29.54	-13	Pass	8001



### 18.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.95	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.12	-13	Pass	2986
30	1000	0.1	RMS	897.632	-63.46	-13	Pass	9701
1000	1700	1	RMS	1685	-52.38	-13	Pass	701
1700	1790	1	RMS	1765.7	22.71	60	Pass	401
1790	3000	1	RMS	1792	-46.01	-13	Pass	1211
3000	12000	1	RMS	11836	-38.73	-13	Pass	9002
12000	20000	1	RMS	18275	-29.53	-13	Pass	8001



### 18.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.93	-13	Pass	2986
30	1000	0.1	RMS	897.932	-63.36	-13	Pass	9701
1000	1700	1	RMS	1689	-52.4	-13	Pass	701
1700	1790	1	RMS	1765.7	21.85	60	Pass	401
1790	3000	1	RMS	1792	-45.26	-13	Pass	1211
3000	12000	1	RMS	11851	-38.75	-13	Pass	9002
12000	20000	1	RMS	19906	-29.51	-13	Pass	8001



### 18.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.76	-13	Pass	401
0.15	30	0.01	RMS	0.3	-71.06	-13	Pass	2986
30	1000	0.1	RMS	893.029	-63.48	-13	Pass	9701
1000	1700	1	RMS	1700	-50.87	-13	Pass	701
1700	1790	1	RMS	1711.025	22.74	60	Pass	401
1790	3000	1	RMS	2876	-48.36	-13	Pass	1211
3000	12000	1	RMS	11852	-38.77	-13	Pass	9002
12000	20000	1	RMS	18264	-29.54	-13	Pass	8001



### 18.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	Pass	2986
30	1000	0.1	RMS	913.042	-63.39	-13	Pass	9701
1000	1700	1	RMS	1700	-50.92	-13	Pass	701
1700	1790	1	RMS	1711.025	21.89	60	Pass	401
1790	3000	1	RMS	2870	-48.37	-13	Pass	1211
3000	12000	1	RMS	11500	-38.75	-13	Pass	9002
12000	20000	1	RMS	19904	-29.44	-13	Pass	8001






### 18.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2986
30	1000	0.1	RMS	899.433	-63.42	-13	Pass	9701
1000	1700	1	RMS	1700	-48.58	-13	Pass	701
1700	1790	1	RMS	1736	22.7	60	Pass	401
1790	3000	1	RMS	2877	-48.39	-13	Pass	1211
3000	12000	1	RMS	11499	-38.73	-13	Pass	9002
12000	20000	1	RMS	19890	-29.52	-13	Pass	8001



### 18.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.74	-13	Pass	2986
30	1000	0.1	RMS	901.635	-63.34	-13	Pass	9701
1000	1700	1	RMS	1700	-50.16	-13	Pass	701
1700	1790	1	RMS	1736	21.77	60	Pass	401
1790	3000	1	RMS	2869	-48.39	-13	Pass	1211
3000	12000	1	RMS	11845	-38.74	-13	Pass	9002
12000	20000	1	RMS	19903	-29.49	-13	Pass	8001

