



24.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.78	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.21	-25	Pass	2986
30	1000	0.1	RMS	908.339	-63.42	-25	Pass	9701
1000	2486	1	RMS	2483	-50.25	-25	Pass	1487
2486	2700	1	RMS	2680.205	21.45	60	Pass	401
2700	3000	1	RMS	2700	-47.78	-25	Pass	401
3000	6500	1	RMS	5361	-57.78	-25	Pass	3501
6500	26000	1	RMS	6508	-45.6	-25	Pass	19503




24.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.29	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.78	-25	Pass	2986
30	1000	0.1	RMS	728.9	-63.3	-25	Pass	9701
1000	2486	1	RMS	2485	-50.29	-25	Pass	1487
2486	2700	1	RMS	2689.3	21.48	60	Pass	401
2700	3000	1	RMS	2700	-47.53	-25	Pass	401
3000	6500	1	RMS	5379	-57.3	-25	Pass	3501
6500	26000	1	RMS	6509	-45.59	-25	Pass	19503




24.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-25	Pass	2986
30	1000	0.1	RMS	882.822	-63.47	-25	Pass	9701
1000	2436	1	RMS	2435	-50.6	-25	Pass	1437
2436	2750	1	RMS	2552.965	6.13	60	Pass	401
2750	3000	1	RMS	2866.25	-48.28	-25	Pass	401
3000	6500	1	RMS	5051	-59.8	-25	Pass	3501
6500	26000	1	RMS	6509	-45.61	-25	Pass	19503




24.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.53	-25	Pass	2986
30	1000	0.1	RMS	906.138	-63.39	-25	Pass	9701
1000	2436	1	RMS	2420	-50.49	-25	Pass	1437
2436	2750	1	RMS	2496.445	21.26	60	Pass	401
2750	3000	1	RMS	2871.875	-48.29	-25	Pass	401
3000	6500	1	RMS	4994	-39.2	-25	Pass	3501
6500	26000	1	RMS	6509	-45.49	-25	Pass	19503




24.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.18	-25	Pass	2986
30	1000	0.1	RMS	998.899	-63.4	-25	Pass	9701
1000	2436	1	RMS	2436	-50.59	-25	Pass	1437
2436	2750	1	RMS	2554.535	21.34	60	Pass	401
2750	3000	1	RMS	2866.875	-48.3	-25	Pass	401
3000	6500	1	RMS	5110	-49.45	-25	Pass	3501
6500	26000	1	RMS	6510	-45.57	-25	Pass	19503




24.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-25	Pass	2986
30	1000	0.1	RMS	890.027	-63.37	-25	Pass	9701
1000	2436	1	RMS	2416	-50.59	-25	Pass	1437
2436	2750	1	RMS	2607.915	5.98	60	Pass	401
2750	3000	1	RMS	2883.125	-48.29	-25	Pass	401
3000	6500	1	RMS	5185	-62.41	-25	Pass	3501
6500	26000	1	RMS	6511	-45.52	-25	Pass	19503




24.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.17	-25	Pass	2986
30	1000	0.1	RMS	897.332	-63.5	-25	Pass	9701
1000	2436	1	RMS	2436	-50.52	-25	Pass	1437
2436	2750	1	RMS	2563.955	20.02	60	Pass	401
2750	3000	1	RMS	2875.625	-48.32	-25	Pass	401
3000	6500	1	RMS	5128	-50.49	-25	Pass	3501
6500	26000	1	RMS	6511	-45.55	-25	Pass	19503




24.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.17	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.74	-25	Pass	2986
30	1000	0.1	RMS	891.628	-63.41	-25	Pass	9701
1000	2436	1	RMS	2422	-50.59	-25	Pass	1437
2436	2750	1	RMS	2621.26	20.81	60	Pass	401
2750	3000	1	RMS	2883.125	-48.32	-25	Pass	401
3000	6500	1	RMS	5244	-57.74	-25	Pass	3501
6500	26000	1	RMS	6507	-45.58	-25	Pass	19503




24.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.09	-25	Pass	2986
30	1000	0.1	RMS	882.722	-63.44	-25	Pass	9701
1000	2436	1	RMS	2434	-50.54	-25	Pass	1437
2436	2750	1	RMS	2636.175	6.34	60	Pass	401
2750	3000	1	RMS	2871.25	-48.26	-25	Pass	401
3000	6500	1	RMS	6216	-62.9	-25	Pass	3501
6500	26000	1	RMS	6510	-45.56	-25	Pass	19503




24.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.83	-25	Pass	2986
30	1000	0.1	RMS	889.227	-63.48	-25	Pass	9701
1000	2436	1	RMS	2429	-50.61	-25	Pass	1437
2436	2750	1	RMS	2630.68	21.43	60	Pass	401
2750	3000	1	RMS	2868.125	-48.33	-25	Pass	401
3000	6500	1	RMS	5262	-60.07	-25	Pass	3501
6500	26000	1	RMS	6507	-45.61	-25	Pass	19503




24.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.42	-25	Pass	2986
30	1000	0.1	RMS	885.024	-63.45	-25	Pass	9701
1000	2436	1	RMS	2435	-50.61	-25	Pass	1437
2436	2750	1	RMS	2688.77	20.85	60	Pass	401
2750	3000	1	RMS	2872.5	-48.32	-25	Pass	401
3000	6500	1	RMS	5378	-57.24	-25	Pass	3501
6500	26000	1	RMS	6510	-45.38	-25	Pass	19503




24.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-25	Pass	401
0.15	30	0.01	RMS	0.2	-70.86	-25	Pass	2986
30	1000	0.1	RMS	883.623	-63.49	-25	Pass	9701
1000	2396	1	RMS	2381	-50.69	-25	Pass	1397
2396	2790	1	RMS	2583.15	4.77	60	Pass	401
2790	3000	1	RMS	2872.95	-48.24	-25	Pass	401
3000	6500	1	RMS	5093	-61.52	-25	Pass	3501
6500	26000	1	RMS	6509	-45.56	-25	Pass	19503




24.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-25	Pass	2986
30	1000	0.1	RMS	989.093	-63.44	-25	Pass	9701
1000	2396	1	RMS	2379	-50.7	-25	Pass	1397
2396	2790	1	RMS	2496.47	20.82	60	Pass	401
2790	3000	1	RMS	2869.275	-48.31	-25	Pass	401
3000	6500	1	RMS	4994	-39.72	-25	Pass	3501
6500	26000	1	RMS	6508	-45.5	-25	Pass	19503




24.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.74	-25	Pass	2986
30	1000	0.1	RMS	887.325	-63.19	-25	Pass	9701
1000	2396	1	RMS	2380	-50.76	-25	Pass	1397
2396	2790	1	RMS	2593.985	19.12	60	Pass	401
2790	3000	1	RMS	2882.4	-48.27	-25	Pass	401
3000	6500	1	RMS	5190	-54.12	-25	Pass	3501
6500	26000	1	RMS	6508	-45.6	-25	Pass	19503




24.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.39	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.18	-25	Pass	2986
30	1000	0.1	RMS	908.239	-63.28	-25	Pass	9701
1000	2396	1	RMS	2385	-50.73	-25	Pass	1397
2396	2790	1	RMS	2618.61	4	60	Pass	401
2790	3000	1	RMS	2871.375	-48.23	-25	Pass	401
3000	6500	1	RMS	5189	-62.7	-25	Pass	3501
6500	26000	1	RMS	6507	-45.38	-25	Pass	19503




24.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.09	-25	Pass	2986
30	1000	0.1	RMS	998.899	-63.39	-25	Pass	9701
1000	2396	1	RMS	2382	-50.74	-25	Pass	1397
2396	2790	1	RMS	2543.75	20.42	60	Pass	401
2790	3000	1	RMS	2869.275	-48.29	-25	Pass	401
3000	6500	1	RMS	5088	-48.69	-25	Pass	3501
6500	26000	1	RMS	6509	-45.47	-25	Pass	19503




24.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.75	-25	Pass	2986
30	1000	0.1	RMS	889.227	-63.44	-25	Pass	9701
1000	2396	1	RMS	2382	-50.75	-25	Pass	1397
2396	2790	1	RMS	2641.265	20.54	60	Pass	401
2790	3000	1	RMS	2874	-48.29	-25	Pass	401
3000	6500	1	RMS	5284	-60.45	-25	Pass	3501
6500	26000	1	RMS	6508	-45.54	-25	Pass	19503




24.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-25	Pass	2986
30	1000	0.1	RMS	890.828	-63.44	-25	Pass	9701
1000	2396	1	RMS	2388	-50.81	-25	Pass	1397
2396	2790	1	RMS	2607.775	4.09	60	Pass	401
2790	3000	1	RMS	2869.8	-47.89	-25	Pass	401
3000	6500	1	RMS	6220	-62.81	-25	Pass	3501
6500	26000	1	RMS	6510	-45.43	-25	Pass	19503




24.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.75	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.22	-25	Pass	2986
30	1000	0.1	RMS	998.999	-63.43	-25	Pass	9701
1000	2396	1	RMS	2393	-50.76	-25	Pass	1397
2396	2790	1	RMS	2590.045	19.08	60	Pass	401
2790	3000	1	RMS	2877.675	-48.28	-25	Pass	401
3000	6500	1	RMS	5182	-53.44	-25	Pass	3501
6500	26000	1	RMS	6511	-45.52	-25	Pass	19503



24.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.38	-25	Pass	2986
30	1000	0.1	RMS	993.596	-63.41	-25	Pass	9701
1000	2396	1	RMS	2380	-50.77	-25	Pass	1397
2396	2790	1	RMS	2688.545	20.55	60	Pass	401
2790	3000	1	RMS	2883.975	-48.28	-25	Pass	401
3000	6500	1	RMS	5378	-57.45	-25	Pass	3501
6500	26000	1	RMS	6510	-45.56	-25	Pass	19503



25. n77 (3450-3550)


25.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.75	-13	Pass	401
0.15	30	0.01	RMS	0.24	-69.02	-13	Pass	2986
30	1000	0.1	RMS	994.296	-60.93	-13	Pass	9701
1000	3000	1	RMS	2883	-48	-13	Pass	2001
3000	3440	1	RMS	3440	-39.15	-13	Pass	441
3440	3560	1	RMS	3457.4	12.48	60	Pass	401
3560	6500	1	RMS	3562	-62.7	-13	Pass	2941
6500	26500	1	RMS	6506	-45.15	-13	Pass	20003




25.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.34	-69.97	-13	Pass	2986
30	1000	0.1	RMS	877.319	-60.75	-13	Pass	9701
1000	3000	1	RMS	2873	-47.94	-13	Pass	2001
3000	3440	1	RMS	3105	-42.95	-13	Pass	441
3440	3560	1	RMS	3450.5	21.06	60	Pass	401
3560	6500	1	RMS	6220	-62.48	-13	Pass	2941
6500	26500	1	RMS	25179	-44.76	-13	Pass	20003




25.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.59	-13	Pass	401
0.15	30	0.01	RMS	0.27	-69.95	-13	Pass	2986
30	1000	0.1	RMS	743.8	-61.08	-13	Pass	9701
1000	3000	1	RMS	2885	-48.02	-13	Pass	2001
3000	3440	1	RMS	3104	-42.93	-13	Pass	441
3440	3560	1	RMS	3459.5	21.15	60	Pass	401
3560	6500	1	RMS	6234	-62.73	-13	Pass	2941
6500	26500	1	RMS	6510	-44.88	-13	Pass	20003




25.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.4	-13	Pass	401
0.15	30	0.01	RMS	0.42	-70.27	-13	Pass	2986
30	1000	0.1	RMS	906.738	-60.94	-13	Pass	9701
1000	3000	1	RMS	2890	-48.07	-13	Pass	2001
3000	3440	1	RMS	3104	-42.95	-13	Pass	441
3440	3560	1	RMS	3497.9	12.41	60	Pass	401
3560	6500	1	RMS	6218	-62.58	-13	Pass	2941
6500	26500	1	RMS	25511	-44.66	-13	Pass	20003




25.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.19	-67.89	-13	Pass	2986
30	1000	0.1	RMS	978.586	-60.81	-13	Pass	9701
1000	3000	1	RMS	2887	-47.99	-13	Pass	2001
3000	3440	1	RMS	3101	-42.92	-13	Pass	441
3440	3560	1	RMS	3495.5	21.01	60	Pass	401
3560	6500	1	RMS	6220	-62.57	-13	Pass	2941
6500	26500	1	RMS	6505	-44.86	-13	Pass	20003




25.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.35	-13	Pass	2986
30	1000	0.1	RMS	890.628	-60.85	-13	Pass	9701
1000	3000	1	RMS	2874	-48.11	-13	Pass	2001
3000	3440	1	RMS	3102	-42.99	-13	Pass	441
3440	3560	1	RMS	3504.5	21.07	60	Pass	401
3560	6500	1	RMS	6218	-62.72	-13	Pass	2941
6500	26500	1	RMS	6512	-45.04	-13	Pass	20003




25.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71	-13	Pass	401
0.15	30	0.01	RMS	0.45	-69.59	-13	Pass	2986
30	1000	0.1	RMS	939.26	-61.02	-13	Pass	9701
1000	3000	1	RMS	2867	-48.02	-13	Pass	2001
3000	3440	1	RMS	3102	-42.91	-13	Pass	441
3440	3560	1	RMS	3547.4	12.17	60	Pass	401
3560	6500	1	RMS	3560	-40.2	-13	Pass	2941
6500	26500	1	RMS	6510	-44.98	-13	Pass	20003




25.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-13	Pass	2986
30	1000	0.1	RMS	884.924	-61.33	-13	Pass	9701
1000	3000	1	RMS	2879	-48.01	-13	Pass	2001
3000	3440	1	RMS	3110	-42.81	-13	Pass	441
3440	3560	1	RMS	3540.5	20.87	60	Pass	401
3560	6500	1	RMS	3560	-50.07	-13	Pass	2941
6500	26500	1	RMS	25213	-44.86	-13	Pass	20003




25.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.6	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.72	-13	Pass	2986
30	1000	0.1	RMS	898.132	-61.12	-13	Pass	9701
1000	3000	1	RMS	2874	-48.07	-13	Pass	2001
3000	3440	1	RMS	3104	-42.93	-13	Pass	441
3440	3560	1	RMS	3549.5	20.85	60	Pass	401
3560	6500	1	RMS	3560	-49.17	-13	Pass	2941
6500	26500	1	RMS	25187	-44.83	-13	Pass	20003




25.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.19	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.99	-13	Pass	2986
30	1000	0.1	RMS	752.3	-61.02	-13	Pass	9701
1000	3000	1	RMS	2873	-48.13	-13	Pass	2001
3000	3440	1	RMS	3440	-34.2	-13	Pass	441
3440	3560	1	RMS	3467	5.7	60	Pass	401
3560	6500	1	RMS	3560	-49.05	-13	Pass	2941
6500	26500	1	RMS	6507	-45.12	-13	Pass	20003




25.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.5	-13	Pass	2986
30	1000	0.1	RMS	718.2	-61.05	-13	Pass	9701
1000	3000	1	RMS	2869	-47.99	-13	Pass	2001
3000	3440	1	RMS	3440	-40.51	-13	Pass	441
3440	3560	1	RMS	3450.8	21.43	60	Pass	401
3560	6500	1	RMS	3560	-56.7	-13	Pass	2941
6500	26500	1	RMS	6508	-44.96	-13	Pass	20003




25.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.35	-13	Pass	2986
30	1000	0.1	RMS	897.632	-60.76	-13	Pass	9701
1000	3000	1	RMS	2880	-48.03	-13	Pass	2001
3000	3440	1	RMS	3402	-40.62	-13	Pass	441
3440	3560	1	RMS	3499.1	21	60	Pass	401
3560	6500	1	RMS	3562	-58.26	-13	Pass	2941
6500	26500	1	RMS	25162	-45	-13	Pass	20003




25.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.8	-13	Pass	2986
30	1000	0.1	RMS	757.4	-61.06	-13	Pass	9701
1000	3000	1	RMS	2864	-48.11	-13	Pass	2001
3000	3440	1	RMS	3440	-39.52	-13	Pass	441
3440	3560	1	RMS	3478.7	5.58	60	Pass	401
3560	6500	1	RMS	3560	-40.91	-13	Pass	2941
6500	26500	1	RMS	25530	-45.27	-13	Pass	20003




25.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.96	-13	Pass	2986
30	1000	0.1	RMS	919.246	-61.29	-13	Pass	9701
1000	3000	1	RMS	2869	-48.06	-13	Pass	2001
3000	3440	1	RMS	3106	-42.95	-13	Pass	441
3440	3560	1	RMS	3475.7	21.33	60	Pass	401
3560	6500	1	RMS	3573	-42.38	-13	Pass	2941
6500	26500	1	RMS	25186	-45.14	-13	Pass	20003




25.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.1	-13	Pass	2986
30	1000	0.1	RMS	994.196	-59.94	-13	Pass	9701
1000	3000	1	RMS	2888	-48.01	-13	Pass	2001
3000	3440	1	RMS	3427	-39.69	-13	Pass	441
3440	3560	1	RMS	3524.3	20.89	60	Pass	401
3560	6500	1	RMS	3567	-51.73	-13	Pass	2941
6500	26500	1	RMS	6502	-44.56	-13	Pass	20003




25.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.86	-13	Pass	401
0.15	30	0.01	RMS	0.36	-69.64	-13	Pass	2986
30	1000	0.1	RMS	719.9	-61.05	-13	Pass	9701
1000	3000	1	RMS	2866	-48.07	-13	Pass	2001
3000	3440	1	RMS	3105	-42.83	-13	Pass	441
3440	3560	1	RMS	3528.5	5.35	60	Pass	401
3560	6500	1	RMS	3560	-35.31	-13	Pass	2941
6500	26500	1	RMS	6514	-44.64	-13	Pass	20003




25.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.01	-13	Pass	401
0.15	30	0.01	RMS	0.32	-68.57	-13	Pass	2986
30	1000	0.1	RMS	951.768	-60.78	-13	Pass	9701
1000	3000	1	RMS	2865	-48.06	-13	Pass	2001
3000	3440	1	RMS	3101	-42.99	-13	Pass	441
3440	3560	1	RMS	3500.9	21.01	60	Pass	401
3560	6500	1	RMS	3598	-42.54	-13	Pass	2941
6500	26500	1	RMS	6506	-44.73	-13	Pass	20003




25.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.75	-13	Pass	2986
30	1000	0.1	RMS	770.3	-60.54	-13	Pass	9701
1000	3000	1	RMS	2869	-48.08	-13	Pass	2001
3000	3440	1	RMS	3105	-42.96	-13	Pass	441
3440	3560	1	RMS	3549.2	20.73	60	Pass	401
3560	6500	1	RMS	3560	-43.23	-13	Pass	2941
6500	26500	1	RMS	25186	-45.05	-13	Pass	20003




25.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.22	-69.06	-13	Pass	2986
30	1000	0.1	RMS	823.5	-61.03	-13	Pass	9701
1000	3000	1	RMS	2878	-47.95	-13	Pass	2001
3000	3440	1	RMS	3440	-35.13	-13	Pass	441
3440	3560	1	RMS	3467.6	2.55	60	Pass	401
3560	6500	1	RMS	3560	-38.19	-13	Pass	2941
6500	26500	1	RMS	6509	-44.8	-13	Pass	20003




25.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.92	-13	Pass	401
0.15	30	0.01	RMS	0.51	-69.91	-13	Pass	2986
30	1000	0.1	RMS	750.8	-60.57	-13	Pass	9701
1000	3000	1	RMS	2879	-47.99	-13	Pass	2001
3000	3440	1	RMS	3438	-37.96	-13	Pass	441
3440	3560	1	RMS	3451.1	20.6	60	Pass	401
3560	6500	1	RMS	3560	-44.1	-13	Pass	2941
6500	26500	1	RMS	25226	-45.3	-13	Pass	20003



25.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.28	-69.52	-13	Pass	2986
30	1000	0.1	RMS	891.228	-61.29	-13	Pass	9701
1000	3000	1	RMS	2869	-48.06	-13	Pass	2001
3000	3440	1	RMS	3433	-39.6	-13	Pass	441
3440	3560	1	RMS	3548.9	20.14	60	Pass	401
3560	6500	1	RMS	3570	-44.07	-13	Pass	2941
6500	26500	1	RMS	6504	-44.58	-13	Pass	20003



26. n77 (3700-3980)


26.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.6	-69.79	-13	Pass	2986
30	1000	0.1	RMS	845.1	-61.18	-13	Pass	9701
1000	3000	1	RMS	2878	-48.15	-13	Pass	2001
3000	3690	1	RMS	3690	-38.47	-13	Pass	691
3690	3990	1	RMS	3702.75	12.26	60	Pass	401
3990	6500	1	RMS	6218	-62.6	-13	Pass	2511
6500	26500	1	RMS	6509	-44.85	-13	Pass	20003




26.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.75	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.83	-13	Pass	2986
30	1000	0.1	RMS	862.309	-60.83	-13	Pass	9701
1000	3000	1	RMS	2871	-47.95	-13	Pass	2001
3000	3690	1	RMS	3108	-42.76	-13	Pass	691
3690	3990	1	RMS	3700.5	20.53	60	Pass	401
3990	6500	1	RMS	6141	-62.69	-13	Pass	2511
6500	26500	1	RMS	6511	-44.69	-13	Pass	20003




26.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.19	-67.72	-13	Pass	2986
30	1000	0.1	RMS	897.632	-61.3	-13	Pass	9701
1000	3000	1	RMS	2882	-48.01	-13	Pass	2001
3000	3690	1	RMS	3690	-42.62	-13	Pass	691
3690	3990	1	RMS	3709.5	20.5	60	Pass	401
3990	6500	1	RMS	6221	-62.81	-13	Pass	2511
6500	26500	1	RMS	25190	-45.01	-13	Pass	20003




26.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.71	-13	Pass	2986
30	1000	0.1	RMS	878.62	-60.9	-13	Pass	9701
1000	3000	1	RMS	2879	-48.07	-13	Pass	2001
3000	3690	1	RMS	3107	-42.83	-13	Pass	691
3690	3990	1	RMS	3842.25	12.1	60	Pass	401
3990	6500	1	RMS	6220	-62.65	-13	Pass	2511
6500	26500	1	RMS	6508	-44.37	-13	Pass	20003




26.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.4	-68.59	-13	Pass	2986
30	1000	0.1	RMS	883.823	-60.66	-13	Pass	9701
1000	3000	1	RMS	2886	-48.08	-13	Pass	2001
3000	3690	1	RMS	3106	-42.92	-13	Pass	691
3690	3990	1	RMS	3835.5	20.3	60	Pass	401
3990	6500	1	RMS	6213	-62.73	-13	Pass	2511
6500	26500	1	RMS	25792	-45.03	-13	Pass	20003




26.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.25	-69.17	-13	Pass	2986
30	1000	0.1	RMS	703.8	-60.92	-13	Pass	9701
1000	3000	1	RMS	2881	-47.96	-13	Pass	2001
3000	3690	1	RMS	3106	-42.9	-13	Pass	691
3690	3990	1	RMS	3844.5	20.31	60	Pass	401
3990	6500	1	RMS	6219	-62.69	-13	Pass	2511
6500	26500	1	RMS	25864	-45.15	-13	Pass	20003




26.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:665000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.25	-69.63	-13	Pass	2986
30	1000	0.1	RMS	620.7	-60.83	-13	Pass	9701
1000	3000	1	RMS	2875	-48.04	-13	Pass	2001
3000	3690	1	RMS	3106	-42.71	-13	Pass	691
3690	3990	1	RMS	3972.75	12.64	60	Pass	401
3990	6500	1	RMS	3990	-35.35	-13	Pass	2511
6500	26500	1	RMS	6513	-44.84	-13	Pass	20003




26.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:665000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.82	-13	Pass	2986
30	1000	0.1	RMS	982.689	-60.94	-13	Pass	9701
1000	3000	1	RMS	2883	-47.93	-13	Pass	2001
3000	3690	1	RMS	3106	-42.91	-13	Pass	691
3690	3990	1	RMS	3970.5	20.94	60	Pass	401
3990	6500	1	RMS	3990	-48.78	-13	Pass	2511
6500	26500	1	RMS	6511	-44.59	-13	Pass	20003




26.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.34	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.92	-13	Pass	2986
30	1000	0.1	RMS	979.086	-60.56	-13	Pass	9701
1000	3000	1	RMS	2880	-48.08	-13	Pass	2001
3000	3690	1	RMS	3107	-42.92	-13	Pass	691
3690	3990	1	RMS	3979.5	20.77	60	Pass	401
3990	6500	1	RMS	3990	-48.85	-13	Pass	2511
6500	26500	1	RMS	6514	-44.07	-13	Pass	20003




26.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.69	-13	Pass	401
0.15	30	0.01	RMS	0.39	-69.11	-13	Pass	2986
30	1000	0.1	RMS	867.012	-61.06	-13	Pass	9701
1000	3000	1	RMS	2890	-47.98	-13	Pass	2001
3000	3690	1	RMS	3690	-33.6	-13	Pass	691
3690	3990	1	RMS	3702	5.29	60	Pass	401
3990	6500	1	RMS	6217	-62.58	-13	Pass	2511
6500	26500	1	RMS	6508	-45.02	-13	Pass	20003




26.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.87	-13	Pass	2986
30	1000	0.1	RMS	989.393	-60.69	-13	Pass	9701
1000	3000	1	RMS	2871	-48.1	-13	Pass	2001
3000	3690	1	RMS	3690	-40.54	-13	Pass	691
3690	3990	1	RMS	3700.5	19.9	60	Pass	401
3990	6500	1	RMS	6213	-62.67	-13	Pass	2511
6500	26500	1	RMS	25500	-45.08	-13	Pass	20003




26.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.3	-69.85	-13	Pass	2986
30	1000	0.1	RMS	903.436	-60.9	-13	Pass	9701
1000	3000	1	RMS	2875	-48.08	-13	Pass	2001
3000	3690	1	RMS	3652	-41.08	-13	Pass	691
3690	3990	1	RMS	3749.25	20.19	60	Pass	401
3990	6500	1	RMS	6213	-62.46	-13	Pass	2511
6500	26500	1	RMS	6504	-44.52	-13	Pass	20003




26.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.03	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.48	-13	Pass	2986
30	1000	0.1	RMS	933.756	-60.94	-13	Pass	9701
1000	3000	1	RMS	2886	-48.05	-13	Pass	2001
3000	3690	1	RMS	3111	-42.88	-13	Pass	691
3690	3990	1	RMS	3836.25	5.15	60	Pass	401
3990	6500	1	RMS	6213	-62.76	-13	Pass	2511
6500	26500	1	RMS	25182	-45.24	-13	Pass	20003




26.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.26	-69.62	-13	Pass	2986
30	1000	0.1	RMS	955.771	-60.74	-13	Pass	9701
1000	3000	1	RMS	2864	-47.95	-13	Pass	2001
3000	3690	1	RMS	3111	-42.93	-13	Pass	691
3690	3990	1	RMS	3816	19.96	60	Pass	401
3990	6500	1	RMS	6214	-62.47	-13	Pass	2511
6500	26500	1	RMS	6507	-45.07	-13	Pass	20003




26.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.12	-13	Pass	2986
30	1000	0.1	RMS	894.93	-60.64	-13	Pass	9701
1000	3000	1	RMS	2872	-47.93	-13	Pass	2001
3000	3690	1	RMS	3110	-42.88	-13	Pass	691
3690	3990	1	RMS	3864	19.91	60	Pass	401
3990	6500	1	RMS	6143	-62.64	-13	Pass	2511
6500	26500	1	RMS	6507	-44.74	-13	Pass	20003




26.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:663666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.71	-13	Pass	401
0.15	30	0.01	RMS	0.25	-70.02	-13	Pass	2986
30	1000	0.1	RMS	906.238	-61.15	-13	Pass	9701
1000	3000	1	RMS	2868	-47.81	-13	Pass	2001
3000	3690	1	RMS	3105	-42.84	-13	Pass	691
3690	3990	1	RMS	3960.75	5.72	60	Pass	401
3990	6500	1	RMS	3990	-29.76	-13	Pass	2511
6500	26500	1	RMS	6512	-45.15	-13	Pass	20003




26.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:663666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.31	-69.5	-13	Pass	2986
30	1000	0.1	RMS	864.71	-61.19	-13	Pass	9701
1000	3000	1	RMS	2881	-48.02	-13	Pass	2001
3000	3690	1	RMS	3107	-42.85	-13	Pass	691
3690	3990	1	RMS	3930.75	20.79	60	Pass	401
3990	6500	1	RMS	4028	-44.97	-13	Pass	2511
6500	26500	1	RMS	6506	-44.31	-13	Pass	20003




26.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.5	-69.41	-13	Pass	2986
30	1000	0.1	RMS	924.05	-60.95	-13	Pass	9701
1000	3000	1	RMS	2871	-47.99	-13	Pass	2001
3000	3690	1	RMS	3100	-42.95	-13	Pass	691
3690	3990	1	RMS	3979.5	19.89	60	Pass	401
3990	6500	1	RMS	3990	-42.66	-13	Pass	2511
6500	26500	1	RMS	6503	-44.85	-13	Pass	20003




26.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.32	-68.91	-13	Pass	2986
30	1000	0.1	RMS	621.9	-60.79	-13	Pass	9701
1000	3000	1	RMS	2886	-47.92	-13	Pass	2001
3000	3690	1	RMS	3690	-33.93	-13	Pass	691
3690	3990	1	RMS	3712.5	1.99	60	Pass	401
3990	6500	1	RMS	3990	-62.48	-13	Pass	2511
6500	26500	1	RMS	25181	-45.08	-13	Pass	20003




26.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.09	-13	Pass	2986
30	1000	0.1	RMS	883.623	-61.1	-13	Pass	9701
1000	3000	1	RMS	2882	-48.08	-13	Pass	2001
3000	3690	1	RMS	3679	-41	-13	Pass	691
3690	3990	1	RMS	3701.25	19.28	60	Pass	401
3990	6500	1	RMS	4325	-55.13	-13	Pass	2511
6500	26500	1	RMS	25204	-45.21	-13	Pass	20003




26.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.16	-13	Pass	2986
30	1000	0.1	RMS	878.419	-61.26	-13	Pass	9701
1000	3000	1	RMS	2881	-48.12	-13	Pass	2001
3000	3690	1	RMS	3690	-40.62	-13	Pass	691
3690	3990	1	RMS	3798.75	19.32	60	Pass	401
3990	6500	1	RMS	4423	-60.11	-13	Pass	2511
6500	26500	1	RMS	25189	-45.16	-13	Pass	20003




26.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.25	-67.73	-13	Pass	2986
30	1000	0.1	RMS	943.463	-61.34	-13	Pass	9701
1000	3000	1	RMS	2877	-48	-13	Pass	2001
3000	3690	1	RMS	3110	-42.89	-13	Pass	691
3690	3990	1	RMS	3840.75	2.03	60	Pass	401
3990	6500	1	RMS	3990	-47.69	-13	Pass	2511
6500	26500	1	RMS	6512	-44.96	-13	Pass	20003




26.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.65	-13	Pass	401
0.15	30	0.01	RMS	0.36	-70.09	-13	Pass	2986
30	1000	0.1	RMS	995.497	-61.05	-13	Pass	9701
1000	3000	1	RMS	2869	-48.08	-13	Pass	2001
3000	3690	1	RMS	3107	-42.83	-13	Pass	691
3690	3990	1	RMS	3791.25	19.19	60	Pass	401
3990	6500	1	RMS	4415	-57.1	-13	Pass	2511
6500	26500	1	RMS	25209	-44.93	-13	Pass	20003




26.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.4	-13	Pass	2986
30	1000	0.1	RMS	996.798	-61.04	-13	Pass	9701
1000	3000	1	RMS	2869	-48.09	-13	Pass	2001
3000	3690	1	RMS	3101	-42.91	-13	Pass	691
3690	3990	1	RMS	3888.75	19.3	60	Pass	401
3990	6500	1	RMS	4513	-62.16	-13	Pass	2511
6500	26500	1	RMS	6507	-44.8	-13	Pass	20003




26.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.89	-13	Pass	2986
30	1000	0.1	RMS	747.3	-60.6	-13	Pass	9701
1000	3000	1	RMS	2879	-48.18	-13	Pass	2001
3000	3690	1	RMS	3107	-42.97	-13	Pass	691
3690	3990	1	RMS	3903	2.6	60	Pass	401
3990	6500	1	RMS	3990	-32.4	-13	Pass	2511
6500	26500	1	RMS	6502	-45.13	-13	Pass	20003




26.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.18	-13	Pass	401
0.15	30	0.01	RMS	0.28	-68.63	-13	Pass	2986
30	1000	0.1	RMS	893.63	-61.1	-13	Pass	9701
1000	3000	1	RMS	2891	-48.18	-13	Pass	2001
3000	3690	1	RMS	3103	-42.83	-13	Pass	691
3690	3990	1	RMS	3881.25	19.26	60	Pass	401
3990	6500	1	RMS	3990	-43.69	-13	Pass	2511
6500	26500	1	RMS	25160	-44.96	-13	Pass	20003



26.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.27	-68.32	-13	Pass	2986
30	1000	0.1	RMS	861.908	-60.76	-13	Pass	9701
1000	3000	1	RMS	2867	-48.1	-13	Pass	2001
3000	3690	1	RMS	3108	-42.89	-13	Pass	691
3690	3990	1	RMS	3978.75	19.84	60	Pass	401
3990	6500	1	RMS	4001	-43.57	-13	Pass	2511
6500	26500	1	RMS	6510	-44.64	-13	Pass	20003



27. n78 (3450-3550)


27.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.74	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.47	-13	Pass	2986
30	1000	0.1	RMS	993.496	-61.24	-13	Pass	9701
1000	3000	1	RMS	2879	-48.04	-13	Pass	2001
3000	3440	1	RMS	3440	-39.04	-13	Pass	441
3440	3560	1	RMS	3453.2	12.69	60	Pass	401
3560	6500	1	RMS	6223	-62.66	-13	Pass	2941
6500	26500	1	RMS	6501	-45.13	-13	Pass	20003




27.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.29	-13	Pass	401
0.15	30	0.01	RMS	0.26	-67.76	-13	Pass	2986
30	1000	0.1	RMS	955.37	-60.93	-13	Pass	9701
1000	3000	1	RMS	2877	-48	-13	Pass	2001
3000	3440	1	RMS	3111	-42.93	-13	Pass	441
3440	3560	1	RMS	3450.5	21.37	60	Pass	401
3560	6500	1	RMS	6117	-62.66	-13	Pass	2941
6500	26500	1	RMS	25190	-44.67	-13	Pass	20003




27.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.08	-13	Pass	401
0.15	30	0.01	RMS	0.39	-70.2	-13	Pass	2986
30	1000	0.1	RMS	1000	-60.61	-13	Pass	9701
1000	3000	1	RMS	2884	-48.16	-13	Pass	2001
3000	3440	1	RMS	3107	-42.89	-13	Pass	441
3440	3560	1	RMS	3459.5	21.32	60	Pass	401
3560	6500	1	RMS	6221	-62.5	-13	Pass	2941
6500	26500	1	RMS	25215	-45.16	-13	Pass	20003




27.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.49	-68.42	-13	Pass	2986
30	1000	0.1	RMS	875.417	-61.08	-13	Pass	9701
1000	3000	1	RMS	2875	-47.93	-13	Pass	2001
3000	3440	1	RMS	3098	-42.95	-13	Pass	441
3440	3560	1	RMS	3498.2	12.4	60	Pass	401
3560	6500	1	RMS	6216	-62.68	-13	Pass	2941
6500	26500	1	RMS	6513	-45.09	-13	Pass	20003




27.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.52	-13	Pass	401
0.15	30	0.01	RMS	0.26	-69.06	-13	Pass	2986
30	1000	0.1	RMS	953.969	-61.09	-13	Pass	9701
1000	3000	1	RMS	2868	-48.04	-13	Pass	2001
3000	3440	1	RMS	3107	-42.96	-13	Pass	441
3440	3560	1	RMS	3495.5	20.97	60	Pass	401
3560	6500	1	RMS	6217	-62.69	-13	Pass	2941
6500	26500	1	RMS	6504	-44.87	-13	Pass	20003




27.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.54	-13	Pass	2986
30	1000	0.1	RMS	895.731	-61.09	-13	Pass	9701
1000	3000	1	RMS	2869	-48.09	-13	Pass	2001
3000	3440	1	RMS	3103	-42.96	-13	Pass	441
3440	3560	1	RMS	3504.5	21.1	60	Pass	401
3560	6500	1	RMS	6210	-62.56	-13	Pass	2941
6500	26500	1	RMS	6512	-44.62	-13	Pass	20003




27.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.46	-13	Pass	2986
30	1000	0.1	RMS	909.44	-60.69	-13	Pass	9701
1000	3000	1	RMS	2868	-48.03	-13	Pass	2001
3000	3440	1	RMS	3106	-42.92	-13	Pass	441
3440	3560	1	RMS	3543.5	12.17	60	Pass	401
3560	6500	1	RMS	3560	-38.64	-13	Pass	2941
6500	26500	1	RMS	6512	-45.12	-13	Pass	20003




27.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.41	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69	-13	Pass	2986
30	1000	0.1	RMS	845.9	-61.07	-13	Pass	9701
1000	3000	1	RMS	2869	-47.91	-13	Pass	2001
3000	3440	1	RMS	3106	-42.91	-13	Pass	441
3440	3560	1	RMS	3540.5	20.81	60	Pass	401
3560	6500	1	RMS	3560	-49.87	-13	Pass	2941
6500	26500	1	RMS	25208	-44.95	-13	Pass	20003




27.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.06	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.1	-13	Pass	2986
30	1000	0.1	RMS	886.125	-60.61	-13	Pass	9701
1000	3000	1	RMS	2883	-48.02	-13	Pass	2001
3000	3440	1	RMS	3111	-42.96	-13	Pass	441
3440	3560	1	RMS	3549.5	20.84	60	Pass	401
3560	6500	1	RMS	3560	-49.06	-13	Pass	2941
6500	26500	1	RMS	6510	-44.45	-13	Pass	20003




27.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.39	-69.2	-13	Pass	2986
30	1000	0.1	RMS	882.522	-61.05	-13	Pass	9701
1000	3000	1	RMS	2869	-48.02	-13	Pass	2001
3000	3440	1	RMS	3440	-34.37	-13	Pass	441
3440	3560	1	RMS	3471.2	5.68	60	Pass	401
3560	6500	1	RMS	3560	-49.41	-13	Pass	2941
6500	26500	1	RMS	6509	-44.9	-13	Pass	20003




27.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.72	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.06	-13	Pass	2986
30	1000	0.1	RMS	997.598	-61.26	-13	Pass	9701
1000	3000	1	RMS	2872	-48.07	-13	Pass	2001
3000	3440	1	RMS	3440	-40.52	-13	Pass	441
3440	3560	1	RMS	3450.8	21.39	60	Pass	401
3560	6500	1	RMS	3569	-56.27	-13	Pass	2941
6500	26500	1	RMS	6510	-45	-13	Pass	20003




27.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.28	-69.24	-13	Pass	2986
30	1000	0.1	RMS	775.2	-61.09	-13	Pass	9701
1000	3000	1	RMS	2875	-47.95	-13	Pass	2001
3000	3440	1	RMS	3402	-39.79	-13	Pass	441
3440	3560	1	RMS	3499.1	20.83	60	Pass	401
3560	6500	1	RMS	3561	-57.03	-13	Pass	2941
6500	26500	1	RMS	25534	-45.17	-13	Pass	20003




27.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.21	-13	Pass	2986
30	1000	0.1	RMS	998.299	-60.83	-13	Pass	9701
1000	3000	1	RMS	2884	-48.1	-13	Pass	2001
3000	3440	1	RMS	3439	-39.78	-13	Pass	441
3440	3560	1	RMS	3501.8	5.51	60	Pass	401
3560	6500	1	RMS	3560	-41.1	-13	Pass	2941
6500	26500	1	RMS	25196	-44.67	-13	Pass	20003




27.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.33	-69.66	-13	Pass	2986
30	1000	0.1	RMS	892.429	-60.9	-13	Pass	9701
1000	3000	1	RMS	2876	-48.16	-13	Pass	2001
3000	3440	1	RMS	3108	-42.93	-13	Pass	441
3440	3560	1	RMS	3475.7	21.22	60	Pass	401
3560	6500	1	RMS	3573	-42.78	-13	Pass	2941
6500	26500	1	RMS	6507	-45.1	-13	Pass	20003




27.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.62	-13	Pass	2986
30	1000	0.1	RMS	928.353	-61.12	-13	Pass	9701
1000	3000	1	RMS	2882	-48.09	-13	Pass	2001
3000	3440	1	RMS	3427	-40.35	-13	Pass	441
3440	3560	1	RMS	3524.3	20.81	60	Pass	401
3560	6500	1	RMS	3567	-52.27	-13	Pass	2941
6500	26500	1	RMS	6508	-44.79	-13	Pass	20003




27.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.52	-68.74	-13	Pass	2986
30	1000	0.1	RMS	736.3	-60.96	-13	Pass	9701
1000	3000	1	RMS	2882	-48.13	-13	Pass	2001
3000	3440	1	RMS	3106	-42.99	-13	Pass	441
3440	3560	1	RMS	3518.6	5.31	60	Pass	401
3560	6500	1	RMS	3560	-35.36	-13	Pass	2941
6500	26500	1	RMS	6512	-44.78	-13	Pass	20003




27.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.89	-13	Pass	2986
30	1000	0.1	RMS	880.321	-60.95	-13	Pass	9701
1000	3000	1	RMS	2874	-48.09	-13	Pass	2001
3000	3440	1	RMS	3103	-42.92	-13	Pass	441
3440	3560	1	RMS	3500.9	21.03	60	Pass	401
3560	6500	1	RMS	3598	-42.98	-13	Pass	2941
6500	26500	1	RMS	25205	-45.18	-13	Pass	20003




27.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.46	-69.42	-13	Pass	2986
30	1000	0.1	RMS	950.067	-61.13	-13	Pass	9701
1000	3000	1	RMS	2877	-48.12	-13	Pass	2001
3000	3440	1	RMS	3108	-43	-13	Pass	441
3440	3560	1	RMS	3549.2	20.71	60	Pass	401
3560	6500	1	RMS	3560	-42.94	-13	Pass	2941
6500	26500	1	RMS	6510	-44.83	-13	Pass	20003




27.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.72	-13	Pass	2986
30	1000	0.1	RMS	745.3	-60.86	-13	Pass	9701
1000	3000	1	RMS	2873	-48.01	-13	Pass	2001
3000	3440	1	RMS	3440	-35.08	-13	Pass	441
3440	3560	1	RMS	3472.7	2.54	60	Pass	401
3560	6500	1	RMS	3565	-38.29	-13	Pass	2941
6500	26500	1	RMS	6505	-44.61	-13	Pass	20003




27.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.68	-13	Pass	2986
30	1000	0.1	RMS	827.8	-61.17	-13	Pass	9701
1000	3000	1	RMS	2876	-47.98	-13	Pass	2001
3000	3440	1	RMS	3440	-36.9	-13	Pass	441
3440	3560	1	RMS	3451.1	20.6	60	Pass	401
3560	6500	1	RMS	3567	-42.73	-13	Pass	2941
6500	26500	1	RMS	6505	-44.97	-13	Pass	20003



27.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.23	-67.7	-13	Pass	2986
30	1000	0.1	RMS	904.937	-60.79	-13	Pass	9701
1000	3000	1	RMS	2875	-48.04	-13	Pass	2001
3000	3440	1	RMS	3433	-40.26	-13	Pass	441
3440	3560	1	RMS	3548.9	20.18	60	Pass	401
3560	6500	1	RMS	3570	-44.2	-13	Pass	2941
6500	26500	1	RMS	6512	-44.83	-13	Pass	20003



28. n78 (3700-3800)


28.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.33	-68.85	-13	Pass	2986
30	1000	0.1	RMS	971.581	-61.12	-13	Pass	9701
1000	3000	1	RMS	2866	-47.91	-13	Pass	2001
3000	3690	1	RMS	3690	-38.74	-13	Pass	691
3690	3810	1	RMS	3702.9	12.24	60	Pass	401
3810	6500	1	RMS	3839	-62.47	-13	Pass	2691
6500	26500	1	RMS	6506	-45.07	-13	Pass	20003




28.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.27	-68.79	-13	Pass	2986
30	1000	0.1	RMS	975.384	-60.46	-13	Pass	9701
1000	3000	1	RMS	2872	-48.09	-13	Pass	2001
3000	3690	1	RMS	3690	-42.68	-13	Pass	691
3690	3810	1	RMS	3700.5	21.06	60	Pass	401
3810	6500	1	RMS	3888	-62.66	-13	Pass	2691
6500	26500	1	RMS	25164	-44.97	-13	Pass	20003




28.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.5	-13	Pass	2986
30	1000	0.1	RMS	756	-61.25	-13	Pass	9701
1000	3000	1	RMS	2881	-48.04	-13	Pass	2001
3000	3690	1	RMS	3690	-42.82	-13	Pass	691
3690	3810	1	RMS	3709.5	20.98	60	Pass	401
3810	6500	1	RMS	3814	-62.62	-13	Pass	2691
6500	26500	1	RMS	6515	-45.24	-13	Pass	20003




28.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.26	-70.48	-13	Pass	2986
30	1000	0.1	RMS	734.9	-60.44	-13	Pass	9701
1000	3000	1	RMS	2872	-48.2	-13	Pass	2001
3000	3690	1	RMS	3102	-42.87	-13	Pass	691
3690	3810	1	RMS	3752.1	11.91	60	Pass	401
3810	6500	1	RMS	3884	-62.45	-13	Pass	2691
6500	26500	1	RMS	6510	-44.78	-13	Pass	20003




28.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.25	-69.09	-13	Pass	2986
30	1000	0.1	RMS	981.988	-60.66	-13	Pass	9701
1000	3000	1	RMS	2867	-48.04	-13	Pass	2001
3000	3690	1	RMS	3104	-42.81	-13	Pass	691
3690	3810	1	RMS	3745.5	20.51	60	Pass	401
3810	6500	1	RMS	3837	-62.34	-13	Pass	2691
6500	26500	1	RMS	25191	-45.06	-13	Pass	20003




28.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.44	-68.63	-13	Pass	2986
30	1000	0.1	RMS	834.8	-60.51	-13	Pass	9701
1000	3000	1	RMS	2874	-48.06	-13	Pass	2001
3000	3690	1	RMS	3110	-42.89	-13	Pass	691
3690	3810	1	RMS	3754.5	20.58	60	Pass	401
3810	6500	1	RMS	3828	-62.43	-13	Pass	2691
6500	26500	1	RMS	25501	-44.7	-13	Pass	20003




28.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:653000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.23	-69.53	-13	Pass	2986
30	1000	0.1	RMS	908.74	-61.03	-13	Pass	9701
1000	3000	1	RMS	2873	-48	-13	Pass	2001
3000	3690	1	RMS	3103	-42.94	-13	Pass	691
3690	3810	1	RMS	3797.7	12.12	60	Pass	401
3810	6500	1	RMS	3810	-38.73	-13	Pass	2691
6500	26500	1	RMS	6514	-45.04	-13	Pass	20003




28.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:653000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.68	-13	Pass	2986
30	1000	0.1	RMS	920.848	-61.08	-13	Pass	9701
1000	3000	1	RMS	2883	-47.93	-13	Pass	2001
3000	3690	1	RMS	3108	-42.94	-13	Pass	691
3690	3810	1	RMS	3790.5	20.72	60	Pass	401
3810	6500	1	RMS	3810	-48.27	-13	Pass	2691
6500	26500	1	RMS	25190	-44.69	-13	Pass	20003




28.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:653000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.42	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.24	-13	Pass	2986
30	1000	0.1	RMS	905.337	-60.66	-13	Pass	9701
1000	3000	1	RMS	2870	-47.99	-13	Pass	2001
3000	3690	1	RMS	3101	-42.91	-13	Pass	691
3690	3810	1	RMS	3799.5	20.74	60	Pass	401
3810	6500	1	RMS	3810	-49.18	-13	Pass	2691
6500	26500	1	RMS	6509	-44.85	-13	Pass	20003




28.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.21	-13	Pass	2986
30	1000	0.1	RMS	995.297	-61.1	-13	Pass	9701
1000	3000	1	RMS	2869	-47.99	-13	Pass	2001
3000	3690	1	RMS	3690	-33.9	-13	Pass	691
3690	3810	1	RMS	3702	5.45	60	Pass	401
3810	6500	1	RMS	3810	-50.59	-13	Pass	2691
6500	26500	1	RMS	25205	-45.03	-13	Pass	20003




28.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.22	-13	Pass	2986
30	1000	0.1	RMS	906.438	-61.12	-13	Pass	9701
1000	3000	1	RMS	2869	-48.02	-13	Pass	2001
3000	3690	1	RMS	3690	-40.41	-13	Pass	691
3690	3810	1	RMS	3700.8	21.12	60	Pass	401
3810	6500	1	RMS	3819	-52.31	-13	Pass	2691
6500	26500	1	RMS	6509	-45.14	-13	Pass	20003




28.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.25	-70.24	-13	Pass	2986
30	1000	0.1	RMS	906.738	-60.57	-13	Pass	9701
1000	3000	1	RMS	2885	-48.06	-13	Pass	2001
3000	3690	1	RMS	3652	-41.26	-13	Pass	691
3690	3810	1	RMS	3749.1	20.51	60	Pass	401
3810	6500	1	RMS	3811	-57.11	-13	Pass	2691
6500	26500	1	RMS	25808	-44.97	-13	Pass	20003




28.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.22	-69.92	-13	Pass	2986
30	1000	0.1	RMS	998.299	-61.2	-13	Pass	9701
1000	3000	1	RMS	2885	-48.15	-13	Pass	2001
3000	3690	1	RMS	3690	-39.05	-13	Pass	691
3690	3810	1	RMS	3763.5	4.98	60	Pass	401
3810	6500	1	RMS	3810	-41.65	-13	Pass	2691
6500	26500	1	RMS	6508	-44.98	-13	Pass	20003




28.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.69	-13	Pass	2986
30	1000	0.1	RMS	874.917	-60.49	-13	Pass	9701
1000	3000	1	RMS	2878	-47.92	-13	Pass	2001
3000	3690	1	RMS	3107	-42.95	-13	Pass	691
3690	3810	1	RMS	3725.7	20.76	60	Pass	401
3810	6500	1	RMS	3823	-44.92	-13	Pass	2691
6500	26500	1	RMS	25191	-44.83	-13	Pass	20003




28.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.25	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.27	-13	Pass	2986
30	1000	0.1	RMS	937.859	-60.79	-13	Pass	9701
1000	3000	1	RMS	2871	-47.94	-13	Pass	2001
3000	3690	1	RMS	3677	-41.18	-13	Pass	691
3690	3810	1	RMS	3774.3	20.59	60	Pass	401
3810	6500	1	RMS	3816	-52.3	-13	Pass	2691
6500	26500	1	RMS	6504	-44.75	-13	Pass	20003




28.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:651666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.22	-13	Pass	2986
30	1000	0.1	RMS	856.805	-60.95	-13	Pass	9701
1000	3000	1	RMS	2892	-48.16	-13	Pass	2001
3000	3690	1	RMS	3104	-42.98	-13	Pass	691
3690	3810	1	RMS	3789	5.11	60	Pass	401
3810	6500	1	RMS	3810	-34.19	-13	Pass	2691
6500	26500	1	RMS	6505	-44.69	-13	Pass	20003




28.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:651666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.93	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.67	-13	Pass	2986
30	1000	0.1	RMS	740.1	-60.44	-13	Pass	9701
1000	3000	1	RMS	2876	-48.07	-13	Pass	2001
3000	3690	1	RMS	3111	-42.88	-13	Pass	691
3690	3810	1	RMS	3750.9	20.41	60	Pass	401
3810	6500	1	RMS	3848	-45.97	-13	Pass	2691
6500	26500	1	RMS	25208	-45.12	-13	Pass	20003




28.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:651666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.94	-13	Pass	2986
30	1000	0.1	RMS	883.823	-60.89	-13	Pass	9701
1000	3000	1	RMS	2870	-48.12	-13	Pass	2001
3000	3690	1	RMS	3113	-42.91	-13	Pass	691
3690	3810	1	RMS	3799.2	20.73	60	Pass	401
3810	6500	1	RMS	3810	-43.5	-13	Pass	2691
6500	26500	1	RMS	6510	-44.91	-13	Pass	20003




28.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.74	-13	Pass	2986
30	1000	0.1	RMS	766.4	-60.98	-13	Pass	9701
1000	3000	1	RMS	2880	-47.84	-13	Pass	2001
3000	3690	1	RMS	3690	-33.81	-13	Pass	691
3690	3810	1	RMS	3715.5	2.07	60	Pass	401
3810	6500	1	RMS	3810	-37.81	-13	Pass	2691
6500	26500	1	RMS	6514	-45.12	-13	Pass	20003




28.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.59	-13	Pass	2986
30	1000	0.1	RMS	987.992	-61.36	-13	Pass	9701
1000	3000	1	RMS	2870	-47.8	-13	Pass	2001
3000	3690	1	RMS	3679	-40.9	-13	Pass	691
3690	3810	1	RMS	3701.1	20.27	60	Pass	401
3810	6500	1	RMS	3810	-43.98	-13	Pass	2691
6500	26500	1	RMS	6512	-44.92	-13	Pass	20003



28.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.48	-70.63	-13	Pass	2986
30	1000	0.1	RMS	895.231	-61	-13	Pass	9701
1000	3000	1	RMS	2866	-48.09	-13	Pass	2001
3000	3690	1	RMS	3683	-40.33	-13	Pass	691
3690	3810	1	RMS	3798.9	20.09	60	Pass	401
3810	6500	1	RMS	3820	-44.44	-13	Pass	2691
6500	26500	1	RMS	25193	-44.91	-13	Pass	20003



--BLANK BELOW--