



11.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-40.42	-25	Pass	401
2490	2496	1	RMS	2496	-31.36	-13	Pass	401
2496	2499	1	RMS	2499	-28.8	-10	Pass	4
2499	2500	0.2	RMS	2500	-31.72	-10	Pass	401
2500	2510	0.1	RMS	2503.975	2.17	30	Pass	401




11.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.45	30	Pass	401
2570	2571	0.2	RMS	2570.003	-18.01	-10	Pass	401
2571	2575	1	RMS	2571	-39.18	-10	Pass	5
2575	2580	1	RMS	2575.013	-46.79	-13	Pass	401
2580	2595	1	RMS	2580	-49.42	-25	Pass	401




11.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.1	2.96	30	Pass	401
2570	2571	0.2	RMS	2570	-31.2	-10	Pass	401
2571	2575	1	RMS	2571	-27.42	-10	Pass	5
2575	2580	1	RMS	2575.113	-30.08	-13	Pass	401
2580	2595	1	RMS	2580	-36.74	-25	Pass	401



11.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	19.43	30	Pass	401
2570	2571	0.2	RMS	2570.003	-19.09	-10	Pass	401
2571	2575	1	RMS	2571	-39.1	-10	Pass	5
2575	2580	1	RMS	2575.025	-46.43	-13	Pass	401
2580	2595	1	RMS	2580	-49.42	-25	Pass	401




11.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2568.775	2.07	30	Pass	401
2570	2571	0.2	RMS	2570.003	-31.56	-10	Pass	401
2571	2575	1	RMS	2571	-27.72	-10	Pass	5
2575	2580	1	RMS	2575.013	-30.43	-13	Pass	401
2580	2595	1	RMS	2580	-38.38	-25	Pass	401




11.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.55	-48.8	-25	Pass	401
2490	2496	1	RMS	2494.365	-40.43	-13	Pass	401
2496	2499	1	RMS	2499	-38.74	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-18.95	-10	Pass	401
2500	2515	0.1	RMS	2500.825	20.44	30	Pass	401




11.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.388	-34.01	-25	Pass	401
2490	2496	1	RMS	2495.985	-31.6	-13	Pass	401
2496	2499	1	RMS	2498	-29.49	-10	Pass	4
2499	2500	0.3	RMS	2500	-32.33	-10	Pass	401
2500	2515	0.1	RMS	2504.538	1.42	30	Pass	401




11.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.625	-48.95	-25	Pass	401
2490	2496	1	RMS	2494.275	-41.2	-13	Pass	401
2496	2499	1	RMS	2499	-37.74	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-19.44	-10	Pass	401
2500	2515	0.1	RMS	2500.825	19.47	30	Pass	401




11.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.288	-36.51	-25	Pass	401
2490	2496	1	RMS	2496	-31.86	-13	Pass	401
2496	2499	1	RMS	2498	-29.99	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-32.62	-10	Pass	401
2500	2515	0.1	RMS	2501.988	0.61	30	Pass	401




11.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	20.34	30	Pass	401
2570	2571	0.3	RMS	2570	-19.56	-10	Pass	401
2571	2575	1	RMS	2571	-38.94	-10	Pass	5
2575	2585	1	RMS	2575.6	-40.58	-13	Pass	401
2585	2595	1	RMS	2585.175	-49.8	-25	Pass	401




11.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2555.9	1.29	30	Pass	401
2570	2571	0.3	RMS	2570.36	-30.95	-10	Pass	401
2571	2575	1	RMS	2571	-26.66	-10	Pass	5
2575	2585	1	RMS	2575.075	-29.26	-13	Pass	401
2585	2595	1	RMS	2585	-39.29	-25	Pass	401




11.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	19.32	30	Pass	401
2570	2571	0.3	RMS	2570	-19.98	-10	Pass	401
2571	2575	1	RMS	2571	-39.34	-10	Pass	5
2575	2585	1	RMS	2575.775	-41.02	-13	Pass	401
2585	2595	1	RMS	2585.05	-49.8	-25	Pass	401




11.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2557.588	0.44	30	Pass	401
2570	2571	0.3	RMS	2570	-31.74	-10	Pass	401
2571	2575	1	RMS	2571	-28.22	-10	Pass	5
2575	2585	1	RMS	2575	-30.56	-13	Pass	401
2585	2595	1	RMS	2585	-40.95	-25	Pass	401




11.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.663	-49.12	-25	Pass	401
2490	2496	1	RMS	2492.115	-42.65	-13	Pass	401
2496	2499	1	RMS	2499	-39.95	-10	Pass	4
2499	2500	0.51	RMS	2499.998	-19.44	-10	Pass	401
2500	2520	0.1	RMS	2501.1	20.33	30	Pass	401




11.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-37.54	-25	Pass	16
2490	2496	1	RMS	2495.955	-33.51	-13	Pass	401
2496	2499	1	RMS	2499	-31.35	-10	Pass	4
2499	2500	0.51	RMS	2500	-31.74	-10	Pass	401
2500	2520	0.1	RMS	2503.85	0.14	30	Pass	401




11.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-49.19	-25	Pass	401
2490	2496	1	RMS	2492.145	-43.37	-13	Pass	401
2496	2499	1	RMS	2499	-39.78	-10	Pass	4
2499	2500	0.51	RMS	2499.998	-19.38	-10	Pass	401
2500	2520	0.1	RMS	2501.1	19.53	30	Pass	401




11.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-37.07	-25	Pass	401
2490	2496	1	RMS	2495.985	-33.1	-13	Pass	401
2496	2499	1	RMS	2499	-31.23	-10	Pass	4
2499	2500	0.51	RMS	2499.993	-31.88	-10	Pass	401
2500	2520	0.1	RMS	2504.8	-0.7	30	Pass	401



11.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.22	30	Pass	401
2570	2571	0.51	RMS	2570	-19.34	-10	Pass	401
2571	2575	1	RMS	2571	-38.58	-10	Pass	5
2575	2590	1	RMS	2577.888	-41.58	-13	Pass	401
2590	2595	1	RMS	2590.738	-50.08	-25	Pass	401




11.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2555.35	0.09	30	Pass	401
2570	2571	0.51	RMS	2570	-30.29	-10	Pass	401
2571	2575	1	RMS	2571	-29.24	-10	Pass	5
2575	2590	1	RMS	2575	-31.27	-13	Pass	401
2590	2595	1	RMS	2590.163	-43.68	-25	Pass	401



11.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	19.18	30	Pass	401
2570	2571	0.51	RMS	2570	-19.63	-10	Pass	401
2571	2575	1	RMS	2571	-40.14	-10	Pass	5
2575	2590	1	RMS	2577.775	-42.31	-13	Pass	401
2590	2595	1	RMS	2590.05	-50.07	-25	Pass	401



11.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2554.65	-0.76	30	Pass	401
2570	2571	0.51	RMS	2570	-31.16	-10	Pass	401
2571	2575	1	RMS	2571	-29.79	-10	Pass	5
2575	2590	1	RMS	2575	-31.35	-13	Pass	401
2590	2595	1	RMS	2590	-44.98	-25	Pass	401



12. LTE_Band12


12.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.53	-13	Pass	401
698.9	699	0.03	RMS	698.999	-19.81	-13	Pass	401
699	701	0.1	RMS	699.24	20.22	30	Pass	401




12.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.41	-13	Pass	401
698.9	699	0.03	RMS	699	-26.72	-13	Pass	401
699	701	0.1	RMS	700.115	11.82	30	Pass	401




12.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.52	-13	Pass	401
698.9	699	0.03	RMS	699	-21.08	-13	Pass	401
699	701	0.1	RMS	699.255	19.16	30	Pass	401




12.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.83	-13	Pass	401
698.9	699	0.03	RMS	698.999	-28.11	-13	Pass	401
699	701	0.1	RMS	700.115	10.96	30	Pass	401



12.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.755	20.14	30	Pass	401
716	716.1	0.03	RMS	716	-19.17	-13	Pass	401
716.1	725	0.1	RMS	716.1	-24.1	-13	Pass	401




12.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.915	11.9	30	Pass	401
716	716.1	0.03	RMS	716	-25.6	-13	Pass	401
716.1	725	0.1	RMS	716.1	-23.11	-13	Pass	401




12.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.75	19.34	30	Pass	401
716	716.1	0.03	RMS	716.001	-21.04	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.89	-13	Pass	401




12.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.96	11	30	Pass	401
716	716.1	0.03	RMS	716	-28	-13	Pass	401
716.1	725	0.1	RMS	716.122	-25.97	-13	Pass	401




12.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.88	-13	Pass	401
698.9	699	0.03	RMS	699	-19.75	-13	Pass	401
699	702	0.1	RMS	699.24	20.32	30	Pass	401




12.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.61	-13	Pass	401
698.9	699	0.03	RMS	698.999	-30.98	-13	Pass	401
699	702	0.1	RMS	701.693	8.04	30	Pass	401




12.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.85	-13	Pass	401
698.9	699	0.03	RMS	699	-20.52	-13	Pass	401
699	702	0.1	RMS	699.24	19.35	30	Pass	401




12.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.74	-13	Pass	401
698.9	699	0.03	RMS	699	-33.17	-13	Pass	401
699	702	0.1	RMS	701.408	7.12	30	Pass	401




12.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.753	20.12	30	Pass	401
716	716.1	0.03	RMS	716	-20.03	-13	Pass	5
716.1	725	0.1	RMS	716.1	-24.15	-13	Pass	401




12.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	714.08	8.1	30	Pass	401
716	716.1	0.03	RMS	716	-31.12	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.94	-13	Pass	401




12.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	19.35	30	Pass	401
716	716.1	0.03	RMS	716	-21.05	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.73	-13	Pass	401




12.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.465	7.04	30	Pass	401
716	716.1	0.03	RMS	716	-32.38	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.51	-13	Pass	401




12.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-21.65	-13	Pass	401
698.9	699	0.03	RMS	698.999	-21.31	-13	Pass	401
699	704	0.1	RMS	699.338	20.24	30	Pass	401




12.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.03	-13	Pass	401
698.9	699	0.03	RMS	698.999	-33.44	-13	Pass	401
699	704	0.1	RMS	700.663	5.76	30	Pass	401




12.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-22.59	-13	Pass	401
698.9	699	0.03	RMS	699	-22.11	-13	Pass	401
699	704	0.1	RMS	699.35	19.27	30	Pass	401




12.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.32	-13	Pass	401
698.9	699	0.03	RMS	698.999	-34.68	-13	Pass	401
699	704	0.1	RMS	702.325	4.77	30	Pass	401



12.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.16	30	Pass	401
716	716.1	0.03	RMS	716	-21.41	-13	Pass	401
716.1	725	0.1	RMS	716.1	-21.99	-13	Pass	401




12.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.863	5.94	30	Pass	401
716	716.1	0.03	RMS	716	-32.67	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.49	-13	Pass	401




12.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	19.35	30	Pass	401
716	716.1	0.03	RMS	716.001	-21.01	-13	Pass	401
716.1	725	0.1	RMS	716.1	-21.63	-13	Pass	401




12.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	711.613	4.96	30	Pass	401
716	716.1	0.03	RMS	716	-34.23	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.96	-13	Pass	401




12.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.91	-13	Pass	401
698.9	699	0.03	RMS	699	-28.06	-13	Pass	401
699	709	0.1	RMS	699.575	20.23	30	Pass	401




12.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-34.82	-13	Pass	401
698.9	699	0.03	RMS	698.998	-38.65	-13	Pass	401
699	709	0.1	RMS	700.925	2.82	30	Pass	401




12.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.79	-13	Pass	401
698.9	699	0.03	RMS	699	-29.21	-13	Pass	401
699	709	0.1	RMS	699.6	19.36	30	Pass	401




12.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-37.67	-13	Pass	401
698.9	699	0.03	RMS	698.999	-41.83	-13	Pass	401
699	709	0.1	RMS	702.975	1.73	30	Pass	401




12.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.06	30	Pass	401
716	716.1	0.03	RMS	716	-27.59	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.55	-13	Pass	401




12.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	709.85	2.83	30	Pass	401
716	716.1	0.03	RMS	716.04	-37.84	-13	Pass	401
716.1	725	0.1	RMS	716.1	-33.11	-13	Pass	401



12.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.22	30	Pass	401
716	716.1	0.03	RMS	716	-28.65	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.41	-13	Pass	401



12.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	707.725	1.76	30	Pass	401
716	716.1	0.03	RMS	716.017	-40.14	-13	Pass	401
716.1	725	0.1	RMS	716.1	-36.13	-13	Pass	401



13 LTE_Band17


13.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-21.84	-13	Pass	401
703.9	704	0.03	RMS	704	-21.33	-13	Pass	401
704	709	0.1	RMS	704.325	20.24	30	Pass	401




13.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-30.01	-13	Pass	401
703.9	704	0.03	RMS	703.999	-32.55	-13	Pass	401
704	709	0.1	RMS	705.675	5.86	30	Pass	401




13.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-22.54	-13	Pass	401
703.9	704	0.03	RMS	704	-21.99	-13	Pass	401
704	709	0.1	RMS	704.338	19.31	30	Pass	401




13.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-32.63	-13	Pass	401
703.9	704	0.03	RMS	704	-33.93	-13	Pass	401
704	709	0.1	RMS	705.688	4.84	30	Pass	401




13.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.15	30	Pass	401
716	716.1	0.03	RMS	716	-21.51	-13	Pass	401
716.1	725	0.1	RMS	716.1	-22.07	-13	Pass	401




13.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.875	5.95	30	Pass	401
716	716.1	0.03	RMS	716.003	-32.57	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.26	-13	Pass	401




13.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	19.34	30	Pass	401
716	716.1	0.03	RMS	716	-21.15	-13	Pass	401
716.1	725	0.1	RMS	716.1	-21.81	-13	Pass	401




13.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	711.613	4.96	30	Pass	401
716	716.1	0.03	RMS	716	-34.13	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.88	-13	Pass	401




13.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.71	-13	Pass	401
703.9	704	0.03	RMS	704	-28	-13	Pass	401
704	714	0.1	RMS	704.575	20.26	30	Pass	401




13.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-32.71	-13	Pass	401
703.9	704	0.03	RMS	704	-37.13	-13	Pass	401
704	714	0.1	RMS	705.925	2.94	30	Pass	401




13.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-27.63	-13	Pass	401
703.9	704	0.03	RMS	704	-29.05	-13	Pass	401
704	714	0.1	RMS	704.6	19.38	30	Pass	401




13.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-35.92	-13	Pass	401
703.9	704	0.03	RMS	703.948	-40.38	-13	Pass	401
704	714	0.1	RMS	712.35	1.74	30	Pass	401




13.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.11	30	Pass	401
716	716.1	0.03	RMS	716.001	-27.56	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.47	-13	Pass	401




13.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	709.85	2.85	30	Pass	401
716	716.1	0.03	RMS	716.025	-37.52	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.95	-13	Pass	401



13.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.2	30	Pass	401
716	716.1	0.03	RMS	716	-28.65	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.5	-13	Pass	401



13.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	707.725	1.75	30	Pass	401
716	716.1	0.03	RMS	716.013	-40.04	-13	Pass	401
716.1	725	0.1	RMS	716.1	-36.12	-13	Pass	401



14. LTE_Band38


14.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.858	-43.2	-25	Pass	401
2564	2565	1	RMS	2564.998	-39.35	-13	Pass	401
2565	2569	1	RMS	2569	-28.57	-10	Pass	5
2569	2570	0.051	RMS	2570	-16.14	-10	Pass	401
2570	2575	0.1	RMS	2570.338	20.96	30	Pass	401




14.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-37.47	-25	Pass	20
2564	2565	1	RMS	2565	-33.9	-13	Pass	2
2565	2569	1	RMS	2569	-24.04	-10	Pass	5
2569	2570	0.1	RMS	2570	-26.31	-10	Pass	401
2570	2575	0.1	RMS	2574.25	6.58	30	Pass	401




14.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.858	-43.26	-25	Pass	401
2564	2565	1	RMS	2564.978	-39.39	-13	Pass	401
2565	2569	1	RMS	2569	-28.69	-10	Pass	5
2569	2570	0.051	RMS	2570	-18.72	-10	Pass	401
2570	2575	0.1	RMS	2570.338	19.83	30	Pass	401




14.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-39.64	-25	Pass	20
2564	2565	1	RMS	2565	-36.53	-13	Pass	2
2565	2569	1	RMS	2569	-24.73	-10	Pass	5
2569	2570	0.1	RMS	2569.998	-28.77	-10	Pass	401
2570	2575	0.1	RMS	2570.888	5.44	30	Pass	401




14.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	20.42	30	Pass	401
2620	2621	0.051	RMS	2620	-16.49	-10	Pass	401
2621	2625	1	RMS	2621	-27.32	-10	Pass	5
2625	2626	1	RMS	2625	-39.4	-13	Pass	401
2626	2645	1	RMS	2626	-42.91	-25	Pass	401




14.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.275	6.36	30	Pass	401
2620	2621	0.1	RMS	2620	-26.5	-10	Pass	401
2621	2625	1	RMS	2621	-25.05	-10	Pass	5
2625	2626	1	RMS	2625.005	-33.75	-13	Pass	401
2626	2645	1	RMS	2626	-37.85	-25	Pass	20




14.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.65	20.05	30	Pass	401
2620	2621	0.051	RMS	2620	-17.64	-10	Pass	401
2621	2625	1	RMS	2621	-28.31	-10	Pass	5
2625	2626	1	RMS	2625	-40.05	-13	Pass	401
2626	2645	1	RMS	2626	-43.13	-25	Pass	401




14.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2615.375	5.48	30	Pass	401
2620	2621	0.1	RMS	2620	-27.53	-10	Pass	401
2621	2625	1	RMS	2621	-25.07	-10	Pass	5
2625	2626	1	RMS	2625.005	-35.8	-13	Pass	401
2626	2645	1	RMS	2626	-39.57	-25	Pass	20




14.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.888	-42.6	-25	Pass	401
2560	2565	1	RMS	2564.975	-38.17	-13	Pass	401
2565	2569	1	RMS	2569	-28.26	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-17.63	-10	Pass	401
2570	2580	0.1	RMS	2570.6	20.26	30	Pass	401




14.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-37.09	-25	Pass	401
2560	2565	1	RMS	2565	-30.25	-13	Pass	401
2565	2569	1	RMS	2569	-26.93	-10	Pass	5
2569	2570	0.2	RMS	2570	-30.28	-10	Pass	401
2570	2580	0.1	RMS	2577.95	3.34	30	Pass	401




14.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-42.14	-25	Pass	401
2560	2565	1	RMS	2565	-37.74	-13	Pass	401
2565	2569	1	RMS	2569	-28.49	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-17.97	-10	Pass	401
2570	2580	0.1	RMS	2570.6	20.13	30	Pass	401




14.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-39.18	-25	Pass	401
2560	2565	1	RMS	2564.988	-30.04	-13	Pass	401
2565	2569	1	RMS	2569	-27.23	-10	Pass	5
2569	2570	0.2	RMS	2570	-30.59	-10	Pass	401
2570	2580	0.1	RMS	2578.425	2.27	30	Pass	401




14.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	21.2	30	Pass	401
2620	2621	0.1	RMS	2620.005	-19.98	-10	Pass	401
2621	2625	1	RMS	2621	-28.11	-10	Pass	5
2625	2630	1	RMS	2625	-37.89	Pass	401	
2630	2645	1	RMS	2630.075	-42.57	-25	Pass	401




14.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2617.575	3.61	30	Pass	401
2620	2621	0.2	RMS	2620.005	-30.22	-10	Pass	401
2621	2625	1	RMS	2621	-27	-10	Pass	5
2625	2630	1	RMS	2625	-30.79	-13	Pass	401
2630	2645	1	RMS	2630.075	-36.53	-25	Pass	401




14.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	20.03	30	Pass	401
2620	2621	0.2	RMS	2620.003	-17.62	-10	Pass	401
2621	2625	1	RMS	2621	-30.08	-10	Pass	5
2625	2630	1	RMS	2625	-39.73	-13	Pass	401
2630	2645	1	RMS	2630.113	-44.02	-25	Pass	401




14.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2613.275	2.71	30	Pass	401
2620	2621	0.2	RMS	2620	-30.37	-10	Pass	401
2621	2625	1	RMS	2621	-27.5	-10	Pass	5
2625	2630	1	RMS	2625.013	-30.44	-13	Pass	401
2630	2645	1	RMS	2630.038	-38.77	-25	Pass	401




14.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.825	-44.11	-25	Pass	401
2555	2565	1	RMS	2564.475	-36.5	-13	Pass	401
2565	2569	1	RMS	2569	-29.6	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-18.42	-10	Pass	401
2570	2585	0.1	RMS	2570.825	20.19	30	Pass	401




14.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.975	-37.33	-25	Pass	401
2555	2565	1	RMS	2564.925	-31.15	-13	Pass	401
2565	2569	1	RMS	2569	-28.61	-10	Pass	5
2569	2570	0.3	RMS	2569.993	-31.52	-10	Pass	401
2570	2585	0.1	RMS	2572.813	1.98	30	Pass	401




14.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2553.95	-43.36	-25	Pass	401
2555	2565	1	RMS	2564.425	-36.45	-13	Pass	401
2565	2569	1	RMS	2569	-29.76	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-19.49	-10	Pass	401
2570	2585	0.1	RMS	2570.863	19.81	30	Pass	401




14.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.75	-39.36	-25	Pass	401
2555	2565	1	RMS	2565	-30.98	-13	Pass	401
2565	2569	1	RMS	2569	-28.31	-10	Pass	5
2569	2570	0.3	RMS	2569.993	-31.16	-10	Pass	401
2570	2585	0.1	RMS	2583.238	1.38	30	Pass	401




14.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	21	30	Pass	401
2620	2621	0.3	RMS	2620.003	-18.81	-10	Pass	401
2621	2625	1	RMS	2621	-29.6	-10	Pass	5
2625	2635	1	RMS	2625.65	-36.85	-13	Pass	401
2635	2645	1	RMS	2635.175	-44.12	-25	Pass	401




14.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2608.113	2.03	30	Pass	401
2620	2621	0.3	RMS	2620.01	-30.59	-10	Pass	401
2621	2625	1	RMS	2621	-27.72	-10	Pass	5
2625	2635	1	RMS	2625.125	-30.55	-13	Pass	401
2635	2645	1	RMS	2635	-36.87	-25	Pass	401




14.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.04	30	Pass	401
2620	2621	0.3	RMS	2620.005	-20.29	-10	Pass	401
2621	2625	1	RMS	2621	-31.45	-10	Pass	5
2625	2635	1	RMS	2625.2	-38.19	-13	Pass	401
2635	2645	1	RMS	2635.075	-44.87	-25	Pass	401




14.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2606.725	1.05	30	Pass	401
2620	2621	0.3	RMS	2620.003	-30.42	-10	Pass	401
2621	2625	1	RMS	2621	-28.3	-10	Pass	5
2625	2635	1	RMS	2625.025	-30.22	-13	Pass	401
2635	2645	1	RMS	2635.025	-38.71	-25	Pass	401




14.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.925	-44.37	-25	Pass	401
2550	2565	1	RMS	2565	-37.89	-13	Pass	401
2565	2569	1	RMS	2569	-30.02	-10	Pass	5
2569	2570	0.51	RMS	2570	-18.87	-10	Pass	401
2570	2590	0.1	RMS	2571.05	20.51	30	Pass	401




14.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-40.05	-25	Pass	401
2550	2565	1	RMS	2564.925	-32.5	-13	Pass	401
2565	2569	1	RMS	2569	-29.59	-10	Pass	5
2569	2570	0.51	RMS	2570	-30.22	-10	Pass	401
2570	2590	0.1	RMS	2577.85	0.13	30	Pass	401




14.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.1	-44.98	-25	Pass	401
2550	2565	1	RMS	2565	-38.09	-13	Pass	401
2565	2569	1	RMS	2569	-29.56	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-18.08	-10	Pass	401
2570	2590	0.1	RMS	2571.1	19.31	30	Pass	401




14.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-41.2	-25	Pass	401
2550	2565	1	RMS	2564.963	-31.33	-13	Pass	401
2565	2569	1	RMS	2569	-29.89	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-30.14	-10	Pass	401
2570	2590	0.1	RMS	2579.25	-0.17	30	Pass	401




14.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.46	30	Pass	401
2620	2621	0.51	RMS	2620.003	-19.06	-10	Pass	401
2621	2625	1	RMS	2621	-30.79	-10	Pass	5
2625	2640	1	RMS	2625.038	-39.14	-13	Pass	401
2640	2645	1	RMS	2640	-45.26	-25	Pass	401




14.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.3	0.4	30	Pass	401
2620	2621	0.51	RMS	2620	-29.72	-10	Pass	401
2621	2625	1	RMS	2621	-29.21	-10	Pass	5
2625	2640	1	RMS	2625	-31.67	-13	Pass	401
2640	2645	1	RMS	2640.025	-40.03	-25	Pass	401




14.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	19.16	30	Pass	401
2620	2621	0.51	RMS	2620	-19.19	-10	Pass	401
2621	2625	1	RMS	2621	-30.23	-10	Pass	5
2625	2640	1	RMS	2625.038	-38.63	-13	Pass	401
2640	2645	1	RMS	2640.063	-45.18	-25	Pass	401



14.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606	-0.23	30	Pass	401
2620	2621	0.51	RMS	2620.003	-30.37	-10	Pass	401
2621	2625	1	RMS	2621	-29.49	-10	Pass	5
2625	2640	1	RMS	2625	-31.52	-13	Pass	401
2640	2645	1	RMS	2640	-41.28	-25	Pass	401



15. LTE_Band41 full


15.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.21	-25	Pass	401
2490	2495	1	RMS	2495	-24.22	-13	Pass	6
2495	2496	0.05	RMS	2496	-16.24	-13	Pass	21
2496	2501	0.1	RMS	2496.35	23.19	30	Pass	401




15.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-35.37	-25	Pass	401
2490	2495	1	RMS	2495	-23.81	-13	Pass	6
2495	2496	0.051	RMS	2496	-27.51	-13	Pass	401
2496	2501	0.1	RMS	2497.263	8.67	30	Pass	401




15.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-39.78	-25	Pass	401
2490	2495	1	RMS	2495	-25.14	-13	Pass	6
2495	2496	0.05	RMS	2496	-17.33	-13	Pass	21
2496	2501	0.1	RMS	2496.35	22.58	30	Pass	401




15.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-36.06	-25	Pass	401
2490	2495	1	RMS	2495	-26.52	-13	Pass	6
2495	2496	0.051	RMS	2495.993	-29.54	-13	Pass	401
2496	2501	0.1	RMS	2496.375	8.28	30	Pass	401




15.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	23.59	30	Pass	401
2690	2691	0.05	RMS	2690	-16.7	-10	Pass	21
2691	2695	1	RMS	2691	-22.96	-10	Pass	5
2695	2696	1	RMS	2695.01	-35.58	-13	Pass	401
2696	2715	1	RMS	2696	-39.59	-25	Pass	401




15.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2685.475	8.63	30	Pass	401
2690	2691	0.1	RMS	2690	-25.18	-10	Pass	401
2691	2695	1	RMS	2691	-25.43	-10	Pass	5
2695	2696	1	RMS	2695.008	-32.15	-13	Pass	401
2696	2715	1	RMS	2696.048	-35.7	-25	Pass	401




15.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.65	22.41	30	Pass	401
2690	2691	0.051	RMS	2690	-14.64	-10	Pass	401
2691	2695	1	RMS	2691	-24.34	-10	Pass	5
2695	2696	1	RMS	2695	-36.57	-13	Pass	401
2696	2715	1	RMS	2696	-40.15	-25	Pass	401




15.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2685.763	8.05	30	Pass	401
2690	2691	0.1	RMS	2690.003	-26.23	-10	Pass	401
2691	2695	1	RMS	2691	-27.1	-10	Pass	5
2695	2696	1	RMS	2695.018	-34.81	-13	Pass	401
2696	2715	1	RMS	2696.048	-37.53	-25	Pass	401




15.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-36.32	-25	Pass	401
2490	2495	1	RMS	2495	-25.28	-13	Pass	6
2495	2496	0.1	RMS	2496	-18.57	-13	Pass	401
2496	2506	0.1	RMS	2496.6	23.7	30	Pass	401




15.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.65	-25	Pass	16
2490	2495	1	RMS	2495	-26.24	-13	Pass	6
2495	2496	0.1	RMS	2496	-31.65	-13	Pass	401
2496	2506	0.1	RMS	2499.3	5.98	30	Pass	401




15.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-36.19	-25	Pass	401
2490	2495	1	RMS	2495	-25.89	-13	Pass	6
2495	2496	0.1	RMS	2496	-19.02	-13	Pass	401
2496	2506	0.1	RMS	2496.575	22.34	30	Pass	401




15.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.07	-25	Pass	16
2490	2495	1	RMS	2495	-28.27	-13	Pass	6
2495	2496	0.1	RMS	2496	-33	-13	Pass	401
2496	2506	0.1	RMS	2497.75	5.03	30	Pass	401




15.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	23.05	30	Pass	401
2690	2691	0.2	RMS	2690	-15.8	-10	Pass	6
2691	2695	1	RMS	2691	-25.66	-10	Pass	5
2695	2700	1	RMS	2695.013	-35.63	-13	Pass	401
2700	2715	1	RMS	2700.075	-40.45	-25	Pass	401




15.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.825	5.55	30	Pass	401
2690	2691	0.2	RMS	2690	-29.84	-10	Pass	401
2691	2695	1	RMS	2691	-28.7	-10	Pass	5
2695	2700	1	RMS	2695.025	-31.11	-13	Pass	401
2700	2715	1	RMS	2700.075	-36.52	-25	Pass	401




15.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	22.38	30	Pass	401
2690	2691	0.2	RMS	2690	-15.44	-10	Pass	401
2691	2695	1	RMS	2691	-27.63	-10	Pass	5
2695	2700	1	RMS	2695.025	-36.6	-13	Pass	401
2700	2715	1	RMS	2700	-41.46	-25	Pass	401




15.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.275	4.92	30	Pass	401
2690	2691	0.2	RMS	2690.003	-31.03	-10	Pass	401
2691	2695	1	RMS	2691	-29.57	-10	Pass	5
2695	2700	1	RMS	2695.038	-31.82	-13	Pass	401
2700	2715	1	RMS	2700.15	-37.82	-25	Pass	401




15.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-35.53	-25	Pass	401
2490	2495	1	RMS	2495	-26.57	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-20.19	-13	Pass	401
2496	2511	0.1	RMS	2496.825	23.23	30	Pass	401




15.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.02	-25	Pass	16
2490	2495	1	RMS	2494	-27.03	-13	Pass	6
2495	2496	0.15	RMS	2495.995	-32.15	-13	Pass	401
2496	2511	0.1	RMS	2498.738	4.35	30	Pass	401




15.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-35.5	-25	Pass	401
2490	2495	1	RMS	2495	-27.07	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-20.67	-13	Pass	401
2496	2511	0.1	RMS	2496.863	22.11	30	Pass	401




15.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.08	-25	Pass	16
2490	2495	1	RMS	2494	-29.31	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-33.13	-13	Pass	401
2496	2511	0.1	RMS	2509.238	3.71	30	Pass	401




15.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.175	23.21	30	Pass	401
2690	2691	0.3	RMS	2690.005	-16.71	-10	Pass	401
2691	2695	1	RMS	2691	-26.91	-10	Pass	5
2695	2705	1	RMS	2695.05	-35.45	-13	Pass	401
2705	2715	1	RMS	2705.075	-41.89	-25	Pass	401




15.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2678.113	4.48	30	Pass	401
2690	2691	0.3	RMS	2690.01	-29.62	-10	Pass	401
2691	2695	1	RMS	2691	-28.85	-10	Pass	5
2695	2705	1	RMS	2695.2	-29.8	-13	Pass	401
2705	2715	1	RMS	2705.025	-38.1	-25	Pass	401




15.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	22.26	30	Pass	401
2690	2691	0.3	RMS	2690.005	-17.35	-10	Pass	401
2691	2695	1	RMS	2691	-28.95	-10	Pass	5
2695	2705	1	RMS	2695.25	-36.84	-13	Pass	401
2705	2715	1	RMS	2705.15	-42.36	-25	Pass	401




15.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2675.938	3.63	30	Pass	401
2690	2691	0.3	RMS	2690.008	-30.69	-10	Pass	401
2691	2695	1	RMS	2691	-29.97	-10	Pass	5
2695	2705	1	RMS	2695	-32.29	-13	Pass	401
2705	2715	1	RMS	2705	-38.99	-25	Pass	401




15.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.088	-36.37	-25	Pass	401
2490	2495	1	RMS	2495	-26.9	-13	Pass	6
2495	2496	0.2	RMS	2496	-22.29	-13	Pass	401
2496	2516	0.1	RMS	2497.05	22.73	30	Pass	401




15.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.25	-25	Pass	16
2490	2495	1	RMS	2495	-29.48	-13	Pass	6
2495	2496	0.2	RMS	2495.963	-34.35	-13	Pass	401
2496	2516	0.1	RMS	2501.8	2.75	30	Pass	401




15.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-36.08	-25	Pass	401
2490	2495	1	RMS	2495	-26.64	-13	Pass	6
2495	2496	0.2	RMS	2495.995	-21.15	-13	Pass	401
2496	2516	0.1	RMS	2497.05	22.05	30	Pass	401




15.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-33.14	-25	Pass	16
2490	2495	1	RMS	2494.95	-29.99	-13	Pass	401
2495	2496	0.2	RMS	2495.995	-34.48	-13	Pass	401
2496	2516	0.1	RMS	2511.6	1.71	30	Pass	401




15.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	22.68	30	Pass	401
2690	2691	0.51	RMS	2690	-15.87	-10	Pass	401
2691	2695	1	RMS	2691	-28.19	-10	Pass	5
2695	2710	1	RMS	2695	-36.63	-13	Pass	401
2710	2715	1	RMS	2710.113	-42.51	-25	Pass	401




15.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.3	3.34	30	Pass	401
2690	2691	0.51	RMS	2690	-30.4	-10	Pass	401
2691	2695	1	RMS	2691	-31.06	-10	Pass	5
2695	2710	1	RMS	2695.225	-32.39	-13	Pass	401
2710	2715	1	RMS	2710.125	-40.59	-25	Pass	401




15.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	21.48	30	Pass	401
2690	2691	0.51	RMS	2690	-16.43	-10	Pass	401
2691	2695	1	RMS	2691	-27.65	-10	Pass	5
2695	2710	1	RMS	2695.113	-36.26	-13	Pass	401
2710	2715	1	RMS	2710.938	-42.52	-25	Pass	401



15.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676	2.54	30	Pass	401
2690	2691	0.51	RMS	2690.013	-29.46	-10	Pass	401
2691	2695	1	RMS	2691	-30.7	-10	Pass	5
2695	2710	1	RMS	2695.113	-32.81	-13	Pass	401
2710	2715	1	RMS	2710.088	-41.05	-25	Pass	401



16. LTE_Band42 3450-3550


16.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-36.54	-13	Pass	401
3445	3449	0.51	RMS	3449	-28.46	-13	Pass	401
3449	3450	0.01	RMS	3450	-24.04	-13	Pass	401
3450	3455	0.1	RMS	3450.338	20.97	30	Pass	401




16.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-34.91	-13	Pass	401
3445	3449	0.51	RMS	3448.87	-30.81	-13	Pass	401
3449	3450	0.1	RMS	3449.998	-28.32	-13	Pass	401
3450	3455	0.1	RMS	3452.525	5.94	30	Pass	401




16.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-36.79	-13	Pass	401
3445	3449	0.51	RMS	3448.98	-28.92	-13	Pass	401
3449	3450	0.01	RMS	3450	-25.13	-13	Pass	401
3450	3455	0.1	RMS	3450.325	19.78	30	Pass	401




16.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-37.65	-13	Pass	401
3445	3449	0.51	RMS	3448.97	-31.93	-13	Pass	401
3449	3450	0.1	RMS	3450	-27.65	-13	Pass	401
3450	3455	0.1	RMS	3454	4.98	30	Pass	401




16.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.663	20.58	30	Pass	401
3550	3551	0.01	RMS	3550.003	-25.78	-13	Pass	401
3551	3555	0.51	RMS	3551.03	-30.86	-13	Pass	401
3555	3571	1	RMS	3555.04	-38.11	-13	Pass	401




16.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.275	6.65	30	Pass	401
3550	3551	0.1	RMS	3550.005	-27.8	-13	Pass	401
3551	3555	0.51	RMS	3551	-30.93	-13	Pass	401
3555	3571	1	RMS	3555	-35.05	-13	Pass	401




16.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.675	19.66	30	Pass	401
3550	3551	0.01	RMS	3550.013	-25.22	-13	Pass	401
3551	3555	0.51	RMS	3551	-30.71	-13	Pass	401
3555	3571	1	RMS	3555.08	-38.25	-13	Pass	401




16.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3545.888	4.98	30	Pass	401
3550	3551	0.1	RMS	3550	-27.9	-13	Pass	401
3551	3555	0.51	RMS	3551	-31.16	-13	Pass	401
3555	3571	1	RMS	3555	-36.73	-13	Pass	401




16.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-36.13	-13	Pass	401
3445	3449	0.51	RMS	3448.97	-30.57	-13	Pass	401
3449	3450	0.01	RMS	3449.993	-31.25	-13	Pass	401
3450	3460	0.1	RMS	3450.6	20.63	30	Pass	401




16.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-34.14	-13	Pass	401
3445	3449	0.51	RMS	3448.93	-33.63	-13	Pass	401
3449	3450	0.1	RMS	3450	-35.02	-13	Pass	401
3450	3460	0.1	RMS	3451.95	2.81	30	Pass	401




16.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-36.09	-13	Pass	401
3445	3449	0.51	RMS	3448.99	-30.07	-13	Pass	401
3449	3450	0.01	RMS	3449.998	-31.99	-13	Pass	401
3450	3460	0.1	RMS	3450.6	19.94	30	Pass	401




16.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-34.39	-13	Pass	401
3445	3449	0.51	RMS	3448.93	-33.93	-13	Pass	401
3449	3450	0.1	RMS	3449.998	-36.44	-13	Pass	401
3450	3460	0.1	RMS	3451.4	2.05	30	Pass	401




16.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.4	20.28	30	Pass	401
3550	3551	0.01	RMS	3550	-30.64	-13	Pass	401
3551	3555	0.51	RMS	3551.03	-30.4	-13	Pass	401
3555	3571	1	RMS	3555.12	-36.35	-13	Pass	401




16.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3543.825	3.6	30	Pass	401
3550	3551	0.1	RMS	3550.003	-35.29	-13	Pass	401
3551	3555	0.51	RMS	3551.08	-32.68	-13	Pass	401
3555	3571	1	RMS	3555.16	-33.42	-13	Pass	401




16.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.4	18.99	30	Pass	401
3550	3551	0.01	RMS	3550.005	-32.24	-13	Pass	401
3551	3555	0.51	RMS	3551.01	-32.65	-13	Pass	401
3555	3571	1	RMS	3555.04	-38.05	-13	Pass	401




16.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3543.25	2.42	30	Pass	401
3550	3551	0.1	RMS	3550.003	-36.89	-13	Pass	401
3551	3555	0.51	RMS	3551.12	-34.71	-13	Pass	401
3555	3571	1	RMS	3555	-34.68	-13	Pass	401




16.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.36	-35.23	-13	Pass	401
3445	3449	0.51	RMS	3448.99	-31.61	-13	Pass	401
3449	3450	0.01	RMS	3449.995	-34.76	-13	Pass	401
3450	3465	0.1	RMS	3450.825	20.57	30	Pass	401



16.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.8	-34.47	-13	Pass	401
3445	3449	0.51	RMS	3448.06	-34.85	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-36.13	-13	Pass	401
3450	3465	0.1	RMS	3452.813	1.73	30	Pass	401



16.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.36	-35.84	-13	Pass	401
3445	3449	0.51	RMS	3448.98	-31.36	-13	Pass	401
3449	3450	0.01	RMS	3450	-35.34	-13	Pass	401
3450	3465	0.1	RMS	3450.825	19.79	30	Pass	401

