



16.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-34.61	-13	Pass	401
3445	3449	0.51	RMS	3448.39	-34.7	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-35.08	-13	Pass	401
3450	3465	0.1	RMS	3463.275	0.37	30	Pass	401




16.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.175	20.88	30	Pass	401
3550	3551	0.01	RMS	3550	-34.14	-13	Pass	401
3551	3555	0.51	RMS	3551.03	-31.79	-13	Pass	401
3555	3571	1	RMS	3555.6	-35.93	-13	Pass	401




16.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3547.375	1.29	30	Pass	401
3550	3551	0.2	RMS	3550	-34.78	-13	Pass	401
3551	3555	0.51	RMS	3551.17	-33.48	-13	Pass	401
3555	3571	1	RMS	3555	-33.01	-13	Pass	401




16.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.175	19.66	30	Pass	401
3550	3551	0.01	RMS	3550	-35.82	-13	Pass	401
3551	3555	0.51	RMS	3551.02	-33.88	-13	Pass	401
3555	3571	1	RMS	3555.32	-36.9	-13	Pass	401




16.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3540.4	0.89	30	Pass	401
3550	3551	0.2	RMS	3550	-34.79	-13	Pass	401
3551	3555	0.51	RMS	3551.01	-35	-13	Pass	401
3555	3571	1	RMS	3555.12	-34.94	-13	Pass	401




16.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.84	-36.27	-13	Pass	401
3445	3449	0.51	RMS	3449	-32.39	-13	Pass	401
3449	3450	0.01	RMS	3449.995	-38.07	-13	Pass	401
3450	3470	0.1	RMS	3451.1	20.23	30	Pass	401




16.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.84	-35.57	-13	Pass	401
3445	3449	0.51	RMS	3448.99	-35.81	-13	Pass	401
3449	3450	0.2	RMS	3449.988	-37.93	-13	Pass	401
3450	3470	0.1	RMS	3459	0.26	30	Pass	401




16.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-36.36	-13	Pass	401
3445	3449	0.51	RMS	3448.99	-31.83	-13	Pass	401
3449	3450	0.01	RMS	3449.995	-37.99	-13	Pass	401
3450	3470	0.1	RMS	3451.1	19.45	30	Pass	401




16.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42190, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.56	-35.48	-13	Pass	401
3445	3449	0.51	RMS	3448.97	-36.42	-13	Pass	401
3449	3450	0.2	RMS	3450	-37.72	-13	Pass	401
3450	3470	0.1	RMS	3459.25	-1.08	30	Pass	401




16.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.95	20.46	30	Pass	401
3550	3551	0.01	RMS	3550	-38.75	-13	Pass	401
3551	3555	0.51	RMS	3551	-33.07	-13	Pass	401
3555	3571	1	RMS	3557.76	-37.31	-13	Pass	401




16.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3544.7	0.7	30	Pass	401
3550	3551	0.2	RMS	3550.008	-37.06	-13	Pass	401
3551	3555	0.51	RMS	3551.02	-35.24	-13	Pass	401
3555	3571	1	RMS	3555.12	-34.96	-13	Pass	401




16.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.9	19.18	30	Pass	401
3550	3551	0.01	RMS	3550.003	-38.24	-13	Pass	401
3551	3555	0.51	RMS	3551.02	-32.59	-13	Pass	401
3555	3571	1	RMS	3555.12	-37.23	-13	Pass	401



16.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:42990, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3542.85	-0.56	30	Pass	401
3550	3551	0.2	RMS	3550.008	-36.69	-13	Pass	401
3551	3555	0.51	RMS	3551.02	-36	-13	Pass	401
3555	3571	1	RMS	3555.44	-35.21	-13	Pass	401



18. LTE_Band66


18.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.75	-13	Pass	401
1708	1709	1	RMS	1709	-36.03	-13	Pass	2
1709	1710	0.02	RMS	1710	-20.13	-13	Pass	401
1710	1712	0.1	RMS	1710.245	20.45	30	Pass	401




18.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.03	-13	Pass	401
1708	1709	1	RMS	1709	-22.47	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-27.49	-13	Pass	401
1710	1712	0.1	RMS	1710.265	12.06	30	Pass	401




18.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.52	-13	Pass	401
1708	1709	1	RMS	1709	-36.89	-13	Pass	2
1709	1710	0.02	RMS	1710	-20.71	-13	Pass	401
1710	1712	0.1	RMS	1710.26	19.37	30	Pass	401




18.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.25	-13	Pass	401
1708	1709	1	RMS	1709	-24.06	-13	Pass	2
1709	1710	0.02	RMS	1710	-28.24	-13	Pass	401
1710	1712	0.1	RMS	1711.085	10.98	30	Pass	401




18.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	20.42	30	Pass	401
1780	1781	0.02	RMS	1780	-19.54	-13	Pass	401
1781	1782	1	RMS	1781	-36.97	-13	Pass	2
1782	1790	1	RMS	1782	-40.69	-13	Pass	401




18.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.9	11.93	30	Pass	401
1780	1781	0.02	RMS	1780	-26.07	-13	Pass	401
1781	1782	1	RMS	1781	-22.54	-13	Pass	2
1782	1790	1	RMS	1782	-32.37	-13	Pass	401




18.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	19.43	30	Pass	401
1780	1781	0.02	RMS	1780	-20.96	-13	Pass	401
1781	1782	1	RMS	1781	-37.79	-13	Pass	2
1782	1790	1	RMS	1782	-41.67	-13	Pass	401




18.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.34	11	30	Pass	401
1780	1781	0.02	RMS	1780	-28.08	-13	Pass	401
1781	1782	1	RMS	1781	-24.4	-13	Pass	2
1782	1790	1	RMS	1782	-33.66	-13	Pass	401




18.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.35	-13	Pass	401
1708	1709	1	RMS	1709	-36.63	-13	Pass	2
1709	1710	0.03	RMS	1710	-18.84	-13	Pass	401
1710	1713	0.1	RMS	1710.248	20.49	30	Pass	401




18.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.97	-13	Pass	401
1708	1709	1	RMS	1709	-21.59	-13	Pass	2
1709	1710	0.03	RMS	1710	-29.06	-13	Pass	401
1710	1713	0.1	RMS	1710.27	8.21	30	Pass	401




18.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-41.89	-13	Pass	401
1708	1709	1	RMS	1709	-37.47	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.17	-13	Pass	401
1710	1713	0.1	RMS	1710.255	19.59	30	Pass	401




18.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-25.4	-13	Pass	401
1708	1709	1	RMS	1709	-21.49	-13	Pass	2
1709	1710	0.03	RMS	1710	-30.66	-13	Pass	401
1710	1713	0.1	RMS	1710.375	7.11	30	Pass	401




18.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	20.41	30	Pass	401
1780	1781	0.03	RMS	1780	-17.75	-13	Pass	401
1781	1782	1	RMS	1781	-37.05	-13	Pass	2
1782	1790	1	RMS	1782	-42.55	-13	Pass	401




18.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.073	8.13	30	Pass	401
1780	1781	0.03	RMS	1780.003	-28.92	-13	Pass	401
1781	1782	1	RMS	1781	-20.31	-13	Pass	2
1782	1790	1	RMS	1782	-24.5	-13	Pass	401




18.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.768	19.41	30	Pass	401
1780	1781	0.03	RMS	1780	-18.98	-13	Pass	401
1781	1782	1	RMS	1781	-38.44	-13	Pass	2
1782	1790	1	RMS	1782	-43.67	-13	Pass	401




18.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.48	7.01	30	Pass	401
1780	1781	0.03	RMS	1780.003	-30.22	-13	Pass	401
1781	1782	1	RMS	1781	-21.35	-13	Pass	2
1782	1790	1	RMS	1782	-26.27	-13	Pass	401




18.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-38.87	-13	Pass	401
1708	1709	1	RMS	1709	-37.53	-13	Pass	2
1709	1710	0.01	RMS	1710	-25.13	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.35	30	Pass	401




18.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-24.41	-13	Pass	401
1708	1709	1	RMS	1709	-22.64	-13	Pass	2
1709	1710	0.051	RMS	1710	-28.91	-13	Pass	401
1710	1715	0.1	RMS	1711.663	5.99	30	Pass	401




18.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-40.19	-13	Pass	401
1708	1709	1	RMS	1709	-38.66	-13	Pass	2
1709	1710	0.01	RMS	1710	-25.96	-13	Pass	401
1710	1715	0.1	RMS	1710.35	19.49	30	Pass	401




18.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.25	-13	Pass	401
1708	1709	1	RMS	1709	-22.65	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.86	-13	Pass	401
1710	1715	0.1	RMS	1711.663	4.91	30	Pass	401




18.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	20.38	30	Pass	401
1780	1781	0.01	RMS	1780	-25.01	-13	Pass	401
1781	1782	1	RMS	1781	-37.28	-13	Pass	2
1782	1790	1	RMS	1782.02	-39.93	-13	Pass	401




18.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.875	5.89	30	Pass	401
1780	1781	0.051	RMS	1780	-28.44	-13	Pass	401
1781	1782	1	RMS	1781	-20.66	-13	Pass	2
1782	1790	1	RMS	1782	-22.95	-13	Pass	401




18.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	19.46	30	Pass	401
1780	1781	0.01	RMS	1780	-25	-13	Pass	401
1781	1782	1	RMS	1781	-38.68	-13	Pass	2
1782	1790	1	RMS	1782	-41.65	-13	Pass	401




18.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.013	4.92	30	Pass	401
1780	1781	0.051	RMS	1780.003	-29.73	-13	Pass	401
1781	1782	1	RMS	1781	-22.02	-13	Pass	2
1782	1790	1	RMS	1782	-24.36	-13	Pass	401




18.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.16	-39.57	-13	Pass	401
1708	1709	1	RMS	1709	-39.42	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-22.11	-13	Pass	401
1710	1720	0.1	RMS	1710.575	20.43	30	Pass	401




18.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.85	-13	Pass	401
1708	1709	1	RMS	1709	-24.96	-13	Pass	2
1709	1710	0.1	RMS	1710	-32.32	-13	Pass	401
1710	1720	0.1	RMS	1719.375	3.4	30	Pass	401




18.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.14	-40.39	-13	Pass	401
1708	1709	1	RMS	1709	-39.34	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-23.15	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.57	30	Pass	401




18.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.75	-13	Pass	401
1708	1709	1	RMS	1709	-25.27	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-33.07	-13	Pass	401
1710	1720	0.1	RMS	1719.05	2.41	30	Pass	401




18.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	20.32	30	Pass	401
1780	1781	0.1	RMS	1780	-21.36	-13	Pass	401
1781	1782	1	RMS	1781	-39.71	-13	Pass	2
1782	1790	1	RMS	1783.92	-42.35	-13	Pass	401




18.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1777.55	3.44	30	Pass	401
1780	1781	0.1	RMS	1780	-29.04	-13	Pass	401
1781	1782	1	RMS	1781	-21.49	-13	Pass	2
1782	1790	1	RMS	1782	-22.47	-13	Pass	401




18.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	19.31	30	Pass	401
1780	1781	0.1	RMS	1780	-22.58	-13	Pass	401
1781	1782	1	RMS	1781	-40.7	-13	Pass	2
1782	1790	1	RMS	1783.82	-43.49	-13	Pass	401




18.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1778.8	2.4	30	Pass	401
1780	1781	0.1	RMS	1780	-30.71	-13	Pass	401
1781	1782	1	RMS	1781	-22.9	-13	Pass	2
1782	1790	1	RMS	1782.02	-23.8	-13	Pass	401




18.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.22	-38.29	-13	Pass	401
1708	1709	1	RMS	1709	-38.24	-13	Pass	2
1709	1710	0.15	RMS	1710	-22.92	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.28	30	Pass	401




18.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.44	-26.5	-13	Pass	401
1708	1709	1	RMS	1709	-26.54	-13	Pass	2
1709	1710	0.15	RMS	1709.705	-33.22	-13	Pass	401
1710	1725	0.1	RMS	1723.388	2.06	30	Pass	401




18.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.22	-39.03	-13	Pass	401
1708	1709	1	RMS	1709	-38.35	-13	Pass	2
1709	1710	0.15	RMS	1710	-23.3	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.39	30	Pass	401




18.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.34	-26.55	-13	Pass	401
1708	1709	1	RMS	1709	-27	-13	Pass	2
1709	1710	0.15	RMS	1709.995	-33.84	-13	Pass	401
1710	1725	0.1	RMS	1723.238	0.97	30	Pass	401




18.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	20.27	30	Pass	401
1780	1781	0.15	RMS	1780	-23.42	-13	Pass	401
1781	1782	1	RMS	1781	-38.78	-13	Pass	2
1782	1790	1	RMS	1785.74	-41.22	-13	Pass	401




18.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1778.725	1.87	30	Pass	401
1780	1781	0.15	RMS	1780.315	-28.82	-13	Pass	401
1781	1782	1	RMS	1781	-21.78	-13	Pass	2
1782	1790	1	RMS	1782.78	-22.32	-13	Pass	401




18.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	19.19	30	Pass	401
1780	1781	0.15	RMS	1780.005	-23.71	-13	Pass	401
1781	1782	1	RMS	1781	-39.33	-13	Pass	2
1782	1790	1	RMS	1785.84	-42.12	-13	Pass	401




18.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1777.825	0.87	30	Pass	401
1780	1781	0.15	RMS	1780.22	-30.63	-13	Pass	401
1781	1782	1	RMS	1781	-23.59	-13	Pass	2
1782	1790	1	RMS	1782.66	-23.9	-13	Pass	401




18.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.06	-13	Pass	401
1708	1709	1	RMS	1709	-38.28	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-26.11	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.22	30	Pass	401




18.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-28.11	-13	Pass	401
1708	1709	1	RMS	1709	-27.11	-13	Pass	2
1709	1710	0.2	RMS	1709.985	-33.07	-13	Pass	401
1710	1730	0.1	RMS	1724.25	0.46	30	Pass	401




18.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-41.11	-13	Pass	401
1708	1709	1	RMS	1709	-38.59	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-25.91	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.43	30	Pass	401




18.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.5	-13	Pass	401
1708	1709	1	RMS	1709	-27.94	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-33.87	-13	Pass	401
1710	1730	0.1	RMS	1723.9	-0.6	30	Pass	401




18.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.12	30	Pass	401
1780	1781	0.2	RMS	1780.005	-25.75	-13	Pass	401
1781	1782	1	RMS	1781	-39.63	-13	Pass	2
1782	1790	1	RMS	1787.8	-41.21	-13	Pass	401




18.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.45	0.43	30	Pass	401
1780	1781	0.2	RMS	1780	-30.04	-13	Pass	401
1781	1782	1	RMS	1781	-24.26	-13	Pass	2
1782	1790	1	RMS	1782	-25.2	-13	Pass	401




18.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.14	30	Pass	401
1780	1781	0.2	RMS	1780	-26.06	-13	Pass	401
1781	1782	1	RMS	1781	-40.07	-13	Pass	2
1782	1790	1	RMS	1787.82	-42.24	-13	Pass	401



18.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1777.7	-0.5	30	Pass	401
1780	1781	0.2	RMS	1780.005	-31.48	-13	Pass	401
1781	1782	1	RMS	1781	-25.58	-13	Pass	2
1782	1790	1	RMS	1782.02	-26.23	-13	Pass	401



19. n5


19.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	823	0.1	RMS	823	-48.37	-13	Pass	401
823	824	0.051	RMS	824	-21.8	-13	Pass	401
824	829	0.1	RMS	824.325	17.52	30	Pass	401




19.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	823	0.1	RMS	823	-36.48	-13	Pass	401
823	824	0.051	RMS	824	-33	-13	Pass	401
824	829	0.1	RMS	827.363	3.99	30	Pass	401




19.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	17.36	30	Pass	401
849	850	0.051	RMS	849	-22.56	-13	Pass	401
850	859	0.1	RMS	850	-48.96	-13	Pass	401




19.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.95	4.07	30	Pass	401
849	850	0.051	RMS	849	-32.59	-13	Pass	401
850	859	0.1	RMS	850	-34.68	-13	Pass	401




19.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
804	823	0.1	RMS	823	-50.04	-13	Pass	401
823	824	0.15	RMS	824	-20.7	-13	Pass	401
824	839	0.1	RMS	824.488	17.34	30	Pass	401




19.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
804	823	0.1	RMS	822.81	-37.14	-13	Pass	401
823	824	0.15	RMS	823.998	-33.57	-13	Pass	401
824	839	0.1	RMS	836.6	-0.79	30	Pass	401




19.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	17.25	30	Pass	401
849	850	0.15	RMS	849	-21.38	-13	Pass	401
850	869	0.1	RMS	850	-49.92	-13	Pass	401




19.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	846.713	-0.88	30	Pass	401
849	850	0.15	RMS	849.008	-32.83	-13	Pass	401
850	869	0.1	RMS	850.048	-36.57	-13	Pass	401




19.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-49.02	-13	Pass	401
823	824	0.2	RMS	824	-17.34	-13	Pass	401
824	844	0.1	RMS	824.55	17.27	30	Pass	401




19.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-38.48	-13	Pass	401
823	824	0.2	RMS	823.998	-33.39	-13	Pass	401
824	844	0.1	RMS	839.25	-2.18	30	Pass	401




19.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	17.16	30	Pass	401
849	850	0.2	RMS	849	-17.87	-13	Pass	401
850	874	0.1	RMS	850	-48.72	-13	Pass	401



19.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.1	-2.23	30	Pass	401
849	850	0.2	RMS	849	-32.02	-13	Pass	401
850	874	0.1	RMS	850	-37.91	-13	Pass	401



20. n7


20.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.414	-50.49	-25	Pass	401
2490.5	2496	1	RMS	2496	-42.32	-13	Pass	401
2496	2499	1	RMS	2499	-37.48	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.6	-10	Pass	401
2500	2505	1	RMS	2500.325	19.92	30	Pass	401




20.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.491	-49.33	-25	Pass	401
2490.5	2496	1	RMS	2495.986	-31.95	-13	Pass	401
2496	2499	1	RMS	2499	-25.91	-10	Pass	4
2499	2500	0.1	RMS	2500	-29.18	-10	Pass	401
2500	2505	1	RMS	2501.363	13.73	30	Pass	401




20.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	1	RMS	2569.65	19.9	30	Pass	401
2570	2571	0.051	RMS	2570.003	-23.85	-10	Pass	401
2571	2575	1	RMS	2571	-37.13	-10	Pass	5
2575	2576	1	RMS	2575.018	-43.93	-13	Pass	401
2576	2580	1	RMS	2576	-47.09	-25	Pass	401




20.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	1	RMS	2566.35	13.71	30	Pass	401
2570	2571	0.1	RMS	2570.003	-30.16	-10	Pass	401
2571	2575	1	RMS	2571	-24.84	-10	Pass	5
2575	2576	1	RMS	2575	-34.54	-13	Pass	401
2576	2580	1	RMS	2576.01	-38.77	-25	Pass	401




20.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2480	2490.5	1	RMS	2490.448	-46.9	-25	Pass	401
2490.5	2496	1	RMS	2494.46	-43.21	-13	Pass	401
2496	2499	1	RMS	2499	-37.25	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-27.3	-10	Pass	401
2500	2515	1	RMS	2500.45	19.77	30	Pass	401




20.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2480	2490.5	1	RMS	2490.474	-36.24	-25	Pass	401
2490.5	2496	1	RMS	2495.973	-31.27	-13	Pass	401
2496	2499	1	RMS	2499	-29.62	-10	Pass	4
2499	2500	0.3	RMS	2500	-24.85	-10	Pass	401
2500	2515	1	RMS	2503.15	8.95	30	Pass	401




20.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	1	RMS	2569.475	19.83	30	Pass	401
2570	2571	0.051	RMS	2570.003	-29.02	-10	Pass	401
2571	2575	1	RMS	2571	-37.17	-10	Pass	5
2575	2585	1	RMS	2575.475	-42.29	-13	Pass	401
2585	2590	1	RMS	2585.038	-49.07	-25	Pass	401




20.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	1	RMS	2559.238	8.84	30	Pass	401
2570	2571	0.3	RMS	2570	-26.79	-10	Pass	401
2571	2575	1	RMS	2571	-28.91	-10	Pass	5
2575	2585	1	RMS	2575.025	-30.25	-13	Pass	401
2585	2590	1	RMS	2585	-41.21	-25	Pass	401




20.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490.5	1	RMS	2490.5	-46.37	-25	Pass	401
2490.5	2496	1	RMS	2495.973	-44.36	-13	Pass	401
2496	2499	1	RMS	2499	-34.48	-10	Pass	4
2499	2500	0.051	RMS	2500	-24.72	-10	Pass	401
2500	2520	1	RMS	2500.55	19.78	30	Pass	401




20.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490.5	1	RMS	2490.5	-35.83	-25	Pass	401
2490.5	2496	1	RMS	2495.959	-31.72	-13	Pass	401
2496	2499	1	RMS	2499	-30.51	-10	Pass	4
2499	2500	0.39	RMS	2500	-21.47	-10	Pass	401
2500	2520	1	RMS	2503.15	7.78	30	Pass	401




20.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	19.74	30	Pass	401
2570	2571	0.051	RMS	2570	-24.98	-10	Pass	401
2571	2575	1	RMS	2571	-34.17	-10	Pass	5
2575	2590	1	RMS	2578.675	-43.5	-13	Pass	401
2590	2595	1	RMS	2590.013	-50.31	-25	Pass	401



20.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2551.65	7.74	30	Pass	401
2570	2571	0.39	RMS	2570	-23.11	-10	Pass	401
2571	2575	1	RMS	2571	-29.74	-10	Pass	5
2575	2590	1	RMS	2575.038	-30.63	-13	Pass	401
2590	2595	1	RMS	2590	-44.16	-25	Pass	401



21. n12 15kHz


21.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-26	-13	Pass	401
698.9	699	0.03	RMS	698.999	-25.4	-13	Pass	401
699	704	0.1	RMS	699.325	17.13	30	Pass	401




21.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-30.52	-13	Pass	401
698.9	699	0.03	RMS	698.999	-33.84	-13	Pass	401
699	704	0.1	RMS	701.513	3.56	30	Pass	401




21.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	17.05	30	Pass	401
716	716.1	0.03	RMS	716.001	-24.1	-13	Pass	401
716.1	726	0.1	RMS	716.1	-24.4	-13	Pass	401




21.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.213	3.88	30	Pass	401
716	716.1	0.03	RMS	716.048	-32.97	-13	Pass	401
716.1	726	0.1	RMS	716.1	-28.92	-13	Pass	401




21.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-25.45	-13	Pass	401
698.9	699	0.03	RMS	698.999	-26.44	-13	Pass	401
699	709	0.1	RMS	699.4	16.96	30	Pass	401




21.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-32.82	-13	Pass	401
698.9	699	0.03	RMS	698.999	-36.81	-13	Pass	401
699	709	0.1	RMS	700.2	0.4	30	Pass	401




21.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.575	16.86	30	Pass	401
716	716.1	0.03	RMS	716.001	-25.49	-13	Pass	401
716.1	731	0.1	RMS	716.1	-24.42	-13	Pass	401




21.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	711.35	0.36	30	Pass	401
716	716.1	0.03	RMS	716	-36.84	-13	Pass	401
716.1	731	0.1	RMS	716.324	-33	-13	Pass	401




21.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-29.48	-13	Pass	401
698.9	699	0.03	RMS	698.999	-29.98	-13	Pass	401
699	714	0.1	RMS	699.488	16.97	30	Pass	401




21.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-33.65	-13	Pass	401
698.9	699	0.03	RMS	698.992	-38.47	-13	Pass	401
699	714	0.1	RMS	702.188	-1.16	30	Pass	401




21.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
701	716	0.1	RMS	715.513	16.91	30	Pass	401
716	716.1	0.03	RMS	716	-29.32	-13	Pass	401
716.1	736	0.1	RMS	716.1	-28	-13	Pass	401



21.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
701	716	0.1	RMS	702.013	-1.16	30	Pass	401
716	716.1	0.03	RMS	716	-38.25	-13	Pass	401
716.1	736	0.1	RMS	716.15	-33.67	-13	Pass	401



22. n66


22.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-29.42	-13	Pass	401
1709	1710	0.051	RMS	1710	-20.66	-13	Pass	401
1710	1715	1	RMS	1710.325	20.11	30	Pass	401




22.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.479	-23.48	-13	Pass	401
1709	1710	0.051	RMS	1710	-30.61	-13	Pass	401
1710	1715	1	RMS	1711.463	13.89	30	Pass	401




22.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	1	RMS	1779.625	19.94	30	Pass	401
1780	1781	0.051	RMS	1780	-22.66	-13	Pass	401
1781.5	1790	1	RMS	1781.5	-32.15	-13	Pass	401




22.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	1	RMS	1777.513	13.55	30	Pass	401
1780	1781	0.051	RMS	1780.005	-31.12	-13	Pass	401
1781	1790	1	RMS	1781	-17.22	-13	Pass	401




22.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	1	RMS	1779.625	19.94	30	Pass	401
1780	1781	0.051	RMS	1780	-22.66	-13	Pass	401
1781.5	1790	1	RMS	1781.5	-32.15	-13	Pass	401




22.6 Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1709	1	RMS	1709	-27.14	-13	Pass	401
1709	1710	0.2	RMS	1709.998	-32.6	-13	Pass	401
1710	1730	1	RMS	1723.1	7.87	30	Pass	401




22.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	19.79	30	Pass	401
1780	1781	0.2	RMS	1780.003	-18.17	-13	Pass	401
1781.5	1805	1	RMS	1781.5	-39.1	-13	Pass	401




22.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.65	7.99	30	Pass	401
1780	1781	0.2	RMS	1780	-30.18	-13	Pass	401
1781	1805	1	RMS	1781	-24.92	-13	Pass	401




22.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708.5	1	RMS	1708.5	-35.66	-13	Pass	401
1709	1709.8	0.39	RMS	1709.798	-21.9	-13	Pass	401
1710	1750	1	RMS	1710.6	19.49	30	Pass	401




22.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-30.75	-13	Pass	401
1709	1710	0.39	RMS	1710	-31.96	-13	Pass	401
1710	1750	1	RMS	1724.4	5.02	30	Pass	401




22.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.3	19.25	30	Pass	401
1780.2	1781	0.39	RMS	1780.202	-23.66	-13	Pass	401
1781	1825	1	RMS	1781	-22.72	-13	Pass	401



22.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1754.5	4.85	30	Pass	401
1780	1781	0.39	RMS	1780	-30.42	-13	Pass	401
1781	1825	1	RMS	1781	-30.13	-13	Pass	401



23. n38_PC3


23.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:514500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2564	1	RMS	2563.99	-46.11	-25	Pass	401
2564	2565	1	RMS	2564.893	-43.03	-13	Pass	401
2565	2568.5	1	RMS	2568.5	-32.6	-10	Pass	5
2569	2570	0.051	RMS	2570	-18.01	-10	Pass	401
2570	2575	1	RMS	2570.288	20.83	30	Pass	401




23.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:514500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2564	1	RMS	2563.99	-35.44	-25	Pass	401
2564	2565	1	RMS	2564.975	-31.98	-13	Pass	401
2565	2569	1	RMS	2569	-14.93	-10	Pass	401
2569	2570	0.1	RMS	2569.998	-25.79	-10	Pass	401
2570	2575	1	RMS	2571.45	14.49	30	Pass	401




23.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:523500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	1	RMS	2619.588	20.94	30	Pass	401
2620	2621	0.05	RMS	2620	-23.89	-10	Pass	21
2621.5	2625	1	RMS	2621.5	-30.75	-10	Pass	5
2625	2626	1	RMS	2625.003	-42.95	-13	Pass	401
2626	2630	1	RMS	2626	-46.12	-25	Pass	401




23.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:523500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	1	RMS	2616.2	14.73	30	Pass	401
2620	2621	0.1	RMS	2620.008	-26.47	-10	Pass	401
2621	2625	1	RMS	2621	-15.53	-10	Pass	401
2625	2626	1	RMS	2625.01	-32.82	-13	Pass	401
2626	2630	1	RMS	2626.01	-36.58	-25	Pass	401




23.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:515500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2555	1	RMS	2555	-47.79	-25	Pass	401
2555	2565	1	RMS	2564.75	-41.89	-13	Pass	401
2565	2568.5	1	RMS	2568.5	-33.29	-10	Pass	5
2569	2570	0.051	RMS	2569.995	-24.1	-10	Pass	401
2570	2585	1	RMS	2570.488	20.74	30	Pass	401




23.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:515500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2555	1	RMS	2554.9	-37.16	-25	Pass	401
2555	2565	1	RMS	2564.675	-27.74	-13	Pass	401
2565	2569	1	RMS	2569	-23.4	-10	Pass	401
2569	2570	0.3	RMS	2570	-23.96	-10	Pass	401
2570	2585	1	RMS	2583.313	9.77	30	Pass	401




23.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	1	RMS	2619.475	20.93	30	Pass	401
2620	2621	0.05	RMS	2620	-30.19	-10	Pass	21
2621.5	2625	1	RMS	2621.5	-32.86	-10	Pass	5
2625	2635	1	RMS	2625.375	-41.52	-13	Pass	401
2635	2640	1	RMS	2635.063	-47.3	-25	Pass	401




23.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:522500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	1	RMS	2617.713	9.76	30	Pass	401
2620	2621	0.3	RMS	2620	-25.39	-10	Pass	401
2621	2625	1	RMS	2621	-24.05	-10	Pass	401
2625	2635	1	RMS	2625.65	-27.94	-13	Pass	401
2635	2640	1	RMS	2635.013	-37.55	-25	Pass	401




23.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.963	-49.37	-25	Pass	401
2550	2565	1	RMS	2561.138	-42.67	-13	Pass	401
2565	2568.5	1	RMS	2568.5	-33.04	-10	Pass	5
2569	2570	0.051	RMS	2569.99	-22.01	-10	Pass	401
2570	2590	1	RMS	2570.65	20.55	30	Pass	401




23.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.738	-38.66	-25	Pass	401
2550	2565	1	RMS	2564.963	-27.55	-13	Pass	401
2565	2569	1	RMS	2569	-25.03	-10	Pass	401
2569	2570	0.39	RMS	2569.998	-20.92	-10	Pass	401
2570	2590	1	RMS	2587.25	8.51	30	Pass	401



23.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2619.5	20.78	30	Pass	401
2620	2621	0.05	RMS	2620	-26.23	-10	Pass	21
2621.5	2625	1	RMS	2621.5	-32.45	-10	Pass	5
2625	2640	1	RMS	2628.825	-42.51	-13	Pass	401
2640	2645	1	RMS	2640.05	-48.74	-25	Pass	401



23.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:522000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	1	RMS	2615.9	8.48	30	Pass	401
2620	2621	0.39	RMS	2620	-22.14	-10	Pass	401
2621	2625	1	RMS	2621	-25.48	-10	Pass	401
2625	2640	1	RMS	2625.038	-28.09	-13	Pass	401
2640	2645	1	RMS	2640.063	-39.08	-25	Pass	401



24. n41


24.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2481	2490.5	1	RMS	2490.5	-42.05	-25	Pass	401
2490.5	2494.5	1	RMS	2494.5	-31.28	-13	Pass	5
2495	2496	0.051	RMS	2495.993	-20.22	-13	Pass	401
2496	2506	1	RMS	2496.375	21.77	30	Pass	401




24.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500202, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2481	2490	1	RMS	2490	-29.07	-25	Pass	10
2490.5	2495	1	RMS	2495	-19.49	-13	Pass	401
2495	2496	0.2	RMS	2495.99	-25.61	-13	Pass	401
2496	2506	1	RMS	2498.5	12.98	30	Pass	401




24.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	1	RMS	2689.625	21.55	30	Pass	401
2690	2691	0.051	RMS	2690.01	-21.45	-10	Pass	401
2691.5	2695	1	RMS	2691.5	-31.75	-10	Pass	5
2695	2700	1	RMS	2695	-43.36	-13	Pass	401
2700	2705	1	RMS	2700	-47.12	-25	Pass	401




24.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:537000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	1	RMS	2682.225	12.58	30	Pass	401
2690	2691	0.2	RMS	2690.005	-26.62	-10	Pass	401
2691.5	2695	1	RMS	2691.5	-24.62	-10	Pass	5
2695	2700	1	RMS	2695.1	-27.94	-13	Pass	401
2700.5	2705	1	RMS	2700.5	-36.93	-25	Pass	6




24.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2431	2490.5	1	RMS	2490.351	-43.7	-25	Pass	401
2490.5	2495	1	RMS	2495	-25.61	-13	Pass	401
2495	2496	0.051	RMS	2496	-25.23	-13	Pass	401
2496	2556	1	RMS	2497.05	21.89	30	Pass	401




244.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2431	2490.5	1	RMS	2489.608	-32.17	-25	Pass	401
2490.5	2495	1	RMS	2494.291	-31.33	-13	Pass	401
2495	2495.4	1.2	RMS	2495.4	-20.14	-13	Pass	401
2496	2556	1	RMS	2554.05	6.08	30	Pass	401



24.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2630	2690	1	RMS	2688.95	21.45	30	Pass	401
2690	2691	0.05	RMS	2690	-30.68	-10	Pass	21
2691	2695	1	RMS	2691.03	-26.45	-10	Pass	401
2695	2750	1	RMS	2695	-43.65	-13	Pass	401
2750	2755	1	RMS	2754.025	-49.23	-25	Pass	401




24.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2630	2690	1	RMS	2639.15	6.1	30	Pass	401
2690.6	2691	1.2	RMS	2690.6	-28.77	-10	Pass	2
2691	2695	1	RMS	2691.73	-29.12	-10	Pass	401
2695	2750	1	RMS	2696.375	-30.36	-13	Pass	401
2750	2755	1	RMS	2750.013	-49.29	-25	Pass	401




24.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.251	-42.53	-25	Pass	401
2490.5	2495	1	RMS	2494.989	-25.45	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-26.04	-13	Pass	401
2496	2596	1	RMS	2497	21.5	30	Pass	401




24.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-33.58	-25	Pass	401
2490.5	2495	1	RMS	2494.831	-33.07	-13	Pass	401
2495	2496	1	RMS	2496	-30.96	-13	Pass	2
2496	2596	1	RMS	2585.25	4.71	30	Pass	401




24.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.93	30	Pass	401
2690	2691	0.05	RMS	2690	-30.59	-10	Pass	21
2691	2695	1	RMS	2691	-26.15	-10	Pass	401
2695	2790	1	RMS	2695	-42.8	-13	Pass	401
2790	2795	1	RMS	2790.1	-49.05	-25	Pass	401



24.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2605.5	3.86	30	Pass	401
2690	2691	1	RMS	2690	-31.01	-10	Pass	2
2691	2695	1	RMS	2691.82	-31.92	-10	Pass	401
2695	2790	1	RMS	2695.238	-32.53	-13	Pass	401
2790	2795	1	RMS	2793.338	-49.1	-25	Pass	401



25. n77 (3450-3550)


25.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-40.67	-13	Pass	401
3445	3449	0.62	RMS	3448.52	-30.74	-13	Pass	401
3449	3449.9	0.2	RMS	3449.9	-45.21	-13	Pass	6
3450	3460	1	RMS	3450.475	21.14	30	Pass	401




25.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-30.8	-13	Pass	401
3445	3449	0.62	RMS	3448.92	-29.15	-13	Pass	401
3449	3450	0.2	RMS	3449.995	-26.55	-13	Pass	401
3450	3460	1	RMS	3456.95	12.51	30	Pass	401




25.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3435	3445	1	RMS	3445	-40.67	-13	Pass	401
3445	3449	0.62	RMS	3448.52	-30.74	-13	Pass	401
3449	3449.9	0.2	RMS	3449.9	-45.21	-13	Pass	6
3450	3460	1	RMS	3450.475	21.14	30	Pass	401




25.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:636332, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	1	RMS	3541.975	12.04	30	Pass	401
3550	3551	0.2	RMS	3550.003	-27.77	-13	Pass	401
3551	3555	0.62	RMS	3551.02	-30.16	-13	Pass	401
3555	3565	1	RMS	3555.2	-31.95	-13	Pass	401




25.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3395	3445	1	RMS	3440	-39.09	-13	Pass	401
3445	3449	0.62	RMS	3448.98	-28.81	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-21.38	-13	Pass	401
3450	3500	1	RMS	3450.75	21.2	30	Pass	401




25.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3395	3445	1	RMS	3445	-33.43	-13	Pass	401
3445	3449	0.62	RMS	3446.59	-34.77	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-37.34	-13	Pass	401
3450	3500	1	RMS	3469.375	5.6	30	Pass	401




25.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3550	1	RMS	3549.25	20.91	30	Pass	401
3550	3551	0.2	RMS	3550.015	-21.58	-13	Pass	401
3551	3555	0.62	RMS	3551.05	-29.5	-13	Pass	401
3555	3605	1	RMS	3559.875	-40.67	-13	Pass	401




25.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:635000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3500	3550	1	RMS	3521.625	5.33	30	Pass	401
3550	3551	0.2	RMS	3550.01	-39.11	-13	Pass	401
3551	3555	0.62	RMS	3551.79	-36.22	-13	Pass	401
3555	3605	1	RMS	3557.5	-34.96	-13	Pass	401




25.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3440.75	-33.21	-13	Pass	401
3445	3449	0.62	RMS	3448.99	-22.35	-13	Pass	401
3449	3450	0.2	RMS	3449.99	-19.56	-13	Pass	401
3450	3550	1	RMS	3451	20.31	30	Pass	401




25.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3345	3445	1	RMS	3442.5	-35.36	-13	Pass	401
3445	3449	0.62	RMS	3445.96	-37.13	-13	Pass	401
3449	3450	0.2	RMS	3449.98	-39.17	-13	Pass	401
3450	3550	1	RMS	3465.75	2.4	30	Pass	401




25.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3549	19.94	30	Pass	401
3550	3551	0.2	RMS	3550.003	-22.56	-13	Pass	401
3551	3555	0.62	RMS	3551.02	-32.48	-13	Pass	401
3555	3655	1	RMS	3570.5	-41.09	-13	Pass	401



25.13. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3450	3550	1	RMS	3466.5	2.33	30	Pass	401
3550	3551	0.2	RMS	3550	-40.9	-13	Pass	401
3551	3555	0.62	RMS	3551.11	-39.21	-13	Pass	401
3555	3655	1	RMS	3556	-37.74	-13	Pass	401



26. n77 (3700-3980)


26.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3695	1	RMS	3694.975	-40.35	-13	Pass	401
3695	3699	0.62	RMS	3698.59	-32.06	-13	Pass	401
3699	3699.8	0.4	RMS	3699.8	-20.01	-13	Pass	4
3700	3710	1	RMS	3700.475	21.31	30	Pass	401




26.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3685	3695	1	RMS	3694.8	-30.8	-13	Pass	401
3695	3699	0.62	RMS	3698.94	-28.74	-13	Pass	401
3699	3699.8	0.4	RMS	3699.8	-29.58	-13	Pass	4
3700	3710	1	RMS	3702.325	12.4	30	Pass	401




26.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3970	3980	1	RMS	3979.675	21.1	30	Pass	401
3980.2	3981	0.4	RMS	3980.2	-20.87	-13	Pass	4
3981	3985	0.62	RMS	3981.45	-31.39	-13	Pass	401
3985	3995	1	RMS	3985	-40.92	-13	Pass	401




26.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:665000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3970	3980	1	RMS	3971.65	12.3	30	Pass	401
3980.2	3981	0.4	RMS	3980.2	-25.44	-13	Pass	4
3981	3985	0.62	RMS	3981.02	-23.63	-13	Pass	401
3985	3995	1	RMS	3985.025	-26.06	-13	Pass	401




26.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3695	1	RMS	3690	-40.45	-13	Pass	401
3695	3699	0.62	RMS	3698.89	-29.57	-13	Pass	401
3699	3700	0.39	RMS	3700	-16.24	-13	Pass	401
3700	3750	1	RMS	3700.75	21.03	30	Pass	401




26.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3645	3695	1	RMS	3694.125	-33.94	-13	Pass	401
3695	3699	0.62	RMS	3698.9	-34.97	-13	Pass	401
3699	3700	0.39	RMS	3699.998	-34.14	-13	Pass	401
3700	3750	1	RMS	3703	5.36	30	Pass	401




26.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3930	3980	1	RMS	3979.25	20.9	30	Pass	401
3980	3981	0.39	RMS	3980.008	-17.9	-13	Pass	401
3981	3985	0.62	RMS	3981.03	-29.73	-13	Pass	401
3985	4035	1	RMS	3990.125	-40.8	-13	Pass	401




26.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:663666, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3930	3980	1	RMS	3961	5.34	30	Pass	401
3980	3981	0.39	RMS	3980.003	-31.16	-13	Pass	401
3981	3985	0.62	RMS	3981.31	-29.71	-13	Pass	401
3985	4035	1	RMS	3985.125	-28.81	-13	Pass	401




26.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3679.5	-40.69	-13	Pass	401
3695	3699	0.62	RMS	3699	-31.61	-13	Pass	401
3699	3700	0.39	RMS	3699.993	-17.54	-13	Pass	401
3700	3800	1	RMS	3701	20.39	30	Pass	401




26.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3595	3695	1	RMS	3692.5	-34.85	-13	Pass	401
3695	3699	0.62	RMS	3698.7	-36.4	-13	Pass	401
3699	3700	0.39	RMS	3699.958	-35.63	-13	Pass	401
3700	3800	1	RMS	3716.25	2.38	30	Pass	401



26.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3979	20.11	30	Pass	401
3980	3981	0.39	RMS	3980.005	-17.85	-13	Pass	401
3981	3985	0.62	RMS	3981	-31.79	-13	Pass	401
3985	4085	1	RMS	4000.5	-41.03	-13	Pass	401



26.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3880	3980	1	RMS	3900.25	2.19	30	Pass	401
3980	3981	0.39	RMS	3980.023	-34.06	-13	Pass	401
3981	3985	0.62	RMS	3981.15	-32.87	-13	Pass	401
3985	4085	1	RMS	3986	-31.7	-13	Pass	401

