


# **Annex A.5 Spurious Emission at Antenna Terminals**

# 1. GSM\_GSM850


## 1.4. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.46	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.68	-13	Pass	2986
30	500	0.1	Peak	450.8	-42.76	-13	Pass	4701
500	1000	0.1	Peak	824.1	32.59	-13	N/A	5001
1000	10000	1	Peak	8108	-39.95	-13	Pass	9001




### 1.5. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-32.69	-13	Pass	401
0.15	30	0.01	Peak	0.16	-32.31	-13	Pass	2986
30	500	0.1	Peak	486	-43.1	-13	Pass	4701
500	1000	0.1	Peak	836.6	32.54	-13	N/A	5001
1000	10000	1	Peak	7771	-39.96	-13	Pass	9001



### 1.6. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.18	-13	Pass	401
0.15	30	0.01	Peak	0.16	-32.62	-13	Pass	2986
30	500	0.1	Peak	440.4	-42.89	-13	Pass	4701
500	1000	0.1	Peak	848.7	32.52	-13	N/A	5001
1000	10000	1	Peak	9556	-39.52	-13	Pass	9001



## 2. GSM\_PCS


### 2.1. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.54	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.16	-13	Pass	2986
30	1000	0.1	Peak	772	-46.74	-13	Pass	9701
1000	3000	1	Peak	1850	30.04	-13	N/A	2001
3000	20000	1	Peak	19088	-39.76	-13	Pass	17001




## 2.2. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.27	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.32	-13	Pass	2986
30	1000	0.1	Peak	792.7	-47.06	-13	Pass	9701
1000	3000	1	Peak	1880	29.31	-13	N/A	2001
3000	20000	1	Peak	19998	-39.7	-13	Pass	17001



### 2.3. GSM Spurious Emission at Antenna Terminals\_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.87	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.36	-13	Pass	2986
30	1000	0.1	Peak	846.8	-47.32	-13	Pass	9701
1000	3000	1	Peak	1911	24.95	-13	N/A	2001
3000	20000	1	Peak	19758	-39.82	-13	Pass	17001



### 3. WCDMA\_Band2

#### 3.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9262)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.21	-13	Pass	401
0.15	30	0.01	Peak	0.16	-42.27	-13	Pass	2986
30	1000	0.1	Peak	889.1	-51.18	-13	Pass	9701
1000	3000	1	Peak	1854	23.73	-13	N/A	2001
3000	20000	1	Peak	19996	-24.5	-13	Pass	17001






### 3.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.55	-13	Pass	2986
30	1000	0.1	Peak	918.8	-50.85	-13	Pass	9701
1000	3000	1	Peak	1879	22.71	-13	N/A	2001
3000	20000	1	Peak	19745	-25.47	-13	Pass	17001



### 3.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.94	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.57	-13	Pass	2986
30	1000	0.1	Peak	922.1	-51	-13	Pass	9701
1000	3000	1	Peak	1906	22.95	-13	N/A	2001
3000	20000	1	Peak	19751	-25.72	-13	Pass	17001



## 4. WCDMA\_Band4


### 4.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-43.11	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.87	-13	Pass	2986
30	1000	0.1	Peak	940.7	-51.47	-13	Pass	9701
1000	3000	1	Peak	1714	23.37	-13	N/A	2001
3000	20000	1	Peak	19407	-25.62	-13	Pass	17001




## 4.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.59	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.37	-13	Pass	2986
30	1000	0.1	Peak	792.7	-51.23	-13	Pass	9701
1000	3000	1	Peak	1733	23.24	-13	N/A	2001
3000	20000	1	Peak	19383	-25.52	-13	Pass	17001



### 4.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.43	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.53	-13	Pass	2986
30	1000	0.1	Peak	916.6	-51.54	-13	Pass	9701
1000	3000	1	Peak	1751	23.25	-13	N/A	2001
3000	20000	1	Peak	19982	-25.39	-13	Pass	17001



## 5. WCDMA\_Band5


### 5.1. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.31	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.48	-13	Pass	2986
30	500	0.1	Peak	417	-53.53	-13	Pass	4701
500	1000	0.1	Peak	825.5	18.86	-13	N/A	5001
1000	10000	1	Peak	7748	-31.12	-13	Pass	9001




## 5.2. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.62	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.24	-13	Pass	2986
30	500	0.1	Peak	447.2	-52.98	-13	Pass	4701
500	1000	0.1	Peak	835.9	17.44	-13	N/A	5001
1000	10000	1	Peak	7773	-29.57	-13	Pass	9001



### 5.3. WCDMA Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.22	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.45	-13	Pass	2986
30	500	0.1	Peak	409.8	-53.1	-13	Pass	4701
500	1000	0.1	Peak	845.4	18.17	-13	N/A	5001
1000	10000	1	Peak	9535	-30.15	-13	Pass	9001






## 6. LTE\_Band2


### 6.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.47	-13	Pass	2986
30	1000	0.1	RMS	942.5	-62.29	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1920	1	RMS	1850.2	22.61	60	Pass	401
1920	3000	1	RMS	2646	-46.93	-13	Pass	1081
3000	12000	1	RMS	11943	-40.61	-13	Pass	9001
12000	20000	1	RMS	19999	-28.18	-13	Pass	8001




**6.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.62	-13	Pass	2986
30	1000	0.1	RMS	912	-62.28	-13	Pass	9701
1000	1840	1	RMS	1840	-50.61	-13	Pass	841
1840	1920	1	RMS	1850.2	21.64	60	Pass	401
1920	3000	1	RMS	2655	-46.91	-13	Pass	1081
3000	12000	1	RMS	11843	-40.63	-13	Pass	9001
12000	20000	1	RMS	19999	-28.22	-13	Pass	8001




**6.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.55	-13	Pass	2986
30	1000	0.1	RMS	904.7	-62.25	-13	Pass	9701
1000	1840	1	RMS	1838	-50.71	-13	Pass	841
1840	1920	1	RMS	1879.6	22.67	60	Pass	401
1920	3000	1	RMS	2654	-46.91	-13	Pass	1081
3000	12000	1	RMS	11939	-40.55	-13	Pass	9001
12000	20000	1	RMS	20000	-28.24	-13	Pass	8001




**6.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.21	-13	Pass	2986
30	1000	0.1	RMS	933.4	-62.28	-13	Pass	9701
1000	1840	1	RMS	1837	-50.77	-13	Pass	841
1840	1920	1	RMS	1879.6	22.16	60	Pass	401
1920	3000	1	RMS	2650	-46.86	-13	Pass	1081
3000	12000	1	RMS	11864	-40.59	-13	Pass	9001
12000	20000	1	RMS	19999	-28.12	-13	Pass	8001




**6.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.23	-13	Pass	2986
30	1000	0.1	RMS	932.4	-62.19	-13	Pass	9701
1000	1840	1	RMS	1838	-50.81	-13	Pass	841
1840	1920	1	RMS	1908.8	22.67	60	Pass	401
1920	3000	1	RMS	2650	-46.91	-13	Pass	1081
3000	12000	1	RMS	11968	-40.62	-13	Pass	9001
12000	20000	1	RMS	19998	-28.28	-13	Pass	8001




**6.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.34	-13	Pass	2986
30	1000	0.1	RMS	926.6	-62.27	-13	Pass	9701
1000	1840	1	RMS	1832	-50.78	-13	Pass	841
1840	1920	1	RMS	1908.8	21.91	60	Pass	401
1920	3000	1	RMS	2655	-46.91	-13	Pass	1081
3000	12000	1	RMS	11934	-40.46	-13	Pass	9001
12000	20000	1	RMS	19999	-28.22	-13	Pass	8001




**6.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.13	-13	Pass	2986
30	1000	0.1	RMS	949.7	-62.12	-13	Pass	9701
1000	1840	1	RMS	1840	-50.33	-13	Pass	841
1840	1920	1	RMS	1850.2	22.77	60	Pass	401
1920	3000	1	RMS	2650	-46.9	-13	Pass	1081
3000	12000	1	RMS	11935	-40.55	-13	Pass	9001
12000	20000	1	RMS	20000	-28.19	-13	Pass	8001



**6.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.04	-13	Pass	2986
30	1000	0.1	RMS	928.3	-62.31	-13	Pass	9701
1000	1840	1	RMS	1840	-50.43	-13	Pass	841
1840	1920	1	RMS	1850.2	22.14	60	Pass	401
1920	3000	1	RMS	2645	-46.85	-13	Pass	1081
3000	12000	1	RMS	11946	-40.54	-13	Pass	9001
12000	20000	1	RMS	20000	-28.24	-13	Pass	8001





**6.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51	-13	Pass	2986
30	1000	0.1	RMS	928.1	-62.27	-13	Pass	9701
1000	1840	1	RMS	1836	-50.76	-13	Pass	841
1840	1920	1	RMS	1878.8	23.07	60	Pass	401
1920	3000	1	RMS	2647	-46.88	-13	Pass	1081
3000	12000	1	RMS	11950	-40.57	-13	Pass	9001
12000	20000	1	RMS	19996	-28.19	-13	Pass	8001



### 6.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.49	-13	Pass	2986
30	1000	0.1	RMS	891.8	-62.24	-13	Pass	9701
1000	1840	1	RMS	1839	-50.78	-13	Pass	841
1840	1920	1	RMS	1878.8	22.1	60	Pass	401
1920	3000	1	RMS	2651	-46.85	-13	Pass	1081
3000	12000	1	RMS	11924	-40.61	-13	Pass	9001
12000	20000	1	RMS	20000	-28.26	-13	Pass	8001



### 6.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.29	-13	Pass	2986
30	1000	0.1	RMS	937.6	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.76	-13	Pass	841
1840	1920	1	RMS	1907.2	22.72	60	Pass	401
1920	3000	1	RMS	2654	-46.84	-13	Pass	1081
3000	12000	1	RMS	11937	-40.57	-13	Pass	9001
12000	20000	1	RMS	19995	-28.25	-13	Pass	8001



### 6.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.5	-13	Pass	2986
30	1000	0.1	RMS	906.7	-62.21	-13	Pass	9701
1000	1840	1	RMS	1831	-50.78	-13	Pass	841
1840	1920	1	RMS	1907.2	22.09	60	Pass	401
1920	3000	1	RMS	2654	-46.91	-13	Pass	1081
3000	12000	1	RMS	11858	-40.57	-13	Pass	9001
12000	20000	1	RMS	19997	-28.23	-13	Pass	8001



### 6.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.59	-13	Pass	2986
30	1000	0.1	RMS	943.7	-62.31	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1920	1	RMS	1850.4	23.09	60	Pass	401
1920	3000	1	RMS	2656	-46.89	-13	Pass	1081
3000	12000	1	RMS	11853	-40.61	-13	Pass	9001
12000	20000	1	RMS	19999	-28.23	-13	Pass	8001



### 6.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.42	-13	Pass	2986
30	1000	0.1	RMS	919.4	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1920	1	RMS	1850.4	22.38	60	Pass	401
1920	3000	1	RMS	2656	-46.8	-13	Pass	1081
3000	12000	1	RMS	11948	-40.48	-13	Pass	9001
12000	20000	1	RMS	19994	-28.1	-13	Pass	8001



### 6.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.92	-13	Pass	2986
30	1000	0.1	RMS	972.5	-62.26	-13	Pass	9701
1000	1840	1	RMS	1840	-50.65	-13	Pass	841
1840	1920	1	RMS	1877.8	23.42	60	Pass	401
1920	3000	1	RMS	2652	-46.82	-13	Pass	1081
3000	12000	1	RMS	11941	-40.47	-13	Pass	9001
12000	20000	1	RMS	19999	-28.07	-13	Pass	8001



### 6.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.94	-13	Pass	2986
30	1000	0.1	RMS	941	-62.31	-13	Pass	9701
1000	1840	1	RMS	1839	-50.67	-13	Pass	841
1840	1920	1	RMS	1877.8	22.6	60	Pass	401
1920	3000	1	RMS	2651	-46.79	-13	Pass	1081
3000	12000	1	RMS	11920	-40.52	-13	Pass	9001
12000	20000	1	RMS	19999	-28.14	-13	Pass	8001






### 6.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.56	-13	Pass	2986
30	1000	0.1	RMS	929.7	-62.16	-13	Pass	9701
1000	1840	1	RMS	1833	-50.67	-13	Pass	841
1840	1920	1	RMS	1905.4	23.11	60	Pass	401
1920	3000	1	RMS	2651	-46.78	-13	Pass	1081
3000	12000	1	RMS	11955	-40.44	-13	Pass	9001
12000	20000	1	RMS	19999	-28.11	-13	Pass	8001



### 6.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.79	-13	Pass	2986
30	1000	0.1	RMS	931.9	-62.08	-13	Pass	9701
1000	1840	1	RMS	1833	-50.69	-13	Pass	841
1840	1920	1	RMS	1905.4	22.48	60	Pass	401
1920	3000	1	RMS	2652	-46.8	-13	Pass	1081
3000	12000	1	RMS	11947	-40.52	-13	Pass	9001
12000	20000	1	RMS	20000	-28.16	-13	Pass	8001



### 6.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.01	-13	Pass	2986
30	1000	0.1	RMS	946.5	-62.15	-13	Pass	9701
1000	1840	1	RMS	1840	-47.56	-13	Pass	841
1840	1920	1	RMS	1850.6	23.37	60	Pass	401
1920	3000	1	RMS	2649	-46.81	-13	Pass	1081
3000	12000	1	RMS	11955	-40.45	-13	Pass	9001
12000	20000	1	RMS	20000	-28.08	-13	Pass	8001



### 6.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.41	-13	Pass	2986
30	1000	0.1	RMS	926	-62.29	-13	Pass	9701
1000	1840	1	RMS	1840	-47.89	-13	Pass	841
1840	1920	1	RMS	1850.6	22.63	60	Pass	401
1920	3000	1	RMS	2651	-46.73	-13	Pass	1081
3000	12000	1	RMS	11938	-40.41	-13	Pass	9001
12000	20000	1	RMS	19993	-28.14	-13	Pass	8001



### 6.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.4	-13	Pass	2986
30	1000	0.1	RMS	927	-62.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1920	1	RMS	1875.6	23.52	60	Pass	401
1920	3000	1	RMS	2651	-46.76	-13	Pass	1081
3000	12000	1	RMS	11940	-40.47	-13	Pass	9001
12000	20000	1	RMS	19998	-28.12	-13	Pass	8001



## 6.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.76	-13	Pass	2986
30	1000	0.1	RMS	889.8	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1920	1	RMS	1875.6	22.51	60	Pass	401
1920	3000	1	RMS	2649	-46.71	-13	Pass	1081
3000	12000	1	RMS	11852	-40.55	-13	Pass	9001
12000	20000	1	RMS	19998	-28.15	-13	Pass	8001



### 6.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.01	-13	Pass	2986
30	1000	0.1	RMS	900.9	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.56	-13	Pass	841
1840	1920	1	RMS	1900.6	23.33	60	Pass	401
1920	3000	1	RMS	2651	-46.74	-13	Pass	1081
3000	12000	1	RMS	11935	-40.62	-13	Pass	9001
12000	20000	1	RMS	19998	-27.98	-13	Pass	8001



### 6.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.24	-13	Pass	2986
30	1000	0.1	RMS	894.6	-62.16	-13	Pass	9701
1000	1840	1	RMS	1837	-50.64	-13	Pass	841
1840	1920	1	RMS	1900.6	22.35	60	Pass	401
1920	3000	1	RMS	2653	-46.76	-13	Pass	1081
3000	12000	1	RMS	11966	-40.41	-13	Pass	9001
12000	20000	1	RMS	19992	-28.05	-13	Pass	8001






### 6.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.15	-13	Pass	2986
30	1000	0.1	RMS	931.9	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-43.01	-13	Pass	841
1840	1920	1	RMS	1850.8	23.04	60	Pass	401
1920	3000	1	RMS	2657	-46.72	-13	Pass	1081
3000	12000	1	RMS	11850	-40.43	-13	Pass	9001
12000	20000	1	RMS	19997	-28.02	-13	Pass	8001



### 6.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.2	-13	Pass	2986
30	1000	0.1	RMS	927.2	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-44.33	-13	Pass	841
1840	1920	1	RMS	1850.8	22.2	60	Pass	401
1920	3000	1	RMS	2656	-46.79	-13	Pass	1081
3000	12000	1	RMS	11947	-40.42	-13	Pass	9001
12000	20000	1	RMS	19999	-27.91	-13	Pass	8001



### 6.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.06	-13	Pass	2986
30	1000	0.1	RMS	903.5	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.65	-13	Pass	841
1840	1920	1	RMS	1873.4	22.82	60	Pass	401
1920	3000	1	RMS	2652	-46.7	-13	Pass	1081
3000	12000	1	RMS	11935	-40.39	-13	Pass	9001
12000	20000	1	RMS	19996	-27.94	-13	Pass	8001



### 6.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.51	-13	Pass	2986
30	1000	0.1	RMS	929.1	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-50.6	-13	Pass	841
1840	1920	1	RMS	1873.4	21.89	60	Pass	401
1920	3000	1	RMS	2642	-46.79	-13	Pass	1081
3000	12000	1	RMS	11956	-40.44	-13	Pass	9001
12000	20000	1	RMS	20000	-27.99	-13	Pass	8001



### 6.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.72	-13	Pass	2986
30	1000	0.1	RMS	914.5	-61.94	-13	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	Pass	841
1840	1920	1	RMS	1895.8	22.74	60	Pass	401
1920	3000	1	RMS	2646	-46.69	-13	Pass	1081
3000	12000	1	RMS	11934	-40.4	-13	Pass	9001
12000	20000	1	RMS	19998	-27.92	-13	Pass	8001



### 6.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.06	-13	Pass	2986
30	1000	0.1	RMS	904.4	-62.16	-13	Pass	9701
1000	1840	1	RMS	1840	-50.67	-13	Pass	841
1840	1920	1	RMS	1895.8	21.92	60	Pass	401
1920	3000	1	RMS	2646	-46.73	-13	Pass	1081
3000	12000	1	RMS	11953	-40.38	-13	Pass	9001
12000	20000	1	RMS	19999	-27.91	-13	Pass	8001



### 6.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.46	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62.13	-13	Pass	9701
1000	1840	1	RMS	1840	-42.88	-13	Pass	841
1840	1920	1	RMS	1851	23.12	60	Pass	401
1920	3000	1	RMS	2653	-46.68	-13	Pass	1081
3000	12000	1	RMS	11992	-40.42	-13	Pass	9001
12000	20000	1	RMS	19999	-27.96	-13	Pass	8001



### 6.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.18	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.14	-13	Pass	9701
1000	1840	1	RMS	1840	-44.76	-13	Pass	841
1840	1920	1	RMS	1851	22.28	60	Pass	401
1920	3000	1	RMS	2659	-46.78	-13	Pass	1081
3000	12000	1	RMS	11945	-40.38	-13	Pass	9001
12000	20000	1	RMS	19999	-27.85	-13	Pass	8001






### 6.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.81	-13	Pass	2986
30	1000	0.1	RMS	966.4	-62.12	-13	Pass	9701
1000	1840	1	RMS	1835	-46.45	-13	Pass	841
1840	1920	1	RMS	1871	23.2	60	Pass	401
1920	3000	1	RMS	2638	-46.77	-13	Pass	1081
3000	12000	1	RMS	11952	-40.4	-13	Pass	9001
12000	20000	1	RMS	19996	-27.98	-13	Pass	8001



### 6.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.66	-13	Pass	2986
30	1000	0.1	RMS	908.9	-62.13	-13	Pass	9701
1000	1840	1	RMS	1835	-47.52	-13	Pass	841
1840	1920	1	RMS	1871	22.14	60	Pass	401
1920	3000	1	RMS	2651	-46.81	-13	Pass	1081
3000	12000	1	RMS	11931	-40.39	-13	Pass	9001
12000	20000	1	RMS	19999	-27.84	-13	Pass	8001



### 6.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.98	-13	Pass	2986
30	1000	0.1	RMS	941.5	-62.19	-13	Pass	9701
1000	1840	1	RMS	1838	-50.71	-13	Pass	841
1840	1920	1	RMS	1891	23.05	60	Pass	401
1920	3000	1	RMS	2653	-46.8	-13	Pass	1081
3000	12000	1	RMS	11851	-40.46	-13	Pass	9001
12000	20000	1	RMS	19999	-27.97	-13	Pass	8001



### 6.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.33	-13	Pass	2986
30	1000	0.1	RMS	939.3	-62.11	-13	Pass	9701
1000	1840	1	RMS	1837	-50.7	-13	Pass	841
1840	1920	1	RMS	1891	22.1	60	Pass	401
1920	3000	1	RMS	2657	-46.77	-13	Pass	1081
3000	12000	1	RMS	11920	-40.36	-13	Pass	9001
12000	20000	1	RMS	19997	-27.88	-13	Pass	8001



## 7. LTE\_Band4


### 7.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.97	-13	Pass	2986
30	1000	0.1	RMS	896.9	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-50.98	-13	Pass	701
1700	1765	1	RMS	1710.238	22.84	60	Pass	401
1765	3000	1	RMS	2654	-46.79	-13	Pass	1236
3000	12000	1	RMS	11865	-40.37	-13	Pass	9001
12000	20000	1	RMS	19994	-27.96	-13	Pass	8001




**7.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.49	-13	Pass	2986
30	1000	0.1	RMS	940.5	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1765	1	RMS	1710.238	21.83	60	Pass	401
1765	3000	1	RMS	2656	-46.78	-13	Pass	1236
3000	12000	1	RMS	11948	-40.43	-13	Pass	9001
12000	20000	1	RMS	20000	-27.95	-13	Pass	8001




**7.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.1	-13	Pass	2986
30	1000	0.1	RMS	891.3	-62.11	-13	Pass	9701
1000	1700	1	RMS	1699	-51.23	-13	Pass	701
1700	1765	1	RMS	1732.013	22.74	60	Pass	401
1765	3000	1	RMS	2651	-46.77	-13	Pass	1236
3000	12000	1	RMS	11935	-40.39	-13	Pass	9001
12000	20000	1	RMS	19998	-27.92	-13	Pass	8001



**7.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.21	-13	Pass	2986
30	1000	0.1	RMS	883.8	-62.22	-13	Pass	9701
1000	1700	1	RMS	1627	-51.31	-13	Pass	701
1700	1765	1	RMS	1732.013	21.91	60	Pass	401
1765	3000	1	RMS	2650	-46.81	-13	Pass	1236
3000	12000	1	RMS	11957	-40.41	-13	Pass	9001
12000	20000	1	RMS	19997	-27.98	-13	Pass	8001






**7.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.71	-13	Pass	2986
30	1000	0.1	RMS	933.1	-62.07	-13	Pass	9701
1000	1700	1	RMS	1593	-51.28	-13	Pass	701
1700	1765	1	RMS	1753.788	22.81	60	Pass	401
1765	3000	1	RMS	2649	-46.79	-13	Pass	1236
3000	12000	1	RMS	11856	-40.39	-13	Pass	9001
12000	20000	1	RMS	19997	-27.95	-13	Pass	8001




**7.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.75	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.2	-13	Pass	9701
1000	1700	1	RMS	1690	-51.28	-13	Pass	701
1700	1765	1	RMS	1753.788	21.87	60	Pass	401
1765	3000	1	RMS	2646	-46.76	-13	Pass	1236
3000	12000	1	RMS	11976	-40.4	-13	Pass	9001
12000	20000	1	RMS	20000	-27.88	-13	Pass	8001




**7.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.62	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-50.77	-13	Pass	701
1700	1765	1	RMS	1710.238	22.72	60	Pass	401
1765	3000	1	RMS	2658	-46.8	-13	Pass	1236
3000	12000	1	RMS	11952	-40.39	-13	Pass	9001
12000	20000	1	RMS	19998	-27.94	-13	Pass	8001




**7.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.36	-13	Pass	2986
30	1000	0.1	RMS	925	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	Pass	701
1700	1765	1	RMS	1710.238	21.84	60	Pass	401
1765	3000	1	RMS	2653	-46.78	-13	Pass	1236
3000	12000	1	RMS	11952	-40.44	-13	Pass	9001
12000	20000	1	RMS	20000	-27.93	-13	Pass	8001



**7.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.58	-13	Pass	2986
30	1000	0.1	RMS	907.1	-62.06	-13	Pass	9701
1000	1700	1	RMS	1609	-51.26	-13	Pass	701
1700	1765	1	RMS	1731.2	22.69	60	Pass	401
1765	3000	1	RMS	2650	-46.71	-13	Pass	1236
3000	12000	1	RMS	11937	-40.4	-13	Pass	9001
12000	20000	1	RMS	19999	-27.88	-13	Pass	8001



### 7.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.53	-13	Pass	2986
30	1000	0.1	RMS	912.7	-62.02	-13	Pass	9701
1000	1700	1	RMS	1699	-51.25	-13	Pass	701
1700	1765	1	RMS	1731.2	21.85	60	Pass	401
1765	3000	1	RMS	2651	-46.79	-13	Pass	1236
3000	12000	1	RMS	11946	-40.4	-13	Pass	9001
12000	20000	1	RMS	20000	-27.98	-13	Pass	8001



### 7.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.94	-13	Pass	2986
30	1000	0.1	RMS	932.2	-62.19	-13	Pass	9701
1000	1700	1	RMS	1691	-51.26	-13	Pass	701
1700	1765	1	RMS	1752.163	22.71	60	Pass	401
1765	3000	1	RMS	2654	-46.83	-13	Pass	1236
3000	12000	1	RMS	11961	-40.42	-13	Pass	9001
12000	20000	1	RMS	19999	-27.93	-13	Pass	8001



### 7.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.53	-13	Pass	2986
30	1000	0.1	RMS	901.6	-62.16	-13	Pass	9701
1000	1700	1	RMS	1613	-51.26	-13	Pass	701
1700	1765	1	RMS	1752.163	21.79	60	Pass	401
1765	3000	1	RMS	2653	-46.84	-13	Pass	1236
3000	12000	1	RMS	11859	-40.42	-13	Pass	9001
12000	20000	1	RMS	19995	-27.94	-13	Pass	8001






### 7.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.96	-13	Pass	2986
30	1000	0.1	RMS	919.8	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-50.96	-13	Pass	701
1700	1765	1	RMS	1710.4	22.9	60	Pass	401
1765	3000	1	RMS	2653	-46.8	-13	Pass	1236
3000	12000	1	RMS	11948	-40.42	-13	Pass	9001
12000	20000	1	RMS	20000	-27.94	-13	Pass	8001



### 7.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.64	-13	Pass	2986
30	1000	0.1	RMS	913.6	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	Pass	701
1700	1765	1	RMS	1710.4	21.98	60	Pass	401
1765	3000	1	RMS	2650	-46.8	-13	Pass	1236
3000	12000	1	RMS	11959	-40.44	-13	Pass	9001
12000	20000	1	RMS	19996	-27.99	-13	Pass	8001



### 7.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.05	-13	Pass	2986
30	1000	0.1	RMS	937.5	-62.21	-13	Pass	9701
1000	1700	1	RMS	1679	-51.27	-13	Pass	701
1700	1765	1	RMS	1730.388	23.04	60	Pass	401
1765	3000	1	RMS	2656	-46.73	-13	Pass	1236
3000	12000	1	RMS	11954	-40.41	-13	Pass	9001
12000	20000	1	RMS	19996	-28.02	-13	Pass	8001



### 7.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.22	-13	Pass	2986
30	1000	0.1	RMS	937.1	-62.16	-13	Pass	9701
1000	1700	1	RMS	1699	-51.28	-13	Pass	701
1700	1765	1	RMS	1730.388	22.22	60	Pass	401
1765	3000	1	RMS	2653	-46.81	-13	Pass	1236
3000	12000	1	RMS	11931	-40.42	-13	Pass	9001
12000	20000	1	RMS	20000	-27.94	-13	Pass	8001



### 7.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.6	-13	Pass	2986
30	1000	0.1	RMS	914.4	-62.13	-13	Pass	9701
1000	1700	1	RMS	1695	-51.28	-13	Pass	701
1700	1765	1	RMS	1750.375	22.97	60	Pass	401
1765	3000	1	RMS	2650	-46.8	-13	Pass	1236
3000	12000	1	RMS	11949	-40.38	-13	Pass	9001
12000	20000	1	RMS	19997	-27.95	-13	Pass	8001



### 7.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.28	-13	Pass	2986
30	1000	0.1	RMS	932.1	-62.14	-13	Pass	9701
1000	1700	1	RMS	1610	-51.28	-13	Pass	701
1700	1765	1	RMS	1750.375	22.15	60	Pass	401
1765	3000	1	RMS	2653	-46.8	-13	Pass	1236
3000	12000	1	RMS	11936	-40.37	-13	Pass	9001
12000	20000	1	RMS	19999	-27.94	-13	Pass	8001



### 7.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.67	-13	Pass	2986
30	1000	0.1	RMS	926.3	-62	-13	Pass	9701
1000	1700	1	RMS	1693	-46.41	-13	Pass	701
1700	1765	1	RMS	1710.563	23.03	60	Pass	401
1765	3000	1	RMS	2661	-46.75	-13	Pass	1236
3000	12000	1	RMS	11939	-40.42	-13	Pass	9001
12000	20000	1	RMS	19999	-27.94	-13	Pass	8001



## 7.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.35	-13	Pass	2986
30	1000	0.1	RMS	940.4	-62.06	-13	Pass	9701
1000	1700	1	RMS	1693	-47.61	-13	Pass	701
1700	1765	1	RMS	1710.563	22.18	60	Pass	401
1765	3000	1	RMS	2654	-46.73	-13	Pass	1236
3000	12000	1	RMS	11957	-40.44	-13	Pass	9001
12000	20000	1	RMS	20000	-27.88	-13	Pass	8001






### 7.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.08	-13	Pass	2986
30	1000	0.1	RMS	926.1	-62.05	-13	Pass	9701
1000	1700	1	RMS	1694	-51.24	-13	Pass	701
1700	1765	1	RMS	1728.113	23.17	60	Pass	401
1765	3000	1	RMS	2646	-46.81	-13	Pass	1236
3000	12000	1	RMS	11950	-40.42	-13	Pass	9001
12000	20000	1	RMS	20000	-27.95	-13	Pass	8001



### 7.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.15	-13	Pass	2986
30	1000	0.1	RMS	920	-62.22	-13	Pass	9701
1000	1700	1	RMS	1696	-51.26	-13	Pass	701
1700	1765	1	RMS	1728.113	22.19	60	Pass	401
1765	3000	1	RMS	2652	-46.77	-13	Pass	1236
3000	12000	1	RMS	11940	-40.39	-13	Pass	9001
12000	20000	1	RMS	19999	-27.89	-13	Pass	8001



### 7.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.33	-13	Pass	2986
30	1000	0.1	RMS	902	-62.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	Pass	701
1700	1765	1	RMS	1745.5	23.08	60	Pass	401
1765	3000	1	RMS	2658	-46.8	-13	Pass	1236
3000	12000	1	RMS	11951	-40.36	-13	Pass	9001
12000	20000	1	RMS	20000	-28.03	-13	Pass	8001



### 7.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.04	-13	Pass	2986
30	1000	0.1	RMS	950.1	-62.15	-13	Pass	9701
1000	1700	1	RMS	1699	-51.27	-13	Pass	701
1700	1765	1	RMS	1745.663	22.19	60	Pass	401
1765	3000	1	RMS	2650	-46.78	-13	Pass	1236
3000	12000	1	RMS	11962	-40.41	-13	Pass	9001
12000	20000	1	RMS	19998	-27.9	-13	Pass	8001



### 7.25. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.96	-13	Pass	2986
30	1000	0.1	RMS	935.2	-62.21	-13	Pass	9701
1000	1700	1	RMS	1698	-41.1	-13	Pass	701
1700	1765	1	RMS	1710.888	22.97	60	Pass	401
1765	3000	1	RMS	2648	-46.77	-13	Pass	1236
3000	12000	1	RMS	11937	-40.41	-13	Pass	9001
12000	20000	1	RMS	19999	-27.94	-13	Pass	8001



### 7.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.14	-13	Pass	2986
30	1000	0.1	RMS	924.7	-62.12	-13	Pass	9701
1000	1700	1	RMS	1698	-42.79	-13	Pass	701
1700	1765	1	RMS	1710.888	22.08	60	Pass	401
1765	3000	1	RMS	2653	-46.81	-13	Pass	1236
3000	12000	1	RMS	11958	-40.33	-13	Pass	9001
12000	20000	1	RMS	19999	-27.99	-13	Pass	8001



### 7.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.8	-13	Pass	2986
30	1000	0.1	RMS	911.3	-62.02	-13	Pass	9701
1000	1700	1	RMS	1699	-43.07	-13	Pass	701
1700	1765	1	RMS	1725.838	23.08	60	Pass	401
1765	3000	1	RMS	2648	-46.81	-13	Pass	1236
3000	12000	1	RMS	11833	-40.39	-13	Pass	9001
12000	20000	1	RMS	19997	-27.92	-13	Pass	8001



### 7.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.1	-13	Pass	2986
30	1000	0.1	RMS	923.1	-62.11	-13	Pass	9701
1000	1700	1	RMS	1699	-44.3	-13	Pass	701
1700	1765	1	RMS	1725.838	22.18	60	Pass	401
1765	3000	1	RMS	2652	-46.8	-13	Pass	1236
3000	12000	1	RMS	11939	-40.43	-13	Pass	9001
12000	20000	1	RMS	19999	-27.93	-13	Pass	8001






### 7.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.57	-13	Pass	2986
30	1000	0.1	RMS	917.5	-62.13	-13	Pass	9701
1000	1700	1	RMS	1615	-51.28	-13	Pass	701
1700	1765	1	RMS	1740.788	22.96	60	Pass	401
1765	3000	1	RMS	1767	-33.04	-13	Pass	1236
3000	12000	1	RMS	11892	-40.41	-13	Pass	9001
12000	20000	1	RMS	19999	-27.97	-13	Pass	8001



### 7.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.62	-13	Pass	2986
30	1000	0.1	RMS	932.9	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-51.27	-13	Pass	701
1700	1765	1	RMS	1740.788	22.17	60	Pass	401
1765	3000	1	RMS	1767	-33.67	-13	Pass	1236
3000	12000	1	RMS	11961	-40.39	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001



### 7.31. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.21	-13	Pass	2986
30	1000	0.1	RMS	943.1	-62.14	-13	Pass	9701
1000	1700	1	RMS	1700	-42.33	-13	Pass	701
1700	1765	1	RMS	1711.05	22.86	60	Pass	401
1765	3000	1	RMS	2656	-46.81	-13	Pass	1236
3000	12000	1	RMS	11938	-40.43	-13	Pass	9001
12000	20000	1	RMS	20000	-27.88	-13	Pass	8001



### 7.32. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.35	-13	Pass	2986
30	1000	0.1	RMS	933.5	-62.13	-13	Pass	9701
1000	1700	1	RMS	1700	-43.64	-13	Pass	701
1700	1765	1	RMS	1711.05	22.04	60	Pass	401
1765	3000	1	RMS	2650	-46.82	-13	Pass	1236
3000	12000	1	RMS	11948	-40.38	-13	Pass	9001
12000	20000	1	RMS	19997	-27.93	-13	Pass	8001



### 7.33. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.51	-13	Pass	2986
30	1000	0.1	RMS	920.4	-62.1	-13	Pass	9701
1000	1700	1	RMS	1688	-50.01	-13	Pass	701
1700	1765	1	RMS	1723.563	22.98	60	Pass	401
1765	3000	1	RMS	2650	-46.77	-13	Pass	1236
3000	12000	1	RMS	11852	-40.39	-13	Pass	9001
12000	20000	1	RMS	19999	-27.83	-13	Pass	8001



### 7.34. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.74	-13	Pass	2986
30	1000	0.1	RMS	942	-62.14	-13	Pass	9701
1000	1700	1	RMS	1688	-50.41	-13	Pass	701
1700	1765	1	RMS	1723.563	22.02	60	Pass	401
1765	3000	1	RMS	2658	-46.83	-13	Pass	1236
3000	12000	1	RMS	11948	-40.4	-13	Pass	9001
12000	20000	1	RMS	20000	-27.97	-13	Pass	8001



### 7.35. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.87	-13	Pass	2986
30	1000	0.1	RMS	913.1	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-42.4	-13	Pass	701
1700	1765	1	RMS	1736.075	22.95	60	Pass	401
1765	3000	1	RMS	1772	-30.49	-13	Pass	1236
3000	12000	1	RMS	11951	-40.39	-13	Pass	9001
12000	20000	1	RMS	20000	-27.91	-13	Pass	8001



### 7.36. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.28	-13	Pass	2986
30	1000	0.1	RMS	935.3	-62.22	-13	Pass	9701
1000	1700	1	RMS	1700	-43.68	-13	Pass	701
1700	1765	1	RMS	1736.075	21.96	60	Pass	401
1765	3000	1	RMS	1772	-31.57	-13	Pass	1236
3000	12000	1	RMS	11959	-40.38	-13	Pass	9001
12000	20000	1	RMS	19999	-27.86	-13	Pass	8001






## 8. LTE\_Band5


### 3.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.83	-13	Pass	2986
30	814	0.1	RMS	789.8	-62.44	-13	Pass	7841
814	860	0.1	RMS	824.3	19.52	60	Pass	461
860	1000	0.1	RMS	942.6	-62.49	-13	Pass	1401
1000	3000	1	RMS	2648	-46.79	-13	Pass	2001
3000	10000	1	RMS	7733	-42.13	-13	Pass	7001




**8.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.72	-13	Pass	2986
30	814	0.1	RMS	805	-62.41	-13	Pass	7841
814	860	0.1	RMS	824.3	18.51	60	Pass	461
860	1000	0.1	RMS	890.7	-62.42	-13	Pass	1401
1000	3000	1	RMS	2654	-46.84	-13	Pass	2001
3000	10000	1	RMS	7751	-42.14	-13	Pass	7001




**8.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.82	-13	Pass	2986
30	814	0.1	RMS	801.9	-62.27	-13	Pass	7841
814	860	0.1	RMS	836.1	19.55	60	Pass	461
860	1000	0.1	RMS	924.8	-62.35	-13	Pass	1401
1000	3000	1	RMS	2649	-46.79	-13	Pass	2001
3000	10000	1	RMS	7732	-42.17	-13	Pass	7001




**8.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.34	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.54	-13	Pass	7841
814	860	0.1	RMS	836.1	18.62	60	Pass	461
860	1000	0.1	RMS	916.1	-62.43	-13	Pass	1401
1000	3000	1	RMS	2651	-46.84	-13	Pass	2001
3000	10000	1	RMS	7748	-42.16	-13	Pass	7001




**8.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.83	-13	Pass	2986
30	814	0.1	RMS	808.5	-62.42	-13	Pass	7841
814	860	0.1	RMS	847.8	19.61	60	Pass	461
860	1000	0.1	RMS	929.1	-62.41	-13	Pass	1401
1000	3000	1	RMS	2649	-46.79	-13	Pass	2001
3000	10000	1	RMS	7731	-42.11	-13	Pass	7001




**8.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.16	-13	Pass	2986
30	814	0.1	RMS	777.6	-62.28	-13	Pass	7841
814	860	0.1	RMS	847.9	18.69	60	Pass	461
860	1000	0.1	RMS	946.4	-62.37	-13	Pass	1401
1000	3000	1	RMS	2653	-46.84	-13	Pass	2001
3000	10000	1	RMS	7731	-42.16	-13	Pass	7001




**8.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.72	-13	Pass	2986
30	814	0.1	RMS	814	-62.32	-13	Pass	7841
814	860	0.1	RMS	824.2	19.53	60	Pass	461
860	1000	0.1	RMS	972.6	-62.41	-13	Pass	1401
1000	3000	1	RMS	2643	-46.83	-13	Pass	2001
3000	10000	1	RMS	7754	-42.13	-13	Pass	7001



**8.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.24	-13	Pass	2986
30	814	0.1	RMS	805.6	-62.33	-13	Pass	7841
814	860	0.1	RMS	824.2	18.57	60	Pass	461
860	1000	0.1	RMS	881.5	-62.54	-13	Pass	1401
1000	3000	1	RMS	2648	-46.8	-13	Pass	2001
3000	10000	1	RMS	9544	-42.08	-13	Pass	7001





**8.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.55	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.3	-13	Pass	7841
814	860	0.1	RMS	835.2	19.66	60	Pass	461
860	1000	0.1	RMS	918.2	-62.37	-13	Pass	1401
1000	3000	1	RMS	2650	-46.79	-13	Pass	2001
3000	10000	1	RMS	7731	-42.15	-13	Pass	7001



### 8.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50	-13	Pass	2986
30	814	0.1	RMS	808.2	-62.52	-13	Pass	7841
814	860	0.1	RMS	835.2	18.75	60	Pass	461
860	1000	0.1	RMS	935	-62.46	-13	Pass	1401
1000	3000	1	RMS	2652	-46.8	-13	Pass	2001
3000	10000	1	RMS	7728	-42.12	-13	Pass	7001



### 8.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.29	-13	Pass	2986
30	814	0.1	RMS	804.3	-62.54	-13	Pass	7841
814	860	0.1	RMS	846.2	19.69	60	Pass	461
860	1000	0.1	RMS	933.7	-62.48	-13	Pass	1401
1000	3000	1	RMS	2650	-46.74	-13	Pass	2001
3000	10000	1	RMS	7746	-42.1	-13	Pass	7001



### 8.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.94	-13	Pass	2986
30	814	0.1	RMS	803.9	-62.4	-13	Pass	7841
814	860	0.1	RMS	846.2	18.79	60	Pass	461
860	1000	0.1	RMS	935.1	-62.48	-13	Pass	1401
1000	3000	1	RMS	2654	-46.79	-13	Pass	2001
3000	10000	1	RMS	7731	-42.14	-13	Pass	7001



### 8.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.77	-13	Pass	2986
30	814	0.1	RMS	800.7	-62.29	-13	Pass	7841
814	860	0.1	RMS	824.3	19.84	60	Pass	461
860	1000	0.1	RMS	953.9	-62.39	-13	Pass	1401
1000	3000	1	RMS	2651	-46.76	-13	Pass	2001
3000	10000	1	RMS	7742	-42.11	-13	Pass	7001



### 8.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.21	-13	Pass	2986
30	814	0.1	RMS	813	-62.48	-13	Pass	7841
814	860	0.1	RMS	824.3	18.85	60	Pass	461
860	1000	0.1	RMS	951.1	-62.43	-13	Pass	1401
1000	3000	1	RMS	2653	-46.77	-13	Pass	2001
3000	10000	1	RMS	7734	-42.19	-13	Pass	7001



### 8.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.53	-13	Pass	2986
30	814	0.1	RMS	777.2	-62.31	-13	Pass	7841
814	860	0.1	RMS	834.3	19.92	60	Pass	461
860	1000	0.1	RMS	927.1	-62.4	-13	Pass	1401
1000	3000	1	RMS	2652	-46.79	-13	Pass	2001
3000	10000	1	RMS	7738	-42.11	-13	Pass	7001



### 8.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.7	-13	Pass	2986
30	814	0.1	RMS	784.7	-62.43	-13	Pass	7841
814	860	0.1	RMS	834.3	19.21	60	Pass	461
860	1000	0.1	RMS	922.8	-62.5	-13	Pass	1401
1000	3000	1	RMS	2652	-46.77	-13	Pass	2001
3000	10000	1	RMS	9541	-42.1	-13	Pass	7001






### 8.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.86	-13	Pass	2986
30	814	0.1	RMS	789.7	-62.26	-13	Pass	7841
814	860	0.1	RMS	844.3	19.94	60	Pass	461
860	1000	0.1	RMS	916.7	-62.41	-13	Pass	1401
1000	3000	1	RMS	2650	-46.77	-13	Pass	2001
3000	10000	1	RMS	7739	-42.12	-13	Pass	7001



### 8.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.08	-13	Pass	2986
30	814	0.1	RMS	781.5	-62.45	-13	Pass	7841
814	860	0.1	RMS	844.3	19.17	60	Pass	461
860	1000	0.1	RMS	913.1	-62.48	-13	Pass	1401
1000	3000	1	RMS	2645	-46.86	-13	Pass	2001
3000	10000	1	RMS	7741	-42.12	-13	Pass	7001



### 8.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.75	-13	Pass	2986
30	814	0.1	RMS	813.9	-60.84	-13	Pass	7841
814	860	0.1	RMS	824.6	20.34	60	Pass	461
860	1000	0.1	RMS	917.2	-62.36	-13	Pass	1401
1000	3000	1	RMS	2655	-46.8	-13	Pass	2001
3000	10000	1	RMS	7732	-42.16	-13	Pass	7001



## 8.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.61	-13	Pass	2986
30	814	0.1	RMS	814	-61.14	-13	Pass	7841
814	860	0.1	RMS	824.6	19.55	60	Pass	461
860	1000	0.1	RMS	937.7	-62.53	-13	Pass	1401
1000	3000	1	RMS	2651	-46.82	-13	Pass	2001
3000	10000	1	RMS	7753	-42.08	-13	Pass	7001



### 8.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.63	-13	Pass	2986
30	814	0.1	RMS	810.4	-62.31	-13	Pass	7841
814	860	0.1	RMS	832.1	20.45	60	Pass	461
860	1000	0.1	RMS	937.3	-62.54	-13	Pass	1401
1000	3000	1	RMS	2651	-46.78	-13	Pass	2001
3000	10000	1	RMS	7738	-42.11	-13	Pass	7001



## 8.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.71	-13	Pass	2986
30	814	0.1	RMS	800.3	-62.43	-13	Pass	7841
814	860	0.1	RMS	832.1	19.49	60	Pass	461
860	1000	0.1	RMS	887.4	-62.33	-13	Pass	1401
1000	3000	1	RMS	2651	-46.81	-13	Pass	2001
3000	10000	1	RMS	7740	-42.01	-13	Pass	7001



### 8.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.09	-13	Pass	2986
30	814	0.1	RMS	791.6	-62.41	-13	Pass	7841
814	860	0.1	RMS	839.6	20.37	60	Pass	461
860	1000	0.1	RMS	949.7	-62.47	-13	Pass	1401
1000	3000	1	RMS	2656	-46.82	-13	Pass	2001
3000	10000	1	RMS	7739	-42.1	-13	Pass	7001



### 8.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.21	-13	Pass	2986
30	814	0.1	RMS	810.6	-62.44	-13	Pass	7841
814	860	0.1	RMS	839.6	19.53	60	Pass	461
860	1000	0.1	RMS	913.6	-62.52	-13	Pass	1401
1000	3000	1	RMS	2652	-46.84	-13	Pass	2001
3000	10000	1	RMS	7745	-42.16	-13	Pass	7001






## 9. LTE\_Band7


### 9.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.19	-25	Pass	2986
30	1000	0.1	RMS	921.5	-62.14	-25	Pass	9701
1000	2490	1	RMS	2490	-47.78	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.04	60	Pass	401
2580	3000	1	RMS	2650	-46.82	-25	Pass	421
3000	12000	1	RMS	11849	-63.74	-25	Pass	9001
12000	26000	1	RMS	25013	-45.78	-25	Pass	14001




**9.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.48	-25	Pass	2986
30	1000	0.1	RMS	952	-62.15	-25	Pass	9701
1000	2490	1	RMS	2490	-47.9	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.08	60	Pass	401
2580	3000	1	RMS	2655	-46.83	-25	Pass	421
3000	12000	1	RMS	11849	-63.73	-25	Pass	9001
12000	26000	1	RMS	25009	-41.1	-25	Pass	14001




**9.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.61	-25	Pass	2986
30	1000	0.1	RMS	930.2	-62.15	-25	Pass	9701
1000	2490	1	RMS	2489	-47.92	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.98	60	Pass	401
2580	3000	1	RMS	2651	-46.8	-25	Pass	421
3000	12000	1	RMS	11850	-63.76	-25	Pass	9001
12000	26000	1	RMS	25011	-41.1	-25	Pass	14001




**9.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.37	-25	Pass	2986
30	1000	0.1	RMS	921.3	-62.11	-25	Pass	9701
1000	2490	1	RMS	2490	-48.02	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.16	60	Pass	401
2580	3000	1	RMS	2652	-46.81	-25	Pass	421
3000	12000	1	RMS	11855	-63.8	-25	Pass	9001
12000	26000	1	RMS	25011	-41.03	-25	Pass	14001




**9.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.96	-25	Pass	2986
30	1000	0.1	RMS	932.3	-62.23	-25	Pass	9701
1000	2490	1	RMS	2488	-47.98	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.15	60	Pass	401
2580	3000	1	RMS	2648	-46.82	-25	Pass	421
3000	12000	1	RMS	11854	-63.81	-25	Pass	9001
12000	26000	1	RMS	25011	-41.12	-25	Pass	14001




**9.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.7	-25	Pass	2986
30	1000	0.1	RMS	926.6	-62.11	-25	Pass	9701
1000	2490	1	RMS	2489	-47.95	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.37	60	Pass	401
2580	3000	1	RMS	2653	-46.86	-25	Pass	421
3000	12000	1	RMS	11852	-63.82	-25	Pass	9001
12000	26000	1	RMS	25010	-41.05	-25	Pass	14001




**9.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.34	-25	Pass	2986
30	1000	0.1	RMS	951.1	-62.12	-25	Pass	9701
1000	2490	1	RMS	2490	-44.68	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.14	60	Pass	401
2580	3000	1	RMS	2648	-46.83	-25	Pass	421
3000	12000	1	RMS	11854	-63.83	-25	Pass	9001
12000	26000	1	RMS	25013	-41.11	-25	Pass	14001



**9.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.98	-25	Pass	2986
30	1000	0.1	RMS	923.4	-62.08	-25	Pass	9701
1000	2490	1	RMS	2490	-45.05	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.2	60	Pass	401
2580	3000	1	RMS	2653	-46.85	-25	Pass	421
3000	12000	1	RMS	11854	-63.73	-25	Pass	9001
12000	26000	1	RMS	25019	-41.16	-25	Pass	14001





**9.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.85	-25	Pass	2986
30	1000	0.1	RMS	947.5	-62.16	-25	Pass	9701
1000	2490	1	RMS	2489	-48	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.03	60	Pass	401
2580	3000	1	RMS	2654	-46.84	-25	Pass	421
3000	12000	1	RMS	11864	-63.78	-25	Pass	9001
12000	26000	1	RMS	25012	-41.04	-25	Pass	14001



### 9.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.24	-25	Pass	2986
30	1000	0.1	RMS	917	-62.13	-25	Pass	9701
1000	2490	1	RMS	2490	-48.01	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.05	60	Pass	401
2580	3000	1	RMS	2651	-46.82	-25	Pass	421
3000	12000	1	RMS	11864	-63.76	-25	Pass	9001
12000	26000	1	RMS	25008	-41.12	-25	Pass	14001



### 9.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.5	-25	Pass	2986
30	1000	0.1	RMS	936.8	-62.06	-25	Pass	9701
1000	2490	1	RMS	2489	-47.94	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.23	60	Pass	401
2580	3000	1	RMS	2580	-46.31	-25	Pass	421
3000	12000	1	RMS	11850	-63.81	-25	Pass	9001
12000	26000	1	RMS	25010	-41.1	-25	Pass	14001



### 9.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.39	-25	Pass	2986
30	1000	0.1	RMS	906.9	-62.26	-25	Pass	9701
1000	2490	1	RMS	2489	-47.98	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.29	60	Pass	401
2580	3000	1	RMS	2580	-46.25	-25	Pass	421
3000	12000	1	RMS	11845	-63.77	-25	Pass	9001
12000	26000	1	RMS	25011	-40.98	-25	Pass	14001



### 9.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.22	-25	Pass	2986
30	1000	0.1	RMS	923.7	-62.06	-25	Pass	9701
1000	2490	1	RMS	2490	-41.17	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.03	60	Pass	401
2580	3000	1	RMS	2653	-46.83	-25	Pass	421
3000	12000	1	RMS	11845	-63.8	-25	Pass	9001
12000	26000	1	RMS	25009	-41.08	-25	Pass	14001



### 9.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.31	-25	Pass	2986
30	1000	0.1	RMS	912.2	-62.08	-25	Pass	9701
1000	2490	1	RMS	2490	-42.35	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.14	60	Pass	401
2580	3000	1	RMS	2654	-46.84	-25	Pass	421
3000	12000	1	RMS	11853	-63.78	-25	Pass	9001
12000	26000	1	RMS	25010	-41.15	-25	Pass	14001



### 9.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.84	-25	Pass	2986
30	1000	0.1	RMS	921.9	-62.2	-25	Pass	9701
1000	2490	1	RMS	2489	-48.02	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.94	60	Pass	401
2580	3000	1	RMS	2655	-46.83	-25	Pass	421
3000	12000	1	RMS	11854	-63.75	-25	Pass	9001
12000	26000	1	RMS	25010	-41.05	-25	Pass	14001



### 9.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.98	-25	Pass	2986
30	1000	0.1	RMS	952.1	-62.05	-25	Pass	9701
1000	2490	1	RMS	2490	-47.99	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.96	60	Pass	401
2580	3000	1	RMS	2653	-46.83	-25	Pass	421
3000	12000	1	RMS	11857	-63.82	-25	Pass	9001
12000	26000	1	RMS	25012	-41.12	-25	Pass	14001






### 9.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.55	-25	Pass	2986
30	1000	0.1	RMS	948.5	-62.2	-25	Pass	9701
1000	2490	1	RMS	2489	-48.04	-25	Pass	1491
2490	2595	1	RMS	2555.888	23.05	60	Pass	401
2595	3000	1	RMS	2650	-46.82	-25	Pass	406
3000	12000	1	RMS	11860	-63.77	-25	Pass	9001
12000	26000	1	RMS	25013	-41.07	-25	Pass	14001



### 9.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.52	-25	Pass	2986
30	1000	0.1	RMS	903.1	-62	-25	Pass	9701
1000	2490	1	RMS	2490	-47.97	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.18	60	Pass	401
2595	3000	1	RMS	2652	-46.83	-25	Pass	406
3000	12000	1	RMS	11862	-63.83	-25	Pass	9001
12000	26000	1	RMS	25012	-41.12	-25	Pass	14001



### 9.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.94	-25	Pass	2986
30	1000	0.1	RMS	926.3	-62.05	-25	Pass	9701
1000	2490	1	RMS	2490	-42.08	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.92	60	Pass	401
2580	3000	1	RMS	2650	-46.83	-25	Pass	421
3000	12000	1	RMS	11848	-63.76	-25	Pass	9001
12000	26000	1	RMS	25011	-41	-25	Pass	14001



### 9.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.39	-25	Pass	2986
30	1000	0.1	RMS	949.3	-62.17	-25	Pass	9701
1000	2490	1	RMS	2490	-43.15	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.05	60	Pass	401
2580	3000	1	RMS	2649	-46.83	-25	Pass	421
3000	12000	1	RMS	11845	-63.81	-25	Pass	9001
12000	26000	1	RMS	25008	-41.11	-25	Pass	14001



### 9.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.1	-25	Pass	2986
30	1000	0.1	RMS	952.9	-62.26	-25	Pass	9701
1000	2490	1	RMS	2490	-46.15	-25	Pass	1491
2490	2580	1	RMS	2526	22.86	60	Pass	401
2580	3000	1	RMS	2650	-46.83	-25	Pass	421
3000	12000	1	RMS	11842	-63.82	-25	Pass	9001
12000	26000	1	RMS	25015	-40.98	-25	Pass	14001



### 9.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.92	-25	Pass	2986
30	1000	0.1	RMS	949.9	-62.16	-25	Pass	9701
1000	2490	1	RMS	2490	-47.15	-25	Pass	1491
2490	2580	1	RMS	2526	21.89	60	Pass	401
2580	3000	1	RMS	2652	-46.81	-25	Pass	421
3000	12000	1	RMS	11852	-63.78	-25	Pass	9001
12000	26000	1	RMS	25007	-41.11	-25	Pass	14001



### 9.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.75	-25	Pass	2986
30	1000	0.1	RMS	924.7	-62.21	-25	Pass	9701
1000	2490	1	RMS	2489	-47.98	-25	Pass	1491
2490	2595	1	RMS	2551.163	22.9	60	Pass	401
2595	3000	1	RMS	2651	-46.85	-25	Pass	406
3000	12000	1	RMS	11853	-63.8	-25	Pass	9001
12000	26000	1	RMS	25012	-41	-25	Pass	14001



### 9.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.34	-25	Pass	2986
30	1000	0.1	RMS	923.7	-62.16	-25	Pass	9701
1000	2490	1	RMS	2488	-48.04	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.95	60	Pass	401
2595	3000	1	RMS	2658	-46.87	-25	Pass	406
3000	12000	1	RMS	11855	-63.75	-25	Pass	9001
12000	26000	1	RMS	25013	-41.05	-25	Pass	14001






## 10. LTE\_Band38


### 10.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.11	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.13	-25	Pass	2986
30	1000	0.1	RMS	908.1	-58.22	-25	Pass	9701
1000	2560	1	RMS	2560	-42.34	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.7	60	Pass	401
2630	3000	1	RMS	2674.4	-42.81	-25	Pass	401
3000	12000	1	RMS	11843	-59.73	-25	Pass	9001
12000	26500	1	RMS	25011	-41.53	-25	Pass	14501




**10.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.93	-25	Pass	2986
30	1000	0.1	RMS	921.7	-58.16	-25	Pass	9701
1000	2560	1	RMS	2560	-42.26	-25	Pass	1561
2560	2630	1	RMS	2570.325	23.36	60	Pass	401
2630	3000	1	RMS	2651.275	-42.85	-25	Pass	401
3000	12000	1	RMS	11833	-59.81	-25	Pass	9001
12000	26500	1	RMS	25011	-41.64	-25	Pass	14501




**10.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.2	-25	Pass	2986
30	1000	0.1	RMS	910.4	-58.27	-25	Pass	9701
1000	2560	1	RMS	2541	-43.47	-25	Pass	1561
2560	2630	1	RMS	2592.9	24.14	60	Pass	401
2630	3000	1	RMS	2644.8	-42.5	-25	Pass	401
3000	12000	1	RMS	11865	-59.7	-25	Pass	9001
12000	26500	1	RMS	25011	-41.65	-25	Pass	14501




**10.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.74	-25	Pass	2986
30	1000	0.1	RMS	926.9	-58.21	-25	Pass	9701
1000	2560	1	RMS	2541	-43.44	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.19	60	Pass	401
2630	3000	1	RMS	2644.8	-42.59	-25	Pass	401
3000	12000	1	RMS	11844	-59.74	-25	Pass	9001
12000	26500	1	RMS	25009	-41.77	-25	Pass	14501




**10.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.04	-25	Pass	2986
30	1000	0.1	RMS	944.1	-58.18	-25	Pass	9701
1000	2560	1	RMS	2535	-43.88	-25	Pass	1561
2560	2630	1	RMS	2615.475	23.45	60	Pass	401
2630	3000	1	RMS	2635.55	-42.67	-25	Pass	401
3000	12000	1	RMS	11846	-59.81	-25	Pass	9001
12000	26500	1	RMS	25015	-41.73	-25	Pass	14501




**10.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.12	-25	Pass	2986
30	1000	0.1	RMS	954.3	-58.12	-25	Pass	9701
1000	2560	1	RMS	2516	-43.87	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.33	60	Pass	401
2630	3000	1	RMS	2634.625	-42.73	-25	Pass	401
3000	12000	1	RMS	11862	-59.82	-25	Pass	9001
12000	26500	1	RMS	25013	-41.68	-25	Pass	14501




**10.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.22	-25	Pass	2986
30	1000	0.1	RMS	927	-58.02	-25	Pass	9701
1000	2560	1	RMS	2560	-41.86	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.66	60	Pass	401
2630	3000	1	RMS	2674.4	-42.81	-25	Pass	401
3000	12000	1	RMS	11858	-59.85	-25	Pass	9001
12000	26500	1	RMS	25019	-41.82	-25	Pass	14501



**10.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.7	-25	Pass	2986
30	1000	0.1	RMS	928.1	-58.07	-25	Pass	9701
1000	2560	1	RMS	2560	-40.81	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.17	60	Pass	401
2630	3000	1	RMS	2654.05	-42.83	-25	Pass	401
3000	12000	1	RMS	11848	-59.77	-25	Pass	9001
12000	26500	1	RMS	25014	-41.66	-25	Pass	14501





**10.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.87	-25	Pass	2986
30	1000	0.1	RMS	909.1	-58.17	-25	Pass	9701
1000	2560	1	RMS	2538	-43.66	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.81	60	Pass	401
2630	3000	1	RMS	2642.95	-42.67	-25	Pass	401
3000	12000	1	RMS	11864	-59.79	-25	Pass	9001
12000	26500	1	RMS	25009	-41.68	-25	Pass	14501



### 10.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.87	-25	Pass	2986
30	1000	0.1	RMS	951.8	-58.16	-25	Pass	9701
1000	2560	1	RMS	2538	-43.75	-25	Pass	1561
2560	2630	1	RMS	2590.625	22.74	60	Pass	401
2630	3000	1	RMS	2642.95	-42.67	-25	Pass	401
3000	12000	1	RMS	11854	-59.76	-25	Pass	9001
12000	26500	1	RMS	25011	-41.6	-25	Pass	14501



### 10.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.51	-25	Pass	2986
30	1000	0.1	RMS	921.7	-58.16	-25	Pass	9701
1000	2560	1	RMS	2559	-43.68	-25	Pass	1561
2560	2630	1	RMS	2610.75	23.44	60	Pass	401
2630	3000	1	RMS	2630	-42.21	-25	Pass	401
3000	12000	1	RMS	11851	-59.73	-25	Pass	9001
12000	26500	1	RMS	25012	-41.66	-25	Pass	14501



### 10.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.86	-25	Pass	2986
30	1000	0.1	RMS	961.5	-58.27	-25	Pass	9701
1000	2560	1	RMS	2559	-43.45	-25	Pass	1561
2560	2630	1	RMS	2610.575	22.78	60	Pass	401
2630	3000	1	RMS	2630	-41.9	-25	Pass	401
3000	12000	1	RMS	11840	-59.79	-25	Pass	9001
12000	26500	1	RMS	25012	-41.63	-25	Pass	14501



### 10.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.87	-25	Pass	2986
30	1000	0.1	RMS	917.8	-58.18	-25	Pass	9701
1000	2560	1	RMS	2558	-37.59	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.51	60	Pass	401
2630	3000	1	RMS	2652.2	-42.78	-25	Pass	401
3000	12000	1	RMS	11846	-59.81	-25	Pass	9001
12000	26500	1	RMS	25014	-41.73	-25	Pass	14501



### 10.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.85	-25	Pass	2986
30	1000	0.1	RMS	924.2	-58.19	-25	Pass	9701
1000	2560	1	RMS	2557	-39.12	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.69	60	Pass	401
2630	3000	1	RMS	2652.2	-42.85	-25	Pass	401
3000	12000	1	RMS	11840	-59.81	-25	Pass	9001
12000	26500	1	RMS	25012	-41.83	-25	Pass	14501



### 10.15. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.72	-25	Pass	2986
30	1000	0.1	RMS	944.3	-58.21	-25	Pass	9701
1000	2560	1	RMS	2536	-43.48	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.78	60	Pass	401
2630	3000	1	RMS	2640.175	-42.57	-25	Pass	401
3000	12000	1	RMS	11854	-59.78	-25	Pass	9001
12000	26500	1	RMS	25021	-41.73	-25	Pass	14501



### 10.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.04	-25	Pass	2986
30	1000	0.1	RMS	930.6	-58.19	-25	Pass	9701
1000	2560	1	RMS	2536	-43.68	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.67	60	Pass	401
2630	3000	1	RMS	2640.175	-42.66	-25	Pass	401
3000	12000	1	RMS	11840	-59.73	-25	Pass	9001
12000	26500	1	RMS	25012	-41.72	-25	Pass	14501






### 10.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.39	-25	Pass	2986
30	1000	0.1	RMS	915.8	-58.17	-25	Pass	9701
1000	2560	1	RMS	2554	-43.2	-25	Pass	1561
2560	2645	1	RMS	2605.688	23.79	60	Pass	401
2645	3000	1	RMS	2658.313	-42.61	-25	Pass	401
3000	12000	1	RMS	11839	-59.74	-25	Pass	9001
12000	26500	1	RMS	25012	-41.7	-25	Pass	14501



### 10.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.75	-25	Pass	2986
30	1000	0.1	RMS	940.8	-58.11	-25	Pass	9701
1000	2560	1	RMS	2554	-43.43	-25	Pass	1561
2560	2645	1	RMS	2605.9	23.21	60	Pass	401
2645	3000	1	RMS	2657.425	-42.73	-25	Pass	401
3000	12000	1	RMS	11848	-59.8	-25	Pass	9001
12000	26500	1	RMS	25015	-41.58	-25	Pass	14501



### 10.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.32	-25	Pass	2986
30	1000	0.1	RMS	947.5	-57.99	-25	Pass	9701
1000	2560	1	RMS	2553	-38.87	-25	Pass	1561
2560	2630	1	RMS	2571.2	24.03	60	Pass	401
2630	3000	1	RMS	2652.2	-42.81	-25	Pass	401
3000	12000	1	RMS	11856	-59.7	-25	Pass	9001
12000	26500	1	RMS	25011	-41.68	-25	Pass	14501



### 10.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.7	-25	Pass	2986
30	1000	0.1	RMS	907.3	-58.17	-25	Pass	9701
1000	2560	1	RMS	2553	-39.48	-25	Pass	1561
2560	2630	1	RMS	2571.025	22.85	60	Pass	401
2630	3000	1	RMS	2647.575	-42.82	-25	Pass	401
3000	12000	1	RMS	11854	-59.74	-25	Pass	9001
12000	26500	1	RMS	25013	-41.79	-25	Pass	14501



### 10.21. LTE Spurious Emission at Antenna

**Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.34	-25	Pass	2986
30	1000	0.1	RMS	921.6	-58.09	-25	Pass	9701
1000	2560	1	RMS	2534	-43.37	-25	Pass	1561
2560	2630	1	RMS	2586.25	23.25	60	Pass	401
2630	3000	1	RMS	2638.325	-42.48	-25	Pass	401
3000	12000	1	RMS	11846	-59.8	-25	Pass	9001
12000	26500	1	RMS	25015	-41.76	-25	Pass	14501



### 10.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-46.21	-25	Pass	2986
30	1000	0.1	RMS	934.5	-58	-25	Pass	9701
1000	2560	1	RMS	2550	-43.79	-25	Pass	1561
2560	2630	1	RMS	2586.25	22.81	60	Pass	401
2630	3000	1	RMS	2638.325	-42.72	-25	Pass	401
3000	12000	1	RMS	11850	-59.78	-25	Pass	9001
12000	26500	1	RMS	25013	-41.75	-25	Pass	14501



### 10.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.22	-25	Pass	401
0.15	30	0.01	RMS	0.16	-47.11	-25	Pass	2986
30	1000	0.1	RMS	913.5	-58.21	-25	Pass	9701
1000	2560	1	RMS	2550	-43.78	-25	Pass	1561
2560	2645	1	RMS	2601.013	23.44	60	Pass	401
2645	3000	1	RMS	2652.988	-42.59	-25	Pass	401
3000	12000	1	RMS	11847	-59.76	-25	Pass	9001
12000	26500	1	RMS	25016	-41.79	-25	Pass	14501



### 10.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.78	-25	Pass	2986
30	1000	0.1	RMS	936.5	-58.18	-25	Pass	9701
1000	2560	1	RMS	2549	-43.74	-25	Pass	1561
2560	2645	1	RMS	2601.013	23.06	60	Pass	401
2645	3000	1	RMS	2652.988	-42.54	-25	Pass	401
3000	12000	1	RMS	11846	-59.72	-25	Pass	9001
12000	26500	1	RMS	25014	-41.7	-25	Pass	14501






## 11. LTE\_Band41 120M


### 11.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.56	-25	Pass	2986
30	1000	0.1	RMS	920	-58.01	-25	Pass	9701
1000	2525	1	RMS	2525	-42.43	-25	Pass	1526
2525	2665	1	RMS	2535.5	23.36	60	Pass	401
2665	3000	1	RMS	2999.163	-42.9	-25	Pass	401
3000	12000	1	RMS	11874	-59.8	-25	Pass	9001
12000	27000	1	RMS	25011	-37.06	-25	Pass	15001




**11.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.44	-25	Pass	2986
30	1000	0.1	RMS	915	-58.08	-25	Pass	9701
1000	2525	1	RMS	2525	-42.9	-25	Pass	1526
2525	2665	1	RMS	2535.15	22.31	60	Pass	401
2665	3000	1	RMS	2999.163	-42.95	-25	Pass	401
3000	12000	1	RMS	11847	-59.82	-25	Pass	9001
12000	27000	1	RMS	25011	-37.02	-25	Pass	15001




**11.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.94	-25	Pass	2986
30	1000	0.1	RMS	931.3	-58.13	-25	Pass	9701
1000	2525	1	RMS	2516	-43.85	-25	Pass	1526
2525	2665	1	RMS	2592.55	22.82	60	Pass	401
2665	3000	1	RMS	3000	-42.89	-25	Pass	401
3000	12000	1	RMS	11859	-59.68	-25	Pass	9001
12000	27000	1	RMS	25011	-36.96	-25	Pass	15001




**11.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.23	-25	Pass	2986
30	1000	0.1	RMS	938	-58.03	-25	Pass	9701
1000	2525	1	RMS	2509	-43.87	-25	Pass	1526
2525	2665	1	RMS	2592.55	22.14	60	Pass	401
2665	3000	1	RMS	2999.163	-42.94	-25	Pass	401
3000	12000	1	RMS	11861	-59.76	-25	Pass	9001
12000	27000	1	RMS	25010	-37.05	-25	Pass	15001




**11.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-44.83	-25	Pass	2986
30	1000	0.1	RMS	898.2	-58.07	-25	Pass	9701
1000	2525	1	RMS	2513	-43.88	-25	Pass	1526
2525	2665	1	RMS	2650.3	24.05	60	Pass	401
2665	3000	1	RMS	2666.675	-42.73	-25	Pass	401
3000	12000	1	RMS	11858	-59.79	-25	Pass	9001
12000	27000	1	RMS	25013	-37.03	-25	Pass	15001




**11.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.81	-25	Pass	2986
30	1000	0.1	RMS	929.5	-58.08	-25	Pass	9701
1000	2525	1	RMS	2513	-43.88	-25	Pass	1526
2525	2665	1	RMS	2650.65	22.01	60	Pass	401
2665	3000	1	RMS	2665	-42.74	-25	Pass	401
3000	12000	1	RMS	11849	-59.76	-25	Pass	9001
12000	27000	1	RMS	25007	-37.13	-25	Pass	15001




**11.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.55	-25	Pass	2986
30	1000	0.1	RMS	928.1	-58.13	-25	Pass	9701
1000	2525	1	RMS	2525	-42.53	-25	Pass	1526
2525	2665	1	RMS	2535.85	22.76	60	Pass	401
2665	3000	1	RMS	3000	-42.87	-25	Pass	401
3000	12000	1	RMS	11860	-59.82	-25	Pass	9001
12000	27000	1	RMS	25013	-37.13	-25	Pass	15001



**11.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.86	-25	Pass	2986
30	1000	0.1	RMS	941.4	-58.12	-25	Pass	9701
1000	2525	1	RMS	2524	-42.83	-25	Pass	1526
2525	2665	1	RMS	2535.5	22.83	60	Pass	401
2665	3000	1	RMS	2999.163	-42.96	-25	Pass	401
3000	12000	1	RMS	11845	-59.75	-25	Pass	9001
12000	27000	1	RMS	25016	-37.1	-25	Pass	15001





**11.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-45.82	-25	Pass	2986
30	1000	0.1	RMS	937.4	-58.12	-25	Pass	9701
1000	2525	1	RMS	2512	-43.83	-25	Pass	1526
2525	2665	1	RMS	2590.8	23.49	60	Pass	401
2665	3000	1	RMS	3000	-42.93	-25	Pass	401
3000	12000	1	RMS	11846	-59.76	-25	Pass	9001
12000	27000	1	RMS	25012	-37.12	-25	Pass	15001



### 11.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.34	-25	Pass	2986
30	1000	0.1	RMS	909.3	-58.23	-25	Pass	9701
1000	2525	1	RMS	2512	-43.81	-25	Pass	1526
2525	2665	1	RMS	2590.8	22.03	60	Pass	401
2665	3000	1	RMS	3000	-42.91	-25	Pass	401
3000	12000	1	RMS	11851	-59.81	-25	Pass	9001
12000	27000	1	RMS	25016	-37	-25	Pass	15001



### 11.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.23	-25	Pass	2986
30	1000	0.1	RMS	917.7	-58.18	-25	Pass	9701
1000	2525	1	RMS	2511	-43.93	-25	Pass	1526
2525	2665	1	RMS	2645.75	23.31	60	Pass	401
2665	3000	1	RMS	2665	-42.23	-25	Pass	401
3000	12000	1	RMS	11855	-59.81	-25	Pass	9001
12000	27000	1	RMS	25010	-37.11	-25	Pass	15001



### 11.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-47.04	-25	Pass	2986
30	1000	0.1	RMS	912.4	-58.24	-25	Pass	9701
1000	2525	1	RMS	2506	-43.82	-25	Pass	1526
2525	2665	1	RMS	2645.75	22.9	60	Pass	401
2665	3000	1	RMS	2665	-42.48	-25	Pass	401
3000	12000	1	RMS	11849	-59.7	-25	Pass	9001
12000	27000	1	RMS	25013	-37.1	-25	Pass	15001



### 11.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.75	-25	Pass	2986
30	1000	0.1	RMS	951.1	-58.18	-25	Pass	9701
1000	2525	1	RMS	2524	-38.21	-25	Pass	1526
2525	2665	1	RMS	2535.85	23.22	60	Pass	401
2665	3000	1	RMS	3000	-42.94	-25	Pass	401
3000	12000	1	RMS	11857	-59.75	-25	Pass	9001
12000	27000	1	RMS	25013	-37.11	-25	Pass	15001



### 11.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.45	-25	Pass	2986
30	1000	0.1	RMS	929	-57.99	-25	Pass	9701
1000	2525	1	RMS	2523	-39.55	-25	Pass	1526
2525	2665	1	RMS	2535.85	21.71	60	Pass	401
2665	3000	1	RMS	3000	-42.91	-25	Pass	401
3000	12000	1	RMS	11851	-59.82	-25	Pass	9001
12000	27000	1	RMS	25012	-37.07	-25	Pass	15001



### 11.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.58	-25	Pass	2986
30	1000	0.1	RMS	947.7	-58.1	-25	Pass	9701
1000	2525	1	RMS	2521	-43.85	-25	Pass	1526
2525	2665	1	RMS	2588.35	22.8	60	Pass	401
2665	3000	1	RMS	2999.163	-42.92	-25	Pass	401
3000	12000	1	RMS	11852	-59.79	-25	Pass	9001
12000	27000	1	RMS	25018	-37.11	-25	Pass	15001



### 11.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.09	-25	Pass	2986
30	1000	0.1	RMS	932	-58.22	-25	Pass	9701
1000	2525	1	RMS	2519	-43.93	-25	Pass	1526
2525	2665	1	RMS	2588.35	22.41	60	Pass	401
2665	3000	1	RMS	3000	-42.95	-25	Pass	401
3000	12000	1	RMS	11859	-59.78	-25	Pass	9001
12000	27000	1	RMS	25010	-37.11	-25	Pass	15001






### 11.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.21	-25	Pass	2986
30	1000	0.1	RMS	934.7	-58.08	-25	Pass	9701
1000	2525	1	RMS	2504	-43.9	-25	Pass	1526
2525	2665	1	RMS	2640.85	23.33	60	Pass	401
2665	3000	1	RMS	2667.513	-37.13	-25	Pass	401
3000	12000	1	RMS	11845	-59.78	-25	Pass	9001
12000	27000	1	RMS	25013	-37.15	-25	Pass	15001



### 11.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.62	-25	Pass	2986
30	1000	0.1	RMS	915	-58.13	-25	Pass	9701
1000	2525	1	RMS	2514	-43.89	-25	Pass	1526
2525	2665	1	RMS	2640.5	21.85	60	Pass	401
2665	3000	1	RMS	2667.513	-37.63	-25	Pass	401
3000	12000	1	RMS	11850	-59.76	-25	Pass	9001
12000	27000	1	RMS	25016	-37.14	-25	Pass	15001

