


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.52	-13	Pass	2986
30	500	0.1	Peak	488.9	-42.85	-13	Pass	4701
500	1000	0.1	Peak	824.2	32.15	-13	N/A	5001
1000	10000	1	Peak	8910	-17.45	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-52.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.62	-13	Pass	2986
30	500	0.1	Peak	458.4	-43.17	-13	Pass	4701
500	1000	0.1	Peak	836.5	31.43	-13	N/A	5001
1000	10000	1	Peak	8966	-17.1	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-54.1	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.97	-13	Pass	2986
30	500	0.1	Peak	393.2	-43.61	-13	Pass	4701
500	1000	0.1	Peak	848.9	32.54	-13	N/A	5001
1000	10000	1	Peak	8930	-17.76	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-61.9	-13	Pass	401
0.15	30	0.01	Peak	0.17	-58.15	-13	Pass	2986
30	1000	0.1	Peak	890.728	-48.28	-13	Pass	9701
1000	3000	1	Peak	1850	28.07	-13	N/A	2001
3000	20000	1	Peak	18277	-37.35	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-60.85	-13	Pass	401
0.15	30	0.01	Peak	0.24	-57.65	-13	Pass	2986
30	1000	0.1	Peak	914.643	-47.52	-13	Pass	9701
1000	3000	1	Peak	1880	28.09	-13	N/A	2001
3000	20000	1	Peak	18259	-37.95	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-60.66	-13	Pass	401
0.15	30	0.01	Peak	0.18	-59.19	-13	Pass	2986
30	1000	0.1	Peak	981.888	-47.98	-13	Pass	9701
1000	3000	1	Peak	1910	28.08	-13	N/A	2001
3000	20000	1	Peak	18257	-37.97	-13	Pass	17003



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.39	-13	Pass	401
0.15	30	0.01	Peak	0.18	-49.16	-13	Pass	2986
30	500	0.1	Peak	482.5	-43.5	-13	Pass	4701
500	1000	0.1	Peak	824.2	27.63	-13	N/A	5001
1000	10000	1	Peak	8948	-17.49	-13	Pass	9002




3.2. EGPRS Spurious Emission at Antenna Terminals_(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.61	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.6	-13	Pass	2986
30	500	0.1	Peak	442	-42.85	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.92	-13	N/A	5001
1000	10000	1	Peak	8979	-17.14	-13	Pass	9002



3.3. EGPRS Spurious Emission at Antenna Terminals_(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-54.32	-13	Pass	401
0.15	30	0.01	Peak	0.2	-49.58	-13	Pass	2986
30	500	0.1	Peak	462.6	-42.89	-13	Pass	4701
500	1000	0.1	Peak	848.9	27.06	-13	N/A	5001
1000	10000	1	Peak	8898	-17.31	-13	Pass	9002



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-49.33	-13	Pass	401
0.15	30	0.01	Peak	0.16	-58.29	-13	Pass	2986
30	1000	0.1	Peak	719.3	-48.06	-13	Pass	9701
1000	3000	1	Peak	1850	27.78	-13	N/A	2001
3000	20000	1	Peak	19871	-37.37	-13	Pass	17003




4.2. EGPRS Spurious Emission at Antenna Terminals_(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-51.32	-13	Pass	401
0.15	30	0.01	Peak	0.24	-58.79	-13	Pass	2986
30	1000	0.1	Peak	883.923	-47.93	-13	Pass	9701
1000	3000	1	Peak	1880	28.17	-13	N/A	2001
3000	20000	1	Peak	18322	-37.83	-13	Pass	17003



4.3. EGPRS Spurious Emission at Antenna Terminals_(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.022	-50.64	-13	Pass	401
0.15	30	0.01	Peak	0.33	-59.19	-13	Pass	2986
30	1000	0.1	Peak	951.668	-48.59	-13	Pass	9701
1000	3000	1	Peak	1909	26.08	-13	N/A	2001
3000	20000	1	Peak	18252	-38.13	-13	Pass	17003



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.12	-13	Pass	401
0.15	30	0.01	Peak	0.25	-63.44	-13	Pass	2986
30	1000	0.1	Peak	740	-53.05	-13	Pass	9701
1000	3000	1	Peak	1854	21.99	-13	N/A	2001
3000	20000	1	Peak	19933	-18.19	-13	Pass	17003




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.65	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.42	-13	Pass	2986
30	1000	0.1	Peak	964.076	-52.87	-13	Pass	9701
1000	3000	1	Peak	1881	22.14	-13	N/A	2001
3000	20000	1	Peak	18284	-17.8	-13	Pass	17003



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.84	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.37	-13	Pass	2986
30	1000	0.1	Peak	886.325	-51.79	-13	Pass	9701
1000	3000	1	Peak	1906	21.93	-13	N/A	2001
3000	20000	1	Peak	19912	-17.7	-13	Pass	17003



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.09	-13	Pass	401
0.15	30	0.01	Peak	0.17	-61.38	-13	Pass	2986
30	1000	0.1	Peak	865.911	-51.7	-13	Pass	9701
1000	3000	1	Peak	1714	22.57	-13	N/A	2001
3000	20000	1	Peak	18318	-18.28	-13	Pass	17003




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.65	-13	Pass	401
0.15	30	0.01	Peak	0.19	-62.87	-13	Pass	2986
30	1000	0.1	Peak	741.3	-52.29	-13	Pass	9701
1000	3000	1	Peak	1734	22.51	-13	N/A	2001
3000	20000	1	Peak	18207	-18.93	-13	Pass	17003



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.27	-13	Pass	401
0.15	30	0.01	Peak	0.19	-62.47	-13	Pass	2986
30	1000	0.1	Peak	909.14	-52.49	-13	Pass	9701
1000	3000	1	Peak	1751	22.77	-13	N/A	2001
3000	20000	1	Peak	18303	-18.48	-13	Pass	17003



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.48	-13	Pass	401
0.15	30	0.01	Peak	0.24	-63.36	-13	Pass	2986
30	500	0.1	Peak	486.1	-53.69	-13	Pass	4701
500	1000	0.1	Peak	827.7	17.31	-13	N/A	5001
1000	10000	1	Peak	8976	-27.67	-13	Pass	9002




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.03	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.12	-13	Pass	2986
30	500	0.1	Peak	424.2	-53.94	-13	Pass	4701
500	1000	0.1	Peak	837.6	18.03	-13	N/A	5001
1000	10000	1	Peak	8971	-27.66	-13	Pass	9002



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.05	-13	Pass	401
0.15	30	0.01	Peak	0.35	-62.05	-13	Pass	2986
30	500	0.1	Peak	481.9	-53.64	-13	Pass	4701
500	1000	0.1	Peak	845.8	18.89	-13	N/A	5001
1000	10000	1	Peak	8915	-28.09	-13	Pass	9002



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.47	-13	Pass	2986
30	1000	0.1	RMS	894.23	-63.42	-13	Pass	9701
1000	1840	1	RMS	1840	-51.43	-13	Pass	841
1840	1920	1	RMS	1850.2	22.35	60	Pass	401
1920	3000	1	RMS	2870	-47.9	-13	Pass	1081
3000	12000	1	RMS	11499	-38.46	-13	Pass	9002
12000	20000	1	RMS	19892	-29.67	-13	Pass	8001




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.26	-70.91	-13	Pass	2986
30	1000	0.1	RMS	877.219	-63.38	-13	Pass	9701
1000	1840	1	RMS	1840	-51.44	-13	Pass	841
1840	1920	1	RMS	1850.2	21.56	60	Pass	401
1920	3000	1	RMS	2870	-47.92	-13	Pass	1081
3000	12000	1	RMS	11500	-38.46	-13	Pass	9002
12000	20000	1	RMS	18296	-29.64	-13	Pass	8001




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2986
30	1000	0.1	RMS	896.732	-63.42	-13	Pass	9701
1000	1840	1	RMS	1834	-51.69	-13	Pass	841
1840	1920	1	RMS	1879.4	22.7	60	Pass	401
1920	3000	1	RMS	2873	-47.94	-13	Pass	1081
3000	12000	1	RMS	11497	-38.45	-13	Pass	9002
12000	20000	1	RMS	18279	-29.7	-13	Pass	8001




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.81	-13	Pass	2986
30	1000	0.1	RMS	893.229	-63.39	-13	Pass	9701
1000	1840	1	RMS	1840	-51.67	-13	Pass	841
1840	1920	1	RMS	1879.4	21.7	60	Pass	401
1920	3000	1	RMS	2870	-47.89	-13	Pass	1081
3000	12000	1	RMS	11499	-38.44	-13	Pass	9002
12000	20000	1	RMS	18290	-29.62	-13	Pass	8001




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.09	-13	Pass	2986
30	1000	0.1	RMS	890.027	-63.33	-13	Pass	9701
1000	1840	1	RMS	1821	-51.71	-13	Pass	841
1840	1920	1	RMS	1908.8	22.57	60	Pass	401
1920	3000	1	RMS	2874	-47.91	-13	Pass	1081
3000	12000	1	RMS	11489	-38.46	-13	Pass	9002
12000	20000	1	RMS	18262	-29.7	-13	Pass	8001




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.7	-13	Pass	2986
30	1000	0.1	RMS	896.832	-63.38	-13	Pass	9701
1000	1840	1	RMS	1821	-51.67	-13	Pass	841
1840	1920	1	RMS	1908.8	21.76	60	Pass	401
1920	3000	1	RMS	2877	-47.89	-13	Pass	1081
3000	12000	1	RMS	11499	-38.44	-13	Pass	9002
12000	20000	1	RMS	18286	-29.66	-13	Pass	8001




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.25	-13	Pass	2986
30	1000	0.1	RMS	901.635	-63.38	-13	Pass	9701
1000	1840	1	RMS	1840	-51.13	-13	Pass	841
1840	1920	1	RMS	1850.2	22.15	60	Pass	401
1920	3000	1	RMS	2870	-47.88	-13	Pass	1081
3000	12000	1	RMS	11500	-38.46	-13	Pass	9002
12000	20000	1	RMS	18260	-29.67	-13	Pass	8001




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.26	-70.55	-13	Pass	2986
30	1000	0.1	RMS	996.197	-63.41	-13	Pass	9701
1000	1840	1	RMS	1840	-51.23	-13	Pass	841
1840	1920	1	RMS	1850.2	21.68	60	Pass	401
1920	3000	1	RMS	2881	-47.89	-13	Pass	1081
3000	12000	1	RMS	11496	-38.43	-13	Pass	9002
12000	20000	1	RMS	18276	-29.57	-13	Pass	8001




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.79	-13	Pass	2986
30	1000	0.1	RMS	899.233	-63.28	-13	Pass	9701
1000	1840	1	RMS	1836	-51.63	-13	Pass	841
1840	1920	1	RMS	1878.6	22.5	60	Pass	401
1920	3000	1	RMS	2874	-47.94	-13	Pass	1081
3000	12000	1	RMS	11489	-38.46	-13	Pass	9002
12000	20000	1	RMS	18275	-29.67	-13	Pass	8001




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.08	-13	Pass	2986
30	1000	0.1	RMS	891.628	-63.44	-13	Pass	9701
1000	1840	1	RMS	1837	-51.69	-13	Pass	841
1840	1920	1	RMS	1878.6	21.64	60	Pass	401
1920	3000	1	RMS	2874	-47.93	-13	Pass	1081
3000	12000	1	RMS	11492	-38.39	-13	Pass	9002
12000	20000	1	RMS	18284	-29.62	-13	Pass	8001




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.24	-13	Pass	2986
30	1000	0.1	RMS	883.323	-63.3	-13	Pass	9701
1000	1840	1	RMS	1838	-51.65	-13	Pass	841
1840	1920	1	RMS	1907.2	22.29	60	Pass	401
1920	3000	1	RMS	2873	-47.92	-13	Pass	1081
3000	12000	1	RMS	11492	-38.42	-13	Pass	9002
12000	20000	1	RMS	18298	-29.66	-13	Pass	8001




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.5	-13	Pass	2986
30	1000	0.1	RMS	887.325	-63.37	-13	Pass	9701
1000	1840	1	RMS	1833	-51.7	-13	Pass	841
1840	1920	1	RMS	1907.2	21.65	60	Pass	401
1920	3000	1	RMS	2869	-47.95	-13	Pass	1081
3000	12000	1	RMS	11494	-38.39	-13	Pass	9002
12000	20000	1	RMS	18292	-29.66	-13	Pass	8001




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.57	-13	Pass	2986
30	1000	0.1	RMS	996.798	-63.37	-13	Pass	9701
1000	1840	1	RMS	1839	-51.47	-13	Pass	841
1840	1920	1	RMS	1850.2	22.38	60	Pass	401
1920	3000	1	RMS	2871	-47.87	-13	Pass	1081
3000	12000	1	RMS	11498	-38.52	-13	Pass	9002
12000	20000	1	RMS	18292	-29.68	-13	Pass	8001




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.39	-13	Pass	2986
30	1000	0.1	RMS	901.335	-63.45	-13	Pass	9701
1000	1840	1	RMS	1840	-51.5	-13	Pass	841
1840	1920	1	RMS	1850.2	21.55	60	Pass	401
1920	3000	1	RMS	2880	-47.88	-13	Pass	1081
3000	12000	1	RMS	11491	-38.48	-13	Pass	9002
12000	20000	1	RMS	18262	-29.66	-13	Pass	8001




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.36	-13	Pass	2986
30	1000	0.1	RMS	871.915	-63.41	-13	Pass	9701
1000	1840	1	RMS	1833	-51.7	-13	Pass	841
1840	1920	1	RMS	1877.8	22.83	60	Pass	401
1920	3000	1	RMS	2884	-47.9	-13	Pass	1081
3000	12000	1	RMS	11501	-38.46	-13	Pass	9002
12000	20000	1	RMS	18299	-29.65	-13	Pass	8001




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.94	-13	Pass	2986
30	1000	0.1	RMS	895.131	-63.38	-13	Pass	9701
1000	1840	1	RMS	1840	-51.66	-13	Pass	841
1840	1920	1	RMS	1877.8	21.98	60	Pass	401
1920	3000	1	RMS	2873	-47.94	-13	Pass	1081
3000	12000	1	RMS	11503	-38.44	-13	Pass	9002
12000	20000	1	RMS	18298	-29.62	-13	Pass	8001




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.95	-13	Pass	2986
30	1000	0.1	RMS	889.727	-63.4	-13	Pass	9701
1000	1840	1	RMS	1838	-51.63	-13	Pass	841
1840	1920	1	RMS	1905.2	22.67	60	Pass	401
1920	3000	1	RMS	2878	-47.95	-13	Pass	1081
3000	12000	1	RMS	11492	-38.48	-13	Pass	9002
12000	20000	1	RMS	18284	-29.64	-13	Pass	8001




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.48	-13	Pass	2986
30	1000	0.1	RMS	890.527	-63.36	-13	Pass	9701
1000	1840	1	RMS	1838	-51.69	-13	Pass	841
1840	1920	1	RMS	1905.2	22.05	60	Pass	401
1920	3000	1	RMS	2873	-47.98	-13	Pass	1081
3000	12000	1	RMS	11495	-38.31	-13	Pass	9002
12000	20000	1	RMS	18297	-29.54	-13	Pass	8001




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2986
30	1000	0.1	RMS	859.207	-63.43	-13	Pass	9701
1000	1840	1	RMS	1840	-47.23	-13	Pass	841
1840	1920	1	RMS	1850.4	22.4	60	Pass	401
1920	3000	1	RMS	2871	-47.94	-13	Pass	1081
3000	12000	1	RMS	11493	-38.44	-13	Pass	9002
12000	20000	1	RMS	18301	-29.62	-13	Pass	8001




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.18	-13	Pass	2986
30	1000	0.1	RMS	891.928	-63.33	-13	Pass	9701
1000	1840	1	RMS	1840	-47.46	-13	Pass	841
1840	1920	1	RMS	1850.6	21.8	60	Pass	401
1920	3000	1	RMS	2869	-47.92	-13	Pass	1081
3000	12000	1	RMS	11498	-38.43	-13	Pass	9002
12000	20000	1	RMS	18301	-29.66	-13	Pass	8001




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.37	-13	Pass	2986
30	1000	0.1	RMS	901.735	-63.2	-13	Pass	9701
1000	1840	1	RMS	1840	-51.57	-13	Pass	841
1840	1920	1	RMS	1875.4	22.85	60	Pass	401
1920	3000	1	RMS	2878	-47.86	-13	Pass	1081
3000	12000	1	RMS	11495	-38.49	-13	Pass	9002
12000	20000	1	RMS	18301	-29.62	-13	Pass	8001




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.92	-13	Pass	2986
30	1000	0.1	RMS	887.726	-63.36	-13	Pass	9701
1000	1840	1	RMS	1840	-51.65	-13	Pass	841
1840	1920	1	RMS	1875.4	21.86	60	Pass	401
1920	3000	1	RMS	2876	-47.92	-13	Pass	1081
3000	12000	1	RMS	11498	-38.38	-13	Pass	9002
12000	20000	1	RMS	18299	-29.64	-13	Pass	8001




8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.27	-13	Pass	2986
30	1000	0.1	RMS	883.022	-63.44	-13	Pass	9701
1000	1840	1	RMS	1834	-51.65	-13	Pass	841
1840	1920	1	RMS	1900.4	22.86	60	Pass	401
1920	3000	1	RMS	2869	-47.91	-13	Pass	1081
3000	12000	1	RMS	11482	-38.52	-13	Pass	9002
12000	20000	1	RMS	18291	-29.64	-13	Pass	8001




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.28	-13	Pass	2986
30	1000	0.1	RMS	912.042	-63.38	-13	Pass	9701
1000	1840	1	RMS	1836	-51.64	-13	Pass	841
1840	1920	1	RMS	1900.4	21.89	60	Pass	401
1920	3000	1	RMS	2872	-47.81	-13	Pass	1081
3000	12000	1	RMS	11500	-38.42	-13	Pass	9002
12000	20000	1	RMS	18246	-29.64	-13	Pass	8001




**8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.31	-13	Pass	2986
30	1000	0.1	RMS	886.925	-63.2	-13	Pass	9701
1000	1840	1	RMS	1838	-41.95	-13	Pass	841
1840	1920	1	RMS	1850.8	22.78	60	Pass	401
1920	3000	1	RMS	2871	-47.9	-13	Pass	1081
3000	12000	1	RMS	11496	-38.51	-13	Pass	9002
12000	20000	1	RMS	18283	-29.7	-13	Pass	8001




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.6	-13	Pass	2986
30	1000	0.1	RMS	893.429	-63.34	-13	Pass	9701
1000	1840	1	RMS	1840	-43	-13	Pass	841
1840	1920	1	RMS	1850.8	21.97	60	Pass	401
1920	3000	1	RMS	2874	-47.91	-13	Pass	1081
3000	12000	1	RMS	11496	-38.41	-13	Pass	9002
12000	20000	1	RMS	18288	-29.64	-13	Pass	8001




**8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.96	-13	Pass	2986
30	1000	0.1	RMS	871.515	-63.35	-13	Pass	9701
1000	1840	1	RMS	1835	-51.67	-13	Pass	841
1840	1920	1	RMS	1873.2	22.86	60	Pass	401
1920	3000	1	RMS	2869	-47.92	-13	Pass	1081
3000	12000	1	RMS	11489	-38.5	-13	Pass	9002
12000	20000	1	RMS	18282	-29.64	-13	Pass	8001




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.11	-13	Pass	2986
30	1000	0.1	RMS	886.225	-63.47	-13	Pass	9701
1000	1840	1	RMS	1838	-51.71	-13	Pass	841
1840	1920	1	RMS	1873.2	21.88	60	Pass	401
1920	3000	1	RMS	2879	-47.96	-13	Pass	1081
3000	12000	1	RMS	11501	-38.42	-13	Pass	9002
12000	20000	1	RMS	18276	-29.63	-13	Pass	8001




8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.91	-13	Pass	2986
30	1000	0.1	RMS	895.731	-63.33	-13	Pass	9701
1000	1840	1	RMS	1833	-51.66	-13	Pass	841
1840	1920	1	RMS	1895.8	22.87	60	Pass	401
1920	3000	1	RMS	1920	-44.28	-13	Pass	1081
3000	12000	1	RMS	11500	-38.42	-13	Pass	9002
12000	20000	1	RMS	18267	-29.69	-13	Pass	8001




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.87	-13	Pass	2986
30	1000	0.1	RMS	892.729	-63.28	-13	Pass	9701
1000	1840	1	RMS	1839	-51.68	-13	Pass	841
1840	1920	1	RMS	1895.8	21.94	60	Pass	401
1920	3000	1	RMS	1920	-44.78	-13	Pass	1081
3000	12000	1	RMS	11497	-38.4	-13	Pass	9002
12000	20000	1	RMS	18295	-29.62	-13	Pass	8001




8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.52	-13	Pass	2986
30	1000	0.1	RMS	875.317	-63.39	-13	Pass	9701
1000	1840	1	RMS	1840	-43.21	-13	Pass	841
1840	1920	1	RMS	1851	22.73	60	Pass	401
1920	3000	1	RMS	2868	-47.94	-13	Pass	1081
3000	12000	1	RMS	11504	-38.43	-13	Pass	9002
12000	20000	1	RMS	18301	-29.63	-13	Pass	8001




**8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.25	-70.62	-13	Pass	2986
30	1000	0.1	RMS	886.225	-63.34	-13	Pass	9701
1000	1840	1	RMS	1840	-44.27	-13	Pass	841
1840	1920	1	RMS	1851	21.9	60	Pass	401
1920	3000	1	RMS	2877	-47.91	-13	Pass	1081
3000	12000	1	RMS	11501	-38.49	-13	Pass	9002
12000	20000	1	RMS	18281	-29.66	-13	Pass	8001




8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.86	-13	Pass	2986
30	1000	0.1	RMS	879.52	-63.44	-13	Pass	9701
1000	1840	1	RMS	1835	-44.17	-13	Pass	841
1840	1920	1	RMS	1871	22.79	60	Pass	401
1920	3000	1	RMS	2872	-47.89	-13	Pass	1081
3000	12000	1	RMS	11498	-38.44	-13	Pass	9002
12000	20000	1	RMS	18250	-29.67	-13	Pass	8001




**8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-13	Pass	2986
30	1000	0.1	RMS	905.537	-63.29	-13	Pass	9701
1000	1840	1	RMS	1835	-45.69	-13	Pass	841
1840	1920	1	RMS	1871	21.8	60	Pass	401
1920	3000	1	RMS	2870	-47.89	-13	Pass	1081
3000	12000	1	RMS	11505	-38.51	-13	Pass	9002
12000	20000	1	RMS	18299	-29.7	-13	Pass	8001




8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	Pass	2986
30	1000	0.1	RMS	880.221	-63.25	-13	Pass	9701
1000	1840	1	RMS	1839	-51.65	-13	Pass	841
1840	1920	1	RMS	1891	22.86	60	Pass	401
1920	3000	1	RMS	1922	-45.23	-13	Pass	1081
3000	12000	1	RMS	11503	-38.38	-13	Pass	9002
12000	20000	1	RMS	18286	-29.64	-13	Pass	8001



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.61	-13	Pass	2986
30	1000	0.1	RMS	871.715	-63.31	-13	Pass	9701
1000	1840	1	RMS	1827	-51.69	-13	Pass	841
1840	1920	1	RMS	1891	21.82	60	Pass	401
1920	3000	1	RMS	1922	-45.68	-13	Pass	1081
3000	12000	1	RMS	11498	-38.44	-13	Pass	9002
12000	20000	1	RMS	18302	-29.62	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.04	-13	Pass	2986
30	1000	0.1	RMS	913.643	-63.23	-13	Pass	9701
1000	1700	1	RMS	1700	-51.94	-13	Pass	701
1700	1765	1	RMS	1710.238	22.88	60	Pass	401
1765	3000	1	RMS	2870	-47.9	-13	Pass	1236
3000	12000	1	RMS	11501	-38.35	-13	Pass	9002
12000	20000	1	RMS	18288	-29.63	-13	Pass	8001




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.3	-70.84	-13	Pass	2986
30	1000	0.1	RMS	999.199	-63.42	-13	Pass	9701
1000	1700	1	RMS	1700	-52.05	-13	Pass	701
1700	1765	1	RMS	1710.238	21.9	60	Pass	401
1765	3000	1	RMS	2872	-47.91	-13	Pass	1236
3000	12000	1	RMS	11492	-38.49	-13	Pass	9002
12000	20000	1	RMS	18286	-29.66	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.22	-13	Pass	2986
30	1000	0.1	RMS	895.631	-63.33	-13	Pass	9701
1000	1700	1	RMS	1680	-52.16	-13	Pass	701
1700	1765	1	RMS	1732.013	22.89	60	Pass	401
1765	3000	1	RMS	2870	-47.91	-13	Pass	1236
3000	12000	1	RMS	11496	-38.46	-13	Pass	9002
12000	20000	1	RMS	19900	-29.61	-13	Pass	8001




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.71	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.98	-13	Pass	2986
30	1000	0.1	RMS	895.631	-63.28	-13	Pass	9701
1000	1700	1	RMS	1694	-52.19	-13	Pass	701
1700	1765	1	RMS	1732.013	21.92	60	Pass	401
1765	3000	1	RMS	2873	-47.91	-13	Pass	1236
3000	12000	1	RMS	11498	-38.39	-13	Pass	9002
12000	20000	1	RMS	19908	-29.62	-13	Pass	8001




**9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.8	-13	Pass	2986
30	1000	0.1	RMS	887.325	-63.3	-13	Pass	9701
1000	1700	1	RMS	1696	-52.18	-13	Pass	701
1700	1765	1	RMS	1753.788	23.19	60	Pass	401
1765	3000	1	RMS	2872	-47.87	-13	Pass	1236
3000	12000	1	RMS	11499	-38.38	-13	Pass	9002
12000	20000	1	RMS	18304	-29.59	-13	Pass	8001




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.27	-13	Pass	2986
30	1000	0.1	RMS	996.798	-63.31	-13	Pass	9701
1000	1700	1	RMS	1686	-52.21	-13	Pass	701
1700	1765	1	RMS	1753.788	22.33	60	Pass	401
1765	3000	1	RMS	2881	-47.87	-13	Pass	1236
3000	12000	1	RMS	11496	-38.44	-13	Pass	9002
12000	20000	1	RMS	18293	-29.6	-13	Pass	8001




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.61	-13	Pass	2986
30	1000	0.1	RMS	895.03	-63.38	-13	Pass	9701
1000	1700	1	RMS	1700	-51.76	-13	Pass	701
1700	1765	1	RMS	1710.238	22.76	60	Pass	401
1765	3000	1	RMS	2880	-47.93	-13	Pass	1236
3000	12000	1	RMS	11501	-38.45	-13	Pass	9002
12000	20000	1	RMS	18255	-29.65	-13	Pass	8001




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	Pass	2986
30	1000	0.1	RMS	880.521	-63.33	-13	Pass	9701
1000	1700	1	RMS	1700	-51.8	-13	Pass	701
1700	1765	1	RMS	1710.238	21.9	60	Pass	401
1765	3000	1	RMS	2869	-47.92	-13	Pass	1236
3000	12000	1	RMS	11478	-38.45	-13	Pass	9002
12000	20000	1	RMS	18298	-29.58	-13	Pass	8001




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.66	-13	Pass	2986
30	1000	0.1	RMS	926.751	-63.3	-13	Pass	9701
1000	1700	1	RMS	1685	-52.2	-13	Pass	701
1700	1765	1	RMS	1731.2	22.77	60	Pass	401
1765	3000	1	RMS	2874	-47.91	-13	Pass	1236
3000	12000	1	RMS	11492	-38.43	-13	Pass	9002
12000	20000	1	RMS	18301	-29.66	-13	Pass	8001




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.25	-13	Pass	2986
30	1000	0.1	RMS	901.435	-63.34	-13	Pass	9701
1000	1700	1	RMS	1698	-52.23	-13	Pass	701
1700	1765	1	RMS	1731.2	21.78	60	Pass	401
1765	3000	1	RMS	2869	-47.84	-13	Pass	1236
3000	12000	1	RMS	11497	-38.51	-13	Pass	9002
12000	20000	1	RMS	18286	-29.67	-13	Pass	8001




**9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.92	-13	Pass	2986
30	1000	0.1	RMS	894.43	-63.26	-13	Pass	9701
1000	1700	1	RMS	1688	-52.17	-13	Pass	701
1700	1765	1	RMS	1752.163	23.02	60	Pass	401
1765	3000	1	RMS	2876	-47.94	-13	Pass	1236
3000	12000	1	RMS	11499	-38.37	-13	Pass	9002
12000	20000	1	RMS	18304	-29.58	-13	Pass	8001




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.21	-13	Pass	2986
30	1000	0.1	RMS	986.691	-63.39	-13	Pass	9701
1000	1700	1	RMS	1690	-52.15	-13	Pass	701
1700	1765	1	RMS	1752.163	22.09	60	Pass	401
1765	3000	1	RMS	2870	-47.85	-13	Pass	1236
3000	12000	1	RMS	11507	-38.45	-13	Pass	9002
12000	20000	1	RMS	18293	-29.62	-13	Pass	8001




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.83	-13	Pass	2986
30	1000	0.1	RMS	908.94	-63.22	-13	Pass	9701
1000	1700	1	RMS	1700	-52.04	-13	Pass	701
1700	1765	1	RMS	1710.238	23.05	60	Pass	401
1765	3000	1	RMS	2872	-47.92	-13	Pass	1236
3000	12000	1	RMS	11501	-38.43	-13	Pass	9002
12000	20000	1	RMS	18298	-29.64	-13	Pass	8001




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.32	-13	Pass	2986
30	1000	0.1	RMS	906.538	-63.36	-13	Pass	9701
1000	1700	1	RMS	1700	-51.94	-13	Pass	701
1700	1765	1	RMS	1710.238	22.09	60	Pass	401
1765	3000	1	RMS	2870	-47.94	-13	Pass	1236
3000	12000	1	RMS	11501	-38.34	-13	Pass	9002
12000	20000	1	RMS	18296	-29.67	-13	Pass	8001




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.6	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-13	Pass	2986
30	1000	0.1	RMS	908.74	-63.38	-13	Pass	9701
1000	1700	1	RMS	1699	-52.22	-13	Pass	701
1700	1765	1	RMS	1730.225	22.99	60	Pass	401
1765	3000	1	RMS	2877	-47.94	-13	Pass	1236
3000	12000	1	RMS	11498	-38.41	-13	Pass	9002
12000	20000	1	RMS	18288	-29.66	-13	Pass	8001




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.31	-13	Pass	2986
30	1000	0.1	RMS	882.822	-63.35	-13	Pass	9701
1000	1700	1	RMS	1696	-52.21	-13	Pass	701
1700	1765	1	RMS	1730.225	22.16	60	Pass	401
1765	3000	1	RMS	2871	-47.92	-13	Pass	1236
3000	12000	1	RMS	11486	-38.46	-13	Pass	9002
12000	20000	1	RMS	18264	-29.61	-13	Pass	8001




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.51	-13	Pass	2986
30	1000	0.1	RMS	997.598	-63.3	-13	Pass	9701
1000	1700	1	RMS	1682	-52.22	-13	Pass	701
1700	1765	1	RMS	1750.213	23.22	60	Pass	401
1765	3000	1	RMS	2871	-47.91	-13	Pass	1236
3000	12000	1	RMS	11499	-38.42	-13	Pass	9002
12000	20000	1	RMS	18278	-29.68	-13	Pass	8001




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.05	-13	Pass	2986
30	1000	0.1	RMS	884.523	-63.2	-13	Pass	9701
1000	1700	1	RMS	1682	-52.2	-13	Pass	701
1700	1765	1	RMS	1750.213	22.42	60	Pass	401
1765	3000	1	RMS	2878	-47.87	-13	Pass	1236
3000	12000	1	RMS	11501	-38.42	-13	Pass	9002
12000	20000	1	RMS	18290	-29.66	-13	Pass	8001




9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.29	-13	Pass	2986
30	1000	0.1	RMS	899.633	-63.24	-13	Pass	9701
1000	1700	1	RMS	1693	-47.6	-13	Pass	701
1700	1765	1	RMS	1710.563	23.1	60	Pass	401
1765	3000	1	RMS	2877	-47.9	-13	Pass	1236
3000	12000	1	RMS	11502	-38.45	-13	Pass	9002
12000	20000	1	RMS	18306	-29.61	-13	Pass	8001




**9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2986
30	1000	0.1	RMS	880.321	-63.33	-13	Pass	9701
1000	1700	1	RMS	1700	-48.47	-13	Pass	701
1700	1765	1	RMS	1710.563	22.26	60	Pass	401
1765	3000	1	RMS	2876	-47.88	-13	Pass	1236
3000	12000	1	RMS	11502	-38.43	-13	Pass	9002
12000	20000	1	RMS	18295	-29.63	-13	Pass	8001




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.23	-13	Pass	2986
30	1000	0.1	RMS	917.645	-63.41	-13	Pass	9701
1000	1700	1	RMS	1698	-52.14	-13	Pass	701
1700	1765	1	RMS	1727.95	23.09	60	Pass	401
1765	3000	1	RMS	2872	-47.92	-13	Pass	1236
3000	12000	1	RMS	11501	-38.46	-13	Pass	9002
12000	20000	1	RMS	18276	-29.66	-13	Pass	8001




**9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.32	-13	Pass	2986
30	1000	0.1	RMS	889.327	-63.24	-13	Pass	9701
1000	1700	1	RMS	1678	-52.17	-13	Pass	701
1700	1765	1	RMS	1727.95	22.1	60	Pass	401
1765	3000	1	RMS	2874	-47.89	-13	Pass	1236
3000	12000	1	RMS	11475	-38.41	-13	Pass	9002
12000	20000	1	RMS	18239	-29.57	-13	Pass	8001




9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.95	-13	Pass	2986
30	1000	0.1	RMS	899.133	-63.32	-13	Pass	9701
1000	1700	1	RMS	1699	-52.17	-13	Pass	701
1700	1765	1	RMS	1745.5	23.26	60	Pass	401
1765	3000	1	RMS	2878	-47.91	-13	Pass	1236
3000	12000	1	RMS	11499	-38.42	-13	Pass	9002
12000	20000	1	RMS	18202	-29.64	-13	Pass	8001




**9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.57	-13	Pass	2986
30	1000	0.1	RMS	879.22	-63.33	-13	Pass	9701
1000	1700	1	RMS	1676	-52.18	-13	Pass	701
1700	1765	1	RMS	1745.5	22.3	60	Pass	401
1765	3000	1	RMS	2868	-47.85	-13	Pass	1236
3000	12000	1	RMS	11504	-38.44	-13	Pass	9002
12000	20000	1	RMS	18236	-29.65	-13	Pass	8001




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.77	-13	Pass	2986
30	1000	0.1	RMS	977.285	-63.47	-13	Pass	9701
1000	1700	1	RMS	1698	-40.51	-13	Pass	701
1700	1765	1	RMS	1710.725	23.06	60	Pass	401
1765	3000	1	RMS	2867	-47.86	-13	Pass	1236
3000	12000	1	RMS	11498	-38.48	-13	Pass	9002
12000	20000	1	RMS	18272	-29.64	-13	Pass	8001




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.38	-13	Pass	2986
30	1000	0.1	RMS	999.9	-63.4	-13	Pass	9701
1000	1700	1	RMS	1698	-42.31	-13	Pass	701
1700	1765	1	RMS	1710.725	22.2	60	Pass	401
1765	3000	1	RMS	2874	-47.91	-13	Pass	1236
3000	12000	1	RMS	11496	-38.47	-13	Pass	9002
12000	20000	1	RMS	18268	-29.66	-13	Pass	8001




**9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-13	Pass	2986
30	1000	0.1	RMS	995.897	-63.32	-13	Pass	9701
1000	1700	1	RMS	1699	-42.3	-13	Pass	701
1700	1765	1	RMS	1725.675	22.98	60	Pass	401
1765	3000	1	RMS	2869	-47.93	-13	Pass	1236
3000	12000	1	RMS	11482	-38.52	-13	Pass	9002
12000	20000	1	RMS	18300	-29.65	-13	Pass	8001




**9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.17	-13	Pass	2986
30	1000	0.1	RMS	915.644	-63.39	-13	Pass	9701
1000	1700	1	RMS	1699	-44.34	-13	Pass	701
1700	1765	1	RMS	1725.838	22.01	60	Pass	401
1765	3000	1	RMS	2871	-47.93	-13	Pass	1236
3000	12000	1	RMS	11490	-38.47	-13	Pass	9002
12000	20000	1	RMS	18301	-29.68	-13	Pass	8001




9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.89	-13	Pass	2986
30	1000	0.1	RMS	877.019	-63.37	-13	Pass	9701
1000	1700	1	RMS	1688	-52.19	-13	Pass	701
1700	1765	1	RMS	1740.788	23.06	60	Pass	401
1765	3000	1	RMS	1767	-30.66	-13	Pass	1236
3000	12000	1	RMS	11505	-38.46	-13	Pass	9002
12000	20000	1	RMS	19903	-29.69	-13	Pass	8001




**9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.09	-13	Pass	2986
30	1000	0.1	RMS	880.221	-63.39	-13	Pass	9701
1000	1700	1	RMS	1688	-52.18	-13	Pass	701
1700	1765	1	RMS	1740.788	22.19	60	Pass	401
1765	3000	1	RMS	1767	-32.53	-13	Pass	1236
3000	12000	1	RMS	11505	-38.52	-13	Pass	9002
12000	20000	1	RMS	18306	-29.56	-13	Pass	8001




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-13	Pass	2986
30	1000	0.1	RMS	879.72	-63.3	-13	Pass	9701
1000	1700	1	RMS	1700	-42.8	-13	Pass	701
1700	1765	1	RMS	1711.05	22.93	60	Pass	401
1765	3000	1	RMS	1782	-47.44	-13	Pass	1236
3000	12000	1	RMS	11502	-38.38	-13	Pass	9002
12000	20000	1	RMS	18294	-29.66	-13	Pass	8001




**9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.94	-13	Pass	2986
30	1000	0.1	RMS	899.133	-63.28	-13	Pass	9701
1000	1700	1	RMS	1700	-44.59	-13	Pass	701
1700	1765	1	RMS	1711.05	22.12	60	Pass	401
1765	3000	1	RMS	2868	-47.96	-13	Pass	1236
3000	12000	1	RMS	11501	-38.48	-13	Pass	9002
12000	20000	1	RMS	18272	-29.64	-13	Pass	8001




9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.57	-13	Pass	2986
30	1000	0.1	RMS	887.626	-63.37	-13	Pass	9701
1000	1700	1	RMS	1688	-50.7	-13	Pass	701
1700	1765	1	RMS	1723.563	22.9	60	Pass	401
1765	3000	1	RMS	1795	-47.87	-13	Pass	1236
3000	12000	1	RMS	11491	-38.46	-13	Pass	9002
12000	20000	1	RMS	18286	-29.64	-13	Pass	8001




**9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.54	-13	Pass	2986
30	1000	0.1	RMS	882.822	-63.39	-13	Pass	9701
1000	1700	1	RMS	1688	-51.22	-13	Pass	701
1700	1765	1	RMS	1723.563	21.91	60	Pass	401
1765	3000	1	RMS	2870	-47.94	-13	Pass	1236
3000	12000	1	RMS	11501	-38.38	-13	Pass	9002
12000	20000	1	RMS	18268	-29.56	-13	Pass	8001




**9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.24	-13	Pass	2986
30	1000	0.1	RMS	893.129	-63.31	-13	Pass	9701
1000	1700	1	RMS	1700	-43.7	-13	Pass	701
1700	1765	1	RMS	1736.075	22.86	60	Pass	401
1765	3000	1	RMS	1772	-29.96	-13	Pass	1236
3000	12000	1	RMS	11493	-38.42	-13	Pass	9002
12000	20000	1	RMS	18298	-29.62	-13	Pass	8001



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.15	-13	Pass	2986
30	1000	0.1	RMS	907.839	-63.34	-13	Pass	9701
1000	1700	1	RMS	1700	-44.93	-13	Pass	701
1700	1765	1	RMS	1736.075	21.89	60	Pass	401
1765	3000	1	RMS	1772	-31.14	-13	Pass	1236
3000	12000	1	RMS	11500	-38.45	-13	Pass	9002
12000	20000	1	RMS	18247	-29.6	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.55	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.72	-13	Pass	7841
814	860	0.1	RMS	824.2	19.41	60	Pass	461
860	1000	0.1	RMS	888.3	-63.36	-13	Pass	1401
1000	3000	1	RMS	2881	-47.93	-13	Pass	2001
3000	10000	1	RMS	8901	-38.62	-13	Pass	7001




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.2	-13	Pass	2986
30	814	0.1	RMS	812.1	-63.51	-13	Pass	7841
814	860	0.1	RMS	824.2	18.32	60	Pass	461
860	1000	0.1	RMS	893.4	-63.37	-13	Pass	1401
1000	3000	1	RMS	2874	-47.91	-13	Pass	2001
3000	10000	1	RMS	8908	-38.64	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	Pass	2986
30	814	0.1	RMS	740.9	-63.66	-13	Pass	7841
814	860	0.1	RMS	836.1	19.61	60	Pass	461
860	1000	0.1	RMS	905.6	-63.19	-13	Pass	1401
1000	3000	1	RMS	2875	-47.89	-13	Pass	2001
3000	10000	1	RMS	8901	-38.64	-13	Pass	7001




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.93	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.76	-13	Pass	2986
30	814	0.1	RMS	752.8	-63.72	-13	Pass	7841
814	860	0.1	RMS	836.1	18.58	60	Pass	461
860	1000	0.1	RMS	880.2	-63.4	-13	Pass	1401
1000	3000	1	RMS	2872	-47.89	-13	Pass	2001
3000	10000	1	RMS	8898	-38.62	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	Pass	2986
30	814	0.1	RMS	738	-63.71	-13	Pass	7841
814	860	0.1	RMS	847.8	19.83	60	Pass	461
860	1000	0.1	RMS	878.3	-63.16	-13	Pass	1401
1000	3000	1	RMS	1695	-44.88	-13	Pass	2001
3000	10000	1	RMS	8904	-38.58	-13	Pass	7001




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.39	-13	Pass	2986
30	814	0.1	RMS	737.2	-63.66	-13	Pass	7841
814	860	0.1	RMS	847.8	18.84	60	Pass	461
860	1000	0.1	RMS	885.2	-63.47	-13	Pass	1401
1000	3000	1	RMS	1695	-45.76	-13	Pass	2001
3000	10000	1	RMS	8901	-38.49	-13	Pass	7001




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.5	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.41	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.25	-13	Pass	7841
814	860	0.1	RMS	824.2	19.49	60	Pass	461
860	1000	0.1	RMS	892.7	-63.37	-13	Pass	1401
1000	3000	1	RMS	2871	-47.91	-13	Pass	2001
3000	10000	1	RMS	8903	-38.61	-13	Pass	7001




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2986
30	814	0.1	RMS	811.2	-62.95	-13	Pass	7841
814	860	0.1	RMS	824.2	18.55	60	Pass	461
860	1000	0.1	RMS	871.2	-63.37	-13	Pass	1401
1000	3000	1	RMS	2873	-47.95	-13	Pass	2001
3000	10000	1	RMS	8904	-38.67	-13	Pass	7001




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-13	Pass	2986
30	814	0.1	RMS	734.2	-63.84	-13	Pass	7841
814	860	0.1	RMS	835.2	19.68	60	Pass	461
860	1000	0.1	RMS	903.3	-63.44	-13	Pass	1401
1000	3000	1	RMS	2869	-47.94	-13	Pass	2001
3000	10000	1	RMS	8901	-38.6	-13	Pass	7001




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	Pass	2986
30	814	0.1	RMS	744.6	-63.71	-13	Pass	7841
814	860	0.1	RMS	835.2	18.6	60	Pass	461
860	1000	0.1	RMS	883.1	-63.33	-13	Pass	1401
1000	3000	1	RMS	2876	-47.91	-13	Pass	2001
3000	10000	1	RMS	8904	-38.63	-13	Pass	7001




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.13	-13	Pass	2986
30	814	0.1	RMS	738.9	-63.77	-13	Pass	7841
814	860	0.1	RMS	846.2	19.91	60	Pass	461
860	1000	0.1	RMS	903.9	-63.31	-13	Pass	1401
1000	3000	1	RMS	1692	-46.79	-13	Pass	2001
3000	10000	1	RMS	8903	-38.63	-13	Pass	7001




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2986
30	814	0.1	RMS	740.2	-63.6	-13	Pass	7841
814	860	0.1	RMS	846.2	18.86	60	Pass	461
860	1000	0.1	RMS	896	-63.36	-13	Pass	1401
1000	3000	1	RMS	1692	-47.67	-13	Pass	2001
3000	10000	1	RMS	8906	-38.61	-13	Pass	7001




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.01	-13	Pass	2986
30	814	0.1	RMS	735	-63.64	-13	Pass	7841
814	860	0.1	RMS	824.3	19.68	60	Pass	461
860	1000	0.1	RMS	905	-63.36	-13	Pass	1401
1000	3000	1	RMS	2873	-47.91	-13	Pass	2001
3000	10000	1	RMS	8900	-38.63	-13	Pass	7001




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	Pass	2986
30	814	0.1	RMS	746.6	-63.69	-13	Pass	7841
814	860	0.1	RMS	824.3	18.63	60	Pass	461
860	1000	0.1	RMS	878.9	-63.39	-13	Pass	1401
1000	3000	1	RMS	2871	-47.92	-13	Pass	2001
3000	10000	1	RMS	8909	-38.57	-13	Pass	7001




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.24	-13	Pass	2986
30	814	0.1	RMS	740.6	-63.61	-13	Pass	7841
814	860	0.1	RMS	834.3	19.93	60	Pass	461
860	1000	0.1	RMS	998	-63.4	-13	Pass	1401
1000	3000	1	RMS	2871	-47.89	-13	Pass	2001
3000	10000	1	RMS	8899	-38.62	-13	Pass	7001




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.11	-13	Pass	2986
30	814	0.1	RMS	734.6	-63.73	-13	Pass	7841
814	860	0.1	RMS	834.3	19.12	60	Pass	461
860	1000	0.1	RMS	879.6	-63.3	-13	Pass	1401
1000	3000	1	RMS	2874	-47.87	-13	Pass	2001
3000	10000	1	RMS	8906	-38.6	-13	Pass	7001




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.69	-13	Pass	2986
30	814	0.1	RMS	724.4	-63.71	-13	Pass	7841
814	860	0.1	RMS	844.3	20.23	60	Pass	461
860	1000	0.1	RMS	893	-63.33	-13	Pass	1401
1000	3000	1	RMS	2876	-47.89	-13	Pass	2001
3000	10000	1	RMS	8900	-38.61	-13	Pass	7001




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.35	-13	Pass	2986
30	814	0.1	RMS	752.2	-63.74	-13	Pass	7841
814	860	0.1	RMS	844.3	19.37	60	Pass	461
860	1000	0.1	RMS	891.1	-63.37	-13	Pass	1401
1000	3000	1	RMS	2870	-47.93	-13	Pass	2001
3000	10000	1	RMS	8898	-38.61	-13	Pass	7001




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.03	-13	Pass	2986
30	814	0.1	RMS	814	-52.59	-13	Pass	7841
814	860	0.1	RMS	824.6	20.16	60	Pass	461
860	1000	0.1	RMS	886.4	-63.24	-13	Pass	1401
1000	3000	1	RMS	2871	-47.92	-13	Pass	2001
3000	10000	1	RMS	8906	-38.64	-13	Pass	7001




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.23	-13	Pass	2986
30	814	0.1	RMS	814	-53.07	-13	Pass	7841
814	860	0.1	RMS	824.6	19.23	60	Pass	461
860	1000	0.1	RMS	870.5	-63.38	-13	Pass	1401
1000	3000	1	RMS	2870	-47.95	-13	Pass	2001
3000	10000	1	RMS	8898	-38.6	-13	Pass	7001




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.89	-13	Pass	2986
30	814	0.1	RMS	814	-63.01	-13	Pass	7841
814	860	0.1	RMS	832.1	20.43	60	Pass	461
860	1000	0.1	RMS	882.8	-63.37	-13	Pass	1401
1000	3000	1	RMS	2871	-47.9	-13	Pass	2001
3000	10000	1	RMS	8902	-38.62	-13	Pass	7001




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.98	-13	Pass	2986
30	814	0.1	RMS	722.4	-63.82	-13	Pass	7841
814	860	0.1	RMS	832.1	19.3	60	Pass	461
860	1000	0.1	RMS	902.4	-63.39	-13	Pass	1401
1000	3000	1	RMS	2869	-47.91	-13	Pass	2001
3000	10000	1	RMS	8901	-38.64	-13	Pass	7001




**10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.97	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.31	-13	Pass	2986
30	814	0.1	RMS	743.7	-63.68	-13	Pass	7841
814	860	0.1	RMS	839.6	20.44	60	Pass	461
860	1000	0.1	RMS	906.7	-63.31	-13	Pass	1401
1000	3000	1	RMS	2870	-47.89	-13	Pass	2001
3000	10000	1	RMS	8906	-38.65	-13	Pass	7001



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.99	-13	Pass	2986
30	814	0.1	RMS	744	-63.74	-13	Pass	7841
814	860	0.1	RMS	839.6	19.56	60	Pass	461
860	1000	0.1	RMS	887.3	-63.38	-13	Pass	1401
1000	3000	1	RMS	2874	-47.93	-13	Pass	2001
3000	10000	1	RMS	8897	-38.65	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.77	-25	Pass	2986
30	1000	0.1	RMS	892.429	-63.38	-25	Pass	9701
1000	2490	1	RMS	2490	-49.86	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.11	60	Pass	401
2580	3000	1	RMS	2869	-47.95	-25	Pass	421
3000	12000	1	RMS	11849	-48.21	-25	Pass	9002
12000	26000	1	RMS	25191	-35.89	-25	Pass	14002




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-25	Pass	2986
30	1000	0.1	RMS	910.741	-63.37	-25	Pass	9701
1000	2490	1	RMS	2490	-49.94	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.08	60	Pass	401
2580	3000	1	RMS	2872	-47.98	-25	Pass	421
3000	12000	1	RMS	8907	-48.27	-25	Pass	9002
12000	26000	1	RMS	25198	-35.9	-25	Pass	14002




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.77	-25	Pass	2986
30	1000	0.1	RMS	892.629	-63.31	-25	Pass	9701
1000	2490	1	RMS	2489	-50.07	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.4	60	Pass	401
2580	3000	1	RMS	2870	-48	-25	Pass	421
3000	12000	1	RMS	11848	-48.32	-25	Pass	9002
12000	26000	1	RMS	25198	-35.86	-25	Pass	14002




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.19	-25	Pass	2986
30	1000	0.1	RMS	881.421	-63.35	-25	Pass	9701
1000	2490	1	RMS	2489	-50.13	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.51	60	Pass	401
2580	3000	1	RMS	2877	-47.97	-25	Pass	421
3000	12000	1	RMS	8905	-48.26	-25	Pass	9002
12000	26000	1	RMS	25195	-35.86	-25	Pass	14002




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.35	-25	Pass	2986
30	1000	0.1	RMS	929.353	-63.32	-25	Pass	9701
1000	2490	1	RMS	2490	-50.13	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.25	60	Pass	401
2580	3000	1	RMS	2874	-47.94	-25	Pass	421
3000	12000	1	RMS	8897	-48.23	-25	Pass	9002
12000	26000	1	RMS	25199	-35.91	-25	Pass	14002




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.93	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.73	-25	Pass	2986
30	1000	0.1	RMS	994.096	-63.41	-25	Pass	9701
1000	2490	1	RMS	2488	-50.09	-25	Pass	1491
2490	2580	1	RMS	2565.15	21.49	60	Pass	401
2580	3000	1	RMS	2870	-47.99	-25	Pass	421
3000	12000	1	RMS	11844	-48.24	-25	Pass	9002
12000	26000	1	RMS	25198	-35.87	-25	Pass	14002




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.35	-25	Pass	2986
30	1000	0.1	RMS	904.737	-63.33	-25	Pass	9701
1000	2490	1	RMS	2490	-46.62	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.23	60	Pass	401
2580	3000	1	RMS	2869	-47.96	-25	Pass	421
3000	12000	1	RMS	11854	-48.3	-25	Pass	9002
12000	26000	1	RMS	25204	-35.92	-25	Pass	14002




**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.01	-25	Pass	2986
30	1000	0.1	RMS	879.82	-63.4	-25	Pass	9701
1000	2490	1	RMS	2490	-46.98	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.32	60	Pass	401
2580	3000	1	RMS	2873	-47.99	-25	Pass	421
3000	12000	1	RMS	8900	-48.25	-25	Pass	9002
12000	26000	1	RMS	25192	-35.94	-25	Pass	14002




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.88	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.44	-25	Pass	2986
30	1000	0.1	RMS	892.729	-63.45	-25	Pass	9701
1000	2490	1	RMS	2490	-50.08	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.5	60	Pass	401
2580	3000	1	RMS	2868	-48	-25	Pass	421
3000	12000	1	RMS	8901	-48.23	-25	Pass	9002
12000	26000	1	RMS	25201	-35.9	-25	Pass	14002




**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-25	Pass	2986
30	1000	0.1	RMS	894.03	-63.27	-25	Pass	9701
1000	2490	1	RMS	2485	-50.2	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.5	60	Pass	401
2580	3000	1	RMS	2877	-47.96	-25	Pass	421
3000	12000	1	RMS	8901	-48.28	-25	Pass	9002
12000	26000	1	RMS	25201	-35.81	-25	Pass	14002




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-25	Pass	2986
30	1000	0.1	RMS	879.72	-63.4	-25	Pass	9701
1000	2490	1	RMS	2490	-50.13	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.51	60	Pass	401
2580	3000	1	RMS	2870	-47.97	-25	Pass	421
3000	12000	1	RMS	8900	-48.29	-25	Pass	9002
12000	26000	1	RMS	25200	-35.91	-25	Pass	14002




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.04	-25	Pass	2986
30	1000	0.1	RMS	894.03	-63.27	-25	Pass	9701
1000	2490	1	RMS	2488	-50.12	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.53	60	Pass	401
2580	3000	1	RMS	2873	-48	-25	Pass	421
3000	12000	1	RMS	11842	-48.26	-25	Pass	9002
12000	26000	1	RMS	25192	-35.94	-25	Pass	14002




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.52	-25	Pass	2986
30	1000	0.1	RMS	906.438	-63.42	-25	Pass	9701
1000	2490	1	RMS	2490	-39.45	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.17	60	Pass	401
2580	3000	1	RMS	2870	-47.94	-25	Pass	421
3000	12000	1	RMS	8901	-48.25	-25	Pass	9002
12000	26000	1	RMS	25199	-35.89	-25	Pass	14002




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-25	Pass	401
0.15	30	0.01	RMS	0.18	-70.74	-25	Pass	2986
30	1000	0.1	RMS	990.594	-63.36	-25	Pass	9701
1000	2490	1	RMS	2490	-41.85	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.27	60	Pass	401
2580	3000	1	RMS	2869	-47.97	-25	Pass	421
3000	12000	1	RMS	11857	-48.26	-25	Pass	9002
12000	26000	1	RMS	25191	-35.98	-25	Pass	14002




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.09	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.68	-25	Pass	2986
30	1000	0.1	RMS	896.732	-63.4	-25	Pass	9701
1000	2490	1	RMS	2490	-50.11	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.41	60	Pass	401
2580	3000	1	RMS	2873	-47.97	-25	Pass	421
3000	12000	1	RMS	8915	-48.27	-25	Pass	9002
12000	26000	1	RMS	25205	-35.84	-25	Pass	14002




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-25	Pass	2986
30	1000	0.1	RMS	905.337	-63.3	-25	Pass	9701
1000	2490	1	RMS	2489	-50.11	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.4	60	Pass	401
2580	3000	1	RMS	2869	-47.97	-25	Pass	421
3000	12000	1	RMS	8917	-48.28	-25	Pass	9002
12000	26000	1	RMS	25194	-35.89	-25	Pass	14002




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.27	-25	Pass	2986
30	1000	0.1	RMS	994.096	-63.35	-25	Pass	9701
1000	2490	1	RMS	2486	-50.1	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.55	60	Pass	401
2580	3000	1	RMS	2582	-40.26	-25	Pass	421
3000	12000	1	RMS	8919	-48.26	-25	Pass	9002
12000	26000	1	RMS	25196	-35.92	-25	Pass	14002




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.22	-25	Pass	2986
30	1000	0.1	RMS	919.347	-63.41	-25	Pass	9701
1000	2490	1	RMS	2490	-50.18	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.7	60	Pass	401
2580	3000	1	RMS	2582	-40.92	-25	Pass	421
3000	12000	1	RMS	8911	-48.25	-25	Pass	9002
12000	26000	1	RMS	25200	-35.85	-25	Pass	14002




**11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.7	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.66	-25	Pass	2986
30	1000	0.1	RMS	885.024	-63.44	-25	Pass	9701
1000	2490	1	RMS	2489	-40.93	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.16	60	Pass	401
2580	3000	1	RMS	2877	-47.95	-25	Pass	421
3000	12000	1	RMS	8916	-48.32	-25	Pass	9002
12000	26000	1	RMS	25199	-35.94	-25	Pass	14002




**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.72	-25	Pass	2986
30	1000	0.1	RMS	897.832	-63.25	-25	Pass	9701
1000	2490	1	RMS	2490	-43.28	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.25	60	Pass	401
2580	3000	1	RMS	2869	-47.98	-25	Pass	421
3000	12000	1	RMS	8904	-48.31	-25	Pass	9002
12000	26000	1	RMS	25197	-35.9	-25	Pass	14002




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.61	-25	Pass	2986
30	1000	0.1	RMS	901.335	-63.39	-25	Pass	9701
1000	2490	1	RMS	2490	-49.82	-25	Pass	1491
2490	2580	1	RMS	2526	22.3	60	Pass	401
2580	3000	1	RMS	2875	-48.01	-25	Pass	421
3000	12000	1	RMS	8906	-48.31	-25	Pass	9002
12000	26000	1	RMS	25197	-35.81	-25	Pass	14002




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.79	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-25	Pass	2986
30	1000	0.1	RMS	867.212	-63.28	-25	Pass	9701
1000	2490	1	RMS	2488	-50.03	-25	Pass	1491
2490	2580	1	RMS	2526	21.31	60	Pass	401
2580	3000	1	RMS	2876	-47.97	-25	Pass	421
3000	12000	1	RMS	8906	-48.27	-25	Pass	9002
12000	26000	1	RMS	25198	-36	-25	Pass	14002




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.66	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.54	-25	Pass	2986
30	1000	0.1	RMS	889.927	-63.31	-25	Pass	9701
1000	2490	1	RMS	2486	-50.14	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.45	60	Pass	401
2580	3000	1	RMS	2581	-40.77	-25	Pass	421
3000	12000	1	RMS	8901	-48.23	-25	Pass	9002
12000	26000	1	RMS	25200	-35.83	-25	Pass	14002



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.42	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.08	-25	Pass	2986
30	1000	0.1	RMS	895.831	-63.43	-25	Pass	9701
1000	2490	1	RMS	2488	-50.18	-25	Pass	1491
2490	2580	1	RMS	2550.975	21.44	60	Pass	401
2580	3000	1	RMS	2581	-41.01	-25	Pass	421
3000	12000	1	RMS	11842	-48.24	-25	Pass	9002
12000	26000	1	RMS	25203	-35.88	-25	Pass	14002



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.57	-13	Pass	2986
30	689	0.1	RMS	649.6	-64.16	-13	Pass	6591
689	726	0.1	RMS	699.268	19.64	60	Pass	401
726	1000	0.1	RMS	999.2	-63.04	-13	Pass	2741
1000	3000	1	RMS	2872	-47.92	-13	Pass	2001
3000	10000	1	RMS	8903	-38.62	-13	Pass	7001




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.39	-13	Pass	2986
30	689	0.1	RMS	484.3	-64.2	-13	Pass	6591
689	726	0.1	RMS	699.268	18.51	60	Pass	401
726	1000	0.1	RMS	887.2	-63.24	-13	Pass	2741
1000	3000	1	RMS	2881	-47.92	-13	Pass	2001
3000	10000	1	RMS	8901	-38.64	-13	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.86	-13	Pass	2986
30	689	0.1	RMS	484.4	-64.21	-13	Pass	6591
689	726	0.1	RMS	707.038	19.72	60	Pass	401
726	1000	0.1	RMS	914.6	-63.33	-13	Pass	2741
1000	3000	1	RMS	2873	-47.89	-13	Pass	2001
3000	10000	1	RMS	8915	-38.65	-13	Pass	7001




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	Pass	2986
30	689	0.1	RMS	479.8	-64.13	-13	Pass	6591
689	726	0.1	RMS	707.038	18.74	60	Pass	401
726	1000	0.1	RMS	898.8	-63.02	-13	Pass	2741
1000	3000	1	RMS	2872	-47.93	-13	Pass	2001
3000	10000	1	RMS	8904	-38.61	-13	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.9	-13	Pass	2986
30	689	0.1	RMS	511.9	-64.27	-13	Pass	6591
689	726	0.1	RMS	714.808	19.29	60	Pass	401
726	1000	0.1	RMS	903.5	-63.26	-13	Pass	2741
1000	3000	1	RMS	2872	-47.93	-13	Pass	2001
3000	10000	1	RMS	8906	-38.59	-13	Pass	7001




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.09	-13	Pass	2986
30	689	0.1	RMS	483.5	-64.3	-13	Pass	6591
689	726	0.1	RMS	714.808	18.32	60	Pass	401
726	1000	0.1	RMS	884.5	-63.13	-13	Pass	2741
1000	3000	1	RMS	2871	-47.94	-13	Pass	2001
3000	10000	1	RMS	8902	-38.61	-13	Pass	7001




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.58	-13	Pass	2986
30	689	0.1	RMS	480.4	-64.17	-13	Pass	6591
689	726	0.1	RMS	699.268	19.39	60	Pass	401
726	1000	0.1	RMS	989.7	-63.28	-13	Pass	2741
1000	3000	1	RMS	2866	-47.95	-13	Pass	2001
3000	10000	1	RMS	8914	-38.6	-13	Pass	7001




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.4	-13	Pass	2986
30	689	0.1	RMS	508.1	-64.28	-13	Pass	6591
689	726	0.1	RMS	699.268	18.55	60	Pass	401
726	1000	0.1	RMS	897.9	-63.12	-13	Pass	2741
1000	3000	1	RMS	2872	-47.91	-13	Pass	2001
3000	10000	1	RMS	8904	-38.62	-13	Pass	7001




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.8	-13	Pass	2986
30	689	0.1	RMS	476.4	-64.21	-13	Pass	6591
689	726	0.1	RMS	706.205	19.32	60	Pass	401
726	1000	0.1	RMS	915.5	-63.29	-13	Pass	2741
1000	3000	1	RMS	2871	-47.92	-13	Pass	2001
3000	10000	1	RMS	8904	-38.68	-13	Pass	7001




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.1	-13	Pass	2986
30	689	0.1	RMS	483.2	-64.23	-13	Pass	6591
689	726	0.1	RMS	706.205	18.27	60	Pass	401
726	1000	0.1	RMS	893.1	-63.07	-13	Pass	2741
1000	3000	1	RMS	2877	-47.94	-13	Pass	2001
3000	10000	1	RMS	8901	-38.64	-13	Pass	7001




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.47	-13	Pass	2986
30	689	0.1	RMS	638.2	-64.15	-13	Pass	6591
689	726	0.1	RMS	713.235	19.71	60	Pass	401
726	1000	0.1	RMS	997.1	-63.14	-13	Pass	2741
1000	3000	1	RMS	2878	-47.94	-13	Pass	2001
3000	10000	1	RMS	8912	-38.57	-13	Pass	7001




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.84	-13	Pass	2986
30	689	0.1	RMS	468.7	-64.24	-13	Pass	6591
689	726	0.1	RMS	713.235	18.74	60	Pass	401
726	1000	0.1	RMS	883.9	-63.11	-13	Pass	2741
1000	3000	1	RMS	2869	-47.92	-13	Pass	2001
3000	10000	1	RMS	8913	-38.64	-13	Pass	7001




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.44	-13	Pass	2986
30	689	0.1	RMS	487.7	-64.01	-13	Pass	6591
689	726	0.1	RMS	699.36	19.49	60	Pass	401
726	1000	0.1	RMS	878.6	-63.2	-13	Pass	2741
1000	3000	1	RMS	2884	-47.89	-13	Pass	2001
3000	10000	1	RMS	8903	-38.62	-13	Pass	7001




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.51	-13	Pass	2986
30	689	0.1	RMS	501	-64.15	-13	Pass	6591
689	726	0.1	RMS	699.36	18.73	60	Pass	401
726	1000	0.1	RMS	881.1	-63.07	-13	Pass	2741
1000	3000	1	RMS	2870	-47.9	-13	Pass	2001
3000	10000	1	RMS	8901	-38.61	-13	Pass	7001




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.27	-13	Pass	2986
30	689	0.1	RMS	480.9	-64.25	-13	Pass	6591
689	726	0.1	RMS	705.373	19.47	60	Pass	401
726	1000	0.1	RMS	877.7	-63.18	-13	Pass	2741
1000	3000	1	RMS	2870	-47.9	-13	Pass	2001
3000	10000	1	RMS	8907	-38.62	-13	Pass	7001




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.35	-13	Pass	2986
30	689	0.1	RMS	479.1	-64.25	-13	Pass	6591
689	726	0.1	RMS	705.373	18.66	60	Pass	401
726	1000	0.1	RMS	885.2	-63.12	-13	Pass	2741
1000	3000	1	RMS	2869	-47.93	-13	Pass	2001
3000	10000	1	RMS	8908	-38.62	-13	Pass	7001




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.51	-13	Pass	2986
30	689	0.1	RMS	468.6	-64.24	-13	Pass	6591
689	726	0.1	RMS	711.293	19.38	60	Pass	401
726	1000	0.1	RMS	913.5	-63.15	-13	Pass	2741
1000	3000	1	RMS	2879	-47.92	-13	Pass	2001
3000	10000	1	RMS	8901	-38.63	-13	Pass	7001




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.37	-13	Pass	2986
30	689	0.1	RMS	505.3	-64.24	-13	Pass	6591
689	726	0.1	RMS	711.293	18.53	60	Pass	401
726	1000	0.1	RMS	892.4	-62.99	-13	Pass	2741
1000	3000	1	RMS	2873	-47.94	-13	Pass	2001
3000	10000	1	RMS	8896	-38.58	-13	Pass	7001




**12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.72	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.08	-13	Pass	2986
30	689	0.1	RMS	659.8	-64.21	-13	Pass	6591
689	726	0.1	RMS	699.545	19.33	60	Pass	401
726	1000	0.1	RMS	901.4	-63.1	-13	Pass	2741
1000	3000	1	RMS	2880	-47.94	-13	Pass	2001
3000	10000	1	RMS	8897	-38.59	-13	Pass	7001




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.62	-13	Pass	2986
30	689	0.1	RMS	481.7	-64.18	-13	Pass	6591
689	726	0.1	RMS	699.545	18.44	60	Pass	401
726	1000	0.1	RMS	909	-63.28	-13	Pass	2741
1000	3000	1	RMS	2873	-47.88	-13	Pass	2001
3000	10000	1	RMS	8900	-38.63	-13	Pass	7001




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.3	-13	Pass	2986
30	689	0.1	RMS	639.6	-64.1	-13	Pass	6591
689	726	0.1	RMS	703.06	19.68	60	Pass	401
726	1000	0.1	RMS	991.2	-63.27	-13	Pass	2741
1000	3000	1	RMS	2871	-47.89	-13	Pass	2001
3000	10000	1	RMS	8905	-38.6	-13	Pass	7001




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	Pass	2986
30	689	0.1	RMS	483.2	-64.19	-13	Pass	6591
689	726	0.1	RMS	703.06	18.64	60	Pass	401
726	1000	0.1	RMS	888.9	-63.16	-13	Pass	2741
1000	3000	1	RMS	2872	-47.93	-13	Pass	2001
3000	10000	1	RMS	8901	-38.64	-13	Pass	7001




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.09	-13	Pass	2986
30	689	0.1	RMS	469	-64.23	-13	Pass	6591
689	726	0.1	RMS	706.575	19.91	60	Pass	401
726	1000	0.1	RMS	882.2	-63.16	-13	Pass	2741
1000	3000	1	RMS	2871	-47.95	-13	Pass	2001
3000	10000	1	RMS	8915	-38.65	-13	Pass	7001



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.86	-13	Pass	2986
30	689	0.1	RMS	472.4	-64.17	-13	Pass	6591
689	726	0.1	RMS	706.575	18.96	60	Pass	401
726	1000	0.1	RMS	992.2	-63.21	-13	Pass	2741
1000	3000	1	RMS	2871	-47.96	-13	Pass	2001
3000	10000	1	RMS	8905	-38.55	-13	Pass	7001



13. LTE_Band13


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.54	-13	Pass	2986
30	767	0.1	RMS	747.5	-63.77	-13	Pass	7371
767	797	0.1	RMS	777.35	20.06	60	Pass	401
797	1000	0.1	RMS	997.3	-63.43	-13	Pass	2031
1000	3000	1	RMS	2876	-47.92	-13	Pass	2001
3000	10000	1	RMS	8901	-38.59	-13	Pass	7001




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.98	-13	Pass	2986
30	767	0.1	RMS	738.5	-63.8	-13	Pass	7371
767	797	0.1	RMS	777.35	19.28	60	Pass	401
797	1000	0.1	RMS	903.3	-63.17	-13	Pass	2031
1000	3000	1	RMS	2877	-47.96	-13	Pass	2001
3000	10000	1	RMS	8900	-38.65	-13	Pass	7001




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.4	-13	Pass	2986
30	767	0.1	RMS	745.8	-63.62	-13	Pass	7371
767	797	0.1	RMS	779.825	20.24	60	Pass	401
797	1000	0.1	RMS	894.3	-63.41	-13	Pass	2031
1000	3000	1	RMS	2872	-47.89	-13	Pass	2001
3000	10000	1	RMS	8900	-38.58	-13	Pass	7001




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.26	-13	Pass	2986
30	767	0.1	RMS	745.6	-63.74	-13	Pass	7371
767	797	0.1	RMS	779.825	19.42	60	Pass	401
797	1000	0.1	RMS	875.3	-63.32	-13	Pass	2031
1000	3000	1	RMS	2869	-47.89	-13	Pass	2001
3000	10000	1	RMS	8914	-38.64	-13	Pass	7001




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-13	Pass	2986
30	767	0.1	RMS	734.8	-63.73	-13	Pass	7371
767	797	0.1	RMS	782.3	19.97	60	Pass	401
797	1000	0.1	RMS	877.4	-63.26	-13	Pass	2031
1000	3000	1	RMS	2880	-47.91	-13	Pass	2001
3000	10000	1	RMS	8897	-38.67	-13	Pass	7001




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.25	-70.83	-13	Pass	2986
30	767	0.1	RMS	748	-63.67	-13	Pass	7371
767	797	0.1	RMS	782.3	19.15	60	Pass	401
797	1000	0.1	RMS	986.6	-63.3	-13	Pass	2031
1000	3000	1	RMS	2869	-47.85	-13	Pass	2001
3000	10000	1	RMS	8908	-38.61	-13	Pass	7001




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-13	Pass	2986
30	767	0.1	RMS	739.2	-63.75	-13	Pass	7371
767	797	0.1	RMS	777.575	20.26	60	Pass	401
797	1000	0.1	RMS	797.1	-62.96	-13	Pass	2031
1000	3000	1	RMS	2868	-47.9	-13	Pass	2001
3000	10000	1	RMS	8895	-38.62	-13	Pass	7001



**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.51	-13	Pass	2986
30	767	0.1	RMS	747.1	-63.76	-13	Pass	7371
767	797	0.1	RMS	777.575	19.39	60	Pass	401
797	1000	0.1	RMS	797.6	-63.14	-13	Pass	2031
1000	3000	1	RMS	2869	-47.9	-13	Pass	2001
3000	10000	1	RMS	8909	-38.57	-13	Pass	7001



14. LTE_Band17


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.09	-13	Pass	2986
30	694	0.1	RMS	481.4	-64.27	-13	Pass	6641
694	726	0.1	RMS	704.32	19.75	60	Pass	401
726	1000	0.1	RMS	883.7	-63.14	-13	Pass	2741
1000	3000	1	RMS	2876	-47.9	-13	Pass	2001
3000	10000	1	RMS	8907	-38.62	-13	Pass	7001




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.46	-13	Pass	2986
30	694	0.1	RMS	476.4	-64.25	-13	Pass	6641
694	726	0.1	RMS	704.32	18.9	60	Pass	401
726	1000	0.1	RMS	896.5	-63.1	-13	Pass	2741
1000	3000	1	RMS	2876	-47.91	-13	Pass	2001
3000	10000	1	RMS	8916	-38.63	-13	Pass	7001




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.78	-13	Pass	2986
30	694	0.1	RMS	475.7	-64.25	-13	Pass	6641
694	726	0.1	RMS	707.84	19.93	60	Pass	401
726	1000	0.1	RMS	972.4	-63.17	-13	Pass	2741
1000	3000	1	RMS	2874	-47.88	-13	Pass	2001
3000	10000	1	RMS	8925	-38.63	-13	Pass	7001




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.68	-13	Pass	2986
30	694	0.1	RMS	461.1	-64.19	-13	Pass	6641
694	726	0.1	RMS	707.84	19.1	60	Pass	401
726	1000	0.1	RMS	878.4	-62.97	-13	Pass	2741
1000	3000	1	RMS	2874	-47.94	-13	Pass	2001
3000	10000	1	RMS	8899	-38.59	-13	Pass	7001




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.71	-13	Pass	2986
30	694	0.1	RMS	478.4	-64.19	-13	Pass	6641
694	726	0.1	RMS	711.36	19.62	60	Pass	401
726	1000	0.1	RMS	893.5	-63.13	-13	Pass	2741
1000	3000	1	RMS	2869	-47.92	-13	Pass	2001
3000	10000	1	RMS	8903	-38.48	-13	Pass	7001




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.58	-13	Pass	2986
30	694	0.1	RMS	507.9	-64.25	-13	Pass	6641
694	726	0.1	RMS	711.36	19.08	60	Pass	401
726	1000	0.1	RMS	989	-63.17	-13	Pass	2741
1000	3000	1	RMS	2880	-47.96	-13	Pass	2001
3000	10000	1	RMS	8909	-38.66	-13	Pass	7001




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.36	-13	Pass	2986
30	694	0.1	RMS	694	-56.35	-13	Pass	6641
694	726	0.1	RMS	704.56	19.8	60	Pass	401
726	1000	0.1	RMS	886.3	-63.06	-13	Pass	2741
1000	3000	1	RMS	2870	-47.93	-13	Pass	2001
3000	10000	1	RMS	8906	-38.64	-13	Pass	7001




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.41	-13	Pass	2986
30	694	0.1	RMS	694	-56.98	-13	Pass	6641
694	726	0.1	RMS	704.56	18.95	60	Pass	401
726	1000	0.1	RMS	927.8	-63.15	-13	Pass	2741
1000	3000	1	RMS	2879	-47.88	-13	Pass	2001
3000	10000	1	RMS	8904	-38.62	-13	Pass	7001




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.47	-13	Pass	2986
30	694	0.1	RMS	483.4	-64.11	-13	Pass	6641
694	726	0.1	RMS	705.6	20.03	60	Pass	401
726	1000	0.1	RMS	895.4	-63.02	-13	Pass	2741
1000	3000	1	RMS	2880	-47.93	-13	Pass	2001
3000	10000	1	RMS	8907	-38.65	-13	Pass	7001




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-13	Pass	2986
30	694	0.1	RMS	694	-64.22	-13	Pass	6641
694	726	0.1	RMS	705.6	19.02	60	Pass	401
726	1000	0.1	RMS	992.4	-63.06	-13	Pass	2741
1000	3000	1	RMS	2871	-47.94	-13	Pass	2001
3000	10000	1	RMS	8915	-38.67	-13	Pass	7001




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	Pass	2986
30	694	0.1	RMS	691.2	-63.79	-13	Pass	6641
694	726	0.1	RMS	706.56	19.87	60	Pass	401
726	1000	0.1	RMS	922.4	-63.23	-13	Pass	2741
1000	3000	1	RMS	2876	-47.91	-13	Pass	2001
3000	10000	1	RMS	8904	-38.58	-13	Pass	7001



**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.32	-13	Pass	2986
30	694	0.1	RMS	691.2	-64.09	-13	Pass	6641
694	726	0.1	RMS	706.56	18.91	60	Pass	401
726	1000	0.1	RMS	893.5	-63.1	-13	Pass	2741
1000	3000	1	RMS	2871	-47.9	-13	Pass	2001
3000	10000	1	RMS	8912	-38.68	-13	Pass	7001



15. LTE_Band25


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.04	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.48	-13	Pass	2986
30	1000	0.1	RMS	987.192	-63.39	-13	Pass	9701
1000	1840	1	RMS	1840	-51.29	-13	Pass	841
1840	1925	1	RMS	1850.2	22.7	60	Pass	401
1925	3000	1	RMS	2875	-47.89	-13	Pass	1076
3000	12000	1	RMS	11501	-38.47	-13	Pass	9002
12000	20000	1	RMS	18280	-29.61	-13	Pass	8001




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.35	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.95	-13	Pass	2986
30	1000	0.1	RMS	895.231	-63.23	-13	Pass	9701
1000	1840	1	RMS	1840	-51.41	-13	Pass	841
1840	1925	1	RMS	1850.2	21.73	60	Pass	401
1925	3000	1	RMS	2872	-47.91	-13	Pass	1076
3000	12000	1	RMS	11495	-38.45	-13	Pass	9002
12000	20000	1	RMS	18283	-29.65	-13	Pass	8001




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.13	-13	Pass	2986
30	1000	0.1	RMS	901.435	-63.33	-13	Pass	9701
1000	1840	1	RMS	1840	-51.64	-13	Pass	841
1840	1925	1	RMS	1881.863	22.72	60	Pass	401
1925	3000	1	RMS	2870	-47.87	-13	Pass	1076
3000	12000	1	RMS	11500	-38.43	-13	Pass	9002
12000	20000	1	RMS	18289	-29.65	-13	Pass	8001




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	Pass	2986
30	1000	0.1	RMS	896.932	-63.36	-13	Pass	9701
1000	1840	1	RMS	1828	-51.63	-13	Pass	841
1840	1925	1	RMS	1881.863	21.74	60	Pass	401
1925	3000	1	RMS	2874	-47.91	-13	Pass	1076
3000	12000	1	RMS	11502	-38.44	-13	Pass	9002
12000	20000	1	RMS	18280	-29.6	-13	Pass	8001




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-13	Pass	2986
30	1000	0.1	RMS	883.022	-63.15	-13	Pass	9701
1000	1840	1	RMS	1838	-51.65	-13	Pass	841
1840	1925	1	RMS	1913.738	22.73	60	Pass	401
1925	3000	1	RMS	2872	-47.9	-13	Pass	1076
3000	12000	1	RMS	11495	-38.45	-13	Pass	9002
12000	20000	1	RMS	19901	-29.61	-13	Pass	8001




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2986
30	1000	0.1	RMS	876.318	-63.26	-13	Pass	9701
1000	1840	1	RMS	1836	-51.67	-13	Pass	841
1840	1925	1	RMS	1913.738	21.79	60	Pass	401
1925	3000	1	RMS	2879	-47.89	-13	Pass	1076
3000	12000	1	RMS	11496	-38.48	-13	Pass	9002
12000	20000	1	RMS	18266	-29.55	-13	Pass	8001




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.46	-13	Pass	2986
30	1000	0.1	RMS	898.733	-63.36	-13	Pass	9701
1000	1840	1	RMS	1840	-51.19	-13	Pass	841
1840	1925	1	RMS	1850.2	22.63	60	Pass	401
1925	3000	1	RMS	2871	-47.84	-13	Pass	1076
3000	12000	1	RMS	11496	-38.45	-13	Pass	9002
12000	20000	1	RMS	18299	-29.62	-13	Pass	8001




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.36	-13	Pass	2986
30	1000	0.1	RMS	898.533	-63.32	-13	Pass	9701
1000	1840	1	RMS	1840	-51.22	-13	Pass	841
1840	1925	1	RMS	1850.2	21.8	60	Pass	401
1925	3000	1	RMS	2869	-47.9	-13	Pass	1076
3000	12000	1	RMS	11505	-38.46	-13	Pass	9002
12000	20000	1	RMS	18252	-29.65	-13	Pass	8001




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.17	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.77	-13	Pass	2986
30	1000	0.1	RMS	890.027	-63.47	-13	Pass	9701
1000	1840	1	RMS	1839	-51.64	-13	Pass	841
1840	1925	1	RMS	1881.225	22.63	60	Pass	401
1925	3000	1	RMS	2876	-47.86	-13	Pass	1076
3000	12000	1	RMS	11496	-38.41	-13	Pass	9002
12000	20000	1	RMS	18301	-29.63	-13	Pass	8001




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.06	-13	Pass	2986
30	1000	0.1	RMS	894.43	-63.41	-13	Pass	9701
1000	1840	1	RMS	1838	-51.66	-13	Pass	841
1840	1925	1	RMS	1881.225	21.64	60	Pass	401
1925	3000	1	RMS	2875	-47.89	-13	Pass	1076
3000	12000	1	RMS	11495	-38.41	-13	Pass	9002
12000	20000	1	RMS	18281	-29.66	-13	Pass	8001




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.18	-13	Pass	2986
30	1000	0.1	RMS	877.719	-63.25	-13	Pass	9701
1000	1840	1	RMS	1837	-51.67	-13	Pass	841
1840	1925	1	RMS	1912.038	22.56	60	Pass	401
1925	3000	1	RMS	2881	-47.86	-13	Pass	1076
3000	12000	1	RMS	11502	-38.41	-13	Pass	9002
12000	20000	1	RMS	18288	-29.65	-13	Pass	8001




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.85	-13	Pass	2986
30	1000	0.1	RMS	862.609	-63.38	-13	Pass	9701
1000	1840	1	RMS	1840	-51.66	-13	Pass	841
1840	1925	1	RMS	1912.25	21.64	60	Pass	401
1925	3000	1	RMS	2878	-47.85	-13	Pass	1076
3000	12000	1	RMS	11500	-38.42	-13	Pass	9002
12000	20000	1	RMS	18288	-29.59	-13	Pass	8001




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.57	-13	Pass	2986
30	1000	0.1	RMS	916.945	-63.27	-13	Pass	9701
1000	1840	1	RMS	1840	-51.32	-13	Pass	841
1840	1925	1	RMS	1850.2	22.91	60	Pass	401
1925	3000	1	RMS	2877	-47.89	-13	Pass	1076
3000	12000	1	RMS	11499	-38.4	-13	Pass	9002
12000	20000	1	RMS	18297	-29.61	-13	Pass	8001




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.97	-13	Pass	2986
30	1000	0.1	RMS	992.695	-63.3	-13	Pass	9701
1000	1840	1	RMS	1840	-51.43	-13	Pass	841
1840	1925	1	RMS	1850.2	22	60	Pass	401
1925	3000	1	RMS	2870	-47.96	-13	Pass	1076
3000	12000	1	RMS	11498	-38.3	-13	Pass	9002
12000	20000	1	RMS	18278	-29.63	-13	Pass	8001




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.55	-13	Pass	2986
30	1000	0.1	RMS	891.628	-63.42	-13	Pass	9701
1000	1840	1	RMS	1839	-51.6	-13	Pass	841
1840	1925	1	RMS	1880.163	22.9	60	Pass	401
1925	3000	1	RMS	2873	-47.93	-13	Pass	1076
3000	12000	1	RMS	11490	-38.42	-13	Pass	9002
12000	20000	1	RMS	18243	-29.67	-13	Pass	8001




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.75	-13	Pass	2986
30	1000	0.1	RMS	903.936	-63.34	-13	Pass	9701
1000	1840	1	RMS	1838	-51.69	-13	Pass	841
1840	1925	1	RMS	1880.163	22.07	60	Pass	401
1925	3000	1	RMS	2880	-47.93	-13	Pass	1076
3000	12000	1	RMS	11501	-38.42	-13	Pass	9002
12000	20000	1	RMS	18304	-29.61	-13	Pass	8001




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.35	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.49	-13	Pass	2986
30	1000	0.1	RMS	892.829	-63.37	-13	Pass	9701
1000	1840	1	RMS	1835	-51.67	-13	Pass	841
1840	1925	1	RMS	1910.125	22.8	60	Pass	401
1925	3000	1	RMS	2869	-47.93	-13	Pass	1076
3000	12000	1	RMS	11501	-38.36	-13	Pass	9002
12000	20000	1	RMS	18300	-29.63	-13	Pass	8001




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-13	Pass	2986
30	1000	0.1	RMS	900.834	-63.37	-13	Pass	9701
1000	1840	1	RMS	1839	-51.67	-13	Pass	841
1840	1925	1	RMS	1910.338	21.99	60	Pass	401
1925	3000	1	RMS	2880	-47.93	-13	Pass	1076
3000	12000	1	RMS	11489	-38.33	-13	Pass	9002
12000	20000	1	RMS	18290	-29.65	-13	Pass	8001




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.73	-13	Pass	2986
30	1000	0.1	RMS	895.231	-63.36	-13	Pass	9701
1000	1840	1	RMS	1840	-46.83	-13	Pass	841
1840	1925	1	RMS	1850.413	22.95	60	Pass	401
1925	3000	1	RMS	2884	-47.88	-13	Pass	1076
3000	12000	1	RMS	11501	-38.46	-13	Pass	9002
12000	20000	1	RMS	18293	-29.64	-13	Pass	8001




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.63	-13	Pass	2986
30	1000	0.1	RMS	879.32	-63.23	-13	Pass	9701
1000	1840	1	RMS	1840	-47.22	-13	Pass	841
1840	1925	1	RMS	1850.413	22.08	60	Pass	401
1925	3000	1	RMS	2874	-47.9	-13	Pass	1076
3000	12000	1	RMS	11495	-38.46	-13	Pass	9002
12000	20000	1	RMS	18250	-29.65	-13	Pass	8001




**15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.2	-13	Pass	2986
30	1000	0.1	RMS	993.296	-63.2	-13	Pass	9701
1000	1840	1	RMS	1836	-51.63	-13	Pass	841
1840	1925	1	RMS	1878.038	22.98	60	Pass	401
1925	3000	1	RMS	2873	-47.9	-13	Pass	1076
3000	12000	1	RMS	11495	-38.44	-13	Pass	9002
12000	20000	1	RMS	18283	-29.66	-13	Pass	8001




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.6	-13	Pass	401
0.15	30	0.01	RMS	0.27	-70.77	-13	Pass	2986
30	1000	0.1	RMS	871.415	-63.35	-13	Pass	9701
1000	1840	1	RMS	1840	-51.61	-13	Pass	841
1840	1925	1	RMS	1878.038	22.01	60	Pass	401
1925	3000	1	RMS	2869	-47.87	-13	Pass	1076
3000	12000	1	RMS	11494	-38.34	-13	Pass	9002
12000	20000	1	RMS	18279	-29.61	-13	Pass	8001




15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.89	-13	Pass	2986
30	1000	0.1	RMS	881.421	-63.3	-13	Pass	9701
1000	1840	1	RMS	1838	-51.63	-13	Pass	841
1840	1925	1	RMS	1905.45	23.06	60	Pass	401
1925	3000	1	RMS	2873	-47.92	-13	Pass	1076
3000	12000	1	RMS	11496	-38.42	-13	Pass	9002
12000	20000	1	RMS	18265	-29.61	-13	Pass	8001




**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.61	-13	Pass	2986
30	1000	0.1	RMS	882.822	-63.37	-13	Pass	9701
1000	1840	1	RMS	1839	-51.67	-13	Pass	841
1840	1925	1	RMS	1905.45	22.16	60	Pass	401
1925	3000	1	RMS	2871	-47.92	-13	Pass	1076
3000	12000	1	RMS	11499	-38.38	-13	Pass	9002
12000	20000	1	RMS	18304	-29.64	-13	Pass	8001




15.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2986
30	1000	0.1	RMS	885.824	-63.19	-13	Pass	9701
1000	1840	1	RMS	1840	-41.96	-13	Pass	841
1840	1925	1	RMS	1850.838	22.82	60	Pass	401
1925	3000	1	RMS	2873	-47.9	-13	Pass	1076
3000	12000	1	RMS	11501	-38.37	-13	Pass	9002
12000	20000	1	RMS	19900	-29.61	-13	Pass	8001




**15.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	1000	0.1	RMS	993.095	-63.33	-13	Pass	9701
1000	1840	1	RMS	1840	-42.94	-13	Pass	841
1840	1925	1	RMS	1850.625	21.95	60	Pass	401
1925	3000	1	RMS	2879	-47.88	-13	Pass	1076
3000	12000	1	RMS	11494	-38.42	-13	Pass	9002
12000	20000	1	RMS	18292	-29.61	-13	Pass	8001




**15.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.6	-13	Pass	2986
30	1000	0.1	RMS	897.532	-63.43	-13	Pass	9701
1000	1840	1	RMS	1838	-51.66	-13	Pass	841
1840	1925	1	RMS	1875.7	22.94	60	Pass	401
1925	3000	1	RMS	2872	-47.88	-13	Pass	1076
3000	12000	1	RMS	11495	-38.39	-13	Pass	9002
12000	20000	1	RMS	18267	-29.63	-13	Pass	8001




**15.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.57	-13	Pass	2986
30	1000	0.1	RMS	886.425	-63.31	-13	Pass	9701
1000	1840	1	RMS	1837	-51.67	-13	Pass	841
1840	1925	1	RMS	1875.7	21.94	60	Pass	401
1925	3000	1	RMS	2874	-47.87	-13	Pass	1076
3000	12000	1	RMS	11492	-38.43	-13	Pass	9002
12000	20000	1	RMS	18289	-29.64	-13	Pass	8001




**15.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.56	-13	Pass	2986
30	1000	0.1	RMS	908.94	-63.43	-13	Pass	9701
1000	1840	1	RMS	1840	-51.63	-13	Pass	841
1840	1925	1	RMS	1900.775	22.99	60	Pass	401
1925	3000	1	RMS	2872	-47.89	-13	Pass	1076
3000	12000	1	RMS	11501	-38.41	-13	Pass	9002
12000	20000	1	RMS	18288	-29.61	-13	Pass	8001




**15.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.13	-13	Pass	2986
30	1000	0.1	RMS	986.591	-63.37	-13	Pass	9701
1000	1840	1	RMS	1839	-51.64	-13	Pass	841
1840	1925	1	RMS	1900.775	22.14	60	Pass	401
1925	3000	1	RMS	2869	-47.91	-13	Pass	1076
3000	12000	1	RMS	11500	-38.46	-13	Pass	9002
12000	20000	1	RMS	18255	-29.64	-13	Pass	8001




15.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.96	-13	Pass	2986
30	1000	0.1	RMS	882.822	-63.4	-13	Pass	9701
1000	1840	1	RMS	1840	-43.26	-13	Pass	841
1840	1925	1	RMS	1851.05	22.77	60	Pass	401
1925	3000	1	RMS	2875	-47.91	-13	Pass	1076
3000	12000	1	RMS	11503	-38.38	-13	Pass	9002
12000	20000	1	RMS	18273	-29.67	-13	Pass	8001




**15.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.54	-13	Pass	2986
30	1000	0.1	RMS	893.029	-63.36	-13	Pass	9701
1000	1840	1	RMS	1840	-44.16	-13	Pass	841
1840	1925	1	RMS	1851.05	21.97	60	Pass	401
1925	3000	1	RMS	2869	-47.87	-13	Pass	1076
3000	12000	1	RMS	11500	-38.42	-13	Pass	9002
12000	20000	1	RMS	18303	-29.57	-13	Pass	8001




**15.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.1	-13	Pass	2986
30	1000	0.1	RMS	892.529	-63.32	-13	Pass	9701
1000	1840	1	RMS	1838	-42.22	-13	Pass	841
1840	1925	1	RMS	1873.575	22.76	60	Pass	401
1925	3000	1	RMS	2880	-47.84	-13	Pass	1076
3000	12000	1	RMS	11500	-38.32	-13	Pass	9002
12000	20000	1	RMS	18301	-29.61	-13	Pass	8001




**15.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.79	-13	Pass	2986
30	1000	0.1	RMS	994.196	-63.16	-13	Pass	9701
1000	1840	1	RMS	1838	-43.56	-13	Pass	841
1840	1925	1	RMS	1873.575	21.79	60	Pass	401
1925	3000	1	RMS	2880	-47.88	-13	Pass	1076
3000	12000	1	RMS	11496	-38.45	-13	Pass	9002
12000	20000	1	RMS	18266	-29.6	-13	Pass	8001




**15.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.78	-13	Pass	2986
30	1000	0.1	RMS	997.098	-63.35	-13	Pass	9701
1000	1840	1	RMS	1825	-51.63	-13	Pass	841
1840	1925	1	RMS	1895.888	22.85	60	Pass	401
1925	3000	1	RMS	2871	-47.89	-13	Pass	1076
3000	12000	1	RMS	11497	-38.43	-13	Pass	9002
12000	20000	1	RMS	19905	-29.61	-13	Pass	8001



**15.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.03	-13	Pass	2986
30	1000	0.1	RMS	904.036	-63.39	-13	Pass	9701
1000	1840	1	RMS	1825	-51.67	-13	Pass	841
1840	1925	1	RMS	1895.888	21.85	60	Pass	401
1925	3000	1	RMS	2868	-47.91	-13	Pass	1076
3000	12000	1	RMS	11501	-38.47	-13	Pass	9002
12000	20000	1	RMS	18269	-29.65	-13	Pass	8001



16. LTE_Band26(part22)


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.93	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.62	-13	Pass	7841
814	860	0.1	RMS	824.2	19.05	60	Pass	461
860	1000	0.1	RMS	869.6	-63.36	-13	Pass	1401
1000	3000	1	RMS	2873	-47.91	-13	Pass	2001
3000	10000	1	RMS	8923	-38.59	-13	Pass	7001




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.26	-70.97	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.81	-13	Pass	7841
814	860	0.1	RMS	824.3	17.9	60	Pass	461
860	1000	0.1	RMS	998	-63.27	-13	Pass	1401
1000	3000	1	RMS	2869	-47.9	-13	Pass	2001
3000	10000	1	RMS	8893	-38.63	-13	Pass	7001




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.11	-13	Pass	2986
30	814	0.1	RMS	740.5	-63.72	-13	Pass	7841
814	860	0.1	RMS	836	19.25	60	Pass	461
860	1000	0.1	RMS	892.8	-63.35	-13	Pass	1401
1000	3000	1	RMS	2868	-47.91	-13	Pass	2001
3000	10000	1	RMS	8901	-38.57	-13	Pass	7001




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.83	-13	Pass	2986
30	814	0.1	RMS	743.1	-63.83	-13	Pass	7841
814	860	0.1	RMS	836	18.28	60	Pass	461
860	1000	0.1	RMS	900.4	-63.28	-13	Pass	1401
1000	3000	1	RMS	2871	-47.89	-13	Pass	2001
3000	10000	1	RMS	8900	-38.59	-13	Pass	7001




16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.85	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.07	-13	Pass	2986
30	814	0.1	RMS	738.8	-63.74	-13	Pass	7841
814	860	0.1	RMS	847.9	19.39	60	Pass	461
860	1000	0.1	RMS	899.2	-63.2	-13	Pass	1401
1000	3000	1	RMS	1695	-45.19	-13	Pass	2001
3000	10000	1	RMS	8910	-38.59	-13	Pass	7001




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-13	Pass	2986
30	814	0.1	RMS	755.4	-63.7	-13	Pass	7841
814	860	0.1	RMS	847.9	18.48	60	Pass	461
860	1000	0.1	RMS	878.4	-63.39	-13	Pass	1401
1000	3000	1	RMS	1695	-46.17	-13	Pass	2001
3000	10000	1	RMS	8905	-38.65	-13	Pass	7001




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.35	-71.5	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.92	-13	Pass	7841
814	860	0.1	RMS	824.2	19.14	60	Pass	461
860	1000	0.1	RMS	893.3	-63.35	-13	Pass	1401
1000	3000	1	RMS	2878	-47.89	-13	Pass	2001
3000	10000	1	RMS	8905	-38.63	-13	Pass	7001




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.38	-13	Pass	7841
814	860	0.1	RMS	824.2	18.13	60	Pass	461
860	1000	0.1	RMS	920.8	-63.42	-13	Pass	1401
1000	3000	1	RMS	2871	-47.86	-13	Pass	2001
3000	10000	1	RMS	8917	-38.64	-13	Pass	7001




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	Pass	2986
30	814	0.1	RMS	732.8	-63.71	-13	Pass	7841
814	860	0.1	RMS	835.2	19.35	60	Pass	461
860	1000	0.1	RMS	912.6	-63.34	-13	Pass	1401
1000	3000	1	RMS	2877	-47.9	-13	Pass	2001
3000	10000	1	RMS	8903	-38.62	-13	Pass	7001




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2986
30	814	0.1	RMS	741.6	-63.68	-13	Pass	7841
814	860	0.1	RMS	835.2	18.46	60	Pass	461
860	1000	0.1	RMS	880.1	-63.34	-13	Pass	1401
1000	3000	1	RMS	2869	-47.88	-13	Pass	2001
3000	10000	1	RMS	8913	-38.63	-13	Pass	7001




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.79	-13	Pass	2986
30	814	0.1	RMS	729.9	-63.7	-13	Pass	7841
814	860	0.1	RMS	846.2	19.56	60	Pass	461
860	1000	0.1	RMS	903.4	-63.32	-13	Pass	1401
1000	3000	1	RMS	1692	-47.19	-13	Pass	2001
3000	10000	1	RMS	8911	-38.6	-13	Pass	7001




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-13	Pass	2986
30	814	0.1	RMS	743.8	-63.71	-13	Pass	7841
814	860	0.1	RMS	846.2	18.54	60	Pass	461
860	1000	0.1	RMS	999	-63.38	-13	Pass	1401
1000	3000	1	RMS	2871	-47.91	-13	Pass	2001
3000	10000	1	RMS	8902	-38.6	-13	Pass	7001




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.48	-13	Pass	2986
30	814	0.1	RMS	754.6	-63.57	-13	Pass	7841
814	860	0.1	RMS	824.3	19.36	60	Pass	461
860	1000	0.1	RMS	900.2	-63.23	-13	Pass	1401
1000	3000	1	RMS	2871	-47.88	-13	Pass	2001
3000	10000	1	RMS	8921	-38.62	-13	Pass	7001




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.49	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.15	-13	Pass	2986
30	814	0.1	RMS	743.7	-63.55	-13	Pass	7841
814	860	0.1	RMS	824.3	18.33	60	Pass	461
860	1000	0.1	RMS	876.6	-63.4	-13	Pass	1401
1000	3000	1	RMS	2876	-47.89	-13	Pass	2001
3000	10000	1	RMS	8901	-38.63	-13	Pass	7001




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.98	-13	Pass	2986
30	814	0.1	RMS	732.8	-63.71	-13	Pass	7841
814	860	0.1	RMS	834.3	19.65	60	Pass	461
860	1000	0.1	RMS	997.9	-63.32	-13	Pass	1401
1000	3000	1	RMS	2869	-47.89	-13	Pass	2001
3000	10000	1	RMS	8902	-38.58	-13	Pass	7001




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.98	-13	Pass	2986
30	814	0.1	RMS	742.9	-63.75	-13	Pass	7841
814	860	0.1	RMS	834.3	18.84	60	Pass	461
860	1000	0.1	RMS	891.5	-63.33	-13	Pass	1401
1000	3000	1	RMS	2870	-47.86	-13	Pass	2001
3000	10000	1	RMS	8903	-38.61	-13	Pass	7001




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.46	-13	Pass	2986
30	814	0.1	RMS	730.5	-63.73	-13	Pass	7841
814	860	0.1	RMS	844.3	19.89	60	Pass	461
860	1000	0.1	RMS	893.3	-63.35	-13	Pass	1401
1000	3000	1	RMS	2869	-47.87	-13	Pass	2001
3000	10000	1	RMS	8908	-38.58	-13	Pass	7001




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.08	-13	Pass	2986
30	814	0.1	RMS	752.2	-63.75	-13	Pass	7841
814	860	0.1	RMS	844.3	19.03	60	Pass	461
860	1000	0.1	RMS	895	-63.35	-13	Pass	1401
1000	3000	1	RMS	2870	-47.9	-13	Pass	2001
3000	10000	1	RMS	8899	-38.61	-13	Pass	7001




16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.59	-13	Pass	2986
30	814	0.1	RMS	814	-53.05	-13	Pass	7841
814	860	0.1	RMS	824.6	19.81	60	Pass	461
860	1000	0.1	RMS	883.9	-63.29	-13	Pass	1401
1000	3000	1	RMS	2875	-47.92	-13	Pass	2001
3000	10000	1	RMS	8903	-38.6	-13	Pass	7001




**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-13	Pass	2986
30	814	0.1	RMS	814	-53.49	-13	Pass	7841
814	860	0.1	RMS	824.6	18.89	60	Pass	461
860	1000	0.1	RMS	887.9	-63.34	-13	Pass	1401
1000	3000	1	RMS	2872	-47.89	-13	Pass	2001
3000	10000	1	RMS	8918	-38.59	-13	Pass	7001




16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.26	-70.85	-13	Pass	2986
30	814	0.1	RMS	741.4	-63.63	-13	Pass	7841
814	860	0.1	RMS	832.1	20.02	60	Pass	461
860	1000	0.1	RMS	879.4	-63.21	-13	Pass	1401
1000	3000	1	RMS	2881	-47.92	-13	Pass	2001
3000	10000	1	RMS	8903	-38.54	-13	Pass	7001




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	Pass	2986
30	814	0.1	RMS	814	-63.64	-13	Pass	7841
814	860	0.1	RMS	832.1	19.05	60	Pass	461
860	1000	0.1	RMS	891.8	-63.34	-13	Pass	1401
1000	3000	1	RMS	2873	-47.86	-13	Pass	2001
3000	10000	1	RMS	8910	-38.6	-13	Pass	7001




16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.95	-13	Pass	2986
30	814	0.1	RMS	739.3	-63.65	-13	Pass	7841
814	860	0.1	RMS	839.6	20.21	60	Pass	461
860	1000	0.1	RMS	905.4	-63.31	-13	Pass	1401
1000	3000	1	RMS	2869	-47.88	-13	Pass	2001
3000	10000	1	RMS	8910	-38.59	-13	Pass	7001




**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.88	-13	Pass	2986
30	814	0.1	RMS	752.5	-63.55	-13	Pass	7841
814	860	0.1	RMS	839.6	19.28	60	Pass	461
860	1000	0.1	RMS	889.1	-63.26	-13	Pass	1401
1000	3000	1	RMS	2871	-47.89	-13	Pass	2001
3000	10000	1	RMS	8906	-38.52	-13	Pass	7001




16.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.04	-13	Pass	2986
30	814	0.1	RMS	811.5	-49.68	-13	Pass	7841
814	860	0.1	RMS	824.8	19.41	60	Pass	461
860	1000	0.1	RMS	872.2	-63.35	-13	Pass	1401
1000	3000	1	RMS	2880	-47.88	-13	Pass	2001
3000	10000	1	RMS	8900	-38.61	-13	Pass	7001




**16.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.79	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.95	-13	Pass	2986
30	814	0.1	RMS	811.5	-51.71	-13	Pass	7841
814	860	0.1	RMS	824.8	18.41	60	Pass	461
860	1000	0.1	RMS	899.7	-63.36	-13	Pass	1401
1000	3000	1	RMS	2874	-47.91	-13	Pass	2001
3000	10000	1	RMS	8906	-38.59	-13	Pass	7001




16.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-13	Pass	2986
30	814	0.1	RMS	813.6	-59.16	-13	Pass	7841
814	860	0.1	RMS	829.8	19.5	60	Pass	461
860	1000	0.1	RMS	998.3	-63.36	-13	Pass	1401
1000	3000	1	RMS	2869	-47.85	-13	Pass	2001
3000	10000	1	RMS	8898	-38.56	-13	Pass	7001




**16.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.32	-13	Pass	2986
30	814	0.1	RMS	814	-59.23	-13	Pass	7841
814	860	0.1	RMS	829.8	18.48	60	Pass	461
860	1000	0.1	RMS	893.6	-63.42	-13	Pass	1401
1000	3000	1	RMS	2872	-47.89	-13	Pass	2001
3000	10000	1	RMS	8912	-38.67	-13	Pass	7001




**16.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	Pass	2986
30	814	0.1	RMS	808.2	-60.51	-13	Pass	7841
814	860	0.1	RMS	834.8	19.47	60	Pass	461
860	1000	0.1	RMS	877.9	-63.39	-13	Pass	1401
1000	3000	1	RMS	2877	-47.87	-13	Pass	2001
3000	10000	1	RMS	8900	-38.6	-13	Pass	7001



**16.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.07	-13	Pass	2986
30	814	0.1	RMS	808.3	-60.9	-13	Pass	7841
814	860	0.1	RMS	834.8	18.71	60	Pass	461
860	1000	0.1	RMS	897.9	-63.34	-13	Pass	1401
1000	3000	1	RMS	2868	-47.86	-13	Pass	2001
3000	10000	1	RMS	8907	-38.58	-13	Pass	7001



17. LTE_Band26(part90)


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.58	-13	Pass	401
0.15	30	0.01	Peak	0.16	-60.77	-13	Pass	2986
30	809	0.1	Peak	808.5	-51.23	-13	Pass	7791
809	829	0.1	Peak	814.25	24.44	60	Pass	401
829	1000	0.1	Peak	995.8	-52.58	-13	Pass	1711
1000	3000	1	Peak	2862	-36.08	-13	Pass	2001
3000	10000	1	Peak	8927	-26.78	-13	Pass	7001




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.26	-13	Pass	401
0.15	30	0.01	Peak	0.22	-62.74	-13	Pass	2986
30	809	0.1	Peak	809	-50.44	-13	Pass	7791
809	829	0.1	Peak	814.25	24.85	60	Pass	401
829	1000	0.1	Peak	926.5	-52.22	-13	Pass	1711
1000	3000	1	Peak	2856	-36.76	-13	Pass	2001
3000	10000	1	Peak	8838	-26.57	-13	Pass	7001




17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.65	-13	Pass	401
0.15	30	0.01	Peak	0.23	-62.89	-13	Pass	2986
30	809	0.1	Peak	744.7	-52.2	-13	Pass	7791
809	829	0.1	Peak	818.55	24.76	60	Pass	401
829	1000	0.1	Peak	917.3	-52.19	-13	Pass	1711
1000	3000	1	Peak	2876	-36.49	-13	Pass	2001
3000	10000	1	Peak	8964	-26.89	-13	Pass	7001




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.58	-13	Pass	401
0.15	30	0.01	Peak	0.27	-63.47	-13	Pass	2986
30	809	0.1	Peak	808	-52.95	-13	Pass	7791
809	829	0.1	Peak	818.6	24.92	60	Pass	401
829	1000	0.1	Peak	868.4	-52.21	-13	Pass	1711
1000	3000	1	Peak	2881	-36.08	-13	Pass	2001
3000	10000	1	Peak	8951	-27	-13	Pass	7001




17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.09	-13	Pass	2986
30	809	0.1	Peak	766.8	-52.88	-13	Pass	7791
809	829	0.1	Peak	822.9	24.53	60	Pass	401
829	1000	0.1	Peak	830.2	-49.16	-13	Pass	1711
1000	3000	1	Peak	2878	-36.19	-13	Pass	2001
3000	10000	1	Peak	8930	-26.67	-13	Pass	7001




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.19	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.67	-13	Pass	2986
30	809	0.1	Peak	800.1	-52.63	-13	Pass	7791
809	829	0.1	Peak	822.85	24.67	60	Pass	401
829	1000	0.1	Peak	829.4	-49.86	-13	Pass	1711
1000	3000	1	Peak	2866	-36.91	-13	Pass	2001
3000	10000	1	Peak	9033	-26.58	-13	Pass	7001




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.48	-13	Pass	401
0.15	30	0.01	Peak	0.24	-62.5	-13	Pass	2986
30	809	0.1	Peak	809	-39.9	-13	Pass	7791
809	829	0.1	Peak	814.3	24.1	60	Pass	401
829	1000	0.1	Peak	986.8	-52.37	-13	Pass	1711
1000	3000	1	Peak	2873	-36.46	-13	Pass	2001
3000	10000	1	Peak	8911	-27.13	-13	Pass	7001




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.2	-13	Pass	401
0.15	30	0.01	Peak	0.17	-62.48	-13	Pass	2986
30	809	0.1	Peak	809	-38.86	-13	Pass	7791
809	829	0.1	Peak	814.2	24.65	60	Pass	401
829	1000	0.1	Peak	891.2	-52.69	-13	Pass	1711
1000	3000	1	Peak	2930	-36.68	-13	Pass	2001
3000	10000	1	Peak	8914	-26.7	-13	Pass	7001




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.82	-13	Pass	401
0.15	30	0.01	Peak	0.22	-62.45	-13	Pass	2986
30	809	0.1	Peak	704.5	-53.13	-13	Pass	7791
809	829	0.1	Peak	817.75	24.69	60	Pass	401
829	1000	0.1	Peak	830.8	-49.16	-13	Pass	1711
1000	3000	1	Peak	2873	-35.32	-13	Pass	2001
3000	10000	1	Peak	8895	-26.86	-13	Pass	7001




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.02	-13	Pass	2986
30	809	0.1	Peak	809	-52.75	-13	Pass	7791
809	829	0.1	Peak	817.75	24.85	60	Pass	401
829	1000	0.1	Peak	830.8	-48.33	-13	Pass	1711
1000	3000	1	Peak	2803	-36.46	-13	Pass	2001
3000	10000	1	Peak	9000	-26.56	-13	Pass	7001




**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.81	-13	Pass	401
0.15	30	0.01	Peak	0.23	-62.83	-13	Pass	2986
30	809	0.1	Peak	743.9	-51.66	-13	Pass	7791
809	829	0.1	Peak	821.25	24.87	60	Pass	401
829	1000	0.1	Peak	829.6	-46.43	-13	Pass	1711
1000	3000	1	Peak	2878	-36.5	-13	Pass	2001
3000	10000	1	Peak	8943	-26.71	-13	Pass	7001




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-65.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.2	-13	Pass	2986
30	809	0.1	Peak	726.3	-52.13	-13	Pass	7791
809	829	0.1	Peak	821.25	25	60	Pass	401
829	1000	0.1	Peak	829.1	-46.27	-13	Pass	1711
1000	3000	1	Peak	2880	-36.68	-13	Pass	2001
3000	10000	1	Peak	9042	-27.26	-13	Pass	7001




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.72	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.81	-13	Pass	2986
30	809	0.1	Peak	809	-46.54	-13	Pass	7791
809	829	0.1	Peak	814.3	24.77	60	Pass	401
829	1000	0.1	Peak	876.9	-52.48	-13	Pass	1711
1000	3000	1	Peak	2882	-36.05	-13	Pass	2001
3000	10000	1	Peak	8932	-27.05	-13	Pass	7001




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.66	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.55	-13	Pass	2986
30	809	0.1	Peak	809	-45.63	-13	Pass	7791
809	829	0.1	Peak	814.3	25.2	60	Pass	401
829	1000	0.1	Peak	839.3	-52.17	-13	Pass	1711
1000	3000	1	Peak	2904	-36.49	-13	Pass	2001
3000	10000	1	Peak	8918	-27.08	-13	Pass	7001




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.91	-13	Pass	401
0.15	30	0.01	Peak	0.21	-62.97	-13	Pass	2986
30	809	0.1	Peak	808.3	-50.03	-13	Pass	7791
809	829	0.1	Peak	816.85	25.01	60	Pass	401
829	1000	0.1	Peak	883.8	-52.35	-13	Pass	1711
1000	3000	1	Peak	2874	-36.39	-13	Pass	2001
3000	10000	1	Peak	8996	-26.43	-13	Pass	7001




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.91	-13	Pass	401
0.15	30	0.01	Peak	0.18	-61.5	-13	Pass	2986
30	809	0.1	Peak	808.4	-50.4	-13	Pass	7791
809	829	0.1	Peak	816.8	25.07	60	Pass	401
829	1000	0.1	Peak	922.2	-51.25	-13	Pass	1711
1000	3000	1	Peak	2869	-36.24	-13	Pass	2001
3000	10000	1	Peak	8987	-27.1	-13	Pass	7001




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.54	-13	Pass	401
0.15	30	0.01	Peak	0.24	-62.76	-13	Pass	2986
30	809	0.1	Peak	723	-52.94	-13	Pass	7791
809	829	0.1	Peak	819.3	24.84	60	Pass	401
829	1000	0.1	Peak	829	-48.27	-13	Pass	1711
1000	3000	1	Peak	2879	-36.04	-13	Pass	2001
3000	10000	1	Peak	8958	-27.03	-13	Pass	7001




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.74	-13	Pass	401
0.15	30	0.01	Peak	0.17	-62.61	-13	Pass	2986
30	809	0.1	Peak	780	-52.05	-13	Pass	7791
809	829	0.1	Peak	819.3	25.04	60	Pass	401
829	1000	0.1	Peak	829	-49.1	-13	Pass	1711
1000	3000	1	Peak	2986	-36.48	-13	Pass	2001
3000	10000	1	Peak	9018	-27	-13	Pass	7001




17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.73	-13	Pass	401
0.15	30	0.01	Peak	0.3	-62.38	-13	Pass	2986
30	809	0.1	Peak	808.7	-39.5	-13	Pass	7791
809	829	0.1	Peak	814.55	25.01	60	Pass	401
829	1000	0.1	Peak	830	-33.31	-13	Pass	1711
1000	3000	1	Peak	2874	-36.77	-13	Pass	2001
3000	10000	1	Peak	8900	-26.57	-13	Pass	7001



**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.67	-13	Pass	401
0.15	30	0.01	Peak	0.23	-62.7	-13	Pass	2986
30	809	0.1	Peak	807.9	-40.11	-13	Pass	7791
809	829	0.1	Peak	814.55	24.87	60	Pass	401
829	1000	0.1	Peak	830	-32.69	-13	Pass	1711
1000	3000	1	Peak	2865	-36.3	-13	Pass	2001
3000	10000	1	Peak	8928	-26.88	-13	Pass	7001



18. LTE_Band66


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.69	-13	Pass	2986
30	1000	0.1	RMS	894.23	-63.26	-13	Pass	9701
1000	1700	1	RMS	1700	-51.94	-13	Pass	701
1700	1790	1	RMS	1710.125	22.66	60	Pass	401
1790	3000	1	RMS	2881	-47.92	-13	Pass	1211
3000	12000	1	RMS	11500	-38.36	-13	Pass	9002
12000	20000	1	RMS	18294	-29.61	-13	Pass	8001




18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	Pass	2986
30	1000	0.1	RMS	902.936	-63.39	-13	Pass	9701
1000	1700	1	RMS	1700	-52.06	-13	Pass	701
1700	1790	1	RMS	1710.125	21.67	60	Pass	401
1790	3000	1	RMS	2871	-47.84	-13	Pass	1211
3000	12000	1	RMS	11502	-38.46	-13	Pass	9002
12000	20000	1	RMS	18280	-29.66	-13	Pass	8001




18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.25	-13	Pass	2986
30	1000	0.1	RMS	879.02	-63.37	-13	Pass	9701
1000	1700	1	RMS	1681	-52.17	-13	Pass	701
1700	1790	1	RMS	1744.325	22.62	60	Pass	401
1790	3000	1	RMS	2881	-47.86	-13	Pass	1211
3000	12000	1	RMS	11503	-38.43	-13	Pass	9002
12000	20000	1	RMS	18296	-29.67	-13	Pass	8001




18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.07	-13	Pass	2986
30	1000	0.1	RMS	890.127	-63.17	-13	Pass	9701
1000	1700	1	RMS	1698	-52.13	-13	Pass	701
1700	1790	1	RMS	1744.55	21.63	60	Pass	401
1790	3000	1	RMS	2874	-47.84	-13	Pass	1211
3000	12000	1	RMS	11497	-38.36	-13	Pass	9002
12000	20000	1	RMS	18254	-29.56	-13	Pass	8001




**18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.4	-13	Pass	2986
30	1000	0.1	RMS	896.832	-63.32	-13	Pass	9701
1000	1700	1	RMS	1681	-52.16	-13	Pass	701
1700	1790	1	RMS	1778.75	22.85	60	Pass	401
1790	3000	1	RMS	2877	-47.89	-13	Pass	1211
3000	12000	1	RMS	11505	-38.37	-13	Pass	9002
12000	20000	1	RMS	18301	-29.59	-13	Pass	8001




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2986
30	1000	0.1	RMS	994.496	-63.31	-13	Pass	9701
1000	1700	1	RMS	1698	-52.18	-13	Pass	701
1700	1790	1	RMS	1778.75	21.94	60	Pass	401
1790	3000	1	RMS	2874	-47.89	-13	Pass	1211
3000	12000	1	RMS	11501	-38.38	-13	Pass	9002
12000	20000	1	RMS	18304	-29.59	-13	Pass	8001




18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.45	-13	Pass	2986
30	1000	0.1	RMS	999.5	-63.21	-13	Pass	9701
1000	1700	1	RMS	1700	-51.74	-13	Pass	701
1700	1790	1	RMS	1710.125	22.55	60	Pass	401
1790	3000	1	RMS	2872	-47.83	-13	Pass	1211
3000	12000	1	RMS	11494	-38.35	-13	Pass	9002
12000	20000	1	RMS	19907	-29.54	-13	Pass	8001




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.15	-13	Pass	2986
30	1000	0.1	RMS	899.233	-63.37	-13	Pass	9701
1000	1700	1	RMS	1700	-51.8	-13	Pass	701
1700	1790	1	RMS	1710.125	21.68	60	Pass	401
1790	3000	1	RMS	2875	-47.9	-13	Pass	1211
3000	12000	1	RMS	11501	-38.4	-13	Pass	9002
12000	20000	1	RMS	18287	-29.58	-13	Pass	8001




18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.97	-13	Pass	2986
30	1000	0.1	RMS	886.225	-63.42	-13	Pass	9701
1000	1700	1	RMS	1686	-52.14	-13	Pass	701
1700	1790	1	RMS	1743.65	22.64	60	Pass	401
1790	3000	1	RMS	2870	-47.82	-13	Pass	1211
3000	12000	1	RMS	11496	-38.47	-13	Pass	9002
12000	20000	1	RMS	18243	-29.62	-13	Pass	8001




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.54	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.24	-13	Pass	2986
30	1000	0.1	RMS	889.327	-63.37	-13	Pass	9701
1000	1700	1	RMS	1700	-52.16	-13	Pass	701
1700	1790	1	RMS	1743.65	21.6	60	Pass	401
1790	3000	1	RMS	2877	-47.88	-13	Pass	1211
3000	12000	1	RMS	11501	-38.38	-13	Pass	9002
12000	20000	1	RMS	18284	-29.6	-13	Pass	8001




18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-13	Pass	2986
30	1000	0.1	RMS	890.027	-63.35	-13	Pass	9701
1000	1700	1	RMS	1697	-52.15	-13	Pass	701
1700	1790	1	RMS	1777.175	22.72	60	Pass	401
1790	3000	1	RMS	2871	-47.89	-13	Pass	1211
3000	12000	1	RMS	11500	-38.37	-13	Pass	9002
12000	20000	1	RMS	18304	-29.64	-13	Pass	8001




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.57	-13	Pass	2986
30	1000	0.1	RMS	903.536	-63.25	-13	Pass	9701
1000	1700	1	RMS	1699	-52.15	-13	Pass	701
1700	1790	1	RMS	1777.175	21.78	60	Pass	401
1790	3000	1	RMS	2871	-47.9	-13	Pass	1211
3000	12000	1	RMS	11500	-38.37	-13	Pass	9002
12000	20000	1	RMS	18288	-29.61	-13	Pass	8001




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-13	Pass	2986
30	1000	0.1	RMS	884.624	-63.28	-13	Pass	9701
1000	1700	1	RMS	1700	-51.92	-13	Pass	701
1700	1790	1	RMS	1710.125	22.66	60	Pass	401
1790	3000	1	RMS	2876	-47.88	-13	Pass	1211
3000	12000	1	RMS	11504	-38.46	-13	Pass	9002
12000	20000	1	RMS	18287	-29.62	-13	Pass	8001




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.08	-13	Pass	2986
30	1000	0.1	RMS	936.558	-63.3	-13	Pass	9701
1000	1700	1	RMS	1700	-51.94	-13	Pass	701
1700	1790	1	RMS	1710.125	21.7	60	Pass	401
1790	3000	1	RMS	2870	-47.84	-13	Pass	1211
3000	12000	1	RMS	11494	-38.4	-13	Pass	9002
12000	20000	1	RMS	18281	-29.53	-13	Pass	8001




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.02	-13	Pass	2986
30	1000	0.1	RMS	908.139	-63.32	-13	Pass	9701
1000	1700	1	RMS	1689	-52.13	-13	Pass	701
1700	1790	1	RMS	1742.75	22.78	60	Pass	401
1790	3000	1	RMS	2871	-47.9	-13	Pass	1211
3000	12000	1	RMS	11484	-38.41	-13	Pass	9002
12000	20000	1	RMS	18298	-29.6	-13	Pass	8001




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.17	-13	Pass	2986
30	1000	0.1	RMS	880.721	-63.2	-13	Pass	9701
1000	1700	1	RMS	1696	-52.19	-13	Pass	701
1700	1790	1	RMS	1742.75	21.99	60	Pass	401
1790	3000	1	RMS	2869	-47.93	-13	Pass	1211
3000	12000	1	RMS	11502	-38.42	-13	Pass	9002
12000	20000	1	RMS	18276	-29.61	-13	Pass	8001




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.58	-13	Pass	2986
30	1000	0.1	RMS	898.933	-63.38	-13	Pass	9701
1000	1700	1	RMS	1700	-52.13	-13	Pass	701
1700	1790	1	RMS	1775.15	22.94	60	Pass	401
1790	3000	1	RMS	2879	-47.89	-13	Pass	1211
3000	12000	1	RMS	11846	-38.4	-13	Pass	9002
12000	20000	1	RMS	18285	-29.64	-13	Pass	8001




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2986
30	1000	0.1	RMS	901.535	-63.28	-13	Pass	9701
1000	1700	1	RMS	1697	-52.1	-13	Pass	701
1700	1790	1	RMS	1775.15	22.16	60	Pass	401
1790	3000	1	RMS	2876	-47.95	-13	Pass	1211
3000	12000	1	RMS	11484	-38.44	-13	Pass	9002
12000	20000	1	RMS	18291	-29.58	-13	Pass	8001




18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-13	Pass	2986
30	1000	0.1	RMS	880.621	-63.37	-13	Pass	9701
1000	1700	1	RMS	1700	-48.39	-13	Pass	701
1700	1790	1	RMS	1710.575	22.74	60	Pass	401
1790	3000	1	RMS	2879	-47.89	-13	Pass	1211
3000	12000	1	RMS	11503	-38.42	-13	Pass	9002
12000	20000	1	RMS	19904	-29.62	-13	Pass	8001




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.1	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.26	-13	Pass	2986
30	1000	0.1	RMS	882.422	-63.32	-13	Pass	9701
1000	1700	1	RMS	1700	-48.77	-13	Pass	701
1700	1790	1	RMS	1710.575	21.87	60	Pass	401
1790	3000	1	RMS	2874	-47.84	-13	Pass	1211
3000	12000	1	RMS	11497	-38.4	-13	Pass	9002
12000	20000	1	RMS	18278	-29.66	-13	Pass	8001




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.76	-13	Pass	2986
30	1000	0.1	RMS	856.605	-63.36	-13	Pass	9701
1000	1700	1	RMS	1681	-52.17	-13	Pass	701
1700	1790	1	RMS	1740.5	22.84	60	Pass	401
1790	3000	1	RMS	2874	-47.79	-13	Pass	1211
3000	12000	1	RMS	11504	-38.42	-13	Pass	9002
12000	20000	1	RMS	18289	-29.6	-13	Pass	8001




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.45	-13	Pass	2986
30	1000	0.1	RMS	903.436	-63.3	-13	Pass	9701
1000	1700	1	RMS	1681	-52.16	-13	Pass	701
1700	1790	1	RMS	1740.5	21.8	60	Pass	401
1790	3000	1	RMS	2868	-47.88	-13	Pass	1211
3000	12000	1	RMS	11489	-38.44	-13	Pass	9002
12000	20000	1	RMS	18301	-29.59	-13	Pass	8001




18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.39	-13	Pass	2986
30	1000	0.1	RMS	894.83	-63.33	-13	Pass	9701
1000	1700	1	RMS	1681	-52.15	-13	Pass	701
1700	1790	1	RMS	1770.425	23.12	60	Pass	401
1790	3000	1	RMS	2870	-47.85	-13	Pass	1211
3000	12000	1	RMS	11495	-38.41	-13	Pass	9002
12000	20000	1	RMS	18288	-29.54	-13	Pass	8001




**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.14	-13	Pass	2986
30	1000	0.1	RMS	906.938	-63.31	-13	Pass	9701
1000	1700	1	RMS	1677	-52.19	-13	Pass	701
1700	1790	1	RMS	1770.425	22.17	60	Pass	401
1790	3000	1	RMS	2873	-47.85	-13	Pass	1211
3000	12000	1	RMS	11501	-38.39	-13	Pass	9002
12000	20000	1	RMS	18274	-29.62	-13	Pass	8001




18.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.4	-13	Pass	2986
30	1000	0.1	RMS	853.003	-63.13	-13	Pass	9701
1000	1700	1	RMS	1700	-42.65	-13	Pass	701
1700	1790	1	RMS	1710.8	22.73	60	Pass	401
1790	3000	1	RMS	2872	-47.88	-13	Pass	1211
3000	12000	1	RMS	11494	-38.37	-13	Pass	9002
12000	20000	1	RMS	18294	-29.61	-13	Pass	8001




**18.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	Pass	2986
30	1000	0.1	RMS	893.73	-63.35	-13	Pass	9701
1000	1700	1	RMS	1698	-44.08	-13	Pass	701
1700	1790	1	RMS	1710.8	21.83	60	Pass	401
1790	3000	1	RMS	2869	-47.85	-13	Pass	1211
3000	12000	1	RMS	11504	-38.47	-13	Pass	9002
12000	20000	1	RMS	18270	-29.58	-13	Pass	8001




**18.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.91	-13	Pass	2986
30	1000	0.1	RMS	896.932	-63.39	-13	Pass	9701
1000	1700	1	RMS	1693	-52.17	-13	Pass	701
1700	1790	1	RMS	1738.25	22.75	60	Pass	401
1790	3000	1	RMS	2877	-47.89	-13	Pass	1211
3000	12000	1	RMS	11494	-38.43	-13	Pass	9002
12000	20000	1	RMS	18301	-29.61	-13	Pass	8001




**18.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.5	-13	Pass	2986
30	1000	0.1	RMS	912.442	-63.32	-13	Pass	9701
1000	1700	1	RMS	1682	-52.19	-13	Pass	701
1700	1790	1	RMS	1738.25	21.76	60	Pass	401
1790	3000	1	RMS	2874	-47.89	-13	Pass	1211
3000	12000	1	RMS	11497	-38.49	-13	Pass	9002
12000	20000	1	RMS	18254	-29.58	-13	Pass	8001




**18.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.71	-13	Pass	2986
30	1000	0.1	RMS	893.73	-63.22	-13	Pass	9701
1000	1700	1	RMS	1681	-52.17	-13	Pass	701
1700	1790	1	RMS	1765.7	23.1	60	Pass	401
1790	3000	1	RMS	1792	-34.52	-13	Pass	1211
3000	12000	1	RMS	11495	-38.37	-13	Pass	9002
12000	20000	1	RMS	19906	-29.61	-13	Pass	8001



**18.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.88	-13	Pass	2986
30	1000	0.1	RMS	893.93	-63.24	-13	Pass	9701
1000	1700	1	RMS	1680	-52.14	-13	Pass	701
1700	1790	1	RMS	1765.7	22.22	60	Pass	401
1790	3000	1	RMS	1792	-35.58	-13	Pass	1211
3000	12000	1	RMS	11501	-38.38	-13	Pass	9002
12000	20000	1	RMS	18300	-29.61	-13	Pass	8001



18.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-13	Pass	2986
30	1000	0.1	RMS	997.098	-63.28	-13	Pass	9701
1000	1700	1	RMS	1700	-43.82	-13	Pass	701
1700	1790	1	RMS	1711.025	22.66	60	Pass	401
1790	3000	1	RMS	2870	-47.83	-13	Pass	1211
3000	12000	1	RMS	11498	-38.44	-13	Pass	9002
12000	20000	1	RMS	18300	-29.6	-13	Pass	8001

