

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
n38	15	5	514500	12@6	DFT_BPSK	23.85	23.35	33	PASS
n38	15	5	514500	1@1	DFT_BPSK	23.92	23.42	33	PASS
n38	15	5	514500	1@23	DFT_BPSK	23.89	23.39	33	PASS
n38	15	5	514500	12@6	DFT_QPSK	23.84	23.34	33	PASS
n38	15	5	514500	1@1	DFT_QPSK	23.80	23.3	33	PASS
n38	15	5	514500	1@23	DFT_QPSK	23.76	23.26	33	PASS
n38	15	5	514500	12@6	DFT_QAM16	22.96	22.46	33	PASS
n38	15	5	514500	1@1	DFT_QAM16	23.09	22.59	33	PASS
n38	15	5	514500	1@23	DFT_QAM16	22.81	22.31	33	PASS
n38	15	5	514500	12@6	DFT_QAM64	21.38	20.88	33	PASS
n38	15	5	514500	1@1	DFT_QAM64	21.70	21.2	33	PASS
n38	15	5	514500	1@23	DFT_QAM64	21.35	20.85	33	PASS
n38	15	5	514500	12@6	DFT_QAM256	19.40	18.9	33	PASS
n38	15	5	514500	1@1	DFT_QAM256	19.42	18.92	33	PASS
n38	15	5	514500	1@23	DFT_QAM256	19.44	18.94	33	PASS
n38	15	5	514500	13@6	CP_QPSK	22.37	21.87	33	PASS
n38	15	5	514500	1@1	CP_QPSK	22.32	21.82	33	PASS
n38	15	5	514500	1@23	CP_QPSK	22.32	21.82	33	PASS
n38	15	5	514500	13@6	CP_QAM16	21.94	21.44	33	PASS
n38	15	5	514500	1@1	CP_QAM16	21.89	21.39	33	PASS
n38	15	5	514500	1@23	CP_QAM16	21.85	21.35	33	PASS
n38	15	5	514500	13@6	CP_QAM64	20.27	19.77	33	PASS
n38	15	5	514500	1@1	CP_QAM64	20.64	20.14	33	PASS
n38	15	5	514500	1@23	CP_QAM64	20.61	20.11	33	PASS
n38	15	5	514500	13@6	CP_QAM256	17.36	16.86	33	PASS
n38	15	5	514500	1@1	CP_QAM256	17.62	17.12	33	PASS
n38	15	5	514500	1@23	CP_QAM256	17.63	17.13	33	PASS
n38	15	5	518500	12@6	DFT_BPSK	24.07	23.57	33	PASS
n38	15	5	518500	1@1	DFT_BPSK	24.05	23.55	33	PASS
n38	15	5	518500	1@23	DFT_BPSK	24.04	23.54	33	PASS
n38	15	5	518500	12@6	DFT_QPSK	24.07	23.57	33	PASS
n38	15	5	518500	1@1	DFT_QPSK	23.86	23.36	33	PASS
n38	15	5	518500	1@23	DFT_QPSK	23.79	23.29	33	PASS
n38	15	5	518500	12@6	DFT_QAM16	23.13	22.63	33	PASS
n38	15	5	518500	1@1	DFT_QAM16	22.87	22.37	33	PASS
n38	15	5	518500	1@23	DFT_QAM16	22.97	22.47	33	PASS
n38	15	5	518500	12@6	DFT_QAM64	21.55	21.05	33	PASS
n38	15	5	518500	1@1	DFT_QAM64	21.49	20.99	33	PASS
n38	15	5	518500	1@23	DFT_QAM64	21.83	21.33	33	PASS

n38	15	5	518500	12@6	DFT_QAM256	19.58	19.08	33	PASS
n38	15	5	518500	1@1	DFT_QAM256	19.55	19.05	33	PASS
n38	15	5	518500	1@23	DFT_QAM256	19.73	19.23	33	PASS
n38	15	5	518500	13@6	CP_QPSK	22.49	21.99	33	PASS
n38	15	5	518500	1@1	CP_QPSK	22.39	21.89	33	PASS
n38	15	5	518500	1@23	CP_QPSK	22.46	21.96	33	PASS
n38	15	5	518500	13@6	CP_QAM16	22.04	21.54	33	PASS
n38	15	5	518500	1@1	CP_QAM16	21.98	21.48	33	PASS
n38	15	5	518500	1@23	CP_QAM16	22.00	21.5	33	PASS
n38	15	5	518500	13@6	CP_QAM64	20.46	19.96	33	PASS
n38	15	5	518500	1@1	CP_QAM64	20.79	20.29	33	PASS
n38	15	5	518500	1@23	CP_QAM64	20.63	20.13	33	PASS
n38	15	5	518500	13@6	CP_QAM256	17.47	16.97	33	PASS
n38	15	5	518500	1@1	CP_QAM256	17.72	17.22	33	PASS
n38	15	5	518500	1@23	CP_QAM256	17.69	17.19	33	PASS
n38	15	5	523500	12@6	DFT_BPSK	24.06	23.56	33	PASS
n38	15	5	523500	1@1	DFT_BPSK	24.01	23.51	33	PASS
n38	15	5	523500	1@23	DFT_BPSK	24.01	23.51	33	PASS
n38	15	5	523500	12@6	DFT_QPSK	23.98	23.48	33	PASS
n38	15	5	523500	1@1	DFT_QPSK	23.86	23.36	33	PASS
n38	15	5	523500	1@23	DFT_QPSK	23.84	23.34	33	PASS
n38	15	5	523500	12@6	DFT_QAM16	23.14	22.64	33	PASS
n38	15	5	523500	1@1	DFT_QAM16	22.89	22.39	33	PASS
n38	15	5	523500	1@23	DFT_QAM16	23.16	22.66	33	PASS
n38	15	5	523500	12@6	DFT_QAM64	21.53	21.03	33	PASS
n38	15	5	523500	1@1	DFT_QAM64	21.46	20.96	33	PASS
n38	15	5	523500	1@23	DFT_QAM64	21.41	20.91	33	PASS
n38	15	5	523500	12@6	DFT_QAM256	19.56	19.06	33	PASS
n38	15	5	523500	1@1	DFT_QAM256	19.68	19.18	33	PASS
n38	15	5	523500	1@23	DFT_QAM256	19.52	19.02	33	PASS
n38	15	5	523500	13@6	CP_QPSK	22.46	21.96	33	PASS
n38	15	5	523500	1@1	CP_QPSK	22.44	21.94	33	PASS
n38	15	5	523500	1@23	CP_QPSK	22.45	21.95	33	PASS
n38	15	5	523500	13@6	CP_QAM16	21.97	21.47	33	PASS
n38	15	5	523500	1@1	CP_QAM16	22.03	21.53	33	PASS
n38	15	5	523500	1@23	CP_QAM16	22.02	21.52	33	PASS
n38	15	5	523500	13@6	CP_QAM64	20.62	20.12	33	PASS
n38	15	5	523500	1@1	CP_QAM64	20.74	20.24	33	PASS
n38	15	5	523500	1@23	CP_QAM64	20.71	20.21	33	PASS
n38	15	5	523500	13@6	CP_QAM256	17.55	17.05	33	PASS
n38	15	5	523500	1@1	CP_QAM256	17.73	17.23	33	PASS
n38	15	5	523500	1@23	CP_QAM256	17.73	17.23	33	PASS
n38	15	10	515000	25@12	DFT_BPSK	23.76	23.26	33	PASS
n38	15	10	515000	1@1	DFT_BPSK	23.72	23.22	33	PASS

n38	15	10	515000	1@50	DFT_BPSK	23.72	23.22	33	PASS
n38	15	10	515000	25@12	DFT_QPSK	23.73	23.23	33	PASS
n38	15	10	515000	1@1	DFT_QPSK	23.58	23.08	33	PASS
n38	15	10	515000	1@50	DFT_QPSK	23.51	23.01	33	PASS
n38	15	10	515000	25@12	DFT_QAM16	22.72	22.22	33	PASS
n38	15	10	515000	1@1	DFT_QAM16	22.52	22.02	33	PASS
n38	15	10	515000	1@50	DFT_QAM16	22.86	22.36	33	PASS
n38	15	10	515000	25@12	DFT_QAM64	21.24	20.74	33	PASS
n38	15	10	515000	1@1	DFT_QAM64	21.29	20.79	33	PASS
n38	15	10	515000	1@50	DFT_QAM64	21.25	20.75	33	PASS
n38	15	10	515000	25@12	DFT_QAM256	19.27	18.77	33	PASS
n38	15	10	515000	1@1	DFT_QAM256	19.20	18.7	33	PASS
n38	15	10	515000	1@50	DFT_QAM256	19.23	18.73	33	PASS
n38	15	10	515000	26@13	CP_QPSK	22.14	21.64	33	PASS
n38	15	10	515000	1@1	CP_QPSK	22.13	21.63	33	PASS
n38	15	10	515000	1@50	CP_QPSK	22.19	21.69	33	PASS
n38	15	10	515000	26@13	CP_QAM16	21.67	21.17	33	PASS
n38	15	10	515000	1@1	CP_QAM16	21.70	21.2	33	PASS
n38	15	10	515000	1@50	CP_QAM16	21.70	21.2	33	PASS
n38	15	10	515000	26@13	CP_QAM64	20.27	19.77	33	PASS
n38	15	10	515000	1@1	CP_QAM64	20.54	20.04	33	PASS
n38	15	10	515000	1@50	CP_QAM64	20.41	19.91	33	PASS
n38	15	10	515000	26@13	CP_QAM256	17.21	16.71	33	PASS
n38	15	10	515000	1@1	CP_QAM256	17.34	16.84	33	PASS
n38	15	10	515000	1@50	CP_QAM256	17.40	16.9	33	PASS
n38	15	10	519000	25@12	DFT_BPSK	23.32	22.82	33	PASS
n38	15	10	519000	1@1	DFT_BPSK	23.84	23.34	33	PASS
n38	15	10	519000	1@50	DFT_BPSK	23.68	23.18	33	PASS
n38	15	10	519000	25@12	DFT_QPSK	23.76	23.26	33	PASS
n38	15	10	519000	1@1	DFT_QPSK	23.57	23.07	33	PASS
n38	15	10	519000	1@50	DFT_QPSK	23.50	23	33	PASS
n38	15	10	519000	25@12	DFT_QAM16	22.74	22.24	33	PASS
n38	15	10	519000	1@1	DFT_QAM16	22.81	22.31	33	PASS
n38	15	10	519000	1@50	DFT_QAM16	22.88	22.38	33	PASS
n38	15	10	519000	25@12	DFT_QAM64	21.26	20.76	33	PASS
n38	15	10	519000	1@1	DFT_QAM64	21.29	20.79	33	PASS
n38	15	10	519000	1@50	DFT_QAM64	21.16	20.66	33	PASS
n38	15	10	519000	25@12	DFT_QAM256	19.29	18.79	33	PASS
n38	15	10	519000	1@1	DFT_QAM256	19.51	19.01	33	PASS
n38	15	10	519000	1@50	DFT_QAM256	19.43	18.93	33	PASS
n38	15	10	519000	26@13	CP_QPSK	22.24	21.74	33	PASS
n38	15	10	519000	1@1	CP_QPSK	22.18	21.68	33	PASS
n38	15	10	519000	1@50	CP_QPSK	22.13	21.63	33	PASS
n38	15	10	519000	26@13	CP_QAM16	21.70	21.2	33	PASS

n38	15	10	519000	1@1	CP_QAM16	21.67	21.17	33	PASS
n38	15	10	519000	1@50	CP_QAM16	21.75	21.25	33	PASS
n38	15	10	519000	26@13	CP_QAM64	20.32	19.82	33	PASS
n38	15	10	519000	1@1	CP_QAM64	20.64	20.14	33	PASS
n38	15	10	519000	1@50	CP_QAM64	20.57	20.07	33	PASS
n38	15	10	519000	26@13	CP_QAM256	17.16	16.66	33	PASS
n38	15	10	519000	1@1	CP_QAM256	17.37	16.87	33	PASS
n38	15	10	519000	1@50	CP_QAM256	17.34	16.84	33	PASS
n38	15	10	523000	25@12	DFT_BPSK	23.78	23.28	33	PASS
n38	15	10	523000	1@1	DFT_BPSK	23.66	23.16	33	PASS
n38	15	10	523000	1@50	DFT_BPSK	23.58	23.08	33	PASS
n38	15	10	523000	25@12	DFT_QPSK	23.72	23.22	33	PASS
n38	15	10	523000	1@1	DFT_QPSK	23.53	23.03	33	PASS
n38	15	10	523000	1@50	DFT_QPSK	23.55	23.05	33	PASS
n38	15	10	523000	25@12	DFT_QAM16	22.78	22.28	33	PASS
n38	15	10	523000	1@1	DFT_QAM16	22.73	22.23	33	PASS
n38	15	10	523000	1@50	DFT_QAM16	22.55	22.05	33	PASS
n38	15	10	523000	25@12	DFT_QAM64	21.20	20.7	33	PASS
n38	15	10	523000	1@1	DFT_QAM64	21.63	21.13	33	PASS
n38	15	10	523000	1@50	DFT_QAM64	21.68	21.18	33	PASS
n38	15	10	523000	25@12	DFT_QAM256	19.32	18.82	33	PASS
n38	15	10	523000	1@1	DFT_QAM256	19.32	18.82	33	PASS
n38	15	10	523000	1@50	DFT_QAM256	19.37	18.87	33	PASS
n38	15	10	523000	26@13	CP_QPSK	22.22	21.72	33	PASS
n38	15	10	523000	1@1	CP_QPSK	22.07	21.57	33	PASS
n38	15	10	523000	1@50	CP_QPSK	22.13	21.63	33	PASS
n38	15	10	523000	26@13	CP_QAM16	21.67	21.17	33	PASS
n38	15	10	523000	1@1	CP_QAM16	21.75	21.25	33	PASS
n38	15	10	523000	1@50	CP_QAM16	21.76	21.26	33	PASS
n38	15	10	523000	26@13	CP_QAM64	20.30	19.8	33	PASS
n38	15	10	523000	1@1	CP_QAM64	20.47	19.97	33	PASS
n38	15	10	523000	1@50	CP_QAM64	20.40	19.9	33	PASS
n38	15	10	523000	26@13	CP_QAM256	17.15	16.65	33	PASS
n38	15	10	523000	1@1	CP_QAM256	17.38	16.88	33	PASS
n38	15	10	523000	1@50	CP_QAM256	17.40	16.9	33	PASS
n38	15	15	515500	36@18	DFT_BPSK	23.85	23.35	33	PASS
n38	15	15	515500	1@1	DFT_BPSK	23.71	23.21	33	PASS
n38	15	15	515500	1@77	DFT_BPSK	23.77	23.27	33	PASS
n38	15	15	515500	36@18	DFT_QPSK	23.85	23.35	33	PASS
n38	15	15	515500	1@1	DFT_QPSK	23.51	23.01	33	PASS
n38	15	15	515500	1@77	DFT_QPSK	23.61	23.11	33	PASS
n38	15	15	515500	36@18	DFT_QAM16	22.87	22.37	33	PASS
n38	15	15	515500	1@1	DFT_QAM16	22.61	22.11	33	PASS
n38	15	15	515500	1@77	DFT_QAM16	22.65	22.15	33	PASS

n38	15	15	515500	36@18	DFT_QAM64	21.32	20.82	33	PASS
n38	15	15	515500	1@1	DFT_QAM64	21.51	21.01	33	PASS
n38	15	15	515500	1@77	DFT_QAM64	21.59	21.09	33	PASS
n38	15	15	515500	36@18	DFT_QAM256	19.37	18.87	33	PASS
n38	15	15	515500	1@1	DFT_QAM256	19.38	18.88	33	PASS
n38	15	15	515500	1@77	DFT_QAM256	19.29	18.79	33	PASS
n38	15	15	515500	39@19	CP_QPSK	22.36	21.86	33	PASS
n38	15	15	515500	1@1	CP_QPSK	22.03	21.53	33	PASS
n38	15	15	515500	1@77	CP_QPSK	22.26	21.76	33	PASS
n38	15	15	515500	39@19	CP_QAM16	21.92	21.42	33	PASS
n38	15	15	515500	1@1	CP_QAM16	21.73	21.23	33	PASS
n38	15	15	515500	1@77	CP_QAM16	21.79	21.29	33	PASS
n38	15	15	515500	39@19	CP_QAM64	20.38	19.88	33	PASS
n38	15	15	515500	1@1	CP_QAM64	20.42	19.92	33	PASS
n38	15	15	515500	1@77	CP_QAM64	20.56	20.06	33	PASS
n38	15	15	515500	39@19	CP_QAM256	17.31	16.81	33	PASS
n38	15	15	515500	1@1	CP_QAM256	17.43	16.93	33	PASS
n38	15	15	515500	1@77	CP_QAM256	17.53	17.03	33	PASS
n38	15	15	519000	36@18	DFT_BPSK	23.89	23.39	33	PASS
n38	15	15	519000	1@1	DFT_BPSK	23.74	23.24	33	PASS
n38	15	15	519000	1@77	DFT_BPSK	23.83	23.33	33	PASS
n38	15	15	519000	36@18	DFT_QPSK	23.93	23.43	33	PASS
n38	15	15	519000	1@1	DFT_QPSK	23.68	23.18	33	PASS
n38	15	15	519000	1@77	DFT_QPSK	23.60	23.1	33	PASS
n38	15	15	519000	36@18	DFT_QAM16	22.95	22.45	33	PASS
n38	15	15	519000	1@1	DFT_QAM16	23.00	22.5	33	PASS
n38	15	15	519000	1@77	DFT_QAM16	22.98	22.48	33	PASS
n38	15	15	519000	36@18	DFT_QAM64	21.43	20.93	33	PASS
n38	15	15	519000	1@1	DFT_QAM64	21.33	20.83	33	PASS
n38	15	15	519000	1@77	DFT_QAM64	21.28	20.78	33	PASS
n38	15	15	519000	36@18	DFT_QAM256	19.38	18.88	33	PASS
n38	15	15	519000	1@1	DFT_QAM256	19.27	18.77	33	PASS
n38	15	15	519000	1@77	DFT_QAM256	19.57	19.07	33	PASS
n38	15	15	519000	39@19	CP_QPSK	22.40	21.9	33	PASS
n38	15	15	519000	1@1	CP_QPSK	22.27	21.77	33	PASS
n38	15	15	519000	1@77	CP_QPSK	22.23	21.73	33	PASS
n38	15	15	519000	39@19	CP_QAM16	21.96	21.46	33	PASS
n38	15	15	519000	1@1	CP_QAM16	21.72	21.22	33	PASS
n38	15	15	519000	1@77	CP_QAM16	21.80	21.3	33	PASS
n38	15	15	519000	39@19	CP_QAM64	20.41	19.91	33	PASS
n38	15	15	519000	1@1	CP_QAM64	20.73	20.23	33	PASS
n38	15	15	519000	1@77	CP_QAM64	20.63	20.13	33	PASS
n38	15	15	519000	39@19	CP_QAM256	17.42	16.92	33	PASS
n38	15	15	519000	1@1	CP_QAM256	17.46	16.96	33	PASS

n38	15	15	519000	1@77	CP_QAM256	17.57	17.07	33	PASS
n38	15	15	522500	36@18	DFT_BPSK	23.88	23.38	33	PASS
n38	15	15	522500	1@1	DFT_BPSK	23.83	23.33	33	PASS
n38	15	15	522500	1@77	DFT_BPSK	23.75	23.25	33	PASS
n38	15	15	522500	36@18	DFT_QPSK	23.97	23.47	33	PASS
n38	15	15	522500	1@1	DFT_QPSK	23.75	23.25	33	PASS
n38	15	15	522500	1@77	DFT_QPSK	23.68	23.18	33	PASS
n38	15	15	522500	36@18	DFT_QAM16	22.97	22.47	33	PASS
n38	15	15	522500	1@1	DFT_QAM16	23.06	22.56	33	PASS
n38	15	15	522500	1@77	DFT_QAM16	23.10	22.6	33	PASS
n38	15	15	522500	36@18	DFT_QAM64	21.42	20.92	33	PASS
n38	15	15	522500	1@1	DFT_QAM64	21.73	21.23	33	PASS
n38	15	15	522500	1@77	DFT_QAM64	21.72	21.22	33	PASS
n38	15	15	522500	36@18	DFT_QAM256	19.43	18.93	33	PASS
n38	15	15	522500	1@1	DFT_QAM256	19.31	18.81	33	PASS
n38	15	15	522500	1@77	DFT_QAM256	19.49	18.99	33	PASS
n38	15	15	522500	39@19	CP_QPSK	22.40	21.9	33	PASS
n38	15	15	522500	1@1	CP_QPSK	22.26	21.76	33	PASS
n38	15	15	522500	1@77	CP_QPSK	22.27	21.77	33	PASS
n38	15	15	522500	39@19	CP_QAM16	21.89	21.39	33	PASS
n38	15	15	522500	1@1	CP_QAM16	21.99	21.49	33	PASS
n38	15	15	522500	1@77	CP_QAM16	21.99	21.49	33	PASS
n38	15	15	522500	39@19	CP_QAM64	20.48	19.98	33	PASS
n38	15	15	522500	1@1	CP_QAM64	20.63	20.13	33	PASS
n38	15	15	522500	1@77	CP_QAM64	20.52	20.02	33	PASS
n38	15	15	522500	39@19	CP_QAM256	17.41	16.91	33	PASS
n38	15	15	522500	1@1	CP_QAM256	17.54	17.04	33	PASS
n38	15	15	522500	1@77	CP_QAM256	17.53	17.03	33	PASS
n38	15	20	516000	50@25	DFT_BPSK	23.93	23.43	33	PASS
n38	15	20	516000	1@1	DFT_BPSK	23.65	23.15	33	PASS
n38	15	20	516000	1@104	DFT_BPSK	23.84	23.34	33	PASS
n38	15	20	516000	50@25	DFT_QPSK	23.85	23.35	33	PASS
n38	15	20	516000	1@1	DFT_QPSK	23.56	23.06	33	PASS
n38	15	20	516000	1@104	DFT_QPSK	23.69	23.19	33	PASS
n38	15	20	516000	50@25	DFT_QAM16	22.91	22.41	33	PASS
n38	15	20	516000	1@1	DFT_QAM16	22.61	22.11	33	PASS
n38	15	20	516000	1@104	DFT_QAM16	23.00	22.5	33	PASS
n38	15	20	516000	50@25	DFT_QAM64	21.35	20.85	33	PASS
n38	15	20	516000	1@1	DFT_QAM64	21.30	20.8	33	PASS
n38	15	20	516000	1@104	DFT_QAM64	21.40	20.9	33	PASS
n38	15	20	516000	50@25	DFT_QAM256	19.38	18.88	33	PASS
n38	15	20	516000	1@1	DFT_QAM256	19.53	19.03	33	PASS
n38	15	20	516000	1@104	DFT_QAM256	19.36	18.86	33	PASS
n38	15	20	516000	53@26	CP_QPSK	22.43	21.93	33	PASS

n38	15	20	516000	1@1	CP_QPSK	22.20	21.7	33	PASS
n38	15	20	516000	1@104	CP_QPSK	22.34	21.84	33	PASS
n38	15	20	516000	53@26	CP_QAM16	21.92	21.42	33	PASS
n38	15	20	516000	1@1	CP_QAM16	21.75	21.25	33	PASS
n38	15	20	516000	1@104	CP_QAM16	21.89	21.39	33	PASS
n38	15	20	516000	53@26	CP_QAM64	20.45	19.95	33	PASS
n38	15	20	516000	1@1	CP_QAM64	20.41	19.91	33	PASS
n38	15	20	516000	1@104	CP_QAM64	20.70	20.2	33	PASS
n38	15	20	516000	53@26	CP_QAM256	17.38	16.88	33	PASS
n38	15	20	516000	1@1	CP_QAM256	17.36	16.86	33	PASS
n38	15	20	516000	1@104	CP_QAM256	17.59	17.09	33	PASS
n38	15	20	519000	50@25	DFT_BPSK	23.94	23.44	33	PASS
n38	15	20	519000	1@1	DFT_BPSK	23.80	23.3	33	PASS
n38	15	20	519000	1@104	DFT_BPSK	23.80	23.3	33	PASS
n38	15	20	519000	50@25	DFT_QPSK	23.92	23.42	33	PASS
n38	15	20	519000	1@1	DFT_QPSK	23.65	23.15	33	PASS
n38	15	20	519000	1@104	DFT_QPSK	23.66	23.16	33	PASS
n38	15	20	519000	50@25	DFT_QAM16	23.03	22.53	33	PASS
n38	15	20	519000	1@1	DFT_QAM16	22.84	22.34	33	PASS
n38	15	20	519000	1@104	DFT_QAM16	22.93	22.43	33	PASS
n38	15	20	519000	50@25	DFT_QAM64	21.52	21.02	33	PASS
n38	15	20	519000	1@1	DFT_QAM64	21.29	20.79	33	PASS
n38	15	20	519000	1@104	DFT_QAM64	21.31	20.81	33	PASS
n38	15	20	519000	50@25	DFT_QAM256	19.49	18.99	33	PASS
n38	15	20	519000	1@1	DFT_QAM256	19.53	19.03	33	PASS
n38	15	20	519000	1@104	DFT_QAM256	19.32	18.82	33	PASS
n38	15	20	519000	53@26	CP_QPSK	22.39	21.89	33	PASS
n38	15	20	519000	1@1	CP_QPSK	22.25	21.75	33	PASS
n38	15	20	519000	1@104	CP_QPSK	22.22	21.72	33	PASS
n38	15	20	519000	53@26	CP_QAM16	21.94	21.44	33	PASS
n38	15	20	519000	1@1	CP_QAM16	21.86	21.36	33	PASS
n38	15	20	519000	1@104	CP_QAM16	21.85	21.35	33	PASS
n38	15	20	519000	53@26	CP_QAM64	20.49	19.99	33	PASS
n38	15	20	519000	1@1	CP_QAM64	20.48	19.98	33	PASS
n38	15	20	519000	1@104	CP_QAM64	20.58	20.08	33	PASS
n38	15	20	519000	53@26	CP_QAM256	17.42	16.92	33	PASS
n38	15	20	519000	1@1	CP_QAM256	17.46	16.96	33	PASS
n38	15	20	519000	1@104	CP_QAM256	17.56	17.06	33	PASS
n38	15	20	522000	50@25	DFT_BPSK	23.94	23.44	33	PASS
n38	15	20	522000	1@1	DFT_BPSK	23.71	23.21	33	PASS
n38	15	20	522000	1@104	DFT_BPSK	23.76	23.26	33	PASS
n38	15	20	522000	50@25	DFT_QPSK	23.94	23.44	33	PASS
n38	15	20	522000	1@1	DFT_QPSK	23.62	23.12	33	PASS
n38	15	20	522000	1@104	DFT_QPSK	23.65	23.15	33	PASS

n38	15	20	522000	50@25	DFT_QAM16	23.04	22.54	33	PASS
n38	15	20	522000	1@1	DFT_QAM16	22.65	22.15	33	PASS
n38	15	20	522000	1@104	DFT_QAM16	22.93	22.43	33	PASS
n38	15	20	522000	50@25	DFT_QAM64	21.45	20.95	33	PASS
n38	15	20	522000	1@1	DFT_QAM64	21.68	21.18	33	PASS
n38	15	20	522000	1@104	DFT_QAM64	21.73	21.23	33	PASS
n38	15	20	522000	50@25	DFT_QAM256	19.44	18.94	33	PASS
n38	15	20	522000	1@1	DFT_QAM256	19.41	18.91	33	PASS
n38	15	20	522000	1@104	DFT_QAM256	19.26	18.76	33	PASS
n38	15	20	522000	53@26	CP_QPSK	22.45	21.95	33	PASS
n38	15	20	522000	1@1	CP_QPSK	22.24	21.74	33	PASS
n38	15	20	522000	1@104	CP_QPSK	22.28	21.78	33	PASS
n38	15	20	522000	53@26	CP_QAM16	21.98	21.48	33	PASS
n38	15	20	522000	1@1	CP_QAM16	21.93	21.43	33	PASS
n38	15	20	522000	1@104	CP_QAM16	21.92	21.42	33	PASS
n38	15	20	522000	53@26	CP_QAM64	20.46	19.96	33	PASS
n38	15	20	522000	1@1	CP_QAM64	20.52	20.02	33	PASS
n38	15	20	522000	1@104	CP_QAM64	20.49	19.99	33	PASS
n38	15	20	522000	53@26	CP_QAM256	17.40	16.9	33	PASS
n38	15	20	522000	1@1	CP_QAM256	17.50	17	33	PASS
n38	15	20	522000	1@104	CP_QAM256	17.56	17.06	33	PASS
n38	15	40	518000	108@54	DFT_BPSK	23.47	22.97	33	PASS
n38	15	40	518000	1@1	DFT_BPSK	23.64	23.14	33	PASS
n38	15	40	518000	1@214	DFT_BPSK	23.19	22.69	33	PASS
n38	15	40	518000	108@54	DFT_QPSK	23.91	23.41	33	PASS
n38	15	40	518000	1@1	DFT_QPSK	23.15	22.65	33	PASS
n38	15	40	518000	1@214	DFT_QPSK	23.27	22.77	33	PASS
n38	15	40	518000	108@54	DFT_QAM16	23.01	22.51	33	PASS
n38	15	40	518000	1@1	DFT_QAM16	22.41	21.91	33	PASS
n38	15	40	518000	1@214	DFT_QAM16	22.50	22	33	PASS
n38	15	40	518000	108@54	DFT_QAM64	21.41	20.91	33	PASS
n38	15	40	518000	1@1	DFT_QAM64	20.81	20.31	33	PASS
n38	15	40	518000	1@214	DFT_QAM64	21.36	20.86	33	PASS
n38	15	40	518000	108@54	DFT_QAM256	19.39	18.89	33	PASS
n38	15	40	518000	1@1	DFT_QAM256	18.82	18.32	33	PASS
n38	15	40	518000	1@214	DFT_QAM256	19.09	18.59	33	PASS
n38	15	40	518000	108@54	CP_QPSK	22.44	21.94	33	PASS
n38	15	40	518000	1@1	CP_QPSK	21.74	21.24	33	PASS
n38	15	40	518000	1@214	CP_QPSK	21.83	21.33	33	PASS
n38	15	40	518000	108@54	CP_QAM16	21.90	21.4	33	PASS
n38	15	40	518000	1@1	CP_QAM16	21.43	20.93	33	PASS
n38	15	40	518000	1@214	CP_QAM16	21.57	21.07	33	PASS
n38	15	40	518000	108@54	CP_QAM64	20.37	19.87	33	PASS
n38	15	40	518000	1@1	CP_QAM64	19.94	19.44	33	PASS

n38	15	40	518000	1@214	CP_QAM64	20.12	19.62	33	PASS
n38	15	40	518000	108@54	CP_QAM256	17.45	16.95	33	PASS
n38	15	40	518000	1@1	CP_QAM256	17.15	16.65	33	PASS
n38	15	40	518000	1@214	CP_QAM256	17.16	16.66	33	PASS
n38	15	40	519000	108@54	DFT_BPSK	23.94	23.44	33	PASS
n38	15	40	519000	1@1	DFT_BPSK	23.24	22.74	33	PASS
n38	15	40	519000	1@214	DFT_BPSK	23.31	22.81	33	PASS
n38	15	40	519000	108@54	DFT_QPSK	23.94	23.44	33	PASS
n38	15	40	519000	1@1	DFT_QPSK	23.11	22.61	33	PASS
n38	15	40	519000	1@214	DFT_QPSK	23.23	22.73	33	PASS
n38	15	40	519000	108@54	DFT_QAM16	22.97	22.47	33	PASS
n38	15	40	519000	1@1	DFT_QAM16	22.23	21.73	33	PASS
n38	15	40	519000	1@214	DFT_QAM16	22.22	21.72	33	PASS
n38	15	40	519000	108@54	DFT_QAM64	21.42	20.92	33	PASS
n38	15	40	519000	1@1	DFT_QAM64	21.27	20.77	33	PASS
n38	15	40	519000	1@214	DFT_QAM64	20.83	20.33	33	PASS
n38	15	40	519000	108@54	DFT_QAM256	19.43	18.93	33	PASS
n38	15	40	519000	1@1	DFT_QAM256	19.04	18.54	33	PASS
n38	15	40	519000	1@214	DFT_QAM256	19.08	18.58	33	PASS
n38	15	40	519000	108@54	CP_QPSK	22.37	21.87	33	PASS
n38	15	40	519000	1@1	CP_QPSK	21.87	21.37	33	PASS
n38	15	40	519000	1@214	CP_QPSK	21.87	21.37	33	PASS
n38	15	40	519000	108@54	CP_QAM16	21.95	21.45	33	PASS
n38	15	40	519000	1@1	CP_QAM16	21.45	20.95	33	PASS
n38	15	40	519000	1@214	CP_QAM16	21.46	20.96	33	PASS
n38	15	40	519000	108@54	CP_QAM64	20.45	19.95	33	PASS
n38	15	40	519000	1@1	CP_QAM64	20.25	19.75	33	PASS
n38	15	40	519000	1@214	CP_QAM64	20.09	19.59	33	PASS
n38	15	40	519000	108@54	CP_QAM256	17.46	16.96	33	PASS
n38	15	40	519000	1@1	CP_QAM256	17.02	16.52	33	PASS
n38	15	40	519000	1@214	CP_QAM256	17.18	16.68	33	PASS
n38	15	40	520000	108@54	DFT_BPSK	23.99	23.49	33	PASS
n38	15	40	520000	1@1	DFT_BPSK	23.34	22.84	33	PASS
n38	15	40	520000	1@214	DFT_BPSK	23.46	22.96	33	PASS
n38	15	40	520000	108@54	DFT_QPSK	23.96	23.46	33	PASS
n38	15	40	520000	1@1	DFT_QPSK	23.17	22.67	33	PASS
n38	15	40	520000	1@214	DFT_QPSK	23.29	22.79	33	PASS
n38	15	40	520000	108@54	DFT_QAM16	23.00	22.5	33	PASS
n38	15	40	520000	1@1	DFT_QAM16	22.57	22.07	33	PASS
n38	15	40	520000	1@214	DFT_QAM16	22.59	22.09	33	PASS
n38	15	40	520000	108@54	DFT_QAM64	21.54	21.04	33	PASS
n38	15	40	520000	1@1	DFT_QAM64	21.26	20.76	33	PASS
n38	15	40	520000	1@214	DFT_QAM64	21.37	20.87	33	PASS
n38	15	40	520000	108@54	DFT_QAM256	19.41	18.91	33	PASS

n38	15	40	520000	1@1	DFT_QAM256	19.05	18.55	33	PASS
n38	15	40	520000	1@214	DFT_QAM256	19.11	18.61	33	PASS
n38	15	40	520000	108@54	CP_QPSK	22.40	21.9	33	PASS
n38	15	40	520000	1@1	CP_QPSK	21.86	21.36	33	PASS
n38	15	40	520000	1@214	CP_QPSK	21.86	21.36	33	PASS
n38	15	40	520000	108@54	CP_QAM16	21.99	21.49	33	PASS
n38	15	40	520000	1@1	CP_QAM16	21.46	20.96	33	PASS
n38	15	40	520000	1@214	CP_QAM16	21.55	21.05	33	PASS
n38	15	40	520000	108@54	CP_QAM64	20.47	19.97	33	PASS
n38	15	40	520000	1@1	CP_QAM64	20.10	19.6	33	PASS
n38	15	40	520000	1@214	CP_QAM64	20.10	19.6	33	PASS
n38	15	40	520000	108@54	CP_QAM256	17.40	16.9	33	PASS
n38	15	40	520000	1@1	CP_QAM256	17.10	16.6	33	PASS
n38	15	40	520000	1@214	CP_QAM256	17.20	16.7	33	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n38	15	40	519000	108@54	DFT_BPSK	3.87	-9.27	0.00	Within authorized band for 5G NR n38	PASS
n38	15	40	519000	108@54	DFT_BPSK	3.45	-6.55	0.00		PASS
n38	15	40	519000	108@54	DFT_BPSK	4.45	-9.65	0.00		PASS
n38	15	40	519000	108@54	DFT_QPSK	3.87	-7.45	0.00		PASS
n38	15	40	519000	108@54	DFT_QPSK	3.50	-7.17	0.00		PASS
n38	15	40	519000	108@54	DFT_QPSK	4.45	-0.94	0.00		PASS

Note: Only the worst case shown in the report.

NV:


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temperature(°C)	Result(Hz)	Result (ppm)	Limit (ppm)	Verdict
n38	15	40	519000	108@54	DFT_BPSK	-30	-4.44	0.00	Within authorized band for 5G NR n38	PASS
n38	15	40	519000	108@54	DFT_BPSK	-20	-5.66	0.00		PASS
n38	15	40	519000	108@54	DFT_BPSK	-10	-2.94	0.00		PASS
n38	15	40	519000	108@54	DFT_BPSK	0	-3.27	0.00		PASS
n38	15	40	519000	108@54	DFT_BPSK	10	-5.07	0.00		PASS
n38	15	40	519000	108@54	DFT_BPSK	20	-3.89	0.00		PASS
n38	15	40	519000	108@54	DFT_BPSK	30	-4.23	0.00		PASS
n38	15	40	519000	108@54	DFT_BPSK	40	-5.55	0.00		PASS
n38	15	40	519000	108@54	DFT_BPSK	50	-6.27	0.00		PASS
n38	15	40	519000	108@54	DFT_QPSK	-30	-6.82	0.00		PASS
n38	15	40	519000	108@54	DFT_QPSK	-20	-5.72	0.00		PASS
n38	15	40	519000	108@54	DFT_QPSK	-10	-4.61	0.00		PASS
n38	15	40	519000	108@54	DFT_QPSK	0	-1.64	0.00		PASS
n38	15	40	519000	108@54	DFT_QPSK	10	-2.53	0.00		PASS
n38	15	40	519000	108@54	DFT_QPSK	20	-3.37	0.00		PASS
n38	15	40	519000	108@54	DFT_QPSK	30	-4.17	0.00		PASS
n38	15	40	519000	108@54	DFT_QPSK	40	-3.02	0.00		PASS
n38	15	40	519000	108@54	DFT_QPSK	50	-1.34	0.00		PASS

Note: Only the worst case shown in the report.


3 Peak-to-Average Ratio for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n38	15	5	518500	25@0	DFT_BPSK	4.44	13	PASS
n38	15	5	518500	25@0	DFT_QPSK	5.56	13	PASS
n38	15	5	518500	25@0	DFT_QAM16	6.28	13	PASS
n38	15	5	518500	25@0	DFT_QAM64	6.56	13	PASS
n38	15	5	518500	25@0	DFT_QAM256	7.18	13	PASS
n38	15	10	519000	50@0	DFT_BPSK	4.52	13	PASS
n38	15	10	519000	50@0	DFT_QPSK	5.58	13	PASS
n38	15	10	519000	50@0	DFT_QAM16	6.44	13	PASS
n38	15	10	519000	50@0	DFT_QAM64	6.63	13	PASS
n38	15	10	519000	50@0	DFT_QAM256	6.95	13	PASS
n38	15	15	519000	75@0	DFT_BPSK	4.59	13	PASS
n38	15	15	519000	75@0	DFT_QPSK	5.61	13	PASS
n38	15	15	519000	75@0	DFT_QAM16	6.44	13	PASS
n38	15	15	519000	75@0	DFT_QAM64	6.68	13	PASS
n38	15	15	519000	75@0	DFT_QAM256	6.91	13	PASS
n38	15	20	519000	100@0	DFT_BPSK	4.58	13	PASS
n38	15	20	519000	100@0	DFT_QPSK	5.60	13	PASS
n38	15	20	519000	100@0	DFT_QAM16	6.40	13	PASS
n38	15	20	519000	100@0	DFT_QAM64	6.61	13	PASS
n38	15	20	519000	100@0	DFT_QAM256	6.96	13	PASS
n38	15	40	519000	216@0	DFT_BPSK	5.04	13	PASS
n38	15	40	519000	216@0	DFT_QPSK	5.70	13	PASS
n38	15	40	519000	216@0	DFT_QAM16	6.45	13	PASS
n38	15	40	519000	216@0	DFT_QAM64	6.74	13	PASS
n38	15	40	519000	216@0	DFT_QAM256	7.11	13	PASS


n38 SCS=15kHz DFT_BPSK BW=5MHz Channel=518500 RB=25@0




n38 SCS=15kHz DFT_QPSK BW=5MHz Channel=518500 RB=25@0




n38 SCS=15kHz DFT_QAM16 BW=5MHz Channel=518500 RB=25@0




n38 SCS=15kHz DFT_QAM64 BW=5MHz Channel=518500 RB=25@0




n38 SCS=15kHz DFT_QAM256 BW=5MHz Channel=518500 RB=25@0




n38 SCS=15kHz DFT_BPSK BW=10MHz Channel=519000 RB=50@0




n38 SCS=15kHz DFT_QPSK BW=10MHz Channel=519000 RB=50@0




n38 SCS=15kHz DFT_QAM16 BW=10MHz Channel=519000 RB=50@0




n38 SCS=15kHz DFT_QAM64 BW=10MHz Channel=519000 RB=50@0




n38 SCS=15kHz DFT_QAM256 BW=10MHz Channel=519000 RB=50@0




n38 SCS=15kHz DFT_BPSK BW=15MHz Channel=519000 RB=75@0




n38 SCS=15kHz DFT_QPSK BW=15MHz Channel=519000 RB=75@0




n38 SCS=15kHz DFT_QAM16 BW=15MHz Channel=519000 RB=75@0




n38 SCS=15kHz DFT_QAM64 BW=15MHz Channel=519000 RB=75@0




n38 SCS=15kHz DFT_QAM256 BW=15MHz Channel=519000 RB=75@0




n38 SCS=15kHz DFT_BPSK BW=20MHz Channel=519000 RB=100@0




n38 SCS=15kHz DFT_QPSK BW=20MHz Channel=519000 RB=100@0




n38 SCS=15kHz DFT_QAM16 BW=20MHz Channel=519000 RB=100@0




n38 SCS=15kHz DFT_QAM64 BW=20MHz Channel=519000 RB=100@0




n38 SCS=15kHz DFT_QAM256 BW=20MHz Channel=519000 RB=100@0




n38 SCS=15kHz DFT_BPSK BW=40MHz Channel=519000 RB=216@0




n38 SCS=15kHz DFT_QPSK BW=40MHz Channel=519000 RB=216@0




n38 SCS=15kHz DFT_QAM16 BW=40MHz Channel=519000 RB=216@0



n38 SCS=15kHz DFT_QAM64 BW=40MHz Channel=519000 RB=216@0



n38 SCS=15kHz DFT_QAM256 BW=40MHz Channel=519000 RB=216@0




4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n38	15	5	514500	25@0	DFT_BPSK	4.490	4.790	PASS
n38	15	5	514500	25@0	DFT_QPSK	4.480	4.760	PASS
n38	15	5	514500	25@0	DFT_QAM16	4.490	4.780	PASS
n38	15	5	514500	25@0	DFT_QAM64	4.490	4.770	PASS
n38	15	5	514500	25@0	DFT_QAM256	4.490	4.770	PASS
n38	15	5	514500	25@0	CP_QPSK	4.490	4.770	PASS
n38	15	5	518500	25@0	DFT_BPSK	4.500	4.770	PASS
n38	15	5	518500	25@0	DFT_QPSK	4.480	4.760	PASS
n38	15	5	518500	25@0	DFT_QAM16	4.490	4.780	PASS
n38	15	5	518500	25@0	DFT_QAM64	4.490	4.770	PASS
n38	15	5	518500	25@0	DFT_QAM256	4.490	4.770	PASS
n38	15	5	518500	25@0	CP_QPSK	4.490	4.770	PASS
n38	15	5	523500	25@0	DFT_BPSK	4.490	4.780	PASS
n38	15	5	523500	25@0	DFT_QPSK	4.490	4.770	PASS
n38	15	5	523500	25@0	DFT_QAM16	4.500	4.770	PASS
n38	15	5	523500	25@0	DFT_QAM64	4.490	4.770	PASS
n38	15	5	523500	25@0	DFT_QAM256	4.490	4.770	PASS
n38	15	5	523500	25@0	CP_QPSK	4.490	4.770	PASS
n38	15	10	515000	50@0	DFT_BPSK	9.220	9.480	PASS
n38	15	10	515000	50@0	DFT_QPSK	9.250	9.480	PASS
n38	15	10	515000	50@0	DFT_QAM16	9.220	9.470	PASS
n38	15	10	515000	50@0	DFT_QAM64	9.200	9.480	PASS
n38	15	10	515000	50@0	DFT_QAM256	9.210	9.500	PASS
n38	15	10	515000	52@0	CP_QPSK	9.330	9.840	PASS
n38	15	10	519000	50@0	DFT_BPSK	9.210	9.470	PASS
n38	15	10	519000	50@0	DFT_QPSK	9.250	9.480	PASS
n38	15	10	519000	50@0	DFT_QAM16	9.210	9.470	PASS
n38	15	10	519000	50@0	DFT_QAM64	9.240	9.470	PASS
n38	15	10	519000	50@0	DFT_QAM256	9.240	9.480	PASS
n38	15	10	519000	52@0	CP_QPSK	9.330	9.840	PASS
n38	15	10	523000	50@0	DFT_BPSK	9.220	9.480	PASS
n38	15	10	523000	50@0	DFT_QPSK	9.260	9.480	PASS
n38	15	10	523000	50@0	DFT_QAM16	9.200	9.470	PASS
n38	15	10	523000	50@0	DFT_QAM64	9.210	9.480	PASS
n38	15	10	523000	50@0	DFT_QAM256	9.210	9.460	PASS
n38	15	10	523000	52@0	CP_QPSK	9.330	9.840	PASS
n38	15	15	515500	75@0	DFT_BPSK	13.980	14.200	PASS
n38	15	15	515500	75@0	DFT_QPSK	14.000	14.210	PASS
n38	15	15	515500	75@0	DFT_QAM16	13.990	14.200	PASS

n38	15	15	515500	75@0	DFT_QAM64	13.980	14.200	PASS
n38	15	15	515500	75@0	DFT_QAM256	13.990	14.220	PASS
n38	15	15	515500	79@0	CP_QPSK	14.170	14.920	PASS
n38	15	15	519000	75@0	DFT_BPSK	13.950	14.200	PASS
n38	15	15	519000	75@0	DFT_QPSK	14.010	14.210	PASS
n38	15	15	519000	75@0	DFT_QAM16	13.990	14.200	PASS
n38	15	15	519000	75@0	DFT_QAM64	13.990	14.210	PASS
n38	15	15	519000	75@0	DFT_QAM256	13.950	14.190	PASS
n38	15	15	519000	79@0	CP_QPSK	14.170	14.920	PASS
n38	15	15	522500	75@0	DFT_BPSK	14.000	14.220	PASS
n38	15	15	522500	75@0	DFT_QPSK	14.040	14.210	PASS
n38	15	15	522500	75@0	DFT_QAM16	14.000	14.200	PASS
n38	15	15	522500	75@0	DFT_QAM64	14.000	14.210	PASS
n38	15	15	522500	75@0	DFT_QAM256	13.990	14.200	PASS
n38	15	15	522500	79@0	CP_QPSK	14.170	14.930	PASS
n38	15	20	516000	100@0	DFT_BPSK	18.730	18.900	PASS
n38	15	20	516000	100@0	DFT_QPSK	18.720	18.900	PASS
n38	15	20	516000	100@0	DFT_QAM16	18.670	18.900	PASS
n38	15	20	516000	100@0	DFT_QAM64	18.740	18.910	PASS
n38	15	20	516000	100@0	DFT_QAM256	18.750	18.930	PASS
n38	15	20	516000	106@0	CP_QPSK	18.980	19.980	PASS
n38	15	20	519000	100@0	DFT_BPSK	18.740	18.900	PASS
n38	15	20	519000	100@0	DFT_QPSK	18.740	18.910	PASS
n38	15	20	519000	100@0	DFT_QAM16	18.730	18.900	PASS
n38	15	20	519000	100@0	DFT_QAM64	18.740	18.910	PASS
n38	15	20	519000	100@0	DFT_QAM256	18.760	18.930	PASS
n38	15	20	519000	106@0	CP_QPSK	18.990	19.990	PASS
n38	15	20	522000	100@0	DFT_BPSK	18.750	18.910	PASS
n38	15	20	522000	100@0	DFT_QPSK	18.810	18.900	PASS
n38	15	20	522000	100@0	DFT_QAM16	18.730	18.900	PASS
n38	15	20	522000	100@0	DFT_QAM64	18.750	18.900	PASS
n38	15	20	522000	100@0	DFT_QAM256	18.810	18.930	PASS
n38	15	20	522000	106@0	CP_QPSK	18.980	19.990	PASS
n38	15	40	518000	216@0	DFT_BPSK	38.630	40.690	PASS
n38	15	40	518000	216@0	DFT_QPSK	38.740	40.730	PASS
n38	15	40	518000	216@0	DFT_QAM16	38.730	40.720	PASS
n38	15	40	518000	216@0	DFT_QAM64	38.730	40.710	PASS
n38	15	40	518000	216@0	DFT_QAM256	38.750	40.730	PASS
n38	15	40	518000	216@0	CP_QPSK	38.730	40.740	PASS
n38	15	40	519000	216@0	DFT_BPSK	38.620	40.690	PASS
n38	15	40	519000	216@0	DFT_QPSK	38.720	40.720	PASS
n38	15	40	519000	216@0	DFT_QAM16	38.730	40.720	PASS
n38	15	40	519000	216@0	DFT_QAM64	38.720	40.710	PASS
n38	15	40	519000	216@0	DFT_QAM256	38.740	40.740	PASS

n38	15	40	519000	216@0	CP_QPSK	38.720	40.730	PASS
n38	15	40	520000	216@0	DFT_BPSK	38.730	40.730	PASS
n38	15	40	520000	216@0	DFT_QPSK	38.640	40.730	PASS
n38	15	40	520000	216@0	DFT_QAM16	38.720	40.720	PASS
n38	15	40	520000	216@0	DFT_QAM64	38.640	40.710	PASS
n38	15	40	520000	216@0	DFT_QAM256	38.620	40.680	PASS
n38	15	40	520000	216@0	CP_QPSK	38.640	40.730	PASS

n38 SCS=15kHz DFT_BPSK BW=5MHz Channel=514500 RB=25@0




n38 SCS=15kHz DFT_QPSK BW=5MHz Channel=514500 RB=25@0




n38 SCS=15kHz DFT_QAM16 BW=5MHz Channel=514500 RB=25@0




n38 SCS=15kHz DFT_QAM64 BW=5MHz Channel=514500 RB=25@0




n38 SCS=15kHz DFT_QAM256 BW=5MHz Channel=514500 RB=25@0




n38 SCS=15kHz CP_QPSK BW=5MHz Channel=514500 RB=25@0




n38 SCS=15kHz DFT_BPSK BW=5MHz Channel=518500 RB=25@0



n38 SCS=15kHz DFT_QPSK BW=5MHz Channel=518500 RB=25@0



n38 SCS=15kHz DFT_QAM16 BW=5MHz Channel=518500 RB=25@0



n38 SCS=15kHz DFT_QAM64 BW=5MHz Channel=518500 RB=25@0




n38 SCS=15kHz DFT_QAM256 BW=5MHz Channel=518500 RB=25@0




n38 SCS=15kHz CP_QPSK BW=5MHz Channel=518500 RB=25@0



n38 SCS=15kHz DFT_BPSK BW=5MHz Channel=523500 RB=25@0



n38 SCS=15kHz DFT_QPSK BW=5MHz Channel=523500 RB=25@0




n38 SCS=15kHz DFT_QAM16 BW=5MHz Channel=523500 RB=25@0




n38 SCS=15kHz DFT_QAM64 BW=5MHz Channel=523500 RB=25@0



n38 SCS=15kHz DFT_QAM256 BW=5MHz Channel=523500 RB=25@0




n38 SCS=15kHz CP_QPSK BW=5MHz Channel=523500 RB=25@0



n38 SCS=15kHz DFT_BPSK BW=10MHz Channel=515000 RB=50@0




n38 SCS=15kHz DFT_QPSK BW=10MHz Channel=515000 RB=50@0




n38 SCS=15kHz DFT_QAM16 BW=10MHz Channel=515000 RB=50@0




n38 SCS=15kHz DFT_QAM64 BW=10MHz Channel=515000 RB=50@0




n38 SCS=15kHz DFT_QAM256 BW=10MHz Channel=515000 RB=50@0




n38 SCS=15kHz CP_QPSK BW=10MHz Channel=515000 RB=52@0




n38 SCS=15kHz DFT_BPSK BW=10MHz Channel=519000 RB=50@0



n38 SCS=15kHz DFT_QPSK BW=10MHz Channel=519000 RB=50@0




n38 SCS=15kHz DFT_QAM16 BW=10MHz Channel=519000 RB=50@0



n38 SCS=15kHz DFT_QAM64 BW=10MHz Channel=519000 RB=50@0



n38 SCS=15kHz DFT_QAM256 BW=10MHz Channel=519000 RB=50@0



n38 SCS=15kHz CP_QPSK BW=10MHz Channel=519000 RB=52@0