


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-55.72	-13	Pass	401
0.15	30	0.01	Peak	22.2	-51.76	-13	Pass	2986
30	500	0.1	Peak	367.8	-39.4	-13	Pass	4701
500	1000	0.1	Peak	824.1	32.6	-13	N/A	5001
1000	10000	1	Peak	6938	-31.48	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-57.12	-13	Pass	401
0.15	30	0.01	Peak	0.33	-50.48	-13	Pass	2986
30	500	0.1	Peak	250.4	-39	-13	Pass	4701
500	1000	0.1	Peak	836.5	32.65	-13	N/A	5001
1000	10000	1	Peak	9739	-34.02	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-56.57	-13	Pass	401
0.15	30	0.01	Peak	0.44	-51	-13	Pass	2986
30	500	0.1	Peak	452.1	-39.59	-13	Pass	4701
500	1000	0.1	Peak	848.8	32.81	-13	N/A	5001
1000	10000	1	Peak	8366	-34.11	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-59.63	-13	Pass	401
0.15	30	0.01	Peak	22.16	-56.88	-13	Pass	2986
30	1000	0.1	Peak	836.8	-44.61	-13	Pass	9701
1000	3000	1	Peak	1850	29.35	-13	N/A	2001
3000	20000	1	Peak	19761	-36.83	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.84	-13	Pass	401
0.15	30	0.01	Peak	7.45	-57.23	-13	Pass	2986
30	1000	0.1	Peak	851.402	-44.31	-13	Pass	9701
1000	3000	1	Peak	1880	29.34	-13	N/A	2001
3000	20000	1	Peak	19334	-37.3	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-62.47	-13	Pass	401
0.15	30	0.01	Peak	6.85	-56.67	-13	Pass	2986
30	1000	0.1	Peak	915.144	-44.52	-13	Pass	9701
1000	3000	1	Peak	1910	29.34	-13	N/A	2001
3000	20000	1	Peak	19711	-36.96	-13	Pass	17003



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-54.51	-13	Pass	401
0.15	30	0.01	Peak	19.87	-49.43	-13	Pass	2986
30	500	0.1	Peak	419.7	-39.12	-13	Pass	4701
500	1000	0.1	Peak	824.3	28.09	-13	N/A	5001
1000	10000	1	Peak	7046	-28.35	-13	Pass	9002



3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.019	-55.11	-13	Pass	401
0.15	30	0.01	Peak	1.16	-50.39	-13	Pass	2986
30	500	0.1	Peak	350.6	-38.38	-13	Pass	4701
500	1000	0.1	Peak	836.7	26.32	-13	N/A	5001
1000	10000	1	Peak	9968	-32.69	-13	Pass	9002



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-62.62	-13	Pass	401
0.15	30	0.01	Peak	0.27	-56.22	-13	Pass	2986
30	1000	0.1	Peak	871.515	-44.29	-13	Pass	9701
1000	3000	1	Peak	1851	25.95	-13	N/A	2001
3000	20000	1	Peak	19891	-36.6	-13	Pass	17003




4.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-61.05	-13	Pass	401
0.15	30	0.01	Peak	0.23	-56.43	-13	Pass	2986
30	1000	0.1	Peak	517.7	-43.95	-13	Pass	9701
1000	3000	1	Peak	1880	28.75	-13	N/A	2001
3000	20000	1	Peak	19690	-36.17	-13	Pass	17003



4.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-62.06	-13	Pass	401
0.15	30	0.01	Peak	2	-56.89	-13	Pass	2986
30	1000	0.1	Peak	643	-44.25	-13	Pass	9701
1000	3000	1	Peak	1909	23.42	-13	N/A	2001
3000	20000	1	Peak	19645	-36.91	-13	Pass	17003



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.79	-13	Pass	401
0.15	30	0.01	Peak	0.7	-59.76	-13	Pass	2986
30	1000	0.1	Peak	930.454	-47.95	-13	Pass	9701
1000	3000	1	Peak	1854	23.45	-13	N/A	2001
3000	20000	1	Peak	13629	-25.91	-13	Pass	17003




5.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.32	-13	Pass	401
0.15	30	0.01	Peak	13.47	-58.98	-13	Pass	2986
30	1000	0.1	Peak	662.4	-48.29	-13	Pass	9701
1000	3000	1	Peak	1879	23.28	-13	N/A	2001
3000	20000	1	Peak	19787	-25.44	-13	Pass	17003



5.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-64.77	-13	Pass	401
0.15	30	0.01	Peak	0.65	-60.64	-13	Pass	2986
30	1000	0.1	Peak	759.2	-48.29	-13	Pass	9701
1000	3000	1	Peak	1906	23.38	-13	N/A	2001
3000	20000	1	Peak	19516	-26.53	-13	Pass	17003



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.6	-13	Pass	401
0.15	30	0.01	Peak	25.35	-60.59	-13	Pass	2986
30	1000	0.1	Peak	841.5	-47.7	-13	Pass	9701
1000	3000	1	Peak	1714	22.77	-13	N/A	2001
3000	20000	1	Peak	13633	-26.23	-13	Pass	17003




6.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.87	-13	Pass	401
0.15	30	0.01	Peak	0.56	-60.02	-13	Pass	2986
30	1000	0.1	Peak	612.7	-47.85	-13	Pass	9701
1000	3000	1	Peak	1731	22.84	-13	N/A	2001
3000	20000	1	Peak	19689	-26.26	-13	Pass	17003



6.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.021	-65.52	-13	Pass	401
0.15	30	0.01	Peak	2.91	-59.28	-13	Pass	2986
30	1000	0.1	Peak	874.417	-47.3	-13	Pass	9701
1000	3000	1	Peak	1751	22.64	-13	N/A	2001
3000	20000	1	Peak	19696	-26.75	-13	Pass	17003



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.57	-13	Pass	401
0.15	30	0.01	Peak	25.44	-61.21	-13	Pass	2986
30	500	0.1	Peak	409.3	-48.14	-13	Pass	4701
500	1000	0.1	Peak	825	17.42	-13	N/A	5001
1000	10000	1	Peak	7002	-19.3	-13	Pass	9002




7.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.15	-13	Pass	401
0.15	30	0.01	Peak	4.72	-61.02	-13	Pass	2986
30	500	0.1	Peak	472.1	-48.59	-13	Pass	4701
500	1000	0.1	Peak	835.2	16.34	-13	N/A	5001
1000	10000	1	Peak	7088	-23.28	-13	Pass	9002



7.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.79	-13	Pass	401
0.15	30	0.01	Peak	0.21	-60.93	-13	Pass	2986
30	500	0.1	Peak	310	-48.61	-13	Pass	4701
500	1000	0.1	Peak	845.1	17.29	-13	N/A	5001
1000	10000	1	Peak	9570	-23.73	-13	Pass	9002



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.39	-13	Pass	401
0.15	30	0.01	RMS	0.26	-70.71	-13	Pass	2986
30	1000	0.1	RMS	913.543	-60.9	-13	Pass	9701
1000	1840	1	RMS	1808	-49.49	-13	Pass	841
1840	1920	1	RMS	1850.2	22.19	60	Pass	401
1920	3000	1	RMS	2980	-46.36	-13	Pass	1081
3000	12000	1	RMS	7104	-29.5	-13	Pass	9002
12000	20000	1	RMS	19629	-23.15	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.23	-13	Pass	401
0.15	30	0.01	RMS	0.57	-70.53	-13	Pass	2986
30	1000	0.1	RMS	995.897	-60.86	-13	Pass	9701
1000	1840	1	RMS	1840	-49.39	-13	Pass	841
1840	1920	1	RMS	1850.2	21.28	60	Pass	401
1920	3000	1	RMS	2955	-46.25	-13	Pass	1081
3000	12000	1	RMS	11938	-37.33	-13	Pass	9002
12000	20000	1	RMS	19779	-30.4	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.44	-70.19	-13	Pass	2986
30	1000	0.1	RMS	999.7	-60.93	-13	Pass	9701
1000	1840	1	RMS	1826	-49.51	-13	Pass	841
1840	1920	1	RMS	1879.4	22.22	60	Pass	401
1920	3000	1	RMS	2958	-46.18	-13	Pass	1081
3000	12000	1	RMS	11944	-37.29	-13	Pass	9002
12000	20000	1	RMS	19796	-30.39	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.1	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71	-13	Pass	2986
30	1000	0.1	RMS	839.6	-60.89	-13	Pass	9701
1000	1840	1	RMS	1793	-49.59	-13	Pass	841
1840	1920	1	RMS	1879.4	21.26	60	Pass	401
1920	3000	1	RMS	2965	-46.24	-13	Pass	1081
3000	12000	1	RMS	11899	-37.34	-13	Pass	9002
12000	20000	1	RMS	19789	-30.43	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.37	-13	Pass	401
0.15	30	0.01	RMS	0.61	-71.07	-13	Pass	2986
30	1000	0.1	RMS	851.802	-60.77	-13	Pass	9701
1000	1840	1	RMS	1831	-49.52	-13	Pass	841
1840	1920	1	RMS	1908.8	22.25	60	Pass	401
1920	3000	1	RMS	2972	-46.25	-13	Pass	1081
3000	12000	1	RMS	11949	-37.3	-13	Pass	9002
12000	20000	1	RMS	19798	-30.35	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.04	-13	Pass	2986
30	1000	0.1	RMS	909.94	-60.8	-13	Pass	9701
1000	1840	1	RMS	1805	-49.43	-13	Pass	841
1840	1920	1	RMS	1908.8	21.33	60	Pass	401
1920	3000	1	RMS	2953	-46.23	-13	Pass	1081
3000	12000	1	RMS	10400	-37.34	-13	Pass	9002
12000	20000	1	RMS	19793	-30.38	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.62	-70.59	-13	Pass	2986
30	1000	0.1	RMS	994.596	-60.75	-13	Pass	9701
1000	1840	1	RMS	1840	-49.1	-13	Pass	841
1840	1920	1	RMS	1850.2	22.28	60	Pass	401
1920	3000	1	RMS	2950	-46.29	-13	Pass	1081
3000	12000	1	RMS	7136	-29.92	-13	Pass	9002
12000	20000	1	RMS	19656	-23.55	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.58	-13	Pass	401
0.15	30	0.01	RMS	0.45	-70.35	-13	Pass	2986
30	1000	0.1	RMS	878.519	-60.98	-13	Pass	9701
1000	1840	1	RMS	1797	-49.49	-13	Pass	841
1840	1920	1	RMS	1850.2	21.45	60	Pass	401
1920	3000	1	RMS	2981	-46.31	-13	Pass	1081
3000	12000	1	RMS	10406	-37.36	-13	Pass	9002
12000	20000	1	RMS	19802	-30.45	-13	Pass	8001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.41	-13	Pass	401
0.15	30	0.01	RMS	1.31	-70.4	-13	Pass	2986
30	1000	0.1	RMS	991.494	-60.86	-13	Pass	9701
1000	1840	1	RMS	1812	-49.5	-13	Pass	841
1840	1920	1	RMS	1878.6	22.3	60	Pass	401
1920	3000	1	RMS	2949	-46.34	-13	Pass	1081
3000	12000	1	RMS	11946	-37.29	-13	Pass	9002
12000	20000	1	RMS	19804	-30.44	-13	Pass	8001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.43	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.41	-13	Pass	2986
30	1000	0.1	RMS	987.492	-60.85	-13	Pass	9701
1000	1840	1	RMS	1831	-49.56	-13	Pass	841
1840	1920	1	RMS	1878.6	21.31	60	Pass	401
1920	3000	1	RMS	2966	-46.28	-13	Pass	1081
3000	12000	1	RMS	11955	-37.31	-13	Pass	9002
12000	20000	1	RMS	19808	-30.45	-13	Pass	8001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.15	-13	Pass	2986
30	1000	0.1	RMS	894.83	-60.65	-13	Pass	9701
1000	1840	1	RMS	1813	-49.4	-13	Pass	841
1840	1920	1	RMS	1907.2	22.32	60	Pass	401
1920	3000	1	RMS	2974	-46.34	-13	Pass	1081
3000	12000	1	RMS	11984	-37.42	-13	Pass	9002
12000	20000	1	RMS	19801	-30.42	-13	Pass	8001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.92	-13	Pass	2986
30	1000	0.1	RMS	887.926	-60.78	-13	Pass	9701
1000	1840	1	RMS	1800	-49.48	-13	Pass	841
1840	1920	1	RMS	1907.2	21.38	60	Pass	401
1920	3000	1	RMS	2969	-46.21	-13	Pass	1081
3000	12000	1	RMS	11958	-37.22	-13	Pass	9002
12000	20000	1	RMS	19798	-30.41	-13	Pass	8001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.95	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.71	-13	Pass	2986
30	1000	0.1	RMS	902.435	-60.67	-13	Pass	9701
1000	1840	1	RMS	1840	-49.46	-13	Pass	841
1840	1920	1	RMS	1850.2	22.17	60	Pass	401
1920	3000	1	RMS	2947	-46.3	-13	Pass	1081
3000	12000	1	RMS	7135	-30.32	-13	Pass	9002
12000	20000	1	RMS	19644	-24.07	-13	Pass	8001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.91	-13	Pass	2986
30	1000	0.1	RMS	910.541	-60.74	-13	Pass	9701
1000	1840	1	RMS	1840	-49.37	-13	Pass	841
1840	1920	1	RMS	1850.2	21.27	60	Pass	401
1920	3000	1	RMS	2979	-46.32	-13	Pass	1081
3000	12000	1	RMS	11924	-37.39	-13	Pass	9002
12000	20000	1	RMS	19803	-30.43	-13	Pass	8001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.25	-69.6	-13	Pass	2986
30	1000	0.1	RMS	863.009	-60.82	-13	Pass	9701
1000	1840	1	RMS	1812	-49.53	-13	Pass	841
1840	1920	1	RMS	1877.8	22.15	60	Pass	401
1920	3000	1	RMS	2948	-46.35	-13	Pass	1081
3000	12000	1	RMS	11905	-37.32	-13	Pass	9002
12000	20000	1	RMS	19769	-30.52	-13	Pass	8001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.27	-69.68	-13	Pass	2986
30	1000	0.1	RMS	882.122	-60.87	-13	Pass	9701
1000	1840	1	RMS	1827	-49.39	-13	Pass	841
1840	1920	1	RMS	1877.8	21.33	60	Pass	401
1920	3000	1	RMS	2953	-46.32	-13	Pass	1081
3000	12000	1	RMS	11939	-37.43	-13	Pass	9002
12000	20000	1	RMS	19788	-30.33	-13	Pass	8001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	Pass	2986
30	1000	0.1	RMS	895.831	-60.85	-13	Pass	9701
1000	1840	1	RMS	1813	-49.37	-13	Pass	841
1840	1920	1	RMS	1905.2	22.18	60	Pass	401
1920	3000	1	RMS	2953	-46.25	-13	Pass	1081
3000	12000	1	RMS	11944	-37.42	-13	Pass	9002
12000	20000	1	RMS	19803	-30.5	-13	Pass	8001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.25	-69.52	-13	Pass	2986
30	1000	0.1	RMS	979.687	-60.62	-13	Pass	9701
1000	1840	1	RMS	1824	-49.4	-13	Pass	841
1840	1920	1	RMS	1905.2	21.41	60	Pass	401
1920	3000	1	RMS	2966	-46.24	-13	Pass	1081
3000	12000	1	RMS	10409	-37.32	-13	Pass	9002
12000	20000	1	RMS	19798	-30.42	-13	Pass	8001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.66	-13	Pass	2986
30	1000	0.1	RMS	905.137	-60.67	-13	Pass	9701
1000	1840	1	RMS	1840	-48.66	-13	Pass	841
1840	1920	1	RMS	1850.4	22.2	60	Pass	401
1920	3000	1	RMS	2958	-46.21	-13	Pass	1081
3000	12000	1	RMS	7118	-30.44	-13	Pass	9002
12000	20000	1	RMS	19646	-23.33	-13	Pass	8001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-72.74	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.58	-13	Pass	2986
30	1000	0.1	RMS	915.744	-60.83	-13	Pass	9701
1000	1840	1	RMS	1840	-48.78	-13	Pass	841
1840	1920	1	RMS	1850.4	21.38	60	Pass	401
1920	3000	1	RMS	2975	-46.33	-13	Pass	1081
3000	12000	1	RMS	11952	-37.3	-13	Pass	9002
12000	20000	1	RMS	19776	-30.52	-13	Pass	8001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.78	-13	Pass	2986
30	1000	0.1	RMS	899.834	-60.54	-13	Pass	9701
1000	1840	1	RMS	1831	-49.44	-13	Pass	841
1840	1920	1	RMS	1875.4	22.24	60	Pass	401
1920	3000	1	RMS	2967	-46.29	-13	Pass	1081
3000	12000	1	RMS	11917	-37.26	-13	Pass	9002
12000	20000	1	RMS	19795	-30.38	-13	Pass	8001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.34	-70.07	-13	Pass	2986
30	1000	0.1	RMS	862.609	-60.59	-13	Pass	9701
1000	1840	1	RMS	1816	-49.44	-13	Pass	841
1840	1920	1	RMS	1875.4	21.26	60	Pass	401
1920	3000	1	RMS	2981	-46.34	-13	Pass	1081
3000	12000	1	RMS	11886	-37.38	-13	Pass	9002
12000	20000	1	RMS	19797	-30.47	-13	Pass	8001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.26	-70.27	-13	Pass	2986
30	1000	0.1	RMS	988.392	-60.76	-13	Pass	9701
1000	1840	1	RMS	1794	-49.51	-13	Pass	841
1840	1920	1	RMS	1900.4	22.21	60	Pass	401
1920	3000	1	RMS	2973	-46.29	-13	Pass	1081
3000	12000	1	RMS	11961	-37.35	-13	Pass	9002
12000	20000	1	RMS	19788	-30.35	-13	Pass	8001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.34	-70.32	-13	Pass	2986
30	1000	0.1	RMS	872.516	-60.69	-13	Pass	9701
1000	1840	1	RMS	1832	-49.29	-13	Pass	841
1840	1920	1	RMS	1900.4	21.34	60	Pass	401
1920	3000	1	RMS	2958	-46.05	-13	Pass	1081
3000	12000	1	RMS	11917	-37.19	-13	Pass	9002
12000	20000	1	RMS	19801	-30.29	-13	Pass	8001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.43	-69.98	-13	Pass	2986
30	1000	0.1	RMS	842.9	-60.54	-13	Pass	9701
1000	1840	1	RMS	1838	-45.92	-13	Pass	841
1840	1920	1	RMS	1850.8	22.27	60	Pass	401
1920	3000	1	RMS	2945	-46.2	-13	Pass	1081
3000	12000	1	RMS	7127	-28.78	-13	Pass	9002
12000	20000	1	RMS	19648	-24.2	-13	Pass	8001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.57	-70.08	-13	Pass	2986
30	1000	0.1	RMS	991.394	-60.77	-13	Pass	9701
1000	1840	1	RMS	1838	-46.48	-13	Pass	841
1840	1920	1	RMS	1850.8	21.42	60	Pass	401
1920	3000	1	RMS	2948	-46.14	-13	Pass	1081
3000	12000	1	RMS	7103	-37.25	-13	Pass	9002
12000	20000	1	RMS	19786	-30.35	-13	Pass	8001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.86	-13	Pass	2986
30	1000	0.1	RMS	907.939	-60.5	-13	Pass	9701
1000	1840	1	RMS	1836	-49.33	-13	Pass	841
1840	1920	1	RMS	1873.2	22.33	60	Pass	401
1920	3000	1	RMS	2982	-46.03	-13	Pass	1081
3000	12000	1	RMS	10387	-37.17	-13	Pass	9002
12000	20000	1	RMS	19792	-30.32	-13	Pass	8001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.67	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.31	-13	Pass	2986
30	1000	0.1	RMS	938.559	-60.91	-13	Pass	9701
1000	1840	1	RMS	1813	-49.3	-13	Pass	841
1840	1920	1	RMS	1873.2	21.38	60	Pass	401
1920	3000	1	RMS	2967	-46.11	-13	Pass	1081
3000	12000	1	RMS	11996	-37.02	-13	Pass	9002
12000	20000	1	RMS	19782	-30.36	-13	Pass	8001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-13	Pass	401
0.15	30	0.01	RMS	5.61	-69.98	-13	Pass	2986
30	1000	0.1	RMS	990.194	-60.5	-13	Pass	9701
1000	1840	1	RMS	1808	-49.34	-13	Pass	841
1840	1920	1	RMS	1895.8	22.21	60	Pass	401
1920	3000	1	RMS	1922	-36.91	-13	Pass	1081
3000	12000	1	RMS	11925	-37.24	-13	Pass	9002
12000	20000	1	RMS	19795	-30.34	-13	Pass	8001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.53	-69.96	-13	Pass	2986
30	1000	0.1	RMS	906.138	-60.62	-13	Pass	9701
1000	1840	1	RMS	1804	-49.25	-13	Pass	841
1840	1920	1	RMS	1895.8	21.37	60	Pass	401
1920	3000	1	RMS	1922	-37.73	-13	Pass	1081
3000	12000	1	RMS	10412	-37.12	-13	Pass	9002
12000	20000	1	RMS	19798	-30.3	-13	Pass	8001



8.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.7	-13	Pass	2986
30	1000	0.1	RMS	915.644	-60.34	-13	Pass	9701
1000	1840	1	RMS	1840	-47.75	-13	Pass	841
1840	1920	1	RMS	1851	22.21	60	Pass	401
1920	3000	1	RMS	2953	-46.12	-13	Pass	1081
3000	12000	1	RMS	7138	-29.91	-13	Pass	9002
12000	20000	1	RMS	19658	-23.21	-13	Pass	8001



8.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.52	-13	Pass	401
0.15	30	0.01	RMS	0.35	-70.18	-13	Pass	2986
30	1000	0.1	RMS	906.638	-60.76	-13	Pass	9701
1000	1840	1	RMS	1840	-48.01	-13	Pass	841
1840	1920	1	RMS	1851	21.39	60	Pass	401
1920	3000	1	RMS	2968	-46.11	-13	Pass	1081
3000	12000	1	RMS	11938	-37.23	-13	Pass	9002
12000	20000	1	RMS	19796	-30.23	-13	Pass	8001



8.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.33	-13	Pass	401
0.15	30	0.01	RMS	0.25	-69.59	-13	Pass	2986
30	1000	0.1	RMS	897.232	-60.7	-13	Pass	9701
1000	1840	1	RMS	1835	-48.52	-13	Pass	841
1840	1920	1	RMS	1871	22.22	60	Pass	401
1920	3000	1	RMS	2963	-46.09	-13	Pass	1081
3000	12000	1	RMS	11970	-37.23	-13	Pass	9002
12000	20000	1	RMS	19794	-30.25	-13	Pass	8001



8.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.46	-13	Pass	2986
30	1000	0.1	RMS	997.098	-60.42	-13	Pass	9701
1000	1840	1	RMS	1836	-49.04	-13	Pass	841
1840	1920	1	RMS	1871	21.28	60	Pass	401
1920	3000	1	RMS	2962	-46.28	-13	Pass	1081
3000	12000	1	RMS	11972	-37.24	-13	Pass	9002
12000	20000	1	RMS	19804	-30.31	-13	Pass	8001



8.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.09	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.86	-13	Pass	2986
30	1000	0.1	RMS	978.886	-60.36	-13	Pass	9701
1000	1840	1	RMS	1804	-49.38	-13	Pass	841
1840	1920	1	RMS	1891	22.04	60	Pass	401
1920	3000	1	RMS	2952	-46.1	-13	Pass	1081
3000	12000	1	RMS	11918	-37.26	-13	Pass	9002
12000	20000	1	RMS	19788	-30.32	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.89	-13	Pass	2986
30	1000	0.1	RMS	901.735	-60.73	-13	Pass	9701
1000	1840	1	RMS	1808	-49.34	-13	Pass	841
1840	1920	1	RMS	1891	21.12	60	Pass	401
1920	3000	1	RMS	2950	-46.2	-13	Pass	1081
3000	12000	1	RMS	11994	-37.35	-13	Pass	9002
12000	20000	1	RMS	19794	-30.35	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.48	-13	Pass	2986
30	1000	0.1	RMS	997.698	-60.4	-13	Pass	9701
1000	1700	1	RMS	1700	-49.38	-13	Pass	701
1700	1765	1	RMS	1710.238	22.52	60	Pass	401
1765	3000	1	RMS	2940	-46.04	-13	Pass	1236
3000	12000	1	RMS	7119	-29.44	-13	Pass	9002
12000	20000	1	RMS	19648	-24.21	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.97	-13	Pass	2986
30	1000	0.1	RMS	994.296	-60.67	-13	Pass	9701
1000	1700	1	RMS	1699	-49.8	-13	Pass	701
1700	1765	1	RMS	1710.238	21.55	60	Pass	401
1765	3000	1	RMS	2983	-46.09	-13	Pass	1236
3000	12000	1	RMS	11988	-37.19	-13	Pass	9002
12000	20000	1	RMS	19805	-30.38	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.32	-13	Pass	401
0.15	30	0.01	RMS	24.74	-70.41	-13	Pass	2986
30	1000	0.1	RMS	861.508	-60.54	-13	Pass	9701
1000	1700	1	RMS	1658	-49.91	-13	Pass	701
1700	1765	1	RMS	1732.013	22.61	60	Pass	401
1765	3000	1	RMS	2966	-46.11	-13	Pass	1236
3000	12000	1	RMS	11987	-37.14	-13	Pass	9002
12000	20000	1	RMS	19802	-30.32	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.77	-70.29	-13	Pass	2986
30	1000	0.1	RMS	891.828	-60.59	-13	Pass	9701
1000	1700	1	RMS	1657	-49.77	-13	Pass	701
1700	1765	1	RMS	1732.013	21.67	60	Pass	401
1765	3000	1	RMS	2981	-46.09	-13	Pass	1236
3000	12000	1	RMS	11939	-37.06	-13	Pass	9002
12000	20000	1	RMS	19789	-30.22	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.47	-13	Pass	401
0.15	30	0.01	RMS	1.02	-69.73	-13	Pass	2986
30	1000	0.1	RMS	901.034	-60.5	-13	Pass	9701
1000	1700	1	RMS	1676	-49.75	-13	Pass	701
1700	1765	1	RMS	1753.788	22.58	60	Pass	401
1765	3000	1	RMS	2946	-46.08	-13	Pass	1236
3000	12000	1	RMS	11884	-37.28	-13	Pass	9002
12000	20000	1	RMS	19784	-30.2	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.49	-13	Pass	2986
30	1000	0.1	RMS	886.425	-60.58	-13	Pass	9701
1000	1700	1	RMS	1700	-49.77	-13	Pass	701
1700	1765	1	RMS	1753.788	21.64	60	Pass	401
1765	3000	1	RMS	2942	-46.15	-13	Pass	1236
3000	12000	1	RMS	11872	-37.18	-13	Pass	9002
12000	20000	1	RMS	19797	-30.37	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.25	-69.97	-13	Pass	2986
30	1000	0.1	RMS	911.942	-60.52	-13	Pass	9701
1000	1700	1	RMS	1700	-49.45	-13	Pass	701
1700	1765	1	RMS	1710.075	22.59	60	Pass	401
1765	3000	1	RMS	2942	-46.08	-13	Pass	1236
3000	12000	1	RMS	7127	-29.75	-13	Pass	9002
12000	20000	1	RMS	19646	-23.27	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.14	-73.64	-13	Pass	401
0.15	30	0.01	RMS	0.23	-69.63	-13	Pass	2986
30	1000	0.1	RMS	899.934	-60.6	-13	Pass	9701
1000	1700	1	RMS	1700	-49.45	-13	Pass	701
1700	1765	1	RMS	1710.238	21.75	60	Pass	401
1765	3000	1	RMS	2952	-46.06	-13	Pass	1236
3000	12000	1	RMS	11932	-37.09	-13	Pass	9002
12000	20000	1	RMS	19803	-30.3	-13	Pass	8001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-13	Pass	401
0.15	30	0.01	RMS	0.34	-69.62	-13	Pass	2986
30	1000	0.1	RMS	911.842	-60.67	-13	Pass	9701
1000	1700	1	RMS	1695	-49.72	-13	Pass	701
1700	1765	1	RMS	1731.2	22.67	60	Pass	401
1765	3000	1	RMS	2950	-46.08	-13	Pass	1236
3000	12000	1	RMS	10401	-37.07	-13	Pass	9002
12000	20000	1	RMS	19807	-30.3	-13	Pass	8001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-73.14	-13	Pass	401
0.15	30	0.01	RMS	0.43	-69.88	-13	Pass	2986
30	1000	0.1	RMS	989.193	-60.64	-13	Pass	9701
1000	1700	1	RMS	1695	-49.85	-13	Pass	701
1700	1765	1	RMS	1731.2	21.75	60	Pass	401
1765	3000	1	RMS	2973	-46.01	-13	Pass	1236
3000	12000	1	RMS	11976	-37.1	-13	Pass	9002
12000	20000	1	RMS	19799	-30.21	-13	Pass	8001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.62	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.88	-13	Pass	2986
30	1000	0.1	RMS	905.337	-60.53	-13	Pass	9701
1000	1700	1	RMS	1666	-49.74	-13	Pass	701
1700	1765	1	RMS	1752.163	22.66	60	Pass	401
1765	3000	1	RMS	2974	-46.2	-13	Pass	1236
3000	12000	1	RMS	11905	-37.28	-13	Pass	9002
12000	20000	1	RMS	19785	-30.36	-13	Pass	8001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.081	-73	-13	Pass	401
0.15	30	0.01	RMS	0.36	-70.12	-13	Pass	2986
30	1000	0.1	RMS	844.8	-60.51	-13	Pass	9701
1000	1700	1	RMS	1677	-49.72	-13	Pass	701
1700	1765	1	RMS	1752.163	21.69	60	Pass	401
1765	3000	1	RMS	2963	-46.11	-13	Pass	1236
3000	12000	1	RMS	11884	-37.26	-13	Pass	9002
12000	20000	1	RMS	19773	-30.25	-13	Pass	8001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.65	-69.69	-13	Pass	2986
30	1000	0.1	RMS	990.093	-60.5	-13	Pass	9701
1000	1700	1	RMS	1700	-49.08	-13	Pass	701
1700	1765	1	RMS	1710.238	22.53	60	Pass	401
1765	3000	1	RMS	2978	-46.08	-13	Pass	1236
3000	12000	1	RMS	7124	-28.77	-13	Pass	9002
12000	20000	1	RMS	19645	-23.61	-13	Pass	8001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.24	-69.77	-13	Pass	2986
30	1000	0.1	RMS	901.535	-60.64	-13	Pass	9701
1000	1700	1	RMS	1700	-49.37	-13	Pass	701
1700	1765	1	RMS	1710.238	21.61	60	Pass	401
1765	3000	1	RMS	2948	-46.04	-13	Pass	1236
3000	12000	1	RMS	11935	-37.12	-13	Pass	9002
12000	20000	1	RMS	19801	-30.23	-13	Pass	8001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.05	-13	Pass	2986
30	1000	0.1	RMS	990.394	-60.65	-13	Pass	9701
1000	1700	1	RMS	1688	-49.73	-13	Pass	701
1700	1765	1	RMS	1730.225	22.55	60	Pass	401
1765	3000	1	RMS	2951	-46.11	-13	Pass	1236
3000	12000	1	RMS	7100	-37.19	-13	Pass	9002
12000	20000	1	RMS	19797	-30.13	-13	Pass	8001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.26	-13	Pass	401
0.15	30	0.01	RMS	0.31	-69.69	-13	Pass	2986
30	1000	0.1	RMS	887.125	-60.37	-13	Pass	9701
1000	1700	1	RMS	1695	-49.73	-13	Pass	701
1700	1765	1	RMS	1730.225	21.73	60	Pass	401
1765	3000	1	RMS	2961	-46.05	-13	Pass	1236
3000	12000	1	RMS	11966	-37.14	-13	Pass	9002
12000	20000	1	RMS	19790	-30.28	-13	Pass	8001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.125	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.71	-13	Pass	2986
30	1000	0.1	RMS	996.498	-60.62	-13	Pass	9701
1000	1700	1	RMS	1691	-49.67	-13	Pass	701
1700	1765	1	RMS	1750.213	22.53	60	Pass	401
1765	3000	1	RMS	2945	-46.07	-13	Pass	1236
3000	12000	1	RMS	11942	-37.22	-13	Pass	9002
12000	20000	1	RMS	19808	-30.24	-13	Pass	8001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.43	-13	Pass	401
0.15	30	0.01	RMS	0.33	-69.4	-13	Pass	2986
30	1000	0.1	RMS	894.63	-60.73	-13	Pass	9701
1000	1700	1	RMS	1669	-49.68	-13	Pass	701
1700	1765	1	RMS	1750.213	21.72	60	Pass	401
1765	3000	1	RMS	2990	-46.1	-13	Pass	1236
3000	12000	1	RMS	11896	-37.21	-13	Pass	9002
12000	20000	1	RMS	19779	-30.24	-13	Pass	8001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.22	-69.68	-13	Pass	2986
30	1000	0.1	RMS	905.437	-60.66	-13	Pass	9701
1000	1700	1	RMS	1693	-47.88	-13	Pass	701
1700	1765	1	RMS	1710.563	22.59	60	Pass	401
1765	3000	1	RMS	2963	-46.06	-13	Pass	1236
3000	12000	1	RMS	7132	-29.33	-13	Pass	9002
12000	20000	1	RMS	19651	-22.98	-13	Pass	8001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.33	-69.61	-13	Pass	2986
30	1000	0.1	RMS	912.642	-60.74	-13	Pass	9701
1000	1700	1	RMS	1693	-48.23	-13	Pass	701
1700	1765	1	RMS	1710.563	21.76	60	Pass	401
1765	3000	1	RMS	2965	-46.11	-13	Pass	1236
3000	12000	1	RMS	11964	-37.15	-13	Pass	9002
12000	20000	1	RMS	19802	-30.19	-13	Pass	8001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.39	-70.34	-13	Pass	2986
30	1000	0.1	RMS	913.543	-60.58	-13	Pass	9701
1000	1700	1	RMS	1697	-49.82	-13	Pass	701
1700	1765	1	RMS	1727.95	22.63	60	Pass	401
1765	3000	1	RMS	2958	-46.05	-13	Pass	1236
3000	12000	1	RMS	11959	-37.04	-13	Pass	9002
12000	20000	1	RMS	19797	-30.29	-13	Pass	8001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.45	-69.53	-13	Pass	2986
30	1000	0.1	RMS	880.721	-60.48	-13	Pass	9701
1000	1700	1	RMS	1679	-49.73	-13	Pass	701
1700	1765	1	RMS	1727.95	21.65	60	Pass	401
1765	3000	1	RMS	2966	-46.13	-13	Pass	1236
3000	12000	1	RMS	11993	-37.13	-13	Pass	9002
12000	20000	1	RMS	19804	-30.3	-13	Pass	8001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.64	-13	Pass	2986
30	1000	0.1	RMS	892.129	-60.59	-13	Pass	9701
1000	1700	1	RMS	1691	-49.75	-13	Pass	701
1700	1765	1	RMS	1745.5	22.64	60	Pass	401
1765	3000	1	RMS	2950	-46.11	-13	Pass	1236
3000	12000	1	RMS	11882	-37.2	-13	Pass	9002
12000	20000	1	RMS	19802	-30.32	-13	Pass	8001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.55	-70.57	-13	Pass	2986
30	1000	0.1	RMS	890.127	-60.51	-13	Pass	9701
1000	1700	1	RMS	1669	-49.85	-13	Pass	701
1700	1765	1	RMS	1745.5	21.71	60	Pass	401
1765	3000	1	RMS	2998	-46.17	-13	Pass	1236
3000	12000	1	RMS	11933	-37.26	-13	Pass	9002
12000	20000	1	RMS	19785	-30.29	-13	Pass	8001



9.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.55	-69.95	-13	Pass	2986
30	1000	0.1	RMS	998.499	-60.59	-13	Pass	9701
1000	1700	1	RMS	1698	-42.88	-13	Pass	701
1700	1765	1	RMS	1710.725	22.51	60	Pass	401
1765	3000	1	RMS	2954	-46.14	-13	Pass	1236
3000	12000	1	RMS	7100	-29.94	-13	Pass	9002
12000	20000	1	RMS	19632	-23.02	-13	Pass	8001



9.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-71.87	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.1	-13	Pass	2986
30	1000	0.1	RMS	989.893	-60.52	-13	Pass	9701
1000	1700	1	RMS	1698	-44.02	-13	Pass	701
1700	1765	1	RMS	1710.725	21.72	60	Pass	401
1765	3000	1	RMS	2967	-46.03	-13	Pass	1236
3000	12000	1	RMS	11956	-36.98	-13	Pass	9002
12000	20000	1	RMS	19801	-30.2	-13	Pass	8001



9.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.093	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.27	-70.03	-13	Pass	2986
30	1000	0.1	RMS	913.243	-60.47	-13	Pass	9701
1000	1700	1	RMS	1699	-45.2	-13	Pass	701
1700	1765	1	RMS	1725.838	22.45	60	Pass	401
1765	3000	1	RMS	2984	-46.07	-13	Pass	1236
3000	12000	1	RMS	11938	-37.09	-13	Pass	9002
12000	20000	1	RMS	19789	-30.14	-13	Pass	8001



9.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.24	-69.54	-13	Pass	2986
30	1000	0.1	RMS	883.823	-60.55	-13	Pass	9701
1000	1700	1	RMS	1699	-46.98	-13	Pass	701
1700	1765	1	RMS	1725.838	21.5	60	Pass	401
1765	3000	1	RMS	2960	-45.98	-13	Pass	1236
3000	12000	1	RMS	11897	-37.15	-13	Pass	9002
12000	20000	1	RMS	19801	-30.24	-13	Pass	8001



9.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.22	-13	Pass	2986
30	1000	0.1	RMS	866.411	-60.53	-13	Pass	9701
1000	1700	1	RMS	1667	-49.72	-13	Pass	701
1700	1765	1	RMS	1740.788	22.53	60	Pass	401
1765	3000	1	RMS	1767	-26.35	-13	Pass	1236
3000	12000	1	RMS	11895	-37.24	-13	Pass	9002
12000	20000	1	RMS	19793	-30.12	-13	Pass	8001



9.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.18	-13	Pass	2986
30	1000	0.1	RMS	905.738	-60.6	-13	Pass	9701
1000	1700	1	RMS	1699	-49.6	-13	Pass	701
1700	1765	1	RMS	1740.788	21.66	60	Pass	401
1765	3000	1	RMS	1767	-27.12	-13	Pass	1236
3000	12000	1	RMS	11954	-37.1	-13	Pass	9002
12000	20000	1	RMS	19795	-30.24	-13	Pass	8001



9.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.34	-69.96	-13	Pass	2986
30	1000	0.1	RMS	902.335	-60.45	-13	Pass	9701
1000	1700	1	RMS	1693	-44.38	-13	Pass	701
1700	1765	1	RMS	1711.05	22.35	60	Pass	401
1765	3000	1	RMS	2960	-46.07	-13	Pass	1236
3000	12000	1	RMS	7105	-28.72	-13	Pass	9002
12000	20000	1	RMS	19634	-22.72	-13	Pass	8001



9.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.3	-13	Pass	2986
30	1000	0.1	RMS	909.94	-60.62	-13	Pass	9701
1000	1700	1	RMS	1693	-46.27	-13	Pass	701
1700	1765	1	RMS	1711.05	21.58	60	Pass	401
1765	3000	1	RMS	2991	-46.18	-13	Pass	1236
3000	12000	1	RMS	11996	-37.27	-13	Pass	9002
12000	20000	1	RMS	19802	-30.23	-13	Pass	8001



9.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.32	-69.83	-13	Pass	2986
30	1000	0.1	RMS	877.719	-60.6	-13	Pass	9701
1000	1700	1	RMS	1688	-49.38	-13	Pass	701
1700	1765	1	RMS	1723.563	22.3	60	Pass	401
1765	3000	1	RMS	2973	-46.11	-13	Pass	1236
3000	12000	1	RMS	11959	-37.08	-13	Pass	9002
12000	20000	1	RMS	19781	-30.18	-13	Pass	8001



9.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.59	-13	Pass	2986
30	1000	0.1	RMS	881.521	-60.47	-13	Pass	9701
1000	1700	1	RMS	1700	-49.63	-13	Pass	701
1700	1765	1	RMS	1723.563	21.4	60	Pass	401
1765	3000	1	RMS	2946	-46.02	-13	Pass	1236
3000	12000	1	RMS	11880	-37.01	-13	Pass	9002
12000	20000	1	RMS	19803	-30.27	-13	Pass	8001



9.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.45	-13	Pass	401
0.15	30	0.01	RMS	7	-70.42	-13	Pass	2986
30	1000	0.1	RMS	921.948	-60.28	-13	Pass	9701
1000	1700	1	RMS	1700	-47.28	-13	Pass	701
1700	1765	1	RMS	1736.075	22.39	60	Pass	401
1765	3000	1	RMS	1772	-26.78	-13	Pass	1236
3000	12000	1	RMS	11885	-37.07	-13	Pass	9002
12000	20000	1	RMS	19810	-30.09	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.18	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.6	-13	Pass	2986
30	1000	0.1	RMS	904.837	-60.23	-13	Pass	9701
1000	1700	1	RMS	1700	-47.47	-13	Pass	701
1700	1765	1	RMS	1736.075	21.45	60	Pass	401
1765	3000	1	RMS	1772	-28.5	-13	Pass	1236
3000	12000	1	RMS	11901	-36.92	-13	Pass	9002
12000	20000	1	RMS	19782	-30.05	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.32	-13	Pass	401
0.15	30	0.01	RMS	0.37	-69.02	-13	Pass	2986
30	814	0.1	RMS	714	-60.82	-13	Pass	7841
814	860	0.1	RMS	824.2	19.86	60	Pass	461
860	1000	0.1	RMS	884.2	-60.42	-13	Pass	1401
1000	3000	1	RMS	2950	-45.94	-13	Pass	2001
3000	10000	1	RMS	6986	-31.01	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.28	-70.27	-13	Pass	2986
30	814	0.1	RMS	655.3	-60.78	-13	Pass	7841
814	860	0.1	RMS	824.3	18.89	60	Pass	461
860	1000	0.1	RMS	898.8	-60.27	-13	Pass	1401
1000	3000	1	RMS	2977	-46	-13	Pass	2001
3000	10000	1	RMS	10000	-37.21	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-13	Pass	401
0.15	30	0.01	RMS	24.76	-70.37	-13	Pass	2986
30	814	0.1	RMS	731.3	-60.6	-13	Pass	7841
814	860	0.1	RMS	836.1	19.76	60	Pass	461
860	1000	0.1	RMS	920.9	-60.29	-13	Pass	1401
1000	3000	1	RMS	2978	-45.93	-13	Pass	2001
3000	10000	1	RMS	7086	-37.3	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.46	-69.55	-13	Pass	2986
30	814	0.1	RMS	797.2	-60.71	-13	Pass	7841
814	860	0.1	RMS	836.1	18.88	60	Pass	461
860	1000	0.1	RMS	995.1	-60.3	-13	Pass	1401
1000	3000	1	RMS	2969	-45.94	-13	Pass	2001
3000	10000	1	RMS	7104	-37.2	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.24	-13	Pass	2986
30	814	0.1	RMS	491	-60.51	-13	Pass	7841
814	860	0.1	RMS	847.9	19.13	60	Pass	461
860	1000	0.1	RMS	900.5	-60.33	-13	Pass	1401
1000	3000	1	RMS	2969	-45.88	-13	Pass	2001
3000	10000	1	RMS	7102	-37.16	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.31	-13	Pass	401
0.15	30	0.01	RMS	0.59	-70.16	-13	Pass	2986
30	814	0.1	RMS	469.1	-60.67	-13	Pass	7841
814	860	0.1	RMS	847.9	18.3	60	Pass	461
860	1000	0.1	RMS	904.1	-60.32	-13	Pass	1401
1000	3000	1	RMS	2964	-46.01	-13	Pass	2001
3000	10000	1	RMS	7100	-37.24	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.56	-69.48	-13	Pass	2986
30	814	0.1	RMS	813.5	-60.52	-13	Pass	7841
814	860	0.1	RMS	824.2	20.1	60	Pass	461
860	1000	0.1	RMS	996.4	-60.35	-13	Pass	1401
1000	3000	1	RMS	2980	-45.93	-13	Pass	2001
3000	10000	1	RMS	6989	-30.57	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.39	-69.44	-13	Pass	2986
30	814	0.1	RMS	813.4	-60.35	-13	Pass	7841
814	860	0.1	RMS	824.2	19.33	60	Pass	461
860	1000	0.1	RMS	883	-60.31	-13	Pass	1401
1000	3000	1	RMS	2950	-45.88	-13	Pass	2001
3000	10000	1	RMS	7099	-37.29	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.09	-13	Pass	2986
30	814	0.1	RMS	726.8	-60.75	-13	Pass	7841
814	860	0.1	RMS	835.2	20.13	60	Pass	461
860	1000	0.1	RMS	910	-60.25	-13	Pass	1401
1000	3000	1	RMS	2967	-45.9	-13	Pass	2001
3000	10000	1	RMS	7104	-37.13	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.28	-13	Pass	2986
30	814	0.1	RMS	483.2	-60.47	-13	Pass	7841
814	860	0.1	RMS	835.2	19.06	60	Pass	461
860	1000	0.1	RMS	893	-60.15	-13	Pass	1401
1000	3000	1	RMS	2963	-45.97	-13	Pass	2001
3000	10000	1	RMS	7794	-37.26	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.3	-69.59	-13	Pass	2986
30	814	0.1	RMS	495.2	-60.64	-13	Pass	7841
814	860	0.1	RMS	846.2	19.92	60	Pass	461
860	1000	0.1	RMS	920.7	-60.32	-13	Pass	1401
1000	3000	1	RMS	2956	-45.9	-13	Pass	2001
3000	10000	1	RMS	7095	-37.16	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.56	-69.95	-13	Pass	2986
30	814	0.1	RMS	732.2	-60.66	-13	Pass	7841
814	860	0.1	RMS	846.2	18.99	60	Pass	461
860	1000	0.1	RMS	906.8	-60.44	-13	Pass	1401
1000	3000	1	RMS	2951	-45.85	-13	Pass	2001
3000	10000	1	RMS	9995	-37.15	-13	Pass	7001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-72.4	-13	Pass	401
0.15	30	0.01	RMS	3.2	-70.15	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.37	-13	Pass	7841
814	860	0.1	RMS	824.3	20.03	60	Pass	461
860	1000	0.1	RMS	884.8	-60.47	-13	Pass	1401
1000	3000	1	RMS	2981	-45.94	-13	Pass	2001
3000	10000	1	RMS	6978	-30.15	-13	Pass	7001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.36	-13	Pass	2986
30	814	0.1	RMS	489.1	-60.63	-13	Pass	7841
814	860	0.1	RMS	824.3	19.07	60	Pass	461
860	1000	0.1	RMS	913.5	-60.09	-13	Pass	1401
1000	3000	1	RMS	2971	-45.97	-13	Pass	2001
3000	10000	1	RMS	9996	-37.36	-13	Pass	7001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-73.52	-13	Pass	401
0.15	30	0.01	RMS	0.36	-69.47	-13	Pass	2986
30	814	0.1	RMS	807.6	-60.67	-13	Pass	7841
814	860	0.1	RMS	834.3	19.99	60	Pass	461
860	1000	0.1	RMS	878.3	-60.3	-13	Pass	1401
1000	3000	1	RMS	2955	-45.85	-13	Pass	2001
3000	10000	1	RMS	9999	-37.24	-13	Pass	7001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-13	Pass	401
0.15	30	0.01	RMS	0.59	-69.86	-13	Pass	2986
30	814	0.1	RMS	480.5	-60.72	-13	Pass	7841
814	860	0.1	RMS	834.3	19.11	60	Pass	461
860	1000	0.1	RMS	993.7	-60.42	-13	Pass	1401
1000	3000	1	RMS	2970	-45.89	-13	Pass	2001
3000	10000	1	RMS	7095	-37.2	-13	Pass	7001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.075	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.89	-13	Pass	2986
30	814	0.1	RMS	806.7	-60.73	-13	Pass	7841
814	860	0.1	RMS	844.3	19.99	60	Pass	461
860	1000	0.1	RMS	997.8	-60.36	-13	Pass	1401
1000	3000	1	RMS	2972	-45.95	-13	Pass	2001
3000	10000	1	RMS	7100	-37.29	-13	Pass	7001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.89	-13	Pass	401
0.15	30	0.01	RMS	0.68	-69.81	-13	Pass	2986
30	814	0.1	RMS	480.5	-60.73	-13	Pass	7841
814	860	0.1	RMS	844.3	19.08	60	Pass	461
860	1000	0.1	RMS	901.5	-60.31	-13	Pass	1401
1000	3000	1	RMS	2961	-45.91	-13	Pass	2001
3000	10000	1	RMS	7101	-37.05	-13	Pass	7001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.9	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.47	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.14	-13	Pass	7841
814	860	0.1	RMS	824.6	20.58	60	Pass	461
860	1000	0.1	RMS	878.9	-60.38	-13	Pass	1401
1000	3000	1	RMS	2948	-45.88	-13	Pass	2001
3000	10000	1	RMS	6985	-30.1	-13	Pass	7001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.52	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.42	-13	Pass	7841
814	860	0.1	RMS	824.6	19.77	60	Pass	461
860	1000	0.1	RMS	988.6	-60.18	-13	Pass	1401
1000	3000	1	RMS	2950	-45.92	-13	Pass	2001
3000	10000	1	RMS	7101	-37.18	-13	Pass	7001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.02	-13	Pass	401
0.15	30	0.01	RMS	3.07	-69.78	-13	Pass	2986
30	814	0.1	RMS	466.7	-60.62	-13	Pass	7841
814	860	0.1	RMS	832.1	20.64	60	Pass	461
860	1000	0.1	RMS	909.6	-60.19	-13	Pass	1401
1000	3000	1	RMS	2965	-46.01	-13	Pass	2001
3000	10000	1	RMS	7104	-37.24	-13	Pass	7001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-13	Pass	401
0.15	30	0.01	RMS	17.75	-69.47	-13	Pass	2986
30	814	0.1	RMS	804.8	-60.68	-13	Pass	7841
814	860	0.1	RMS	832.1	19.56	60	Pass	461
860	1000	0.1	RMS	902.4	-60.39	-13	Pass	1401
1000	3000	1	RMS	2970	-45.9	-13	Pass	2001
3000	10000	1	RMS	7099	-37.28	-13	Pass	7001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.96	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.46	-13	Pass	2986
30	814	0.1	RMS	801.8	-60.66	-13	Pass	7841
814	860	0.1	RMS	839.6	20.46	60	Pass	461
860	1000	0.1	RMS	908.8	-60.39	-13	Pass	1401
1000	3000	1	RMS	2974	-45.9	-13	Pass	2001
3000	10000	1	RMS	7108	-37.27	-13	Pass	7001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.33	-70.21	-13	Pass	2986
30	814	0.1	RMS	722.5	-60.72	-13	Pass	7841
814	860	0.1	RMS	839.6	19.53	60	Pass	461
860	1000	0.1	RMS	997.1	-60.23	-13	Pass	1401
1000	3000	1	RMS	2965	-45.88	-13	Pass	2001
3000	10000	1	RMS	7106	-37.15	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.75	-25	Pass	401
0.15	30	0.01	RMS	0.31	-69.95	-25	Pass	2986
30	1000	0.1	RMS	902.135	-60.13	-25	Pass	9701
1000	2490	1	RMS	2490	-46.75	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.68	60	Pass	401
2580	3000	1	RMS	2951	-45.98	-25	Pass	421
3000	12000	1	RMS	7089	-48.64	-25	Pass	9002
12000	26000	1	RMS	19906	-42.29	-25	Pass	14002




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.48	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.55	-25	Pass	2986
30	1000	0.1	RMS	855.304	-60.21	-25	Pass	9701
1000	2490	1	RMS	2490	-46.82	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.67	60	Pass	401
2580	3000	1	RMS	2967	-45.95	-25	Pass	421
3000	12000	1	RMS	11907	-56.65	-25	Pass	9002
12000	26000	1	RMS	25084	-44.56	-25	Pass	14002




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-73.42	-25	Pass	401
0.15	30	0.01	RMS	0.55	-69.01	-25	Pass	2986
30	1000	0.1	RMS	893.329	-60.29	-25	Pass	9701
1000	2490	1	RMS	2489	-46.97	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.04	60	Pass	401
2580	3000	1	RMS	2967	-45.93	-25	Pass	421
3000	12000	1	RMS	10353	-56.57	-25	Pass	9002
12000	26000	1	RMS	25795	-44.49	-25	Pass	14002




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.29	-25	Pass	401
0.15	30	0.01	RMS	0.64	-70.19	-25	Pass	2986
30	1000	0.1	RMS	889.327	-60.2	-25	Pass	9701
1000	2490	1	RMS	2487	-46.91	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.17	60	Pass	401
2580	3000	1	RMS	2951	-45.87	-25	Pass	421
3000	12000	1	RMS	10374	-56.76	-25	Pass	9002
12000	26000	1	RMS	25802	-44.43	-25	Pass	14002




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.34	-25	Pass	401
0.15	30	0.01	RMS	2.32	-69.9	-25	Pass	2986
30	1000	0.1	RMS	984.99	-60.12	-25	Pass	9701
1000	2490	1	RMS	2489	-46.98	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.95	60	Pass	401
2580	3000	1	RMS	2948	-45.9	-25	Pass	421
3000	12000	1	RMS	10327	-56.81	-25	Pass	9002
12000	26000	1	RMS	25929	-44.47	-25	Pass	14002




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.83	-25	Pass	401
0.15	30	0.01	RMS	4.01	-70.29	-25	Pass	2986
30	1000	0.1	RMS	903.136	-60.26	-25	Pass	9701
1000	2490	1	RMS	2487	-47.07	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.12	60	Pass	401
2580	3000	1	RMS	2959	-45.95	-25	Pass	421
3000	12000	1	RMS	11664	-48.95	-25	Pass	9002
12000	26000	1	RMS	25813	-44.67	-25	Pass	14002




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.76	-25	Pass	401
0.15	30	0.01	RMS	0.3	-69	-25	Pass	2986
30	1000	0.1	RMS	986.491	-60.14	-25	Pass	9701
1000	2490	1	RMS	2483	-44.26	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.77	60	Pass	401
2580	3000	1	RMS	2969	-45.93	-25	Pass	421
3000	12000	1	RMS	3489	-53.38	-25	Pass	9002
12000	26000	1	RMS	19930	-42.41	-25	Pass	14002




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.34	-25	Pass	401
0.15	30	0.01	RMS	0.92	-69.67	-25	Pass	2986
30	1000	0.1	RMS	866.411	-60.22	-25	Pass	9701
1000	2490	1	RMS	2483	-44.48	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.96	60	Pass	401
2580	3000	1	RMS	2968	-46.01	-25	Pass	421
3000	12000	1	RMS	10372	-56.65	-25	Pass	9002
12000	26000	1	RMS	25819	-44.44	-25	Pass	14002



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.59	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.68	-25	Pass	2986
30	1000	0.1	RMS	921.248	-60.3	-25	Pass	9701
1000	2490	1	RMS	2487	-46.79	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.12	60	Pass	401
2580	3000	1	RMS	2950	-45.84	-25	Pass	421
3000	12000	1	RMS	11862	-56.74	-25	Pass	9002
12000	26000	1	RMS	25099	-44.55	-25	Pass	14002



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.66	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.76	-25	Pass	2986
30	1000	0.1	RMS	890.227	-60.16	-25	Pass	9701
1000	2490	1	RMS	2489	-47	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.15	60	Pass	401
2580	3000	1	RMS	2949	-45.94	-25	Pass	421
3000	12000	1	RMS	10398	-56.8	-25	Pass	9002
12000	26000	1	RMS	25896	-44.55	-25	Pass	14002



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.29	-25	Pass	401
0.15	30	0.01	RMS	0.39	-69.75	-25	Pass	2986
30	1000	0.1	RMS	913.042	-60.29	-25	Pass	9701
1000	2490	1	RMS	2489	-47.12	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.11	60	Pass	401
2580	3000	1	RMS	2954	-45.98	-25	Pass	421
3000	12000	1	RMS	11865	-56.88	-25	Pass	9002
12000	26000	1	RMS	25901	-44.55	-25	Pass	14002



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.88	-25	Pass	401
0.15	30	0.01	RMS	0.99	-70.24	-25	Pass	2986
30	1000	0.1	RMS	896.531	-60.08	-25	Pass	9701
1000	2490	1	RMS	2489	-46.92	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.14	60	Pass	401
2580	3000	1	RMS	2950	-45.86	-25	Pass	421
3000	12000	1	RMS	11891	-56.72	-25	Pass	9002
12000	26000	1	RMS	25931	-44.56	-25	Pass	14002



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.68	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.85	-25	Pass	2986
30	1000	0.1	RMS	897.732	-60.05	-25	Pass	9701
1000	2490	1	RMS	2488	-43.48	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.63	60	Pass	401
2580	3000	1	RMS	2973	-45.83	-25	Pass	421
3000	12000	1	RMS	3477	-52.33	-25	Pass	9002
12000	26000	1	RMS	19907	-42.68	-25	Pass	14002



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.92	-25	Pass	2986
30	1000	0.1	RMS	905.738	-60.16	-25	Pass	9701
1000	2490	1	RMS	2487	-44.13	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.88	60	Pass	401
2580	3000	1	RMS	2948	-45.88	-25	Pass	421
3000	12000	1	RMS	10355	-56.79	-25	Pass	9002
12000	26000	1	RMS	25876	-44.55	-25	Pass	14002



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-73.2	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.57	-25	Pass	2986
30	1000	0.1	RMS	888.226	-60.18	-25	Pass	9701
1000	2490	1	RMS	2489	-46.99	-25	Pass	1491
2490	2580	1	RMS	2528.25	23	60	Pass	401
2580	3000	1	RMS	2978	-45.93	-25	Pass	421
3000	12000	1	RMS	11855	-56.61	-25	Pass	9002
12000	26000	1	RMS	25861	-44.6	-25	Pass	14002



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.29	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.45	-25	Pass	2986
30	1000	0.1	RMS	906.438	-60.11	-25	Pass	9701
1000	2490	1	RMS	2490	-47.11	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.07	60	Pass	401
2580	3000	1	RMS	2951	-45.98	-25	Pass	421
3000	12000	1	RMS	10320	-56.78	-25	Pass	9002
12000	26000	1	RMS	25921	-44.69	-25	Pass	14002



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.55	-25	Pass	2986
30	1000	0.1	RMS	884.023	-60.17	-25	Pass	9701
1000	2490	1	RMS	2490	-47.26	-25	Pass	1491
2490	2595	1	RMS	2555.625	22.59	60	Pass	401
2595	3000	1	RMS	2949	-46.11	-25	Pass	406
3000	12000	1	RMS	7097	-49.01	-25	Pass	9002
12000	26000	1	RMS	19954	-43.26	-25	Pass	14002



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-25	Pass	401
0.15	30	0.01	RMS	17.82	-70.15	-25	Pass	2986
30	1000	0.1	RMS	999.3	-60.31	-25	Pass	9701
1000	2490	1	RMS	2489	-47.15	-25	Pass	1491
2490	2595	1	RMS	2555.625	21.72	60	Pass	401
2595	3000	1	RMS	2972	-46.17	-25	Pass	406
3000	12000	1	RMS	10366	-56.88	-25	Pass	9002
12000	26000	1	RMS	25926	-44.8	-25	Pass	14002



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69	-25	Pass	2986
30	1000	0.1	RMS	879.52	-60.09	-25	Pass	9701
1000	2490	1	RMS	2490	-45.09	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.66	60	Pass	401
2580	3000	1	RMS	2950	-45.92	-25	Pass	421
3000	12000	1	RMS	3488	-52.34	-25	Pass	9002
12000	26000	1	RMS	19930	-42.03	-25	Pass	14002



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.95	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.98	-25	Pass	2986
30	1000	0.1	RMS	880.121	-60.26	-25	Pass	9701
1000	2490	1	RMS	2490	-45.13	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.82	60	Pass	401
2580	3000	1	RMS	2968	-45.99	-25	Pass	421
3000	12000	1	RMS	10379	-56.63	-25	Pass	9002
12000	26000	1	RMS	25806	-44.57	-25	Pass	14002



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-73.63	-25	Pass	401
0.15	30	0.01	RMS	0.6	-69.09	-25	Pass	2986
30	1000	0.1	RMS	874.617	-59.97	-25	Pass	9701
1000	2490	1	RMS	2490	-43.3	-25	Pass	1491
2490	2580	1	RMS	2526	22.87	60	Pass	401
2580	3000	1	RMS	2951	-45.91	-25	Pass	421
3000	12000	1	RMS	10342	-56.63	-25	Pass	9002
12000	26000	1	RMS	25781	-44.68	-25	Pass	14002



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.79	-25	Pass	401
0.15	30	0.01	RMS	0.28	-69.81	-25	Pass	2986
30	1000	0.1	RMS	911.241	-60.23	-25	Pass	9701
1000	2490	1	RMS	2490	-45.46	-25	Pass	1491
2490	2580	1	RMS	2526	21.87	60	Pass	401
2580	3000	1	RMS	2949	-45.87	-25	Pass	421
3000	12000	1	RMS	11659	-49.16	-25	Pass	9002
12000	26000	1	RMS	25821	-44.59	-25	Pass	14002



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.86	-25	Pass	401
0.15	30	0.01	RMS	0.25	-69.9	-25	Pass	2986
30	1000	0.1	RMS	894.63	-60.27	-25	Pass	9701
1000	2490	1	RMS	2486	-47.29	-25	Pass	1491
2490	2595	1	RMS	2550.9	22.53	60	Pass	401
2595	3000	1	RMS	2971	-46.16	-25	Pass	406
3000	12000	1	RMS	10395	-56.83	-25	Pass	9002
12000	26000	1	RMS	25831	-44.74	-25	Pass	14002



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.93	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.11	-25	Pass	2986
30	1000	0.1	RMS	984.49	-60.15	-25	Pass	9701
1000	2490	1	RMS	2487	-47.25	-25	Pass	1491
2490	2595	1	RMS	2550.9	21.67	60	Pass	401
2595	3000	1	RMS	2954	-46.19	-25	Pass	406
3000	12000	1	RMS	11853	-56.99	-25	Pass	9002
12000	26000	1	RMS	25801	-44.86	-25	Pass	14002



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.95	-13	Pass	401
0.15	30	0.01	RMS	3.61	-69.99	-13	Pass	2986
30	689	0.1	RMS	498.2	-60.62	-13	Pass	6591
689	726	0.1	RMS	699.268	20.38	60	Pass	401
726	1000	0.1	RMS	876.1	-59.79	-13	Pass	2741
1000	3000	1	RMS	2797	-45.37	-13	Pass	2001
3000	10000	1	RMS	6986	-29.45	-13	Pass	7001




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.19	-69.72	-13	Pass	2986
30	689	0.1	RMS	489.4	-60.65	-13	Pass	6591
689	726	0.1	RMS	699.268	19.37	60	Pass	401
726	1000	0.1	RMS	993.5	-59.85	-13	Pass	2741
1000	3000	1	RMS	2796	-45.73	-13	Pass	2001
3000	10000	1	RMS	7100	-37.16	-13	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.7	-69.37	-13	Pass	2986
30	689	0.1	RMS	501.1	-60.84	-13	Pass	6591
689	726	0.1	RMS	707.038	20.38	60	Pass	401
726	1000	0.1	RMS	852.9	-59.74	-13	Pass	2741
1000	3000	1	RMS	2828	-44.81	-13	Pass	2001
3000	10000	1	RMS	7800	-37.2	-13	Pass	7001




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-13	Pass	401
0.15	30	0.01	RMS	0.52	-69.38	-13	Pass	2986
30	689	0.1	RMS	467.1	-60.63	-13	Pass	6591
689	726	0.1	RMS	707.038	19.4	60	Pass	401
726	1000	0.1	RMS	921.8	-60.11	-13	Pass	2741
1000	3000	1	RMS	2828	-45.3	-13	Pass	2001
3000	10000	1	RMS	7088	-37.39	-13	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.92	-13	Pass	2986
30	689	0.1	RMS	682	-60.75	-13	Pass	6591
689	726	0.1	RMS	714.808	19.72	60	Pass	401
726	1000	0.1	RMS	828.7	-59.74	-13	Pass	2741
1000	3000	1	RMS	2859	-44.74	-13	Pass	2001
3000	10000	1	RMS	7103	-37.05	-13	Pass	7001




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-73.47	-13	Pass	401
0.15	30	0.01	RMS	0.38	-69.77	-13	Pass	2986
30	689	0.1	RMS	650.8	-60.71	-13	Pass	6591
689	726	0.1	RMS	714.808	18.8	60	Pass	401
726	1000	0.1	RMS	888.6	-59.87	-13	Pass	2741
1000	3000	1	RMS	2859	-45.18	-13	Pass	2001
3000	10000	1	RMS	7099	-37.24	-13	Pass	7001




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.133	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.22	-69.13	-13	Pass	2986
30	689	0.1	RMS	496.2	-60.69	-13	Pass	6591
689	726	0.1	RMS	699.268	20.31	60	Pass	401
726	1000	0.1	RMS	979.7	-60.01	-13	Pass	2741
1000	3000	1	RMS	2796	-45.27	-13	Pass	2001
3000	10000	1	RMS	6975	-30.47	-13	Pass	7001




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.6	-13	Pass	401
0.15	30	0.01	RMS	0.33	-69.9	-13	Pass	2986
30	689	0.1	RMS	515.7	-60.77	-13	Pass	6591
689	726	0.1	RMS	699.268	19.49	60	Pass	401
726	1000	0.1	RMS	885.9	-60.07	-13	Pass	2741
1000	3000	1	RMS	2796	-45.49	-13	Pass	2001
3000	10000	1	RMS	7800	-37.25	-13	Pass	7001



12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.18	-13	Pass	401
0.15	30	0.01	RMS	3.76	-69.31	-13	Pass	2986
30	689	0.1	RMS	645	-60.79	-13	Pass	6591
689	726	0.1	RMS	706.205	20.09	60	Pass	401
726	1000	0.1	RMS	907.7	-59.99	-13	Pass	2741
1000	3000	1	RMS	2824	-45.19	-13	Pass	2001
3000	10000	1	RMS	7102	-37.1	-13	Pass	7001



12.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.99	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.45	-13	Pass	2986
30	689	0.1	RMS	678.1	-60.84	-13	Pass	6591
689	726	0.1	RMS	706.205	19.09	60	Pass	401
726	1000	0.1	RMS	986.1	-60.11	-13	Pass	2741
1000	3000	1	RMS	2825	-45.46	-13	Pass	2001
3000	10000	1	RMS	7105	-37.13	-13	Pass	7001



12.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.63	-69.64	-13	Pass	2986
30	689	0.1	RMS	490.2	-60.72	-13	Pass	6591
689	726	0.1	RMS	713.235	20.35	60	Pass	401
726	1000	0.1	RMS	909.4	-59.88	-13	Pass	2741
1000	3000	1	RMS	2853	-45.32	-13	Pass	2001
3000	10000	1	RMS	7096	-37.14	-13	Pass	7001



12.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.82	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.24	-13	Pass	2986
30	689	0.1	RMS	480.2	-60.64	-13	Pass	6591
689	726	0.1	RMS	713.235	19.42	60	Pass	401
726	1000	0.1	RMS	989.9	-59.96	-13	Pass	2741
1000	3000	1	RMS	2852	-45.56	-13	Pass	2001
3000	10000	1	RMS	7101	-37.16	-13	Pass	7001



12.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.23	-69.09	-13	Pass	2986
30	689	0.1	RMS	481.2	-60.72	-13	Pass	6591
689	726	0.1	RMS	699.36	20.13	60	Pass	401
726	1000	0.1	RMS	918.8	-59.6	-13	Pass	2741
1000	3000	1	RMS	2797	-44.95	-13	Pass	2001
3000	10000	1	RMS	6985	-30.04	-13	Pass	7001



12.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.49	-69.34	-13	Pass	2986
30	689	0.1	RMS	472.3	-60.75	-13	Pass	6591
689	726	0.1	RMS	699.36	19.41	60	Pass	401
726	1000	0.1	RMS	885.3	-59.87	-13	Pass	2741
1000	3000	1	RMS	2797	-45.24	-13	Pass	2001
3000	10000	1	RMS	7105	-37.2	-13	Pass	7001



12.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.71	-69.45	-13	Pass	2986
30	689	0.1	RMS	488	-60.6	-13	Pass	6591
689	726	0.1	RMS	705.373	20.07	60	Pass	401
726	1000	0.1	RMS	844.7	-59.87	-13	Pass	2741
1000	3000	1	RMS	2821	-44.99	-13	Pass	2001
3000	10000	1	RMS	7102	-37.06	-13	Pass	7001



12.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.93	-13	Pass	2986
30	689	0.1	RMS	484	-60.8	-13	Pass	6591
689	726	0.1	RMS	705.373	19.18	60	Pass	401
726	1000	0.1	RMS	871.7	-59.71	-13	Pass	2741
1000	3000	1	RMS	2821	-45.31	-13	Pass	2001
3000	10000	1	RMS	9985	-37.31	-13	Pass	7001



12.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-72.88	-13	Pass	401
0.15	30	0.01	RMS	0.66	-69.62	-13	Pass	2986
30	689	0.1	RMS	485.5	-60.53	-13	Pass	6591
689	726	0.1	RMS	711.293	19.69	60	Pass	401
726	1000	0.1	RMS	986.9	-59.86	-13	Pass	2741
1000	3000	1	RMS	2845	-44.78	-13	Pass	2001
3000	10000	1	RMS	7100	-37.23	-13	Pass	7001



12.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.24	-13	Pass	401
0.15	30	0.01	RMS	8.25	-69.17	-13	Pass	2986
30	689	0.1	RMS	633.8	-60.71	-13	Pass	6591
689	726	0.1	RMS	711.293	18.91	60	Pass	401
726	1000	0.1	RMS	912.1	-59.71	-13	Pass	2741
1000	3000	1	RMS	2845	-45.17	-13	Pass	2001
3000	10000	1	RMS	7100	-37.13	-13	Pass	7001



12.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.066	-73.06	-13	Pass	401
0.15	30	0.01	RMS	2.94	-69.8	-13	Pass	2986
30	689	0.1	RMS	635.6	-60.64	-13	Pass	6591
689	726	0.1	RMS	699.545	19.98	60	Pass	401
726	1000	0.1	RMS	912.9	-59.39	-13	Pass	2741
1000	3000	1	RMS	2798	-44.78	-13	Pass	2001
3000	10000	1	RMS	6971	-30.53	-13	Pass	7001



12.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.05	-13	Pass	401
0.15	30	0.01	RMS	0.97	-69.06	-13	Pass	2986
30	689	0.1	RMS	488.5	-60.83	-13	Pass	6591
689	726	0.1	RMS	699.545	19.02	60	Pass	401
726	1000	0.1	RMS	985.7	-59.99	-13	Pass	2741
1000	3000	1	RMS	2798	-45.26	-13	Pass	2001
3000	10000	1	RMS	7092	-37.13	-13	Pass	7001



12.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.29	-13	Pass	401
0.15	30	0.01	RMS	2.61	-68.46	-13	Pass	2986
30	689	0.1	RMS	469.4	-59.39	-13	Pass	6591
689	726	0.1	RMS	703.06	20.24	60	Pass	401
726	1000	0.1	RMS	854.8	-58.58	-13	Pass	2741
1000	3000	1	RMS	2812	-44.94	-13	Pass	2001
3000	10000	1	RMS	7101	-37.1	-13	Pass	7001



12.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.04	-13	Pass	401
0.15	30	0.01	RMS	13.16	-68.07	-13	Pass	2986
30	689	0.1	RMS	628	-59.72	-13	Pass	6591
689	726	0.1	RMS	703.06	19.21	60	Pass	401
726	1000	0.1	RMS	732.6	-58.67	-13	Pass	2741
1000	3000	1	RMS	2812	-45.44	-13	Pass	2001
3000	10000	1	RMS	9999	-37.19	-13	Pass	7001



12.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-13	Pass	401
0.15	30	0.01	RMS	28.06	-69.14	-13	Pass	2986
30	689	0.1	RMS	512.2	-60.7	-13	Pass	6591
689	726	0.1	RMS	706.575	20.34	60	Pass	401
726	1000	0.1	RMS	998.9	-59.97	-13	Pass	2741
1000	3000	1	RMS	2826	-44.73	-13	Pass	2001
3000	10000	1	RMS	7101	-37.21	-13	Pass	7001



12.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.3	-69.78	-13	Pass	2986
30	689	0.1	RMS	619	-60.81	-13	Pass	6591
689	726	0.1	RMS	706.575	19.54	60	Pass	401
726	1000	0.1	RMS	893.1	-59.91	-13	Pass	2741
1000	3000	1	RMS	2826	-45.1	-13	Pass	2001
3000	10000	1	RMS	7106	-37.17	-13	Pass	7001



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-73.48	-13	Pass	401
0.15	30	0.01	RMS	0.28	-69.39	-13	Pass	2986
30	694	0.1	RMS	693.6	-60.52	-13	Pass	6641
694	726	0.1	RMS	704.32	20.42	60	Pass	401
726	1000	0.1	RMS	996.4	-59.95	-13	Pass	2741
1000	3000	1	RMS	2817	-44.87	-13	Pass	2001
3000	10000	1	RMS	6977	-29.84	-13	Pass	7001




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.125	-73.7	-13	Pass	401
0.15	30	0.01	RMS	27.72	-69.77	-13	Pass	2986
30	694	0.1	RMS	625.6	-60.77	-13	Pass	6641
694	726	0.1	RMS	704.32	19.52	60	Pass	401
726	1000	0.1	RMS	903.8	-59.73	-13	Pass	2741
1000	3000	1	RMS	2817	-45.34	-13	Pass	2001
3000	10000	1	RMS	7101	-37.22	-13	Pass	7001




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.7	-13	Pass	401
0.15	30	0.01	RMS	25.01	-69.15	-13	Pass	2986
30	694	0.1	RMS	472.3	-60.76	-13	Pass	6641
694	726	0.1	RMS	707.84	20.57	60	Pass	401
726	1000	0.1	RMS	883.5	-59.59	-13	Pass	2741
1000	3000	1	RMS	2831	-44.47	-13	Pass	2001
3000	10000	1	RMS	7102	-37.29	-13	Pass	7001




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.3	-69.06	-13	Pass	2986
30	694	0.1	RMS	463.5	-60.74	-13	Pass	6641
694	726	0.1	RMS	707.84	19.77	60	Pass	401
726	1000	0.1	RMS	906.7	-59.88	-13	Pass	2741
1000	3000	1	RMS	2831	-44.79	-13	Pass	2001
3000	10000	1	RMS	7103	-37.22	-13	Pass	7001




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.136	-73.17	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.89	-13	Pass	2986
30	694	0.1	RMS	492.1	-60.76	-13	Pass	6641
694	726	0.1	RMS	711.36	20.21	60	Pass	401
726	1000	0.1	RMS	888.3	-59.87	-13	Pass	2741
1000	3000	1	RMS	2845	-44.69	-13	Pass	2001
3000	10000	1	RMS	7106	-37.17	-13	Pass	7001




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.83	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.55	-13	Pass	2986
30	694	0.1	RMS	495.4	-60.74	-13	Pass	6641
694	726	0.1	RMS	711.36	19.59	60	Pass	401
726	1000	0.1	RMS	871	-59.92	-13	Pass	2741
1000	3000	1	RMS	2845	-45.15	-13	Pass	2001
3000	10000	1	RMS	7102	-37.1	-13	Pass	7001




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-72.98	-13	Pass	401
0.15	30	0.01	RMS	0.68	-68.92	-13	Pass	2986
30	694	0.1	RMS	693.9	-60.65	-13	Pass	6641
694	726	0.1	RMS	704.56	20.49	60	Pass	401
726	1000	0.1	RMS	909.8	-59.72	-13	Pass	2741
1000	3000	1	RMS	2818	-44.77	-13	Pass	2001
3000	10000	1	RMS	6978	-29.93	-13	Pass	7001




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.24	-13	Pass	2986
30	694	0.1	RMS	693.9	-60.35	-13	Pass	6641
694	726	0.1	RMS	704.56	19.61	60	Pass	401
726	1000	0.1	RMS	895.4	-59.73	-13	Pass	2741
1000	3000	1	RMS	2818	-45.12	-13	Pass	2001
3000	10000	1	RMS	7101	-37.12	-13	Pass	7001



13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.23	-13	Pass	401
0.15	30	0.01	RMS	28.56	-69.96	-13	Pass	2986
30	694	0.1	RMS	693.2	-58.75	-13	Pass	6641
694	726	0.1	RMS	705.6	20.69	60	Pass	401
726	1000	0.1	RMS	913.9	-60.01	-13	Pass	2741
1000	3000	1	RMS	2822	-44.83	-13	Pass	2001
3000	10000	1	RMS	10000	-37.3	-13	Pass	7001



13.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.58	-69.78	-13	Pass	2986
30	694	0.1	RMS	485.6	-60.63	-13	Pass	6641
694	726	0.1	RMS	705.6	19.72	60	Pass	401
726	1000	0.1	RMS	883.5	-59.88	-13	Pass	2741
1000	3000	1	RMS	2822	-45.21	-13	Pass	2001
3000	10000	1	RMS	7802	-37.19	-13	Pass	7001



13.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.08	-13	Pass	2986
30	694	0.1	RMS	694	-58.46	-13	Pass	6641
694	726	0.1	RMS	706.56	20.46	60	Pass	401
726	1000	0.1	RMS	905.6	-59.85	-13	Pass	2741
1000	3000	1	RMS	2826	-44.54	-13	Pass	2001
3000	10000	1	RMS	7097	-37.29	-13	Pass	7001



13.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-73.19	-13	Pass	401
0.15	30	0.01	RMS	0.36	-69.6	-13	Pass	2986
30	694	0.1	RMS	613.1	-59.55	-13	Pass	6641
694	726	0.1	RMS	706.56	19.47	60	Pass	401
726	1000	0.1	RMS	988.5	-59.96	-13	Pass	2741
1000	3000	1	RMS	2826	-45.02	-13	Pass	2001
3000	10000	1	RMS	7093	-37.15	-13	Pass	7001



14. LTE_Band26(part22)


14.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-61.84	-13	Pass	401
0.15	30	0.01	RMS	1.75	-63.02	-13	Pass	2986
30	814	0.1	RMS	38.1	-59.35	-13	Pass	7841
814	860	0.1	RMS	824.3	19.91	60	Pass	461
860	1000	0.1	RMS	907.4	-60.15	-13	Pass	1401
1000	3000	1	RMS	2945	-45.99	-13	Pass	2001
3000	10000	1	RMS	7003	-29.79	-13	Pass	7001




14.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-63.32	-13	Pass	401
0.15	30	0.01	RMS	25	-62.95	-13	Pass	2986
30	814	0.1	RMS	38.1	-59.25	-13	Pass	7841
814	860	0.1	RMS	824.3	18.91	60	Pass	461
860	1000	0.1	RMS	878.2	-60.41	-13	Pass	1401
1000	3000	1	RMS	2952	-45.89	-13	Pass	2001
3000	10000	1	RMS	7800	-37.16	-13	Pass	7001




14.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-62.11	-13	Pass	401
0.15	30	0.01	RMS	2.19	-61.36	-13	Pass	2986
30	814	0.1	RMS	38.1	-59.19	-13	Pass	7841
814	860	0.1	RMS	836.1	19.97	60	Pass	461
860	1000	0.1	RMS	894.3	-60.17	-13	Pass	1401
1000	3000	1	RMS	2951	-46	-13	Pass	2001
3000	10000	1	RMS	7107	-37.35	-13	Pass	7001




14.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-61.64	-13	Pass	401
0.15	30	0.01	RMS	0.89	-60.71	-13	Pass	2986
30	814	0.1	RMS	38.1	-59.46	-13	Pass	7841
814	860	0.1	RMS	836.1	18.96	60	Pass	461
860	1000	0.1	RMS	880.8	-60.2	-13	Pass	1401
1000	3000	1	RMS	2956	-45.97	-13	Pass	2001
3000	10000	1	RMS	7092	-37.15	-13	Pass	7001




14.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-61.82	-13	Pass	401
0.15	30	0.01	RMS	24.42	-63.29	-13	Pass	2986
30	814	0.1	RMS	38.1	-59.11	-13	Pass	7841
814	860	0.1	RMS	847.9	19.35	60	Pass	461
860	1000	0.1	RMS	904.2	-60.34	-13	Pass	1401
1000	3000	1	RMS	2963	-45.92	-13	Pass	2001
3000	10000	1	RMS	7107	-37.07	-13	Pass	7001




14.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-62.58	-13	Pass	401
0.15	30	0.01	RMS	1.86	-61.76	-13	Pass	2986
30	814	0.1	RMS	38.1	-59.25	-13	Pass	7841
814	860	0.1	RMS	847.9	18.48	60	Pass	461
860	1000	0.1	RMS	910.7	-60.41	-13	Pass	1401
1000	3000	1	RMS	2959	-45.9	-13	Pass	2001
3000	10000	1	RMS	7102	-37.27	-13	Pass	7001




14.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-61.41	-13	Pass	401
0.15	30	0.01	RMS	3.4	-54.57	-13	Pass	2986
30	814	0.1	RMS	38.1	-58.84	-13	Pass	7841
814	860	0.1	RMS	824.2	20.27	60	Pass	461
860	1000	0.1	RMS	994.1	-60.28	-13	Pass	1401
1000	3000	1	RMS	2985	-45.97	-13	Pass	2001
3000	10000	1	RMS	6972	-30.43	-13	Pass	7001




14.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-63.1	-13	Pass	401
0.15	30	0.01	RMS	2.84	-61.82	-13	Pass	2986
30	814	0.1	RMS	38.1	-59.51	-13	Pass	7841
814	860	0.1	RMS	824.2	19.35	60	Pass	461
860	1000	0.1	RMS	896.6	-60.29	-13	Pass	1401
1000	3000	1	RMS	2959	-45.82	-13	Pass	2001
3000	10000	1	RMS	7101	-37.15	-13	Pass	7001



14.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.099	-63	-13	Pass	401
0.15	30	0.01	RMS	0.9	-59.65	-13	Pass	2986
30	814	0.1	RMS	36.4	-59.3	-13	Pass	7841
814	860	0.1	RMS	835.2	20.29	60	Pass	461
860	1000	0.1	RMS	891.6	-60.28	-13	Pass	1401
1000	3000	1	RMS	2948	-45.91	-13	Pass	2001
3000	10000	1	RMS	7101	-37.25	-13	Pass	7001



14.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-62.37	-13	Pass	401
0.15	30	0.01	RMS	24.61	-62.07	-13	Pass	2986
30	814	0.1	RMS	38.1	-59.34	-13	Pass	7841
814	860	0.1	RMS	835.2	19.32	60	Pass	461
860	1000	0.1	RMS	918.5	-60.3	-13	Pass	1401
1000	3000	1	RMS	2950	-45.92	-13	Pass	2001
3000	10000	1	RMS	7099	-37.27	-13	Pass	7001



14.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-61.39	-13	Pass	401
0.15	30	0.01	RMS	0.9	-60.67	-13	Pass	2986
30	814	0.1	RMS	36.4	-59.23	-13	Pass	7841
814	860	0.1	RMS	846.2	20.22	60	Pass	461
860	1000	0.1	RMS	897.5	-60.16	-13	Pass	1401
1000	3000	1	RMS	2970	-45.93	-13	Pass	2001
3000	10000	1	RMS	7102	-37.25	-13	Pass	7001



14.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.099	-62.24	-13	Pass	401
0.15	30	0.01	RMS	0.9	-58.88	-13	Pass	2986
30	814	0.1	RMS	36.1	-59.33	-13	Pass	7841
814	860	0.1	RMS	846.2	19.28	60	Pass	461
860	1000	0.1	RMS	904.4	-60.2	-13	Pass	1401
1000	3000	1	RMS	2951	-45.9	-13	Pass	2001
3000	10000	1	RMS	10000	-37.36	-13	Pass	7001



14.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-61.4	-13	Pass	401
0.15	30	0.01	RMS	2.83	-61.49	-13	Pass	2986
30	814	0.1	RMS	35.8	-59.2	-13	Pass	7841
814	860	0.1	RMS	824.3	20.16	60	Pass	461
860	1000	0.1	RMS	888.6	-60.32	-13	Pass	1401
1000	3000	1	RMS	2977	-45.87	-13	Pass	2001
3000	10000	1	RMS	6988	-29.39	-13	Pass	7001



14.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-62.96	-13	Pass	401
0.15	30	0.01	RMS	0.91	-59.17	-13	Pass	2986
30	814	0.1	RMS	36.3	-59.64	-13	Pass	7841
814	860	0.1	RMS	824.3	19.17	60	Pass	461
860	1000	0.1	RMS	905.1	-60.15	-13	Pass	1401
1000	3000	1	RMS	2950	-45.89	-13	Pass	2001
3000	10000	1	RMS	7103	-37.28	-13	Pass	7001



14.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-61.13	-13	Pass	401
0.15	30	0.01	RMS	0.91	-60.8	-13	Pass	2986
30	814	0.1	RMS	38.1	-59.39	-13	Pass	7841
814	860	0.1	RMS	834.3	20.21	60	Pass	461
860	1000	0.1	RMS	879.1	-60.09	-13	Pass	1401
1000	3000	1	RMS	2968	-45.9	-13	Pass	2001
3000	10000	1	RMS	7104	-37.28	-13	Pass	7001



14.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-62.1	-13	Pass	401
0.15	30	0.01	RMS	0.41	-59.89	-13	Pass	2986
30	814	0.1	RMS	36.4	-58.97	-13	Pass	7841
814	860	0.1	RMS	834.3	19.32	60	Pass	461
860	1000	0.1	RMS	889.9	-60.32	-13	Pass	1401
1000	3000	1	RMS	2962	-45.85	-13	Pass	2001
3000	10000	1	RMS	7104	-37.07	-13	Pass	7001



14.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.099	-63.03	-13	Pass	401
0.15	30	0.01	RMS	0.91	-58.79	-13	Pass	2986
30	814	0.1	RMS	36.6	-59.23	-13	Pass	7841
814	860	0.1	RMS	844.3	20.18	60	Pass	461
860	1000	0.1	RMS	873	-60.33	-13	Pass	1401
1000	3000	1	RMS	2968	-45.95	-13	Pass	2001
3000	10000	1	RMS	7107	-37.28	-13	Pass	7001



14.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-63.53	-13	Pass	401
0.15	30	0.01	RMS	24.71	-62.41	-13	Pass	2986
30	814	0.1	RMS	36.6	-59.06	-13	Pass	7841
814	860	0.1	RMS	844.3	19.24	60	Pass	461
860	1000	0.1	RMS	916	-60.31	-13	Pass	1401
1000	3000	1	RMS	2949	-45.96	-13	Pass	2001
3000	10000	1	RMS	9999	-37.25	-13	Pass	7001



14.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-63.26	-13	Pass	401
0.15	30	0.01	RMS	24.7	-61.81	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.09	-13	Pass	7841
814	860	0.1	RMS	824.6	20.63	60	Pass	461
860	1000	0.1	RMS	891.5	-60.21	-13	Pass	1401
1000	3000	1	RMS	2977	-45.98	-13	Pass	2001
3000	10000	1	RMS	6976	-30.17	-13	Pass	7001



14.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.099	-62.11	-13	Pass	401
0.15	30	0.01	RMS	2.8	-61.89	-13	Pass	2986
30	814	0.1	RMS	36.6	-59.17	-13	Pass	7841
814	860	0.1	RMS	824.6	19.79	60	Pass	461
860	1000	0.1	RMS	912	-60.22	-13	Pass	1401
1000	3000	1	RMS	2961	-45.88	-13	Pass	2001
3000	10000	1	RMS	10000	-37.25	-13	Pass	7001



14.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-62.7	-13	Pass	401
0.15	30	0.01	RMS	0.91	-60.77	-13	Pass	2986
30	814	0.1	RMS	36.6	-59.21	-13	Pass	7841
814	860	0.1	RMS	832.1	20.78	60	Pass	461
860	1000	0.1	RMS	992.4	-60.25	-13	Pass	1401
1000	3000	1	RMS	2949	-45.96	-13	Pass	2001
3000	10000	1	RMS	7100	-37.26	-13	Pass	7001



14.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.099	-62.28	-13	Pass	401
0.15	30	0.01	RMS	0.91	-58.2	-13	Pass	2986
30	814	0.1	RMS	37	-59.17	-13	Pass	7841
814	860	0.1	RMS	832.1	19.59	60	Pass	461
860	1000	0.1	RMS	885.7	-60.43	-13	Pass	1401
1000	3000	1	RMS	2973	-45.94	-13	Pass	2001
3000	10000	1	RMS	7108	-37.11	-13	Pass	7001



14.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-62.11	-13	Pass	401
0.15	30	0.01	RMS	25.09	-61.87	-13	Pass	2986
30	814	0.1	RMS	37.2	-58.94	-13	Pass	7841
814	860	0.1	RMS	839.6	20.65	60	Pass	461
860	1000	0.1	RMS	897	-60.26	-13	Pass	1401
1000	3000	1	RMS	2955	-45.83	-13	Pass	2001
3000	10000	1	RMS	7101	-37.19	-13	Pass	7001



14.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-61.87	-13	Pass	401
0.15	30	0.01	RMS	2.96	-62.11	-13	Pass	2986
30	814	0.1	RMS	36.9	-59.27	-13	Pass	7841
814	860	0.1	RMS	839.6	19.8	60	Pass	461
860	1000	0.1	RMS	885.4	-60.46	-13	Pass	1401
1000	3000	1	RMS	2970	-45.93	-13	Pass	2001
3000	10000	1	RMS	7101	-37.2	-13	Pass	7001



14.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-61.86	-13	Pass	401
0.15	30	0.01	RMS	0.91	-60.91	-13	Pass	2986
30	814	0.1	RMS	811.6	-52.46	-13	Pass	7841
814	860	0.1	RMS	824.8	20.14	60	Pass	461
860	1000	0.1	RMS	872.3	-60.09	-13	Pass	1401
1000	3000	1	RMS	2941	-46.02	-13	Pass	2001
3000	10000	1	RMS	6984	-29.96	-13	Pass	7001



14.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-61.65	-13	Pass	401
0.15	30	0.01	RMS	24.99	-61.32	-13	Pass	2986
30	814	0.1	RMS	811.6	-52.82	-13	Pass	7841
814	860	0.1	RMS	824.8	19.34	60	Pass	461
860	1000	0.1	RMS	884.4	-60.36	-13	Pass	1401
1000	3000	1	RMS	2959	-45.84	-13	Pass	2001
3000	10000	1	RMS	7099	-37.15	-13	Pass	7001



14.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-61.75	-13	Pass	401
0.15	30	0.01	RMS	2.76	-61.52	-13	Pass	2986
30	814	0.1	RMS	36.3	-58.92	-13	Pass	7841
814	860	0.1	RMS	829.8	20.15	60	Pass	461
860	1000	0.1	RMS	982.7	-60.33	-13	Pass	1401
1000	3000	1	RMS	2946	-45.96	-13	Pass	2001
3000	10000	1	RMS	7102	-37.37	-13	Pass	7001



14.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-61.57	-13	Pass	401
0.15	30	0.01	RMS	0.91	-61.38	-13	Pass	2986
30	814	0.1	RMS	36.6	-58.97	-13	Pass	7841
814	860	0.1	RMS	829.8	19.16	60	Pass	461
860	1000	0.1	RMS	889.1	-60.05	-13	Pass	1401
1000	3000	1	RMS	2980	-45.91	-13	Pass	2001
3000	10000	1	RMS	9997	-37.3	-13	Pass	7001



14.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-61.17	-13	Pass	401
0.15	30	0.01	RMS	25.48	-62.06	-13	Pass	2986
30	814	0.1	RMS	37.2	-59.04	-13	Pass	7841
814	860	0.1	RMS	834.8	20.03	60	Pass	461
860	1000	0.1	RMS	899.5	-60.25	-13	Pass	1401
1000	3000	1	RMS	2968	-45.94	-13	Pass	2001
3000	10000	1	RMS	7098	-37.34	-13	Pass	7001



14.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-62.32	-13	Pass	401
0.15	30	0.01	RMS	2.96	-61.83	-13	Pass	2986
30	814	0.1	RMS	35.7	-59.31	-13	Pass	7841
814	860	0.1	RMS	834.8	19.16	60	Pass	461
860	1000	0.1	RMS	910.9	-60.2	-13	Pass	1401
1000	3000	1	RMS	2950	-45.93	-13	Pass	2001
3000	10000	1	RMS	7099	-37.25	-13	Pass	7001



15. LTE_Band26(part90)


15.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.098	-55.37	-13	Pass	401
0.15	30	0.01	Peak	2.71	-55.28	-13	Pass	2986
30	809	0.1	Peak	772.8	-47.53	-13	Pass	7791
809	829	0.1	Peak	814.3	25.41	60	Pass	401
829	1000	0.1	Peak	992.3	-47.91	-13	Pass	1711
1000	3000	1	Peak	2934	-32.52	-13	Pass	2001
3000	10000	1	Peak	6978	-18.54	-13	Pass	7001




15.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.098	-55.31	-13	Pass	401
0.15	30	0.01	Peak	0.93	-55.34	-13	Pass	2986
30	809	0.1	Peak	617.6	-47.88	-13	Pass	7791
809	829	0.1	Peak	814.25	25.69	60	Pass	401
829	1000	0.1	Peak	897	-48.24	-13	Pass	1711
1000	3000	1	Peak	2896	-32.13	-13	Pass	2001
3000	10000	1	Peak	9750	-23.29	-13	Pass	7001




15.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.099	-54.75	-13	Pass	401
0.15	30	0.01	Peak	2.84	-54.04	-13	Pass	2986
30	809	0.1	Peak	809	-44.89	-13	Pass	7791
809	829	0.1	Peak	818.6	25.69	60	Pass	401
829	1000	0.1	Peak	835.7	-42.86	-13	Pass	1711
1000	3000	1	Peak	2590	-32.45	-13	Pass	2001
3000	10000	1	Peak	7078	-23.41	-13	Pass	7001




15.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.098	-55.74	-13	Pass	401
0.15	30	0.01	Peak	0.91	-56.17	-13	Pass	2986
30	809	0.1	Peak	765	-48.53	-13	Pass	7791
809	829	0.1	Peak	818.6	25.4	60	Pass	401
829	1000	0.1	Peak	829.7	-46.26	-13	Pass	1711
1000	3000	1	Peak	2969	-32.29	-13	Pass	2001
3000	10000	1	Peak	7120	-23.93	-13	Pass	7001




15.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.098	-54.73	-13	Pass	401
0.15	30	0.01	Peak	1.87	-55.66	-13	Pass	2986
30	809	0.1	Peak	756.3	-47.35	-13	Pass	7791
809	829	0.1	Peak	822.9	25.63	60	Pass	401
829	1000	0.1	Peak	910.2	-47.83	-13	Pass	1711
1000	3000	1	Peak	2947	-32.28	-13	Pass	2001
3000	10000	1	Peak	7784	-23.56	-13	Pass	7001




15.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.098	-54.87	-13	Pass	401
0.15	30	0.01	Peak	1.87	-55.14	-13	Pass	2986
30	809	0.1	Peak	465.6	-48.22	-13	Pass	7791
809	829	0.1	Peak	822.85	25.76	60	Pass	401
829	1000	0.1	Peak	829.2	-38.6	-13	Pass	1711
1000	3000	1	Peak	2581	-31.74	-13	Pass	2001
3000	10000	1	Peak	7100	-23.34	-13	Pass	7001




15.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.098	-54.7	-13	Pass	401
0.15	30	0.01	Peak	1.83	-54.49	-13	Pass	2986
30	809	0.1	Peak	809	-44.82	-13	Pass	7791
809	829	0.1	Peak	814.3	25.6	60	Pass	401
829	1000	0.1	Peak	904.7	-48.27	-13	Pass	1711
1000	3000	1	Peak	2561	-32.99	-13	Pass	2001
3000	10000	1	Peak	7130	-23.1	-13	Pass	7001




15.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.098	-55.69	-13	Pass	401
0.15	30	0.01	Peak	0.9	-54.15	-13	Pass	2986
30	809	0.1	Peak	808.9	-44.94	-13	Pass	7791
809	829	0.1	Peak	814.2	25.72	60	Pass	401
829	1000	0.1	Peak	988.7	-48.37	-13	Pass	1711
1000	3000	1	Peak	2771	-31.8	-13	Pass	2001
3000	10000	1	Peak	6988	-18.47	-13	Pass	7001




15.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.098	-54.35	-13	Pass	401
0.15	30	0.01	Peak	2.93	-55.48	-13	Pass	2986
30	809	0.1	Peak	554.1	-47.55	-13	Pass	7791
809	829	0.1	Peak	817.8	25.69	60	Pass	401
829	1000	0.1	Peak	879.9	-47.88	-13	Pass	1711
1000	3000	1	Peak	2783	-33.03	-13	Pass	2001
3000	10000	1	Peak	7057	-24.14	-13	Pass	7001




15.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.099	-55.2	-13	Pass	401
0.15	30	0.01	Peak	0.91	-54.11	-13	Pass	2986
30	809	0.1	Peak	737.8	-47.7	-13	Pass	7791
809	829	0.1	Peak	817.75	25.72	60	Pass	401
829	1000	0.1	Peak	923.6	-48.11	-13	Pass	1711
1000	3000	1	Peak	2830	-32.32	-13	Pass	2001
3000	10000	1	Peak	7478	-23.43	-13	Pass	7001




15.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.098	-54.61	-13	Pass	401
0.15	30	0.01	Peak	2.92	-54.59	-13	Pass	2986
30	809	0.1	Peak	481.6	-47.74	-13	Pass	7791
809	829	0.1	Peak	821.25	25.79	60	Pass	401
829	1000	0.1	Peak	829.1	-44.92	-13	Pass	1711
1000	3000	1	Peak	2939	-32.48	-13	Pass	2001
3000	10000	1	Peak	7034	-24.2	-13	Pass	7001




15.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.098	-54.64	-13	Pass	401
0.15	30	0.01	Peak	0.91	-53.19	-13	Pass	2986
30	809	0.1	Peak	806.3	-48.18	-13	Pass	7791
809	829	0.1	Peak	821.25	26.33	60	Pass	401
829	1000	0.1	Peak	829	-46.34	-13	Pass	1711
1000	3000	1	Peak	2984	-32.06	-13	Pass	2001
3000	10000	1	Peak	7433	-23.32	-13	Pass	7001




15.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.93	-13	Pass	401
0.15	30	0.01	Peak	10	-61.45	-13	Pass	2986
30	809	0.1	Peak	590.9	-48.05	-13	Pass	7791
809	829	0.1	Peak	814.35	26.41	60	Pass	401
829	1000	0.1	Peak	829	-34.79	-13	Pass	1711
1000	3000	1	Peak	2802	-31.79	-13	Pass	2001
3000	10000	1	Peak	7012	-18.31	-13	Pass	7001




15.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-64.49	-13	Pass	401
0.15	30	0.01	Peak	0.62	-60.96	-13	Pass	2986
30	809	0.1	Peak	809	-36.68	-13	Pass	7791
809	829	0.1	Peak	814.3	26.69	60	Pass	401
829	1000	0.1	Peak	829.1	-35.56	-13	Pass	1711
1000	3000	1	Peak	2835	-32.12	-13	Pass	2001
3000	10000	1	Peak	9948	-23.67	-13	Pass	7001




15.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.058	-66.83	-13	Pass	401
0.15	30	0.01	Peak	0.95	-60.83	-13	Pass	2986
30	809	0.1	Peak	368.3	-48.33	-13	Pass	7791
809	829	0.1	Peak	816.85	25.94	60	Pass	401
829	1000	0.1	Peak	899.7	-48.53	-13	Pass	1711
1000	3000	1	Peak	2938	-32.27	-13	Pass	2001
3000	10000	1	Peak	6986	-23.42	-13	Pass	7001




15.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.12	-13	Pass	401
0.15	30	0.01	Peak	0.47	-61.04	-13	Pass	2986
30	809	0.1	Peak	467.7	-47.97	-13	Pass	7791
809	829	0.1	Peak	816.8	26.08	60	Pass	401
829	1000	0.1	Peak	878.7	-48.43	-13	Pass	1711
1000	3000	1	Peak	2944	-32.74	-13	Pass	2001
3000	10000	1	Peak	7739	-23.15	-13	Pass	7001




15.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.53	-13	Pass	401
0.15	30	0.01	Peak	3.08	-60.98	-13	Pass	2986
30	809	0.1	Peak	503.5	-47.79	-13	Pass	7791
809	829	0.1	Peak	819.35	25.84	60	Pass	401
829	1000	0.1	Peak	829.1	-47.19	-13	Pass	1711
1000	3000	1	Peak	2982	-32.57	-13	Pass	2001
3000	10000	1	Peak	9755	-23.25	-13	Pass	7001




15.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.02	-65.5	-13	Pass	401
0.15	30	0.01	Peak	0.31	-60.21	-13	Pass	2986
30	809	0.1	Peak	692.3	-47.57	-13	Pass	7791
809	829	0.1	Peak	819.3	26.06	60	Pass	401
829	1000	0.1	Peak	829	-45.41	-13	Pass	1711
1000	3000	1	Peak	2685	-32.55	-13	Pass	2001
3000	10000	1	Peak	9992	-23.63	-13	Pass	7001




**15.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.54	-13	Pass	401
0.15	30	0.01	Peak	0.33	-60.51	-13	Pass	2986
30	809	0.1	Peak	808.7	-45.84	-13	Pass	7791
809	829	0.1	Peak	814.6	26.3	60	Pass	401
829	1000	0.1	Peak	829.9	-37.93	-13	Pass	1711
1000	3000	1	Peak	2822	-32.25	-13	Pass	2001
3000	10000	1	Peak	7803	-23.38	-13	Pass	7001



15.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.03	-13	Pass	401
0.15	30	0.01	Peak	0.19	-60.27	-13	Pass	2986
30	809	0.1	Peak	575.1	-47.14	-13	Pass	7791
809	829	0.1	Peak	814.65	26.19	60	Pass	401
829	1000	0.1	Peak	832.2	-37.75	-13	Pass	1711
1000	3000	1	Peak	2758	-31.59	-13	Pass	2001
3000	10000	1	Peak	7047	-18.81	-13	Pass	7001



16. LTE_Band38


16.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.3	-25	Pass	2986
30	1000	0.1	RMS	901.235	-56.26	-25	Pass	9701
1000	2560	1	RMS	2501	-43.09	-25	Pass	1561
2560	2630	1	RMS	2570.15	22.88	60	Pass	401
2630	3000	1	RMS	2950.05	-42.21	-25	Pass	401
3000	12000	1	RMS	7141	-45.35	-25	Pass	9002
12000	26500	1	RMS	20040	-39.8	-25	Pass	14502




16.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.75	-25	Pass	401
0.15	30	0.01	RMS	0.31	-66.53	-25	Pass	2986
30	1000	0.1	RMS	478.9	-56.51	-25	Pass	9701
1000	2560	1	RMS	2503	-43.23	-25	Pass	1561
2560	2630	1	RMS	2570.325	21.76	60	Pass	401
2630	3000	1	RMS	2962.075	-42.24	-25	Pass	401
3000	12000	1	RMS	7711	-45.12	-25	Pass	9002
12000	26500	1	RMS	24101	-45.71	-25	Pass	14502




16.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-68.92	-25	Pass	401
0.15	30	0.01	RMS	0.7	-66.34	-25	Pass	2986
30	1000	0.1	RMS	900.734	-56.19	-25	Pass	9701
1000	2560	1	RMS	2514	-43.27	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.49	60	Pass	401
2630	3000	1	RMS	2975.025	-42.32	-25	Pass	401
3000	12000	1	RMS	7779	-41.92	-25	Pass	9002
12000	26500	1	RMS	24111	-45.69	-25	Pass	14502




16.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.4	-25	Pass	401
0.15	30	0.01	RMS	1.39	-65.55	-25	Pass	2986
30	1000	0.1	RMS	904.837	-56.5	-25	Pass	9701
1000	2560	1	RMS	2502	-43.2	-25	Pass	1561
2560	2630	1	RMS	2592.9	21.05	60	Pass	401
2630	3000	1	RMS	2955.6	-42.27	-25	Pass	401
3000	12000	1	RMS	7779	-42.35	-25	Pass	9002
12000	26500	1	RMS	24116	-45.58	-25	Pass	14502




16.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.31	-25	Pass	401
0.15	30	0.01	RMS	0.24	-65.84	-25	Pass	2986
30	1000	0.1	RMS	855.504	-56.6	-25	Pass	9701
1000	2560	1	RMS	2493	-43.03	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.76	60	Pass	401
2630	3000	1	RMS	2969.475	-42.21	-25	Pass	401
3000	12000	1	RMS	7846	-46.45	-25	Pass	9002
12000	26500	1	RMS	25102	-45.75	-25	Pass	14502




16.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.09	-25	Pass	401
0.15	30	0.01	RMS	23.97	-66.58	-25	Pass	2986
30	1000	0.1	RMS	986.191	-56.62	-25	Pass	9701
1000	2560	1	RMS	2504	-43.12	-25	Pass	1561
2560	2630	1	RMS	2615.125	21.96	60	Pass	401
2630	3000	1	RMS	2970.4	-42.26	-25	Pass	401
3000	12000	1	RMS	11737	-44.79	-25	Pass	9002
12000	26500	1	RMS	25086	-45.67	-25	Pass	14502




16.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-69.74	-25	Pass	401
0.15	30	0.01	RMS	0.37	-65.93	-25	Pass	2986
30	1000	0.1	RMS	940.861	-56.49	-25	Pass	9701
1000	2560	1	RMS	2553	-42.54	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.78	60	Pass	401
2630	3000	1	RMS	2955.6	-42.18	-25	Pass	401
3000	12000	1	RMS	3561	-50.15	-25	Pass	9002
12000	26500	1	RMS	20064	-39.62	-25	Pass	14502




16.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.04	-25	Pass	2986
30	1000	0.1	RMS	900.534	-56.51	-25	Pass	9701
1000	2560	1	RMS	2553	-43.19	-25	Pass	1561
2560	2630	1	RMS	2570.5	21.92	60	Pass	401
2630	3000	1	RMS	2973.175	-42.33	-25	Pass	401
3000	12000	1	RMS	7711	-52.85	-25	Pass	9002
12000	26500	1	RMS	24102	-45.76	-25	Pass	14502



16.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.91	-25	Pass	401
0.15	30	0.01	RMS	0.16	-65.21	-25	Pass	2986
30	1000	0.1	RMS	900.434	-56.51	-25	Pass	9701
1000	2560	1	RMS	2503	-43.32	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.59	60	Pass	401
2630	3000	1	RMS	2950.05	-42.26	-25	Pass	401
3000	12000	1	RMS	7772	-48.21	-25	Pass	9002
12000	26500	1	RMS	25101	-45.61	-25	Pass	14502



16.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.35	-25	Pass	401
0.15	30	0.01	RMS	0.21	-66.39	-25	Pass	2986
30	1000	0.1	RMS	987.192	-56.32	-25	Pass	9701
1000	2560	1	RMS	2500	-43.06	-25	Pass	1561
2560	2630	1	RMS	2590.45	21.7	60	Pass	401
2630	3000	1	RMS	2951.9	-42.26	-25	Pass	401
3000	12000	1	RMS	7772	-48.74	-25	Pass	9002
12000	26500	1	RMS	24107	-45.73	-25	Pass	14502



16.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.41	-25	Pass	401
0.15	30	0.01	RMS	1.1	-65.93	-25	Pass	2986
30	1000	0.1	RMS	994.096	-56.41	-25	Pass	9701
1000	2560	1	RMS	2495	-42.98	-25	Pass	1561
2560	2630	1	RMS	2610.575	23.25	60	Pass	401
2630	3000	1	RMS	2962.075	-42.3	-25	Pass	401
3000	12000	1	RMS	7832	-51.17	-25	Pass	9002
12000	26500	1	RMS	12856	-42.72	-25	Pass	14502



16.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.01	-25	Pass	401
0.15	30	0.01	RMS	0.27	-65.73	-25	Pass	2986
30	1000	0.1	RMS	903.536	-56.58	-25	Pass	9701
1000	2560	1	RMS	2507	-42.98	-25	Pass	1561
2560	2630	1	RMS	2610.4	22.17	60	Pass	401
2630	3000	1	RMS	2946.35	-42.26	-25	Pass	401
3000	12000	1	RMS	11972	-52.98	-25	Pass	9002
12000	26500	1	RMS	24133	-45.67	-25	Pass	14502



16.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.01	-25	Pass	401
0.15	30	0.01	RMS	0.54	-65.96	-25	Pass	2986
30	1000	0.1	RMS	902.836	-56.43	-25	Pass	9701
1000	2560	1	RMS	2559	-41.07	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.89	60	Pass	401
2630	3000	1	RMS	2950.975	-42.27	-25	Pass	401
3000	12000	1	RMS	3523	-49.35	-25	Pass	9002
12000	26500	1	RMS	20033	-39.19	-25	Pass	14502



16.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68	-25	Pass	401
0.15	30	0.01	RMS	0.28	-65.42	-25	Pass	2986
30	1000	0.1	RMS	900.834	-56.48	-25	Pass	9701
1000	2560	1	RMS	2560	-41.94	-25	Pass	1561
2560	2630	1	RMS	2570.85	21.44	60	Pass	401
2630	3000	1	RMS	2980.575	-42.26	-25	Pass	401
3000	12000	1	RMS	10401	-52.94	-25	Pass	9002
12000	26500	1	RMS	25101	-45.59	-25	Pass	14502



16.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-65.8	-25	Pass	2986
30	1000	0.1	RMS	985.09	-56.44	-25	Pass	9701
1000	2560	1	RMS	2494	-42.95	-25	Pass	1561
2560	2630	1	RMS	2588.175	22.9	60	Pass	401
2630	3000	1	RMS	2954.675	-42.21	-25	Pass	401
3000	12000	1	RMS	7765	-51.53	-25	Pass	9002
12000	26500	1	RMS	24125	-45.53	-25	Pass	14502



16.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.01	-25	Pass	401
0.15	30	0.01	RMS	0.46	-66.04	-25	Pass	2986
30	1000	0.1	RMS	920.647	-56.57	-25	Pass	9701
1000	2560	1	RMS	2488	-43.19	-25	Pass	1561
2560	2630	1	RMS	2588.175	21.28	60	Pass	401
2630	3000	1	RMS	2955.6	-42.27	-25	Pass	401
3000	12000	1	RMS	7765	-48.77	-25	Pass	9002
12000	26500	1	RMS	24114	-45.76	-25	Pass	14502



16.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.083	-69.71	-25	Pass	401
0.15	30	0.01	RMS	0.56	-65.57	-25	Pass	2986
30	1000	0.1	RMS	878.019	-56.23	-25	Pass	9701
1000	2560	1	RMS	2498	-42.92	-25	Pass	1561
2560	2645	1	RMS	2605.9	22.73	60	Pass	401
2645	3000	1	RMS	2967.163	-42.16	-25	Pass	401
3000	12000	1	RMS	11459	-52.89	-25	Pass	9002
12000	26500	1	RMS	25105	-45.57	-25	Pass	14502



16.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.19	-25	Pass	401
0.15	30	0.01	RMS	0.26	-64.55	-25	Pass	2986
30	1000	0.1	RMS	833.1	-56.3	-25	Pass	9701
1000	2560	1	RMS	2494	-42.95	-25	Pass	1561
2560	2645	1	RMS	2605.688	22	60	Pass	401
2645	3000	1	RMS	2961.838	-42.12	-25	Pass	401
3000	12000	1	RMS	7150	-45.27	-25	Pass	9002
12000	26500	1	RMS	20049	-39.65	-25	Pass	14502



16.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.31	-25	Pass	2986
30	1000	0.1	RMS	899.934	-56.41	-25	Pass	9701
1000	2560	1	RMS	2560	-39.95	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.54	60	Pass	401
2630	3000	1	RMS	2972.25	-42.28	-25	Pass	401
3000	12000	1	RMS	3555	-49.47	-25	Pass	9002
12000	26500	1	RMS	20063	-38.6	-25	Pass	14502



16.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-69.55	-25	Pass	401
0.15	30	0.01	RMS	0.58	-65.94	-25	Pass	2986
30	1000	0.1	RMS	915.844	-56.36	-25	Pass	9701
1000	2560	1	RMS	2560	-39.58	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.02	60	Pass	401
2630	3000	1	RMS	2960.225	-42.25	-25	Pass	401
3000	12000	1	RMS	10371	-52.96	-25	Pass	9002
12000	26500	1	RMS	25086	-45.83	-25	Pass	14502



16.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.1	-25	Pass	401
0.15	30	0.01	RMS	0.16	-66.16	-25	Pass	2986
30	1000	0.1	RMS	889.227	-56.56	-25	Pass	9701
1000	2560	1	RMS	2499	-43.1	-25	Pass	1561
2560	2630	1	RMS	2585.9	22.88	60	Pass	401
2630	3000	1	RMS	2975.025	-42.27	-25	Pass	401
3000	12000	1	RMS	10378	-52.95	-25	Pass	9002
12000	26500	1	RMS	25102	-45.65	-25	Pass	14502



16.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.06	-25	Pass	401
0.15	30	0.01	RMS	0.21	-66.58	-25	Pass	2986
30	1000	0.1	RMS	898.933	-56.36	-25	Pass	9701
1000	2560	1	RMS	2503	-43.19	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.79	60	Pass	401
2630	3000	1	RMS	2968.55	-42.28	-25	Pass	401
3000	12000	1	RMS	11726	-45.29	-25	Pass	9002
12000	26500	1	RMS	25098	-45.52	-25	Pass	14502



16.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.06	-25	Pass	2986
30	1000	0.1	RMS	887.125	-56.33	-25	Pass	9701
1000	2560	1	RMS	2500	-42.92	-25	Pass	1561
2560	2645	1	RMS	2601.013	23.13	60	Pass	401
2645	3000	1	RMS	2970.713	-42.1	-25	Pass	401
3000	12000	1	RMS	10374	-52.89	-25	Pass	9002
12000	26500	1	RMS	24107	-45.66	-25	Pass	14502



16.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.04	-25	Pass	401
0.15	30	0.01	RMS	0.25	-65.24	-25	Pass	2986
30	1000	0.1	RMS	976.184	-56.32	-25	Pass	9701
1000	2560	1	RMS	2498	-42.91	-25	Pass	1561
2560	2645	1	RMS	2601.013	22.28	60	Pass	401
2645	3000	1	RMS	2962.725	-42.15	-25	Pass	401
3000	12000	1	RMS	10365	-52.87	-25	Pass	9002
12000	26500	1	RMS	25104	-45.66	-25	Pass	14502



17. LTE_Band41 120M


17.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-69.51	-25	Pass	401
0.15	30	0.01	RMS	0.62	-64.93	-25	Pass	2986
30	1000	0.1	RMS	480.9	-55.97	-25	Pass	9701
1000	2486	1	RMS	2486	-43.29	-25	Pass	1487
2486	2700	1	RMS	2535.22	22.66	60	Pass	401
2700	3000	1	RMS	2971.5	-42.15	-25	Pass	401
3000	12000	1	RMS	10399	-53.01	-25	Pass	9002
12000	27000	1	RMS	25816	-40.8	-25	Pass	15002




17.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-69.2	-25	Pass	401
0.15	30	0.01	RMS	1.2	-65.68	-25	Pass	2986
30	1000	0.1	RMS	881.321	-55.89	-25	Pass	9701
1000	2486	1	RMS	2482	-43.59	-25	Pass	1487
2486	2700	1	RMS	2535.22	21.57	60	Pass	401
2700	3000	1	RMS	2964.75	-42.15	-25	Pass	401
3000	12000	1	RMS	7090	-44.58	-25	Pass	9002
12000	27000	1	RMS	19986	-38.88	-25	Pass	15002




17.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.91	-25	Pass	401
0.15	30	0.01	RMS	0.38	-65.66	-25	Pass	2986
30	1000	0.1	RMS	992.095	-56.13	-25	Pass	9701
1000	2486	1	RMS	2486	-43.39	-25	Pass	1487
2486	2700	1	RMS	2592.465	22.68	60	Pass	401
2700	3000	1	RMS	2959.5	-42.16	-25	Pass	401
3000	12000	1	RMS	11993	-53.11	-25	Pass	9002
12000	27000	1	RMS	25799	-40.73	-25	Pass	15002




17.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.92	-25	Pass	401
0.15	30	0.01	RMS	0.86	-65.85	-25	Pass	2986
30	1000	0.1	RMS	995.097	-55.98	-25	Pass	9701
1000	2486	1	RMS	2480	-43.23	-25	Pass	1487
2486	2700	1	RMS	2592.465	21.32	60	Pass	401
2700	3000	1	RMS	2964.75	-42.17	-25	Pass	401
3000	12000	1	RMS	11843	-53.01	-25	Pass	9002
12000	27000	1	RMS	26216	-40.93	-25	Pass	15002




17.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.56	-25	Pass	401
0.15	30	0.01	RMS	0.61	-64.71	-25	Pass	2986
30	1000	0.1	RMS	890.327	-56.23	-25	Pass	9701
1000	2486	1	RMS	2476	-43.36	-25	Pass	1487
2486	2700	1	RMS	2650.245	21.83	60	Pass	401
2700	3000	1	RMS	2952	-42.16	-25	Pass	401
3000	12000	1	RMS	11462	-53.01	-25	Pass	9002
12000	27000	1	RMS	26255	-40.87	-25	Pass	15002




17.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.72	-25	Pass	401
0.15	30	0.01	RMS	0.19	-65.28	-25	Pass	2986
30	1000	0.1	RMS	992.995	-56.16	-25	Pass	9701
1000	2486	1	RMS	2477	-43.48	-25	Pass	1487
2486	2700	1	RMS	2650.245	22.04	60	Pass	401
2700	3000	1	RMS	2947.5	-42.18	-25	Pass	401
3000	12000	1	RMS	7104	-43.74	-25	Pass	9002
12000	27000	1	RMS	20005	-38.67	-25	Pass	15002




17.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.94	-25	Pass	401
0.15	30	0.01	RMS	0.16	-64.94	-25	Pass	2986
30	1000	0.1	RMS	894.43	-56.28	-25	Pass	9701
1000	2486	1	RMS	2468	-43.42	-25	Pass	1487
2486	2700	1	RMS	2535.22	21.93	60	Pass	401
2700	3000	1	RMS	2968.5	-42.22	-25	Pass	401
3000	12000	1	RMS	11864	-53.12	-25	Pass	9002
12000	27000	1	RMS	26199	-40.83	-25	Pass	15002




17.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.13	-25	Pass	401
0.15	30	0.01	RMS	20.13	-66	-25	Pass	2986
30	1000	0.1	RMS	858.906	-56.11	-25	Pass	9701
1000	2486	1	RMS	2455	-42.94	-25	Pass	1487
2486	2700	1	RMS	2535.22	20.83	60	Pass	401
2700	3000	1	RMS	2956.5	-42.21	-25	Pass	401
3000	12000	1	RMS	10384	-52.95	-25	Pass	9002
12000	27000	1	RMS	25796	-40.81	-25	Pass	15002



17.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.43	-25	Pass	401
0.15	30	0.01	RMS	22.97	-65.9	-25	Pass	2986
30	1000	0.1	RMS	881.622	-56	-25	Pass	9701
1000	2486	1	RMS	2486	-43.16	-25	Pass	1487
2486	2700	1	RMS	2590.325	22.3	60	Pass	401
2700	3000	1	RMS	2949.75	-42.18	-25	Pass	401
3000	12000	1	RMS	11672	-44.79	-25	Pass	9002
12000	27000	1	RMS	26192	-40.76	-25	Pass	15002



17.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.64	-25	Pass	401
0.15	30	0.01	RMS	0.53	-65.84	-25	Pass	2986
30	1000	0.1	RMS	888.826	-56.17	-25	Pass	9701
1000	2486	1	RMS	2486	-43.23	-25	Pass	1487
2486	2700	1	RMS	2590.325	20.84	60	Pass	401
2700	3000	1	RMS	2953.5	-42.19	-25	Pass	401
3000	12000	1	RMS	3498	-49.43	-25	Pass	9002
12000	27000	1	RMS	20005	-38.23	-25	Pass	15002



17.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.24	-25	Pass	401
0.15	30	0.01	RMS	0.21	-65.35	-25	Pass	2986
30	1000	0.1	RMS	894.43	-55.78	-25	Pass	9701
1000	2486	1	RMS	2483	-43.19	-25	Pass	1487
2486	2700	1	RMS	2645.43	23.24	60	Pass	401
2700	3000	1	RMS	2950.5	-42.21	-25	Pass	401
3000	12000	1	RMS	10399	-53.01	-25	Pass	9002
12000	27000	1	RMS	25833	-40.77	-25	Pass	15002



17.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.45	-25	Pass	401
0.15	30	0.01	RMS	20.93	-65.12	-25	Pass	2986
30	1000	0.1	RMS	912.742	-56.06	-25	Pass	9701
1000	2486	1	RMS	2486	-43.33	-25	Pass	1487
2486	2700	1	RMS	2645.43	22.14	60	Pass	401
2700	3000	1	RMS	2976.75	-42.11	-25	Pass	401
3000	12000	1	RMS	7111	-45.82	-25	Pass	9002
12000	27000	1	RMS	26184	-40.78	-25	Pass	15002



17.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.91	-25	Pass	401
0.15	30	0.01	RMS	0.31	-65.41	-25	Pass	2986
30	1000	0.1	RMS	907.239	-56.18	-25	Pass	9701
1000	2486	1	RMS	2481	-43.37	-25	Pass	1487
2486	2700	1	RMS	2535.22	21.45	60	Pass	401
2700	3000	1	RMS	2951.25	-42.15	-25	Pass	401
3000	12000	1	RMS	3510	-49.55	-25	Pass	9002
12000	27000	1	RMS	20016	-37.95	-25	Pass	15002



17.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-69.58	-25	Pass	401
0.15	30	0.01	RMS	0.4	-65.32	-25	Pass	2986
30	1000	0.1	RMS	877.019	-56.25	-25	Pass	9701
1000	2486	1	RMS	2486	-43.44	-25	Pass	1487
2486	2700	1	RMS	2535.755	20.93	60	Pass	401
2700	3000	1	RMS	2968.5	-42.23	-25	Pass	401
3000	12000	1	RMS	11921	-52.92	-25	Pass	9002
12000	27000	1	RMS	25850	-40.84	-25	Pass	15002



17.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.65	-25	Pass	401
0.15	30	0.01	RMS	0.34	-65.38	-25	Pass	2986
30	1000	0.1	RMS	892.129	-55.93	-25	Pass	9701
1000	2486	1	RMS	2486	-43.44	-25	Pass	1487
2486	2700	1	RMS	2588.185	21.57	60	Pass	401
2700	3000	1	RMS	2956.5	-42.19	-25	Pass	401
3000	12000	1	RMS	7101	-44.91	-25	Pass	9002
12000	27000	1	RMS	26962	-40.77	-25	Pass	15002



17.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.01	-25	Pass	401
0.15	30	0.01	RMS	23.5	-66.18	-25	Pass	2986
30	1000	0.1	RMS	906.338	-56.14	-25	Pass	9701
1000	2486	1	RMS	2483	-43.53	-25	Pass	1487
2486	2700	1	RMS	2588.185	21.21	60	Pass	401
2700	3000	1	RMS	2955	-42.17	-25	Pass	401
3000	12000	1	RMS	3502	-49.49	-25	Pass	9002
12000	27000	1	RMS	20011	-38.25	-25	Pass	15002



17.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.36	-25	Pass	401
0.15	30	0.01	RMS	14.8	-65.83	-25	Pass	2986
30	1000	0.1	RMS	898.032	-56.17	-25	Pass	9701
1000	2486	1	RMS	2485	-43.33	-25	Pass	1487
2486	2700	1	RMS	2640.615	21.95	60	Pass	401
2700	3000	1	RMS	2964.75	-42.22	-25	Pass	401
3000	12000	1	RMS	11852	-53.11	-25	Pass	9002
12000	27000	1	RMS	25796	-40.86	-25	Pass	15002



17.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.85	-25	Pass	2986
30	1000	0.1	RMS	920.547	-56.43	-25	Pass	9701
1000	2486	1	RMS	2485	-43.58	-25	Pass	1487
2486	2700	1	RMS	2640.615	21.45	60	Pass	401
2700	3000	1	RMS	2974.5	-42.19	-25	Pass	401
3000	12000	1	RMS	7109	-45.17	-25	Pass	9002
12000	27000	1	RMS	26067	-40.87	-25	Pass	15002



17.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-68.69	-25	Pass	401
0.15	30	0.01	RMS	24.1	-65.45	-25	Pass	2986
30	1000	0.1	RMS	910.04	-56.01	-25	Pass	9701
1000	2486	1	RMS	2469	-43.23	-25	Pass	1487
2486	2700	1	RMS	2535.755	21.27	60	Pass	401
2700	3000	1	RMS	2976	-42.13	-25	Pass	401
3000	12000	1	RMS	10357	-52.94	-25	Pass	9002
12000	27000	1	RMS	26234	-40.73	-25	Pass	15002



17.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.42	-25	Pass	401
0.15	30	0.01	RMS	0.36	-64.82	-25	Pass	2986
30	1000	0.1	RMS	924.25	-56.09	-25	Pass	9701
1000	2486	1	RMS	2486	-43.27	-25	Pass	1487
2486	2700	1	RMS	2535.755	21.32	60	Pass	401
2700	3000	1	RMS	2965.5	-42.2	-25	Pass	401
3000	12000	1	RMS	3504	-49.11	-25	Pass	9002
12000	27000	1	RMS	20006	-38.47	-25	Pass	15002



17.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.42	-25	Pass	401
0.15	30	0.01	RMS	16.91	-66	-25	Pass	2986
30	1000	0.1	RMS	891.028	-55.87	-25	Pass	9701
1000	2486	1	RMS	2486	-43.25	-25	Pass	1487
2486	2700	1	RMS	2585.51	21.26	60	Pass	401
2700	3000	1	RMS	2974.5	-42.2	-25	Pass	401
3000	12000	1	RMS	10371	-52.95	-25	Pass	9002
12000	27000	1	RMS	26206	-40.77	-25	Pass	15002



17.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-69.09	-25	Pass	401
0.15	30	0.01	RMS	0.96	-65.37	-25	Pass	2986
30	1000	0.1	RMS	904.237	-56.08	-25	Pass	9701
1000	2486	1	RMS	2486	-43.17	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.72	60	Pass	401
2700	3000	1	RMS	2952.75	-42.18	-25	Pass	401
3000	12000	1	RMS	7096	-44.62	-25	Pass	9002
12000	27000	1	RMS	26192	-40.66	-25	Pass	15002



17.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.9	-25	Pass	2986
30	1000	0.1	RMS	909.24	-56.2	-25	Pass	9701
1000	2486	1	RMS	2478	-43.53	-25	Pass	1487
2486	2700	1	RMS	2635.8	22.77	60	Pass	401
2700	3000	1	RMS	2962.5	-42.16	-25	Pass	401
3000	12000	1	RMS	3500	-48.71	-25	Pass	9002
12000	27000	1	RMS	20007	-38.86	-25	Pass	15002



17.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.71	-25	Pass	401
0.15	30	0.01	RMS	0.76	-64.5	-25	Pass	2986
30	1000	0.1	RMS	884.824	-56.11	-25	Pass	9701
1000	2486	1	RMS	2484	-43.22	-25	Pass	1487
2486	2700	1	RMS	2635.8	22.12	60	Pass	401
2700	3000	1	RMS	2950.5	-42.18	-25	Pass	401
3000	12000	1	RMS	10398	-52.99	-25	Pass	9002
12000	27000	1	RMS	26217	-40.79	-25	Pass	15002



18. LTE_Band66


18.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.29	-13	Pass	401
0.15	30	0.01	RMS	0.57	-69.53	-13	Pass	2986
30	1000	0.1	RMS	908.84	-59.94	-13	Pass	9701
1000	1700	1	RMS	1700	-49.36	-13	Pass	701
1700	1790	1	RMS	1710.125	22.61	60	Pass	401
1790	3000	1	RMS	2946	-45.98	-13	Pass	1211
3000	12000	1	RMS	7156	-29.86	-13	Pass	9002
12000	20000	1	RMS	19673	-24.06	-13	Pass	8001




18.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.069	-73.59	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.67	-13	Pass	2986
30	1000	0.1	RMS	891.428	-60.12	-13	Pass	9701
1000	1700	1	RMS	1686	-49.5	-13	Pass	701
1700	1790	1	RMS	1710.125	21.72	60	Pass	401
1790	3000	1	RMS	2978	-46.12	-13	Pass	1211
3000	12000	1	RMS	11945	-37.05	-13	Pass	9002
12000	20000	1	RMS	19817	-30.23	-13	Pass	8001




18.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.71	-13	Pass	401
0.15	30	0.01	RMS	0.4	-69.59	-13	Pass	2986
30	1000	0.1	RMS	901.435	-60.01	-13	Pass	9701
1000	1700	1	RMS	1698	-49.66	-13	Pass	701
1700	1790	1	RMS	1744.55	22.62	60	Pass	401
1790	3000	1	RMS	2950	-45.95	-13	Pass	1211
3000	12000	1	RMS	11950	-36.87	-13	Pass	9002
12000	20000	1	RMS	19800	-30.07	-13	Pass	8001




18.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.21	-13	Pass	401
0.15	30	0.01	RMS	0.46	-69.5	-13	Pass	2986
30	1000	0.1	RMS	869.113	-60.14	-13	Pass	9701
1000	1700	1	RMS	1696	-49.36	-13	Pass	701
1700	1790	1	RMS	1744.55	21.61	60	Pass	401
1790	3000	1	RMS	2949	-45.82	-13	Pass	1211
3000	12000	1	RMS	11944	-36.74	-13	Pass	9002
12000	20000	1	RMS	19807	-30.09	-13	Pass	8001




18.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.88	-13	Pass	2986
30	1000	0.1	RMS	493.2	-58.83	-13	Pass	9701
1000	1700	1	RMS	1683	-49.43	-13	Pass	701
1700	1790	1	RMS	1778.75	22.64	60	Pass	401
1790	3000	1	RMS	2957	-45.85	-13	Pass	1211
3000	12000	1	RMS	11950	-36.82	-13	Pass	9002
12000	20000	1	RMS	19781	-30.03	-13	Pass	8001




18.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.94	-13	Pass	401
0.15	30	0.01	RMS	22.94	-68.71	-13	Pass	2986
30	1000	0.1	RMS	907.439	-58.8	-13	Pass	9701
1000	1700	1	RMS	1697	-49.38	-13	Pass	701
1700	1790	1	RMS	1778.75	21.76	60	Pass	401
1790	3000	1	RMS	2961	-45.83	-13	Pass	1211
3000	12000	1	RMS	11947	-36.77	-13	Pass	9002
12000	20000	1	RMS	12494	-29.52	-13	Pass	8001




18.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.5	-13	Pass	401
0.15	30	0.01	RMS	15.22	-69.21	-13	Pass	2986
30	1000	0.1	RMS	827.9	-59.14	-13	Pass	9701
1000	1700	1	RMS	1700	-49.15	-13	Pass	701
1700	1790	1	RMS	1710.125	22.74	60	Pass	401
1790	3000	1	RMS	2943	-45.94	-13	Pass	1211
3000	12000	1	RMS	3567	-34.41	-13	Pass	9002
12000	20000	1	RMS	19685	-23.71	-13	Pass	8001




18.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.81	-13	Pass	401
0.15	30	0.01	RMS	27.24	-69.04	-13	Pass	2986
30	1000	0.1	RMS	849.1	-60.13	-13	Pass	9701
1000	1700	1	RMS	1700	-49.13	-13	Pass	701
1700	1790	1	RMS	1710.125	21.92	60	Pass	401
1790	3000	1	RMS	2946	-45.85	-13	Pass	1211
3000	12000	1	RMS	10396	-36.89	-13	Pass	9002
12000	20000	1	RMS	19811	-29.98	-13	Pass	8001



18.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.26	-69.06	-13	Pass	2986
30	1000	0.1	RMS	867.312	-60.08	-13	Pass	9701
1000	1700	1	RMS	1699	-49.39	-13	Pass	701
1700	1790	1	RMS	1743.65	22.8	60	Pass	401
1790	3000	1	RMS	2979	-46	-13	Pass	1211
3000	12000	1	RMS	11943	-36.98	-13	Pass	9002
12000	20000	1	RMS	19802	-30.14	-13	Pass	8001



18.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.39	-69.89	-13	Pass	2986
30	1000	0.1	RMS	903.436	-60.27	-13	Pass	9701
1000	1700	1	RMS	1686	-49.47	-13	Pass	701
1700	1790	1	RMS	1743.65	21.86	60	Pass	401
1790	3000	1	RMS	2981	-45.95	-13	Pass	1211
3000	12000	1	RMS	11970	-37.03	-13	Pass	9002
12000	20000	1	RMS	19802	-30.16	-13	Pass	8001



18.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.78	-13	Pass	401
0.15	30	0.01	RMS	0.9	-70.13	-13	Pass	2986
30	1000	0.1	RMS	906.538	-60.25	-13	Pass	9701
1000	1700	1	RMS	1696	-49.56	-13	Pass	701
1700	1790	1	RMS	1777.175	22.75	60	Pass	401
1790	3000	1	RMS	2982	-46.02	-13	Pass	1211
3000	12000	1	RMS	7108	-37.17	-13	Pass	9002
12000	20000	1	RMS	19817	-30.3	-13	Pass	8001



18.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.086	-72.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.11	-13	Pass	2986
30	1000	0.1	RMS	888.626	-60.17	-13	Pass	9701
1000	1700	1	RMS	1666	-49.63	-13	Pass	701
1700	1790	1	RMS	1777.175	21.77	60	Pass	401
1790	3000	1	RMS	2967	-45.97	-13	Pass	1211
3000	12000	1	RMS	7155	-30.06	-13	Pass	9002
12000	20000	1	RMS	19810	-30.2	-13	Pass	8001



18.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.88	-69.67	-13	Pass	2986
30	1000	0.1	RMS	909.74	-60.24	-13	Pass	9701
1000	1700	1	RMS	1700	-48.74	-13	Pass	701
1700	1790	1	RMS	1710.125	22.47	60	Pass	401
1790	3000	1	RMS	2958	-45.99	-13	Pass	1211
3000	12000	1	RMS	3551	-33.03	-13	Pass	9002
12000	20000	1	RMS	19667	-23.1	-13	Pass	8001



18.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.89	-13	Pass	2986
30	1000	0.1	RMS	881.722	-60.41	-13	Pass	9701
1000	1700	1	RMS	1700	-49.28	-13	Pass	701
1700	1790	1	RMS	1710.125	21.53	60	Pass	401
1790	3000	1	RMS	2966	-45.87	-13	Pass	1211
3000	12000	1	RMS	11994	-37.07	-13	Pass	9002
12000	20000	1	RMS	19788	-30.02	-13	Pass	8001



18.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-73.21	-13	Pass	401
0.15	30	0.01	RMS	0.22	-69.59	-13	Pass	2986
30	1000	0.1	RMS	908.039	-60.3	-13	Pass	9701
1000	1700	1	RMS	1700	-49.66	-13	Pass	701
1700	1790	1	RMS	1742.75	22.64	60	Pass	401
1790	3000	1	RMS	2948	-45.94	-13	Pass	1211
3000	12000	1	RMS	11940	-36.87	-13	Pass	9002
12000	20000	1	RMS	19803	-30.17	-13	Pass	8001



18.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.42	-13	Pass	2986
30	1000	0.1	RMS	911.141	-60.03	-13	Pass	9701
1000	1700	1	RMS	1680	-49.56	-13	Pass	701
1700	1790	1	RMS	1742.75	21.85	60	Pass	401
1790	3000	1	RMS	2969	-46	-13	Pass	1211
3000	12000	1	RMS	11880	-37.02	-13	Pass	9002
12000	20000	1	RMS	19787	-30.19	-13	Pass	8001



18.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.57	-13	Pass	401
0.15	30	0.01	RMS	0.62	-70.06	-13	Pass	2986
30	1000	0.1	RMS	905.537	-60.17	-13	Pass	9701
1000	1700	1	RMS	1664	-49.58	-13	Pass	701
1700	1790	1	RMS	1775.15	22.55	60	Pass	401
1790	3000	1	RMS	2966	-45.9	-13	Pass	1211
3000	12000	1	RMS	11735	-29.7	-13	Pass	9002
12000	20000	1	RMS	19779	-30.1	-13	Pass	8001



18.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.87	-13	Pass	401
0.15	30	0.01	RMS	3.09	-70.17	-13	Pass	2986
30	1000	0.1	RMS	991.895	-60.31	-13	Pass	9701
1000	1700	1	RMS	1692	-49.63	-13	Pass	701
1700	1790	1	RMS	1775.15	21.74	60	Pass	401
1790	3000	1	RMS	2960	-45.94	-13	Pass	1211
3000	12000	1	RMS	11938	-36.97	-13	Pass	9002
12000	20000	1	RMS	19790	-30.01	-13	Pass	8001



18.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.47	-13	Pass	2986
30	1000	0.1	RMS	906.638	-60.14	-13	Pass	9701
1000	1700	1	RMS	1693	-48.19	-13	Pass	701
1700	1790	1	RMS	1710.575	22.63	60	Pass	401
1790	3000	1	RMS	2981	-45.65	-13	Pass	1211
3000	12000	1	RMS	3572	-34.15	-13	Pass	9002
12000	20000	1	RMS	19689	-24	-13	Pass	8001

