

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

NR Band41

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-PI2BPS K	2506.02	501204	20	30kHz	Inner_1RB_Left	23.27
					Inner_1RB_Right	23.32
					Inner_Full	23.23
	2592.99	518598			Inner_1RB_Left	23.33
					Inner_1RB_Right	23.39
					Inner_Full	23.33
	2670	534000			Inner_1RB_Left	23.33
					Inner_1RB_Right	23.18
					Inner_Full	23.21
DFT-QPSK	2506.02	501204	20	30kHz	Inner_1RB_Left	23.29
					Inner_1RB_Right	23.34
					Inner_Full	23.26
	2592.99	518598			Inner_1RB_Left	23.25
					Inner_1RB_Right	23.28
					Inner_Full	23.30
	2670	534000			Inner_1RB_Left	23.12
					Inner_1RB_Right	23.05
					Inner_Full	23.19
DFT-16QAM	2506.02	501204	20	30kHz	Inner_1RB_Left	22.33
					Inner_1RB_Right	22.46
					Inner_Full	22.30
	2592.99	518598			Inner_1RB_Left	22.52
					Inner_1RB_Right	22.49
					Inner_Full	22.33
	2670	534000			Inner_1RB_Left	22.40
					Inner_1RB_Right	22.38
					Inner_Full	22.29
DFT-64QAM	2506.02	501204	20	30kHz	Inner_1RB_Left	20.31
					Inner_1RB_Right	20.57
					Inner_Full	20.80
	2592.99	518598			Inner_1RB_Left	20.55
					Inner_1RB_Right	20.48
					Inner_Full	20.83
	2670	534000			Inner_1RB_Left	20.58
					Inner_1RB_Right	20.41
					Inner_Full	20.75
DFT-256QA M	2506.02	501204	20	30kHz	Inner_1RB_Left	18.62
					Inner_1RB_Right	18.66
					Inner_Full	18.75
	2592.99	518598			Inner_1RB_Left	18.66
					Inner_1RB_Right	18.61
					Inner_Full	18.81
	2670	534000			Inner_1RB_Left	18.63
					Inner_1RB_Right	18.52
					Inner_Full	18.74

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2506.02	501204	20	30kHz	Inner_1RB_Left	21.68
					Inner_1RB_Right	21.58
					Inner_Full	21.75
	2592.99	518598			Inner_1RB_Left	21.77
					Inner_1RB_Right	21.70
					Inner_Full	21.77
	2670	534000			Inner_1RB_Left	21.55
					Inner_1RB_Right	21.47
					Inner_Full	21.61
CP-16QAM	2506.02	501204	20	30kHz	Inner_1RB_Left	21.65
					Inner_1RB_Right	21.37
					Inner_Full	21.25
	2592.99	518598			Inner_1RB_Left	21.60
					Inner_1RB_Right	21.56
					Inner_Full	21.32
	2670	534000			Inner_1RB_Left	21.40
					Inner_1RB_Right	21.49
					Inner_Full	21.17
CP-64QAM	2506.02	501204	20	30kHz	Inner_1RB_Left	19.18
					Inner_1RB_Right	19.39
					Inner_Full	19.76
	2592.99	518598			Inner_1RB_Left	19.37
					Inner_1RB_Right	19.43
					Inner_Full	19.87
	2670	534000			Inner_1RB_Left	19.34
					Inner_1RB_Right	19.13
					Inner_Full	19.73
CP-256QAM	2506.02	501204	20	30kHz	Inner_1RB_Left	16.59
					Inner_1RB_Right	16.59
					Inner_Full	16.75
	2592.99	518598			Inner_1RB_Left	16.75
					Inner_1RB_Right	16.75
					Inner_Full	16.81
	2670	534000			Inner_1RB_Left	16.61
					Inner_1RB_Right	16.61
					Inner_Full	16.72

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-PI2BPS K	2511	502200	30	30kHz	Inner_1RB_Left	23.42
					Inner_1RB_Right	23.56
					Inner_Full	23.44
	2592.99	518598			Inner_1RB_Left	23.36
					Inner_1RB_Right	23.39
					Inner_Full	23.38
	2674.98	534996			Inner_1RB_Left	23.48
					Inner_1RB_Right	23.33
					Inner_Full	23.34
DFT-QPSK	2511	502200	30	30kHz	Inner_1RB_Left	23.40
					Inner_1RB_Right	23.43
					Inner_Full	23.45
	2592.99	518598			Inner_1RB_Left	23.31
					Inner_1RB_Right	23.33
					Inner_Full	23.38
	2674.98	534996			Inner_1RB_Left	23.39
					Inner_1RB_Right	23.28
					Inner_Full	23.28
DFT-16QAM	2511	502200	30	30kHz	Inner_1RB_Left	22.62
					Inner_1RB_Right	22.65
					Inner_Full	22.42
	2592.99	518598			Inner_1RB_Left	22.50
					Inner_1RB_Right	22.58
					Inner_Full	22.37
	2674.98	534996			Inner_1RB_Left	22.53
					Inner_1RB_Right	22.49
					Inner_Full	22.30
DFT-64QAM	2511	502200	30	30kHz	Inner_1RB_Left	20.47
					Inner_1RB_Right	20.54
					Inner_Full	20.92
	2592.99	518598			Inner_1RB_Left	20.44
					Inner_1RB_Right	20.42
					Inner_Full	20.89
	2674.98	534996			Inner_1RB_Left	20.50
					Inner_1RB_Right	20.24
					Inner_Full	20.78
DFT-256QA M	2511	502200	30	30kHz	Inner_1RB_Left	18.82
					Inner_1RB_Right	18.93
					Inner_Full	18.95
	2592.99	518598			Inner_1RB_Left	18.77
					Inner_1RB_Right	18.69
					Inner_Full	18.95
	2674.98	534996			Inner_1RB_Left	18.79
					Inner_1RB_Right	18.72
					Inner_Full	18.77

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2511	502200	30	30kHz	Inner_1RB_Left	21.88
					Inner_1RB_Right	21.97
					Inner_Full	21.99
	2592.99	518598			Inner_1RB_Left	21.82
					Inner_1RB_Right	21.69
					Inner_Full	21.94
	2674.98	534996			Inner_1RB_Left	21.90
					Inner_1RB_Right	21.65
					Inner_Full	21.81
CP-16QAM	2511	502200	30	30kHz	Inner_1RB_Left	21.89
					Inner_1RB_Right	22.01
					Inner_Full	21.50
	2592.99	518598			Inner_1RB_Left	21.73
					Inner_1RB_Right	21.90
					Inner_Full	21.39
	2674.98	534996			Inner_1RB_Left	21.73
					Inner_1RB_Right	21.61
					Inner_Full	21.32
CP-64QAM	2511	502200	30	30kHz	Inner_1RB_Left	19.39
					Inner_1RB_Right	19.60
					Inner_Full	20.06
	2592.99	518598			Inner_1RB_Left	19.42
					Inner_1RB_Right	19.48
					Inner_Full	19.98
	2674.98	534996			Inner_1RB_Left	19.57
					Inner_1RB_Right	19.37
					Inner_Full	19.88
CP-256QAM	2511	502200	30	30kHz	Inner_1RB_Left	16.74
					Inner_1RB_Right	17.01
					Inner_Full	16.95
	2592.99	518598			Inner_1RB_Left	16.71
					Inner_1RB_Right	16.83
					Inner_Full	16.87
	2674.98	534996			Inner_1RB_Left	16.78
					Inner_1RB_Right	16.71
					Inner_Full	16.79

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-PI2BPS K	2516.01	503202	40	30kHz	Inner_1RB_Left	23.41
					Inner_1RB_Right	23.48
					Inner_Full	23.40
	2592.99	518598			Inner_1RB_Left	23.43
					Inner_1RB_Right	23.46
					Inner_Full	23.38
	2670	534000			Inner_1RB_Left	23.36
					Inner_1RB_Right	23.32
					Inner_Full	23.21
DFT-QPSK	2516.01	503202	40	30kHz	Inner_1RB_Left	23.29
					Inner_1RB_Right	23.47
					Inner_Full	23.37
	2592.99	518598			Inner_1RB_Left	23.38
					Inner_1RB_Right	23.32
					Inner_Full	23.36
	2670	534000			Inner_1RB_Left	23.32
					Inner_1RB_Right	23.26
					Inner_Full	23.21
DFT-16QAM	2516.01	503202	40	30kHz	Inner_1RB_Left	22.53
					Inner_1RB_Right	22.72
					Inner_Full	22.37
	2592.99	518598			Inner_1RB_Left	22.62
					Inner_1RB_Right	22.46
					Inner_Full	22.39
	2670	534000			Inner_1RB_Left	22.55
					Inner_1RB_Right	22.39
					Inner_Full	22.32
DFT-64QAM	2516.01	503202	40	30kHz	Inner_1RB_Left	20.30
					Inner_1RB_Right	20.57
					Inner_Full	20.89
	2592.99	518598			Inner_1RB_Left	20.32
					Inner_1RB_Right	20.35
					Inner_Full	20.94
	2670	534000			Inner_1RB_Left	20.45
					Inner_1RB_Right	20.45
					Inner_Full	20.87
DFT-256QA M	2516.01	503202	40	30kHz	Inner_1RB_Left	18.71
					Inner_1RB_Right	18.81
					Inner_Full	18.89
	2592.99	518598			Inner_1RB_Left	18.88
					Inner_1RB_Right	18.81
					Inner_Full	18.90
	2670	534000			Inner_1RB_Left	18.79
					Inner_1RB_Right	18.65
					Inner_Full	18.75

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2516.01	503202	40	30kHz	Inner_1RB_Left	21.81
					Inner_1RB_Right	21.86
					Inner_Full	21.91
	2592.99	518598			Inner_1RB_Left	21.96
					Inner_1RB_Right	21.89
					Inner_Full	21.95
	2670	534000			Inner_1RB_Left	21.87
					Inner_1RB_Right	21.79
					Inner_Full	21.76
CP-16QAM	2516.01	503202	40	30kHz	Inner_1RB_Left	21.59
					Inner_1RB_Right	21.76
					Inner_Full	21.39
	2592.99	518598			Inner_1RB_Left	21.53
					Inner_1RB_Right	21.38
					Inner_Full	21.46
	2670	534000			Inner_1RB_Left	21.76
					Inner_1RB_Right	21.70
					Inner_Full	21.24
CP-64QAM	2516.01	503202	40	30kHz	Inner_1RB_Left	19.37
					Inner_1RB_Right	19.49
					Inner_Full	19.96
	2592.99	518598			Inner_1RB_Left	19.85
					Inner_1RB_Right	19.95
					Inner_Full	19.96
	2670	534000			Inner_1RB_Left	19.55
					Inner_1RB_Right	19.36
					Inner_Full	19.78
CP-256QAM	2516.01	503202	40	30kHz	Inner_1RB_Left	16.75
					Inner_1RB_Right	16.82
					Inner_Full	16.93
	2592.99	518598			Inner_1RB_Left	16.85
					Inner_1RB_Right	16.77
					Inner_Full	16.91
	2670	534000			Inner_1RB_Left	16.73
					Inner_1RB_Right	16.72
					Inner_Full	16.79

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-PI2BPS K	2521.02	504204	50	30kHz	Inner_1RB_Left	23.29
					Inner_1RB_Right	23.33
					Inner_Full	23.35
	2592.99	518598			Inner_1RB_Left	23.38
					Inner_1RB_Right	23.29
					Inner_Full	23.41
	2664.99	532998			Inner_1RB_Left	23.42
					Inner_1RB_Right	23.27
					Inner_Full	23.43
DFT-QPSK	2521.02	504204	50	30kHz	Inner_1RB_Left	23.26
					Inner_1RB_Right	23.25
					Inner_Full	23.30
	2592.99	518598			Inner_1RB_Left	23.27
					Inner_1RB_Right	23.24
					Inner_Full	23.37
	2664.99	532998			Inner_1RB_Left	23.24
					Inner_1RB_Right	23.09
					Inner_Full	23.37
DFT-16QAM	2521.02	504204	50	30kHz	Inner_1RB_Left	22.25
					Inner_1RB_Right	22.41
					Inner_Full	22.33
	2592.99	518598			Inner_1RB_Left	22.55
					Inner_1RB_Right	22.48
					Inner_Full	22.31
	2664.99	532998			Inner_1RB_Left	22.56
					Inner_1RB_Right	22.40
					Inner_Full	22.39
DFT-64QAM	2521.02	504204	50	30kHz	Inner_1RB_Left	20.71
					Inner_1RB_Right	20.70
					Inner_Full	20.84
	2592.99	518598			Inner_1RB_Left	20.45
					Inner_1RB_Right	20.39
					Inner_Full	21.10
	2664.99	532998			Inner_1RB_Left	20.28
					Inner_1RB_Right	20.12
					Inner_Full	21.08
DFT-256QA M	2521.02	504204	50	30kHz	Inner_1RB_Left	18.64
					Inner_1RB_Right	18.79
					Inner_Full	18.83
	2592.99	518598			Inner_1RB_Left	18.76
					Inner_1RB_Right	18.70
					Inner_Full	18.87
	2664.99	532998			Inner_1RB_Left	18.78
					Inner_1RB_Right	18.52
					Inner_Full	18.91

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2521.02	504204	50	30kHz	Inner_1RB_Left	21.73
					Inner_1RB_Right	21.76
					Inner_Full	21.84
	2592.99	518598			Inner_1RB_Left	21.74
					Inner_1RB_Right	21.71
					Inner_Full	21.87
	2664.99	532998			Inner_1RB_Left	21.82
					Inner_1RB_Right	21.64
					Inner_Full	21.90
CP-16QAM	2521.02	504204	50	30kHz	Inner_1RB_Left	21.59
					Inner_1RB_Right	21.46
					Inner_Full	21.34
	2592.99	518598			Inner_1RB_Left	21.66
					Inner_1RB_Right	21.66
					Inner_Full	21.35
	2664.99	532998			Inner_1RB_Left	21.71
					Inner_1RB_Right	21.56
					Inner_Full	21.33
CP-64QAM	2521.02	504204	50	30kHz	Inner_1RB_Left	19.35
					Inner_1RB_Right	19.19
					Inner_Full	19.92
	2592.99	518598			Inner_1RB_Left	19.44
					Inner_1RB_Right	19.47
					Inner_Full	19.95
	2664.99	532998			Inner_1RB_Left	19.50
					Inner_1RB_Right	19.27
					Inner_Full	19.95
CP-256QAM	2521.02	504204	50	30kHz	Inner_1RB_Left	16.67
					Inner_1RB_Right	16.68
					Inner_Full	16.83
	2592.99	518598			Inner_1RB_Left	16.82
					Inner_1RB_Right	16.70
					Inner_Full	16.83
	2664.99	532998			Inner_1RB_Left	16.77
					Inner_1RB_Right	16.64
					Inner_Full	16.86

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-PI2BPS K	2526	505200	60	30kHz	Inner_1RB_Left	23.13
					Inner_1RB_Right	23.29
					Inner_Full	23.27
	2592.99	518598			Inner_1RB_Left	23.40
					Inner_1RB_Right	23.23
					Inner_Full	23.37
	2659.98	531996			Inner_1RB_Left	23.30
					Inner_1RB_Right	23.20
					Inner_Full	23.26
DFT-QPSK	2526	505200	60	30kHz	Inner_1RB_Left	23.07
					Inner_1RB_Right	23.15
					Inner_Full	23.24
	2592.99	518598			Inner_1RB_Left	23.28
					Inner_1RB_Right	23.11
					Inner_Full	23.34
	2659.98	531996			Inner_1RB_Left	23.20
					Inner_1RB_Right	22.97
					Inner_Full	23.25
DFT-16QAM	2526	505200	60	30kHz	Inner_1RB_Left	22.31
					Inner_1RB_Right	22.61
					Inner_Full	22.24
	2592.99	518598			Inner_1RB_Left	22.57
					Inner_1RB_Right	22.39
					Inner_Full	22.36
	2659.98	531996			Inner_1RB_Left	22.45
					Inner_1RB_Right	22.37
					Inner_Full	22.22
DFT-64QAM	2526	505200	60	30kHz	Inner_1RB_Left	20.11
					Inner_1RB_Right	20.30
					Inner_Full	20.81
	2592.99	518598			Inner_1RB_Left	20.35
					Inner_1RB_Right	20.28
					Inner_Full	20.92
	2659.98	531996			Inner_1RB_Left	20.37
					Inner_1RB_Right	20.24
					Inner_Full	20.84
DFT-256QA M	2526	505200	60	30kHz	Inner_1RB_Left	18.52
					Inner_1RB_Right	18.56
					Inner_Full	18.80
	2592.99	518598			Inner_1RB_Left	18.70
					Inner_1RB_Right	18.65
					Inner_Full	18.87
	2659.98	531996			Inner_1RB_Left	18.64
					Inner_1RB_Right	18.61
					Inner_Full	18.79

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2526	505200	60	30kHz	Inner_1RB_Left	21.72
					Inner_1RB_Right	21.90
					Inner_Full	21.78
	2592.99	518598			Inner_1RB_Left	21.80
					Inner_1RB_Right	21.63
					Inner_Full	21.87
	2659.98	531996			Inner_1RB_Left	21.65
					Inner_1RB_Right	21.61
					Inner_Full	21.84
CP-16QAM	2526	505200	60	30kHz	Inner_1RB_Left	21.44
					Inner_1RB_Right	21.68
					Inner_Full	21.26
	2592.99	518598			Inner_1RB_Left	21.53
					Inner_1RB_Right	21.59
					Inner_Full	21.37
	2659.98	531996			Inner_1RB_Left	21.54
					Inner_1RB_Right	21.46
					Inner_Full	21.25
CP-64QAM	2526	505200	60	30kHz	Inner_1RB_Left	19.33
					Inner_1RB_Right	19.29
					Inner_Full	19.88
	2592.99	518598			Inner_1RB_Left	19.48
					Inner_1RB_Right	19.44
					Inner_Full	20.03
	2659.98	531996			Inner_1RB_Left	19.35
					Inner_1RB_Right	19.21
					Inner_Full	19.93
CP-256QAM	2526	505200	60	30kHz	Inner_1RB_Left	16.54
					Inner_1RB_Right	16.83
					Inner_Full	16.78
	2592.99	518598			Inner_1RB_Left	16.75
					Inner_1RB_Right	16.62
					Inner_Full	16.89
	2659.98	531996			Inner_1RB_Left	16.60
					Inner_1RB_Right	16.69
					Inner_Full	16.80

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-PI2BPS K	2536.02	507204	80	30kHz	Inner_1RB_Left	22.90
					Inner_1RB_Right	23.09
					Inner_Full	23.13
	2592.99	518598			Inner_1RB_Left	23.20
					Inner_1RB_Right	22.93
					Inner_Full	23.27
	2649.99	529998			Inner_1RB_Left	23.02
					Inner_1RB_Right	22.99
					Inner_Full	23.07
DFT-QPSK	2536.02	507204	80	30kHz	Inner_1RB_Left	22.89
					Inner_1RB_Right	23.02
					Inner_Full	23.10
	2592.99	518598			Inner_1RB_Left	23.09
					Inner_1RB_Right	22.94
					Inner_Full	23.31
	2649.99	529998			Inner_1RB_Left	23.02
					Inner_1RB_Right	22.93
					Inner_Full	23.09
DFT-16QAM	2536.02	507204	80	30kHz	Inner_1RB_Left	22.06
					Inner_1RB_Right	22.30
					Inner_Full	22.11
	2592.99	518598			Inner_1RB_Left	22.36
					Inner_1RB_Right	22.23
					Inner_Full	22.26
	2649.99	529998			Inner_1RB_Left	22.13
					Inner_1RB_Right	22.05
					Inner_Full	22.16
DFT-64QAM	2536.02	507204	80	30kHz	Inner_1RB_Left	19.87
					Inner_1RB_Right	20.18
					Inner_Full	20.69
	2592.99	518598			Inner_1RB_Left	20.33
					Inner_1RB_Right	20.25
					Inner_Full	20.87
	2649.99	529998			Inner_1RB_Left	20.06
					Inner_1RB_Right	20.06
					Inner_Full	20.61
DFT-256QA M	2536.02	507204	80	30kHz	Inner_1RB_Left	18.43
					Inner_1RB_Right	18.48
					Inner_Full	18.89
	2592.99	518598			Inner_1RB_Left	18.75
					Inner_1RB_Right	18.52
					Inner_Full	18.91
	2649.99	529998			Inner_1RB_Left	18.66
					Inner_1RB_Right	18.42
					Inner_Full	18.63

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2536.02	507204	80	30kHz	Inner_1RB_Left	21.45
					Inner_1RB_Right	21.64
					Inner_Full	21.66
	2592.99	518598			Inner_1RB_Left	21.77
					Inner_1RB_Right	21.60
					Inner_Full	21.70
	2649.99	529998			Inner_1RB_Left	21.72
					Inner_1RB_Right	21.53
					Inner_Full	21.77
CP-16QAM	2536.02	507204	80	30kHz	Inner_1RB_Left	21.45
					Inner_1RB_Right	21.28
					Inner_Full	21.20
	2592.99	518598			Inner_1RB_Left	21.64
					Inner_1RB_Right	21.60
					Inner_Full	21.38
	2649.99	529998			Inner_1RB_Left	21.04
					Inner_1RB_Right	21.00
					Inner_Full	21.27
CP-64QAM	2536.02	507204	80	30kHz	Inner_1RB_Left	19.20
					Inner_1RB_Right	19.38
					Inner_Full	19.70
	2592.99	518598			Inner_1RB_Left	19.34
					Inner_1RB_Right	19.32
					Inner_Full	19.83
	2649.99	529998			Inner_1RB_Left	19.79
					Inner_1RB_Right	19.56
					Inner_Full	19.70
CP-256QAM	2536.02	507204	80	30kHz	Inner_1RB_Left	16.32
					Inner_1RB_Right	16.43
					Inner_Full	16.78
	2592.99	518598			Inner_1RB_Left	16.49
					Inner_1RB_Right	16.32
					Inner_Full	16.87
	2649.99	529998			Inner_1RB_Left	16.72
					Inner_1RB_Right	16.38
					Inner_Full	16.82

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-PI2BPS K	2541	508200	90	30kHz	Inner_1RB_Left	23.08
					Inner_1RB_Right	23.22
					Inner_Full	23.25
	2592.99	518598			Inner_1RB_Left	23.07
					Inner_1RB_Right	23.17
					Inner_Full	23.18
	2644.98	528996			Inner_1RB_Left	23.22
					Inner_1RB_Right	23.01
					Inner_Full	23.25
DFT-QPSK	2541	508200	90	30kHz	Inner_1RB_Left	23.06
					Inner_1RB_Right	23.07
					Inner_Full	23.43
	2592.99	518598			Inner_1RB_Left	23.08
					Inner_1RB_Right	23.04
					Inner_Full	23.34
	2644.98	528996			Inner_1RB_Left	23.09
					Inner_1RB_Right	22.77
					Inner_Full	23.16
DFT-16QAM	2541	508200	90	30kHz	Inner_1RB_Left	22.29
					Inner_1RB_Right	22.46
					Inner_Full	22.46
	2592.99	518598			Inner_1RB_Left	22.39
					Inner_1RB_Right	22.39
					Inner_Full	22.30
	2644.98	528996			Inner_1RB_Left	22.29
					Inner_1RB_Right	21.96
					Inner_Full	22.13
DFT-64QAM	2541	508200	90	30kHz	Inner_1RB_Left	20.05
					Inner_1RB_Right	20.12
					Inner_Full	20.78
	2592.99	518598			Inner_1RB_Left	20.20
					Inner_1RB_Right	20.10
					Inner_Full	20.93
	2644.98	528996			Inner_1RB_Left	20.24
					Inner_1RB_Right	19.77
					Inner_Full	20.67
DFT-256QA M	2541	508200	90	30kHz	Inner_1RB_Left	18.66
					Inner_1RB_Right	18.62
					Inner_Full	18.92
	2592.99	518598			Inner_1RB_Left	18.48
					Inner_1RB_Right	18.36
					Inner_Full	18.63
	2644.98	528996			Inner_1RB_Left	18.60
					Inner_1RB_Right	18.35
					Inner_Full	18.82

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2541	508200	90	30kHz	Inner_1RB_Left	21.69
					Inner_1RB_Right	21.85
					Inner_Full	21.84
	2592.99	518598			Inner_1RB_Left	21.51
					Inner_1RB_Right	21.58
					Inner_Full	21.71
	2644.98	528996			Inner_1RB_Left	21.60
					Inner_1RB_Right	21.48
					Inner_Full	21.83
CP-16QAM	2541	508200	90	30kHz	Inner_1RB_Left	21.34
					Inner_1RB_Right	21.51
					Inner_Full	21.23
	2592.99	518598			Inner_1RB_Left	21.41
					Inner_1RB_Right	21.35
					Inner_Full	21.20
	2644.98	528996			Inner_1RB_Left	21.46
					Inner_1RB_Right	21.26
					Inner_Full	21.16
CP-64QAM	2541	508200	90	30kHz	Inner_1RB_Left	19.04
					Inner_1RB_Right	19.32
					Inner_Full	19.92
	2592.99	518598			Inner_1RB_Left	19.16
					Inner_1RB_Right	19.22
					Inner_Full	19.75
	2644.98	528996			Inner_1RB_Left	19.40
					Inner_1RB_Right	18.93
					Inner_Full	19.79
CP-256QAM	2541	508200	90	30kHz	Inner_1RB_Left	16.53
					Inner_1RB_Right	16.64
					Inner_Full	16.69
	2592.99	518598			Inner_1RB_Left	16.50
					Inner_1RB_Right	16.37
					Inner_Full	16.71
	2644.98	528996			Inner_1RB_Left	16.45
					Inner_1RB_Right	16.47
					Inner_Full	16.66

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-PI2BPS K	2546.01	509202	100	30kHz	Inner_1RB_Left	23.21
					Inner_1RB_Right	23.31
					Inner_Full	23.21
	2592.99	518598			Inner_1RB_Left	23.18
					Inner_1RB_Right	23.12
					Inner_Full	23.31
	2640	528000			Inner_1RB_Left	23.19
					Inner_1RB_Right	23.07
					Inner_Full	23.23
DFT-QPSK	2546.01	509202	100	30kHz	Inner_1RB_Left	23.06
					Inner_1RB_Right	23.30
					Inner_Full	23.12
	2592.99	518598			Inner_1RB_Left	23.12
					Inner_1RB_Right	23.02
					Inner_Full	23.27
	2640	528000			Inner_1RB_Left	23.02
					Inner_1RB_Right	23.03
					Inner_Full	23.17
DFT-16QAM	2546.01	509202	100	30kHz	Inner_1RB_Left	22.25
					Inner_1RB_Right	22.47
					Inner_Full	22.07
	2592.99	518598			Inner_1RB_Left	22.31
					Inner_1RB_Right	22.21
					Inner_Full	22.26
	2640	528000			Inner_1RB_Left	22.28
					Inner_1RB_Right	22.22
					Inner_Full	22.17
DFT-64QAM	2546.01	509202	100	30kHz	Inner_1RB_Left	20.14
					Inner_1RB_Right	20.39
					Inner_Full	20.73
	2592.99	518598			Inner_1RB_Left	20.06
					Inner_1RB_Right	20.06
					Inner_Full	20.87
	2640	528000			Inner_1RB_Left	20.16
					Inner_1RB_Right	20.06
					Inner_Full	20.75
DFT-256QA M	2546.01	509202	100	30kHz	Inner_1RB_Left	18.52
					Inner_1RB_Right	18.75
					Inner_Full	18.73
	2592.99	518598			Inner_1RB_Left	18.50
					Inner_1RB_Right	18.46
					Inner_Full	18.83
	2640	528000			Inner_1RB_Left	18.57
					Inner_1RB_Right	18.51
					Inner_Full	18.74

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	2546.01	509202	100	30kHz	Inner_1RB_Left	21.56
					Inner_1RB_Right	21.88
					Inner_Full	21.64
	2592.99	518598			Inner_1RB_Left	21.58
					Inner_1RB_Right	21.48
					Inner_Full	21.71
	2640	528000			Inner_1RB_Left	21.56
					Inner_1RB_Right	21.54
					Inner_Full	21.76
CP-16QAM	2546.01	509202	100	30kHz	Inner_1RB_Left	21.48
					Inner_1RB_Right	21.73
					Inner_Full	21.09
	2592.99	518598			Inner_1RB_Left	21.48
					Inner_1RB_Right	21.35
					Inner_Full	21.16
	2640	528000			Inner_1RB_Left	21.47
					Inner_1RB_Right	21.37
					Inner_Full	21.22
CP-64QAM	2546.01	509202	100	30kHz	Inner_1RB_Left	19.11
					Inner_1RB_Right	19.31
					Inner_Full	19.64
	2592.99	518598			Inner_1RB_Left	19.09
					Inner_1RB_Right	19.01
					Inner_Full	19.72
	2640	528000			Inner_1RB_Left	19.18
					Inner_1RB_Right	19.15
					Inner_Full	19.68
CP-256QAM	2546.01	509202	100	30kHz	Inner_1RB_Left	16.51
					Inner_1RB_Right	16.70
					Inner_Full	16.65
	2592.99	518598			Inner_1RB_Left	16.42
					Inner_1RB_Right	16.39
					Inner_Full	16.67
	2640	528000			Inner_1RB_Left	16.42
					Inner_1RB_Right	16.33
					Inner_Full	16.59

Test on the worst case:

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-PI2BPSK	2511	502200	30	30kHz	Inner_1RB_Left	23.37
					Inner_1RB_Right	23.43
					Inner_Full	23.19
	2592.99	518598			Inner_1RB_Left	23.18
					Inner_1RB_Right	23.23
					Inner_Full	23.27
	2674.98	534996			Inner_1RB_Left	23.31
					Inner_1RB_Right	23.28
					Inner_Full	23.29

2 Occupied Bandwidth

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of 99% Power (MHz)									
					DFT-PI2BPSK		DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N41	Mid	20	30	Outer_Full	17.84	Fig.1	17.84	Fig.2	17.76	Fig.3	17.84	Fig.4	17.92	Fig.5
	Mid	30		Outer_Full	26.82	Fig.10	26.76	Fig.11	26.76	Fig.12	26.82	Fig.13	26.82	Fig.14
	Mid	40		Outer_Full	35.76	Fig.19	35.76	Fig.20	35.76	Fig.21	35.76	Fig.22	35.84	Fig.23
	Mid	50		Outer_Full	45.60	Fig.28	45.90	Fig.29	45.80	Fig.30	45.50	Fig.31	45.70	Fig.32
	Mid	60		Outer_Full	57.96	Fig.37	57.72	Fig.38	57.72	Fig.39	57.72	Fig.40	58.08	Fig.41
	Mid	80		Outer_Full	77.28	Fig.46	77.60	Fig.47	77.60	Fig.48	77.44	Fig.49	77.44	Fig.50
	Mid	90		Outer_Full	85.86	Fig.55	86.04	Fig.56	86.04	Fig.57	85.86	Fig.58	86.04	Fig.59
	Mid	100		Outer_Full	96.80	Fig.64	96.40	Fig.65	96.40	Fig.66	96.60	Fig.67	96.40	Fig.68
Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of 99% Power (MHz)									
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM		--	
N41	Mid	20	30	Outer_Full	18.28	Fig.6	18.20	Fig.7	18.24	Fig.8	18.20	Fig.9	--	--
	Mid	30		Outer_Full	28.02	Fig.15	27.84	Fig.16	27.90	Fig.17	27.90	Fig.18	--	--
	Mid	40		Outer_Full	37.92	Fig.24	38.00	Fig.25	37.92	Fig.26	38.00	Fig.27	--	--
	Mid	50		Outer_Full	47.70	Fig.33	47.50	Fig.34	47.70	Fig.35	47.50	Fig.36	--	--
	Mid	60		Outer_Full	57.60	Fig.42	57.84	Fig.43	57.84	Fig.44	57.96	Fig.45	--	--
	Mid	80		Outer_Full	77.76	Fig.51	77.76	Fig.52	77.76	Fig.53	77.76	Fig.54	--	--
	Mid	90		Outer_Full	87.66	Fig.60	87.66	Fig.61	87.66	Fig.62	87.66	Fig.63	--	--
	Mid	100		Outer_Full	97.60	Fig.69	97.80	Fig.70	97.60	Fig.71	97.80	Fig.72	--	--

3 Emission Bandwidth

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)									
					DFT-PI2BPSK		DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N41	Mid	20	30	Outer_Full	18.72	Fig.1	18.64	Fig.2	18.68	Fig.3	18.72	Fig.4	18.72	Fig.5
	Mid	30		Outer_Full	27.84	Fig.10	27.96	Fig.11	27.90	Fig.12	28.08	Fig.13	27.96	Fig.14
	Mid	40		Outer_Full	37.36	Fig.19	37.52	Fig.20	37.52	Fig.21	37.44	Fig.22	37.60	Fig.23
	Mid	50		Outer_Full	47.50	Fig.28	47.60	Fig.29	47.60	Fig.30	47.40	Fig.31	47.70	Fig.32
	Mid	60		Outer_Full	59.76	Fig.37	60.00	Fig.38	59.88	Fig.39	59.88	Fig.40	59.88	Fig.41
	Mid	80		Outer_Full	80.96	Fig.46	80.80	Fig.47	80.80	Fig.48	80.80	Fig.49	80.80	Fig.50
	Mid	90		Outer_Full	89.64	Fig.55	89.46	Fig.56	89.46	Fig.57	89.64	Fig.58	89.46	Fig.59
	Mid	100		Outer_Full	100.4	Fig.64	100.4	Fig.65	100.4	Fig.66	100.0	Fig.67	100.2	Fig.68
Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)									
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM		--	
N41	Mid	20	30	Outer_Full	19.32	Fig.6	19.28	Fig.7	19.04	Fig.8	19.16	Fig.9	--	--
	Mid	30		Outer_Full	29.16	Fig.15	28.98	Fig.16	28.98	Fig.17	29.10	Fig.18	--	--
	Mid	40		Outer_Full	39.76	Fig.24	39.76	Fig.25	39.68	Fig.26	39.68	Fig.27	--	--
	Mid	50		Outer_Full	49.40	Fig.33	49.30	Fig.34	49.40	Fig.35	49.40	Fig.36	--	--
	Mid	60		Outer_Full	59.88	Fig.42	60.00	Fig.43	60.00	Fig.44	60.00	Fig.45	--	--
	Mid	80		Outer_Full	81.28	Fig.51	81.28	Fig.52	81.28	Fig.53	81.12	Fig.54	--	--
	Mid	90		Outer_Full	91.26	Fig.60	91.26	Fig.61	91.62	Fig.62	91.62	Fig.63	--	--
	Mid	100		Outer_Full	101.4	Fig.69	101.6	Fig.70	101.6	Fig.71	101.4	Fig.72	--	--




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5










Fig.6






Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64




Fig.65




Fig.66




Fig.67




Fig.68




Fig.69




Fig.70




Fig.71






Fig.72

4 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	SCS	RB Config	DFT-PI2BPSK	CP-QPSK
N41	2592.99	518598	100	30kHz	Outer_Full	Fig.1	Fig.2



5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	SCS	RB Size	RB Offset	Conducted Spurious Plot
							DFT-PI2BPS K
N41	2546.01	509202	100	30kHz	1	0	Fig.1
	2592.99	518598			1	0	Fig.2
	2640	528000			1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Carrier frequency (MHz)	Channel	BW	SCS	RB Config Outer_Full	Band Edges Plot	
						DFT-PI2BPSK	CP-QPSK
N41	2506.02	501204	20	30kHz	Outer_Full	Fig.1	Fig.5
					Outer_Full	Fig.2	Fig.6
	2670	534000			Outer_Full	Fig.3	Fig.7
					Outer_Full	Fig.4	Fig.8
	2511	502200	30		Outer_Full	Fig.9	Fig.13
					Outer_Full	Fig.10	Fig.14
	2674.98	534996			Outer_Full	Fig.11	Fig.15
					Outer_Full	Fig.12	Fig.16
	2516.01	503202	40		Outer_Full	Fig.17	Fig.21
					Outer_Full	Fig.18	Fig.22
	2670	534000			Outer_Full	Fig.19	Fig.23
					Outer_Full	Fig.20	Fig.24
	252102	504204	50		Outer_Full	Fig.25	Fig.29
					Outer_Full	Fig.26	Fig.30
	2664.99	532998			Outer_Full	Fig.27	Fig.31
					Outer_Full	Fig.28	Fig.32
	2526	505200	60		Outer_Full	Fig.33	Fig.37
					Outer_Full	Fig.34	Fig.38
	2659.98	531996			Outer_Full	Fig.35	Fig.39
					Outer_Full	Fig.36	Fig.40
2536.02	507204	80	Outer_Full	Fig.41	Fig.45		
			Outer_Full	Fig.42	Fig.46		
2649.99	529998		Outer_Full	Fig.43	Fig.47		
			Outer_Full	Fig.44	Fig.48		
2541	508200	90	Outer_Full	Fig.49	Fig.53		
			Outer_Full	Fig.50	Fig.54		
2644.98	528996		Outer_Full	Fig.51	Fig.55		
			Outer_Full	Fig.52	Fig.56		
2546.01	509202	100	Outer_Full	Fig.57	Fig.61		
			Outer_Full	Fig.58	Fig.62		
			Outer_Full	Fig.59	Fig.63		
2640	528000		Outer_Full	Fig.60	Fig.64		




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37




Fig.38




Fig.39




Fig.40




Fig.41




Fig.42




Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48




Fig.49




Fig.50




Fig.51




Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63




Fig.64

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) N41 Low Channel DFT-PI2BPSK							
		20M	30M	40M	50M	60M	80M	90M	100M
-30	NV	---	---	---	---	---	---	---	-0.01
-20	NV	---	---	---	---	---	---	---	-0.01
-10	NV	---	---	---	---	---	---	---	0.00
0	NV	---	---	---	---	---	---	---	0.00
+10	NV	---	---	---	---	---	---	---	-0.01
+20	NV	---	---	---	---	---	---	---	0.00
+30	NV	---	---	---	---	---	---	---	0.00
+40	NV	---	---	---	---	---	---	---	0.00
+50	NV	---	---	---	---	---	---	---	0.00
+20	LV	---	---	---	---	---	---	---	0.00
+20	HV	---	---	---	---	---	---	---	0.00

Temperature(°C)	Voltage	Test Result (ppm) N41 High Channel DFT-PI2BPSK							
		20M	30M	40M	50M	60M	80M	90M	100M
-30	NV	---	---	---	---	---	---	---	0.00
-20	NV	---	---	---	---	---	---	---	0.00
-10	NV	---	---	---	---	---	---	---	0.00
0	NV	---	---	---	---	---	---	---	0.00
+10	NV	---	---	---	---	---	---	---	0.00
+20	NV	---	---	---	---	---	---	---	0.00
+30	NV	---	---	---	---	---	---	---	0.00
+40	NV	---	---	---	---	---	---	---	0.00
+50	NV	---	---	---	---	---	---	---	0.00
+20	LV	---	---	---	---	---	---	---	0.00
+20	HV	---	---	---	---	---	---	---	0.00

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-PI2BPSK	2506.02	501204	20	30kHz	Inner_1RB_Left	23.27	21.27	0.134
					Inner_1RB_Right	23.32	21.32	0.136
					Inner_Full	23.23	21.23	0.133
	2592.99	518598			Inner_1RB_Left	23.33	21.33	0.136
					Inner_1RB_Right	23.39	21.39	0.138
					Inner_Full	23.33	21.33	0.136
	2670	534000			Inner_1RB_Left	23.33	21.33	0.136
					Inner_1RB_Right	23.18	21.18	0.131
					Inner_Full	23.21	21.21	0.132
DFT-QPSK	2506.02	501204	20	30kHz	Inner_1RB_Left	23.29	21.29	0.135
					Inner_1RB_Right	23.34	21.34	0.136
					Inner_Full	23.26	21.26	0.134
	2592.99	518598			Inner_1RB_Left	23.25	21.25	0.133
					Inner_1RB_Right	23.28	21.28	0.134
					Inner_Full	23.30	21.3	0.135
	2670	534000			Inner_1RB_Left	23.12	21.12	0.129
					Inner_1RB_Right	23.05	21.05	0.127
					Inner_Full	23.19	21.19	0.132
DFT-16QAM	2506.02	501204	20	30kHz	Inner_1RB_Left	22.33	20.33	0.108
					Inner_1RB_Right	22.46	20.46	0.111
					Inner_Full	22.30	20.3	0.107
	2592.99	518598			Inner_1RB_Left	22.52	20.52	0.113
					Inner_1RB_Right	22.49	20.49	0.112
					Inner_Full	22.33	20.33	0.108
	2670	534000			Inner_1RB_Left	22.40	20.4	0.110
					Inner_1RB_Right	22.38	20.38	0.109
					Inner_Full	22.29	20.29	0.107
DFT-64QAM	2506.02	501204	20	30kHz	Inner_1RB_Left	20.31	18.31	0.068
					Inner_1RB_Right	20.57	18.57	0.072
					Inner_Full	20.80	18.8	0.076
	2592.99	518598			Inner_1RB_Left	20.55	18.55	0.072
					Inner_1RB_Right	20.48	18.48	0.070
					Inner_Full	20.83	18.83	0.076
	2670	534000			Inner_1RB_Left	20.58	18.58	0.072
					Inner_1RB_Right	20.41	18.41	0.069
					Inner_Full	20.75	18.75	0.075
DFT-256QAM	2506.02	501204	20	30kHz	Inner_1RB_Left	18.62	16.62	0.046
					Inner_1RB_Right	18.66	16.66	0.046
					Inner_Full	18.75	16.75	0.047
	2592.99	518598			Inner_1RB_Left	18.66	16.66	0.046
					Inner_1RB_Right	18.61	16.61	0.046
					Inner_Full	18.81	16.81	0.048
	2670	534000			Inner_1RB_Left	18.63	16.63	0.046
					Inner_1RB_Right	18.52	16.52	0.045
					Inner_Full	18.74	16.74	0.047

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
CP-QPSK	2506.02	501204	20	30kHz	Inner_1RB_Left	21.68	19.68	0.093
					Inner_1RB_Right	21.58	19.58	0.091
					Inner_Full	21.75	19.75	0.094
	2592.99	518598			Inner_1RB_Left	21.77	19.77	0.095
					Inner_1RB_Right	21.70	19.7	0.093
					Inner_Full	21.77	19.77	0.095
	2670	534000			Inner_1RB_Left	21.55	19.55	0.090
					Inner_1RB_Right	21.47	19.47	0.089
					Inner_Full	21.61	19.61	0.091
CP-16QAM	2506.02	501204			Inner_1RB_Left	21.65	19.65	0.092
					Inner_1RB_Right	21.37	19.37	0.086
					Inner_Full	21.25	19.25	0.084
	2592.99	518598			Inner_1RB_Left	21.60	19.6	0.091
					Inner_1RB_Right	21.56	19.56	0.090
					Inner_Full	21.32	19.32	0.086
	2670	534000			Inner_1RB_Left	21.40	19.4	0.087
					Inner_1RB_Right	21.49	19.49	0.089
					Inner_Full	21.17	19.17	0.083
CP-64QAM	2506.02	501204			Inner_1RB_Left	19.18	17.18	0.052
					Inner_1RB_Right	19.39	17.39	0.055
					Inner_Full	19.76	17.76	0.060
	2592.99	518598			Inner_1RB_Left	19.37	17.37	0.055
					Inner_1RB_Right	19.43	17.43	0.055
					Inner_Full	19.87	17.87	0.061
	2670	534000			Inner_1RB_Left	19.34	17.34	0.054
					Inner_1RB_Right	19.13	17.13	0.052
					Inner_Full	19.73	17.73	0.059
CP-256QAM	2506.02	501204	Inner_1RB_Left	16.59	14.59	0.029		
			Inner_1RB_Right	16.59	14.59	0.029		
			Inner_Full	16.75	14.75	0.030		
	2592.99	518598	Inner_1RB_Left	16.75	14.75	0.030		
			Inner_1RB_Right	16.75	14.75	0.030		
			Inner_Full	16.81	14.81	0.030		
	2670	534000	Inner_1RB_Left	16.61	14.61	0.029		
			Inner_1RB_Right	16.61	14.61	0.029		
			Inner_Full	16.72	14.72	0.030		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-PI2BPSK	2511	502200	30	30kHz	Inner_1RB_Left	23.42	21.42	0.139
					Inner_1RB_Right	23.56	21.56	0.143
					Inner_Full	23.44	21.44	0.139
	2592.99	518598			Inner_1RB_Left	23.36	21.36	0.137
					Inner_1RB_Right	23.39	21.39	0.138
					Inner_Full	23.38	21.38	0.137
	2674.98	534996			Inner_1RB_Left	23.48	21.48	0.141
					Inner_1RB_Right	23.33	21.33	0.136
					Inner_Full	23.34	21.34	0.136
DFT-QPSK	2511	502200	30	30kHz	Inner_1RB_Left	23.40	21.4	0.138
					Inner_1RB_Right	23.43	21.43	0.139
					Inner_Full	23.45	21.45	0.140
	2592.99	518598			Inner_1RB_Left	23.31	21.31	0.135
					Inner_1RB_Right	23.33	21.33	0.136
					Inner_Full	23.38	21.38	0.137
	2674.98	534996			Inner_1RB_Left	23.39	21.39	0.138
					Inner_1RB_Right	23.28	21.28	0.134
					Inner_Full	23.28	21.28	0.134
DFT-16QAM	2511	502200	30	30kHz	Inner_1RB_Left	22.62	20.62	0.115
					Inner_1RB_Right	22.65	20.65	0.116
					Inner_Full	22.42	20.42	0.110
	2592.99	518598			Inner_1RB_Left	22.50	20.5	0.112
					Inner_1RB_Right	22.58	20.58	0.114
					Inner_Full	22.37	20.37	0.109
	2674.98	534996			Inner_1RB_Left	22.53	20.53	0.113
					Inner_1RB_Right	22.49	20.49	0.112
					Inner_Full	22.30	20.3	0.107
DFT-64QAM	2511	502200	30	30kHz	Inner_1RB_Left	20.47	18.47	0.070
					Inner_1RB_Right	20.54	18.54	0.071
					Inner_Full	20.92	18.92	0.078
	2592.99	518598			Inner_1RB_Left	20.44	18.44	0.070
					Inner_1RB_Right	20.42	18.42	0.070
					Inner_Full	20.89	18.89	0.077
	2674.98	534996			Inner_1RB_Left	20.50	18.5	0.071
					Inner_1RB_Right	20.24	18.24	0.067
					Inner_Full	20.78	18.78	0.076
DFT-256QAM	2511	502200	30	30kHz	Inner_1RB_Left	18.82	16.82	0.048
					Inner_1RB_Right	18.93	16.93	0.049
					Inner_Full	18.95	16.95	0.050
	2592.99	518598			Inner_1RB_Left	18.77	16.77	0.048
					Inner_1RB_Right	18.69	16.69	0.047
					Inner_Full	18.95	16.95	0.050
	2674.98	534996			Inner_1RB_Left	18.79	16.79	0.048
					Inner_1RB_Right	18.72	16.72	0.047
					Inner_Full	18.77	16.77	0.048

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2511	502200	30	30kHz	Inner_1RB_Left	21.88	19.88	0.097
					Inner_1RB_Right	21.97	19.97	0.099
					Inner_Full	21.99	19.99	0.100
	2592.99	518598			Inner_1RB_Left	21.82	19.82	0.096
					Inner_1RB_Right	21.69	19.69	0.093
					Inner_Full	21.94	19.94	0.099
	2674.98	534996			Inner_1RB_Left	21.90	19.9	0.098
					Inner_1RB_Right	21.65	19.65	0.092
					Inner_Full	21.81	19.81	0.096
CP-16QAM	2511	502200	30	30kHz	Inner_1RB_Left	21.89	19.89	0.097
					Inner_1RB_Right	22.01	20.01	0.100
					Inner_Full	21.50	19.5	0.089
	2592.99	518598			Inner_1RB_Left	21.73	19.73	0.094
					Inner_1RB_Right	21.90	19.9	0.098
					Inner_Full	21.39	19.39	0.087
	2674.98	534996			Inner_1RB_Left	21.73	19.73	0.094
					Inner_1RB_Right	21.61	19.61	0.091
					Inner_Full	21.32	19.32	0.086
CP-64QAM	2511	502200	30	30kHz	Inner_1RB_Left	19.39	17.39	0.055
					Inner_1RB_Right	19.60	17.6	0.058
					Inner_Full	20.06	18.06	0.064
	2592.99	518598			Inner_1RB_Left	19.42	17.42	0.055
					Inner_1RB_Right	19.48	17.48	0.056
					Inner_Full	19.98	17.98	0.063
	2674.98	534996			Inner_1RB_Left	19.57	17.57	0.057
					Inner_1RB_Right	19.37	17.37	0.055
					Inner_Full	19.88	17.88	0.061
CP-256QAM	2511	502200	30	30kHz	Inner_1RB_Left	16.74	14.74	0.030
					Inner_1RB_Right	17.01	15.01	0.032
					Inner_Full	16.95	14.95	0.031
	2592.99	518598			Inner_1RB_Left	16.71	14.71	0.030
					Inner_1RB_Right	16.83	14.83	0.030
					Inner_Full	16.87	14.87	0.031
	2674.98	534996			Inner_1RB_Left	16.78	14.78	0.030
					Inner_1RB_Right	16.71	14.71	0.030
					Inner_Full	16.79	14.79	0.030

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-PI2BPSK	2516.01	503202	40	30kHz	Inner_1RB_Left	23.41	21.41	0.138
					Inner_1RB_Right	23.48	21.48	0.141
					Inner_Full	23.40	21.4	0.138
	2592.99	518598			Inner_1RB_Left	23.43	21.43	0.139
					Inner_1RB_Right	23.46	21.46	0.140
					Inner_Full	23.38	21.38	0.137
	2670	534000			Inner_1RB_Left	23.36	21.36	0.137
					Inner_1RB_Right	23.32	21.32	0.136
					Inner_Full	23.21	21.21	0.132
DFT-QPSK	2516.01	503202	40	30kHz	Inner_1RB_Left	23.29	21.29	0.135
					Inner_1RB_Right	23.47	21.47	0.140
					Inner_Full	23.37	21.37	0.137
	2592.99	518598			Inner_1RB_Left	23.38	21.38	0.137
					Inner_1RB_Right	23.32	21.32	0.136
					Inner_Full	23.36	21.36	0.137
	2670	534000			Inner_1RB_Left	23.32	21.32	0.136
					Inner_1RB_Right	23.26	21.26	0.134
					Inner_Full	23.21	21.21	0.132
DFT-16QAM	2516.01	503202	40	30kHz	Inner_1RB_Left	22.53	20.53	0.113
					Inner_1RB_Right	22.72	20.72	0.118
					Inner_Full	22.37	20.37	0.109
	2592.99	518598			Inner_1RB_Left	22.62	20.62	0.115
					Inner_1RB_Right	22.46	20.46	0.111
					Inner_Full	22.39	20.39	0.109
	2670	534000			Inner_1RB_Left	22.55	20.55	0.114
					Inner_1RB_Right	22.39	20.39	0.109
					Inner_Full	22.32	20.32	0.108
DFT-64QAM	2516.01	503202	40	30kHz	Inner_1RB_Left	20.30	18.3	0.068
					Inner_1RB_Right	20.57	18.57	0.072
					Inner_Full	20.89	18.89	0.077
	2592.99	518598			Inner_1RB_Left	20.32	18.32	0.068
					Inner_1RB_Right	20.35	18.35	0.068
					Inner_Full	20.94	18.94	0.078
	2670	534000			Inner_1RB_Left	20.45	18.45	0.070
					Inner_1RB_Right	20.45	18.45	0.070
					Inner_Full	20.87	18.87	0.077
DFT-256QAM	2516.01	503202	40	30kHz	Inner_1RB_Left	18.71	16.71	0.047
					Inner_1RB_Right	18.81	16.81	0.048
					Inner_Full	18.89	16.89	0.049
	2592.99	518598			Inner_1RB_Left	18.88	16.88	0.049
					Inner_1RB_Right	18.81	16.81	0.048
					Inner_Full	18.90	16.9	0.049
	2670	534000			Inner_1RB_Left	18.79	16.79	0.048
					Inner_1RB_Right	18.65	16.65	0.046
					Inner_Full	18.75	16.75	0.047

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2516.01	503202	40	30kHz	Inner_1RB_Left	21.81	19.81	0.096
					Inner_1RB_Right	21.86	19.86	0.097
					Inner_Full	21.91	19.91	0.098
	2592.99	518598			Inner_1RB_Left	21.96	19.96	0.099
					Inner_1RB_Right	21.89	19.89	0.097
					Inner_Full	21.95	19.95	0.099
	2670	534000			Inner_1RB_Left	21.87	19.87	0.097
					Inner_1RB_Right	21.79	19.79	0.095
					Inner_Full	21.76	19.76	0.095
CP-16QAM	2516.01	503202	40	30kHz	Inner_1RB_Left	21.59	19.59	0.091
					Inner_1RB_Right	21.76	19.76	0.095
					Inner_Full	21.39	19.39	0.087
	2592.99	518598			Inner_1RB_Left	21.53	19.53	0.090
					Inner_1RB_Right	21.38	19.38	0.087
					Inner_Full	21.46	19.46	0.088
	2670	534000			Inner_1RB_Left	21.76	19.76	0.095
					Inner_1RB_Right	21.70	19.7	0.093
					Inner_Full	21.24	19.24	0.084
CP-64QAM	2516.01	503202	40	30kHz	Inner_1RB_Left	19.37	17.37	0.055
					Inner_1RB_Right	19.49	17.49	0.056
					Inner_Full	19.96	17.96	0.063
	2592.99	518598			Inner_1RB_Left	19.85	17.85	0.061
					Inner_1RB_Right	19.95	17.95	0.062
					Inner_Full	19.96	17.96	0.063
	2670	534000			Inner_1RB_Left	19.55	17.55	0.057
					Inner_1RB_Right	19.36	17.36	0.054
					Inner_Full	19.78	17.78	0.060
CP-256QAM	2516.01	503202	40	30kHz	Inner_1RB_Left	16.75	14.75	0.030
					Inner_1RB_Right	16.82	14.82	0.030
					Inner_Full	16.93	14.93	0.031
	2592.99	518598			Inner_1RB_Left	16.85	14.85	0.031
					Inner_1RB_Right	16.77	14.77	0.030
					Inner_Full	16.91	14.91	0.031
	2670	534000			Inner_1RB_Left	16.73	14.73	0.030
					Inner_1RB_Right	16.72	14.72	0.030
					Inner_Full	16.79	14.79	0.030

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-PI2BPSK	2521.02	504204	50	30kHz	Inner_1RB_Left	23.29	21.29	0.135
					Inner_1RB_Right	23.33	21.33	0.136
					Inner_Full	23.35	21.35	0.136
	2592.99	518598			Inner_1RB_Left	23.38	21.38	0.137
					Inner_1RB_Right	23.29	21.29	0.135
					Inner_Full	23.41	21.41	0.138
	2664.99	532998			Inner_1RB_Left	23.42	21.42	0.139
					Inner_1RB_Right	23.27	21.27	0.134
					Inner_Full	23.43	21.43	0.139
DFT-QPSK	2521.02	504204	50	30kHz	Inner_1RB_Left	23.26	21.26	0.134
					Inner_1RB_Right	23.25	21.25	0.133
					Inner_Full	23.30	21.3	0.135
	2592.99	518598			Inner_1RB_Left	23.27	21.27	0.134
					Inner_1RB_Right	23.24	21.24	0.133
					Inner_Full	23.37	21.37	0.137
	2664.99	532998			Inner_1RB_Left	23.24	21.24	0.133
					Inner_1RB_Right	23.09	21.09	0.129
					Inner_Full	23.37	21.37	0.137
DFT-16QAM	2521.02	504204	50	30kHz	Inner_1RB_Left	22.25	20.25	0.106
					Inner_1RB_Right	22.41	20.41	0.110
					Inner_Full	22.33	20.33	0.108
	2592.99	518598			Inner_1RB_Left	22.55	20.55	0.114
					Inner_1RB_Right	22.48	20.48	0.112
					Inner_Full	22.31	20.31	0.107
	2664.99	532998			Inner_1RB_Left	22.56	20.56	0.114
					Inner_1RB_Right	22.40	20.4	0.110
					Inner_Full	22.39	20.39	0.109
DFT-64QAM	2521.02	504204	50	30kHz	Inner_1RB_Left	20.71	18.71	0.074
					Inner_1RB_Right	20.70	18.7	0.074
					Inner_Full	20.84	18.84	0.077
	2592.99	518598			Inner_1RB_Left	20.45	18.45	0.070
					Inner_1RB_Right	20.39	18.39	0.069
					Inner_Full	21.10	19.1	0.081
	2664.99	532998			Inner_1RB_Left	20.28	18.28	0.067
					Inner_1RB_Right	20.12	18.12	0.065
					Inner_Full	21.08	19.08	0.081
DFT-256QAM	2521.02	504204	50	30kHz	Inner_1RB_Left	18.64	16.64	0.046
					Inner_1RB_Right	18.79	16.79	0.048
					Inner_Full	18.83	16.83	0.048
	2592.99	518598			Inner_1RB_Left	18.76	16.76	0.047
					Inner_1RB_Right	18.70	16.7	0.047
					Inner_Full	18.87	16.87	0.049
	2664.99	532998			Inner_1RB_Left	18.78	16.78	0.048
					Inner_1RB_Right	18.52	16.52	0.045
					Inner_Full	18.91	16.91	0.049

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2521.02	504204	50	30kHz	Inner_1RB_Left	21.73	19.73	0.094
					Inner_1RB_Right	21.76	19.76	0.095
					Inner_Full	21.84	19.84	0.096
	2592.99	518598			Inner_1RB_Left	21.74	19.74	0.094
					Inner_1RB_Right	21.71	19.71	0.094
					Inner_Full	21.87	19.87	0.097
	2664.99	532998			Inner_1RB_Left	21.82	19.82	0.096
					Inner_1RB_Right	21.64	19.64	0.092
					Inner_Full	21.90	19.9	0.098
CP-16QAM	2521.02	504204	50	30kHz	Inner_1RB_Left	21.59	19.59	0.091
					Inner_1RB_Right	21.46	19.46	0.088
					Inner_Full	21.34	19.34	0.086
	2592.99	518598			Inner_1RB_Left	21.66	19.66	0.092
					Inner_1RB_Right	21.66	19.66	0.092
					Inner_Full	21.35	19.35	0.086
	2664.99	532998			Inner_1RB_Left	21.71	19.71	0.094
					Inner_1RB_Right	21.56	19.56	0.090
					Inner_Full	21.33	19.33	0.086
CP-64QAM	2521.02	504204	50	30kHz	Inner_1RB_Left	19.35	17.35	0.054
					Inner_1RB_Right	19.19	17.19	0.052
					Inner_Full	19.92	17.92	0.062
	2592.99	518598			Inner_1RB_Left	19.44	17.44	0.055
					Inner_1RB_Right	19.47	17.47	0.056
					Inner_Full	19.95	17.95	0.062
	2664.99	532998			Inner_1RB_Left	19.50	17.5	0.056
					Inner_1RB_Right	19.27	17.27	0.053
					Inner_Full	19.95	17.95	0.062
CP-256QAM	2521.02	504204	50	30kHz	Inner_1RB_Left	16.67	14.67	0.029
					Inner_1RB_Right	16.68	14.68	0.029
					Inner_Full	16.83	14.83	0.030
	2592.99	518598			Inner_1RB_Left	16.82	14.82	0.030
					Inner_1RB_Right	16.70	14.7	0.030
					Inner_Full	16.83	14.83	0.030
	2664.99	532998			Inner_1RB_Left	16.77	14.77	0.030
					Inner_1RB_Right	16.64	14.64	0.029
					Inner_Full	16.86	14.86	0.031

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-PI2BPSK	2526	505200	60	30kHz	Inner_1RB_Left	23.13	21.13	0.130
					Inner_1RB_Right	23.29	21.29	0.135
					Inner_Full	23.27	21.27	0.134
	2592.99	518598			Inner_1RB_Left	23.40	21.4	0.138
					Inner_1RB_Right	23.23	21.23	0.133
					Inner_Full	23.37	21.37	0.137
	2659.98	531996			Inner_1RB_Left	23.30	21.3	0.135
					Inner_1RB_Right	23.20	21.2	0.132
					Inner_Full	23.26	21.26	0.134
DFT-QPSK	2526	505200	60	30kHz	Inner_1RB_Left	23.07	21.07	0.128
					Inner_1RB_Right	23.15	21.15	0.130
					Inner_Full	23.24	21.24	0.133
	2592.99	518598			Inner_1RB_Left	23.28	21.28	0.134
					Inner_1RB_Right	23.11	21.11	0.129
					Inner_Full	23.34	21.34	0.136
	2659.98	531996			Inner_1RB_Left	23.20	21.2	0.132
					Inner_1RB_Right	22.97	20.97	0.125
					Inner_Full	23.25	21.25	0.133
DFT-16QAM	2526	505200	60	30kHz	Inner_1RB_Left	22.31	20.31	0.107
					Inner_1RB_Right	22.61	20.61	0.115
					Inner_Full	22.24	20.24	0.106
	2592.99	518598			Inner_1RB_Left	22.57	20.57	0.114
					Inner_1RB_Right	22.39	20.39	0.109
					Inner_Full	22.36	20.36	0.109
	2659.98	531996			Inner_1RB_Left	22.45	20.45	0.111
					Inner_1RB_Right	22.37	20.37	0.109
					Inner_Full	22.22	20.22	0.105
DFT-64QAM	2526	505200	60	30kHz	Inner_1RB_Left	20.11	18.11	0.065
					Inner_1RB_Right	20.30	18.3	0.068
					Inner_Full	20.81	18.81	0.076
	2592.99	518598			Inner_1RB_Left	20.35	18.35	0.068
					Inner_1RB_Right	20.28	18.28	0.067
					Inner_Full	20.92	18.92	0.078
	2659.98	531996			Inner_1RB_Left	20.37	18.37	0.069
					Inner_1RB_Right	20.24	18.24	0.067
					Inner_Full	20.84	18.84	0.077
DFT-256QAM	2526	505200	60	30kHz	Inner_1RB_Left	18.52	16.52	0.045
					Inner_1RB_Right	18.56	16.56	0.045
					Inner_Full	18.80	16.8	0.048
	2592.99	518598			Inner_1RB_Left	18.70	16.7	0.047
					Inner_1RB_Right	18.65	16.65	0.046
					Inner_Full	18.87	16.87	0.049
	2659.98	531996			Inner_1RB_Left	18.64	16.64	0.046
					Inner_1RB_Right	18.61	16.61	0.046
					Inner_Full	18.79	16.79	0.048

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2526	505200	60	30kHz	Inner_1RB_Left	21.72	19.72	0.094
					Inner_1RB_Right	21.90	19.9	0.098
					Inner_Full	21.78	19.78	0.095
	2592.99	518598			Inner_1RB_Left	21.80	19.8	0.095
					Inner_1RB_Right	21.63	19.63	0.092
					Inner_Full	21.87	19.87	0.097
	2659.98	531996			Inner_1RB_Left	21.65	19.65	0.092
					Inner_1RB_Right	21.61	19.61	0.091
					Inner_Full	21.84	19.84	0.096
CP-16QAM	2526	505200	60	30kHz	Inner_1RB_Left	21.44	19.44	0.088
					Inner_1RB_Right	21.68	19.68	0.093
					Inner_Full	21.26	19.26	0.084
	2592.99	518598			Inner_1RB_Left	21.53	19.53	0.090
					Inner_1RB_Right	21.59	19.59	0.091
					Inner_Full	21.37	19.37	0.086
	2659.98	531996			Inner_1RB_Left	21.54	19.54	0.090
					Inner_1RB_Right	21.46	19.46	0.088
					Inner_Full	21.25	19.25	0.084
CP-64QAM	2526	505200	60	30kHz	Inner_1RB_Left	19.33	17.33	0.054
					Inner_1RB_Right	19.29	17.29	0.054
					Inner_Full	19.88	17.88	0.061
	2592.99	518598			Inner_1RB_Left	19.48	17.48	0.056
					Inner_1RB_Right	19.44	17.44	0.055
					Inner_Full	20.03	18.03	0.064
	2659.98	531996			Inner_1RB_Left	19.35	17.35	0.054
					Inner_1RB_Right	19.21	17.21	0.053
					Inner_Full	19.93	17.93	0.062
CP-256QAM	2526	505200	60	30kHz	Inner_1RB_Left	16.54	14.54	0.028
					Inner_1RB_Right	16.83	14.83	0.030
					Inner_Full	16.78	14.78	0.030
	2592.99	518598			Inner_1RB_Left	16.75	14.75	0.030
					Inner_1RB_Right	16.62	14.62	0.029
					Inner_Full	16.89	14.89	0.031
	2659.98	531996			Inner_1RB_Left	16.60	14.6	0.029
					Inner_1RB_Right	16.69	14.69	0.029
					Inner_Full	16.80	14.8	0.030

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-PI2BPSK	2536.02	507204	80	30kHz	Inner_1RB_Left	22.90	20.9	0.123
					Inner_1RB_Right	23.09	21.09	0.129
					Inner_Full	23.13	21.13	0.130
	2592.99	518598			Inner_1RB_Left	23.20	21.2	0.132
					Inner_1RB_Right	22.93	20.93	0.124
					Inner_Full	23.27	21.27	0.134
	2649.99	529998			Inner_1RB_Left	23.02	21.02	0.126
					Inner_1RB_Right	22.99	20.99	0.126
					Inner_Full	23.07	21.07	0.128
DFT-QPSK	2536.02	507204	80	30kHz	Inner_1RB_Left	22.89	20.89	0.123
					Inner_1RB_Right	23.02	21.02	0.126
					Inner_Full	23.10	21.1	0.129
	2592.99	518598			Inner_1RB_Left	23.09	21.09	0.129
					Inner_1RB_Right	22.94	20.94	0.124
					Inner_Full	23.31	21.31	0.135
	2649.99	529998			Inner_1RB_Left	23.02	21.02	0.126
					Inner_1RB_Right	22.93	20.93	0.124
					Inner_Full	23.09	21.09	0.129
DFT-16QAM	2536.02	507204	80	30kHz	Inner_1RB_Left	22.06	20.06	0.101
					Inner_1RB_Right	22.30	20.3	0.107
					Inner_Full	22.11	20.11	0.103
	2592.99	518598			Inner_1RB_Left	22.36	20.36	0.109
					Inner_1RB_Right	22.23	20.23	0.105
					Inner_Full	22.26	20.26	0.106
	2649.99	529998			Inner_1RB_Left	22.13	20.13	0.103
					Inner_1RB_Right	22.05	20.05	0.101
					Inner_Full	22.16	20.16	0.104
DFT-64QAM	2536.02	507204	80	30kHz	Inner_1RB_Left	19.87	17.87	0.061
					Inner_1RB_Right	20.18	18.18	0.066
					Inner_Full	20.69	18.69	0.074
	2592.99	518598			Inner_1RB_Left	20.33	18.33	0.068
					Inner_1RB_Right	20.25	18.25	0.067
					Inner_Full	20.87	18.87	0.077
	2649.99	529998			Inner_1RB_Left	20.06	18.06	0.064
					Inner_1RB_Right	20.06	18.06	0.064
					Inner_Full	20.61	18.61	0.073
DFT-256QAM	2536.02	507204	80	30kHz	Inner_1RB_Left	18.43	16.43	0.044
					Inner_1RB_Right	18.48	16.48	0.044
					Inner_Full	18.89	16.89	0.049
	2592.99	518598			Inner_1RB_Left	18.75	16.75	0.047
					Inner_1RB_Right	18.52	16.52	0.045
					Inner_Full	18.91	16.91	0.049
	2649.99	529998			Inner_1RB_Left	18.66	16.66	0.046
					Inner_1RB_Right	18.42	16.42	0.044
					Inner_Full	18.63	16.63	0.046

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2536.02	507204	80	30kHz	Inner_1RB_Left	21.45	19.45	0.088
					Inner_1RB_Right	21.64	19.64	0.092
					Inner_Full	21.66	19.66	0.092
	2592.99	518598			Inner_1RB_Left	21.77	19.77	0.095
					Inner_1RB_Right	21.60	19.6	0.091
					Inner_Full	21.70	19.7	0.093
	2649.99	529998			Inner_1RB_Left	21.72	19.72	0.094
					Inner_1RB_Right	21.53	19.53	0.090
					Inner_Full	21.77	19.77	0.095
CP-16QAM	2536.02	507204	80	30kHz	Inner_1RB_Left	21.45	19.45	0.088
					Inner_1RB_Right	21.28	19.28	0.085
					Inner_Full	21.20	19.2	0.083
	2592.99	518598			Inner_1RB_Left	21.64	19.64	0.092
					Inner_1RB_Right	21.60	19.6	0.091
					Inner_Full	21.38	19.38	0.087
	2649.99	529998			Inner_1RB_Left	21.04	19.04	0.080
					Inner_1RB_Right	21.00	19	0.079
					Inner_Full	21.27	19.27	0.085
CP-64QAM	2536.02	507204	80	30kHz	Inner_1RB_Left	19.20	17.2	0.052
					Inner_1RB_Right	19.38	17.38	0.055
					Inner_Full	19.70	17.7	0.059
	2592.99	518598			Inner_1RB_Left	19.34	17.34	0.054
					Inner_1RB_Right	19.32	17.32	0.054
					Inner_Full	19.83	17.83	0.061
	2649.99	529998			Inner_1RB_Left	19.79	17.79	0.060
					Inner_1RB_Right	19.56	17.56	0.057
					Inner_Full	19.70	17.7	0.059
CP-256QAM	2536.02	507204	80	30kHz	Inner_1RB_Left	16.32	14.32	0.027
					Inner_1RB_Right	16.43	14.43	0.028
					Inner_Full	16.78	14.78	0.030
	2592.99	518598			Inner_1RB_Left	16.49	14.49	0.028
					Inner_1RB_Right	16.32	14.32	0.027
					Inner_Full	16.87	14.87	0.031
	2649.99	529998			Inner_1RB_Left	16.72	14.72	0.030
					Inner_1RB_Right	16.38	14.38	0.027
					Inner_Full	16.82	14.82	0.030

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-PI2BPSK	2541	508200	90	30kHz	Inner_1RB_Left	23.08	21.08	0.128
					Inner_1RB_Right	23.22	21.22	0.132
					Inner_Full	23.25	21.25	0.133
	2592.99	518598			Inner_1RB_Left	23.07	21.07	0.128
					Inner_1RB_Right	23.17	21.17	0.131
					Inner_Full	23.18	21.18	0.131
	2644.98	528996			Inner_1RB_Left	23.22	21.22	0.132
					Inner_1RB_Right	23.01	21.01	0.126
					Inner_Full	23.25	21.25	0.133
DFT-QPSK	2541	508200	90	30kHz	Inner_1RB_Left	23.06	21.06	0.128
					Inner_1RB_Right	23.07	21.07	0.128
					Inner_Full	23.43	21.43	0.139
	2592.99	518598			Inner_1RB_Left	23.08	21.08	0.128
					Inner_1RB_Right	23.04	21.04	0.127
					Inner_Full	23.34	21.34	0.136
	2644.98	528996			Inner_1RB_Left	23.09	21.09	0.129
					Inner_1RB_Right	22.77	20.77	0.119
					Inner_Full	23.16	21.16	0.131
DFT-16QAM	2541	508200	90	30kHz	Inner_1RB_Left	22.29	20.29	0.107
					Inner_1RB_Right	22.46	20.46	0.111
					Inner_Full	22.46	20.46	0.111
	2592.99	518598			Inner_1RB_Left	22.39	20.39	0.109
					Inner_1RB_Right	22.39	20.39	0.109
					Inner_Full	22.30	20.3	0.107
	2644.98	528996			Inner_1RB_Left	22.29	20.29	0.107
					Inner_1RB_Right	21.96	19.96	0.099
					Inner_Full	22.13	20.13	0.103
DFT-64QAM	2541	508200	90	30kHz	Inner_1RB_Left	20.05	18.05	0.064
					Inner_1RB_Right	20.12	18.12	0.065
					Inner_Full	20.78	18.78	0.076
	2592.99	518598			Inner_1RB_Left	20.20	18.2	0.066
					Inner_1RB_Right	20.10	18.1	0.065
					Inner_Full	20.93	18.93	0.078
	2644.98	528996			Inner_1RB_Left	20.24	18.24	0.067
					Inner_1RB_Right	19.77	17.77	0.060
					Inner_Full	20.67	18.67	0.074
DFT-256QAM	2541	508200	90	30kHz	Inner_1RB_Left	18.66	16.66	0.046
					Inner_1RB_Right	18.62	16.62	0.046
					Inner_Full	18.92	16.92	0.049
	2592.99	518598			Inner_1RB_Left	18.48	16.48	0.044
					Inner_1RB_Right	18.36	16.36	0.043
					Inner_Full	18.63	16.63	0.046
	2644.98	528996			Inner_1RB_Left	18.60	16.6	0.046
					Inner_1RB_Right	18.35	16.35	0.043
					Inner_Full	18.82	16.82	0.048

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2541	508200	90	30kHz	Inner_1RB_Left	21.69	19.69	0.093
					Inner_1RB_Right	21.85	19.85	0.097
					Inner_Full	21.84	19.84	0.096
	2592.99	518598			Inner_1RB_Left	21.51	19.51	0.089
					Inner_1RB_Right	21.58	19.58	0.091
					Inner_Full	21.71	19.71	0.094
	2644.98	528996			Inner_1RB_Left	21.60	19.6	0.091
					Inner_1RB_Right	21.48	19.48	0.089
					Inner_Full	21.83	19.83	0.096
CP-16QAM	2541	508200	90	30kHz	Inner_1RB_Left	21.34	19.34	0.086
					Inner_1RB_Right	21.51	19.51	0.089
					Inner_Full	21.23	19.23	0.084
	2592.99	518598			Inner_1RB_Left	21.41	19.41	0.087
					Inner_1RB_Right	21.35	19.35	0.086
					Inner_Full	21.20	19.2	0.083
	2644.98	528996			Inner_1RB_Left	21.46	19.46	0.088
					Inner_1RB_Right	21.26	19.26	0.084
					Inner_Full	21.16	19.16	0.082
CP-64QAM	2541	508200	90	30kHz	Inner_1RB_Left	19.04	17.04	0.051
					Inner_1RB_Right	19.32	17.32	0.054
					Inner_Full	19.92	17.92	0.062
	2592.99	518598			Inner_1RB_Left	19.16	17.16	0.052
					Inner_1RB_Right	19.22	17.22	0.053
					Inner_Full	19.75	17.75	0.060
	2644.98	528996			Inner_1RB_Left	19.40	17.4	0.055
					Inner_1RB_Right	18.93	16.93	0.049
					Inner_Full	19.79	17.79	0.060
CP-256QAM	2541	508200	90	30kHz	Inner_1RB_Left	16.53	14.53	0.028
					Inner_1RB_Right	16.64	14.64	0.029
					Inner_Full	16.69	14.69	0.029
	2592.99	518598			Inner_1RB_Left	16.50	14.5	0.028
					Inner_1RB_Right	16.37	14.37	0.027
					Inner_Full	16.71	14.71	0.030
	2644.98	528996			Inner_1RB_Left	16.45	14.45	0.028
					Inner_1RB_Right	16.47	14.47	0.028
					Inner_Full	16.66	14.66	0.029

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
DFT-PI2BPSK	2546.01	509202	100	30kHz	Inner_1RB_Left	23.21	21.21	0.132
					Inner_1RB_Right	23.31	21.31	0.135
					Inner_Full	23.21	21.21	0.132
	2592.99	518598			Inner_1RB_Left	23.18	21.18	0.131
					Inner_1RB_Right	23.12	21.12	0.129
					Inner_Full	23.31	21.31	0.135
	2640	528000			Inner_1RB_Left	23.19	21.19	0.132
					Inner_1RB_Right	23.07	21.07	0.128
					Inner_Full	23.23	21.23	0.133
DFT-QPSK	2546.01	509202	100	30kHz	Inner_1RB_Left	23.06	21.06	0.128
					Inner_1RB_Right	23.30	21.3	0.135
					Inner_Full	23.12	21.12	0.129
	2592.99	518598			Inner_1RB_Left	23.12	21.12	0.129
					Inner_1RB_Right	23.02	21.02	0.126
					Inner_Full	23.27	21.27	0.134
	2640	528000			Inner_1RB_Left	23.02	21.02	0.126
					Inner_1RB_Right	23.03	21.03	0.127
					Inner_Full	23.17	21.17	0.131
DFT-16QAM	2546.01	509202	100	30kHz	Inner_1RB_Left	22.25	20.25	0.106
					Inner_1RB_Right	22.47	20.47	0.111
					Inner_Full	22.07	20.07	0.102
	2592.99	518598			Inner_1RB_Left	22.31	20.31	0.107
					Inner_1RB_Right	22.21	20.21	0.105
					Inner_Full	22.26	20.26	0.106
	2640	528000			Inner_1RB_Left	22.28	20.28	0.107
					Inner_1RB_Right	22.22	20.22	0.105
					Inner_Full	22.17	20.17	0.104
DFT-64QAM	2546.01	509202	100	30kHz	Inner_1RB_Left	20.14	18.14	0.065
					Inner_1RB_Right	20.39	18.39	0.069
					Inner_Full	20.73	18.73	0.075
	2592.99	518598			Inner_1RB_Left	20.06	18.06	0.064
					Inner_1RB_Right	20.06	18.06	0.064
					Inner_Full	20.87	18.87	0.077
	2640	528000			Inner_1RB_Left	20.16	18.16	0.065
					Inner_1RB_Right	20.06	18.06	0.064
					Inner_Full	20.75	18.75	0.075
DFT-256QAM	2546.01	509202	100	30kHz	Inner_1RB_Left	18.52	16.52	0.045
					Inner_1RB_Right	18.75	16.75	0.047
					Inner_Full	18.73	16.73	0.047
	2592.99	518598			Inner_1RB_Left	18.50	16.5	0.045
					Inner_1RB_Right	18.46	16.46	0.044
					Inner_Full	18.83	16.83	0.048
	2640	528000			Inner_1RB_Left	18.57	16.57	0.045
					Inner_1RB_Right	18.51	16.51	0.045
					Inner_Full	18.74	16.74	0.047

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)
CP-QPSK	2546.01	509202	100	30kHz	Inner_1RB_Left	21.56	19.56	0.090
					Inner_1RB_Right	21.88	19.88	0.097
					Inner_Full	21.64	19.64	0.092
	2592.99	518598			Inner_1RB_Left	21.58	19.58	0.091
					Inner_1RB_Right	21.48	19.48	0.089
					Inner_Full	21.71	19.71	0.094
	2640	528000			Inner_1RB_Left	21.56	19.56	0.090
					Inner_1RB_Right	21.54	19.54	0.090
					Inner_Full	21.76	19.76	0.095
CP-16QAM	2546.01	509202	100	30kHz	Inner_1RB_Left	21.48	19.48	0.089
					Inner_1RB_Right	21.73	19.73	0.094
					Inner_Full	21.09	19.09	0.081
	2592.99	518598			Inner_1RB_Left	21.48	19.48	0.089
					Inner_1RB_Right	21.35	19.35	0.086
					Inner_Full	21.16	19.16	0.082
	2640	528000			Inner_1RB_Left	21.47	19.47	0.089
					Inner_1RB_Right	21.37	19.37	0.086
					Inner_Full	21.22	19.22	0.084
CP-64QAM	2546.01	509202	100	30kHz	Inner_1RB_Left	19.11	17.11	0.051
					Inner_1RB_Right	19.31	17.31	0.054
					Inner_Full	19.64	17.64	0.058
	2592.99	518598			Inner_1RB_Left	19.09	17.09	0.051
					Inner_1RB_Right	19.01	17.01	0.050
					Inner_Full	19.72	17.72	0.059
	2640	528000			Inner_1RB_Left	19.18	17.18	0.052
					Inner_1RB_Right	19.15	17.15	0.052
					Inner_Full	19.68	17.68	0.059
CP-256QAM	2546.01	509202	100	30kHz	Inner_1RB_Left	16.51	14.51	0.028
					Inner_1RB_Right	16.70	14.7	0.030
					Inner_Full	16.65	14.65	0.029
	2592.99	518598			Inner_1RB_Left	16.42	14.42	0.028
					Inner_1RB_Right	16.39	14.39	0.027
					Inner_Full	16.67	14.67	0.029
	2640	528000			Inner_1RB_Left	16.42	14.42	0.028
					Inner_1RB_Right	16.33	14.33	0.027
					Inner_Full	16.59	14.59	0.029

Test on the worst case:

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)	ERP/EIRP (dBm)	ERP/EIRP (W)		
DFT-PI2BPSK	2511	502200	30	30kHz	Inner_1RB_Left	23.37	21.37	0.137		
					Inner_1RB_Right	23.43	21.43	0.139		
					Inner_Full	23.19	21.19	0.132		
	2592.99	518598			Inner_1RB_Left	23.18	21.18	0.131		
					Inner_1RB_Right	23.23	21.23	0.133		
					Inner_Full	23.27	21.27	0.134		
					2674.98	534996	Inner_1RB_Left	23.31	21.31	0.135
							Inner_1RB_Right	23.28	21.28	0.134
							Inner_Full	23.29	21.29	0.135