


n41


n41,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	96.938	96.968

n41,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,100MHz Bandwidth,DFT-s-QPSK (99% BW)




n66


n66,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.514	4.519

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,5MHz Bandwidth,DFT-s-QPSK (99% BW)




n66


n66,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	8.999	9.025

n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n66

n66,15MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	13.469	13.467

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



09:37:44 23.03.2023

n66,15MHz Bandwidth,DFT-s-QPSK (99% BW)




09:38:00 23.03.2023

n66


n66,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	18.036	18.059

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n66


n66,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	28.693	28.707

n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n66


n66,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	38.728	38.820

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n66,40MHz Bandwidth,DFT-s-QPSK (99% BW)



n71
n71,5MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4.497	4.510

n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



10:32:26 23.03.2023

n71,5MHz Bandwidth,DFT-s-QPSK (99% BW)




10:32:41 23.03.2023

n71


n71,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	8.960	8.985

n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,10MHz Bandwidth,DFT-s-QPSK (99% BW)



n71


n71,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	13.420	13.434

n71,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,15MHz Bandwidth,DFT-s-QPSK (99% BW)




n71


n71,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	17.940	17.965

n71,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L

n77L,20MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	18.014	18.009

n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



08:55:05 24.03.2023

n77L,20MHz Bandwidth,DFT-s-QPSK (99% BW)




08:55:21 24.03.2023


n77L
n77L,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	26.889	26.942

n77L,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	35.979	36.045

n77L,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	45.946	45.946

n77L,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,50MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	57.896	57.979

n77L,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,60MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	64.405	64.403

n77L,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,70MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	77.537	77.503

n77L,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	87.138	87.123

n77L,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,90MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	18.036	18.034

n77H,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	26.883	26.936

n77H,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	35.932	36.001

n77H,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	45.927	45.898

n77H,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,50MHz Bandwidth,DFT-s-QPSK (99% BW)



n77H
n77H,60MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	57.909	57.972

n77H,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



09:06:01 24.03.2023

n77H,60MHz Bandwidth,DFT-s-QPSK (99% BW)




09:06:16 24.03.2023


n77H
n77H,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	64.220	64.233

n77H,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,70MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	77.498	77.367

n77H,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	86.973	87.035

n77H,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,90MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H


n77H,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	96.678	96.690

n77H,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,100MHz Bandwidth,DFT-s-QPSK (99% BW)




n41-MIMO


n41-MIMO,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	CP QPSK	CP 16QAM
2592.99	18.394	18.396

n41,20MHz Bandwidth,CP QPSK (99% BW)





n41,20MHz Bandwidth,CP 16QAM (99% BW)





n41-MIMO,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	CP QPSK	CP 16QAM
2592.99	27.947	27.950

n41,30MHz Bandwidth,CP QPSK (99% BW)

n41,30MHz Bandwidth,CP 16QAM (99% BW)




n41-MIMO,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	CP QPSK	CP 16QAM
2592.99	38.146	38.074

n41,40MHz Bandwidth,CP QPSK (99% BW)

n41,40MHz Bandwidth,CP 16QAM (99% BW)




n41-MIMO,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	CP QPSK	CP 16QAM
2592.99	47.754	47.732

n41,50MHz Bandwidth,CP QPSK (99% BW)

n41,50MHz Bandwidth,CP 16QAM (99% BW)




n41-MIMO,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	CP QPSK	CP 16QAM
2592.99	58.030	58.114

n41,60MHz Bandwidth,CP QPSK (99% BW)

n41,60MHz Bandwidth,CP 16QAM (99% BW)




n41-MIMO,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	CP QPSK	CP 16QAM
2592.99	67.658	67.709

n41,70MHz Bandwidth,CP QPSK (99% BW)

n41,70MHz Bandwidth,CP 16QAM (99% BW)




n41-MIMO,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	CP QPSK	CP 16QAM
2592.99	78.141	78.295

n41,80MHz Bandwidth,CP QPSK (99% BW)

n41,80MHz Bandwidth,CP 16QAM (99% BW)



n41-MIMO,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	CP QPSK	CP 16QAM
2592.99	88.172	88.012


n41,90MHz Bandwidth,CP QPSK (99% BW)

n41,90MHz Bandwidth,CP 16QAM (99% BW)


n41-MIMO,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	CP QPSK	CP 16QAM
2592.99	97.977	97.893

n41,100MHz Bandwidth,CP QPSK (99% BW)


10:33:26 05.04.2023

n41,100MHz Bandwidth,CP 16QAM (99% BW)


10:33:46 05.04.2023

 Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.626$ kHz, $k = 2$.

A.5 Emission Bandwidth

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.


The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times \text{RBW}$.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.


n25
n25,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	5.020	4.990

n25,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25

n25,10MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	9.740	9.740

n25,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



09:42:13 23.03.2023

n25,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




09:42:28 23.03.2023

n25

n25,15MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	14.431	14.386

n25,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



09:43:05 23.03.2023

n25,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




09:43:21 23.03.2023

n25


n25,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	19.181	19.181

n25,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25


n25,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	24.201	24.351

n25,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25


n25,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	30.030	30.030

n25,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25


n25,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	41.120	41.240

n25,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	19.600	19.361

n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	28.412	28.412

n41,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	38.480	38.600

n41,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41

n41,50MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	48.400	48.700

n41,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



10:34:58 24.03.2023

n41,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




10:35:14 24.03.2023

n41


n41,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	60.780	60.780

n41,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	67.340	67.340

n41,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	82.240	82.240

n41,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	92.250	92.250

n41,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,100MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	101.900	101.900

n41,100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	5.050	5.035

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	9.770	9.710

n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66

n66,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	14.476	14.296

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	19.181	19.241

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	30.030	30.030

n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	41.240	41.240

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n71


n71,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4.990	4.975

n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n71


n71,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	9.650	9.650

n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71


n71,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	14.341	14.476

n71,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71


n71,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	19.121	19.241

n71,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	19.481	19.361

n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	28.501	28.322

n77L,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	38.480	38.600

n77L,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	48.550	48.700

n77L,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	60.600	60.780

n77L,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	67.340	67.340

n77L,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	82.240	82.240

n77L,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	91.980	92.250

n77L,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77H

n77H,20MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	19.361	19.361

n77H,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



09:17:46 24.03.2023

n77H,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




09:18:03 24.03.2023

n77H


n77H,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	28.412	28.322

n77H,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77H,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77H

n77H,40MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	38.360	38.600

n77H,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



09:19:33 24.03.2023

n77H,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



09:19:49 24.03.2023

n77H


n77H,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	48.400	48.400

n77H,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77H,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77H


n77H,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	60.600	60.960

n77H,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77H,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77H


n77H,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	67.130	67.340

n77H,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77H,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77H


n77H,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	82.240	82.240

n77H,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77H,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77H

n77H,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	91.980	91.980

n77H,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77H,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)

