



TEST REPORT

No. I23Z60212-WMD04

for

HMD Global Oy

Smart Phone

Model Name: TA-1573

FCC ID: 2AJOTTA-1573

with

Hardware Version: V1.0

Software Version: 04US_0_170

Issued Date: 2023-04-18

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn



REPORT HISTORY

Report Number	Revision	Description	Issue Date
I23Z60212-WMD04	Rev.0	1 st edition	2023-04-18

Note: the latest revision of the test report supersedes all previous version.

CONTENTS

1.	TEST LABORATORY	4
1.1.	INTRODUCTION & ACCREDITATION.....	4
1.2.	TESTING LOCATION	4
1.3.	TESTING ENVIRONMENT	5
1.4.	PROJECT DATA	5
1.5.	SIGNATURE.....	5
2.	CLIENT INFORMATION.....	6
2.1.	APPLICANT INFORMATION.....	6
2.2.	MANUFACTURER INFORMATION.....	6
3.	EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	7
3.1.	ABOUT EUT	7
3.2.	INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	7
3.3.	INTERNAL IDENTIFICATION OF AE USED DURING THE TEST	7
4.	REFERENCE DOCUMENTS.....	8
4.1.	DOCUMENTS SUPPLIED BY APPLICANT	8
4.2.	REFERENCE DOCUMENTS FOR TESTING.....	8
5.	SUMMARY OF TEST RESULT	9
6.	TEST EQUIPMENT UTILIZED	12
	ANNEX A: MEASUREMENT RESULTS.....	13
	A.1 OUTPUT POWER	13
	A.2 EMISSION LIMIT.....	268
	A.3 FREQUENCY STABILITY	280
	A.4 OCCUPIED BANDWIDTH.....	285
	A.5 EMISSION BANDWIDTH.....	338
	A.6 BAND EDGE COMPLIANCE.....	391
	A.7 CONDUCTED SPURIOUS EMISSION.....	423
	A.8 PEAK-TO-AVERAGE POWER RATIO	429
	ANNEX B: ACCREDITATION CERTIFICATE.....	430



1. Test Laboratory

1.1. Introduction & Accreditation

Telecommunication Technology Labs, CAICT is an ISO/IEC 17025:2017 accredited test laboratory under NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM (NVLAP) with lab code 600118-0 and is also an FCC accredited test laboratory (CN5017), and ISED accredited test laboratory (CN0066). The detail accreditation scope can be found on NVLAP website.

1.2. Testing Location

Location 1: CTTL (huayuan North Road)

Address: No. 52, Huayuan North Road, Haidian District, Beijing,
P. R. China 100191

Location2 : CTTL(BDA)

Address: No.18A, Kangding Street, Beijing Economic-Technology
Development Area, Beijing, P. R. China 100176

1.3. Testing Environment

Normal Temperature: 15-35°C
Relative Humidity: 20-75%

1.4. Project Data

Testing Start Date: 2023-03-04
Testing End Date: 2023-04-17

1.5. Signature



Dong Yuan
(Prepared this test report)



Zhou Yu
(Reviewed this test report)



Zhao Hui Lin
Deputy Director of the laboratory
(Approved this test report)



2. Client Information

2.1. Applicant Information

Company Name: HMD Global Oy
Address /Post: Bertel Jungin aukio 9, 02600 Espoo, Finland
Contact: Reza Serafat
Email: reza.serafat@hmdglobal.com
Telephone: +491735287964

2.2. Manufacturer Information

Company Name: HMD Global Oy
Address /Post: Bertel Jungin aukio 9, 02600 Espoo, Finland
Contact: Reza Serafat
Email: reza.serafat@hmdglobal.com
Telephone: +491735287964

3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

Description	Smart Phone
Model Name	TA-1573
FCC ID	2AJOTTA-1573
Antenna	Embedded
Output power	25.59 dBm maximum EIRP measured for NR n77L
Extreme vol. Limits	3.6VDC to 4.45VDC (nominal: 3.87VDC)
Extreme temp. Tolerance	-10°C to +55°C

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of CTTL.

3.2. Internal Identification of EUT used during the test

EUT ID*	IMEI	HW Version	SW Version	Date of receipt
UT115b	350547140006293	V1.0	04US_0_170	2023-03-28
UT85a	350547140010974	V1.0	04US_0_170	2023-03-22

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID*	Description
AE1	Battery
AE2	Battery
AE1	
Model	HQ610
Manufacturer	Fenghua Lithium Battery Co., Ltd
Capacitance	4900mAh
AE2	
Model	HQ610
Manufacturer	Huizhou Highpower Technology Co.,LTD
Capacitance	4900mAh

*AE ID: is used to identify the test sample in the lab internally.

4. Reference Documents

4.1. Documents supplied by applicant

EUT parameters are supplied by the customer, which are the bases of testing. CAICT is not responsible for the accuracy of customer supplied technical information that may affect the test results (for example, antenna gain and loss of customer supplied cable).

4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-21 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-21 Edition
ANSI/TIA-603-E	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards	2016
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB 971168 D01	MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS	v03r01
KDB 662911 D01	Emissions Testing of Transmitters with Multiple Outputs in the Same Band	v02r01

5. Summary Of Test Result

n25

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	P
2	Emission Limit	24.238	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	24.238	P
6	Band Edge Compliance	24.238	P
7	Conducted Spurious Emission	24.238	P
8	Peak-to-Average Power Ratio	24.232	P

n41

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n66

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n71

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n77L

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	NA	NA
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n77H

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	NA	NA
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

Terms used in Verdict column

P	Pass. The EUT complies with the essential requirements in the standard.
NP	Not Performed. The test was not performed by CTTL.
NA	Not Applicable. The test was not applicable.
BR	Re-use test data from basic model report.
F	Fail. The EUT does not comply with the essential requirements in the standard.

All the test results are based on normal power.

n77L: 3450MHz-3550MHz

n77H: 3700MHz-3980MHz

n41, n77L and n77H are tested by power class 2.

Explanation of worst-case configuration

NR modulation: DFT-s-OFDM pi/2 BPSK; QPSK; 16QAM; 64QAM; 256QAM

CP-OFDM QPSK; 16QAM; 64QAM; 256QAM

NR BW: 5/10/15/20/25/30/40MHz for n25, 20/30/40/50/60/70/80/90/100MHz for n41 and

n41-MIMO, 5/10/15/20/30/40MHz for n66, 20/30/40/50/60/70/80/90MHz for n77L,

20/30/40/50/60/70/80/90/100MHz for n77H and 5/10/15/20MHz for other NR bands

The EUT supports n25, n41, n66, n71, n77L, n77H, n41-MIMO, B66-n25, B2/66-n41, B2-n66, B2/66-n71.

The test results provided in this report represent the worst case configuration.

The EUT can be configured to transmit in 2x2 MIMO mode for n41. In case of the EUT was configured to MIMO mode, since the EUT transmits on all antennas simultaneously in the same frequency range, using the Measure-and-Sum approach, the output power were tested at both two ports and the total output power were then summed mathematically in linear power units according to FCC KDB 662911 D01. Other test cases were carried out on the worst case at antenna port 8 which was established as being the higher output power from the applicable measured ports.

For all the NSA cases, LTE Bands are set under the 10MHz bandwidth, middle channel, 50RB and QPSK modulation.

For all the NSA combinations and SA mode of the same NR band, output powers are pretested under the maximum bandwidth and mid channel so that the modes with the maximum output power values are chosen out ,which are n25, n41, n66, n71, n77L and n77H. Only the results of the modes chosen by the max values are presented in the report. Then all the conducted test cases under the modes chosen out are performed.

6. Test Equipment Utilized

Description	Type	Series Number	Manufacture	Cal Due Date	Calibration Interval
Radio Communication Test Station	MT8000A	6262093285	Anritsu	2024-01-11	1 year
Radio Communication Analyzer	MT8821C	6201763159	Anritsu	2023-08-02	1 year
Signal&Spectrum Analyzer	FSW	104038	R&S	2023-06-20	1 year
PXA Signal Analyzer	N9030A	MY54490239	Keysight	2023-08-31	1 year
Climate chamber	SH-242	93008556	ESPEC	2023-12-23	3 years
Test Receiver	FSV40	101047	R&S	2023-06-09	1 Year
EMI Antenna	VULB9163	9163-235	Schwarzbeck	2023-04-19	1 Year
EMI Antenna	LB-7180-NF	J2030013000041	A-INFO	2023-04-26	1 Year
Substitution Antenna	3117	00119024	ETS-Lindgren	2023-06-07	1 Year
Substitution Antenna	3116	2663	ETS-Lindgren	2023-11-22	1 Year
Signal Generator	N5183A	MY49060052	Agilent	2023-07-19	1 Year
Universal Radio Communication Tester	CMW500	143008	R&S	2024-01-03	1 Year
Universal Radio Communication Tester	MT8821C	6262257899	Anritsu	2023-05-15	1 Year
Universal Radio Communication Tester	MT8000A	6262261933	Anritsu	2023-05-15	1 Year

Annex A: Measurement Results

A.1 Output Power

A.1.1 Summary

During the process of testing, the EUT was controlled via communication tester to ensure max power transmission and proper modulation.

In all cases, output power is within the specified limits.

A.1.2 Conducted

A.1.2.1 Method of Measurements

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

The results below include a correction factor for cable loss that is provided by the customer.

A.1.2.2 Measurement Result

n25

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n25	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	23.34
n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.89
n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.94
n25	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.89
n25	5	15	1852.5	DFT	QPSK	Inner_Full	23.41
n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	22.40
n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	22.48
n25	5	15	1852.5	DFT	QPSK	Outer_Full	22.39
n25	5	15	1852.5	DFT	16QAM	Inner_Full	22.47
n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.69
n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.69
n25	5	15	1852.5	DFT	16QAM	Outer_Full	21.43
n25	5	15	1852.5	DFT	64QAM	Inner_Full	20.97
n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.68
n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.85
n25	5	15	1852.5	DFT	64QAM	Outer_Full	20.96
n25	5	15	1852.5	DFT	256QAM	Inner_Full	18.91
n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	18.61
n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.77
n25	5	15	1852.5	DFT	256QAM	Outer_Full	18.84
n25	5	15	1852.5	CP	QPSK	Inner_Full	21.93
n25	5	15	1852.5	CP	QPSK	Edge_1RB_Left	20.47
n25	5	15	1852.5	CP	QPSK	Edge_1RB_Right	20.42

n25	5	15	1852.5	CP	QPSK	Outer_Full	20.37
n25	5	15	1852.5	CP	16QAM	Inner_Full	21.54
n25	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.83
n25	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.87
n25	5	15	1852.5	CP	16QAM	Outer_Full	20.41
n25	5	15	1852.5	CP	64QAM	Inner_Full	19.75
n25	5	15	1852.5	CP	64QAM	Edge_1RB_Left	19.55
n25	5	15	1852.5	CP	64QAM	Edge_1RB_Right	19.60
n25	5	15	1852.5	CP	64QAM	Outer_Full	20.01
n25	5	15	1852.5	CP	256QAM	Inner_Full	16.86
n25	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.63
n25	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.77
n25	5	15	1852.5	CP	256QAM	Outer_Full	16.97
n25	5	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.90
n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.43
n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.36
n25	5	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.38
n25	5	15	1882.5	DFT	QPSK	Inner_Full	23.90
n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.81
n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.84
n25	5	15	1882.5	DFT	QPSK	Outer_Full	22.79
n25	5	15	1882.5	DFT	16QAM	Inner_Full	22.86
n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.08
n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.15
n25	5	15	1882.5	DFT	16QAM	Outer_Full	21.82
n25	5	15	1882.5	DFT	64QAM	Inner_Full	21.48
n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.27
n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.26
n25	5	15	1882.5	DFT	64QAM	Outer_Full	21.44
n25	5	15	1882.5	DFT	256QAM	Inner_Full	19.29
n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.08
n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.08
n25	5	15	1882.5	DFT	256QAM	Outer_Full	19.33
n25	5	15	1882.5	CP	QPSK	Inner_Full	22.36
n25	5	15	1882.5	CP	QPSK	Edge_1RB_Left	20.87
n25	5	15	1882.5	CP	QPSK	Edge_1RB_Right	20.85
n25	5	15	1882.5	CP	QPSK	Outer_Full	20.77
n25	5	15	1882.5	CP	16QAM	Inner_Full	22.02
n25	5	15	1882.5	CP	16QAM	Edge_1RB_Left	21.15
n25	5	15	1882.5	CP	16QAM	Edge_1RB_Right	21.27
n25	5	15	1882.5	CP	16QAM	Outer_Full	20.82

n25	5	15	1882.5	CP	64QAM	Inner_Full	20.27
n25	5	15	1882.5	CP	64QAM	Edge_1RB_Left	20.05
n25	5	15	1882.5	CP	64QAM	Edge_1RB_Right	20.05
n25	5	15	1882.5	CP	64QAM	Outer_Full	20.42
n25	5	15	1882.5	CP	256QAM	Inner_Full	17.42
n25	5	15	1882.5	CP	256QAM	Edge_1RB_Left	17.20
n25	5	15	1882.5	CP	256QAM	Edge_1RB_Right	17.23
n25	5	15	1882.5	CP	256QAM	Outer_Full	17.41
n25	5	15	1912.5	DFT	pi/2 BPSK	Inner_Full	23.61
n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.98
n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.12
n25	5	15	1912.5	DFT	pi/2 BPSK	Outer_Full	23.17
n25	5	15	1912.5	DFT	QPSK	Inner_Full	23.59
n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Left	22.52
n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Right	22.62
n25	5	15	1912.5	DFT	QPSK	Outer_Full	22.60
n25	5	15	1912.5	DFT	16QAM	Inner_Full	22.58
n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Left	21.70
n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Right	21.86
n25	5	15	1912.5	DFT	16QAM	Outer_Full	21.67
n25	5	15	1912.5	DFT	64QAM	Inner_Full	21.12
n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Left	20.88
n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Right	20.90
n25	5	15	1912.5	DFT	64QAM	Outer_Full	21.21
n25	5	15	1912.5	DFT	256QAM	Inner_Full	19.08
n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Left	18.83
n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Right	18.96
n25	5	15	1912.5	DFT	256QAM	Outer_Full	18.99
n25	5	15	1912.5	CP	QPSK	Inner_Full	22.02
n25	5	15	1912.5	CP	QPSK	Edge_1RB_Left	20.53
n25	5	15	1912.5	CP	QPSK	Edge_1RB_Right	20.58
n25	5	15	1912.5	CP	QPSK	Outer_Full	20.52
n25	5	15	1912.5	CP	16QAM	Inner_Full	21.75
n25	5	15	1912.5	CP	16QAM	Edge_1RB_Left	20.96
n25	5	15	1912.5	CP	16QAM	Edge_1RB_Right	21.10
n25	5	15	1912.5	CP	16QAM	Outer_Full	20.56
n25	5	15	1912.5	CP	64QAM	Inner_Full	20.09
n25	5	15	1912.5	CP	64QAM	Edge_1RB_Left	19.76
n25	5	15	1912.5	CP	64QAM	Edge_1RB_Right	19.87
n25	5	15	1912.5	CP	64QAM	Outer_Full	20.13
n25	5	15	1912.5	CP	256QAM	Inner_Full	17.12

n25	5	15	1912.5	CP	256QAM	Edge_1RB_Left	17.01
n25	5	15	1912.5	CP	256QAM	Edge_1RB_Right	17.04
n25	5	15	1912.5	CP	256QAM	Outer_Full	17.15
n25	10	15	1855	DFT	pi/2 BPSK	Inner_Full	23.60
n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.97
n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	23.00
n25	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.97
n25	10	15	1855	DFT	QPSK	Inner_Full	23.56
n25	10	15	1855	DFT	QPSK	Edge_1RB_Left	22.28
n25	10	15	1855	DFT	QPSK	Edge_1RB_Right	22.52
n25	10	15	1855	DFT	QPSK	Outer_Full	22.55
n25	10	15	1855	DFT	16QAM	Inner_Full	22.50
n25	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.59
n25	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.86
n25	10	15	1855	DFT	16QAM	Outer_Full	21.33
n25	10	15	1855	DFT	64QAM	Inner_Full	21.07
n25	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.72
n25	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.96
n25	10	15	1855	DFT	64QAM	Outer_Full	21.00
n25	10	15	1855	DFT	256QAM	Inner_Full	18.96
n25	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.61
n25	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.84
n25	10	15	1855	DFT	256QAM	Outer_Full	18.94
n25	10	15	1855	CP	QPSK	Inner_Full	22.13
n25	10	15	1855	CP	QPSK	Edge_1RB_Left	20.34
n25	10	15	1855	CP	QPSK	Edge_1RB_Right	20.65
n25	10	15	1855	CP	QPSK	Outer_Full	20.51
n25	10	15	1855	CP	16QAM	Inner_Full	21.51
n25	10	15	1855	CP	16QAM	Edge_1RB_Left	20.79
n25	10	15	1855	CP	16QAM	Edge_1RB_Right	21.02
n25	10	15	1855	CP	16QAM	Outer_Full	20.50
n25	10	15	1855	CP	64QAM	Inner_Full	20.02
n25	10	15	1855	CP	64QAM	Edge_1RB_Left	19.60
n25	10	15	1855	CP	64QAM	Edge_1RB_Right	19.93
n25	10	15	1855	CP	64QAM	Outer_Full	20.06
n25	10	15	1855	CP	256QAM	Inner_Full	16.98
n25	10	15	1855	CP	256QAM	Edge_1RB_Left	16.70
n25	10	15	1855	CP	256QAM	Edge_1RB_Right	16.98
n25	10	15	1855	CP	256QAM	Outer_Full	17.00
n25	10	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.88
n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.30

n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.28
n25	10	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.40
n25	10	15	1882.5	DFT	QPSK	Inner_Full	23.92
n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.82
n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.83
n25	10	15	1882.5	DFT	QPSK	Outer_Full	22.91
n25	10	15	1882.5	DFT	16QAM	Inner_Full	22.92
n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.11
n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.10
n25	10	15	1882.5	DFT	16QAM	Outer_Full	21.81
n25	10	15	1882.5	DFT	64QAM	Inner_Full	21.50
n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.21
n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.21
n25	10	15	1882.5	DFT	64QAM	Outer_Full	21.35
n25	10	15	1882.5	DFT	256QAM	Inner_Full	19.23
n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.04
n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.04
n25	10	15	1882.5	DFT	256QAM	Outer_Full	19.36
n25	10	15	1882.5	CP	QPSK	Inner_Full	22.43
n25	10	15	1882.5	CP	QPSK	Edge_1RB_Left	20.82
n25	10	15	1882.5	CP	QPSK	Edge_1RB_Right	20.89
n25	10	15	1882.5	CP	QPSK	Outer_Full	20.83
n25	10	15	1882.5	CP	16QAM	Inner_Full	21.89
n25	10	15	1882.5	CP	16QAM	Edge_1RB_Left	21.19
n25	10	15	1882.5	CP	16QAM	Edge_1RB_Right	21.35
n25	10	15	1882.5	CP	16QAM	Outer_Full	20.90
n25	10	15	1882.5	CP	64QAM	Inner_Full	20.42
n25	10	15	1882.5	CP	64QAM	Edge_1RB_Left	20.13
n25	10	15	1882.5	CP	64QAM	Edge_1RB_Right	20.11
n25	10	15	1882.5	CP	64QAM	Outer_Full	20.36
n25	10	15	1882.5	CP	256QAM	Inner_Full	17.37
n25	10	15	1882.5	CP	256QAM	Edge_1RB_Left	17.23
n25	10	15	1882.5	CP	256QAM	Edge_1RB_Right	17.31
n25	10	15	1882.5	CP	256QAM	Outer_Full	17.40
n25	10	15	1910	DFT	pi/2 BPSK	Inner_Full	23.59
n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Left	23.10
n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Right	23.16
n25	10	15	1910	DFT	pi/2 BPSK	Outer_Full	23.13
n25	10	15	1910	DFT	QPSK	Inner_Full	23.61
n25	10	15	1910	DFT	QPSK	Edge_1RB_Left	22.54
n25	10	15	1910	DFT	QPSK	Edge_1RB_Right	22.68

n25	10	15	1910	DFT	QPSK	Outer_Full	22.67
n25	10	15	1910	DFT	16QAM	Inner_Full	22.71
n25	10	15	1910	DFT	16QAM	Edge_1RB_Left	21.40
n25	10	15	1910	DFT	16QAM	Edge_1RB_Right	21.44
n25	10	15	1910	DFT	16QAM	Outer_Full	21.49
n25	10	15	1910	DFT	64QAM	Inner_Full	21.21
n25	10	15	1910	DFT	64QAM	Edge_1RB_Left	21.00
n25	10	15	1910	DFT	64QAM	Edge_1RB_Right	21.03
n25	10	15	1910	DFT	64QAM	Outer_Full	21.16
n25	10	15	1910	DFT	256QAM	Inner_Full	18.96
n25	10	15	1910	DFT	256QAM	Edge_1RB_Left	18.78
n25	10	15	1910	DFT	256QAM	Edge_1RB_Right	18.87
n25	10	15	1910	DFT	256QAM	Outer_Full	19.03
n25	10	15	1910	CP	QPSK	Inner_Full	22.07
n25	10	15	1910	CP	QPSK	Edge_1RB_Left	20.60
n25	10	15	1910	CP	QPSK	Edge_1RB_Right	20.64
n25	10	15	1910	CP	QPSK	Outer_Full	20.58
n25	10	15	1910	CP	16QAM	Inner_Full	21.63
n25	10	15	1910	CP	16QAM	Edge_1RB_Left	20.97
n25	10	15	1910	CP	16QAM	Edge_1RB_Right	21.09
n25	10	15	1910	CP	16QAM	Outer_Full	20.64
n25	10	15	1910	CP	64QAM	Inner_Full	20.20
n25	10	15	1910	CP	64QAM	Edge_1RB_Left	19.85
n25	10	15	1910	CP	64QAM	Edge_1RB_Right	20.05
n25	10	15	1910	CP	64QAM	Outer_Full	20.15
n25	10	15	1910	CP	256QAM	Inner_Full	17.11
n25	10	15	1910	CP	256QAM	Edge_1RB_Left	17.00
n25	10	15	1910	CP	256QAM	Edge_1RB_Right	17.06
n25	10	15	1910	CP	256QAM	Outer_Full	17.10
n25	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	23.51
n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.77
n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.06
n25	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.98
n25	15	15	1857.5	DFT	QPSK	Inner_Full	23.44
n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	22.28
n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	22.65
n25	15	15	1857.5	DFT	QPSK	Outer_Full	22.46
n25	15	15	1857.5	DFT	16QAM	Inner_Full	22.38
n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	21.48
n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.88
n25	15	15	1857.5	DFT	16QAM	Outer_Full	21.45

n25	15	15	1857.5	DFT	64QAM	Inner_Full	20.92
n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.59
n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	21.00
n25	15	15	1857.5	DFT	64QAM	Outer_Full	20.97
n25	15	15	1857.5	DFT	256QAM	Inner_Full	18.95
n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.52
n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	18.87
n25	15	15	1857.5	DFT	256QAM	Outer_Full	18.95
n25	15	15	1857.5	CP	QPSK	Inner_Full	21.93
n25	15	15	1857.5	CP	QPSK	Edge_1RB_Left	20.29
n25	15	15	1857.5	CP	QPSK	Edge_1RB_Right	20.53
n25	15	15	1857.5	CP	QPSK	Outer_Full	20.47
n25	15	15	1857.5	CP	16QAM	Inner_Full	21.48
n25	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.68
n25	15	15	1857.5	CP	16QAM	Edge_1RB_Right	20.99
n25	15	15	1857.5	CP	16QAM	Outer_Full	20.43
n25	15	15	1857.5	CP	64QAM	Inner_Full	19.98
n25	15	15	1857.5	CP	64QAM	Edge_1RB_Left	19.51
n25	15	15	1857.5	CP	64QAM	Edge_1RB_Right	19.84
n25	15	15	1857.5	CP	64QAM	Outer_Full	19.96
n25	15	15	1857.5	CP	256QAM	Inner_Full	16.95
n25	15	15	1857.5	CP	256QAM	Edge_1RB_Left	16.71
n25	15	15	1857.5	CP	256QAM	Edge_1RB_Right	16.90
n25	15	15	1857.5	CP	256QAM	Outer_Full	16.97
n25	15	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.80
n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.27
n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.21
n25	15	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.31
n25	15	15	1882.5	DFT	QPSK	Inner_Full	23.81
n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.75
n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.64
n25	15	15	1882.5	DFT	QPSK	Outer_Full	22.80
n25	15	15	1882.5	DFT	16QAM	Inner_Full	22.72
n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.05
n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.97
n25	15	15	1882.5	DFT	16QAM	Outer_Full	21.79
n25	15	15	1882.5	DFT	64QAM	Inner_Full	21.34
n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.17
n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.04
n25	15	15	1882.5	DFT	64QAM	Outer_Full	21.34
n25	15	15	1882.5	DFT	256QAM	Inner_Full	19.33

n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.01
n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.92
n25	15	15	1882.5	DFT	256QAM	Outer_Full	19.27
n25	15	15	1882.5	CP	QPSK	Inner_Full	22.20
n25	15	15	1882.5	CP	QPSK	Edge_1RB_Left	20.81
n25	15	15	1882.5	CP	QPSK	Edge_1RB_Right	20.70
n25	15	15	1882.5	CP	QPSK	Outer_Full	20.78
n25	15	15	1882.5	CP	16QAM	Inner_Full	21.78
n25	15	15	1882.5	CP	16QAM	Edge_1RB_Left	21.23
n25	15	15	1882.5	CP	16QAM	Edge_1RB_Right	21.07
n25	15	15	1882.5	CP	16QAM	Outer_Full	20.73
n25	15	15	1882.5	CP	64QAM	Inner_Full	20.34
n25	15	15	1882.5	CP	64QAM	Edge_1RB_Left	20.07
n25	15	15	1882.5	CP	64QAM	Edge_1RB_Right	19.92
n25	15	15	1882.5	CP	64QAM	Outer_Full	20.25
n25	15	15	1882.5	CP	256QAM	Inner_Full	17.29
n25	15	15	1882.5	CP	256QAM	Edge_1RB_Left	17.10
n25	15	15	1882.5	CP	256QAM	Edge_1RB_Right	17.01
n25	15	15	1882.5	CP	256QAM	Outer_Full	17.24
n25	15	15	1907.5	DFT	pi/2 BPSK	Inner_Full	23.57
n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.10
n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.97
n25	15	15	1907.5	DFT	pi/2 BPSK	Outer_Full	23.13
n25	15	15	1907.5	DFT	QPSK	Inner_Full	23.57
n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.53
n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.62
n25	15	15	1907.5	DFT	QPSK	Outer_Full	22.57
n25	15	15	1907.5	DFT	16QAM	Inner_Full	22.50
n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.74
n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.85
n25	15	15	1907.5	DFT	16QAM	Outer_Full	21.55
n25	15	15	1907.5	DFT	64QAM	Inner_Full	21.02
n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.92
n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.83
n25	15	15	1907.5	DFT	64QAM	Outer_Full	21.08
n25	15	15	1907.5	DFT	256QAM	Inner_Full	18.99
n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Left	18.88
n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Right	18.79
n25	15	15	1907.5	DFT	256QAM	Outer_Full	19.03
n25	15	15	1907.5	CP	QPSK	Inner_Full	22.09
n25	15	15	1907.5	CP	QPSK	Edge_1RB_Left	20.69

n25	15	15	1907.5	CP	QPSK	Edge_1RB_Right	20.49
n25	15	15	1907.5	CP	QPSK	Outer_Full	20.58
n25	15	15	1907.5	CP	16QAM	Inner_Full	21.51
n25	15	15	1907.5	CP	16QAM	Edge_1RB_Left	21.04
n25	15	15	1907.5	CP	16QAM	Edge_1RB_Right	20.93
n25	15	15	1907.5	CP	16QAM	Outer_Full	20.61
n25	15	15	1907.5	CP	64QAM	Inner_Full	20.15
n25	15	15	1907.5	CP	64QAM	Edge_1RB_Left	19.78
n25	15	15	1907.5	CP	64QAM	Edge_1RB_Right	19.79
n25	15	15	1907.5	CP	64QAM	Outer_Full	20.14
n25	15	15	1907.5	CP	256QAM	Inner_Full	17.15
n25	15	15	1907.5	CP	256QAM	Edge_1RB_Left	16.96
n25	15	15	1907.5	CP	256QAM	Edge_1RB_Right	16.93
n25	15	15	1907.5	CP	256QAM	Outer_Full	17.10
n25	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.53
n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.63
n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	23.08
n25	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.96
n25	20	15	1860	DFT	QPSK	Inner_Full	23.53
n25	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.11
n25	20	15	1860	DFT	QPSK	Edge_1RB_Right	22.68
n25	20	15	1860	DFT	QPSK	Outer_Full	22.52
n25	20	15	1860	DFT	16QAM	Inner_Full	22.39
n25	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.44
n25	20	15	1860	DFT	16QAM	Edge_1RB_Right	21.90
n25	20	15	1860	DFT	16QAM	Outer_Full	21.52
n25	20	15	1860	DFT	64QAM	Inner_Full	21.05
n25	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.63
n25	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.99
n25	20	15	1860	DFT	64QAM	Outer_Full	21.04
n25	20	15	1860	DFT	256QAM	Inner_Full	18.93
n25	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.47
n25	20	15	1860	DFT	256QAM	Edge_1RB_Right	19.01
n25	20	15	1860	DFT	256QAM	Outer_Full	19.00
n25	20	15	1860	CP	QPSK	Inner_Full	21.98
n25	20	15	1860	CP	QPSK	Edge_1RB_Left	20.25
n25	20	15	1860	CP	QPSK	Edge_1RB_Right	20.61
n25	20	15	1860	CP	QPSK	Outer_Full	20.52
n25	20	15	1860	CP	16QAM	Inner_Full	21.49
n25	20	15	1860	CP	16QAM	Edge_1RB_Left	20.64
n25	20	15	1860	CP	16QAM	Edge_1RB_Right	21.08

n25	20	15	1860	CP	16QAM	Outer_Full	20.58
n25	20	15	1860	CP	64QAM	Inner_Full	20.10
n25	20	15	1860	CP	64QAM	Edge_1RB_Left	19.44
n25	20	15	1860	CP	64QAM	Edge_1RB_Right	19.85
n25	20	15	1860	CP	64QAM	Outer_Full	20.01
n25	20	15	1860	CP	256QAM	Inner_Full	16.95
n25	20	15	1860	CP	256QAM	Edge_1RB_Left	16.67
n25	20	15	1860	CP	256QAM	Edge_1RB_Right	17.05
n25	20	15	1860	CP	256QAM	Outer_Full	17.04
n25	20	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.85
n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.11
n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.15
n25	20	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.28
n25	20	15	1882.5	DFT	QPSK	Inner_Full	23.80
n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.71
n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.65
n25	20	15	1882.5	DFT	QPSK	Outer_Full	22.82
n25	20	15	1882.5	DFT	16QAM	Inner_Full	22.67
n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.91
n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.86
n25	20	15	1882.5	DFT	16QAM	Outer_Full	21.71
n25	20	15	1882.5	DFT	64QAM	Inner_Full	21.28
n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.01
n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Right	20.96
n25	20	15	1882.5	DFT	64QAM	Outer_Full	21.33
n25	20	15	1882.5	DFT	256QAM	Inner_Full	19.25
n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.03
n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.92
n25	20	15	1882.5	DFT	256QAM	Outer_Full	19.29
n25	20	15	1882.5	CP	QPSK	Inner_Full	22.32
n25	20	15	1882.5	CP	QPSK	Edge_1RB_Left	20.71
n25	20	15	1882.5	CP	QPSK	Edge_1RB_Right	20.61
n25	20	15	1882.5	CP	QPSK	Outer_Full	20.75
n25	20	15	1882.5	CP	16QAM	Inner_Full	21.71
n25	20	15	1882.5	CP	16QAM	Edge_1RB_Left	21.07
n25	20	15	1882.5	CP	16QAM	Edge_1RB_Right	21.08
n25	20	15	1882.5	CP	16QAM	Outer_Full	20.80
n25	20	15	1882.5	CP	64QAM	Inner_Full	20.39
n25	20	15	1882.5	CP	64QAM	Edge_1RB_Left	20.04
n25	20	15	1882.5	CP	64QAM	Edge_1RB_Right	19.81
n25	20	15	1882.5	CP	64QAM	Outer_Full	20.35

n25	20	15	1882.5	CP	256QAM	Inner_Full	17.20
n25	20	15	1882.5	CP	256QAM	Edge_1RB_Left	17.13
n25	20	15	1882.5	CP	256QAM	Edge_1RB_Right	17.00
n25	20	15	1882.5	CP	256QAM	Outer_Full	17.34
n25	20	15	1905	DFT	pi/2 BPSK	Inner_Full	23.66
n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	23.20
n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	23.00
n25	20	15	1905	DFT	pi/2 BPSK	Outer_Full	23.24
n25	20	15	1905	DFT	QPSK	Inner_Full	23.60
n25	20	15	1905	DFT	QPSK	Edge_1RB_Left	22.65
n25	20	15	1905	DFT	QPSK	Edge_1RB_Right	22.57
n25	20	15	1905	DFT	QPSK	Outer_Full	22.58
n25	20	15	1905	DFT	16QAM	Inner_Full	22.44
n25	20	15	1905	DFT	16QAM	Edge_1RB_Left	21.96
n25	20	15	1905	DFT	16QAM	Edge_1RB_Right	21.89
n25	20	15	1905	DFT	16QAM	Outer_Full	21.58
n25	20	15	1905	DFT	64QAM	Inner_Full	21.08
n25	20	15	1905	DFT	64QAM	Edge_1RB_Left	21.05
n25	20	15	1905	DFT	64QAM	Edge_1RB_Right	20.86
n25	20	15	1905	DFT	64QAM	Outer_Full	21.08
n25	20	15	1905	DFT	256QAM	Inner_Full	19.11
n25	20	15	1905	DFT	256QAM	Edge_1RB_Left	19.00
n25	20	15	1905	DFT	256QAM	Edge_1RB_Right	18.87
n25	20	15	1905	DFT	256QAM	Outer_Full	19.12
n25	20	15	1905	CP	QPSK	Inner_Full	22.11
n25	20	15	1905	CP	QPSK	Edge_1RB_Left	20.67
n25	20	15	1905	CP	QPSK	Edge_1RB_Right	20.50
n25	20	15	1905	CP	QPSK	Outer_Full	20.63
n25	20	15	1905	CP	16QAM	Inner_Full	21.58
n25	20	15	1905	CP	16QAM	Edge_1RB_Left	21.14
n25	20	15	1905	CP	16QAM	Edge_1RB_Right	20.96
n25	20	15	1905	CP	16QAM	Outer_Full	20.58
n25	20	15	1905	CP	64QAM	Inner_Full	20.19
n25	20	15	1905	CP	64QAM	Edge_1RB_Left	20.00
n25	20	15	1905	CP	64QAM	Edge_1RB_Right	19.79
n25	20	15	1905	CP	64QAM	Outer_Full	20.09
n25	20	15	1905	CP	256QAM	Inner_Full	17.11
n25	20	15	1905	CP	256QAM	Edge_1RB_Left	17.21
n25	20	15	1905	CP	256QAM	Edge_1RB_Right	16.92
n25	20	15	1905	CP	256QAM	Outer_Full	17.09
n25	25	15	1862.5	DFT	pi/2 BPSK	Inner_Full	23.55

n25	25	15	1862.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.83
n25	25	15	1862.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.34
n25	25	15	1862.5	DFT	pi/2 BPSK	Outer_Full	23.09
n25	25	15	1862.5	DFT	QPSK	Inner_Full	23.67
n25	25	15	1862.5	DFT	QPSK	Edge_1RB_Left	22.24
n25	25	15	1862.5	DFT	QPSK	Edge_1RB_Right	22.88
n25	25	15	1862.5	DFT	QPSK	Outer_Full	22.64
n25	25	15	1862.5	DFT	16QAM	Inner_Full	22.71
n25	25	15	1862.5	DFT	16QAM	Edge_1RB_Left	21.53
n25	25	15	1862.5	DFT	16QAM	Edge_1RB_Right	22.09
n25	25	15	1862.5	DFT	16QAM	Outer_Full	21.71
n25	25	15	1862.5	DFT	64QAM	Inner_Full	21.23
n25	25	15	1862.5	DFT	64QAM	Edge_1RB_Left	20.73
n25	25	15	1862.5	DFT	64QAM	Edge_1RB_Right	21.06
n25	25	15	1862.5	DFT	64QAM	Outer_Full	21.20
n25	25	15	1862.5	DFT	256QAM	Inner_Full	19.09
n25	25	15	1862.5	DFT	256QAM	Edge_1RB_Left	18.61
n25	25	15	1862.5	DFT	256QAM	Edge_1RB_Right	19.08
n25	25	15	1862.5	DFT	256QAM	Outer_Full	19.09
n25	25	15	1862.5	CP	QPSK	Inner_Full	22.15
n25	25	15	1862.5	CP	QPSK	Edge_1RB_Left	20.34
n25	25	15	1862.5	CP	QPSK	Edge_1RB_Right	20.78
n25	25	15	1862.5	CP	QPSK	Outer_Full	20.67
n25	25	15	1862.5	CP	16QAM	Inner_Full	21.59
n25	25	15	1862.5	CP	16QAM	Edge_1RB_Left	20.72
n25	25	15	1862.5	CP	16QAM	Edge_1RB_Right	21.25
n25	25	15	1862.5	CP	16QAM	Outer_Full	20.73
n25	25	15	1862.5	CP	64QAM	Inner_Full	20.22
n25	25	15	1862.5	CP	64QAM	Edge_1RB_Left	19.51
n25	25	15	1862.5	CP	64QAM	Edge_1RB_Right	20.10
n25	25	15	1862.5	CP	64QAM	Outer_Full	20.24
n25	25	15	1862.5	CP	256QAM	Inner_Full	17.21
n25	25	15	1862.5	CP	256QAM	Edge_1RB_Left	16.81
n25	25	15	1862.5	CP	256QAM	Edge_1RB_Right	17.07
n25	25	15	1862.5	CP	256QAM	Outer_Full	17.18
n25	25	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.85
n25	25	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.24
n25	25	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.29
n25	25	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.34
n25	25	15	1882.5	DFT	QPSK	Inner_Full	23.88
n25	25	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.85

n25	25	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.74
n25	25	15	1882.5	DFT	QPSK	Outer_Full	22.87
n25	25	15	1882.5	DFT	16QAM	Inner_Full	22.94
n25	25	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.03
n25	25	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.06
n25	25	15	1882.5	DFT	16QAM	Outer_Full	21.95
n25	25	15	1882.5	DFT	64QAM	Inner_Full	21.38
n25	25	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.14
n25	25	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.11
n25	25	15	1882.5	DFT	64QAM	Outer_Full	21.44
n25	25	15	1882.5	DFT	256QAM	Inner_Full	19.30
n25	25	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.11
n25	25	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.99
n25	25	15	1882.5	DFT	256QAM	Outer_Full	19.36
n25	25	15	1882.5	CP	QPSK	Inner_Full	22.44
n25	25	15	1882.5	CP	QPSK	Edge_1RB_Left	20.68
n25	25	15	1882.5	CP	QPSK	Edge_1RB_Right	20.56
n25	25	15	1882.5	CP	QPSK	Outer_Full	20.91
n25	25	15	1882.5	CP	16QAM	Inner_Full	21.79
n25	25	15	1882.5	CP	16QAM	Edge_1RB_Left	20.91
n25	25	15	1882.5	CP	16QAM	Edge_1RB_Right	20.93
n25	25	15	1882.5	CP	16QAM	Outer_Full	20.90
n25	25	15	1882.5	CP	64QAM	Inner_Full	20.38
n25	25	15	1882.5	CP	64QAM	Edge_1RB_Left	20.05
n25	25	15	1882.5	CP	64QAM	Edge_1RB_Right	19.96
n25	25	15	1882.5	CP	64QAM	Outer_Full	20.40
n25	25	15	1882.5	CP	256QAM	Inner_Full	17.34
n25	25	15	1882.5	CP	256QAM	Edge_1RB_Left	17.36
n25	25	15	1882.5	CP	256QAM	Edge_1RB_Right	17.20
n25	25	15	1882.5	CP	256QAM	Outer_Full	17.32
n25	25	15	1902.5	DFT	pi/2 BPSK	Inner_Full	23.67
n25	25	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.24
n25	25	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.12
n25	25	15	1902.5	DFT	pi/2 BPSK	Outer_Full	23.16
n25	25	15	1902.5	DFT	QPSK	Inner_Full	23.58
n25	25	15	1902.5	DFT	QPSK	Edge_1RB_Left	22.85
n25	25	15	1902.5	DFT	QPSK	Edge_1RB_Right	22.59
n25	25	15	1902.5	DFT	QPSK	Outer_Full	22.65
n25	25	15	1902.5	DFT	16QAM	Inner_Full	22.63
n25	25	15	1902.5	DFT	16QAM	Edge_1RB_Left	22.13
n25	25	15	1902.5	DFT	16QAM	Edge_1RB_Right	21.80

n25	25	15	1902.5	DFT	16QAM	Outer_Full	21.66
n25	25	15	1902.5	DFT	64QAM	Inner_Full	21.20
n25	25	15	1902.5	DFT	64QAM	Edge_1RB_Left	21.11
n25	25	15	1902.5	DFT	64QAM	Edge_1RB_Right	20.91
n25	25	15	1902.5	DFT	64QAM	Outer_Full	21.24
n25	25	15	1902.5	DFT	256QAM	Inner_Full	19.18
n25	25	15	1902.5	DFT	256QAM	Edge_1RB_Left	19.14
n25	25	15	1902.5	DFT	256QAM	Edge_1RB_Right	18.97
n25	25	15	1902.5	DFT	256QAM	Outer_Full	19.18
n25	25	15	1902.5	CP	QPSK	Inner_Full	22.21
n25	25	15	1902.5	CP	QPSK	Edge_1RB_Left	20.79
n25	25	15	1902.5	CP	QPSK	Edge_1RB_Right	20.62
n25	25	15	1902.5	CP	QPSK	Outer_Full	20.65
n25	25	15	1902.5	CP	16QAM	Inner_Full	21.55
n25	25	15	1902.5	CP	16QAM	Edge_1RB_Left	21.26
n25	25	15	1902.5	CP	16QAM	Edge_1RB_Right	20.96
n25	25	15	1902.5	CP	16QAM	Outer_Full	20.73
n25	25	15	1902.5	CP	64QAM	Inner_Full	20.15
n25	25	15	1902.5	CP	64QAM	Edge_1RB_Left	20.13
n25	25	15	1902.5	CP	64QAM	Edge_1RB_Right	19.87
n25	25	15	1902.5	CP	64QAM	Outer_Full	20.15
n25	25	15	1902.5	CP	256QAM	Inner_Full	17.13
n25	25	15	1902.5	CP	256QAM	Edge_1RB_Left	17.32
n25	25	15	1902.5	CP	256QAM	Edge_1RB_Right	16.87
n25	25	15	1902.5	CP	256QAM	Outer_Full	17.30
n25	30	15	1865	DFT	pi/2 BPSK	Inner_Full	23.72
n25	30	15	1865	DFT	pi/2 BPSK	Edge_1RB_Left	22.91
n25	30	15	1865	DFT	pi/2 BPSK	Edge_1RB_Right	23.38
n25	30	15	1865	DFT	pi/2 BPSK	Outer_Full	23.28
n25	30	15	1865	DFT	QPSK	Inner_Full	23.81
n25	30	15	1865	DFT	QPSK	Edge_1RB_Left	22.29
n25	30	15	1865	DFT	QPSK	Edge_1RB_Right	22.74
n25	30	15	1865	DFT	QPSK	Outer_Full	22.76
n25	30	15	1865	DFT	16QAM	Inner_Full	22.76
n25	30	15	1865	DFT	16QAM	Edge_1RB_Left	21.72
n25	30	15	1865	DFT	16QAM	Edge_1RB_Right	22.03
n25	30	15	1865	DFT	16QAM	Outer_Full	21.85
n25	30	15	1865	DFT	64QAM	Inner_Full	21.26
n25	30	15	1865	DFT	64QAM	Edge_1RB_Left	20.71
n25	30	15	1865	DFT	64QAM	Edge_1RB_Right	21.22
n25	30	15	1865	DFT	64QAM	Outer_Full	21.34

n25	30	15	1865	DFT	256QAM	Inner_Full	19.16
n25	30	15	1865	DFT	256QAM	Edge_1RB_Left	18.69
n25	30	15	1865	DFT	256QAM	Edge_1RB_Right	19.14
n25	30	15	1865	DFT	256QAM	Outer_Full	19.26
n25	30	15	1865	CP	QPSK	Inner_Full	22.22
n25	30	15	1865	CP	QPSK	Edge_1RB_Left	20.32
n25	30	15	1865	CP	QPSK	Edge_1RB_Right	20.83
n25	30	15	1865	CP	QPSK	Outer_Full	20.80
n25	30	15	1865	CP	16QAM	Inner_Full	21.74
n25	30	15	1865	CP	16QAM	Edge_1RB_Left	20.82
n25	30	15	1865	CP	16QAM	Edge_1RB_Right	21.30
n25	30	15	1865	CP	16QAM	Outer_Full	20.76
n25	30	15	1865	CP	64QAM	Inner_Full	20.34
n25	30	15	1865	CP	64QAM	Edge_1RB_Left	19.58
n25	30	15	1865	CP	64QAM	Edge_1RB_Right	20.11
n25	30	15	1865	CP	64QAM	Outer_Full	20.28
n25	30	15	1865	CP	256QAM	Inner_Full	17.29
n25	30	15	1865	CP	256QAM	Edge_1RB_Left	16.88
n25	30	15	1865	CP	256QAM	Edge_1RB_Right	17.25
n25	30	15	1865	CP	256QAM	Outer_Full	17.32
n25	30	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.89
n25	30	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.23
n25	30	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.17
n25	30	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.34
n25	30	15	1882.5	DFT	QPSK	Inner_Full	23.91
n25	30	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.71
n25	30	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.64
n25	30	15	1882.5	DFT	QPSK	Outer_Full	22.93
n25	30	15	1882.5	DFT	16QAM	Inner_Full	22.85
n25	30	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.01
n25	30	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.99
n25	30	15	1882.5	DFT	16QAM	Outer_Full	21.91
n25	30	15	1882.5	DFT	64QAM	Inner_Full	21.30
n25	30	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.01
n25	30	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.05
n25	30	15	1882.5	DFT	64QAM	Outer_Full	21.41
n25	30	15	1882.5	DFT	256QAM	Inner_Full	19.24
n25	30	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.02
n25	30	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.03
n25	30	15	1882.5	DFT	256QAM	Outer_Full	19.33
n25	30	15	1882.5	CP	QPSK	Inner_Full	22.36

n25	30	15	1882.5	CP	QPSK	Edge_1RB_Left	20.62
n25	30	15	1882.5	CP	QPSK	Edge_1RB_Right	20.65
n25	30	15	1882.5	CP	QPSK	Outer_Full	20.85
n25	30	15	1882.5	CP	16QAM	Inner_Full	21.81
n25	30	15	1882.5	CP	16QAM	Edge_1RB_Left	20.88
n25	30	15	1882.5	CP	16QAM	Edge_1RB_Right	20.74
n25	30	15	1882.5	CP	16QAM	Outer_Full	20.89
n25	30	15	1882.5	CP	64QAM	Inner_Full	20.27
n25	30	15	1882.5	CP	64QAM	Edge_1RB_Left	20.13
n25	30	15	1882.5	CP	64QAM	Edge_1RB_Right	20.01
n25	30	15	1882.5	CP	64QAM	Outer_Full	20.41
n25	30	15	1882.5	CP	256QAM	Inner_Full	17.23
n25	30	15	1882.5	CP	256QAM	Edge_1RB_Left	17.26
n25	30	15	1882.5	CP	256QAM	Edge_1RB_Right	17.15
n25	30	15	1882.5	CP	256QAM	Outer_Full	17.37
n25	30	15	1900	DFT	pi/2 BPSK	Inner_Full	23.81
n25	30	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	23.32
n25	30	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	23.19
n25	30	15	1900	DFT	pi/2 BPSK	Outer_Full	23.41
n25	30	15	1900	DFT	QPSK	Inner_Full	23.71
n25	30	15	1900	DFT	QPSK	Edge_1RB_Left	22.85
n25	30	15	1900	DFT	QPSK	Edge_1RB_Right	22.64
n25	30	15	1900	DFT	QPSK	Outer_Full	22.70
n25	30	15	1900	DFT	16QAM	Inner_Full	22.73
n25	30	15	1900	DFT	16QAM	Edge_1RB_Left	22.06
n25	30	15	1900	DFT	16QAM	Edge_1RB_Right	21.86
n25	30	15	1900	DFT	16QAM	Outer_Full	21.74
n25	30	15	1900	DFT	64QAM	Inner_Full	21.19
n25	30	15	1900	DFT	64QAM	Edge_1RB_Left	21.09
n25	30	15	1900	DFT	64QAM	Edge_1RB_Right	20.87
n25	30	15	1900	DFT	64QAM	Outer_Full	21.25
n25	30	15	1900	DFT	256QAM	Inner_Full	19.10
n25	30	15	1900	DFT	256QAM	Edge_1RB_Left	19.15
n25	30	15	1900	DFT	256QAM	Edge_1RB_Right	18.92
n25	30	15	1900	DFT	256QAM	Outer_Full	19.24
n25	30	15	1900	CP	QPSK	Inner_Full	22.13
n25	30	15	1900	CP	QPSK	Edge_1RB_Left	20.96
n25	30	15	1900	CP	QPSK	Edge_1RB_Right	20.68
n25	30	15	1900	CP	QPSK	Outer_Full	20.74
n25	30	15	1900	CP	16QAM	Inner_Full	21.62
n25	30	15	1900	CP	16QAM	Edge_1RB_Left	21.31

n25	30	15	1900	CP	16QAM	Edge_1RB_Right	21.13
n25	30	15	1900	CP	16QAM	Outer_Full	20.70
n25	30	15	1900	CP	64QAM	Inner_Full	20.29
n25	30	15	1900	CP	64QAM	Edge_1RB_Left	20.04
n25	30	15	1900	CP	64QAM	Edge_1RB_Right	19.83
n25	30	15	1900	CP	64QAM	Outer_Full	20.22
n25	30	15	1900	CP	256QAM	Inner_Full	17.27
n25	30	15	1900	CP	256QAM	Edge_1RB_Left	17.27
n25	30	15	1900	CP	256QAM	Edge_1RB_Right	17.01
n25	30	15	1900	CP	256QAM	Outer_Full	17.30
n25	40	15	1870	DFT	pi/2 BPSK	Inner_Full	23.79
n25	40	15	1870	DFT	pi/2 BPSK	Edge_1RB_Left	22.77
n25	40	15	1870	DFT	pi/2 BPSK	Edge_1RB_Right	23.30
n25	40	15	1870	DFT	pi/2 BPSK	Outer_Full	23.25
n25	40	15	1870	DFT	QPSK	Inner_Full	23.87
n25	40	15	1870	DFT	QPSK	Edge_1RB_Left	22.22
n25	40	15	1870	DFT	QPSK	Edge_1RB_Right	22.85
n25	40	15	1870	DFT	QPSK	Outer_Full	22.77
n25	40	15	1870	DFT	16QAM	Inner_Full	22.88
n25	40	15	1870	DFT	16QAM	Edge_1RB_Left	21.53
n25	40	15	1870	DFT	16QAM	Edge_1RB_Right	22.05
n25	40	15	1870	DFT	16QAM	Outer_Full	21.79
n25	40	15	1870	DFT	64QAM	Inner_Full	21.34
n25	40	15	1870	DFT	64QAM	Edge_1RB_Left	20.64
n25	40	15	1870	DFT	64QAM	Edge_1RB_Right	21.11
n25	40	15	1870	DFT	64QAM	Outer_Full	21.24
n25	40	15	1870	DFT	256QAM	Inner_Full	19.27
n25	40	15	1870	DFT	256QAM	Edge_1RB_Left	18.60
n25	40	15	1870	DFT	256QAM	Edge_1RB_Right	19.22
n25	40	15	1870	DFT	256QAM	Outer_Full	19.27
n25	40	15	1870	CP	QPSK	Inner_Full	22.29
n25	40	15	1870	CP	QPSK	Edge_1RB_Left	20.38
n25	40	15	1870	CP	QPSK	Edge_1RB_Right	20.75
n25	40	15	1870	CP	QPSK	Outer_Full	20.72
n25	40	15	1870	CP	16QAM	Inner_Full	21.89
n25	40	15	1870	CP	16QAM	Edge_1RB_Left	20.65
n25	40	15	1870	CP	16QAM	Edge_1RB_Right	21.33
n25	40	15	1870	CP	16QAM	Outer_Full	20.79
n25	40	15	1870	CP	64QAM	Inner_Full	20.30
n25	40	15	1870	CP	64QAM	Edge_1RB_Left	19.53
n25	40	15	1870	CP	64QAM	Edge_1RB_Right	20.04

n25	40	15	1870	CP	64QAM	Outer_Full	20.30
n25	40	15	1870	CP	256QAM	Inner_Full	17.29
n25	40	15	1870	CP	256QAM	Edge_1RB_Left	16.85
n25	40	15	1870	CP	256QAM	Edge_1RB_Right	17.33
n25	40	15	1870	CP	256QAM	Outer_Full	17.32
n25	40	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.98
n25	40	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.00
n25	40	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.98
n25	40	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.28
n25	40	15	1882.5	DFT	QPSK	Inner_Full	23.88
n25	40	15	1882.5	DFT	QPSK	Edge_1RB_Left	22.54
n25	40	15	1882.5	DFT	QPSK	Edge_1RB_Right	22.54
n25	40	15	1882.5	DFT	QPSK	Outer_Full	22.83
n25	40	15	1882.5	DFT	16QAM	Inner_Full	22.76
n25	40	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.87
n25	40	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.84
n25	40	15	1882.5	DFT	16QAM	Outer_Full	21.79
n25	40	15	1882.5	DFT	64QAM	Inner_Full	21.27
n25	40	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.97
n25	40	15	1882.5	DFT	64QAM	Edge_1RB_Right	20.82
n25	40	15	1882.5	DFT	64QAM	Outer_Full	21.34
n25	40	15	1882.5	DFT	256QAM	Inner_Full	19.33
n25	40	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.92
n25	40	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.97
n25	40	15	1882.5	DFT	256QAM	Outer_Full	19.29
n25	40	15	1882.5	CP	QPSK	Inner_Full	22.34
n25	40	15	1882.5	CP	QPSK	Edge_1RB_Left	20.63
n25	40	15	1882.5	CP	QPSK	Edge_1RB_Right	20.51
n25	40	15	1882.5	CP	QPSK	Outer_Full	20.84
n25	40	15	1882.5	CP	16QAM	Inner_Full	21.83
n25	40	15	1882.5	CP	16QAM	Edge_1RB_Left	21.08
n25	40	15	1882.5	CP	16QAM	Edge_1RB_Right	20.97
n25	40	15	1882.5	CP	16QAM	Outer_Full	20.79
n25	40	15	1882.5	CP	64QAM	Inner_Full	20.33
n25	40	15	1882.5	CP	64QAM	Edge_1RB_Left	19.86
n25	40	15	1882.5	CP	64QAM	Edge_1RB_Right	19.81
n25	40	15	1882.5	CP	64QAM	Outer_Full	20.31
n25	40	15	1882.5	CP	256QAM	Inner_Full	17.33
n25	40	15	1882.5	CP	256QAM	Edge_1RB_Left	17.10
n25	40	15	1882.5	CP	256QAM	Edge_1RB_Right	17.05
n25	40	15	1882.5	CP	256QAM	Outer_Full	17.32

n25	40	15	1895	DFT	pi/2 BPSK	Inner_Full	23.89
n25	40	15	1895	DFT	pi/2 BPSK	Edge_1RB_Left	23.40
n25	40	15	1895	DFT	pi/2 BPSK	Edge_1RB_Right	23.13
n25	40	15	1895	DFT	pi/2 BPSK	Outer_Full	23.32
n25	40	15	1895	DFT	QPSK	Inner_Full	23.92
n25	40	15	1895	DFT	QPSK	Edge_1RB_Left	22.86
n25	40	15	1895	DFT	QPSK	Edge_1RB_Right	22.70
n25	40	15	1895	DFT	QPSK	Outer_Full	22.92
n25	40	15	1895	DFT	16QAM	Inner_Full	22.89
n25	40	15	1895	DFT	16QAM	Edge_1RB_Left	22.08
n25	40	15	1895	DFT	16QAM	Edge_1RB_Right	21.91
n25	40	15	1895	DFT	16QAM	Outer_Full	21.91
n25	40	15	1895	DFT	64QAM	Inner_Full	21.36
n25	40	15	1895	DFT	64QAM	Edge_1RB_Left	21.27
n25	40	15	1895	DFT	64QAM	Edge_1RB_Right	20.92
n25	40	15	1895	DFT	64QAM	Outer_Full	21.38
n25	40	15	1895	DFT	256QAM	Inner_Full	19.34
n25	40	15	1895	DFT	256QAM	Edge_1RB_Left	19.29
n25	40	15	1895	DFT	256QAM	Edge_1RB_Right	19.10
n25	40	15	1895	DFT	256QAM	Outer_Full	19.32
n25	40	15	1895	CP	QPSK	Inner_Full	22.37
n25	40	15	1895	CP	QPSK	Edge_1RB_Left	20.96
n25	40	15	1895	CP	QPSK	Edge_1RB_Right	20.63
n25	40	15	1895	CP	QPSK	Outer_Full	20.87
n25	40	15	1895	CP	16QAM	Inner_Full	21.88
n25	40	15	1895	CP	16QAM	Edge_1RB_Left	21.34
n25	40	15	1895	CP	16QAM	Edge_1RB_Right	21.16
n25	40	15	1895	CP	16QAM	Outer_Full	20.83
n25	40	15	1895	CP	64QAM	Inner_Full	20.41
n25	40	15	1895	CP	64QAM	Edge_1RB_Left	20.07
n25	40	15	1895	CP	64QAM	Edge_1RB_Right	19.85
n25	40	15	1895	CP	64QAM	Outer_Full	20.44
n25	40	15	1895	CP	256QAM	Inner_Full	17.40
n25	40	15	1895	CP	256QAM	Edge_1RB_Left	17.42
n25	40	15	1895	CP	256QAM	Edge_1RB_Right	17.12
n25	40	15	1895	CP	256QAM	Outer_Full	17.36

n41

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	25.37
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.88
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.82
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	24.97
n41	20	30	2506.02	DFT	QPSK	Inner_Full	25.23
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	21.53
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	21.83
n41	20	30	2506.02	DFT	QPSK	Outer_Full	24.46
n41	20	30	2506.02	DFT	16QAM	Inner_Full	24.47
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	21.80
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	22.16
n41	20	30	2506.02	DFT	16QAM	Outer_Full	23.26
n41	20	30	2506.02	DFT	64QAM	Inner_Full	22.86
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	21.35
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	21.30
n41	20	30	2506.02	DFT	64QAM	Outer_Full	22.70
n41	20	30	2506.02	DFT	256QAM	Inner_Full	20.70
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	20.47
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	20.94
n41	20	30	2506.02	DFT	256QAM	Outer_Full	20.84
n41	20	30	2506.02	CP	QPSK	Inner_Full	23.96
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	21.54
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	22.11
n41	20	30	2506.02	CP	QPSK	Outer_Full	22.18
n41	20	30	2506.02	CP	16QAM	Inner_Full	23.40
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	22.00
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	22.47
n41	20	30	2506.02	CP	16QAM	Outer_Full	22.40
n41	20	30	2506.02	CP	64QAM	Inner_Full	21.64
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	21.14
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	21.74
n41	20	30	2506.02	CP	64QAM	Outer_Full	21.91
n41	20	30	2506.02	CP	256QAM	Inner_Full	18.63
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	18.76
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	18.78
n41	20	30	2506.02	CP	256QAM	Outer_Full	18.68
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.08
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.54
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.41

n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.59
n41	20	30	2592.99	DFT	QPSK	Inner_Full	26.09
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.55
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.33
n41	20	30	2592.99	DFT	QPSK	Outer_Full	25.01
n41	20	30	2592.99	DFT	16QAM	Inner_Full	25.10
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.56
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.69
n41	20	30	2592.99	DFT	16QAM	Outer_Full	23.92
n41	20	30	2592.99	DFT	64QAM	Inner_Full	23.42
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.17
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.81
n41	20	30	2592.99	DFT	64QAM	Outer_Full	23.68
n41	20	30	2592.99	DFT	256QAM	Inner_Full	21.40
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.46
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.47
n41	20	30	2592.99	DFT	256QAM	Outer_Full	21.48
n41	20	30	2592.99	CP	QPSK	Inner_Full	24.38
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	22.64
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	22.64
n41	20	30	2592.99	CP	QPSK	Outer_Full	23.09
n41	20	30	2592.99	CP	16QAM	Inner_Full	24.02
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	22.58
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	22.47
n41	20	30	2592.99	CP	16QAM	Outer_Full	23.13
n41	20	30	2592.99	CP	64QAM	Inner_Full	22.48
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	22.05
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	22.19
n41	20	30	2592.99	CP	64QAM	Outer_Full	22.49
n41	20	30	2592.99	CP	256QAM	Inner_Full	19.43
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	19.32
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	19.26
n41	20	30	2592.99	CP	256QAM	Outer_Full	19.44
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	26.68
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	23.13
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.17
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	26.24
n41	20	30	2679.99	DFT	QPSK	Inner_Full	26.61
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	23.33
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	23.02
n41	20	30	2679.99	DFT	QPSK	Outer_Full	25.71

n41	20	30	2679.99	DFT	16QAM	Inner_Full	25.70
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	23.48
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	23.28
n41	20	30	2679.99	DFT	16QAM	Outer_Full	24.76
n41	20	30	2679.99	DFT	64QAM	Inner_Full	24.24
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	22.58
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	22.64
n41	20	30	2679.99	DFT	64QAM	Outer_Full	24.21
n41	20	30	2679.99	DFT	256QAM	Inner_Full	22.30
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	22.03
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	21.78
n41	20	30	2679.99	DFT	256QAM	Outer_Full	22.33
n41	20	30	2679.99	CP	QPSK	Inner_Full	25.25
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	23.37
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	22.98
n41	20	30	2679.99	CP	QPSK	Outer_Full	23.60
n41	20	30	2679.99	CP	16QAM	Inner_Full	24.60
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	23.29
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	23.16
n41	20	30	2679.99	CP	16QAM	Outer_Full	23.64
n41	20	30	2679.99	CP	64QAM	Inner_Full	23.16
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	22.99
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	22.53
n41	20	30	2679.99	CP	64QAM	Outer_Full	23.14
n41	20	30	2679.99	CP	256QAM	Inner_Full	20.03
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	19.99
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	19.76
n41	20	30	2679.99	CP	256QAM	Outer_Full	20.33
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	25.55
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	21.76
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	22.06
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	24.84
n41	30	30	2511	DFT	QPSK	Inner_Full	25.59
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	21.92
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	22.22
n41	30	30	2511	DFT	QPSK	Outer_Full	24.56
n41	30	30	2511	DFT	16QAM	Inner_Full	24.34
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	21.83
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.09
n41	30	30	2511	DFT	16QAM	Outer_Full	23.40
n41	30	30	2511	DFT	64QAM	Inner_Full	22.76

n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	21.13
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	21.72
n41	30	30	2511	DFT	64QAM	Outer_Full	22.91
n41	30	30	2511	DFT	256QAM	Inner_Full	20.97
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	20.94
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	21.11
n41	30	30	2511	DFT	256QAM	Outer_Full	20.85
n41	30	30	2511	CP	QPSK	Inner_Full	23.87
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	21.94
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	22.21
n41	30	30	2511	CP	QPSK	Outer_Full	22.39
n41	30	30	2511	CP	16QAM	Inner_Full	23.54
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	22.03
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	22.56
n41	30	30	2511	CP	16QAM	Outer_Full	22.42
n41	30	30	2511	CP	64QAM	Inner_Full	21.90
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	21.50
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	21.65
n41	30	30	2511	CP	64QAM	Outer_Full	21.93
n41	30	30	2511	CP	256QAM	Inner_Full	18.84
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	18.52
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	18.86
n41	30	30	2511	CP	256QAM	Outer_Full	18.82
n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.98
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.60
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.57
n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.62
n41	30	30	2592.99	DFT	QPSK	Inner_Full	25.97
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.32
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.66
n41	30	30	2592.99	DFT	QPSK	Outer_Full	25.05
n41	30	30	2592.99	DFT	16QAM	Inner_Full	24.94
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.43
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.53
n41	30	30	2592.99	DFT	16QAM	Outer_Full	23.98
n41	30	30	2592.99	DFT	64QAM	Inner_Full	23.54
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.83
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.74
n41	30	30	2592.99	DFT	64QAM	Outer_Full	23.56
n41	30	30	2592.99	DFT	256QAM	Inner_Full	21.57
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.41

n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.43
n41	30	30	2592.99	DFT	256QAM	Outer_Full	21.46
n41	30	30	2592.99	CP	QPSK	Inner_Full	24.54
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	22.55
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	22.66
n41	30	30	2592.99	CP	QPSK	Outer_Full	23.14
n41	30	30	2592.99	CP	16QAM	Inner_Full	23.83
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	22.54
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	22.58
n41	30	30	2592.99	CP	16QAM	Outer_Full	22.87
n41	30	30	2592.99	CP	64QAM	Inner_Full	22.59
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	22.19
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	22.19
n41	30	30	2592.99	CP	64QAM	Outer_Full	22.57
n41	30	30	2592.99	CP	256QAM	Inner_Full	19.31
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	19.25
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	19.32
n41	30	30	2592.99	CP	256QAM	Outer_Full	19.56
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	26.79
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.08
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.32
n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	26.21
n41	30	30	2674.98	DFT	QPSK	Inner_Full	26.84
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	22.98
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	23.02
n41	30	30	2674.98	DFT	QPSK	Outer_Full	25.66
n41	30	30	2674.98	DFT	16QAM	Inner_Full	25.87
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	23.15
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	23.15
n41	30	30	2674.98	DFT	16QAM	Outer_Full	24.63
n41	30	30	2674.98	DFT	64QAM	Inner_Full	24.07
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	22.89
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	22.48
n41	30	30	2674.98	DFT	64QAM	Outer_Full	24.16
n41	30	30	2674.98	DFT	256QAM	Inner_Full	22.19
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	22.09
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	21.98
n41	30	30	2674.98	DFT	256QAM	Outer_Full	22.09
n41	30	30	2674.98	CP	QPSK	Inner_Full	25.23
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	23.27
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	23.06

n41	30	30	2674.98	CP	QPSK	Outer_Full	23.71
n41	30	30	2674.98	CP	16QAM	Inner_Full	24.78
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	23.22
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	23.13
n41	30	30	2674.98	CP	16QAM	Outer_Full	23.56
n41	30	30	2674.98	CP	64QAM	Inner_Full	23.33
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	22.88
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	22.63
n41	30	30	2674.98	CP	64QAM	Outer_Full	23.25
n41	30	30	2674.98	CP	256QAM	Inner_Full	20.37
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	20.24
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	20.15
n41	30	30	2674.98	CP	256QAM	Outer_Full	20.27
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	25.36
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.77
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.26
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	24.92
n41	40	30	2516.01	DFT	QPSK	Inner_Full	25.42
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	21.72
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	22.15
n41	40	30	2516.01	DFT	QPSK	Outer_Full	24.38
n41	40	30	2516.01	DFT	16QAM	Inner_Full	24.43
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	21.89
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	22.26
n41	40	30	2516.01	DFT	16QAM	Outer_Full	23.37
n41	40	30	2516.01	DFT	64QAM	Inner_Full	22.94
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.11
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	21.47
n41	40	30	2516.01	DFT	64QAM	Outer_Full	23.14
n41	40	30	2516.01	DFT	256QAM	Inner_Full	20.79
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	20.59
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	21.01
n41	40	30	2516.01	DFT	256QAM	Outer_Full	20.83
n41	40	30	2516.01	CP	QPSK	Inner_Full	23.96
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	21.67
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	21.92
n41	40	30	2516.01	CP	QPSK	Outer_Full	22.39
n41	40	30	2516.01	CP	16QAM	Inner_Full	23.49
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	22.03
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	22.05
n41	40	30	2516.01	CP	16QAM	Outer_Full	22.55

n41	40	30	2516.01	CP	64QAM	Inner_Full	21.98
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	21.53
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	21.80
n41	40	30	2516.01	CP	64QAM	Outer_Full	22.12
n41	40	30	2516.01	CP	256QAM	Inner_Full	18.86
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	18.97
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	18.86
n41	40	30	2516.01	CP	256QAM	Outer_Full	19.17
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.04
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.60
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.76
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.59
n41	40	30	2592.99	DFT	QPSK	Inner_Full	25.86
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.28
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.64
n41	40	30	2592.99	DFT	QPSK	Outer_Full	24.92
n41	40	30	2592.99	DFT	16QAM	Inner_Full	25.07
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.53
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.59
n41	40	30	2592.99	DFT	16QAM	Outer_Full	23.85
n41	40	30	2592.99	DFT	64QAM	Inner_Full	23.56
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.77
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.21
n41	40	30	2592.99	DFT	64QAM	Outer_Full	23.42
n41	40	30	2592.99	DFT	256QAM	Inner_Full	21.66
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.21
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.31
n41	40	30	2592.99	DFT	256QAM	Outer_Full	21.63
n41	40	30	2592.99	CP	QPSK	Inner_Full	24.58
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	22.31
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	22.37
n41	40	30	2592.99	CP	QPSK	Outer_Full	22.98
n41	40	30	2592.99	CP	16QAM	Inner_Full	23.94
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	22.42
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	22.70
n41	40	30	2592.99	CP	16QAM	Outer_Full	23.15
n41	40	30	2592.99	CP	64QAM	Inner_Full	22.44
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	22.08
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	22.24
n41	40	30	2592.99	CP	64QAM	Outer_Full	22.55
n41	40	30	2592.99	CP	256QAM	Inner_Full	19.59

n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	19.45
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	19.56
n41	40	30	2592.99	CP	256QAM	Outer_Full	19.54
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	26.76
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.91
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	23.26
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	26.11
n41	40	30	2670	DFT	QPSK	Inner_Full	26.65
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	22.84
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	23.15
n41	40	30	2670	DFT	QPSK	Outer_Full	25.50
n41	40	30	2670	DFT	16QAM	Inner_Full	25.55
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	23.29
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	23.10
n41	40	30	2670	DFT	16QAM	Outer_Full	24.51
n41	40	30	2670	DFT	64QAM	Inner_Full	24.06
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	22.73
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	22.68
n41	40	30	2670	DFT	64QAM	Outer_Full	24.06
n41	40	30	2670	DFT	256QAM	Inner_Full	22.24
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	21.98
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	22.03
n41	40	30	2670	DFT	256QAM	Outer_Full	22.19
n41	40	30	2670	CP	QPSK	Inner_Full	25.20
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	22.86
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	23.02
n41	40	30	2670	CP	QPSK	Outer_Full	23.52
n41	40	30	2670	CP	16QAM	Inner_Full	24.59
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	23.17
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	23.21
n41	40	30	2670	CP	16QAM	Outer_Full	23.51
n41	40	30	2670	CP	64QAM	Inner_Full	23.07
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	22.69
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	22.61
n41	40	30	2670	CP	64QAM	Outer_Full	23.07
n41	40	30	2670	CP	256QAM	Inner_Full	20.24
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	19.75
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	20.11
n41	40	30	2670	CP	256QAM	Outer_Full	19.96
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	25.40
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.58

n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.99
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	24.80
n41	50	30	2521.02	DFT	QPSK	Inner_Full	25.41
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	21.59
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	21.95
n41	50	30	2521.02	DFT	QPSK	Outer_Full	24.34
n41	50	30	2521.02	DFT	16QAM	Inner_Full	24.56
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	21.94
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	22.03
n41	50	30	2521.02	DFT	16QAM	Outer_Full	23.55
n41	50	30	2521.02	DFT	64QAM	Inner_Full	23.01
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	21.38
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	21.70
n41	50	30	2521.02	DFT	64QAM	Outer_Full	22.89
n41	50	30	2521.02	DFT	256QAM	Inner_Full	20.89
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	20.52
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	20.89
n41	50	30	2521.02	DFT	256QAM	Outer_Full	21.02
n41	50	30	2521.02	CP	QPSK	Inner_Full	23.85
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	21.55
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	22.25
n41	50	30	2521.02	CP	QPSK	Outer_Full	22.42
n41	50	30	2521.02	CP	16QAM	Inner_Full	23.53
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	22.03
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	22.13
n41	50	30	2521.02	CP	16QAM	Outer_Full	22.54
n41	50	30	2521.02	CP	64QAM	Inner_Full	22.05
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	21.22
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	21.81
n41	50	30	2521.02	CP	64QAM	Outer_Full	21.85
n41	50	30	2521.02	CP	256QAM	Inner_Full	18.86
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	18.42
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	18.88
n41	50	30	2521.02	CP	256QAM	Outer_Full	19.05
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.00
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.64
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.55
n41	50	30	2592.99	DFT	QPSK	Inner_Full	25.92
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.31
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.42

n41	50	30	2592.99	DFT	QPSK	Outer_Full	24.91
n41	50	30	2592.99	DFT	16QAM	Inner_Full	24.97
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.18
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.42
n41	50	30	2592.99	DFT	16QAM	Outer_Full	23.96
n41	50	30	2592.99	DFT	64QAM	Inner_Full	23.58
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.49
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.94
n41	50	30	2592.99	DFT	64QAM	Outer_Full	23.49
n41	50	30	2592.99	DFT	256QAM	Inner_Full	21.31
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.29
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.50
n41	50	30	2592.99	DFT	256QAM	Outer_Full	21.32
n41	50	30	2592.99	CP	QPSK	Inner_Full	24.49
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	22.32
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	22.43
n41	50	30	2592.99	CP	QPSK	Outer_Full	23.01
n41	50	30	2592.99	CP	16QAM	Inner_Full	23.97
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	22.15
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	22.55
n41	50	30	2592.99	CP	16QAM	Outer_Full	22.84
n41	50	30	2592.99	CP	64QAM	Inner_Full	22.38
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	21.85
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	22.09
n41	50	30	2592.99	CP	64QAM	Outer_Full	22.55
n41	50	30	2592.99	CP	256QAM	Inner_Full	19.34
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	19.40
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	19.25
n41	50	30	2592.99	CP	256QAM	Outer_Full	19.36
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	26.54
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.79
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	23.06
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	26.10
n41	50	30	2664.99	DFT	QPSK	Inner_Full	26.59
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	22.89
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	23.20
n41	50	30	2664.99	DFT	QPSK	Outer_Full	25.47
n41	50	30	2664.99	DFT	16QAM	Inner_Full	25.65
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	22.81
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	22.99
n41	50	30	2664.99	DFT	16QAM	Outer_Full	24.43

n41	50	30	2664.99	DFT	64QAM	Inner_Full	24.24
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	22.23
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	22.67
n41	50	30	2664.99	DFT	64QAM	Outer_Full	23.89
n41	50	30	2664.99	DFT	256QAM	Inner_Full	22.28
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	21.60
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	21.95
n41	50	30	2664.99	DFT	256QAM	Outer_Full	22.02
n41	50	30	2664.99	CP	QPSK	Inner_Full	25.08
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	22.85
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	23.07
n41	50	30	2664.99	CP	QPSK	Outer_Full	23.65
n41	50	30	2664.99	CP	16QAM	Inner_Full	24.78
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	22.80
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	23.04
n41	50	30	2664.99	CP	16QAM	Outer_Full	23.53
n41	50	30	2664.99	CP	64QAM	Inner_Full	23.01
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	22.37
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	22.57
n41	50	30	2664.99	CP	64QAM	Outer_Full	22.99
n41	50	30	2664.99	CP	256QAM	Inner_Full	20.08
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	19.56
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	20.16
n41	50	30	2664.99	CP	256QAM	Outer_Full	19.89
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	25.38
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	21.60
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	21.86
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	24.80
n41	60	30	2526	DFT	QPSK	Inner_Full	25.40
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	21.54
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	21.99
n41	60	30	2526	DFT	QPSK	Outer_Full	24.53
n41	60	30	2526	DFT	16QAM	Inner_Full	24.39
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	21.85
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	21.86
n41	60	30	2526	DFT	16QAM	Outer_Full	23.35
n41	60	30	2526	DFT	64QAM	Inner_Full	22.97
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	21.07
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.49
n41	60	30	2526	DFT	64QAM	Outer_Full	23.10
n41	60	30	2526	DFT	256QAM	Inner_Full	20.81

n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	20.65
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	20.90
n41	60	30	2526	DFT	256QAM	Outer_Full	21.07
n41	60	30	2526	CP	QPSK	Inner_Full	24.02
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	21.61
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	21.85
n41	60	30	2526	CP	QPSK	Outer_Full	22.47
n41	60	30	2526	CP	16QAM	Inner_Full	23.33
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	21.58
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	21.86
n41	60	30	2526	CP	16QAM	Outer_Full	22.32
n41	60	30	2526	CP	64QAM	Inner_Full	22.03
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	21.05
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	21.52
n41	60	30	2526	CP	64QAM	Outer_Full	21.90
n41	60	30	2526	CP	256QAM	Inner_Full	19.16
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	18.58
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	18.63
n41	60	30	2526	CP	256QAM	Outer_Full	18.83
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.88
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.07
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.41
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.36
n41	60	30	2592.99	DFT	QPSK	Inner_Full	25.97
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.11
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.45
n41	60	30	2592.99	DFT	QPSK	Outer_Full	24.78
n41	60	30	2592.99	DFT	16QAM	Inner_Full	24.83
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.09
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.48
n41	60	30	2592.99	DFT	16QAM	Outer_Full	23.79
n41	60	30	2592.99	DFT	64QAM	Inner_Full	23.62
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.31
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.06
n41	60	30	2592.99	DFT	64QAM	Outer_Full	23.29
n41	60	30	2592.99	DFT	256QAM	Inner_Full	21.61
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.05
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.38
n41	60	30	2592.99	DFT	256QAM	Outer_Full	21.29
n41	60	30	2592.99	CP	QPSK	Inner_Full	24.56
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	21.96

n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	22.53
n41	60	30	2592.99	CP	QPSK	Outer_Full	22.99
n41	60	30	2592.99	CP	16QAM	Inner_Full	23.95
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	22.05
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	22.47
n41	60	30	2592.99	CP	16QAM	Outer_Full	22.70
n41	60	30	2592.99	CP	64QAM	Inner_Full	22.45
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	21.74
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	21.99
n41	60	30	2592.99	CP	64QAM	Outer_Full	22.25
n41	60	30	2592.99	CP	256QAM	Inner_Full	19.36
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	19.10
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	19.17
n41	60	30	2592.99	CP	256QAM	Outer_Full	19.42
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	26.56
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.41
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.06
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	25.95
n41	60	30	2659.98	DFT	QPSK	Inner_Full	26.41
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	22.41
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	22.72
n41	60	30	2659.98	DFT	QPSK	Outer_Full	25.52
n41	60	30	2659.98	DFT	16QAM	Inner_Full	25.34
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	22.49
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	23.13
n41	60	30	2659.98	DFT	16QAM	Outer_Full	24.35
n41	60	30	2659.98	DFT	64QAM	Inner_Full	24.18
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	22.05
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	22.58
n41	60	30	2659.98	DFT	64QAM	Outer_Full	24.05
n41	60	30	2659.98	DFT	256QAM	Inner_Full	22.06
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	21.32
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	21.89
n41	60	30	2659.98	DFT	256QAM	Outer_Full	21.84
n41	60	30	2659.98	CP	QPSK	Inner_Full	25.01
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	22.64
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	22.92
n41	60	30	2659.98	CP	QPSK	Outer_Full	23.50
n41	60	30	2659.98	CP	16QAM	Inner_Full	24.44
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	22.80
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	23.07

n41	60	30	2659.98	CP	16QAM	Outer_Full	23.36
n41	60	30	2659.98	CP	64QAM	Inner_Full	23.03
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	22.27
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	22.42
n41	60	30	2659.98	CP	64QAM	Outer_Full	23.00
n41	60	30	2659.98	CP	256QAM	Inner_Full	19.84
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	19.24
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	19.97
n41	60	30	2659.98	CP	256QAM	Outer_Full	19.80
n41	70	30	2531.01	DFT	pi/2 BPSK	Inner_Full	25.30
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.55
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.98
n41	70	30	2531.01	DFT	pi/2 BPSK	Outer_Full	24.92
n41	70	30	2531.01	DFT	QPSK	Inner_Full	25.40
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Left	21.43
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Right	21.66
n41	70	30	2531.01	DFT	QPSK	Outer_Full	24.47
n41	70	30	2531.01	DFT	16QAM	Inner_Full	24.27
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Left	21.60
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Right	21.83
n41	70	30	2531.01	DFT	16QAM	Outer_Full	23.17
n41	70	30	2531.01	DFT	64QAM	Inner_Full	22.85
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Left	21.22
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Right	21.61
n41	70	30	2531.01	DFT	64QAM	Outer_Full	23.02
n41	70	30	2531.01	DFT	256QAM	Inner_Full	21.02
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Left	20.36
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Right	20.63
n41	70	30	2531.01	DFT	256QAM	Outer_Full	20.73
n41	70	30	2531.01	CP	QPSK	Inner_Full	23.85
n41	70	30	2531.01	CP	QPSK	Edge_1RB_Left	21.57
n41	70	30	2531.01	CP	QPSK	Edge_1RB_Right	22.04
n41	70	30	2531.01	CP	QPSK	Outer_Full	22.40
n41	70	30	2531.01	CP	16QAM	Inner_Full	23.33
n41	70	30	2531.01	CP	16QAM	Edge_1RB_Left	21.58
n41	70	30	2531.01	CP	16QAM	Edge_1RB_Right	21.85
n41	70	30	2531.01	CP	16QAM	Outer_Full	22.36
n41	70	30	2531.01	CP	64QAM	Inner_Full	21.88
n41	70	30	2531.01	CP	64QAM	Edge_1RB_Left	21.05
n41	70	30	2531.01	CP	64QAM	Edge_1RB_Right	21.49
n41	70	30	2531.01	CP	64QAM	Outer_Full	21.67

n41	70	30	2531.01	CP	256QAM	Inner_Full	18.67
n41	70	30	2531.01	CP	256QAM	Edge_1RB_Left	18.36
n41	70	30	2531.01	CP	256QAM	Edge_1RB_Right	18.64
n41	70	30	2531.01	CP	256QAM	Outer_Full	18.63
n41	70	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.71
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.65
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.49
n41	70	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.13
n41	70	30	2592.99	DFT	QPSK	Inner_Full	25.86
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.64
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.36
n41	70	30	2592.99	DFT	QPSK	Outer_Full	24.73
n41	70	30	2592.99	DFT	16QAM	Inner_Full	24.84
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.00
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.29
n41	70	30	2592.99	DFT	16QAM	Outer_Full	23.57
n41	70	30	2592.99	DFT	64QAM	Inner_Full	23.20
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.44
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.50
n41	70	30	2592.99	DFT	64QAM	Outer_Full	23.12
n41	70	30	2592.99	DFT	256QAM	Inner_Full	21.41
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.73
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.02
n41	70	30	2592.99	DFT	256QAM	Outer_Full	21.06
n41	70	30	2592.99	CP	QPSK	Inner_Full	24.28
n41	70	30	2592.99	CP	QPSK	Edge_1RB_Left	21.62
n41	70	30	2592.99	CP	QPSK	Edge_1RB_Right	22.08
n41	70	30	2592.99	CP	QPSK	Outer_Full	22.56
n41	70	30	2592.99	CP	16QAM	Inner_Full	23.64
n41	70	30	2592.99	CP	16QAM	Edge_1RB_Left	21.73
n41	70	30	2592.99	CP	16QAM	Edge_1RB_Right	22.49
n41	70	30	2592.99	CP	16QAM	Outer_Full	22.72
n41	70	30	2592.99	CP	64QAM	Inner_Full	22.36
n41	70	30	2592.99	CP	64QAM	Edge_1RB_Left	21.34
n41	70	30	2592.99	CP	64QAM	Edge_1RB_Right	21.78
n41	70	30	2592.99	CP	64QAM	Outer_Full	22.14
n41	70	30	2592.99	CP	256QAM	Inner_Full	19.40
n41	70	30	2592.99	CP	256QAM	Edge_1RB_Left	18.81
n41	70	30	2592.99	CP	256QAM	Edge_1RB_Right	19.28
n41	70	30	2592.99	CP	256QAM	Outer_Full	19.06
n41	70	30	2655	DFT	pi/2 BPSK	Inner_Full	26.18

n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Left	22.62
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Right	22.96
n41	70	30	2655	DFT	pi/2 BPSK	Outer_Full	25.75
n41	70	30	2655	DFT	QPSK	Inner_Full	26.07
n41	70	30	2655	DFT	QPSK	Edge_1RB_Left	22.30
n41	70	30	2655	DFT	QPSK	Edge_1RB_Right	22.43
n41	70	30	2655	DFT	QPSK	Outer_Full	25.23
n41	70	30	2655	DFT	16QAM	Inner_Full	25.03
n41	70	30	2655	DFT	16QAM	Edge_1RB_Left	22.37
n41	70	30	2655	DFT	16QAM	Edge_1RB_Right	22.65
n41	70	30	2655	DFT	16QAM	Outer_Full	24.17
n41	70	30	2655	DFT	64QAM	Inner_Full	23.76
n41	70	30	2655	DFT	64QAM	Edge_1RB_Left	21.64
n41	70	30	2655	DFT	64QAM	Edge_1RB_Right	22.24
n41	70	30	2655	DFT	64QAM	Outer_Full	23.55
n41	70	30	2655	DFT	256QAM	Inner_Full	21.78
n41	70	30	2655	DFT	256QAM	Edge_1RB_Left	21.00
n41	70	30	2655	DFT	256QAM	Edge_1RB_Right	21.67
n41	70	30	2655	DFT	256QAM	Outer_Full	21.59
n41	70	30	2655	CP	QPSK	Inner_Full	24.71
n41	70	30	2655	CP	QPSK	Edge_1RB_Left	22.35
n41	70	30	2655	CP	QPSK	Edge_1RB_Right	22.45
n41	70	30	2655	CP	QPSK	Outer_Full	23.05
n41	70	30	2655	CP	16QAM	Inner_Full	24.03
n41	70	30	2655	CP	16QAM	Edge_1RB_Left	22.35
n41	70	30	2655	CP	16QAM	Edge_1RB_Right	22.52
n41	70	30	2655	CP	16QAM	Outer_Full	23.01
n41	70	30	2655	CP	64QAM	Inner_Full	22.80
n41	70	30	2655	CP	64QAM	Edge_1RB_Left	21.70
n41	70	30	2655	CP	64QAM	Edge_1RB_Right	22.09
n41	70	30	2655	CP	64QAM	Outer_Full	22.58
n41	70	30	2655	CP	256QAM	Inner_Full	19.83
n41	70	30	2655	CP	256QAM	Edge_1RB_Left	19.00
n41	70	30	2655	CP	256QAM	Edge_1RB_Right	19.44
n41	70	30	2655	CP	256QAM	Outer_Full	19.49
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	25.26
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.38
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	24.88
n41	80	30	2536.02	DFT	QPSK	Inner_Full	25.37
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	21.67

n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	21.90
n41	80	30	2536.02	DFT	QPSK	Outer_Full	24.16
n41	80	30	2536.02	DFT	16QAM	Inner_Full	24.23
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	21.76
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	22.04
n41	80	30	2536.02	DFT	16QAM	Outer_Full	23.37
n41	80	30	2536.02	DFT	64QAM	Inner_Full	22.69
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	21.09
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	21.50
n41	80	30	2536.02	DFT	64QAM	Outer_Full	22.67
n41	80	30	2536.02	DFT	256QAM	Inner_Full	20.74
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	20.28
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	20.76
n41	80	30	2536.02	DFT	256QAM	Outer_Full	20.73
n41	80	30	2536.02	CP	QPSK	Inner_Full	23.89
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	21.43
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	22.16
n41	80	30	2536.02	CP	QPSK	Outer_Full	22.38
n41	80	30	2536.02	CP	16QAM	Inner_Full	23.24
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	21.72
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	22.11
n41	80	30	2536.02	CP	16QAM	Outer_Full	22.34
n41	80	30	2536.02	CP	64QAM	Inner_Full	21.72
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	21.24
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	21.81
n41	80	30	2536.02	CP	64QAM	Outer_Full	21.90
n41	80	30	2536.02	CP	256QAM	Inner_Full	18.66
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	18.31
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	19.19
n41	80	30	2536.02	CP	256QAM	Outer_Full	18.96
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.69
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.38
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.29
n41	80	30	2592.99	DFT	QPSK	Inner_Full	25.77
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.10
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.25
n41	80	30	2592.99	DFT	QPSK	Outer_Full	24.54
n41	80	30	2592.99	DFT	16QAM	Inner_Full	24.83
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.07
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.41

n41	80	30	2592.99	DFT	16QAM	Outer_Full	23.80
n41	80	30	2592.99	DFT	64QAM	Inner_Full	23.16
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.16
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.76
n41	80	30	2592.99	DFT	64QAM	Outer_Full	23.21
n41	80	30	2592.99	DFT	256QAM	Inner_Full	21.20
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.60
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.50
n41	80	30	2592.99	DFT	256QAM	Outer_Full	21.06
n41	80	30	2592.99	CP	QPSK	Inner_Full	24.25
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	21.64
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	22.47
n41	80	30	2592.99	CP	QPSK	Outer_Full	22.57
n41	80	30	2592.99	CP	16QAM	Inner_Full	23.68
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	21.79
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	22.63
n41	80	30	2592.99	CP	16QAM	Outer_Full	22.72
n41	80	30	2592.99	CP	64QAM	Inner_Full	22.13
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	21.12
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	21.92
n41	80	30	2592.99	CP	64QAM	Outer_Full	22.30
n41	80	30	2592.99	CP	256QAM	Inner_Full	19.11
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	18.45
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	19.43
n41	80	30	2592.99	CP	256QAM	Outer_Full	19.00
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	26.29
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.35
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.93
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	25.55
n41	80	30	2649.99	DFT	QPSK	Inner_Full	26.04
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	22.07
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	22.78
n41	80	30	2649.99	DFT	QPSK	Outer_Full	25.01
n41	80	30	2649.99	DFT	16QAM	Inner_Full	25.03
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	22.42
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	22.75
n41	80	30	2649.99	DFT	16QAM	Outer_Full	24.04
n41	80	30	2649.99	DFT	64QAM	Inner_Full	23.84
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	21.65
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	22.33
n41	80	30	2649.99	DFT	64QAM	Outer_Full	23.79

n41	80	30	2649.99	DFT	256QAM	Inner_Full	21.58
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	20.99
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	21.42
n41	80	30	2649.99	DFT	256QAM	Outer_Full	21.72
n41	80	30	2649.99	CP	QPSK	Inner_Full	24.68
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	22.01
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	22.86
n41	80	30	2649.99	CP	QPSK	Outer_Full	23.19
n41	80	30	2649.99	CP	16QAM	Inner_Full	24.22
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	22.13
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	22.76
n41	80	30	2649.99	CP	16QAM	Outer_Full	23.07
n41	80	30	2649.99	CP	64QAM	Inner_Full	22.54
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	21.72
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	22.31
n41	80	30	2649.99	CP	64QAM	Outer_Full	22.52
n41	80	30	2649.99	CP	256QAM	Inner_Full	19.52
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	19.21
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	19.84
n41	80	30	2649.99	CP	256QAM	Outer_Full	19.70
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	25.46
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	21.49
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.57
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	24.92
n41	90	30	2541	DFT	QPSK	Inner_Full	25.30
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.42
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	22.15
n41	90	30	2541	DFT	QPSK	Outer_Full	24.44
n41	90	30	2541	DFT	16QAM	Inner_Full	24.31
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	21.63
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	22.53
n41	90	30	2541	DFT	16QAM	Outer_Full	23.54
n41	90	30	2541	DFT	64QAM	Inner_Full	23.02
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	21.20
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	21.75
n41	90	30	2541	DFT	64QAM	Outer_Full	22.79
n41	90	30	2541	DFT	256QAM	Inner_Full	20.73
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	20.31
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	21.33
n41	90	30	2541	DFT	256QAM	Outer_Full	20.82
n41	90	30	2541	CP	QPSK	Inner_Full	24.00

n41	90	30	2541	CP	QPSK	Edge_1RB_Left	21.64
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	22.34
n41	90	30	2541	CP	QPSK	Outer_Full	22.48
n41	90	30	2541	CP	16QAM	Inner_Full	23.45
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	21.59
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	22.54
n41	90	30	2541	CP	16QAM	Outer_Full	22.36
n41	90	30	2541	CP	64QAM	Inner_Full	21.81
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	21.07
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	22.00
n41	90	30	2541	CP	64QAM	Outer_Full	21.81
n41	90	30	2541	CP	256QAM	Inner_Full	18.76
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	18.26
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	19.36
n41	90	30	2541	CP	256QAM	Outer_Full	18.76
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.71
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.73
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.60
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.37
n41	90	30	2592.99	DFT	QPSK	Inner_Full	25.79
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.76
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.37
n41	90	30	2592.99	DFT	QPSK	Outer_Full	24.51
n41	90	30	2592.99	DFT	16QAM	Inner_Full	24.66
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.78
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.73
n41	90	30	2592.99	DFT	16QAM	Outer_Full	23.69
n41	90	30	2592.99	DFT	64QAM	Inner_Full	23.19
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.18
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.19
n41	90	30	2592.99	DFT	64QAM	Outer_Full	23.25
n41	90	30	2592.99	DFT	256QAM	Inner_Full	21.40
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.49
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.54
n41	90	30	2592.99	DFT	256QAM	Outer_Full	20.98
n41	90	30	2592.99	CP	QPSK	Inner_Full	24.11
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	21.85
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	22.67
n41	90	30	2592.99	CP	QPSK	Outer_Full	22.56
n41	90	30	2592.99	CP	16QAM	Inner_Full	23.72
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	21.90

n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	22.70
n41	90	30	2592.99	CP	16QAM	Outer_Full	22.69
n41	90	30	2592.99	CP	64QAM	Inner_Full	22.18
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	21.53
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	22.26
n41	90	30	2592.99	CP	64QAM	Outer_Full	22.05
n41	90	30	2592.99	CP	256QAM	Inner_Full	19.15
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	18.72
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	19.62
n41	90	30	2592.99	CP	256QAM	Outer_Full	19.04
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	26.14
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	23.02
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	25.77
n41	90	30	2644.98	DFT	QPSK	Inner_Full	26.21
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	22.42
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	22.89
n41	90	30	2644.98	DFT	QPSK	Outer_Full	25.18
n41	90	30	2644.98	DFT	16QAM	Inner_Full	25.17
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	22.19
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	22.97
n41	90	30	2644.98	DFT	16QAM	Outer_Full	24.19
n41	90	30	2644.98	DFT	64QAM	Inner_Full	23.54
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	21.85
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	22.29
n41	90	30	2644.98	DFT	64QAM	Outer_Full	23.73
n41	90	30	2644.98	DFT	256QAM	Inner_Full	21.62
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	21.21
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	21.54
n41	90	30	2644.98	DFT	256QAM	Outer_Full	21.77
n41	90	30	2644.98	CP	QPSK	Inner_Full	24.70
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	22.00
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	22.90
n41	90	30	2644.98	CP	QPSK	Outer_Full	23.27
n41	90	30	2644.98	CP	16QAM	Inner_Full	24.18
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	22.45
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	22.78
n41	90	30	2644.98	CP	16QAM	Outer_Full	23.23
n41	90	30	2644.98	CP	64QAM	Inner_Full	22.55
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	21.64
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	22.55

n41	90	30	2644.98	CP	64QAM	Outer_Full	22.75
n41	90	30	2644.98	CP	256QAM	Inner_Full	19.83
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	19.25
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	19.87
n41	90	30	2644.98	CP	256QAM	Outer_Full	19.75
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	25.29
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.75
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.59
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	24.83
n41	100	30	2546.01	DFT	QPSK	Inner_Full	25.43
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.72
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	22.48
n41	100	30	2546.01	DFT	QPSK	Outer_Full	24.50
n41	100	30	2546.01	DFT	16QAM	Inner_Full	24.37
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.51
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	22.56
n41	100	30	2546.01	DFT	16QAM	Outer_Full	23.27
n41	100	30	2546.01	DFT	64QAM	Inner_Full	23.00
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	21.11
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	21.57
n41	100	30	2546.01	DFT	64QAM	Outer_Full	22.87
n41	100	30	2546.01	DFT	256QAM	Inner_Full	20.70
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	20.35
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	21.08
n41	100	30	2546.01	DFT	256QAM	Outer_Full	21.10
n41	100	30	2546.01	CP	QPSK	Inner_Full	23.78
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	21.67
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	22.40
n41	100	30	2546.01	CP	QPSK	Outer_Full	22.28
n41	100	30	2546.01	CP	16QAM	Inner_Full	23.34
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.74
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	22.64
n41	100	30	2546.01	CP	16QAM	Outer_Full	22.34
n41	100	30	2546.01	CP	64QAM	Inner_Full	21.91
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	21.03
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	21.79
n41	100	30	2546.01	CP	64QAM	Outer_Full	21.76
n41	100	30	2546.01	CP	256QAM	Inner_Full	18.66
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	18.32
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	19.39
n41	100	30	2546.01	CP	256QAM	Outer_Full	19.00

n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.69
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.66
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.71
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.28
n41	100	30	2592.99	DFT	QPSK	Inner_Full	25.63
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.62
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.41
n41	100	30	2592.99	DFT	QPSK	Outer_Full	24.54
n41	100	30	2592.99	DFT	16QAM	Inner_Full	24.59
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.81
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.48
n41	100	30	2592.99	DFT	16QAM	Outer_Full	23.70
n41	100	30	2592.99	DFT	64QAM	Inner_Full	23.12
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.28
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.15
n41	100	30	2592.99	DFT	64QAM	Outer_Full	23.24
n41	100	30	2592.99	DFT	256QAM	Inner_Full	21.46
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.51
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.53
n41	100	30	2592.99	DFT	256QAM	Outer_Full	20.98
n41	100	30	2592.99	CP	QPSK	Inner_Full	24.22
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	21.70
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	22.69
n41	100	30	2592.99	CP	QPSK	Outer_Full	22.47
n41	100	30	2592.99	CP	16QAM	Inner_Full	23.78
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	22.18
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	22.65
n41	100	30	2592.99	CP	16QAM	Outer_Full	22.53
n41	100	30	2592.99	CP	64QAM	Inner_Full	22.12
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	21.53
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	22.19
n41	100	30	2592.99	CP	64QAM	Outer_Full	22.00
n41	100	30	2592.99	CP	256QAM	Inner_Full	19.39
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	18.57
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	19.44
n41	100	30	2592.99	CP	256QAM	Outer_Full	19.36
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	25.99
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	22.19
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	22.70
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	25.45
n41	100	30	2640	DFT	QPSK	Inner_Full	26.09

n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	22.07
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	22.90
n41	100	30	2640	DFT	QPSK	Outer_Full	24.94
n41	100	30	2640	DFT	16QAM	Inner_Full	25.05
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	22.36
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	22.85
n41	100	30	2640	DFT	16QAM	Outer_Full	23.92
n41	100	30	2640	DFT	64QAM	Inner_Full	23.62
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	22.00
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	22.32
n41	100	30	2640	DFT	64QAM	Outer_Full	23.43
n41	100	30	2640	DFT	256QAM	Inner_Full	21.35
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	21.32
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	21.57
n41	100	30	2640	DFT	256QAM	Outer_Full	21.41
n41	100	30	2640	CP	QPSK	Inner_Full	24.58
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	22.13
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	22.84
n41	100	30	2640	CP	QPSK	Outer_Full	23.00
n41	100	30	2640	CP	16QAM	Inner_Full	23.90
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	22.23
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	22.98
n41	100	30	2640	CP	16QAM	Outer_Full	23.13
n41	100	30	2640	CP	64QAM	Inner_Full	22.67
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	21.97
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	22.43
n41	100	30	2640	CP	64QAM	Outer_Full	22.48
n41	100	30	2640	CP	256QAM	Inner_Full	19.43
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	19.33
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	19.87
n41	100	30	2640	CP	256QAM	Outer_Full	19.43

n66

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.43
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.71
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	22.89
n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.39
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	22.32
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.44
n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.46
n66	5	15	1712.5	DFT	16QAM	Inner_Full	22.39
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	21.52
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	21.79
n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.43
n66	5	15	1712.5	DFT	64QAM	Inner_Full	21.02
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20.61
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	20.71
n66	5	15	1712.5	DFT	64QAM	Outer_Full	20.96
n66	5	15	1712.5	DFT	256QAM	Inner_Full	18.92
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	18.53
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	18.63
n66	5	15	1712.5	DFT	256QAM	Outer_Full	18.85
n66	5	15	1712.5	CP	QPSK	Inner_Full	21.95
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	20.29
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	20.37
n66	5	15	1712.5	CP	QPSK	Outer_Full	20.36
n66	5	15	1712.5	CP	16QAM	Inner_Full	21.56
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	20.73
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	20.93
n66	5	15	1712.5	CP	16QAM	Outer_Full	20.32
n66	5	15	1712.5	CP	64QAM	Inner_Full	19.86
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	19.53
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	19.75
n66	5	15	1712.5	CP	64QAM	Outer_Full	19.93
n66	5	15	1712.5	CP	256QAM	Inner_Full	16.96
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	16.68
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	16.73
n66	5	15	1712.5	CP	256QAM	Outer_Full	16.86
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	24.08
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.51
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.54

n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	23.58
n66	5	15	1745	DFT	QPSK	Inner_Full	24.17
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	23.04
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	23.02
n66	5	15	1745	DFT	QPSK	Outer_Full	23.09
n66	5	15	1745	DFT	16QAM	Inner_Full	23.14
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	22.35
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	22.32
n66	5	15	1745	DFT	16QAM	Outer_Full	22.12
n66	5	15	1745	DFT	64QAM	Inner_Full	21.70
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	21.42
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	21.42
n66	5	15	1745	DFT	64QAM	Outer_Full	21.65
n66	5	15	1745	DFT	256QAM	Inner_Full	19.58
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	19.31
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	19.29
n66	5	15	1745	DFT	256QAM	Outer_Full	19.48
n66	5	15	1745	CP	QPSK	Inner_Full	22.63
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	21.00
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	20.98
n66	5	15	1745	CP	QPSK	Outer_Full	20.99
n66	5	15	1745	CP	16QAM	Inner_Full	22.28
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	21.45
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	21.47
n66	5	15	1745	CP	16QAM	Outer_Full	21.04
n66	5	15	1745	CP	64QAM	Inner_Full	20.56
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	20.30
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	20.25
n66	5	15	1745	CP	64QAM	Outer_Full	20.62
n66	5	15	1745	CP	256QAM	Inner_Full	17.70
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	17.43
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	17.37
n66	5	15	1745	CP	256QAM	Outer_Full	17.55
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	23.65
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.05
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.11
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	23.13
n66	5	15	1777.5	DFT	QPSK	Inner_Full	23.73
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	22.63
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	22.67
n66	5	15	1777.5	DFT	QPSK	Outer_Full	22.67

n66	5	15	1777.5	DFT	16QAM	Inner_Full	22.61
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	21.76
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	21.93
n66	5	15	1777.5	DFT	16QAM	Outer_Full	21.50
n66	5	15	1777.5	DFT	64QAM	Inner_Full	21.10
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	20.81
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	20.95
n66	5	15	1777.5	DFT	64QAM	Outer_Full	21.12
n66	5	15	1777.5	DFT	256QAM	Inner_Full	19.13
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	18.84
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	18.89
n66	5	15	1777.5	DFT	256QAM	Outer_Full	19.11
n66	5	15	1777.5	CP	QPSK	Inner_Full	22.17
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	20.59
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	20.60
n66	5	15	1777.5	CP	QPSK	Outer_Full	20.64
n66	5	15	1777.5	CP	16QAM	Inner_Full	21.84
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	20.96
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	21.15
n66	5	15	1777.5	CP	16QAM	Outer_Full	20.60
n66	5	15	1777.5	CP	64QAM	Inner_Full	19.96
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	19.80
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	20.03
n66	5	15	1777.5	CP	64QAM	Outer_Full	20.07
n66	5	15	1777.5	CP	256QAM	Inner_Full	17.11
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	16.85
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	16.96
n66	5	15	1777.5	CP	256QAM	Outer_Full	17.09
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	23.67
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	22.78
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	23.08
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	23.02
n66	10	15	1715	DFT	QPSK	Inner_Full	23.57
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	22.38
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	22.70
n66	10	15	1715	DFT	QPSK	Outer_Full	22.61
n66	10	15	1715	DFT	16QAM	Inner_Full	22.54
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	21.68
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	22.04
n66	10	15	1715	DFT	16QAM	Outer_Full	21.49
n66	10	15	1715	DFT	64QAM	Inner_Full	21.12

n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	20.68
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	21.05
n66	10	15	1715	DFT	64QAM	Outer_Full	21.10
n66	10	15	1715	DFT	256QAM	Inner_Full	19.01
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	18.59
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	18.88
n66	10	15	1715	DFT	256QAM	Outer_Full	19.02
n66	10	15	1715	CP	QPSK	Inner_Full	22.08
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	20.33
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	20.62
n66	10	15	1715	CP	QPSK	Outer_Full	20.51
n66	10	15	1715	CP	16QAM	Inner_Full	21.61
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	20.81
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	21.16
n66	10	15	1715	CP	16QAM	Outer_Full	20.58
n66	10	15	1715	CP	64QAM	Inner_Full	20.08
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	19.68
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	20.12
n66	10	15	1715	CP	64QAM	Outer_Full	20.13
n66	10	15	1715	CP	256QAM	Inner_Full	16.97
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	16.71
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	17.07
n66	10	15	1715	CP	256QAM	Outer_Full	17.02
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	24.19
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.59
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.51
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	23.58
n66	10	15	1745	DFT	QPSK	Inner_Full	24.15
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	23.07
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	23.22
n66	10	15	1745	DFT	QPSK	Outer_Full	23.10
n66	10	15	1745	DFT	16QAM	Inner_Full	23.15
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	22.07
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	22.21
n66	10	15	1745	DFT	16QAM	Outer_Full	22.02
n66	10	15	1745	DFT	64QAM	Inner_Full	21.68
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	21.36
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	21.40
n66	10	15	1745	DFT	64QAM	Outer_Full	21.57
n66	10	15	1745	DFT	256QAM	Inner_Full	19.49
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	19.40

n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	19.31
n66	10	15	1745	DFT	256QAM	Outer_Full	19.50
n66	10	15	1745	CP	QPSK	Inner_Full	22.62
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	21.29
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	21.26
n66	10	15	1745	CP	QPSK	Outer_Full	21.10
n66	10	15	1745	CP	16QAM	Inner_Full	22.19
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	21.16
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	21.13
n66	10	15	1745	CP	16QAM	Outer_Full	21.14
n66	10	15	1745	CP	64QAM	Inner_Full	20.63
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	20.37
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	20.49
n66	10	15	1745	CP	64QAM	Outer_Full	20.68
n66	10	15	1745	CP	256QAM	Inner_Full	17.57
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	17.49
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	17.66
n66	10	15	1745	CP	256QAM	Outer_Full	17.50
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	23.69
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	23.14
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	23.13
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	23.17
n66	10	15	1775	DFT	QPSK	Inner_Full	23.71
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	22.74
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	22.77
n66	10	15	1775	DFT	QPSK	Outer_Full	22.57
n66	10	15	1775	DFT	16QAM	Inner_Full	22.54
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	21.97
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	21.93
n66	10	15	1775	DFT	16QAM	Outer_Full	21.50
n66	10	15	1775	DFT	64QAM	Inner_Full	21.17
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	20.95
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	20.96
n66	10	15	1775	DFT	64QAM	Outer_Full	21.07
n66	10	15	1775	DFT	256QAM	Inner_Full	19.11
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	19.00
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	18.99
n66	10	15	1775	DFT	256QAM	Outer_Full	19.15
n66	10	15	1775	CP	QPSK	Inner_Full	22.22
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	20.69
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	20.73

n66	10	15	1775	CP	QPSK	Outer_Full	20.60
n66	10	15	1775	CP	16QAM	Inner_Full	21.78
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	21.13
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	21.10
n66	10	15	1775	CP	16QAM	Outer_Full	20.57
n66	10	15	1775	CP	64QAM	Inner_Full	20.04
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	19.89
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	19.99
n66	10	15	1775	CP	64QAM	Outer_Full	20.20
n66	10	15	1775	CP	256QAM	Inner_Full	17.10
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	16.91
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	17.03
n66	10	15	1775	CP	256QAM	Outer_Full	17.16
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.45
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.69
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.24
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	23.05
n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.53
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	22.20
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	22.69
n66	15	15	1717.5	DFT	QPSK	Outer_Full	22.51
n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.49
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	21.52
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	22.03
n66	15	15	1717.5	DFT	16QAM	Outer_Full	21.51
n66	15	15	1717.5	DFT	64QAM	Inner_Full	21.05
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	20.60
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	21.03
n66	15	15	1717.5	DFT	64QAM	Outer_Full	21.06
n66	15	15	1717.5	DFT	256QAM	Inner_Full	19.02
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	18.52
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	18.86
n66	15	15	1717.5	DFT	256QAM	Outer_Full	18.90
n66	15	15	1717.5	CP	QPSK	Inner_Full	21.93
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	20.26
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	20.67
n66	15	15	1717.5	CP	QPSK	Outer_Full	20.48
n66	15	15	1717.5	CP	16QAM	Inner_Full	21.46
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	20.71
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	21.12
n66	15	15	1717.5	CP	16QAM	Outer_Full	20.54

n66	15	15	1717.5	CP	64QAM	Inner_Full	20.07
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	19.59
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	19.94
n66	15	15	1717.5	CP	64QAM	Outer_Full	20.02
n66	15	15	1717.5	CP	256QAM	Inner_Full	16.98
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	16.61
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	17.01
n66	15	15	1717.5	CP	256QAM	Outer_Full	16.91
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	24.06
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.41
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.37
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	23.42
n66	15	15	1745	DFT	QPSK	Inner_Full	24.01
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	23.02
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	23.03
n66	15	15	1745	DFT	QPSK	Outer_Full	22.95
n66	15	15	1745	DFT	16QAM	Inner_Full	22.92
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	22.30
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	22.25
n66	15	15	1745	DFT	16QAM	Outer_Full	21.93
n66	15	15	1745	DFT	64QAM	Inner_Full	21.47
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	21.20
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	21.35
n66	15	15	1745	DFT	64QAM	Outer_Full	21.59
n66	15	15	1745	DFT	256QAM	Inner_Full	19.43
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	19.21
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	19.23
n66	15	15	1745	DFT	256QAM	Outer_Full	19.37
n66	15	15	1745	CP	QPSK	Inner_Full	22.46
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	20.95
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	21.04
n66	15	15	1745	CP	QPSK	Outer_Full	20.86
n66	15	15	1745	CP	16QAM	Inner_Full	21.94
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	21.49
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	21.42
n66	15	15	1745	CP	16QAM	Outer_Full	20.92
n66	15	15	1745	CP	64QAM	Inner_Full	20.49
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	20.25
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	20.19
n66	15	15	1745	CP	64QAM	Outer_Full	20.45
n66	15	15	1745	CP	256QAM	Inner_Full	17.42

n66	15	15	1745	CP	256QAM	Edge_1RB_Left	17.37
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	17.30
n66	15	15	1745	CP	256QAM	Outer_Full	17.41
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.51
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.08
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.86
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	22.99
n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.42
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	22.71
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	22.50
n66	15	15	1772.5	DFT	QPSK	Outer_Full	22.48
n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.38
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	21.84
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	21.74
n66	15	15	1772.5	DFT	16QAM	Outer_Full	21.45
n66	15	15	1772.5	DFT	64QAM	Inner_Full	20.93
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	20.85
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	20.86
n66	15	15	1772.5	DFT	64QAM	Outer_Full	21.01
n66	15	15	1772.5	DFT	256QAM	Inner_Full	18.95
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	18.89
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	18.69
n66	15	15	1772.5	DFT	256QAM	Outer_Full	18.95
n66	15	15	1772.5	CP	QPSK	Inner_Full	21.82
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	20.63
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	20.44
n66	15	15	1772.5	CP	QPSK	Outer_Full	20.39
n66	15	15	1772.5	CP	16QAM	Inner_Full	21.38
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	21.22
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	20.90
n66	15	15	1772.5	CP	16QAM	Outer_Full	20.45
n66	15	15	1772.5	CP	64QAM	Inner_Full	19.99
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	19.87
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	19.77
n66	15	15	1772.5	CP	64QAM	Outer_Full	19.97
n66	15	15	1772.5	CP	256QAM	Inner_Full	16.93
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	16.92
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	16.79
n66	15	15	1772.5	CP	256QAM	Outer_Full	16.90
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.50
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	22.66

n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	23.30
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	23.04
n66	20	15	1720	DFT	QPSK	Inner_Full	23.56
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	22.15
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	23.02
n66	20	15	1720	DFT	QPSK	Outer_Full	22.54
n66	20	15	1720	DFT	16QAM	Inner_Full	22.48
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	21.46
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	22.16
n66	20	15	1720	DFT	16QAM	Outer_Full	21.54
n66	20	15	1720	DFT	64QAM	Inner_Full	21.07
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	20.55
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	21.18
n66	20	15	1720	DFT	64QAM	Outer_Full	21.09
n66	20	15	1720	DFT	256QAM	Inner_Full	18.99
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	18.47
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	19.11
n66	20	15	1720	DFT	256QAM	Outer_Full	19.06
n66	20	15	1720	CP	QPSK	Inner_Full	22.08
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	20.20
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	20.80
n66	20	15	1720	CP	QPSK	Outer_Full	20.63
n66	20	15	1720	CP	16QAM	Inner_Full	21.54
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	20.78
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	21.26
n66	20	15	1720	CP	16QAM	Outer_Full	20.58
n66	20	15	1720	CP	64QAM	Inner_Full	20.08
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	19.55
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	20.06
n66	20	15	1720	CP	64QAM	Outer_Full	20.05
n66	20	15	1720	CP	256QAM	Inner_Full	16.98
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	16.57
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	17.10
n66	20	15	1720	CP	256QAM	Outer_Full	16.99
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	24.03
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.35
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.38
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	23.39
n66	20	15	1745	DFT	QPSK	Inner_Full	23.99
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	23.02
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	22.92

n66	20	15	1745	DFT	QPSK	Outer_Full	22.98
n66	20	15	1745	DFT	16QAM	Inner_Full	22.86
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	22.32
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	22.25
n66	20	15	1745	DFT	16QAM	Outer_Full	21.96
n66	20	15	1745	DFT	64QAM	Inner_Full	21.44
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	21.30
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	21.25
n66	20	15	1745	DFT	64QAM	Outer_Full	21.47
n66	20	15	1745	DFT	256QAM	Inner_Full	19.45
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	19.07
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	19.15
n66	20	15	1745	DFT	256QAM	Outer_Full	19.46
n66	20	15	1745	CP	QPSK	Inner_Full	22.46
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	20.89
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	20.75
n66	20	15	1745	CP	QPSK	Outer_Full	20.91
n66	20	15	1745	CP	16QAM	Inner_Full	22.02
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	21.15
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	21.13
n66	20	15	1745	CP	16QAM	Outer_Full	20.95
n66	20	15	1745	CP	64QAM	Inner_Full	20.56
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	20.25
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	20.14
n66	20	15	1745	CP	64QAM	Outer_Full	20.50
n66	20	15	1745	CP	256QAM	Inner_Full	17.42
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	17.40
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	17.28
n66	20	15	1745	CP	256QAM	Outer_Full	17.46
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.65
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	23.19
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	22.85
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	23.06
n66	20	15	1770	DFT	QPSK	Inner_Full	23.59
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	22.70
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	22.54
n66	20	15	1770	DFT	QPSK	Outer_Full	22.56
n66	20	15	1770	DFT	16QAM	Inner_Full	22.48
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	22.03
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	21.87
n66	20	15	1770	DFT	16QAM	Outer_Full	21.46

n66	20	15	1770	DFT	64QAM	Inner_Full	21.00
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	21.02
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	20.86
n66	20	15	1770	DFT	64QAM	Outer_Full	20.97
n66	20	15	1770	DFT	256QAM	Inner_Full	18.96
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	18.97
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	18.73
n66	20	15	1770	DFT	256QAM	Outer_Full	19.06
n66	20	15	1770	CP	QPSK	Inner_Full	22.07
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	20.81
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	20.40
n66	20	15	1770	CP	QPSK	Outer_Full	20.59
n66	20	15	1770	CP	16QAM	Inner_Full	21.48
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	21.20
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	20.87
n66	20	15	1770	CP	16QAM	Outer_Full	20.62
n66	20	15	1770	CP	64QAM	Inner_Full	20.10
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	20.02
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	19.83
n66	20	15	1770	CP	64QAM	Outer_Full	20.16
n66	20	15	1770	CP	256QAM	Inner_Full	16.89
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	17.09
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	16.76
n66	20	15	1770	CP	256QAM	Outer_Full	17.05
n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	23.73
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	22.82
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	23.43
n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	23.35
n66	30	15	1725	DFT	QPSK	Inner_Full	23.84
n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	22.32
n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	23.26
n66	30	15	1725	DFT	QPSK	Outer_Full	22.86
n66	30	15	1725	DFT	16QAM	Inner_Full	22.82
n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	21.62
n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	22.27
n66	30	15	1725	DFT	16QAM	Outer_Full	21.81
n66	30	15	1725	DFT	64QAM	Inner_Full	21.40
n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	20.69
n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	21.34
n66	30	15	1725	DFT	64QAM	Outer_Full	21.31
n66	30	15	1725	DFT	256QAM	Inner_Full	19.27

n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	18.61
n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	19.39
n66	30	15	1725	DFT	256QAM	Outer_Full	19.33
n66	30	15	1725	CP	QPSK	Inner_Full	22.30
n66	30	15	1725	CP	QPSK	Edge_1RB_Left	20.36
n66	30	15	1725	CP	QPSK	Edge_1RB_Right	20.99
n66	30	15	1725	CP	QPSK	Outer_Full	20.81
n66	30	15	1725	CP	16QAM	Inner_Full	21.78
n66	30	15	1725	CP	16QAM	Edge_1RB_Left	20.80
n66	30	15	1725	CP	16QAM	Edge_1RB_Right	21.47
n66	30	15	1725	CP	16QAM	Outer_Full	20.87
n66	30	15	1725	CP	64QAM	Inner_Full	20.37
n66	30	15	1725	CP	64QAM	Edge_1RB_Left	19.66
n66	30	15	1725	CP	64QAM	Edge_1RB_Right	20.28
n66	30	15	1725	CP	64QAM	Outer_Full	20.38
n66	30	15	1725	CP	256QAM	Inner_Full	17.26
n66	30	15	1725	CP	256QAM	Edge_1RB_Left	16.75
n66	30	15	1725	CP	256QAM	Edge_1RB_Right	17.56
n66	30	15	1725	CP	256QAM	Outer_Full	17.37
n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	24.00
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.33
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.25
n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	23.56
n66	30	15	1745	DFT	QPSK	Inner_Full	24.10
n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	22.94
n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	22.93
n66	30	15	1745	DFT	QPSK	Outer_Full	22.97
n66	30	15	1745	DFT	16QAM	Inner_Full	23.06
n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	21.95
n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	21.92
n66	30	15	1745	DFT	16QAM	Outer_Full	22.04
n66	30	15	1745	DFT	64QAM	Inner_Full	21.64
n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	21.11
n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	21.20
n66	30	15	1745	DFT	64QAM	Outer_Full	21.55
n66	30	15	1745	DFT	256QAM	Inner_Full	19.45
n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	19.12
n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	19.24
n66	30	15	1745	DFT	256QAM	Outer_Full	19.56
n66	30	15	1745	CP	QPSK	Inner_Full	22.57
n66	30	15	1745	CP	QPSK	Edge_1RB_Left	20.73

n66	30	15	1745	CP	QPSK	Edge_1RB_Right	20.81
n66	30	15	1745	CP	QPSK	Outer_Full	21.05
n66	30	15	1745	CP	16QAM	Inner_Full	22.01
n66	30	15	1745	CP	16QAM	Edge_1RB_Left	21.08
n66	30	15	1745	CP	16QAM	Edge_1RB_Right	21.17
n66	30	15	1745	CP	16QAM	Outer_Full	21.01
n66	30	15	1745	CP	64QAM	Inner_Full	20.56
n66	30	15	1745	CP	64QAM	Edge_1RB_Left	20.43
n66	30	15	1745	CP	64QAM	Edge_1RB_Right	20.34
n66	30	15	1745	CP	64QAM	Outer_Full	20.52
n66	30	15	1745	CP	256QAM	Inner_Full	17.55
n66	30	15	1745	CP	256QAM	Edge_1RB_Left	17.22
n66	30	15	1745	CP	256QAM	Edge_1RB_Right	17.39
n66	30	15	1745	CP	256QAM	Outer_Full	17.56
n66	30	15	1765	DFT	pi/2 BPSK	Inner_Full	23.80
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Left	23.46
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Right	22.95
n66	30	15	1765	DFT	pi/2 BPSK	Outer_Full	23.30
n66	30	15	1765	DFT	QPSK	Inner_Full	23.82
n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	22.95
n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	22.55
n66	30	15	1765	DFT	QPSK	Outer_Full	22.90
n66	30	15	1765	DFT	16QAM	Inner_Full	22.85
n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	22.23
n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	21.89
n66	30	15	1765	DFT	16QAM	Outer_Full	21.87
n66	30	15	1765	DFT	64QAM	Inner_Full	21.42
n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	21.33
n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	20.93
n66	30	15	1765	DFT	64QAM	Outer_Full	21.36
n66	30	15	1765	DFT	256QAM	Inner_Full	19.27
n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	19.33
n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	18.93
n66	30	15	1765	DFT	256QAM	Outer_Full	19.41
n66	30	15	1765	CP	QPSK	Inner_Full	22.24
n66	30	15	1765	CP	QPSK	Edge_1RB_Left	20.98
n66	30	15	1765	CP	QPSK	Edge_1RB_Right	20.51
n66	30	15	1765	CP	QPSK	Outer_Full	20.87
n66	30	15	1765	CP	16QAM	Inner_Full	21.78
n66	30	15	1765	CP	16QAM	Edge_1RB_Left	21.35
n66	30	15	1765	CP	16QAM	Edge_1RB_Right	21.05

n66	30	15	1765	CP	16QAM	Outer_Full	20.81
n66	30	15	1765	CP	64QAM	Inner_Full	20.32
n66	30	15	1765	CP	64QAM	Edge_1RB_Left	20.28
n66	30	15	1765	CP	64QAM	Edge_1RB_Right	19.92
n66	30	15	1765	CP	64QAM	Outer_Full	20.34
n66	30	15	1765	CP	256QAM	Inner_Full	17.26
n66	30	15	1765	CP	256QAM	Edge_1RB_Left	17.46
n66	30	15	1765	CP	256QAM	Edge_1RB_Right	17.10
n66	30	15	1765	CP	256QAM	Outer_Full	17.40
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	23.89
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	22.70
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	23.36
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	23.32
n66	40	15	1730	DFT	QPSK	Inner_Full	23.94
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	22.51
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	22.90
n66	40	15	1730	DFT	QPSK	Outer_Full	22.78
n66	40	15	1730	DFT	16QAM	Inner_Full	22.86
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	21.61
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	22.22
n66	40	15	1730	DFT	16QAM	Outer_Full	21.79
n66	40	15	1730	DFT	64QAM	Inner_Full	21.34
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	20.78
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	21.31
n66	40	15	1730	DFT	64QAM	Outer_Full	21.34
n66	40	15	1730	DFT	256QAM	Inner_Full	19.32
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	18.57
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	19.32
n66	40	15	1730	DFT	256QAM	Outer_Full	19.28
n66	40	15	1730	CP	QPSK	Inner_Full	22.36
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	20.33
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	20.92
n66	40	15	1730	CP	QPSK	Outer_Full	20.71
n66	40	15	1730	CP	16QAM	Inner_Full	21.87
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	20.84
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	21.39
n66	40	15	1730	CP	16QAM	Outer_Full	20.82
n66	40	15	1730	CP	64QAM	Inner_Full	20.30
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	19.64
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	20.24
n66	40	15	1730	CP	64QAM	Outer_Full	20.31

n66	40	15	1730	CP	256QAM	Inner_Full	17.30
n66	40	15	1730	CP	256QAM	Edge_1RB_Left	16.59
n66	40	15	1730	CP	256QAM	Edge_1RB_Right	17.46
n66	40	15	1730	CP	256QAM	Outer_Full	17.32
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	24.09
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.10
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.12
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	23.52
n66	40	15	1745	DFT	QPSK	Inner_Full	24.11
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	22.82
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	23.05
n66	40	15	1745	DFT	QPSK	Outer_Full	22.88
n66	40	15	1745	DFT	16QAM	Inner_Full	23.09
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	21.64
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	21.58
n66	40	15	1745	DFT	16QAM	Outer_Full	21.99
n66	40	15	1745	DFT	64QAM	Inner_Full	21.55
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	20.99
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	20.89
n66	40	15	1745	DFT	64QAM	Outer_Full	21.44
n66	40	15	1745	DFT	256QAM	Inner_Full	19.50
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	19.00
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	19.11
n66	40	15	1745	DFT	256QAM	Outer_Full	19.35
n66	40	15	1745	CP	QPSK	Inner_Full	22.52
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	20.68
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	20.65
n66	40	15	1745	CP	QPSK	Outer_Full	21.00
n66	40	15	1745	CP	16QAM	Inner_Full	22.12
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	21.16
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	21.12
n66	40	15	1745	CP	16QAM	Outer_Full	20.89
n66	40	15	1745	CP	64QAM	Inner_Full	20.51
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	19.99
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	19.95
n66	40	15	1745	CP	64QAM	Outer_Full	20.46
n66	40	15	1745	CP	256QAM	Inner_Full	17.51
n66	40	15	1745	CP	256QAM	Edge_1RB_Left	17.05
n66	40	15	1745	CP	256QAM	Edge_1RB_Right	17.15
n66	40	15	1745	CP	256QAM	Outer_Full	17.37
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	23.91

n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	23.37
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	22.92
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	23.33
n66	40	15	1760	DFT	QPSK	Inner_Full	23.88
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	22.94
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	22.52
n66	40	15	1760	DFT	QPSK	Outer_Full	22.84
n66	40	15	1760	DFT	16QAM	Inner_Full	22.91
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	22.27
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	22.06
n66	40	15	1760	DFT	16QAM	Outer_Full	21.87
n66	40	15	1760	DFT	64QAM	Inner_Full	21.42
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	21.33
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	20.86
n66	40	15	1760	DFT	64QAM	Outer_Full	21.41
n66	40	15	1760	DFT	256QAM	Inner_Full	19.32
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	19.20
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	18.92
n66	40	15	1760	DFT	256QAM	Outer_Full	19.35
n66	40	15	1760	CP	QPSK	Inner_Full	22.39
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	20.91
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	20.54
n66	40	15	1760	CP	QPSK	Outer_Full	20.84
n66	40	15	1760	CP	16QAM	Inner_Full	21.93
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	21.46
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	20.99
n66	40	15	1760	CP	16QAM	Outer_Full	20.81
n66	40	15	1760	CP	64QAM	Inner_Full	20.41
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	20.30
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	19.88
n66	40	15	1760	CP	64QAM	Outer_Full	20.44
n66	40	15	1760	CP	256QAM	Inner_Full	17.32
n66	40	15	1760	CP	256QAM	Edge_1RB_Left	17.35
n66	40	15	1760	CP	256QAM	Edge_1RB_Right	17.04
n66	40	15	1760	CP	256QAM	Outer_Full	17.33

n71

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	5	15	665.5	DFT	pi/2 BPSK	Inner_Full	24.17
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.64
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.65
n71	5	15	665.5	DFT	pi/2 BPSK	Outer_Full	23.61
n71	5	15	665.5	DFT	QPSK	Inner_Full	24.22
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Left	23.20
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Right	23.16
n71	5	15	665.5	DFT	QPSK	Outer_Full	23.17
n71	5	15	665.5	DFT	16QAM	Inner_Full	23.28
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Left	22.47
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Right	22.45
n71	5	15	665.5	DFT	16QAM	Outer_Full	22.21
n71	5	15	665.5	DFT	64QAM	Inner_Full	21.83
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Left	21.66
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Right	21.59
n71	5	15	665.5	DFT	64QAM	Outer_Full	21.73
n71	5	15	665.5	DFT	256QAM	Inner_Full	19.76
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Left	19.44
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Right	19.35
n71	5	15	665.5	DFT	256QAM	Outer_Full	19.64
n71	5	15	665.5	CP	QPSK	Inner_Full	22.74
n71	5	15	665.5	CP	QPSK	Edge_1RB_Left	21.26
n71	5	15	665.5	CP	QPSK	Edge_1RB_Right	21.19
n71	5	15	665.5	CP	QPSK	Outer_Full	21.12
n71	5	15	665.5	CP	16QAM	Inner_Full	22.34
n71	5	15	665.5	CP	16QAM	Edge_1RB_Left	21.47
n71	5	15	665.5	CP	16QAM	Edge_1RB_Right	21.45
n71	5	15	665.5	CP	16QAM	Outer_Full	21.10
n71	5	15	665.5	CP	64QAM	Inner_Full	20.50
n71	5	15	665.5	CP	64QAM	Edge_1RB_Left	20.39
n71	5	15	665.5	CP	64QAM	Edge_1RB_Right	20.38
n71	5	15	665.5	CP	64QAM	Outer_Full	20.58
n71	5	15	665.5	CP	256QAM	Inner_Full	17.68
n71	5	15	665.5	CP	256QAM	Edge_1RB_Left	17.49
n71	5	15	665.5	CP	256QAM	Edge_1RB_Right	17.37
n71	5	15	665.5	CP	256QAM	Outer_Full	17.63
n71	5	15	680.5	DFT	pi/2 BPSK	Inner_Full	24.01
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.45
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.38

n71	5	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.45
n71	5	15	680.5	DFT	QPSK	Inner_Full	24.05
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Left	23.02
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Right	22.91
n71	5	15	680.5	DFT	QPSK	Outer_Full	23.02
n71	5	15	680.5	DFT	16QAM	Inner_Full	23.05
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Left	22.23
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Right	22.12
n71	5	15	680.5	DFT	16QAM	Outer_Full	21.94
n71	5	15	680.5	DFT	64QAM	Inner_Full	21.60
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Left	21.45
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Right	21.31
n71	5	15	680.5	DFT	64QAM	Outer_Full	21.59
n71	5	15	680.5	DFT	256QAM	Inner_Full	19.45
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Left	19.19
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Right	19.13
n71	5	15	680.5	DFT	256QAM	Outer_Full	19.43
n71	5	15	680.5	CP	QPSK	Inner_Full	22.57
n71	5	15	680.5	CP	QPSK	Edge_1RB_Left	21.05
n71	5	15	680.5	CP	QPSK	Edge_1RB_Right	20.88
n71	5	15	680.5	CP	QPSK	Outer_Full	20.97
n71	5	15	680.5	CP	16QAM	Inner_Full	22.18
n71	5	15	680.5	CP	16QAM	Edge_1RB_Left	21.35
n71	5	15	680.5	CP	16QAM	Edge_1RB_Right	21.28
n71	5	15	680.5	CP	16QAM	Outer_Full	20.94
n71	5	15	680.5	CP	64QAM	Inner_Full	20.43
n71	5	15	680.5	CP	64QAM	Edge_1RB_Left	20.34
n71	5	15	680.5	CP	64QAM	Edge_1RB_Right	20.06
n71	5	15	680.5	CP	64QAM	Outer_Full	20.50
n71	5	15	680.5	CP	256QAM	Inner_Full	17.66
n71	5	15	680.5	CP	256QAM	Edge_1RB_Left	17.37
n71	5	15	680.5	CP	256QAM	Edge_1RB_Right	17.23
n71	5	15	680.5	CP	256QAM	Outer_Full	17.56
n71	5	15	695.5	DFT	pi/2 BPSK	Inner_Full	23.70
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.09
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.01
n71	5	15	695.5	DFT	pi/2 BPSK	Outer_Full	23.20
n71	5	15	695.5	DFT	QPSK	Inner_Full	23.71
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Left	22.66
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Right	22.51
n71	5	15	695.5	DFT	QPSK	Outer_Full	22.63

n71	5	15	695.5	DFT	16QAM	Inner_Full	22.68
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Left	21.97
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Right	21.80
n71	5	15	695.5	DFT	16QAM	Outer_Full	21.69
n71	5	15	695.5	DFT	64QAM	Inner_Full	21.26
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Left	21.07
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Right	21.00
n71	5	15	695.5	DFT	64QAM	Outer_Full	21.21
n71	5	15	695.5	DFT	256QAM	Inner_Full	19.13
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Left	18.96
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Right	18.88
n71	5	15	695.5	DFT	256QAM	Outer_Full	19.06
n71	5	15	695.5	CP	QPSK	Inner_Full	22.11
n71	5	15	695.5	CP	QPSK	Edge_1RB_Left	20.64
n71	5	15	695.5	CP	QPSK	Edge_1RB_Right	20.60
n71	5	15	695.5	CP	QPSK	Outer_Full	20.59
n71	5	15	695.5	CP	16QAM	Inner_Full	21.88
n71	5	15	695.5	CP	16QAM	Edge_1RB_Left	21.09
n71	5	15	695.5	CP	16QAM	Edge_1RB_Right	20.98
n71	5	15	695.5	CP	16QAM	Outer_Full	20.67
n71	5	15	695.5	CP	64QAM	Inner_Full	20.12
n71	5	15	695.5	CP	64QAM	Edge_1RB_Left	19.93
n71	5	15	695.5	CP	64QAM	Edge_1RB_Right	19.80
n71	5	15	695.5	CP	64QAM	Outer_Full	20.15
n71	5	15	695.5	CP	256QAM	Inner_Full	17.24
n71	5	15	695.5	CP	256QAM	Edge_1RB_Left	17.07
n71	5	15	695.5	CP	256QAM	Edge_1RB_Right	16.93
n71	5	15	695.5	CP	256QAM	Outer_Full	17.13
n71	10	15	668	DFT	pi/2 BPSK	Inner_Full	24.19
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Left	23.73
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Right	23.50
n71	10	15	668	DFT	pi/2 BPSK	Outer_Full	23.52
n71	10	15	668	DFT	QPSK	Inner_Full	24.08
n71	10	15	668	DFT	QPSK	Edge_1RB_Left	23.09
n71	10	15	668	DFT	QPSK	Edge_1RB_Right	22.98
n71	10	15	668	DFT	QPSK	Outer_Full	23.07
n71	10	15	668	DFT	16QAM	Inner_Full	23.04
n71	10	15	668	DFT	16QAM	Edge_1RB_Left	22.44
n71	10	15	668	DFT	16QAM	Edge_1RB_Right	22.29
n71	10	15	668	DFT	16QAM	Outer_Full	21.96
n71	10	15	668	DFT	64QAM	Inner_Full	21.68

n71	10	15	668	DFT	64QAM	Edge_1RB_Left	21.52
n71	10	15	668	DFT	64QAM	Edge_1RB_Right	21.40
n71	10	15	668	DFT	64QAM	Outer_Full	21.55
n71	10	15	668	DFT	256QAM	Inner_Full	19.49
n71	10	15	668	DFT	256QAM	Edge_1RB_Left	19.33
n71	10	15	668	DFT	256QAM	Edge_1RB_Right	19.26
n71	10	15	668	DFT	256QAM	Outer_Full	19.54
n71	10	15	668	CP	QPSK	Inner_Full	22.59
n71	10	15	668	CP	QPSK	Edge_1RB_Left	21.05
n71	10	15	668	CP	QPSK	Edge_1RB_Right	21.06
n71	10	15	668	CP	QPSK	Outer_Full	21.06
n71	10	15	668	CP	16QAM	Inner_Full	22.10
n71	10	15	668	CP	16QAM	Edge_1RB_Left	21.49
n71	10	15	668	CP	16QAM	Edge_1RB_Right	21.13
n71	10	15	668	CP	16QAM	Outer_Full	21.02
n71	10	15	668	CP	64QAM	Inner_Full	20.57
n71	10	15	668	CP	64QAM	Edge_1RB_Left	20.43
n71	10	15	668	CP	64QAM	Edge_1RB_Right	20.38
n71	10	15	668	CP	64QAM	Outer_Full	20.63
n71	10	15	668	CP	256QAM	Inner_Full	17.59
n71	10	15	668	CP	256QAM	Edge_1RB_Left	17.46
n71	10	15	668	CP	256QAM	Edge_1RB_Right	17.43
n71	10	15	668	CP	256QAM	Outer_Full	17.56
n71	10	15	680.5	DFT	pi/2 BPSK	Inner_Full	24.02
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.52
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.47
n71	10	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.45
n71	10	15	680.5	DFT	QPSK	Inner_Full	24.06
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Left	23.00
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Right	22.89
n71	10	15	680.5	DFT	QPSK	Outer_Full	23.01
n71	10	15	680.5	DFT	16QAM	Inner_Full	23.00
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Left	22.31
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Right	22.31
n71	10	15	680.5	DFT	16QAM	Outer_Full	21.91
n71	10	15	680.5	DFT	64QAM	Inner_Full	21.62
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Left	21.39
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Right	21.32
n71	10	15	680.5	DFT	64QAM	Outer_Full	21.49
n71	10	15	680.5	DFT	256QAM	Inner_Full	19.52
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Left	19.26

n71	10	15	680.5	DFT	256QAM	Edge_1RB_Right	19.10
n71	10	15	680.5	DFT	256QAM	Outer_Full	19.52
n71	10	15	680.5	CP	QPSK	Inner_Full	22.54
n71	10	15	680.5	CP	QPSK	Edge_1RB_Left	21.12
n71	10	15	680.5	CP	QPSK	Edge_1RB_Right	21.11
n71	10	15	680.5	CP	QPSK	Outer_Full	20.97
n71	10	15	680.5	CP	16QAM	Inner_Full	22.04
n71	10	15	680.5	CP	16QAM	Edge_1RB_Left	21.50
n71	10	15	680.5	CP	16QAM	Edge_1RB_Right	21.49
n71	10	15	680.5	CP	16QAM	Outer_Full	20.94
n71	10	15	680.5	CP	64QAM	Inner_Full	20.56
n71	10	15	680.5	CP	64QAM	Edge_1RB_Left	20.33
n71	10	15	680.5	CP	64QAM	Edge_1RB_Right	20.30
n71	10	15	680.5	CP	64QAM	Outer_Full	20.56
n71	10	15	680.5	CP	256QAM	Inner_Full	17.58
n71	10	15	680.5	CP	256QAM	Edge_1RB_Left	17.42
n71	10	15	680.5	CP	256QAM	Edge_1RB_Right	17.33
n71	10	15	680.5	CP	256QAM	Outer_Full	17.49
n71	10	15	693	DFT	pi/2 BPSK	Inner_Full	23.70
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Left	23.26
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Right	23.11
n71	10	15	693	DFT	pi/2 BPSK	Outer_Full	23.24
n71	10	15	693	DFT	QPSK	Inner_Full	23.75
n71	10	15	693	DFT	QPSK	Edge_1RB_Left	22.83
n71	10	15	693	DFT	QPSK	Edge_1RB_Right	22.53
n71	10	15	693	DFT	QPSK	Outer_Full	22.67
n71	10	15	693	DFT	16QAM	Inner_Full	22.69
n71	10	15	693	DFT	16QAM	Edge_1RB_Left	22.11
n71	10	15	693	DFT	16QAM	Edge_1RB_Right	21.92
n71	10	15	693	DFT	16QAM	Outer_Full	21.57
n71	10	15	693	DFT	64QAM	Inner_Full	21.28
n71	10	15	693	DFT	64QAM	Edge_1RB_Left	21.21
n71	10	15	693	DFT	64QAM	Edge_1RB_Right	20.99
n71	10	15	693	DFT	64QAM	Outer_Full	21.18
n71	10	15	693	DFT	256QAM	Inner_Full	19.12
n71	10	15	693	DFT	256QAM	Edge_1RB_Left	19.01
n71	10	15	693	DFT	256QAM	Edge_1RB_Right	18.79
n71	10	15	693	DFT	256QAM	Outer_Full	19.16
n71	10	15	693	CP	QPSK	Inner_Full	22.16
n71	10	15	693	CP	QPSK	Edge_1RB_Left	20.84
n71	10	15	693	CP	QPSK	Edge_1RB_Right	20.66

n71	10	15	693	CP	QPSK	Outer_Full	20.61
n71	10	15	693	CP	16QAM	Inner_Full	21.73
n71	10	15	693	CP	16QAM	Edge_1RB_Left	21.16
n71	10	15	693	CP	16QAM	Edge_1RB_Right	21.09
n71	10	15	693	CP	16QAM	Outer_Full	20.63
n71	10	15	693	CP	64QAM	Inner_Full	20.17
n71	10	15	693	CP	64QAM	Edge_1RB_Left	20.17
n71	10	15	693	CP	64QAM	Edge_1RB_Right	20.01
n71	10	15	693	CP	64QAM	Outer_Full	20.18
n71	10	15	693	CP	256QAM	Inner_Full	17.19
n71	10	15	693	CP	256QAM	Edge_1RB_Left	17.08
n71	10	15	693	CP	256QAM	Edge_1RB_Right	16.94
n71	10	15	693	CP	256QAM	Outer_Full	17.08
n71	15	15	670.5	DFT	pi/2 BPSK	Inner_Full	24.01
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.55
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.40
n71	15	15	670.5	DFT	pi/2 BPSK	Outer_Full	23.53
n71	15	15	670.5	DFT	QPSK	Inner_Full	23.99
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Left	23.02
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Right	22.90
n71	15	15	670.5	DFT	QPSK	Outer_Full	23.08
n71	15	15	670.5	DFT	16QAM	Inner_Full	23.06
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Left	22.37
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Right	22.20
n71	15	15	670.5	DFT	16QAM	Outer_Full	22.04
n71	15	15	670.5	DFT	64QAM	Inner_Full	21.54
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Left	21.43
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Right	21.28
n71	15	15	670.5	DFT	64QAM	Outer_Full	21.61
n71	15	15	670.5	DFT	256QAM	Inner_Full	19.51
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Left	19.33
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Right	19.32
n71	15	15	670.5	DFT	256QAM	Outer_Full	19.50
n71	15	15	670.5	CP	QPSK	Inner_Full	22.47
n71	15	15	670.5	CP	QPSK	Edge_1RB_Left	21.15
n71	15	15	670.5	CP	QPSK	Edge_1RB_Right	20.88
n71	15	15	670.5	CP	QPSK	Outer_Full	20.96
n71	15	15	670.5	CP	16QAM	Inner_Full	21.97
n71	15	15	670.5	CP	16QAM	Edge_1RB_Left	21.38
n71	15	15	670.5	CP	16QAM	Edge_1RB_Right	21.28
n71	15	15	670.5	CP	16QAM	Outer_Full	21.01

n71	15	15	670.5	CP	64QAM	Inner_Full	20.53
n71	15	15	670.5	CP	64QAM	Edge_1RB_Left	20.34
n71	15	15	670.5	CP	64QAM	Edge_1RB_Right	20.19
n71	15	15	670.5	CP	64QAM	Outer_Full	20.52
n71	15	15	670.5	CP	256QAM	Inner_Full	17.45
n71	15	15	670.5	CP	256QAM	Edge_1RB_Left	17.42
n71	15	15	670.5	CP	256QAM	Edge_1RB_Right	17.33
n71	15	15	670.5	CP	256QAM	Outer_Full	17.48
n71	15	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.94
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.43
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.27
n71	15	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.36
n71	15	15	680.5	DFT	QPSK	Inner_Full	23.88
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Left	22.92
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Right	22.65
n71	15	15	680.5	DFT	QPSK	Outer_Full	22.92
n71	15	15	680.5	DFT	16QAM	Inner_Full	22.92
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Left	22.22
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Right	21.94
n71	15	15	680.5	DFT	16QAM	Outer_Full	21.90
n71	15	15	680.5	DFT	64QAM	Inner_Full	21.50
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Left	21.32
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Right	21.15
n71	15	15	680.5	DFT	64QAM	Outer_Full	21.46
n71	15	15	680.5	DFT	256QAM	Inner_Full	19.45
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Left	19.22
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Right	19.11
n71	15	15	680.5	DFT	256QAM	Outer_Full	19.35
n71	15	15	680.5	CP	QPSK	Inner_Full	22.37
n71	15	15	680.5	CP	QPSK	Edge_1RB_Left	20.95
n71	15	15	680.5	CP	QPSK	Edge_1RB_Right	20.70
n71	15	15	680.5	CP	QPSK	Outer_Full	20.89
n71	15	15	680.5	CP	16QAM	Inner_Full	21.87
n71	15	15	680.5	CP	16QAM	Edge_1RB_Left	21.34
n71	15	15	680.5	CP	16QAM	Edge_1RB_Right	21.14
n71	15	15	680.5	CP	16QAM	Outer_Full	20.93
n71	15	15	680.5	CP	64QAM	Inner_Full	20.43
n71	15	15	680.5	CP	64QAM	Edge_1RB_Left	20.24
n71	15	15	680.5	CP	64QAM	Edge_1RB_Right	19.90
n71	15	15	680.5	CP	64QAM	Outer_Full	20.35
n71	15	15	680.5	CP	256QAM	Inner_Full	17.44

n71	15	15	680.5	CP	256QAM	Edge_1RB_Left	17.28
n71	15	15	680.5	CP	256QAM	Edge_1RB_Right	17.09
n71	15	15	680.5	CP	256QAM	Outer_Full	17.44
n71	15	15	690.5	DFT	pi/2 BPSK	Inner_Full	23.62
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.29
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.95
n71	15	15	690.5	DFT	pi/2 BPSK	Outer_Full	23.17
n71	15	15	690.5	DFT	QPSK	Inner_Full	23.68
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Left	22.76
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Right	22.45
n71	15	15	690.5	DFT	QPSK	Outer_Full	22.71
n71	15	15	690.5	DFT	16QAM	Inner_Full	22.62
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Left	22.06
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Right	21.77
n71	15	15	690.5	DFT	16QAM	Outer_Full	21.70
n71	15	15	690.5	DFT	64QAM	Inner_Full	21.19
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Left	21.19
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Right	20.84
n71	15	15	690.5	DFT	64QAM	Outer_Full	21.27
n71	15	15	690.5	DFT	256QAM	Inner_Full	19.14
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Left	19.01
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Right	18.78
n71	15	15	690.5	DFT	256QAM	Outer_Full	19.17
n71	15	15	690.5	CP	QPSK	Inner_Full	22.17
n71	15	15	690.5	CP	QPSK	Edge_1RB_Left	20.72
n71	15	15	690.5	CP	QPSK	Edge_1RB_Right	20.31
n71	15	15	690.5	CP	QPSK	Outer_Full	20.69
n71	15	15	690.5	CP	16QAM	Inner_Full	21.64
n71	15	15	690.5	CP	16QAM	Edge_1RB_Left	21.08
n71	15	15	690.5	CP	16QAM	Edge_1RB_Right	20.70
n71	15	15	690.5	CP	16QAM	Outer_Full	20.64
n71	15	15	690.5	CP	64QAM	Inner_Full	20.17
n71	15	15	690.5	CP	64QAM	Edge_1RB_Left	20.15
n71	15	15	690.5	CP	64QAM	Edge_1RB_Right	19.87
n71	15	15	690.5	CP	64QAM	Outer_Full	20.16
n71	15	15	690.5	CP	256QAM	Inner_Full	17.20
n71	15	15	690.5	CP	256QAM	Edge_1RB_Left	17.18
n71	15	15	690.5	CP	256QAM	Edge_1RB_Right	16.87
n71	15	15	690.5	CP	256QAM	Outer_Full	17.21
n71	20	15	673	DFT	pi/2 BPSK	Inner_Full	23.91
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Left	23.52

n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Right	23.25
n71	20	15	673	DFT	pi/2 BPSK	Outer_Full	23.50
n71	20	15	673	DFT	QPSK	Inner_Full	23.99
n71	20	15	673	DFT	QPSK	Edge_1RB_Left	23.02
n71	20	15	673	DFT	QPSK	Edge_1RB_Right	22.77
n71	20	15	673	DFT	QPSK	Outer_Full	22.96
n71	20	15	673	DFT	16QAM	Inner_Full	22.88
n71	20	15	673	DFT	16QAM	Edge_1RB_Left	22.37
n71	20	15	673	DFT	16QAM	Edge_1RB_Right	22.09
n71	20	15	673	DFT	16QAM	Outer_Full	21.95
n71	20	15	673	DFT	64QAM	Inner_Full	21.47
n71	20	15	673	DFT	64QAM	Edge_1RB_Left	21.43
n71	20	15	673	DFT	64QAM	Edge_1RB_Right	21.18
n71	20	15	673	DFT	64QAM	Outer_Full	21.49
n71	20	15	673	DFT	256QAM	Inner_Full	19.39
n71	20	15	673	DFT	256QAM	Edge_1RB_Left	19.18
n71	20	15	673	DFT	256QAM	Edge_1RB_Right	19.08
n71	20	15	673	DFT	256QAM	Outer_Full	19.52
n71	20	15	673	CP	QPSK	Inner_Full	22.52
n71	20	15	673	CP	QPSK	Edge_1RB_Left	21.05
n71	20	15	673	CP	QPSK	Edge_1RB_Right	20.73
n71	20	15	673	CP	QPSK	Outer_Full	20.94
n71	20	15	673	CP	16QAM	Inner_Full	21.92
n71	20	15	673	CP	16QAM	Edge_1RB_Left	21.45
n71	20	15	673	CP	16QAM	Edge_1RB_Right	21.06
n71	20	15	673	CP	16QAM	Outer_Full	20.99
n71	20	15	673	CP	64QAM	Inner_Full	20.53
n71	20	15	673	CP	64QAM	Edge_1RB_Left	20.33
n71	20	15	673	CP	64QAM	Edge_1RB_Right	20.01
n71	20	15	673	CP	64QAM	Outer_Full	20.45
n71	20	15	673	CP	256QAM	Inner_Full	17.41
n71	20	15	673	CP	256QAM	Edge_1RB_Left	17.37
n71	20	15	673	CP	256QAM	Edge_1RB_Right	17.19
n71	20	15	673	CP	256QAM	Outer_Full	17.41
n71	20	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.94
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.36
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.10
n71	20	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.38
n71	20	15	680.5	DFT	QPSK	Inner_Full	23.99
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Left	22.89
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Right	22.58

n71	20	15	680.5	DFT	QPSK	Outer_Full	22.85
n71	20	15	680.5	DFT	16QAM	Inner_Full	22.78
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Left	21.77
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Right	21.44
n71	20	15	680.5	DFT	16QAM	Outer_Full	21.84
n71	20	15	680.5	DFT	64QAM	Inner_Full	21.42
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Left	21.25
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Right	20.89
n71	20	15	680.5	DFT	64QAM	Outer_Full	21.36
n71	20	15	680.5	DFT	256QAM	Inner_Full	19.35
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Left	19.14
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Right	18.82
n71	20	15	680.5	DFT	256QAM	Outer_Full	19.41
n71	20	15	680.5	CP	QPSK	Inner_Full	22.42
n71	20	15	680.5	CP	QPSK	Edge_1RB_Left	20.94
n71	20	15	680.5	CP	QPSK	Edge_1RB_Right	20.61
n71	20	15	680.5	CP	QPSK	Outer_Full	20.89
n71	20	15	680.5	CP	16QAM	Inner_Full	21.81
n71	20	15	680.5	CP	16QAM	Edge_1RB_Left	21.34
n71	20	15	680.5	CP	16QAM	Edge_1RB_Right	20.94
n71	20	15	680.5	CP	16QAM	Outer_Full	20.85
n71	20	15	680.5	CP	64QAM	Inner_Full	20.45
n71	20	15	680.5	CP	64QAM	Edge_1RB_Left	20.23
n71	20	15	680.5	CP	64QAM	Edge_1RB_Right	19.83
n71	20	15	680.5	CP	64QAM	Outer_Full	20.41
n71	20	15	680.5	CP	256QAM	Inner_Full	17.34
n71	20	15	680.5	CP	256QAM	Edge_1RB_Left	17.31
n71	20	15	680.5	CP	256QAM	Edge_1RB_Right	17.02
n71	20	15	680.5	CP	256QAM	Outer_Full	17.35
n71	20	15	688	DFT	pi/2 BPSK	Inner_Full	23.81
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Left	23.42
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Right	22.92
n71	20	15	688	DFT	pi/2 BPSK	Outer_Full	23.23
n71	20	15	688	DFT	QPSK	Inner_Full	23.81
n71	20	15	688	DFT	QPSK	Edge_1RB_Left	22.91
n71	20	15	688	DFT	QPSK	Edge_1RB_Right	22.44
n71	20	15	688	DFT	QPSK	Outer_Full	22.70
n71	20	15	688	DFT	16QAM	Inner_Full	22.61
n71	20	15	688	DFT	16QAM	Edge_1RB_Left	22.24
n71	20	15	688	DFT	16QAM	Edge_1RB_Right	21.74
n71	20	15	688	DFT	16QAM	Outer_Full	21.69

n71	20	15	688	DFT	64QAM	Inner_Full	21.19
n71	20	15	688	DFT	64QAM	Edge_1RB_Left	21.35
n71	20	15	688	DFT	64QAM	Edge_1RB_Right	20.81
n71	20	15	688	DFT	64QAM	Outer_Full	21.23
n71	20	15	688	DFT	256QAM	Inner_Full	19.30
n71	20	15	688	DFT	256QAM	Edge_1RB_Left	19.17
n71	20	15	688	DFT	256QAM	Edge_1RB_Right	18.85
n71	20	15	688	DFT	256QAM	Outer_Full	19.19
n71	20	15	688	CP	QPSK	Inner_Full	22.39
n71	20	15	688	CP	QPSK	Edge_1RB_Left	20.98
n71	20	15	688	CP	QPSK	Edge_1RB_Right	20.45
n71	20	15	688	CP	QPSK	Outer_Full	20.67
n71	20	15	688	CP	16QAM	Inner_Full	21.70
n71	20	15	688	CP	16QAM	Edge_1RB_Left	21.40
n71	20	15	688	CP	16QAM	Edge_1RB_Right	20.90
n71	20	15	688	CP	16QAM	Outer_Full	20.73
n71	20	15	688	CP	64QAM	Inner_Full	20.29
n71	20	15	688	CP	64QAM	Edge_1RB_Left	20.28
n71	20	15	688	CP	64QAM	Edge_1RB_Right	19.67
n71	20	15	688	CP	64QAM	Outer_Full	20.25
n71	20	15	688	CP	256QAM	Inner_Full	17.27
n71	20	15	688	CP	256QAM	Edge_1RB_Left	17.32
n71	20	15	688	CP	256QAM	Edge_1RB_Right	16.84
n71	20	15	688	CP	256QAM	Outer_Full	17.21

n77L

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	26.89
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.96
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.83
n77L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	26.42
n77L	20	30	3460.02	DFT	QPSK	Inner_Full	26.82
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	23.07
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.86
n77L	20	30	3460.02	DFT	QPSK	Outer_Full	25.76
n77L	20	30	3460.02	DFT	16QAM	Inner_Full	25.70
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	23.49
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	22.93
n77L	20	30	3460.02	DFT	16QAM	Outer_Full	24.59
n77L	20	30	3460.02	DFT	64QAM	Inner_Full	24.41
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	22.85
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	22.57
n77L	20	30	3460.02	DFT	64QAM	Outer_Full	24.38
n77L	20	30	3460.02	DFT	256QAM	Inner_Full	22.13
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	22.40
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	21.81
n77L	20	30	3460.02	DFT	256QAM	Outer_Full	22.43
n77L	20	30	3460.02	CP	QPSK	Inner_Full	25.33
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	23.30
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	23.07
n77L	20	30	3460.02	CP	QPSK	Outer_Full	23.74
n77L	20	30	3460.02	CP	16QAM	Inner_Full	24.68
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	23.44
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	23.46
n77L	20	30	3460.02	CP	16QAM	Outer_Full	23.71
n77L	20	30	3460.02	CP	64QAM	Inner_Full	23.13
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	23.03
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	22.70
n77L	20	30	3460.02	CP	64QAM	Outer_Full	23.28
n77L	20	30	3460.02	CP	256QAM	Inner_Full	20.34
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	20.48
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	19.98
n77L	20	30	3460.02	CP	256QAM	Outer_Full	20.13
n77L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.22
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.11
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.40

n77L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.78
n77L	20	30	3500.01	DFT	QPSK	Inner_Full	26.19
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.86
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.42
n77L	20	30	3500.01	DFT	QPSK	Outer_Full	25.34
n77L	20	30	3500.01	DFT	16QAM	Inner_Full	25.15
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.82
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.83
n77L	20	30	3500.01	DFT	16QAM	Outer_Full	24.27
n77L	20	30	3500.01	DFT	64QAM	Inner_Full	23.64
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.32
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.79
n77L	20	30	3500.01	DFT	64QAM	Outer_Full	23.75
n77L	20	30	3500.01	DFT	256QAM	Inner_Full	21.52
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.48
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.25
n77L	20	30	3500.01	DFT	256QAM	Outer_Full	21.50
n77L	20	30	3500.01	CP	QPSK	Inner_Full	24.84
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	22.61
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	22.75
n77L	20	30	3500.01	CP	QPSK	Outer_Full	23.09
n77L	20	30	3500.01	CP	16QAM	Inner_Full	24.13
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	22.71
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	22.54
n77L	20	30	3500.01	CP	16QAM	Outer_Full	23.15
n77L	20	30	3500.01	CP	64QAM	Inner_Full	22.68
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	22.22
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	22.01
n77L	20	30	3500.01	CP	64QAM	Outer_Full	22.58
n77L	20	30	3500.01	CP	256QAM	Inner_Full	19.52
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	19.47
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	19.44
n77L	20	30	3500.01	CP	256QAM	Outer_Full	19.64
n77L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	25.95
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	22.49
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	22.56
n77L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	25.54
n77L	20	30	3540	DFT	QPSK	Inner_Full	25.78
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.29
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Right	22.45
n77L	20	30	3540	DFT	QPSK	Outer_Full	24.90

n77L	20	30	3540	DFT	16QAM	Inner_Full	25.10
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Left	22.32
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Right	22.85
n77L	20	30	3540	DFT	16QAM	Outer_Full	23.81
n77L	20	30	3540	DFT	64QAM	Inner_Full	23.56
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Left	21.74
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Right	22.10
n77L	20	30	3540	DFT	64QAM	Outer_Full	23.31
n77L	20	30	3540	DFT	256QAM	Inner_Full	21.16
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Left	20.86
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Right	21.44
n77L	20	30	3540	DFT	256QAM	Outer_Full	21.31
n77L	20	30	3540	CP	QPSK	Inner_Full	24.24
n77L	20	30	3540	CP	QPSK	Edge_1RB_Left	22.25
n77L	20	30	3540	CP	QPSK	Edge_1RB_Right	22.77
n77L	20	30	3540	CP	QPSK	Outer_Full	23.03
n77L	20	30	3540	CP	16QAM	Inner_Full	23.81
n77L	20	30	3540	CP	16QAM	Edge_1RB_Left	22.50
n77L	20	30	3540	CP	16QAM	Edge_1RB_Right	23.16
n77L	20	30	3540	CP	16QAM	Outer_Full	22.89
n77L	20	30	3540	CP	64QAM	Inner_Full	22.31
n77L	20	30	3540	CP	64QAM	Edge_1RB_Left	21.67
n77L	20	30	3540	CP	64QAM	Edge_1RB_Right	22.40
n77L	20	30	3540	CP	64QAM	Outer_Full	22.54
n77L	20	30	3540	CP	256QAM	Inner_Full	19.53
n77L	20	30	3540	CP	256QAM	Edge_1RB_Left	19.23
n77L	20	30	3540	CP	256QAM	Edge_1RB_Right	19.77
n77L	20	30	3540	CP	256QAM	Outer_Full	19.19
n77L	30	30	3465	DFT	pi/2 BPSK	Inner_Full	26.47
n77L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Left	23.64
n77L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Right	22.67
n77L	30	30	3465	DFT	pi/2 BPSK	Outer_Full	26.10
n77L	30	30	3465	DFT	QPSK	Inner_Full	26.49
n77L	30	30	3465	DFT	QPSK	Edge_1RB_Left	23.60
n77L	30	30	3465	DFT	QPSK	Edge_1RB_Right	22.87
n77L	30	30	3465	DFT	QPSK	Outer_Full	25.48
n77L	30	30	3465	DFT	16QAM	Inner_Full	25.50
n77L	30	30	3465	DFT	16QAM	Edge_1RB_Left	23.60
n77L	30	30	3465	DFT	16QAM	Edge_1RB_Right	22.83
n77L	30	30	3465	DFT	16QAM	Outer_Full	24.62
n77L	30	30	3465	DFT	64QAM	Inner_Full	23.84

n77L	30	30	3465	DFT	64QAM	Edge_1RB_Left	23.19
n77L	30	30	3465	DFT	64QAM	Edge_1RB_Right	22.01
n77L	30	30	3465	DFT	64QAM	Outer_Full	24.01
n77L	30	30	3465	DFT	256QAM	Inner_Full	21.85
n77L	30	30	3465	DFT	256QAM	Edge_1RB_Left	22.46
n77L	30	30	3465	DFT	256QAM	Edge_1RB_Right	21.49
n77L	30	30	3465	DFT	256QAM	Outer_Full	21.97
n77L	30	30	3465	CP	QPSK	Inner_Full	24.96
n77L	30	30	3465	CP	QPSK	Edge_1RB_Left	23.58
n77L	30	30	3465	CP	QPSK	Edge_1RB_Right	22.89
n77L	30	30	3465	CP	QPSK	Outer_Full	23.41
n77L	30	30	3465	CP	16QAM	Inner_Full	24.56
n77L	30	30	3465	CP	16QAM	Edge_1RB_Left	23.32
n77L	30	30	3465	CP	16QAM	Edge_1RB_Right	22.77
n77L	30	30	3465	CP	16QAM	Outer_Full	23.45
n77L	30	30	3465	CP	64QAM	Inner_Full	23.13
n77L	30	30	3465	CP	64QAM	Edge_1RB_Left	23.04
n77L	30	30	3465	CP	64QAM	Edge_1RB_Right	22.42
n77L	30	30	3465	CP	64QAM	Outer_Full	23.00
n77L	30	30	3465	CP	256QAM	Inner_Full	19.86
n77L	30	30	3465	CP	256QAM	Edge_1RB_Left	20.17
n77L	30	30	3465	CP	256QAM	Edge_1RB_Right	19.87
n77L	30	30	3465	CP	256QAM	Outer_Full	20.19
n77L	30	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.05
n77L	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.98
n77L	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.53
n77L	30	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.78
n77L	30	30	3500.01	DFT	QPSK	Inner_Full	26.30
n77L	30	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.85
n77L	30	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.41
n77L	30	30	3500.01	DFT	QPSK	Outer_Full	25.14
n77L	30	30	3500.01	DFT	16QAM	Inner_Full	25.21
n77L	30	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.93
n77L	30	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.43
n77L	30	30	3500.01	DFT	16QAM	Outer_Full	24.10
n77L	30	30	3500.01	DFT	64QAM	Inner_Full	23.53
n77L	30	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.16
n77L	30	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.98
n77L	30	30	3500.01	DFT	64QAM	Outer_Full	23.68
n77L	30	30	3500.01	DFT	256QAM	Inner_Full	21.51
n77L	30	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.56

n77L	30	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.41
n77L	30	30	3500.01	DFT	256QAM	Outer_Full	21.63
n77L	30	30	3500.01	CP	QPSK	Inner_Full	24.67
n77L	30	30	3500.01	CP	QPSK	Edge_1RB_Left	22.72
n77L	30	30	3500.01	CP	QPSK	Edge_1RB_Right	22.35
n77L	30	30	3500.01	CP	QPSK	Outer_Full	23.32
n77L	30	30	3500.01	CP	16QAM	Inner_Full	24.06
n77L	30	30	3500.01	CP	16QAM	Edge_1RB_Left	22.74
n77L	30	30	3500.01	CP	16QAM	Edge_1RB_Right	22.52
n77L	30	30	3500.01	CP	16QAM	Outer_Full	23.06
n77L	30	30	3500.01	CP	64QAM	Inner_Full	22.86
n77L	30	30	3500.01	CP	64QAM	Edge_1RB_Left	22.08
n77L	30	30	3500.01	CP	64QAM	Edge_1RB_Right	22.20
n77L	30	30	3500.01	CP	64QAM	Outer_Full	22.68
n77L	30	30	3500.01	CP	256QAM	Inner_Full	19.56
n77L	30	30	3500.01	CP	256QAM	Edge_1RB_Left	19.50
n77L	30	30	3500.01	CP	256QAM	Edge_1RB_Right	19.45
n77L	30	30	3500.01	CP	256QAM	Outer_Full	19.89
n77L	30	30	3534.99	DFT	pi/2 BPSK	Inner_Full	25.86
n77L	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.51
n77L	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.80
n77L	30	30	3534.99	DFT	pi/2 BPSK	Outer_Full	25.51
n77L	30	30	3534.99	DFT	QPSK	Inner_Full	25.93
n77L	30	30	3534.99	DFT	QPSK	Edge_1RB_Left	22.46
n77L	30	30	3534.99	DFT	QPSK	Edge_1RB_Right	22.73
n77L	30	30	3534.99	DFT	QPSK	Outer_Full	25.08
n77L	30	30	3534.99	DFT	16QAM	Inner_Full	24.97
n77L	30	30	3534.99	DFT	16QAM	Edge_1RB_Left	22.38
n77L	30	30	3534.99	DFT	16QAM	Edge_1RB_Right	23.06
n77L	30	30	3534.99	DFT	16QAM	Outer_Full	23.93
n77L	30	30	3534.99	DFT	64QAM	Inner_Full	23.38
n77L	30	30	3534.99	DFT	64QAM	Edge_1RB_Left	22.07
n77L	30	30	3534.99	DFT	64QAM	Edge_1RB_Right	22.61
n77L	30	30	3534.99	DFT	64QAM	Outer_Full	23.42
n77L	30	30	3534.99	DFT	256QAM	Inner_Full	21.20
n77L	30	30	3534.99	DFT	256QAM	Edge_1RB_Left	21.04
n77L	30	30	3534.99	DFT	256QAM	Edge_1RB_Right	21.67
n77L	30	30	3534.99	DFT	256QAM	Outer_Full	21.31
n77L	30	30	3534.99	CP	QPSK	Inner_Full	24.22
n77L	30	30	3534.99	CP	QPSK	Edge_1RB_Left	22.20
n77L	30	30	3534.99	CP	QPSK	Edge_1RB_Right	22.77

n77L	30	30	3534.99	CP	QPSK	Outer_Full	23.02
n77L	30	30	3534.99	CP	16QAM	Inner_Full	23.91
n77L	30	30	3534.99	CP	16QAM	Edge_1RB_Left	22.46
n77L	30	30	3534.99	CP	16QAM	Edge_1RB_Right	23.31
n77L	30	30	3534.99	CP	16QAM	Outer_Full	22.86
n77L	30	30	3534.99	CP	64QAM	Inner_Full	22.27
n77L	30	30	3534.99	CP	64QAM	Edge_1RB_Left	22.03
n77L	30	30	3534.99	CP	64QAM	Edge_1RB_Right	22.63
n77L	30	30	3534.99	CP	64QAM	Outer_Full	22.44
n77L	30	30	3534.99	CP	256QAM	Inner_Full	19.20
n77L	30	30	3534.99	CP	256QAM	Edge_1RB_Left	19.71
n77L	30	30	3534.99	CP	256QAM	Edge_1RB_Right	19.73
n77L	30	30	3534.99	CP	256QAM	Outer_Full	19.63
n77L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	26.46
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.65
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.85
n77L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	26.18
n77L	40	30	3470.01	DFT	QPSK	Inner_Full	26.47
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	23.41
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	22.88
n77L	40	30	3470.01	DFT	QPSK	Outer_Full	25.67
n77L	40	30	3470.01	DFT	16QAM	Inner_Full	25.59
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	23.74
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	22.99
n77L	40	30	3470.01	DFT	16QAM	Outer_Full	24.60
n77L	40	30	3470.01	DFT	64QAM	Inner_Full	24.07
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	22.84
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	22.60
n77L	40	30	3470.01	DFT	64QAM	Outer_Full	24.23
n77L	40	30	3470.01	DFT	256QAM	Inner_Full	22.18
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	22.26
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	21.58
n77L	40	30	3470.01	DFT	256QAM	Outer_Full	22.24
n77L	40	30	3470.01	CP	QPSK	Inner_Full	25.10
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	23.40
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	22.83
n77L	40	30	3470.01	CP	QPSK	Outer_Full	23.61
n77L	40	30	3470.01	CP	16QAM	Inner_Full	24.58
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	23.53
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	23.22
n77L	40	30	3470.01	CP	16QAM	Outer_Full	23.68

n77L	40	30	3470.01	CP	64QAM	Inner_Full	22.90
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	22.78
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	22.44
n77L	40	30	3470.01	CP	64QAM	Outer_Full	23.21
n77L	40	30	3470.01	CP	256QAM	Inner_Full	19.86
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	20.58
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	19.90
n77L	40	30	3470.01	CP	256QAM	Outer_Full	19.93
n77L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	26.13
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.77
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.27
n77L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.62
n77L	40	30	3500.01	DFT	QPSK	Inner_Full	26.37
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.93
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.23
n77L	40	30	3500.01	DFT	QPSK	Outer_Full	25.41
n77L	40	30	3500.01	DFT	16QAM	Inner_Full	25.09
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.11
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.45
n77L	40	30	3500.01	DFT	16QAM	Outer_Full	24.34
n77L	40	30	3500.01	DFT	64QAM	Inner_Full	23.65
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.19
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.86
n77L	40	30	3500.01	DFT	64QAM	Outer_Full	23.84
n77L	40	30	3500.01	DFT	256QAM	Inner_Full	21.55
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.76
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.16
n77L	40	30	3500.01	DFT	256QAM	Outer_Full	21.66
n77L	40	30	3500.01	CP	QPSK	Inner_Full	24.66
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	22.74
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	22.33
n77L	40	30	3500.01	CP	QPSK	Outer_Full	23.16
n77L	40	30	3500.01	CP	16QAM	Inner_Full	24.30
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	22.98
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	22.58
n77L	40	30	3500.01	CP	16QAM	Outer_Full	23.14
n77L	40	30	3500.01	CP	64QAM	Inner_Full	22.83
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	22.57
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	22.05
n77L	40	30	3500.01	CP	64QAM	Outer_Full	22.63
n77L	40	30	3500.01	CP	256QAM	Inner_Full	19.69

n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	20.00
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	19.48
n77L	40	30	3500.01	CP	256QAM	Outer_Full	19.83
n77L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	25.91
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.58
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.82
n77L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	25.64
n77L	40	30	3529.98	DFT	QPSK	Inner_Full	25.74
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	22.86
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	22.98
n77L	40	30	3529.98	DFT	QPSK	Outer_Full	24.90
n77L	40	30	3529.98	DFT	16QAM	Inner_Full	24.68
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	22.67
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	22.91
n77L	40	30	3529.98	DFT	16QAM	Outer_Full	23.93
n77L	40	30	3529.98	DFT	64QAM	Inner_Full	23.13
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	22.31
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	22.32
n77L	40	30	3529.98	DFT	64QAM	Outer_Full	23.55
n77L	40	30	3529.98	DFT	256QAM	Inner_Full	21.44
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	21.44
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	21.88
n77L	40	30	3529.98	DFT	256QAM	Outer_Full	21.34
n77L	40	30	3529.98	CP	QPSK	Inner_Full	24.30
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	22.82
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	23.06
n77L	40	30	3529.98	CP	QPSK	Outer_Full	23.06
n77L	40	30	3529.98	CP	16QAM	Inner_Full	23.97
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	22.74
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	23.27
n77L	40	30	3529.98	CP	16QAM	Outer_Full	23.13
n77L	40	30	3529.98	CP	64QAM	Inner_Full	22.30
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	22.53
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	22.43
n77L	40	30	3529.98	CP	64QAM	Outer_Full	22.64
n77L	40	30	3529.98	CP	256QAM	Inner_Full	19.13
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	19.68
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	19.72
n77L	40	30	3529.98	CP	256QAM	Outer_Full	19.44
n77L	50	30	3475.02	DFT	pi/2 BPSK	Inner_Full	26.17
n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.12

n77L	50	30	3475.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.35
n77L	50	30	3475.02	DFT	pi/2 BPSK	Outer_Full	25.58
n77L	50	30	3475.02	DFT	QPSK	Inner_Full	26.07
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Left	23.00
n77L	50	30	3475.02	DFT	QPSK	Edge_1RB_Right	22.59
n77L	50	30	3475.02	DFT	QPSK	Outer_Full	25.07
n77L	50	30	3475.02	DFT	16QAM	Inner_Full	25.00
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Left	23.21
n77L	50	30	3475.02	DFT	16QAM	Edge_1RB_Right	22.20
n77L	50	30	3475.02	DFT	16QAM	Outer_Full	24.10
n77L	50	30	3475.02	DFT	64QAM	Inner_Full	23.43
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Left	22.63
n77L	50	30	3475.02	DFT	64QAM	Edge_1RB_Right	21.88
n77L	50	30	3475.02	DFT	64QAM	Outer_Full	23.62
n77L	50	30	3475.02	DFT	256QAM	Inner_Full	21.56
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Left	22.42
n77L	50	30	3475.02	DFT	256QAM	Edge_1RB_Right	21.32
n77L	50	30	3475.02	DFT	256QAM	Outer_Full	21.61
n77L	50	30	3475.02	CP	QPSK	Inner_Full	24.68
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Left	23.08
n77L	50	30	3475.02	CP	QPSK	Edge_1RB_Right	22.34
n77L	50	30	3475.02	CP	QPSK	Outer_Full	23.26
n77L	50	30	3475.02	CP	16QAM	Inner_Full	23.97
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Left	23.54
n77L	50	30	3475.02	CP	16QAM	Edge_1RB_Right	22.40
n77L	50	30	3475.02	CP	16QAM	Outer_Full	23.04
n77L	50	30	3475.02	CP	64QAM	Inner_Full	22.49
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Left	22.88
n77L	50	30	3475.02	CP	64QAM	Edge_1RB_Right	22.08
n77L	50	30	3475.02	CP	64QAM	Outer_Full	22.65
n77L	50	30	3475.02	CP	256QAM	Inner_Full	19.70
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Left	20.05
n77L	50	30	3475.02	CP	256QAM	Edge_1RB_Right	19.20
n77L	50	30	3475.02	CP	256QAM	Outer_Full	19.55
n77L	50	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.90
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.54
n77L	50	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.76
n77L	50	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.60
n77L	50	30	3500.01	DFT	QPSK	Inner_Full	26.08
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.53
n77L	50	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.98

n77L	50	30	3500.01	DFT	QPSK	Outer_Full	24.98
n77L	50	30	3500.01	DFT	16QAM	Inner_Full	24.82
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.88
n77L	50	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.07
n77L	50	30	3500.01	DFT	16QAM	Outer_Full	23.81
n77L	50	30	3500.01	DFT	64QAM	Inner_Full	23.34
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.37
n77L	50	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.70
n77L	50	30	3500.01	DFT	64QAM	Outer_Full	23.28
n77L	50	30	3500.01	DFT	256QAM	Inner_Full	21.44
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.61
n77L	50	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.97
n77L	50	30	3500.01	DFT	256QAM	Outer_Full	21.28
n77L	50	30	3500.01	CP	QPSK	Inner_Full	24.42
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Left	22.49
n77L	50	30	3500.01	CP	QPSK	Edge_1RB_Right	22.30
n77L	50	30	3500.01	CP	QPSK	Outer_Full	22.94
n77L	50	30	3500.01	CP	16QAM	Inner_Full	23.80
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Left	22.79
n77L	50	30	3500.01	CP	16QAM	Edge_1RB_Right	22.19
n77L	50	30	3500.01	CP	16QAM	Outer_Full	22.78
n77L	50	30	3500.01	CP	64QAM	Inner_Full	22.51
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Left	22.02
n77L	50	30	3500.01	CP	64QAM	Edge_1RB_Right	21.70
n77L	50	30	3500.01	CP	64QAM	Outer_Full	22.22
n77L	50	30	3500.01	CP	256QAM	Inner_Full	19.34
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Left	19.45
n77L	50	30	3500.01	CP	256QAM	Edge_1RB_Right	19.03
n77L	50	30	3500.01	CP	256QAM	Outer_Full	19.58
n77L	50	30	3525	DFT	pi/2 BPSK	Inner_Full	25.43
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Left	22.68
n77L	50	30	3525	DFT	pi/2 BPSK	Edge_1RB_Right	22.54
n77L	50	30	3525	DFT	pi/2 BPSK	Outer_Full	25.28
n77L	50	30	3525	DFT	QPSK	Inner_Full	25.63
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Left	22.72
n77L	50	30	3525	DFT	QPSK	Edge_1RB_Right	22.27
n77L	50	30	3525	DFT	QPSK	Outer_Full	24.74
n77L	50	30	3525	DFT	16QAM	Inner_Full	24.67
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Left	22.42
n77L	50	30	3525	DFT	16QAM	Edge_1RB_Right	22.66
n77L	50	30	3525	DFT	16QAM	Outer_Full	23.58

n77L	50	30	3525	DFT	64QAM	Inner_Full	23.10
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Left	22.09
n77L	50	30	3525	DFT	64QAM	Edge_1RB_Right	22.06
n77L	50	30	3525	DFT	64QAM	Outer_Full	23.08
n77L	50	30	3525	DFT	256QAM	Inner_Full	20.84
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Left	21.34
n77L	50	30	3525	DFT	256QAM	Edge_1RB_Right	21.31
n77L	50	30	3525	DFT	256QAM	Outer_Full	21.09
n77L	50	30	3525	CP	QPSK	Inner_Full	23.91
n77L	50	30	3525	CP	QPSK	Edge_1RB_Left	22.61
n77L	50	30	3525	CP	QPSK	Edge_1RB_Right	22.26
n77L	50	30	3525	CP	QPSK	Outer_Full	22.72
n77L	50	30	3525	CP	16QAM	Inner_Full	23.63
n77L	50	30	3525	CP	16QAM	Edge_1RB_Left	22.66
n77L	50	30	3525	CP	16QAM	Edge_1RB_Right	22.55
n77L	50	30	3525	CP	16QAM	Outer_Full	22.79
n77L	50	30	3525	CP	64QAM	Inner_Full	21.91
n77L	50	30	3525	CP	64QAM	Edge_1RB_Left	21.99
n77L	50	30	3525	CP	64QAM	Edge_1RB_Right	21.79
n77L	50	30	3525	CP	64QAM	Outer_Full	22.09
n77L	50	30	3525	CP	256QAM	Inner_Full	18.89
n77L	50	30	3525	CP	256QAM	Edge_1RB_Left	19.27
n77L	50	30	3525	CP	256QAM	Edge_1RB_Right	19.47
n77L	50	30	3525	CP	256QAM	Outer_Full	19.06
n77L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	26.25
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	23.01
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	22.54
n77L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	25.58
n77L	60	30	3480	DFT	QPSK	Inner_Full	26.23
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Left	23.00
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Right	22.23
n77L	60	30	3480	DFT	QPSK	Outer_Full	25.13
n77L	60	30	3480	DFT	16QAM	Inner_Full	25.15
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Left	23.46
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Right	22.28
n77L	60	30	3480	DFT	16QAM	Outer_Full	24.26
n77L	60	30	3480	DFT	64QAM	Inner_Full	23.57
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Left	22.45
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Right	21.65
n77L	60	30	3480	DFT	64QAM	Outer_Full	23.61
n77L	60	30	3480	DFT	256QAM	Inner_Full	21.87

n77L	60	30	3480	DFT	256QAM	Edge_1RB_Left	21.96
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Right	21.25
n77L	60	30	3480	DFT	256QAM	Outer_Full	21.55
n77L	60	30	3480	CP	QPSK	Inner_Full	24.55
n77L	60	30	3480	CP	QPSK	Edge_1RB_Left	22.96
n77L	60	30	3480	CP	QPSK	Edge_1RB_Right	22.21
n77L	60	30	3480	CP	QPSK	Outer_Full	23.37
n77L	60	30	3480	CP	16QAM	Inner_Full	24.14
n77L	60	30	3480	CP	16QAM	Edge_1RB_Left	23.31
n77L	60	30	3480	CP	16QAM	Edge_1RB_Right	22.37
n77L	60	30	3480	CP	16QAM	Outer_Full	23.08
n77L	60	30	3480	CP	64QAM	Inner_Full	22.87
n77L	60	30	3480	CP	64QAM	Edge_1RB_Left	22.59
n77L	60	30	3480	CP	64QAM	Edge_1RB_Right	21.82
n77L	60	30	3480	CP	64QAM	Outer_Full	22.60
n77L	60	30	3480	CP	256QAM	Inner_Full	19.77
n77L	60	30	3480	CP	256QAM	Edge_1RB_Left	19.78
n77L	60	30	3480	CP	256QAM	Edge_1RB_Right	19.51
n77L	60	30	3480	CP	256QAM	Outer_Full	19.82
n77L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.94
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.65
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.84
n77L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.26
n77L	60	30	3500.01	DFT	QPSK	Inner_Full	25.88
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.64
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.05
n77L	60	30	3500.01	DFT	QPSK	Outer_Full	24.83
n77L	60	30	3500.01	DFT	16QAM	Inner_Full	24.90
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.16
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.25
n77L	60	30	3500.01	DFT	16QAM	Outer_Full	23.77
n77L	60	30	3500.01	DFT	64QAM	Inner_Full	23.73
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.09
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.05
n77L	60	30	3500.01	DFT	64QAM	Outer_Full	23.60
n77L	60	30	3500.01	DFT	256QAM	Inner_Full	21.77
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.72
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.68
n77L	60	30	3500.01	DFT	256QAM	Outer_Full	21.28
n77L	60	30	3500.01	CP	QPSK	Inner_Full	24.59
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	22.81

n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	21.84
n77L	60	30	3500.01	CP	QPSK	Outer_Full	23.03
n77L	60	30	3500.01	CP	16QAM	Inner_Full	23.89
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	23.05
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	22.34
n77L	60	30	3500.01	CP	16QAM	Outer_Full	22.96
n77L	60	30	3500.01	CP	64QAM	Inner_Full	22.49
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	22.11
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	21.63
n77L	60	30	3500.01	CP	64QAM	Outer_Full	22.49
n77L	60	30	3500.01	CP	256QAM	Inner_Full	19.39
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	19.82
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	19.37
n77L	60	30	3500.01	CP	256QAM	Outer_Full	19.28
n77L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	25.57
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.39
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.41
n77L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	25.29
n77L	60	30	3519.99	DFT	QPSK	Inner_Full	25.59
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	22.36
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	22.76
n77L	60	30	3519.99	DFT	QPSK	Outer_Full	24.68
n77L	60	30	3519.99	DFT	16QAM	Inner_Full	24.51
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	22.41
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	22.59
n77L	60	30	3519.99	DFT	16QAM	Outer_Full	23.70
n77L	60	30	3519.99	DFT	64QAM	Inner_Full	23.14
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	22.30
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	21.99
n77L	60	30	3519.99	DFT	64QAM	Outer_Full	23.23
n77L	60	30	3519.99	DFT	256QAM	Inner_Full	21.16
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	21.27
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	21.20
n77L	60	30	3519.99	DFT	256QAM	Outer_Full	21.10
n77L	60	30	3519.99	CP	QPSK	Inner_Full	24.18
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	22.36
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	22.63
n77L	60	30	3519.99	CP	QPSK	Outer_Full	22.78
n77L	60	30	3519.99	CP	16QAM	Inner_Full	23.48
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	22.44
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	22.58

n77L	60	30	3519.99	CP	16QAM	Outer_Full	22.70
n77L	60	30	3519.99	CP	64QAM	Inner_Full	22.22
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	22.15
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	21.98
n77L	60	30	3519.99	CP	64QAM	Outer_Full	22.23
n77L	60	30	3519.99	CP	256QAM	Inner_Full	19.07
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	19.32
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	19.52
n77L	60	30	3519.99	CP	256QAM	Outer_Full	19.21
n77L	70	30	3485.01	DFT	pi/2 BPSK	Inner_Full	26.13
n77L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.36
n77L	70	30	3485.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.74
n77L	70	30	3485.01	DFT	pi/2 BPSK	Outer_Full	25.69
n77L	70	30	3485.01	DFT	QPSK	Inner_Full	25.79
n77L	70	30	3485.01	DFT	QPSK	Edge_1RB_Left	23.01
n77L	70	30	3485.01	DFT	QPSK	Edge_1RB_Right	21.73
n77L	70	30	3485.01	DFT	QPSK	Outer_Full	25.15
n77L	70	30	3485.01	DFT	16QAM	Inner_Full	24.90
n77L	70	30	3485.01	DFT	16QAM	Edge_1RB_Left	23.03
n77L	70	30	3485.01	DFT	16QAM	Edge_1RB_Right	21.75
n77L	70	30	3485.01	DFT	16QAM	Outer_Full	24.13
n77L	70	30	3485.01	DFT	64QAM	Inner_Full	23.57
n77L	70	30	3485.01	DFT	64QAM	Edge_1RB_Left	22.31
n77L	70	30	3485.01	DFT	64QAM	Edge_1RB_Right	21.69
n77L	70	30	3485.01	DFT	64QAM	Outer_Full	23.43
n77L	70	30	3485.01	DFT	256QAM	Inner_Full	21.35
n77L	70	30	3485.01	DFT	256QAM	Edge_1RB_Left	21.93
n77L	70	30	3485.01	DFT	256QAM	Edge_1RB_Right	20.71
n77L	70	30	3485.01	DFT	256QAM	Outer_Full	21.44
n77L	70	30	3485.01	CP	QPSK	Inner_Full	24.42
n77L	70	30	3485.01	CP	QPSK	Edge_1RB_Left	23.05
n77L	70	30	3485.01	CP	QPSK	Edge_1RB_Right	22.08
n77L	70	30	3485.01	CP	QPSK	Outer_Full	22.88
n77L	70	30	3485.01	CP	16QAM	Inner_Full	23.76
n77L	70	30	3485.01	CP	16QAM	Edge_1RB_Left	23.29
n77L	70	30	3485.01	CP	16QAM	Edge_1RB_Right	21.91
n77L	70	30	3485.01	CP	16QAM	Outer_Full	23.05
n77L	70	30	3485.01	CP	64QAM	Inner_Full	22.40
n77L	70	30	3485.01	CP	64QAM	Edge_1RB_Left	22.38
n77L	70	30	3485.01	CP	64QAM	Edge_1RB_Right	21.87
n77L	70	30	3485.01	CP	64QAM	Outer_Full	22.49

n77L	70	30	3485.01	CP	256QAM	Inner_Full	19.63
n77L	70	30	3485.01	CP	256QAM	Edge_1RB_Left	20.01
n77L	70	30	3485.01	CP	256QAM	Edge_1RB_Right	18.79
n77L	70	30	3485.01	CP	256QAM	Outer_Full	19.68
n77L	70	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.85
n77L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.05
n77L	70	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
n77L	70	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.33
n77L	70	30	3500.01	DFT	QPSK	Inner_Full	25.82
n77L	70	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.86
n77L	70	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.78
n77L	70	30	3500.01	DFT	QPSK	Outer_Full	24.83
n77L	70	30	3500.01	DFT	16QAM	Inner_Full	24.86
n77L	70	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.81
n77L	70	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.04
n77L	70	30	3500.01	DFT	16QAM	Outer_Full	23.74
n77L	70	30	3500.01	DFT	64QAM	Inner_Full	23.63
n77L	70	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.12
n77L	70	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.98
n77L	70	30	3500.01	DFT	64QAM	Outer_Full	23.36
n77L	70	30	3500.01	DFT	256QAM	Inner_Full	21.52
n77L	70	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.46
n77L	70	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.72
n77L	70	30	3500.01	DFT	256QAM	Outer_Full	21.25
n77L	70	30	3500.01	CP	QPSK	Inner_Full	24.18
n77L	70	30	3500.01	CP	QPSK	Edge_1RB_Left	22.64
n77L	70	30	3500.01	CP	QPSK	Edge_1RB_Right	21.75
n77L	70	30	3500.01	CP	QPSK	Outer_Full	22.92
n77L	70	30	3500.01	CP	16QAM	Inner_Full	23.95
n77L	70	30	3500.01	CP	16QAM	Edge_1RB_Left	22.68
n77L	70	30	3500.01	CP	16QAM	Edge_1RB_Right	21.90
n77L	70	30	3500.01	CP	16QAM	Outer_Full	22.98
n77L	70	30	3500.01	CP	64QAM	Inner_Full	22.59
n77L	70	30	3500.01	CP	64QAM	Edge_1RB_Left	22.10
n77L	70	30	3500.01	CP	64QAM	Edge_1RB_Right	21.81
n77L	70	30	3500.01	CP	64QAM	Outer_Full	22.31
n77L	70	30	3500.01	CP	256QAM	Inner_Full	19.27
n77L	70	30	3500.01	CP	256QAM	Edge_1RB_Left	19.58
n77L	70	30	3500.01	CP	256QAM	Edge_1RB_Right	18.70
n77L	70	30	3500.01	CP	256QAM	Outer_Full	19.65
n77L	70	30	3514.98	DFT	pi/2 BPSK	Inner_Full	25.69

n77L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.67
n77L	70	30	3514.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
n77L	70	30	3514.98	DFT	pi/2 BPSK	Outer_Full	25.40
n77L	70	30	3514.98	DFT	QPSK	Inner_Full	25.68
n77L	70	30	3514.98	DFT	QPSK	Edge_1RB_Left	22.42
n77L	70	30	3514.98	DFT	QPSK	Edge_1RB_Right	22.62
n77L	70	30	3514.98	DFT	QPSK	Outer_Full	24.99
n77L	70	30	3514.98	DFT	16QAM	Inner_Full	24.67
n77L	70	30	3514.98	DFT	16QAM	Edge_1RB_Left	22.91
n77L	70	30	3514.98	DFT	16QAM	Edge_1RB_Right	22.63
n77L	70	30	3514.98	DFT	16QAM	Outer_Full	23.69
n77L	70	30	3514.98	DFT	64QAM	Inner_Full	23.22
n77L	70	30	3514.98	DFT	64QAM	Edge_1RB_Left	22.11
n77L	70	30	3514.98	DFT	64QAM	Edge_1RB_Right	21.71
n77L	70	30	3514.98	DFT	64QAM	Outer_Full	23.32
n77L	70	30	3514.98	DFT	256QAM	Inner_Full	21.09
n77L	70	30	3514.98	DFT	256QAM	Edge_1RB_Left	21.24
n77L	70	30	3514.98	DFT	256QAM	Edge_1RB_Right	21.41
n77L	70	30	3514.98	DFT	256QAM	Outer_Full	21.24
n77L	70	30	3514.98	CP	QPSK	Inner_Full	24.28
n77L	70	30	3514.98	CP	QPSK	Edge_1RB_Left	22.41
n77L	70	30	3514.98	CP	QPSK	Edge_1RB_Right	22.54
n77L	70	30	3514.98	CP	QPSK	Outer_Full	22.78
n77L	70	30	3514.98	CP	16QAM	Inner_Full	23.63
n77L	70	30	3514.98	CP	16QAM	Edge_1RB_Left	22.55
n77L	70	30	3514.98	CP	16QAM	Edge_1RB_Right	22.40
n77L	70	30	3514.98	CP	16QAM	Outer_Full	22.75
n77L	70	30	3514.98	CP	64QAM	Inner_Full	22.15
n77L	70	30	3514.98	CP	64QAM	Edge_1RB_Left	22.02
n77L	70	30	3514.98	CP	64QAM	Edge_1RB_Right	21.99
n77L	70	30	3514.98	CP	64QAM	Outer_Full	22.27
n77L	70	30	3514.98	CP	256QAM	Inner_Full	19.46
n77L	70	30	3514.98	CP	256QAM	Edge_1RB_Left	19.63
n77L	70	30	3514.98	CP	256QAM	Edge_1RB_Right	19.21
n77L	70	30	3514.98	CP	256QAM	Outer_Full	19.21
n77L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	26.11
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	23.01
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.74
n77L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	25.64
n77L	80	30	3490.02	DFT	QPSK	Inner_Full	26.07
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	23.35

n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	22.02
n77L	80	30	3490.02	DFT	QPSK	Outer_Full	24.93
n77L	80	30	3490.02	DFT	16QAM	Inner_Full	25.04
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	23.07
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	21.99
n77L	80	30	3490.02	DFT	16QAM	Outer_Full	23.87
n77L	80	30	3490.02	DFT	64QAM	Inner_Full	23.36
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	22.44
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	21.73
n77L	80	30	3490.02	DFT	64QAM	Outer_Full	23.66
n77L	80	30	3490.02	DFT	256QAM	Inner_Full	21.50
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	21.82
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	20.55
n77L	80	30	3490.02	DFT	256QAM	Outer_Full	21.37
n77L	80	30	3490.02	CP	QPSK	Inner_Full	24.48
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	22.94
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	21.71
n77L	80	30	3490.02	CP	QPSK	Outer_Full	23.13
n77L	80	30	3490.02	CP	16QAM	Inner_Full	24.00
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	22.94
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	21.89
n77L	80	30	3490.02	CP	16QAM	Outer_Full	23.10
n77L	80	30	3490.02	CP	64QAM	Inner_Full	22.46
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	22.40
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	21.83
n77L	80	30	3490.02	CP	64QAM	Outer_Full	22.58
n77L	80	30	3490.02	CP	256QAM	Inner_Full	19.36
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	19.96
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	18.91
n77L	80	30	3490.02	CP	256QAM	Outer_Full	19.35
n77L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.84
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.76
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.89
n77L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.31
n77L	80	30	3500.01	DFT	QPSK	Inner_Full	25.88
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.06
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.90
n77L	80	30	3500.01	DFT	QPSK	Outer_Full	24.78
n77L	80	30	3500.01	DFT	16QAM	Inner_Full	24.80
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.93
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	21.95

n77L	80	30	3500.01	DFT	16QAM	Outer_Full	23.99
n77L	80	30	3500.01	DFT	64QAM	Inner_Full	23.50
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.26
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.73
n77L	80	30	3500.01	DFT	64QAM	Outer_Full	23.27
n77L	80	30	3500.01	DFT	256QAM	Inner_Full	21.34
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.92
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.05
n77L	80	30	3500.01	DFT	256QAM	Outer_Full	21.25
n77L	80	30	3500.01	CP	QPSK	Inner_Full	24.54
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	22.68
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	21.92
n77L	80	30	3500.01	CP	QPSK	Outer_Full	22.92
n77L	80	30	3500.01	CP	16QAM	Inner_Full	23.78
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	23.03
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	22.01
n77L	80	30	3500.01	CP	16QAM	Outer_Full	23.00
n77L	80	30	3500.01	CP	64QAM	Inner_Full	22.26
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	22.35
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	21.57
n77L	80	30	3500.01	CP	64QAM	Outer_Full	22.29
n77L	80	30	3500.01	CP	256QAM	Inner_Full	19.30
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	19.71
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	18.80
n77L	80	30	3500.01	CP	256QAM	Outer_Full	19.50
n77L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	25.82
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	22.83
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	22.45
n77L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	25.25
n77L	80	30	3510	DFT	QPSK	Inner_Full	25.89
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Left	22.72
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Right	22.23
n77L	80	30	3510	DFT	QPSK	Outer_Full	24.79
n77L	80	30	3510	DFT	16QAM	Inner_Full	24.82
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Left	22.65
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Right	22.56
n77L	80	30	3510	DFT	16QAM	Outer_Full	23.96
n77L	80	30	3510	DFT	64QAM	Inner_Full	23.46
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Left	22.36
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Right	21.65
n77L	80	30	3510	DFT	64QAM	Outer_Full	23.53