


Annex A.5 Spurious Emission at Antenna Terminals

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.52	-13	Pass	401
0.15	30	0.01	Peak	0.22	-64.69	-13	Pass	2986
30	1000	0.1	Peak	947.165	-53.59	-13	Pass	9701
1000	3000	1	Peak	1851	23.58	-13	N/A	2001
3000	20000	1	Peak	19392	-21.12	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.52	-13	Pass	401
0.15	30	0.01	Peak	0.43	-65.27	-13	Pass	2986
30	1000	0.1	Peak	866.111	-53.24	-13	Pass	9701
1000	3000	1	Peak	1881	23.72	-13	N/A	2001
3000	20000	1	Peak	19796	-22.12	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.12	-13	Pass	401
0.15	30	0.01	Peak	0.26	-65.19	-13	Pass	2986
30	1000	0.1	Peak	978.186	-53.32	-13	Pass	9701
1000	3000	1	Peak	1909	23.77	-13	N/A	2001
3000	20000	1	Peak	19773	-21.7	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.02	-13	Pass	401
0.15	30	0.01	Peak	0.34	-65.22	-13	Pass	2986
30	1000	0.1	Peak	859.307	-52.63	-13	Pass	9701
1000	3000	1	Peak	1714	23.26	-13	N/A	2001
3000	20000	1	Peak	18869	-21.6	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.73	-13	Pass	401
0.15	30	0.01	Peak	0.52	-65.53	-13	Pass	2986
30	1000	0.1	Peak	927.352	-52.7	-13	Pass	9701
1000	3000	1	Peak	1734	23.18	-13	N/A	2001
3000	20000	1	Peak	17150	-21.88	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.69	-13	Pass	401
0.15	30	0.01	Peak	0.34	-64.43	-13	Pass	2986
30	1000	0.1	Peak	760.3	-52.96	-13	Pass	9701
1000	3000	1	Peak	1754	23.14	-13	N/A	2001
3000	20000	1	Peak	19483	-21.22	-13	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-69.08	-13	Pass	401
0.15	30	0.01	Peak	0.5	-64.45	-13	Pass	2986
30	500	0.1	Peak	304.8	-54.24	-13	Pass	4701
500	1000	0.1	Peak	827.1	18.39	-13	N/A	5001
1000	10000	1	Peak	7204	-29.79	-13	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.58	-13	Pass	401
0.15	30	0.01	Peak	0.26	-65.49	-13	Pass	2986
30	500	0.1	Peak	441.1	-53.47	-13	Pass	4701
500	1000	0.1	Peak	835.7	17.51	-13	N/A	5001
1000	10000	1	Peak	6971	-29.03	-13	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.13	-13	Pass	401
0.15	30	0.01	Peak	0.21	-65.2	-13	Pass	2986
30	500	0.1	Peak	479.4	-53.54	-13	Pass	4701
500	1000	0.1	Peak	847.1	17.13	-13	N/A	5001
1000	10000	1	Peak	6975	-28.54	-13	Pass	9002



4. LTE_Band2


4.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.67	-13	Pass	2986
30	1000	0.1	RMS	849.901	-64.19	-13	Pass	9701
1000	1840	1	RMS	1840	-51.45	-13	Pass	841
1840	1920	1	RMS	1850.2	23.03	60	Pass	401
1920	3000	1	RMS	2961	-48.94	-13	Pass	1081
3000	12000	1	RMS	11994	-40.45	-13	Pass	9002
12000	20000	1	RMS	19406	-33.56	-13	Pass	8001




**4.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	Pass	2986
30	1000	0.1	RMS	843.8	-64.15	-13	Pass	9701
1000	1840	1	RMS	1840	-51.72	-13	Pass	841
1840	1920	1	RMS	1850.2	22.19	60	Pass	401
1920	3000	1	RMS	2957	-48.99	-13	Pass	1081
3000	12000	1	RMS	11990	-40.46	-13	Pass	9002
12000	20000	1	RMS	19398	-33.6	-13	Pass	8001




4.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2986
30	1000	0.1	RMS	858.006	-64.22	-13	Pass	9701
1000	1840	1	RMS	1840	-52.33	-13	Pass	841
1840	1920	1	RMS	1879.4	23.14	60	Pass	401
1920	3000	1	RMS	2958	-48.95	-13	Pass	1081
3000	12000	1	RMS	11996	-40.4	-13	Pass	9002
12000	20000	1	RMS	19401	-33.55	-13	Pass	8001




**4.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.01	-13	Pass	2986
30	1000	0.1	RMS	842.8	-64.12	-13	Pass	9701
1000	1840	1	RMS	1837	-52.36	-13	Pass	841
1840	1920	1	RMS	1879.4	22.34	60	Pass	401
1920	3000	1	RMS	2964	-48.9	-13	Pass	1081
3000	12000	1	RMS	12000	-40.5	-13	Pass	9002
12000	20000	1	RMS	19398	-33.6	-13	Pass	8001




4.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.98	-13	Pass	2986
30	1000	0.1	RMS	848.8	-64.2	-13	Pass	9701
1000	1840	1	RMS	1840	-52.36	-13	Pass	841
1840	1920	1	RMS	1908.8	23.04	60	Pass	401
1920	3000	1	RMS	2962	-48.93	-13	Pass	1081
3000	12000	1	RMS	11996	-40.41	-13	Pass	9002
12000	20000	1	RMS	19404	-33.57	-13	Pass	8001




**4.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	Pass	2986
30	1000	0.1	RMS	980.287	-64.14	-13	Pass	9701
1000	1840	1	RMS	1840	-52.35	-13	Pass	841
1840	1920	1	RMS	1908.8	22.17	60	Pass	401
1920	3000	1	RMS	2961	-48.96	-13	Pass	1081
3000	12000	1	RMS	12000	-40.43	-13	Pass	9002
12000	20000	1	RMS	19397	-33.6	-13	Pass	8001




**4.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.7	-13	Pass	2986
30	1000	0.1	RMS	846.8	-64.17	-13	Pass	9701
1000	1840	1	RMS	1840	-51.48	-13	Pass	841
1840	1920	1	RMS	1850.2	23.04	60	Pass	401
1920	3000	1	RMS	2961	-48.94	-13	Pass	1081
3000	12000	1	RMS	12000	-40.49	-13	Pass	9002
12000	20000	1	RMS	19409	-33.58	-13	Pass	8001




**4.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.46	-13	Pass	2986
30	1000	0.1	RMS	837.6	-64.11	-13	Pass	9701
1000	1840	1	RMS	1840	-51.54	-13	Pass	841
1840	1920	1	RMS	1850.2	22.28	60	Pass	401
1920	3000	1	RMS	2960	-48.93	-13	Pass	1081
3000	12000	1	RMS	11994	-40.39	-13	Pass	9002
12000	20000	1	RMS	19401	-33.52	-13	Pass	8001




**4.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2986
30	1000	0.1	RMS	838.8	-64.23	-13	Pass	9701
1000	1840	1	RMS	1840	-52.23	-13	Pass	841
1840	1920	1	RMS	1878.6	23.25	60	Pass	401
1920	3000	1	RMS	2963	-48.98	-13	Pass	1081
3000	12000	1	RMS	11996	-40.53	-13	Pass	9002
12000	20000	1	RMS	19411	-33.59	-13	Pass	8001




**4.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.73	-13	Pass	2986
30	1000	0.1	RMS	826.9	-64.23	-13	Pass	9701
1000	1840	1	RMS	1840	-52.31	-13	Pass	841
1840	1920	1	RMS	1878.6	22.39	60	Pass	401
1920	3000	1	RMS	2959	-48.96	-13	Pass	1081
3000	12000	1	RMS	12000	-40.47	-13	Pass	9002
12000	20000	1	RMS	19402	-33.6	-13	Pass	8001




4.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	Pass	2986
30	1000	0.1	RMS	851.602	-63.94	-13	Pass	9701
1000	1840	1	RMS	1838	-52.3	-13	Pass	841
1840	1920	1	RMS	1907.2	23.08	60	Pass	401
1920	3000	1	RMS	2968	-48.93	-13	Pass	1081
3000	12000	1	RMS	11989	-40.36	-13	Pass	9002
12000	20000	1	RMS	19394	-33.57	-13	Pass	8001




**4.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.84	-13	Pass	2986
30	1000	0.1	RMS	843.3	-64.14	-13	Pass	9701
1000	1840	1	RMS	1813	-52.35	-13	Pass	841
1840	1920	1	RMS	1907.2	22.32	60	Pass	401
1920	3000	1	RMS	2961	-48.89	-13	Pass	1081
3000	12000	1	RMS	11995	-40.47	-13	Pass	9002
12000	20000	1	RMS	19398	-33.54	-13	Pass	8001




**4.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	1000	0.1	RMS	853.803	-64.11	-13	Pass	9701
1000	1840	1	RMS	1840	-51.44	-13	Pass	841
1840	1920	1	RMS	1850.2	23.04	60	Pass	401
1920	3000	1	RMS	2964	-48.95	-13	Pass	1081
3000	12000	1	RMS	11997	-40.42	-13	Pass	9002
12000	20000	1	RMS	19403	-33.57	-13	Pass	8001




**4.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2986
30	1000	0.1	RMS	860.808	-64.01	-13	Pass	9701
1000	1840	1	RMS	1840	-51.57	-13	Pass	841
1840	1920	1	RMS	1850.2	22.23	60	Pass	401
1920	3000	1	RMS	2957	-48.93	-13	Pass	1081
3000	12000	1	RMS	11995	-40.38	-13	Pass	9002
12000	20000	1	RMS	19406	-33.51	-13	Pass	8001




**4.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	Pass	2986
30	1000	0.1	RMS	845	-64.04	-13	Pass	9701
1000	1840	1	RMS	1840	-52.26	-13	Pass	841
1840	1920	1	RMS	1877.8	23.14	60	Pass	401
1920	3000	1	RMS	2952	-48.93	-13	Pass	1081
3000	12000	1	RMS	11993	-40.41	-13	Pass	9002
12000	20000	1	RMS	19395	-33.56	-13	Pass	8001




**4.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.98	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.77	-13	Pass	2986
30	1000	0.1	RMS	865.211	-64.1	-13	Pass	9701
1000	1840	1	RMS	1839	-52.23	-13	Pass	841
1840	1920	1	RMS	1877.8	22.51	60	Pass	401
1920	3000	1	RMS	2968	-48.91	-13	Pass	1081
3000	12000	1	RMS	11997	-40.42	-13	Pass	9002
12000	20000	1	RMS	19403	-33.58	-13	Pass	8001




**4.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-13	Pass	2986
30	1000	0.1	RMS	853.103	-64.13	-13	Pass	9701
1000	1840	1	RMS	1837	-52.37	-13	Pass	841
1840	1920	1	RMS	1905.2	23.06	60	Pass	401
1920	3000	1	RMS	2964	-48.96	-13	Pass	1081
3000	12000	1	RMS	12000	-40.44	-13	Pass	9002
12000	20000	1	RMS	19399	-33.54	-13	Pass	8001




**4.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2986
30	1000	0.1	RMS	829.7	-64.14	-13	Pass	9701
1000	1840	1	RMS	1837	-52.37	-13	Pass	841
1840	1920	1	RMS	1905.2	22.59	60	Pass	401
1920	3000	1	RMS	2966	-48.97	-13	Pass	1081
3000	12000	1	RMS	11994	-40.49	-13	Pass	9002
12000	20000	1	RMS	19399	-33.54	-13	Pass	8001




4.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.69	-13	Pass	2986
30	1000	0.1	RMS	991.895	-64.15	-13	Pass	9701
1000	1840	1	RMS	1840	-51.26	-13	Pass	841
1840	1920	1	RMS	1850.4	23.04	60	Pass	401
1920	3000	1	RMS	2970	-48.96	-13	Pass	1081
3000	12000	1	RMS	12000	-40.45	-13	Pass	9002
12000	20000	1	RMS	19398	-33.57	-13	Pass	8001




**4.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2986
30	1000	0.1	RMS	865.611	-64.03	-13	Pass	9701
1000	1840	1	RMS	1840	-51.41	-13	Pass	841
1840	1920	1	RMS	1850.4	22.37	60	Pass	401
1920	3000	1	RMS	2967	-48.93	-13	Pass	1081
3000	12000	1	RMS	12000	-40.45	-13	Pass	9002
12000	20000	1	RMS	19395	-33.61	-13	Pass	8001




4.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2986
30	1000	0.1	RMS	831.3	-64.22	-13	Pass	9701
1000	1840	1	RMS	1837	-52.25	-13	Pass	841
1840	1920	1	RMS	1875.4	23.19	60	Pass	401
1920	3000	1	RMS	2956	-48.94	-13	Pass	1081
3000	12000	1	RMS	11989	-40.48	-13	Pass	9002
12000	20000	1	RMS	19399	-33.59	-13	Pass	8001




**4.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.49	-13	Pass	2986
30	1000	0.1	RMS	843.8	-64.21	-13	Pass	9701
1000	1840	1	RMS	1837	-52.3	-13	Pass	841
1840	1920	1	RMS	1875.4	22.42	60	Pass	401
1920	3000	1	RMS	2960	-48.9	-13	Pass	1081
3000	12000	1	RMS	11997	-40.48	-13	Pass	9002
12000	20000	1	RMS	19412	-33.62	-13	Pass	8001




4.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	Pass	2986
30	1000	0.1	RMS	833.3	-64.13	-13	Pass	9701
1000	1840	1	RMS	1835	-52.34	-13	Pass	841
1840	1920	1	RMS	1900.4	23.09	60	Pass	401
1920	3000	1	RMS	2957	-48.91	-13	Pass	1081
3000	12000	1	RMS	11999	-40.47	-13	Pass	9002
12000	20000	1	RMS	19403	-33.5	-13	Pass	8001




**4.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.98	-13	Pass	2986
30	1000	0.1	RMS	856.805	-64.14	-13	Pass	9701
1000	1840	1	RMS	1820	-52.37	-13	Pass	841
1840	1920	1	RMS	1900.4	22.36	60	Pass	401
1920	3000	1	RMS	2969	-48.94	-13	Pass	1081
3000	12000	1	RMS	12000	-40.44	-13	Pass	9002
12000	20000	1	RMS	19405	-33.64	-13	Pass	8001




4.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.07	-13	Pass	2986
30	1000	0.1	RMS	821.5	-64.14	-13	Pass	9701
1000	1840	1	RMS	1838	-50.65	-13	Pass	841
1840	1920	1	RMS	1850.8	22.97	60	Pass	401
1920	3000	1	RMS	2964	-48.95	-13	Pass	1081
3000	12000	1	RMS	12000	-40.38	-13	Pass	9002
12000	20000	1	RMS	19402	-33.44	-13	Pass	8001




**4.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2986
30	1000	0.1	RMS	852.202	-64.08	-13	Pass	9701
1000	1840	1	RMS	1838	-50.98	-13	Pass	841
1840	1920	1	RMS	1850.8	22.27	60	Pass	401
1920	3000	1	RMS	2961	-48.96	-13	Pass	1081
3000	12000	1	RMS	11997	-40.46	-13	Pass	9002
12000	20000	1	RMS	19404	-33.55	-13	Pass	8001




4.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.81	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.74	-13	Pass	2986
30	1000	0.1	RMS	855.004	-64.14	-13	Pass	9701
1000	1840	1	RMS	1822	-52.28	-13	Pass	841
1840	1920	1	RMS	1873.2	23.16	60	Pass	401
1920	3000	1	RMS	2967	-48.94	-13	Pass	1081
3000	12000	1	RMS	11998	-40.38	-13	Pass	9002
12000	20000	1	RMS	19396	-33.57	-13	Pass	8001




**4.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.69	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.62	-13	Pass	2986
30	1000	0.1	RMS	823.2	-64.14	-13	Pass	9701
1000	1840	1	RMS	1840	-52.27	-13	Pass	841
1840	1920	1	RMS	1873.2	22.31	60	Pass	401
1920	3000	1	RMS	2965	-48.94	-13	Pass	1081
3000	12000	1	RMS	11993	-40.46	-13	Pass	9002
12000	20000	1	RMS	19398	-33.47	-13	Pass	8001




4.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.52	-13	Pass	2986
30	1000	0.1	RMS	835.6	-64.17	-13	Pass	9701
1000	1840	1	RMS	1839	-52.35	-13	Pass	841
1840	1920	1	RMS	1895.8	23.13	60	Pass	401
1920	3000	1	RMS	1922	-44.92	-13	Pass	1081
3000	12000	1	RMS	11993	-40.44	-13	Pass	9002
12000	20000	1	RMS	19401	-33.53	-13	Pass	8001




**4.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2986
30	1000	0.1	RMS	848	-64.12	-13	Pass	9701
1000	1840	1	RMS	1820	-52.33	-13	Pass	841
1840	1920	1	RMS	1895.8	22.52	60	Pass	401
1920	3000	1	RMS	1922	-45.7	-13	Pass	1081
3000	12000	1	RMS	11996	-40.38	-13	Pass	9002
12000	20000	1	RMS	19402	-33.53	-13	Pass	8001




4.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-75.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2986
30	1000	0.1	RMS	853.803	-64.12	-13	Pass	9701
1000	1840	1	RMS	1840	-51.52	-13	Pass	841
1840	1920	1	RMS	1851	23.09	60	Pass	401
1920	3000	1	RMS	2957	-48.94	-13	Pass	1081
3000	12000	1	RMS	11995	-40.44	-13	Pass	9002
12000	20000	1	RMS	19401	-33.57	-13	Pass	8001




**4.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.28	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.68	-13	Pass	2986
30	1000	0.1	RMS	846.7	-64.17	-13	Pass	9701
1000	1840	1	RMS	1840	-51.5	-13	Pass	841
1840	1920	1	RMS	1851	22.38	60	Pass	401
1920	3000	1	RMS	2963	-48.92	-13	Pass	1081
3000	12000	1	RMS	11999	-40.39	-13	Pass	9002
12000	20000	1	RMS	19404	-33.62	-13	Pass	8001




4.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-13	Pass	2986
30	1000	0.1	RMS	834.9	-64.13	-13	Pass	9701
1000	1840	1	RMS	1836	-52.24	-13	Pass	841
1840	1920	1	RMS	1871	23.06	60	Pass	401
1920	3000	1	RMS	2968	-48.94	-13	Pass	1081
3000	12000	1	RMS	11995	-40.42	-13	Pass	9002
12000	20000	1	RMS	19395	-33.59	-13	Pass	8001




**4.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2986
30	1000	0.1	RMS	842.6	-64.11	-13	Pass	9701
1000	1840	1	RMS	1840	-52.29	-13	Pass	841
1840	1920	1	RMS	1871	22.32	60	Pass	401
1920	3000	1	RMS	2961	-48.91	-13	Pass	1081
3000	12000	1	RMS	11994	-40.46	-13	Pass	9002
12000	20000	1	RMS	19402	-33.6	-13	Pass	8001




4.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.47	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73	-13	Pass	2986
30	1000	0.1	RMS	842.9	-64.17	-13	Pass	9701
1000	1840	1	RMS	1840	-52.36	-13	Pass	841
1840	1920	1	RMS	1891	23.1	60	Pass	401
1920	3000	1	RMS	2956	-48.9	-13	Pass	1081
3000	12000	1	RMS	11994	-40.4	-13	Pass	9002
12000	20000	1	RMS	19395	-33.53	-13	Pass	8001



**4.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2986
30	1000	0.1	RMS	844.4	-64.19	-13	Pass	9701
1000	1840	1	RMS	1840	-52.37	-13	Pass	841
1840	1920	1	RMS	1891	22.26	60	Pass	401
1920	3000	1	RMS	2961	-48.94	-13	Pass	1081
3000	12000	1	RMS	11998	-40.47	-13	Pass	9002
12000	20000	1	RMS	19403	-33.56	-13	Pass	8001



5. LTE_Band4


5.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	Pass	2986
30	1000	0.1	RMS	848.9	-64.14	-13	Pass	9701
1000	1700	1	RMS	1700	-51.8	-13	Pass	701
1700	1765	1	RMS	1710.238	22.53	60	Pass	401
1765	3000	1	RMS	2958	-48.95	-13	Pass	1236
3000	12000	1	RMS	11999	-40.43	-13	Pass	9002
12000	20000	1	RMS	19412	-33.58	-13	Pass	8001




5.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-13	Pass	2986
30	1000	0.1	RMS	859.107	-64.17	-13	Pass	9701
1000	1700	1	RMS	1700	-51.91	-13	Pass	701
1700	1765	1	RMS	1710.075	21.68	60	Pass	401
1765	3000	1	RMS	2959	-48.93	-13	Pass	1236
3000	12000	1	RMS	11996	-40.41	-13	Pass	9002
12000	20000	1	RMS	19406	-33.6	-13	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	Pass	2986
30	1000	0.1	RMS	850.801	-64.16	-13	Pass	9701
1000	1700	1	RMS	1698	-52.72	-13	Pass	701
1700	1765	1	RMS	1732.013	22.54	60	Pass	401
1765	3000	1	RMS	2966	-48.9	-13	Pass	1236
3000	12000	1	RMS	11999	-40.43	-13	Pass	9002
12000	20000	1	RMS	19398	-33.61	-13	Pass	8001




5.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-13	Pass	2986
30	1000	0.1	RMS	868.713	-64.14	-13	Pass	9701
1000	1700	1	RMS	1699	-52.7	-13	Pass	701
1700	1765	1	RMS	1732.013	21.67	60	Pass	401
1765	3000	1	RMS	2964	-48.92	-13	Pass	1236
3000	12000	1	RMS	11993	-40.47	-13	Pass	9002
12000	20000	1	RMS	19408	-33.62	-13	Pass	8001




5.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	Pass	2986
30	1000	0.1	RMS	834.9	-64.04	-13	Pass	9701
1000	1700	1	RMS	1698	-52.75	-13	Pass	701
1700	1765	1	RMS	1753.788	22.55	60	Pass	401
1765	3000	1	RMS	2962	-48.89	-13	Pass	1236
3000	12000	1	RMS	11984	-40.48	-13	Pass	9002
12000	20000	1	RMS	19408	-33.56	-13	Pass	8001




5.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	Pass	2986
30	1000	0.1	RMS	830.6	-64.13	-13	Pass	9701
1000	1700	1	RMS	1697	-52.77	-13	Pass	701
1700	1765	1	RMS	1753.788	21.8	60	Pass	401
1765	3000	1	RMS	2969	-48.91	-13	Pass	1236
3000	12000	1	RMS	11999	-40.46	-13	Pass	9002
12000	20000	1	RMS	19413	-33.61	-13	Pass	8001




5.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2986
30	1000	0.1	RMS	844.6	-64.13	-13	Pass	9701
1000	1700	1	RMS	1700	-51.61	-13	Pass	701
1700	1765	1	RMS	1710.075	22.59	60	Pass	401
1765	3000	1	RMS	2965	-48.9	-13	Pass	1236
3000	12000	1	RMS	12000	-40.35	-13	Pass	9002
12000	20000	1	RMS	19400	-33.56	-13	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	Pass	2986
30	1000	0.1	RMS	992.395	-64.18	-13	Pass	9701
1000	1700	1	RMS	1700	-51.79	-13	Pass	701
1700	1765	1	RMS	1710.238	21.92	60	Pass	401
1765	3000	1	RMS	2958	-48.89	-13	Pass	1236
3000	12000	1	RMS	11998	-40.39	-13	Pass	9002
12000	20000	1	RMS	19400	-33.55	-13	Pass	8001




5.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.61	-13	Pass	2986
30	1000	0.1	RMS	846.3	-64.11	-13	Pass	9701
1000	1700	1	RMS	1700	-52.66	-13	Pass	701
1700	1765	1	RMS	1731.2	22.68	60	Pass	401
1765	3000	1	RMS	2965	-48.79	-13	Pass	1236
3000	12000	1	RMS	11995	-40.47	-13	Pass	9002
12000	20000	1	RMS	19414	-33.52	-13	Pass	8001




**5.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	1000	0.1	RMS	847.8	-64.06	-13	Pass	9701
1000	1700	1	RMS	1700	-52.7	-13	Pass	701
1700	1765	1	RMS	1731.2	21.75	60	Pass	401
1765	3000	1	RMS	2957	-48.88	-13	Pass	1236
3000	12000	1	RMS	12000	-40.38	-13	Pass	9002
12000	20000	1	RMS	19399	-33.59	-13	Pass	8001




**5.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11,
Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.34	-13	Pass	2986
30	1000	0.1	RMS	864.01	-64.12	-13	Pass	9701
1000	1700	1	RMS	1698	-52.74	-13	Pass	701
1700	1765	1	RMS	1752.163	22.6	60	Pass	401
1765	3000	1	RMS	2970	-48.89	-13	Pass	1236
3000	12000	1	RMS	12000	-40.32	-13	Pass	9002
12000	20000	1	RMS	19402	-33.52	-13	Pass	8001




**5.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.79	-13	Pass	2986
30	1000	0.1	RMS	829.2	-63.97	-13	Pass	9701
1000	1700	1	RMS	1699	-52.78	-13	Pass	701
1700	1765	1	RMS	1752.163	21.94	60	Pass	401
1765	3000	1	RMS	2953	-48.91	-13	Pass	1236
3000	12000	1	RMS	11983	-40.43	-13	Pass	9002
12000	20000	1	RMS	19400	-33.55	-13	Pass	8001




**5.13. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2986
30	1000	0.1	RMS	850.401	-64.06	-13	Pass	9701
1000	1700	1	RMS	1700	-51.51	-13	Pass	701
1700	1765	1	RMS	1710.238	22.61	60	Pass	401
1765	3000	1	RMS	2967	-48.91	-13	Pass	1236
3000	12000	1	RMS	11993	-40.36	-13	Pass	9002
12000	20000	1	RMS	19399	-33.56	-13	Pass	8001




**5.14. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2986
30	1000	0.1	RMS	842.7	-64.13	-13	Pass	9701
1000	1700	1	RMS	1700	-51.55	-13	Pass	701
1700	1765	1	RMS	1710.238	21.87	60	Pass	401
1765	3000	1	RMS	2967	-48.91	-13	Pass	1236
3000	12000	1	RMS	11998	-40.38	-13	Pass	9002
12000	20000	1	RMS	19401	-33.59	-13	Pass	8001




**5.15. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	Pass	2986
30	1000	0.1	RMS	850.701	-64.14	-13	Pass	9701
1000	1700	1	RMS	1700	-52.67	-13	Pass	701
1700	1765	1	RMS	1730.225	22.57	60	Pass	401
1765	3000	1	RMS	2958	-48.91	-13	Pass	1236
3000	12000	1	RMS	11996	-40.3	-13	Pass	9002
12000	20000	1	RMS	19400	-33.61	-13	Pass	8001




**5.16. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.99	-13	Pass	2986
30	1000	0.1	RMS	826.7	-64.18	-13	Pass	9701
1000	1700	1	RMS	1700	-52.74	-13	Pass	701
1700	1765	1	RMS	1730.225	21.94	60	Pass	401
1765	3000	1	RMS	2958	-48.97	-13	Pass	1236
3000	12000	1	RMS	11999	-40.4	-13	Pass	9002
12000	20000	1	RMS	19401	-33.59	-13	Pass	8001




**5.17. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.25	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.71	-13	Pass	2986
30	1000	0.1	RMS	858.806	-64.15	-13	Pass	9701
1000	1700	1	RMS	1698	-52.8	-13	Pass	701
1700	1765	1	RMS	1750.213	22.65	60	Pass	401
1765	3000	1	RMS	2960	-48.92	-13	Pass	1236
3000	12000	1	RMS	12000	-40.45	-13	Pass	9002
12000	20000	1	RMS	19400	-33.62	-13	Pass	8001




**5.18. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.24	-73.18	-13	Pass	2986
30	1000	0.1	RMS	868.513	-64.11	-13	Pass	9701
1000	1700	1	RMS	1700	-52.8	-13	Pass	701
1700	1765	1	RMS	1750.213	21.92	60	Pass	401
1765	3000	1	RMS	2968	-48.93	-13	Pass	1236
3000	12000	1	RMS	12000	-40.43	-13	Pass	9002
12000	20000	1	RMS	19387	-33.62	-13	Pass	8001




5.19. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.18	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.73	-13	Pass	2986
30	1000	0.1	RMS	845.3	-64.23	-13	Pass	9701
1000	1700	1	RMS	1700	-51.59	-13	Pass	701
1700	1765	1	RMS	1710.563	22.66	60	Pass	401
1765	3000	1	RMS	2954	-48.9	-13	Pass	1236
3000	12000	1	RMS	11998	-40.33	-13	Pass	9002
12000	20000	1	RMS	19400	-33.48	-13	Pass	8001




**5.20. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:20,
Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.63	-13	Pass	2986
30	1000	0.1	RMS	841.1	-64.13	-13	Pass	9701
1000	1700	1	RMS	1693	-51.4	-13	Pass	701
1700	1765	1	RMS	1710.563	21.93	60	Pass	401
1765	3000	1	RMS	2971	-48.93	-13	Pass	1236
3000	12000	1	RMS	11996	-40.44	-13	Pass	9002
12000	20000	1	RMS	19400	-33.59	-13	Pass	8001




5.21. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.68	-13	Pass	2986
30	1000	0.1	RMS	862.209	-64.03	-13	Pass	9701
1000	1700	1	RMS	1700	-52.71	-13	Pass	701
1700	1765	1	RMS	1727.95	22.7	60	Pass	401
1765	3000	1	RMS	2970	-48.92	-13	Pass	1236
3000	12000	1	RMS	11999	-40.41	-13	Pass	9002
12000	20000	1	RMS	19410	-33.53	-13	Pass	8001




**5.22. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.79	-13	Pass	2986
30	1000	0.1	RMS	834.2	-64.14	-13	Pass	9701
1000	1700	1	RMS	1700	-52.69	-13	Pass	701
1700	1765	1	RMS	1727.95	21.81	60	Pass	401
1765	3000	1	RMS	2964	-48.94	-13	Pass	1236
3000	12000	1	RMS	11997	-40.27	-13	Pass	9002
12000	20000	1	RMS	19405	-33.57	-13	Pass	8001




5.23. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.75	-13	Pass	2986
30	1000	0.1	RMS	835.5	-64.08	-13	Pass	9701
1000	1700	1	RMS	1700	-52.8	-13	Pass	701
1700	1765	1	RMS	1745.5	22.63	60	Pass	401
1765	3000	1	RMS	2957	-48.94	-13	Pass	1236
3000	12000	1	RMS	11999	-40.41	-13	Pass	9002
12000	20000	1	RMS	19400	-33.53	-13	Pass	8001




**5.24. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.32	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.43	-13	Pass	2986
30	1000	0.1	RMS	837	-64.19	-13	Pass	9701
1000	1700	1	RMS	1700	-52.72	-13	Pass	701
1700	1765	1	RMS	1745.5	21.86	60	Pass	401
1765	3000	1	RMS	2959	-48.92	-13	Pass	1236
3000	12000	1	RMS	11998	-40.43	-13	Pass	9002
12000	20000	1	RMS	19405	-33.62	-13	Pass	8001




5.25. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.69	-13	Pass	2986
30	1000	0.1	RMS	831.8	-64.04	-13	Pass	9701
1000	1700	1	RMS	1698	-46.64	-13	Pass	701
1700	1765	1	RMS	1710.725	22.54	60	Pass	401
1765	3000	1	RMS	2957	-48.8	-13	Pass	1236
3000	12000	1	RMS	12000	-40.4	-13	Pass	9002
12000	20000	1	RMS	19406	-33.58	-13	Pass	8001




**5.26. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.95	-13	Pass	2986
30	1000	0.1	RMS	848.5	-64.08	-13	Pass	9701
1000	1700	1	RMS	1698	-47.61	-13	Pass	701
1700	1765	1	RMS	1710.725	21.97	60	Pass	401
1765	3000	1	RMS	2951	-48.88	-13	Pass	1236
3000	12000	1	RMS	11997	-40.42	-13	Pass	9002
12000	20000	1	RMS	19399	-33.53	-13	Pass	8001




5.27. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2986
30	1000	0.1	RMS	848.3	-64.05	-13	Pass	9701
1000	1700	1	RMS	1699	-51.94	-13	Pass	701
1700	1765	1	RMS	1725.675	22.6	60	Pass	401
1765	3000	1	RMS	2960	-48.91	-13	Pass	1236
3000	12000	1	RMS	11998	-40.42	-13	Pass	9002
12000	20000	1	RMS	19402	-33.48	-13	Pass	8001




**5.28. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2986
30	1000	0.1	RMS	825.6	-64.16	-13	Pass	9701
1000	1700	1	RMS	1699	-51.93	-13	Pass	701
1700	1765	1	RMS	1725.838	21.79	60	Pass	401
1765	3000	1	RMS	2965	-48.96	-13	Pass	1236
3000	12000	1	RMS	11971	-40.48	-13	Pass	9002
12000	20000	1	RMS	19403	-33.57	-13	Pass	8001




5.29. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.51	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.95	-13	Pass	2986
30	1000	0.1	RMS	818.2	-64.05	-13	Pass	9701
1000	1700	1	RMS	1699	-52.76	-13	Pass	701
1700	1765	1	RMS	1740.788	22.59	60	Pass	401
1765	3000	1	RMS	1767	-44.48	-13	Pass	1236
3000	12000	1	RMS	12000	-40.47	-13	Pass	9002
12000	20000	1	RMS	19389	-33.6	-13	Pass	8001




**5.30. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2986
30	1000	0.1	RMS	849.7	-64.14	-13	Pass	9701
1000	1700	1	RMS	1700	-52.73	-13	Pass	701
1700	1765	1	RMS	1740.788	21.85	60	Pass	401
1765	3000	1	RMS	1767	-44.86	-13	Pass	1236
3000	12000	1	RMS	11995	-40.46	-13	Pass	9002
12000	20000	1	RMS	19409	-33.63	-13	Pass	8001




5.31. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	847.2	-64.21	-13	Pass	9701
1000	1700	1	RMS	1693	-48.96	-13	Pass	701
1700	1765	1	RMS	1711.05	22.57	60	Pass	401
1765	3000	1	RMS	2968	-48.93	-13	Pass	1236
3000	12000	1	RMS	11999	-40.4	-13	Pass	9002
12000	20000	1	RMS	19396	-33.51	-13	Pass	8001




**5.32. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:32,
Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.91	-13	Pass	2986
30	1000	0.1	RMS	855.004	-64.11	-13	Pass	9701
1000	1700	1	RMS	1693	-49.7	-13	Pass	701
1700	1765	1	RMS	1711.05	21.94	60	Pass	401
1765	3000	1	RMS	2961	-48.91	-13	Pass	1236
3000	12000	1	RMS	11997	-40.47	-13	Pass	9002
12000	20000	1	RMS	19403	-33.53	-13	Pass	8001




5.33. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.6	-13	Pass	2986
30	1000	0.1	RMS	826.8	-64.06	-13	Pass	9701
1000	1700	1	RMS	1697	-52.17	-13	Pass	701
1700	1765	1	RMS	1723.563	22.64	60	Pass	401
1765	3000	1	RMS	2954	-48.91	-13	Pass	1236
3000	12000	1	RMS	11992	-40.4	-13	Pass	9002
12000	20000	1	RMS	19394	-33.55	-13	Pass	8001




**5.34. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2986
30	1000	0.1	RMS	843	-64.09	-13	Pass	9701
1000	1700	1	RMS	1697	-52.29	-13	Pass	701
1700	1765	1	RMS	1723.563	21.81	60	Pass	401
1765	3000	1	RMS	2960	-48.94	-13	Pass	1236
3000	12000	1	RMS	11996	-40.4	-13	Pass	9002
12000	20000	1	RMS	19406	-33.52	-13	Pass	8001




**5.35. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.53	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.27	-13	Pass	2986
30	1000	0.1	RMS	849.3	-64.15	-13	Pass	9701
1000	1700	1	RMS	1700	-52.39	-13	Pass	701
1700	1765	1	RMS	1736.075	22.53	60	Pass	401
1765	3000	1	RMS	1772	-44.15	-13	Pass	1236
3000	12000	1	RMS	11994	-40.42	-13	Pass	9002
12000	20000	1	RMS	19402	-33.5	-13	Pass	8001



**5.36. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2986
30	1000	0.1	RMS	845.3	-64.02	-13	Pass	9701
1000	1700	1	RMS	1700	-52.35	-13	Pass	701
1700	1765	1	RMS	1736.075	21.68	60	Pass	401
1765	3000	1	RMS	1772	-44.96	-13	Pass	1236
3000	12000	1	RMS	12000	-40.37	-13	Pass	9002
12000	20000	1	RMS	19404	-33.6	-13	Pass	8001



6. LTE_Band5


6.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.9	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.2	-13	Pass	7841
814	860	0.1	RMS	824.2	19.63	60	Pass	461
860	1000	0.1	RMS	870.3	-64.21	-13	Pass	1401
1000	3000	1	RMS	1648	-43.84	-13	Pass	2001
3000	10000	1	RMS	6965	-41.24	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.67	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.37	-13	Pass	7841
814	860	0.1	RMS	824.3	18.66	60	Pass	461
860	1000	0.1	RMS	871.3	-64.22	-13	Pass	1401
1000	3000	1	RMS	1648	-44.68	-13	Pass	2001
3000	10000	1	RMS	6961	-41.25	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.8	-13	Pass	2986
30	814	0.1	RMS	807.5	-64.17	-13	Pass	7841
814	860	0.1	RMS	836	19.76	60	Pass	461
860	1000	0.1	RMS	866.7	-64.25	-13	Pass	1401
1000	3000	1	RMS	1672	-48.75	-13	Pass	2001
3000	10000	1	RMS	6963	-41.26	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.57	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.9	-13	Pass	2986
30	814	0.1	RMS	806.4	-64.18	-13	Pass	7841
814	860	0.1	RMS	836.1	18.81	60	Pass	461
860	1000	0.1	RMS	862.2	-64.3	-13	Pass	1401
1000	3000	1	RMS	2965	-48.95	-13	Pass	2001
3000	10000	1	RMS	6965	-41.24	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2986
30	814	0.1	RMS	813.9	-64.41	-13	Pass	7841
814	860	0.1	RMS	847.8	19.71	60	Pass	461
860	1000	0.1	RMS	987.7	-64.29	-13	Pass	1401
1000	3000	1	RMS	2967	-48.92	-13	Pass	2001
3000	10000	1	RMS	6960	-41.32	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.68	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.94	-13	Pass	2986
30	814	0.1	RMS	811.2	-64.4	-13	Pass	7841
814	860	0.1	RMS	847.8	18.77	60	Pass	461
860	1000	0.1	RMS	860.5	-64.22	-13	Pass	1401
1000	3000	1	RMS	2957	-48.89	-13	Pass	2001
3000	10000	1	RMS	6969	-41.21	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.24	-13	Pass	7841
814	860	0.1	RMS	824.2	20.08	60	Pass	461
860	1000	0.1	RMS	869.4	-64.22	-13	Pass	1401
1000	3000	1	RMS	1648	-43.69	-13	Pass	2001
3000	10000	1	RMS	6964	-41.33	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.81	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.19	-13	Pass	7841
814	860	0.1	RMS	824.2	19.13	60	Pass	461
860	1000	0.1	RMS	870.1	-64.17	-13	Pass	1401
1000	3000	1	RMS	1648	-44.44	-13	Pass	2001
3000	10000	1	RMS	6963	-41.26	-13	Pass	7001




6.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.99	-13	Pass	2986
30	814	0.1	RMS	811.1	-64.11	-13	Pass	7841
814	860	0.1	RMS	835.2	20.11	60	Pass	461
860	1000	0.1	RMS	882.5	-64.32	-13	Pass	1401
1000	3000	1	RMS	2965	-48.95	-13	Pass	2001
3000	10000	1	RMS	6962	-41.29	-13	Pass	7001




**6.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-13	Pass	2986
30	814	0.1	RMS	756.4	-64.34	-13	Pass	7841
814	860	0.1	RMS	835.2	19.12	60	Pass	461
860	1000	0.1	RMS	861.8	-64.3	-13	Pass	1401
1000	3000	1	RMS	2957	-48.96	-13	Pass	2001
3000	10000	1	RMS	6966	-41.28	-13	Pass	7001




**6.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	Pass	2986
30	814	0.1	RMS	806	-64.35	-13	Pass	7841
814	860	0.1	RMS	846.2	20.02	60	Pass	461
860	1000	0.1	RMS	987.8	-64.16	-13	Pass	1401
1000	3000	1	RMS	2959	-48.96	-13	Pass	2001
3000	10000	1	RMS	6961	-41.32	-13	Pass	7001




**6.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.41	-13	Pass	2986
30	814	0.1	RMS	806.4	-64.4	-13	Pass	7841
814	860	0.1	RMS	846.2	19.24	60	Pass	461
860	1000	0.1	RMS	989.8	-64.07	-13	Pass	1401
1000	3000	1	RMS	2961	-48.95	-13	Pass	2001
3000	10000	1	RMS	6967	-41.35	-13	Pass	7001




**6.13. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.07	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.54	-13	Pass	7841
814	860	0.1	RMS	824.3	19.98	60	Pass	461
860	1000	0.1	RMS	869.9	-64.24	-13	Pass	1401
1000	3000	1	RMS	1648	-43.94	-13	Pass	2001
3000	10000	1	RMS	6967	-41.3	-13	Pass	7001




**6.14. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.89	-13	Pass	7841
814	860	0.1	RMS	824.3	18.99	60	Pass	461
860	1000	0.1	RMS	871.4	-64.28	-13	Pass	1401
1000	3000	1	RMS	1648	-44.68	-13	Pass	2001
3000	10000	1	RMS	6965	-41.32	-13	Pass	7001




**6.15. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.44	-13	Pass	2986
30	814	0.1	RMS	813.7	-64.41	-13	Pass	7841
814	860	0.1	RMS	834.3	20.06	60	Pass	461
860	1000	0.1	RMS	863.3	-64.29	-13	Pass	1401
1000	3000	1	RMS	2964	-48.96	-13	Pass	2001
3000	10000	1	RMS	6960	-41.39	-13	Pass	7001




**6.16. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-13	Pass	2986
30	814	0.1	RMS	806.4	-64.01	-13	Pass	7841
814	860	0.1	RMS	834.3	19.34	60	Pass	461
860	1000	0.1	RMS	870.4	-64.28	-13	Pass	1401
1000	3000	1	RMS	2958	-48.94	-13	Pass	2001
3000	10000	1	RMS	6963	-41.3	-13	Pass	7001




**6.17. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.82	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.31	-13	Pass	2986
30	814	0.1	RMS	758.9	-64.34	-13	Pass	7841
814	860	0.1	RMS	844.3	20.1	60	Pass	461
860	1000	0.1	RMS	998.6	-64.23	-13	Pass	1401
1000	3000	1	RMS	1688	-45.4	-13	Pass	2001
3000	10000	1	RMS	6962	-41.31	-13	Pass	7001




**6.18. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.76	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-13	Pass	2986
30	814	0.1	RMS	806.4	-64.19	-13	Pass	7841
814	860	0.1	RMS	844.3	19.37	60	Pass	461
860	1000	0.1	RMS	867.7	-64.35	-13	Pass	1401
1000	3000	1	RMS	1688	-46.03	-13	Pass	2001
3000	10000	1	RMS	6960	-41.24	-13	Pass	7001




6.19. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.32	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.05	-13	Pass	7841
814	860	0.1	RMS	824.6	20.32	60	Pass	461
860	1000	0.1	RMS	873.5	-64.22	-13	Pass	1401
1000	3000	1	RMS	1649	-44.48	-13	Pass	2001
3000	10000	1	RMS	6964	-41.3	-13	Pass	7001




**6.20. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.27	-13	Pass	7841
814	860	0.1	RMS	824.6	19.71	60	Pass	461
860	1000	0.1	RMS	873.5	-64.17	-13	Pass	1401
1000	3000	1	RMS	1649	-45.19	-13	Pass	2001
3000	10000	1	RMS	6966	-41.33	-13	Pass	7001




6.21. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.07	-13	Pass	7841
814	860	0.1	RMS	832.1	20.5	60	Pass	461
860	1000	0.1	RMS	864.2	-64.25	-13	Pass	1401
1000	3000	1	RMS	2964	-48.92	-13	Pass	2001
3000	10000	1	RMS	6965	-41.3	-13	Pass	7001




**6.22. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.04	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.41	-13	Pass	7841
814	860	0.1	RMS	832.1	19.55	60	Pass	461
860	1000	0.1	RMS	860.8	-64.32	-13	Pass	1401
1000	3000	1	RMS	2960	-48.94	-13	Pass	2001
3000	10000	1	RMS	6962	-41.29	-13	Pass	7001




6.23. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.78	-13	Pass	2986
30	814	0.1	RMS	806.4	-64.23	-13	Pass	7841
814	860	0.1	RMS	839.6	20.4	60	Pass	461
860	1000	0.1	RMS	865.7	-64.37	-13	Pass	1401
1000	3000	1	RMS	1679	-44.5	-13	Pass	2001
3000	10000	1	RMS	6960	-41.27	-13	Pass	7001



**6.24. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.18	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.65	-13	Pass	2986
30	814	0.1	RMS	806.4	-64.04	-13	Pass	7841
814	860	0.1	RMS	839.6	19.67	60	Pass	461
860	1000	0.1	RMS	888.1	-64.25	-13	Pass	1401
1000	3000	1	RMS	1679	-45.19	-13	Pass	2001
3000	10000	1	RMS	6963	-41.26	-13	Pass	7001



7. LTE_Band7


7.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-73.08	-25	Pass	2986
30	1000	0.1	RMS	849.7	-64.18	-25	Pass	9701
1000	2490	1	RMS	2490	-49.73	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.65	60	Pass	401
2580	3000	1	RMS	2957	-48.97	-25	Pass	421
3000	12000	1	RMS	11997	-50.61	-25	Pass	9002
12000	26000	1	RMS	25982	-38.82	-25	Pass	14002




7.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-25	Pass	2986
30	1000	0.1	RMS	833.2	-64.2	-25	Pass	9701
1000	2490	1	RMS	2490	-49.87	-25	Pass	1491
2490	2580	1	RMS	2500.125	20.91	60	Pass	401
2580	3000	1	RMS	2959	-49.01	-25	Pass	421
3000	12000	1	RMS	12000	-50.62	-25	Pass	9002
12000	26000	1	RMS	25998	-35.8	-25	Pass	14002




7.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.92	-25	Pass	2986
30	1000	0.1	RMS	842.6	-64.19	-25	Pass	9701
1000	2490	1	RMS	2490	-50.72	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.17	60	Pass	401
2580	3000	1	RMS	2962	-48.98	-25	Pass	421
3000	12000	1	RMS	12000	-50.67	-25	Pass	9002
12000	26000	1	RMS	25987	-35.76	-25	Pass	14002




7.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-25	Pass	401
0.15	30	0.01	RMS	0.21	-73.22	-25	Pass	2986
30	1000	0.1	RMS	848.8	-64.17	-25	Pass	9701
1000	2490	1	RMS	2490	-50.82	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.46	60	Pass	401
2580	3000	1	RMS	2955	-48.99	-25	Pass	421
3000	12000	1	RMS	11990	-50.66	-25	Pass	9002
12000	26000	1	RMS	25986	-35.73	-25	Pass	14002




7.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.98	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.86	-25	Pass	2986
30	1000	0.1	RMS	604.6	-64.07	-25	Pass	9701
1000	2490	1	RMS	2489	-50.69	-25	Pass	1491
2490	2580	1	RMS	2565.15	22.27	60	Pass	401
2580	3000	1	RMS	2958	-48.99	-25	Pass	421
3000	12000	1	RMS	11997	-50.69	-25	Pass	9002
12000	26000	1	RMS	26000	-35.71	-25	Pass	14002




7.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.08	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.78	-25	Pass	2986
30	1000	0.1	RMS	604.6	-64.1	-25	Pass	9701
1000	2490	1	RMS	2473	-50.73	-25	Pass	1491
2490	2580	1	RMS	2565.15	21.58	60	Pass	401
2580	3000	1	RMS	2966	-48.98	-25	Pass	421
3000	12000	1	RMS	11989	-50.69	-25	Pass	9002
12000	26000	1	RMS	25999	-35.81	-25	Pass	14002




7.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-25	Pass	2986
30	1000	0.1	RMS	833	-64.03	-25	Pass	9701
1000	2490	1	RMS	2490	-49.68	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.65	60	Pass	401
2580	3000	1	RMS	2957	-48.97	-25	Pass	421
3000	12000	1	RMS	11991	-50.68	-25	Pass	9002
12000	26000	1	RMS	25995	-35.67	-25	Pass	14002




7.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.32	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.8	-25	Pass	2986
30	1000	0.1	RMS	964.376	-64.24	-25	Pass	9701
1000	2490	1	RMS	2490	-49.65	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.01	60	Pass	401
2580	3000	1	RMS	2961	-48.99	-25	Pass	421
3000	12000	1	RMS	12000	-50.58	-25	Pass	9002
12000	26000	1	RMS	25998	-35.74	-25	Pass	14002




7.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.03	-25	Pass	401
0.15	30	0.01	RMS	0.17	-73.22	-25	Pass	2986
30	1000	0.1	RMS	854.303	-64.09	-25	Pass	9701
1000	2490	1	RMS	2489	-50.63	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.24	60	Pass	401
2580	3000	1	RMS	2964	-48.93	-25	Pass	421
3000	12000	1	RMS	11981	-50.63	-25	Pass	9002
12000	26000	1	RMS	25999	-35.7	-25	Pass	14002




**7.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-25	Pass	2986
30	1000	0.1	RMS	860.708	-63.91	-25	Pass	9701
1000	2490	1	RMS	2490	-50.74	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.42	60	Pass	401
2580	3000	1	RMS	2970	-48.95	-25	Pass	421
3000	12000	1	RMS	12000	-50.63	-25	Pass	9002
12000	26000	1	RMS	25988	-35.72	-25	Pass	14002




7.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.65	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.87	-25	Pass	2986
30	1000	0.1	RMS	599.9	-63.45	-25	Pass	9701
1000	2490	1	RMS	2484	-50.68	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.36	60	Pass	401
2580	3000	1	RMS	2958	-48.96	-25	Pass	421
3000	12000	1	RMS	12000	-50.61	-25	Pass	9002
12000	26000	1	RMS	25996	-35.71	-25	Pass	14002




**7.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-25	Pass	2986
30	1000	0.1	RMS	599.9	-63.29	-25	Pass	9701
1000	2490	1	RMS	2474	-50.76	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.56	60	Pass	401
2580	3000	1	RMS	2956	-48.96	-25	Pass	421
3000	12000	1	RMS	11998	-50.64	-25	Pass	9002
12000	26000	1	RMS	25998	-35.68	-25	Pass	14002




7.13. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.27	-25	Pass	401
0.15	30	0.01	RMS	0.26	-73.38	-25	Pass	2986
30	1000	0.1	RMS	830.2	-64.11	-25	Pass	9701
1000	2490	1	RMS	2488	-48.05	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.79	60	Pass	401
2580	3000	1	RMS	2957	-48.94	-25	Pass	421
3000	12000	1	RMS	11998	-50.61	-25	Pass	9002
12000	26000	1	RMS	25988	-35.82	-25	Pass	14002




**7.14. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.95	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.23	-25	Pass	2986
30	1000	0.1	RMS	832.9	-64.06	-25	Pass	9701
1000	2490	1	RMS	2488	-48.3	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.03	60	Pass	401
2580	3000	1	RMS	2956	-48.96	-25	Pass	421
3000	12000	1	RMS	11993	-50.65	-25	Pass	9002
12000	26000	1	RMS	25997	-35.71	-25	Pass	14002




7.15. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-25	Pass	2986
30	1000	0.1	RMS	849.3	-64.1	-25	Pass	9701
1000	2490	1	RMS	2489	-50.68	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.22	60	Pass	401
2580	3000	1	RMS	2960	-48.98	-25	Pass	421
3000	12000	1	RMS	11992	-50.67	-25	Pass	9002
12000	26000	1	RMS	25994	-35.75	-25	Pass	14002




**7.16. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.58	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.92	-25	Pass	2986
30	1000	0.1	RMS	852.903	-64.05	-25	Pass	9701
1000	2490	1	RMS	2489	-50.73	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.32	60	Pass	401
2580	3000	1	RMS	2965	-48.96	-25	Pass	421
3000	12000	1	RMS	11997	-50.64	-25	Pass	9002
12000	26000	1	RMS	25994	-35.74	-25	Pass	14002




7.17. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-25	Pass	2986
30	1000	0.1	RMS	595.1	-63.69	-25	Pass	9701
1000	2490	1	RMS	2490	-50.73	-25	Pass	1491
2490	2580	1	RMS	2555.7	22.26	60	Pass	401
2580	3000	1	RMS	2958	-48.94	-25	Pass	421
3000	12000	1	RMS	11991	-50.65	-25	Pass	9002
12000	26000	1	RMS	25999	-35.61	-25	Pass	14002




**7.18. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.78	-25	Pass	2986
30	1000	0.1	RMS	595.1	-63.93	-25	Pass	9701
1000	2490	1	RMS	2486	-50.74	-25	Pass	1491
2490	2580	1	RMS	2555.7	21.54	60	Pass	401
2580	3000	1	RMS	2960	-48.99	-25	Pass	421
3000	12000	1	RMS	11990	-50.68	-25	Pass	9002
12000	26000	1	RMS	25994	-35.74	-25	Pass	14002




7.19. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.66	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.32	-25	Pass	2986
30	1000	0.1	RMS	840.4	-64.11	-25	Pass	9701
1000	2490	1	RMS	2483	-48.25	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.77	60	Pass	401
2580	3000	1	RMS	2972	-49	-25	Pass	421
3000	12000	1	RMS	12000	-50.67	-25	Pass	9002
12000	26000	1	RMS	25984	-35.81	-25	Pass	14002




**7.20. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.96	-25	Pass	2986
30	1000	0.1	RMS	815	-64.21	-25	Pass	9701
1000	2490	1	RMS	2483	-48.57	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.06	60	Pass	401
2580	3000	1	RMS	2956	-48.99	-25	Pass	421
3000	12000	1	RMS	11997	-50.7	-25	Pass	9002
12000	26000	1	RMS	25998	-35.69	-25	Pass	14002




7.21. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.18	-25	Pass	401
0.15	30	0.01	RMS	0.22	-73.15	-25	Pass	2986
30	1000	0.1	RMS	840.2	-64.21	-25	Pass	9701
1000	2490	1	RMS	2488	-50.71	-25	Pass	1491
2490	2580	1	RMS	2526	22.14	60	Pass	401
2580	3000	1	RMS	2956	-48.99	-25	Pass	421
3000	12000	1	RMS	11998	-50.63	-25	Pass	9002
12000	26000	1	RMS	25994	-35.67	-25	Pass	14002




**7.22. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.75	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.13	-25	Pass	2986
30	1000	0.1	RMS	845.3	-64.24	-25	Pass	9701
1000	2490	1	RMS	2490	-50.62	-25	Pass	1491
2490	2580	1	RMS	2526	21.25	60	Pass	401
2580	3000	1	RMS	2958	-48.97	-25	Pass	421
3000	12000	1	RMS	11996	-50.69	-25	Pass	9002
12000	26000	1	RMS	25999	-35.69	-25	Pass	14002




7.23. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-25	Pass	2986
30	1000	0.1	RMS	590.4	-63.33	-25	Pass	9701
1000	2490	1	RMS	2487	-50.72	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.2	60	Pass	401
2580	3000	1	RMS	2956	-48.93	-25	Pass	421
3000	12000	1	RMS	11990	-50.65	-25	Pass	9002
12000	26000	1	RMS	25996	-35.7	-25	Pass	14002



**7.24. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.17	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-25	Pass	2986
30	1000	0.1	RMS	590.4	-63.45	-25	Pass	9701
1000	2490	1	RMS	2483	-50.71	-25	Pass	1491
2490	2580	1	RMS	2550.975	21.38	60	Pass	401
2580	3000	1	RMS	2955	-48.99	-25	Pass	421
3000	12000	1	RMS	11995	-50.67	-25	Pass	9002
12000	26000	1	RMS	25994	-35.72	-25	Pass	14002



8. LTE_Band12


8.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.78	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.32	-13	Pass	2986
30	689	0.1	RMS	688.5	-63.68	-13	Pass	6591
689	726	0.1	RMS	699.268	20.36	60	Pass	401
726	1000	0.1	RMS	851.4	-63.99	-13	Pass	2741
1000	3000	1	RMS	2958	-48.92	-13	Pass	2001
3000	10000	1	RMS	6966	-41.24	-13	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.94	-13	Pass	2986
30	689	0.1	RMS	688.6	-64.1	-13	Pass	6591
689	726	0.1	RMS	699.268	19.35	60	Pass	401
726	1000	0.1	RMS	830.7	-63.79	-13	Pass	2741
1000	3000	1	RMS	2957	-48.94	-13	Pass	2001
3000	10000	1	RMS	6963	-41.29	-13	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.15	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.93	-13	Pass	2986
30	689	0.1	RMS	480.3	-64.91	-13	Pass	6591
689	726	0.1	RMS	707.038	20.48	60	Pass	401
726	1000	0.1	RMS	825.7	-64.04	-13	Pass	2741
1000	3000	1	RMS	1414	-47.86	-13	Pass	2001
3000	10000	1	RMS	6972	-41.28	-13	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.85	-13	Pass	2986
30	689	0.1	RMS	488.6	-64.95	-13	Pass	6591
689	726	0.1	RMS	707.038	19.51	60	Pass	401
726	1000	0.1	RMS	818.6	-64.07	-13	Pass	2741
1000	3000	1	RMS	1414	-48.47	-13	Pass	2001
3000	10000	1	RMS	6963	-41.27	-13	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.53	-13	Pass	2986
30	689	0.1	RMS	485.2	-64.98	-13	Pass	6591
689	726	0.1	RMS	714.808	20.06	60	Pass	401
726	1000	0.1	RMS	840.7	-63.98	-13	Pass	2741
1000	3000	1	RMS	1429	-44.29	-13	Pass	2001
3000	10000	1	RMS	6967	-41.28	-13	Pass	7001




8.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.72	-13	Pass	2986
30	689	0.1	RMS	489.5	-65	-13	Pass	6591
689	726	0.1	RMS	714.808	19.03	60	Pass	401
726	1000	0.1	RMS	847.9	-64.06	-13	Pass	2741
1000	3000	1	RMS	1429	-45.35	-13	Pass	2001
3000	10000	1	RMS	6972	-41.29	-13	Pass	7001




8.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.92	-13	Pass	2986
30	689	0.1	RMS	688.5	-63.85	-13	Pass	6591
689	726	0.1	RMS	699.268	20.29	60	Pass	401
726	1000	0.1	RMS	957.9	-64.08	-13	Pass	2741
1000	3000	1	RMS	2963	-48.91	-13	Pass	2001
3000	10000	1	RMS	6966	-41.33	-13	Pass	7001




8.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.11	-13	Pass	2986
30	689	0.1	RMS	688.5	-64.26	-13	Pass	6591
689	726	0.1	RMS	699.268	19.58	60	Pass	401
726	1000	0.1	RMS	853.4	-63.91	-13	Pass	2741
1000	3000	1	RMS	2962	-48.94	-13	Pass	2001
3000	10000	1	RMS	6963	-41.32	-13	Pass	7001




8.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-13	Pass	2986
30	689	0.1	RMS	474.8	-64.99	-13	Pass	6591
689	726	0.1	RMS	706.205	20.26	60	Pass	401
726	1000	0.1	RMS	828	-64.11	-13	Pass	2741
1000	3000	1	RMS	1412	-45.72	-13	Pass	2001
3000	10000	1	RMS	6967	-41.35	-13	Pass	7001




**8.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.05	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.9	-13	Pass	2986
30	689	0.1	RMS	488.8	-65	-13	Pass	6591
689	726	0.1	RMS	706.205	19.29	60	Pass	401
726	1000	0.1	RMS	836.2	-64.12	-13	Pass	2741
1000	3000	1	RMS	1412	-46.43	-13	Pass	2001
3000	10000	1	RMS	6971	-41.32	-13	Pass	7001




**8.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.66	-13	Pass	2986
30	689	0.1	RMS	487.4	-64.98	-13	Pass	6591
689	726	0.1	RMS	713.235	20.67	60	Pass	401
726	1000	0.1	RMS	997.3	-63.78	-13	Pass	2741
1000	3000	1	RMS	1426	-46.24	-13	Pass	2001
3000	10000	1	RMS	6960	-41.32	-13	Pass	7001




**8.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.94	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.94	-13	Pass	2986
30	689	0.1	RMS	498.2	-65.02	-13	Pass	6591
689	726	0.1	RMS	713.235	19.78	60	Pass	401
726	1000	0.1	RMS	950	-63.96	-13	Pass	2741
1000	3000	1	RMS	1426	-47.44	-13	Pass	2001
3000	10000	1	RMS	6970	-41.33	-13	Pass	7001




**8.13. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.83	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.74	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.65	-13	Pass	6591
689	726	0.1	RMS	699.36	20.24	60	Pass	401
726	1000	0.1	RMS	951.1	-63.97	-13	Pass	2741
1000	3000	1	RMS	2965	-48.9	-13	Pass	2001
3000	10000	1	RMS	6960	-41.32	-13	Pass	7001




**8.14. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.38	-13	Pass	2986
30	689	0.1	RMS	688.6	-64.14	-13	Pass	6591
689	726	0.1	RMS	699.36	19.6	60	Pass	401
726	1000	0.1	RMS	831.1	-63.76	-13	Pass	2741
1000	3000	1	RMS	2958	-48.95	-13	Pass	2001
3000	10000	1	RMS	6962	-41.33	-13	Pass	7001




**8.15. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.05	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.8	-13	Pass	2986
30	689	0.1	RMS	615.6	-64.99	-13	Pass	6591
689	726	0.1	RMS	705.373	20.15	60	Pass	401
726	1000	0.1	RMS	831.2	-63.93	-13	Pass	2741
1000	3000	1	RMS	1410	-45	-13	Pass	2001
3000	10000	1	RMS	6964	-41.25	-13	Pass	7001




**8.16. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.57	-13	Pass	2986
30	689	0.1	RMS	621.7	-64.96	-13	Pass	6591
689	726	0.1	RMS	705.373	19.39	60	Pass	401
726	1000	0.1	RMS	832.1	-63.74	-13	Pass	2741
1000	3000	1	RMS	1410	-45.65	-13	Pass	2001
3000	10000	1	RMS	6962	-41.3	-13	Pass	7001




**8.17. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.76	-13	Pass	2986
30	689	0.1	RMS	633.5	-64.89	-13	Pass	6591
689	726	0.1	RMS	711.293	19.94	60	Pass	401
726	1000	0.1	RMS	848	-63.99	-13	Pass	2741
1000	3000	1	RMS	2959	-48.91	-13	Pass	2001
3000	10000	1	RMS	6964	-41.33	-13	Pass	7001




**8.18. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.89	-13	Pass	2986
30	689	0.1	RMS	483	-64.92	-13	Pass	6591
689	726	0.1	RMS	711.385	19.22	60	Pass	401
726	1000	0.1	RMS	850.4	-63.87	-13	Pass	2741
1000	3000	1	RMS	2957	-48.9	-13	Pass	2001
3000	10000	1	RMS	6964	-41.29	-13	Pass	7001




8.19. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.96	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.18	-13	Pass	6591
689	726	0.1	RMS	699.545	19.92	60	Pass	401
726	1000	0.1	RMS	832.5	-64.01	-13	Pass	2741
1000	3000	1	RMS	1399	-48.89	-13	Pass	2001
3000	10000	1	RMS	6965	-41.28	-13	Pass	7001




**8.20. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.45	-73.19	-13	Pass	2986
30	689	0.1	RMS	688.9	-63.94	-13	Pass	6591
689	726	0.1	RMS	699.545	19.13	60	Pass	401
726	1000	0.1	RMS	825.5	-63.83	-13	Pass	2741
1000	3000	1	RMS	2962	-48.9	-13	Pass	2001
3000	10000	1	RMS	6962	-41.31	-13	Pass	7001




8.21. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.73	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.46	-13	Pass	2986
30	689	0.1	RMS	483.5	-65.02	-13	Pass	6591
689	726	0.1	RMS	703.06	20.3	60	Pass	401
726	1000	0.1	RMS	856.4	-64.01	-13	Pass	2741
1000	3000	1	RMS	1406	-44.2	-13	Pass	2001
3000	10000	1	RMS	6965	-41.33	-13	Pass	7001




**8.22. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.13	-13	Pass	2986
30	689	0.1	RMS	492	-64.89	-13	Pass	6591
689	726	0.1	RMS	703.06	19.33	60	Pass	401
726	1000	0.1	RMS	863.7	-63.98	-13	Pass	2741
1000	3000	1	RMS	1406	-45.08	-13	Pass	2001
3000	10000	1	RMS	6966	-41.32	-13	Pass	7001




8.23. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-13	Pass	2986
30	689	0.1	RMS	499.4	-64.89	-13	Pass	6591
689	726	0.1	RMS	706.575	20.54	60	Pass	401
726	1000	0.1	RMS	835.8	-63.92	-13	Pass	2741
1000	3000	1	RMS	1413	-46.8	-13	Pass	2001
3000	10000	1	RMS	6964	-41.35	-13	Pass	7001



**8.24. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.87	-13	Pass	401
0.15	30	0.01	RMS	0.32	-73.47	-13	Pass	2986
30	689	0.1	RMS	495.5	-64.95	-13	Pass	6591
689	726	0.1	RMS	706.575	19.7	60	Pass	401
726	1000	0.1	RMS	826.5	-63.87	-13	Pass	2741
1000	3000	1	RMS	1413	-47.31	-13	Pass	2001
3000	10000	1	RMS	6968	-41.31	-13	Pass	7001



9. LTE_Band13


9.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.31	-13	Pass	2986
30	767	0.1	RMS	766.6	-63.64	-13	Pass	7371
767	797	0.1	RMS	777.35	20.42	60	Pass	401
797	1000	0.1	RMS	836.7	-64.04	-13	Pass	2031
1000	3000	1	RMS	2952	-48.96	-13	Pass	2001
3000	10000	1	RMS	6963	-41.31	-13	Pass	7001




9.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.26	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.21	-13	Pass	2986
30	767	0.1	RMS	766.6	-63.82	-13	Pass	7371
767	797	0.1	RMS	777.35	19.75	60	Pass	401
797	1000	0.1	RMS	833	-63.95	-13	Pass	2031
1000	3000	1	RMS	2956	-48.98	-13	Pass	2001
3000	10000	1	RMS	6964	-41.29	-13	Pass	7001




9.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.35	-13	Pass	2986
30	767	0.1	RMS	746.6	-64.58	-13	Pass	7371
767	797	0.1	RMS	779.825	20.59	60	Pass	401
797	1000	0.1	RMS	857.3	-64.07	-13	Pass	2031
1000	3000	1	RMS	1559	-48.31	-13	Pass	2001
3000	10000	1	RMS	6970	-41.31	-13	Pass	7001




9.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.09	-13	Pass	2986
30	767	0.1	RMS	758	-64.61	-13	Pass	7371
767	797	0.1	RMS	779.825	19.91	60	Pass	401
797	1000	0.1	RMS	817.3	-64.12	-13	Pass	2031
1000	3000	1	RMS	2955	-48.96	-13	Pass	2001
3000	10000	1	RMS	6971	-41.32	-13	Pass	7001




9.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.22	-13	Pass	401
0.15	30	0.01	RMS	0.26	-73.06	-13	Pass	2986
30	767	0.1	RMS	756.8	-64.6	-13	Pass	7371
767	797	0.1	RMS	782.3	20.23	60	Pass	401
797	1000	0.1	RMS	824.4	-63.94	-13	Pass	2031
1000	3000	1	RMS	1564	-44.93	-13	Pass	2001
3000	10000	1	RMS	6963	-41.3	-13	Pass	7001




9.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.65	-13	Pass	2986
30	767	0.1	RMS	765	-64.58	-13	Pass	7371
767	797	0.1	RMS	782.3	19.54	60	Pass	401
797	1000	0.1	RMS	848.9	-63.98	-13	Pass	2031
1000	3000	1	RMS	1564	-45.7	-13	Pass	2001
3000	10000	1	RMS	6969	-41.31	-13	Pass	7001




9.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.92	-13	Pass	2986
30	767	0.1	RMS	766.9	-63.17	-13	Pass	7371
767	797	0.1	RMS	777.575	20.58	60	Pass	401
797	1000	0.1	RMS	829.9	-64.1	-13	Pass	2031
1000	3000	1	RMS	2963	-48.94	-13	Pass	2001
3000	10000	1	RMS	6960	-41.31	-13	Pass	7001



9.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.22	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.85	-13	Pass	2986
30	767	0.1	RMS	766.9	-63.62	-13	Pass	7371
767	797	0.1	RMS	777.575	19.74	60	Pass	401
797	1000	0.1	RMS	842.7	-64.08	-13	Pass	2031
1000	3000	1	RMS	2957	-48.9	-13	Pass	2001
3000	10000	1	RMS	6962	-41.28	-13	Pass	7001



10. LTE_Band17


10.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	Pass	2986
30	694	0.1	RMS	693.6	-63.16	-13	Pass	6641
694	726	0.1	RMS	704.32	20.44	60	Pass	401
726	1000	0.1	RMS	842.9	-63.94	-13	Pass	2741
1000	3000	1	RMS	1408	-43.98	-13	Pass	2001
3000	10000	1	RMS	6964	-41.3	-13	Pass	7001




**10.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.21	-73.22	-13	Pass	2986
30	694	0.1	RMS	693.6	-63.78	-13	Pass	6641
694	726	0.1	RMS	704.32	19.69	60	Pass	401
726	1000	0.1	RMS	852.4	-63.95	-13	Pass	2741
1000	3000	1	RMS	1408	-44.85	-13	Pass	2001
3000	10000	1	RMS	6965	-41.29	-13	Pass	7001




**10.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.6	-13	Pass	2986
30	694	0.1	RMS	487.4	-64.88	-13	Pass	6641
694	726	0.1	RMS	707.84	20.53	60	Pass	401
726	1000	0.1	RMS	842.5	-63.96	-13	Pass	2741
1000	3000	1	RMS	1415	-48.45	-13	Pass	2001
3000	10000	1	RMS	6964	-41.3	-13	Pass	7001




**10.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.86	-13	Pass	2986
30	694	0.1	RMS	496.3	-65.02	-13	Pass	6641
694	726	0.1	RMS	707.84	19.85	60	Pass	401
726	1000	0.1	RMS	844.1	-63.96	-13	Pass	2741
1000	3000	1	RMS	1415	-48.78	-13	Pass	2001
3000	10000	1	RMS	6965	-41.27	-13	Pass	7001




**10.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.52	-13	Pass	2986
30	694	0.1	RMS	607.3	-65.02	-13	Pass	6641
694	726	0.1	RMS	711.36	20.26	60	Pass	401
726	1000	0.1	RMS	858.6	-64.09	-13	Pass	2741
1000	3000	1	RMS	2958	-48.94	-13	Pass	2001
3000	10000	1	RMS	6960	-41.32	-13	Pass	7001




**10.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	Pass	2986
30	694	0.1	RMS	505.1	-64.98	-13	Pass	6641
694	726	0.1	RMS	711.36	19.75	60	Pass	401
726	1000	0.1	RMS	847.5	-64.02	-13	Pass	2741
1000	3000	1	RMS	2957	-48.92	-13	Pass	2001
3000	10000	1	RMS	6966	-41.31	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.14	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.38	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.56	-13	Pass	6641
694	726	0.1	RMS	704.56	20.4	60	Pass	401
726	1000	0.1	RMS	838	-64.09	-13	Pass	2741
1000	3000	1	RMS	1409	-44.64	-13	Pass	2001
3000	10000	1	RMS	6962	-41.36	-13	Pass	7001




**10.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.5	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.11	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.62	-13	Pass	6641
694	726	0.1	RMS	704.56	19.65	60	Pass	401
726	1000	0.1	RMS	841.6	-64.01	-13	Pass	2741
1000	3000	1	RMS	1409	-45.24	-13	Pass	2001
3000	10000	1	RMS	6968	-41.32	-13	Pass	7001




10.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.88	-13	Pass	2986
30	694	0.1	RMS	494.8	-64.99	-13	Pass	6641
694	726	0.1	RMS	705.6	20.59	60	Pass	401
726	1000	0.1	RMS	844.9	-63.89	-13	Pass	2741
1000	3000	1	RMS	1411	-45.47	-13	Pass	2001
3000	10000	1	RMS	6962	-41.27	-13	Pass	7001




10.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-73.09	-13	Pass	2986
30	694	0.1	RMS	692.5	-64.96	-13	Pass	6641
694	726	0.1	RMS	705.6	19.7	60	Pass	401
726	1000	0.1	RMS	848	-64.04	-13	Pass	2741
1000	3000	1	RMS	1411	-46.26	-13	Pass	2001
3000	10000	1	RMS	6967	-41.33	-13	Pass	7001




10.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-13	Pass	2986
30	694	0.1	RMS	693.4	-64.6	-13	Pass	6641
694	726	0.1	RMS	706.56	20.35	60	Pass	401
726	1000	0.1	RMS	846.5	-63.81	-13	Pass	2741
1000	3000	1	RMS	1413	-46.73	-13	Pass	2001
3000	10000	1	RMS	6965	-41.25	-13	Pass	7001



**10.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-13	Pass	2986
30	694	0.1	RMS	693.6	-65	-13	Pass	6641
694	726	0.1	RMS	706.56	19.55	60	Pass	401
726	1000	0.1	RMS	856.9	-63.92	-13	Pass	2741
1000	3000	1	RMS	1413	-47.39	-13	Pass	2001
3000	10000	1	RMS	6971	-41.31	-13	Pass	7001



11. LTE_Band25


11.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.16	-13	Pass	2986
30	1000	0.1	RMS	842.1	-64.14	-13	Pass	9701
1000	1840	1	RMS	1840	-51.56	-13	Pass	841
1840	1925	1	RMS	1850.2	22.88	60	Pass	401
1925	3000	1	RMS	2965	-48.94	-13	Pass	1076
3000	12000	1	RMS	11996	-40.41	-13	Pass	9002
12000	20000	1	RMS	19399	-33.62	-13	Pass	8001




**11.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2,
Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.63	-13	Pass	2986
30	1000	0.1	RMS	852.602	-64.13	-13	Pass	9701
1000	1840	1	RMS	1840	-51.67	-13	Pass	841
1840	1925	1	RMS	1850.2	22.07	60	Pass	401
1925	3000	1	RMS	2960	-48.97	-13	Pass	1076
3000	12000	1	RMS	11987	-40.5	-13	Pass	9002
12000	20000	1	RMS	19400	-33.6	-13	Pass	8001




11.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.91	-13	Pass	2986
30	1000	0.1	RMS	837.3	-64.23	-13	Pass	9701
1000	1840	1	RMS	1833	-52.36	-13	Pass	841
1840	1925	1	RMS	1881.863	23.01	60	Pass	401
1925	3000	1	RMS	2962	-48.9	-13	Pass	1076
3000	12000	1	RMS	11985	-40.45	-13	Pass	9002
12000	20000	1	RMS	19407	-33.57	-13	Pass	8001




**11.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4,
Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.73	-13	Pass	2986
30	1000	0.1	RMS	831.6	-64.18	-13	Pass	9701
1000	1840	1	RMS	1826	-52.33	-13	Pass	841
1840	1925	1	RMS	1881.863	22.15	60	Pass	401
1925	3000	1	RMS	2956	-48.96	-13	Pass	1076
3000	12000	1	RMS	12000	-40.45	-13	Pass	9002
12000	20000	1	RMS	19402	-33.59	-13	Pass	8001




11.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	Pass	2986
30	1000	0.1	RMS	834.1	-64.07	-13	Pass	9701
1000	1840	1	RMS	1825	-52.38	-13	Pass	841
1840	1925	1	RMS	1913.738	23.16	60	Pass	401
1925	3000	1	RMS	2961	-48.92	-13	Pass	1076
3000	12000	1	RMS	11993	-40.42	-13	Pass	9002
12000	20000	1	RMS	19404	-33.5	-13	Pass	8001




**11.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6,
Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.24	-73.08	-13	Pass	2986
30	1000	0.1	RMS	858.306	-64.23	-13	Pass	9701
1000	1840	1	RMS	1835	-52.38	-13	Pass	841
1840	1925	1	RMS	1913.738	22.32	60	Pass	401
1925	3000	1	RMS	2957	-48.99	-13	Pass	1076
3000	12000	1	RMS	12000	-40.45	-13	Pass	9002
12000	20000	1	RMS	19401	-33.63	-13	Pass	8001




**11.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7,
Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.5	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.1	-13	Pass	2986
30	1000	0.1	RMS	843	-64.22	-13	Pass	9701
1000	1840	1	RMS	1840	-51.49	-13	Pass	841
1840	1925	1	RMS	1850.2	22.85	60	Pass	401
1925	3000	1	RMS	2958	-49.02	-13	Pass	1076
3000	12000	1	RMS	11994	-40.5	-13	Pass	9002
12000	20000	1	RMS	19397	-33.58	-13	Pass	8001




**11.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8,
Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.63	-13	Pass	2986
30	1000	0.1	RMS	820	-64.15	-13	Pass	9701
1000	1840	1	RMS	1840	-51.69	-13	Pass	841
1840	1925	1	RMS	1850.2	22.15	60	Pass	401
1925	3000	1	RMS	2961	-48.96	-13	Pass	1076
3000	12000	1	RMS	11999	-40.53	-13	Pass	9002
12000	20000	1	RMS	19397	-33.67	-13	Pass	8001




**11.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9,
Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.05	-13	Pass	2986
30	1000	0.1	RMS	842.7	-64.22	-13	Pass	9701
1000	1840	1	RMS	1837	-52.37	-13	Pass	841
1840	1925	1	RMS	1881.225	23	60	Pass	401
1925	3000	1	RMS	2949	-48.99	-13	Pass	1076
3000	12000	1	RMS	11983	-40.5	-13	Pass	9002
12000	20000	1	RMS	19408	-33.65	-13	Pass	8001




**11.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,
Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	1000	0.1	RMS	853.803	-64.21	-13	Pass	9701
1000	1840	1	RMS	1813	-52.41	-13	Pass	841
1840	1925	1	RMS	1881.225	22.16	60	Pass	401
1925	3000	1	RMS	2957	-49.02	-13	Pass	1076
3000	12000	1	RMS	11994	-40.47	-13	Pass	9002
12000	20000	1	RMS	19395	-33.56	-13	Pass	8001




11.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.97	-13	Pass	2986
30	1000	0.1	RMS	851.502	-64.15	-13	Pass	9701
1000	1840	1	RMS	1819	-52.41	-13	Pass	841
1840	1925	1	RMS	1912.038	23.05	60	Pass	401
1925	3000	1	RMS	2967	-48.99	-13	Pass	1076
3000	12000	1	RMS	11993	-40.44	-13	Pass	9002
12000	20000	1	RMS	19401	-33.62	-13	Pass	8001




**11.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,
Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2986
30	1000	0.1	RMS	964.977	-64.19	-13	Pass	9701
1000	1840	1	RMS	1840	-52.4	-13	Pass	841
1840	1925	1	RMS	1912.038	22.34	60	Pass	401
1925	3000	1	RMS	2963	-48.96	-13	Pass	1076
3000	12000	1	RMS	11996	-40.56	-13	Pass	9002
12000	20000	1	RMS	19396	-33.69	-13	Pass	8001




**11.13. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:13,
Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	Pass	2986
30	1000	0.1	RMS	836.2	-64.04	-13	Pass	9701
1000	1840	1	RMS	1840	-51.37	-13	Pass	841
1840	1925	1	RMS	1850.2	22.86	60	Pass	401
1925	3000	1	RMS	2959	-48.99	-13	Pass	1076
3000	12000	1	RMS	11999	-40.49	-13	Pass	9002
12000	20000	1	RMS	19414	-33.64	-13	Pass	8001




**11.14. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:14,
Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	Pass	2986
30	1000	0.1	RMS	841.6	-64.2	-13	Pass	9701
1000	1840	1	RMS	1840	-51.6	-13	Pass	841
1840	1925	1	RMS	1850.2	22.11	60	Pass	401
1925	3000	1	RMS	2960	-48.98	-13	Pass	1076
3000	12000	1	RMS	11984	-40.53	-13	Pass	9002
12000	20000	1	RMS	19400	-33.66	-13	Pass	8001




**11.15. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:15,
Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.46	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.66	-13	Pass	2986
30	1000	0.1	RMS	829	-64.08	-13	Pass	9701
1000	1840	1	RMS	1839	-52.37	-13	Pass	841
1840	1925	1	RMS	1880.163	23.03	60	Pass	401
1925	3000	1	RMS	2969	-49.02	-13	Pass	1076
3000	12000	1	RMS	11986	-40.53	-13	Pass	9002
12000	20000	1	RMS	19400	-33.66	-13	Pass	8001




**11.16. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:16,
Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-13	Pass	2986
30	1000	0.1	RMS	857.506	-64.16	-13	Pass	9701
1000	1840	1	RMS	1818	-52.43	-13	Pass	841
1840	1925	1	RMS	1880.163	22.3	60	Pass	401
1925	3000	1	RMS	2960	-48.95	-13	Pass	1076
3000	12000	1	RMS	11985	-40.54	-13	Pass	9002
12000	20000	1	RMS	19398	-33.64	-13	Pass	8001




**11.17. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:17,
Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2986
30	1000	0.1	RMS	867.012	-64.27	-13	Pass	9701
1000	1840	1	RMS	1821	-52.38	-13	Pass	841
1840	1925	1	RMS	1910.338	23.08	60	Pass	401
1925	3000	1	RMS	2957	-48.93	-13	Pass	1076
3000	12000	1	RMS	11998	-40.52	-13	Pass	9002
12000	20000	1	RMS	19399	-33.62	-13	Pass	8001




**11.18. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:18,
Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.96	-13	Pass	2986
30	1000	0.1	RMS	843.3	-64.25	-13	Pass	9701
1000	1840	1	RMS	1836	-52.42	-13	Pass	841
1840	1925	1	RMS	1910.125	22.45	60	Pass	401
1925	3000	1	RMS	2967	-48.99	-13	Pass	1076
3000	12000	1	RMS	11999	-40.43	-13	Pass	9002
12000	20000	1	RMS	19396	-33.66	-13	Pass	8001




11.19. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.24	-13	Pass	2986
30	1000	0.1	RMS	858.106	-64.25	-13	Pass	9701
1000	1840	1	RMS	1840	-51.31	-13	Pass	841
1840	1925	1	RMS	1850.413	22.96	60	Pass	401
1925	3000	1	RMS	2963	-49.01	-13	Pass	1076
3000	12000	1	RMS	11998	-40.53	-13	Pass	9002
12000	20000	1	RMS	19418	-33.66	-13	Pass	8001




11.20. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-13	Pass	2986
30	1000	0.1	RMS	817.4	-64.24	-13	Pass	9701
1000	1840	1	RMS	1840	-51.4	-13	Pass	841
1840	1925	1	RMS	1850.413	22.32	60	Pass	401
1925	3000	1	RMS	2965	-48.99	-13	Pass	1076
3000	12000	1	RMS	11996	-40.48	-13	Pass	9002
12000	20000	1	RMS	19406	-33.62	-13	Pass	8001




11.21. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.59	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.75	-13	Pass	2986
30	1000	0.1	RMS	847.6	-64.19	-13	Pass	9701
1000	1840	1	RMS	1840	-52.23	-13	Pass	841
1840	1925	1	RMS	1878.038	23.15	60	Pass	401
1925	3000	1	RMS	2970	-48.98	-13	Pass	1076
3000	12000	1	RMS	11992	-40.45	-13	Pass	9002
12000	20000	1	RMS	19411	-33.67	-13	Pass	8001




**11.22. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:22,
Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	Pass	2986
30	1000	0.1	RMS	816.4	-64.07	-13	Pass	9701
1000	1840	1	RMS	1840	-52.27	-13	Pass	841
1840	1925	1	RMS	1878.038	22.31	60	Pass	401
1925	3000	1	RMS	2958	-48.96	-13	Pass	1076
3000	12000	1	RMS	11999	-40.47	-13	Pass	9002
12000	20000	1	RMS	19397	-33.6	-13	Pass	8001




11.23. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.7	-13	Pass	2986
30	1000	0.1	RMS	833	-64.17	-13	Pass	9701
1000	1840	1	RMS	1821	-52.34	-13	Pass	841
1840	1925	1	RMS	1905.45	23.12	60	Pass	401
1925	3000	1	RMS	2962	-48.94	-13	Pass	1076
3000	12000	1	RMS	11996	-40.48	-13	Pass	9002
12000	20000	1	RMS	19402	-33.65	-13	Pass	8001




**11.24. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:24,
Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2986
30	1000	0.1	RMS	838.2	-64.16	-13	Pass	9701
1000	1840	1	RMS	1821	-52.38	-13	Pass	841
1840	1925	1	RMS	1905.45	22.42	60	Pass	401
1925	3000	1	RMS	2960	-48.91	-13	Pass	1076
3000	12000	1	RMS	12000	-40.45	-13	Pass	9002
12000	20000	1	RMS	19401	-33.53	-13	Pass	8001




11.25. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2986
30	1000	0.1	RMS	851.502	-64.18	-13	Pass	9701
1000	1840	1	RMS	1838	-51.34	-13	Pass	841
1840	1925	1	RMS	1850.625	22.8	60	Pass	401
1925	3000	1	RMS	2967	-48.97	-13	Pass	1076
3000	12000	1	RMS	11997	-40.45	-13	Pass	9002
12000	20000	1	RMS	19405	-33.57	-13	Pass	8001




**11.26. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:26,
Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	Pass	2986
30	1000	0.1	RMS	850.601	-64.15	-13	Pass	9701
1000	1840	1	RMS	1838	-51.49	-13	Pass	841
1840	1925	1	RMS	1850.625	22.12	60	Pass	401
1925	3000	1	RMS	2969	-48.93	-13	Pass	1076
3000	12000	1	RMS	11994	-40.47	-13	Pass	9002
12000	20000	1	RMS	19398	-33.68	-13	Pass	8001




**11.27. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:27,
Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.69	-13	Pass	2986
30	1000	0.1	RMS	843.4	-64.04	-13	Pass	9701
1000	1840	1	RMS	1837	-52.22	-13	Pass	841
1840	1925	1	RMS	1875.7	23.13	60	Pass	401
1925	3000	1	RMS	2970	-49	-13	Pass	1076
3000	12000	1	RMS	11995	-40.45	-13	Pass	9002
12000	20000	1	RMS	17550	-33.63	-13	Pass	8001




**11.28. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:28,
Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.33	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.3	-13	Pass	2986
30	1000	0.1	RMS	836.5	-64.25	-13	Pass	9701
1000	1840	1	RMS	1839	-52.34	-13	Pass	841
1840	1925	1	RMS	1875.7	22.25	60	Pass	401
1925	3000	1	RMS	2959	-48.94	-13	Pass	1076
3000	12000	1	RMS	11993	-40.39	-13	Pass	9002
12000	20000	1	RMS	19406	-33.57	-13	Pass	8001




11.29. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.07	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.38	-13	Pass	2986
30	1000	0.1	RMS	816.9	-64.26	-13	Pass	9701
1000	1840	1	RMS	1816	-52.39	-13	Pass	841
1840	1925	1	RMS	1900.775	23.12	60	Pass	401
1925	3000	1	RMS	2968	-49	-13	Pass	1076
3000	12000	1	RMS	11998	-40.49	-13	Pass	9002
12000	20000	1	RMS	19404	-33.67	-13	Pass	8001




**11.30. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:30,
Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	Pass	2986
30	1000	0.1	RMS	854.704	-64.2	-13	Pass	9701
1000	1840	1	RMS	1822	-52.4	-13	Pass	841
1840	1925	1	RMS	1900.775	22.49	60	Pass	401
1925	3000	1	RMS	2959	-48.99	-13	Pass	1076
3000	12000	1	RMS	12000	-40.45	-13	Pass	9002
12000	20000	1	RMS	19405	-33.62	-13	Pass	8001




11.31. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	Pass	2986
30	1000	0.1	RMS	859.307	-64.1	-13	Pass	9701
1000	1840	1	RMS	1833	-51.22	-13	Pass	841
1840	1925	1	RMS	1851.05	22.81	60	Pass	401
1925	3000	1	RMS	2956	-48.98	-13	Pass	1076
3000	12000	1	RMS	11990	-40.55	-13	Pass	9002
12000	20000	1	RMS	19401	-33.64	-13	Pass	8001




**11.32. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:32,
Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	Pass	2986
30	1000	0.1	RMS	849.7	-64.29	-13	Pass	9701
1000	1840	1	RMS	1833	-51.45	-13	Pass	841
1840	1925	1	RMS	1851.05	22.13	60	Pass	401
1925	3000	1	RMS	2958	-48.97	-13	Pass	1076
3000	12000	1	RMS	12000	-40.45	-13	Pass	9002
12000	20000	1	RMS	19398	-33.64	-13	Pass	8001




11.33. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-13	Pass	2986
30	1000	0.1	RMS	835.8	-64.13	-13	Pass	9701
1000	1840	1	RMS	1838	-52.29	-13	Pass	841
1840	1925	1	RMS	1873.575	22.99	60	Pass	401
1925	3000	1	RMS	2962	-48.98	-13	Pass	1076
3000	12000	1	RMS	11993	-40.47	-13	Pass	9002
12000	20000	1	RMS	19406	-33.66	-13	Pass	8001




**11.34. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:34,
Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	Pass	2986
30	1000	0.1	RMS	861.408	-64.14	-13	Pass	9701
1000	1840	1	RMS	1839	-52.32	-13	Pass	841
1840	1925	1	RMS	1873.575	22.11	60	Pass	401
1925	3000	1	RMS	2967	-48.98	-13	Pass	1076
3000	12000	1	RMS	11999	-40.43	-13	Pass	9002
12000	20000	1	RMS	19398	-33.65	-13	Pass	8001




11.35. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	Pass	2986
30	1000	0.1	RMS	843.6	-64.13	-13	Pass	9701
1000	1840	1	RMS	1828	-52.34	-13	Pass	841
1840	1925	1	RMS	1895.888	22.99	60	Pass	401
1925	3000	1	RMS	2965	-48.99	-13	Pass	1076
3000	12000	1	RMS	11999	-40.46	-13	Pass	9002
12000	20000	1	RMS	19405	-33.62	-13	Pass	8001



**11.36. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:36,
Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	1000	0.1	RMS	814.2	-64.24	-13	Pass	9701
1000	1840	1	RMS	1840	-52.34	-13	Pass	841
1840	1925	1	RMS	1895.888	22.26	60	Pass	401
1925	3000	1	RMS	2953	-48.98	-13	Pass	1076
3000	12000	1	RMS	11997	-40.53	-13	Pass	9002
12000	20000	1	RMS	19400	-33.67	-13	Pass	8001



12. LTE_Band26(part22)


12.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.06	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.16	-13	Pass	7841
814	860	0.1	RMS	824.2	19.56	60	Pass	461
860	1000	0.1	RMS	985.9	-64.32	-13	Pass	1401
1000	3000	1	RMS	1648	-43.89	-13	Pass	2001
3000	10000	1	RMS	6960	-41.31	-13	Pass	7001




**12.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.25	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.52	-13	Pass	7841
814	860	0.1	RMS	824.3	18.64	60	Pass	461
860	1000	0.1	RMS	876.3	-64.29	-13	Pass	1401
1000	3000	1	RMS	1648	-44.78	-13	Pass	2001
3000	10000	1	RMS	6965	-41.24	-13	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2986
30	814	0.1	RMS	810.7	-64.39	-13	Pass	7841
814	860	0.1	RMS	836.1	19.65	60	Pass	461
860	1000	0.1	RMS	960.8	-64.38	-13	Pass	1401
1000	3000	1	RMS	1672	-48.88	-13	Pass	2001
3000	10000	1	RMS	6963	-41.34	-13	Pass	7001




**12.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-13	Pass	2986
30	814	0.1	RMS	806.4	-64.04	-13	Pass	7841
814	860	0.1	RMS	836	18.77	60	Pass	461
860	1000	0.1	RMS	860.3	-64.39	-13	Pass	1401
1000	3000	1	RMS	2956	-49.01	-13	Pass	2001
3000	10000	1	RMS	6962	-41.28	-13	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.63	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.49	-13	Pass	2986
30	814	0.1	RMS	812.1	-64.48	-13	Pass	7841
814	860	0.1	RMS	847.8	19.61	60	Pass	461
860	1000	0.1	RMS	861	-64.21	-13	Pass	1401
1000	3000	1	RMS	2972	-49.01	-13	Pass	2001
3000	10000	1	RMS	6966	-41.32	-13	Pass	7001




**12.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.9	-13	Pass	2986
30	814	0.1	RMS	806.4	-64.1	-13	Pass	7841
814	860	0.1	RMS	847.9	18.7	60	Pass	461
860	1000	0.1	RMS	860.9	-64.38	-13	Pass	1401
1000	3000	1	RMS	2969	-49.01	-13	Pass	2001
3000	10000	1	RMS	6964	-41.26	-13	Pass	7001




**12.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.3	-13	Pass	7841
814	860	0.1	RMS	824.2	19.84	60	Pass	461
860	1000	0.1	RMS	999.5	-64.36	-13	Pass	1401
1000	3000	1	RMS	1648	-43.89	-13	Pass	2001
3000	10000	1	RMS	6963	-41.4	-13	Pass	7001




**12.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.33	-13	Pass	7841
814	860	0.1	RMS	824.2	19.02	60	Pass	461
860	1000	0.1	RMS	871.1	-64.3	-13	Pass	1401
1000	3000	1	RMS	1648	-44.6	-13	Pass	2001
3000	10000	1	RMS	6969	-41.4	-13	Pass	7001




**12.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2986
30	814	0.1	RMS	812.8	-64.35	-13	Pass	7841
814	860	0.1	RMS	835.2	20.01	60	Pass	461
860	1000	0.1	RMS	868.1	-64.31	-13	Pass	1401
1000	3000	1	RMS	2961	-48.99	-13	Pass	2001
3000	10000	1	RMS	6965	-41.32	-13	Pass	7001




**12.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.73	-13	Pass	2986
30	814	0.1	RMS	808.1	-64.44	-13	Pass	7841
814	860	0.1	RMS	835.2	19.08	60	Pass	461
860	1000	0.1	RMS	973	-64.41	-13	Pass	1401
1000	3000	1	RMS	2957	-48.99	-13	Pass	2001
3000	10000	1	RMS	6967	-41.35	-13	Pass	7001




12.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2986
30	814	0.1	RMS	806.4	-64.49	-13	Pass	7841
814	860	0.1	RMS	846.2	19.93	60	Pass	461
860	1000	0.1	RMS	860.6	-64.23	-13	Pass	1401
1000	3000	1	RMS	2968	-48.98	-13	Pass	2001
3000	10000	1	RMS	6967	-41.35	-13	Pass	7001




**12.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.69	-13	Pass	2986
30	814	0.1	RMS	810.9	-64.52	-13	Pass	7841
814	860	0.1	RMS	846.2	19.08	60	Pass	461
860	1000	0.1	RMS	995.5	-64.37	-13	Pass	1401
1000	3000	1	RMS	2961	-49	-13	Pass	2001
3000	10000	1	RMS	6969	-41.37	-13	Pass	7001




**12.13. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.17	-13	Pass	7841
814	860	0.1	RMS	824.3	19.85	60	Pass	461
860	1000	0.1	RMS	871.7	-64.28	-13	Pass	1401
1000	3000	1	RMS	1648	-44.03	-13	Pass	2001
3000	10000	1	RMS	6965	-41.4	-13	Pass	7001




**12.14. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.54	-13	Pass	7841
814	860	0.1	RMS	824.3	18.88	60	Pass	461
860	1000	0.1	RMS	870.8	-64.17	-13	Pass	1401
1000	3000	1	RMS	1648	-44.85	-13	Pass	2001
3000	10000	1	RMS	6964	-41.32	-13	Pass	7001




**12.15. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.48	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.81	-13	Pass	2986
30	814	0.1	RMS	809.9	-64.48	-13	Pass	7841
814	860	0.1	RMS	834.3	19.85	60	Pass	461
860	1000	0.1	RMS	991	-64.39	-13	Pass	1401
1000	3000	1	RMS	2956	-48.99	-13	Pass	2001
3000	10000	1	RMS	6969	-41.32	-13	Pass	7001




**12.16. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	Pass	2986
30	814	0.1	RMS	806.4	-64.38	-13	Pass	7841
814	860	0.1	RMS	834.3	19.16	60	Pass	461
860	1000	0.1	RMS	861.8	-64.31	-13	Pass	1401
1000	3000	1	RMS	2964	-48.97	-13	Pass	2001
3000	10000	1	RMS	6972	-41.41	-13	Pass	7001




**12.17. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-13	Pass	2986
30	814	0.1	RMS	810	-64.38	-13	Pass	7841
814	860	0.1	RMS	844.3	20	60	Pass	461
860	1000	0.1	RMS	861.1	-64.3	-13	Pass	1401
1000	3000	1	RMS	1688	-45.4	-13	Pass	2001
3000	10000	1	RMS	6964	-41.34	-13	Pass	7001




**12.18. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	814	0.1	RMS	813.2	-64.18	-13	Pass	7841
814	860	0.1	RMS	844.3	19.22	60	Pass	461
860	1000	0.1	RMS	861.1	-64.28	-13	Pass	1401
1000	3000	1	RMS	1688	-45.97	-13	Pass	2001
3000	10000	1	RMS	6969	-41.35	-13	Pass	7001




12.19. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.48	-13	Pass	7841
814	860	0.1	RMS	824.6	20.29	60	Pass	461
860	1000	0.1	RMS	862.5	-64.2	-13	Pass	1401
1000	3000	1	RMS	1649	-44.52	-13	Pass	2001
3000	10000	1	RMS	6961	-41.4	-13	Pass	7001




**12.20. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.98	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.65	-13	Pass	7841
814	860	0.1	RMS	824.6	19.53	60	Pass	461
860	1000	0.1	RMS	871.3	-64.26	-13	Pass	1401
1000	3000	1	RMS	1649	-45.24	-13	Pass	2001
3000	10000	1	RMS	6965	-41.38	-13	Pass	7001




12.21. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.26	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.34	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.06	-13	Pass	7841
814	860	0.1	RMS	832.1	20.37	60	Pass	461
860	1000	0.1	RMS	884.1	-64.16	-13	Pass	1401
1000	3000	1	RMS	2964	-48.99	-13	Pass	2001
3000	10000	1	RMS	6966	-41.38	-13	Pass	7001




**12.22. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.56	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.56	-13	Pass	7841
814	860	0.1	RMS	832.1	19.34	60	Pass	461
860	1000	0.1	RMS	861.5	-64.32	-13	Pass	1401
1000	3000	1	RMS	2957	-48.98	-13	Pass	2001
3000	10000	1	RMS	6966	-41.35	-13	Pass	7001




12.23. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	814	0.1	RMS	813	-64.27	-13	Pass	7841
814	860	0.1	RMS	839.6	20.42	60	Pass	461
860	1000	0.1	RMS	996	-64.45	-13	Pass	1401
1000	3000	1	RMS	1679	-44.54	-13	Pass	2001
3000	10000	1	RMS	6967	-41.35	-13	Pass	7001




**12.24. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.45	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	Pass	2986
30	814	0.1	RMS	812.7	-64.39	-13	Pass	7841
814	860	0.1	RMS	839.6	19.48	60	Pass	461
860	1000	0.1	RMS	868.8	-64.3	-13	Pass	1401
1000	3000	1	RMS	1679	-45.35	-13	Pass	2001
3000	10000	1	RMS	6960	-41.36	-13	Pass	7001




12.25. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.46	-13	Pass	401
0.15	30	0.01	RMS	0.19	-73.34	-13	Pass	2986
30	814	0.1	RMS	811.5	-58.37	-13	Pass	7841
814	860	0.1	RMS	824.8	19.76	60	Pass	461
860	1000	0.1	RMS	991	-64.23	-13	Pass	1401
1000	3000	1	RMS	1649	-44.13	-13	Pass	2001
3000	10000	1	RMS	6980	-41.45	-13	Pass	7001




**12.26. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.12	-13	Pass	2986
30	814	0.1	RMS	811.5	-58.74	-13	Pass	7841
814	860	0.1	RMS	824.8	19.06	60	Pass	461
860	1000	0.1	RMS	867.6	-64.21	-13	Pass	1401
1000	3000	1	RMS	1649	-44.86	-13	Pass	2001
3000	10000	1	RMS	6972	-41.35	-13	Pass	7001




**12.27. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.54	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.57	-13	Pass	2986
30	814	0.1	RMS	810.7	-63.22	-13	Pass	7841
814	860	0.1	RMS	829.8	19.87	60	Pass	461
860	1000	0.1	RMS	866.6	-64.21	-13	Pass	1401
1000	3000	1	RMS	1659	-48.51	-13	Pass	2001
3000	10000	1	RMS	6960	-41.34	-13	Pass	7001




**12.28. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.98	-13	Pass	2986
30	814	0.1	RMS	809.9	-63.28	-13	Pass	7841
814	860	0.1	RMS	829.8	18.88	60	Pass	461
860	1000	0.1	RMS	886.7	-64.47	-13	Pass	1401
1000	3000	1	RMS	2959	-49.02	-13	Pass	2001
3000	10000	1	RMS	6966	-41.41	-13	Pass	7001




12.29. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.91	-13	Pass	2986
30	814	0.1	RMS	806.4	-64.24	-13	Pass	7841
814	860	0.1	RMS	834.8	19.75	60	Pass	461
860	1000	0.1	RMS	998.8	-64.39	-13	Pass	1401
1000	3000	1	RMS	2961	-49.02	-13	Pass	2001
3000	10000	1	RMS	6966	-41.37	-13	Pass	7001



**12.30. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.88	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.28	-13	Pass	2986
30	814	0.1	RMS	811	-64.36	-13	Pass	7841
814	860	0.1	RMS	834.8	19	60	Pass	461
860	1000	0.1	RMS	862.5	-64.17	-13	Pass	1401
1000	3000	1	RMS	2970	-48.99	-13	Pass	2001
3000	10000	1	RMS	6961	-41.35	-13	Pass	7001



13. LTE_Band26(part90)


13.1. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.26	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.7	-13	Pass	2986
30	809	0.1	Peak	518.3	-53.61	-13	Pass	7791
809	829	0.1	Peak	814.2	25.02	60	Pass	401
829	1000	0.1	Peak	833.4	-45.43	-13	Pass	1711
1000	3000	1	Peak	2955	-37.23	-13	Pass	2001
3000	10000	1	Peak	7705	-30.17	-13	Pass	7001




**13.2. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.7	-13	Pass	401
0.15	30	0.01	Peak	0.24	-63.45	-13	Pass	2986
30	809	0.1	Peak	353.7	-53.59	-13	Pass	7791
809	829	0.1	Peak	814.2	25.73	60	Pass	401
829	1000	0.1	Peak	833.4	-45.33	-13	Pass	1711
1000	3000	1	Peak	2807	-37.41	-13	Pass	2001
3000	10000	1	Peak	7143	-29.96	-13	Pass	7001




13.3. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.25	-13	Pass	401
0.15	30	0.01	Peak	0.31	-65.05	-13	Pass	2986
30	809	0.1	Peak	738.5	-53.4	-13	Pass	7791
809	829	0.1	Peak	818.5	24.99	60	Pass	401
829	1000	0.1	Peak	837.8	-46.25	-13	Pass	1711
1000	3000	1	Peak	2858	-37.8	-13	Pass	2001
3000	10000	1	Peak	6981	-30.61	-13	Pass	7001




**13.4. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.6	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.54	-13	Pass	2986
30	809	0.1	Peak	502	-53.47	-13	Pass	7791
809	829	0.1	Peak	818.55	25.54	60	Pass	401
829	1000	0.1	Peak	837.7	-48.41	-13	Pass	1711
1000	3000	1	Peak	2861	-37.42	-13	Pass	2001
3000	10000	1	Peak	7509	-29.89	-13	Pass	7001




13.5. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.42	-13	Pass	401
0.15	30	0.01	Peak	0.2	-63.86	-13	Pass	2986
30	809	0.1	Peak	776.3	-53.9	-13	Pass	7791
809	829	0.1	Peak	822.9	24.92	60	Pass	401
829	1000	0.1	Peak	842.1	-45.84	-13	Pass	1711
1000	3000	1	Peak	1646	-36.37	-13	Pass	2001
3000	10000	1	Peak	7084	-30.37	-13	Pass	7001




**13.6. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.59	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.25	-13	Pass	2986
30	809	0.1	Peak	595.7	-53.51	-13	Pass	7791
809	829	0.1	Peak	822.85	25.62	60	Pass	401
829	1000	0.1	Peak	842.1	-47.77	-13	Pass	1711
1000	3000	1	Peak	1646	-35.35	-13	Pass	2001
3000	10000	1	Peak	7580	-30.33	-13	Pass	7001




**13.7. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.74	-13	Pass	401
0.15	30	0.01	Peak	0.44	-64.95	-13	Pass	2986
30	809	0.1	Peak	808.6	-51.24	-13	Pass	7791
809	829	0.1	Peak	814.3	24.98	60	Pass	401
829	1000	0.1	Peak	833.3	-46.27	-13	Pass	1711
1000	3000	1	Peak	2967	-37.48	-13	Pass	2001
3000	10000	1	Peak	7227	-29.95	-13	Pass	7001




**13.8. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-65.23	-13	Pass	2986
30	809	0.1	Peak	808.2	-52.9	-13	Pass	7791
809	829	0.1	Peak	814.2	25.8	60	Pass	401
829	1000	0.1	Peak	833.4	-44.33	-13	Pass	1711
1000	3000	1	Peak	2958	-37.51	-13	Pass	2001
3000	10000	1	Peak	6965	-30.28	-13	Pass	7001




**13.9. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.75	-13	Pass	401
0.15	30	0.01	Peak	0.33	-64.36	-13	Pass	2986
30	809	0.1	Peak	740	-53.03	-13	Pass	7791
809	829	0.1	Peak	817.75	25.12	60	Pass	401
829	1000	0.1	Peak	836.9	-46.64	-13	Pass	1711
1000	3000	1	Peak	2999	-37.15	-13	Pass	2001
3000	10000	1	Peak	6969	-30.1	-13	Pass	7001




**13.10. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.3	-13	Pass	401
0.15	30	0.01	Peak	0.17	-65.18	-13	Pass	2986
30	809	0.1	Peak	562	-53.63	-13	Pass	7791
809	829	0.1	Peak	817.75	25.48	60	Pass	401
829	1000	0.1	Peak	837	-47.54	-13	Pass	1711
1000	3000	1	Peak	2621	-37.31	-13	Pass	2001
3000	10000	1	Peak	7343	-30.12	-13	Pass	7001




**13.11. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-68.64	-13	Pass	401
0.15	30	0.01	Peak	0.2	-64.49	-13	Pass	2986
30	809	0.1	Peak	805.4	-53.71	-13	Pass	7791
809	829	0.1	Peak	821.3	25.07	60	Pass	401
829	1000	0.1	Peak	840.5	-47.28	-13	Pass	1711
1000	3000	1	Peak	1643	-36.4	-13	Pass	2001
3000	10000	1	Peak	6954	-30.15	-13	Pass	7001




**13.12. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.94	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.69	-13	Pass	2986
30	809	0.1	Peak	780.4	-53.65	-13	Pass	7791
809	829	0.1	Peak	821.25	25.69	60	Pass	401
829	1000	0.1	Peak	840.4	-46.48	-13	Pass	1711
1000	3000	1	Peak	1642	-35.03	-13	Pass	2001
3000	10000	1	Peak	6693	-30.63	-13	Pass	7001




**13.13. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.65	-13	Pass	401
0.15	30	0.01	Peak	0.33	-65	-13	Pass	2986
30	809	0.1	Peak	762	-53.26	-13	Pass	7791
809	829	0.1	Peak	814.3	25.17	60	Pass	401
829	1000	0.1	Peak	833.5	-43.86	-13	Pass	1711
1000	3000	1	Peak	2912	-37.78	-13	Pass	2001
3000	10000	1	Peak	6981	-30.36	-13	Pass	7001




**13.14. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.86	-13	Pass	401
0.15	30	0.01	Peak	0.26	-64.31	-13	Pass	2986
30	809	0.1	Peak	758.4	-53.49	-13	Pass	7791
809	829	0.1	Peak	814.3	26.06	60	Pass	401
829	1000	0.1	Peak	833.5	-45.7	-13	Pass	1711
1000	3000	1	Peak	2956	-37.14	-13	Pass	2001
3000	10000	1	Peak	6691	-30.23	-13	Pass	7001




**13.15. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.35	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.82	-13	Pass	2986
30	809	0.1	Peak	772.9	-53.18	-13	Pass	7791
809	829	0.1	Peak	816.85	25	60	Pass	401
829	1000	0.1	Peak	836	-45.44	-13	Pass	1711
1000	3000	1	Peak	2997	-37.47	-13	Pass	2001
3000	10000	1	Peak	6684	-30.67	-13	Pass	7001




**13.16. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.47	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.92	-13	Pass	2986
30	809	0.1	Peak	793.8	-53.76	-13	Pass	7791
809	829	0.1	Peak	816.8	25.62	60	Pass	401
829	1000	0.1	Peak	836	-47.79	-13	Pass	1711
1000	3000	1	Peak	2819	-37.79	-13	Pass	2001
3000	10000	1	Peak	6694	-30.54	-13	Pass	7001




**13.17. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.93	-13	Pass	401
0.15	30	0.01	Peak	0.55	-65.45	-13	Pass	2986
30	809	0.1	Peak	597.8	-53.47	-13	Pass	7791
809	829	0.1	Peak	819.3	25.07	60	Pass	401
829	1000	0.1	Peak	838.5	-46.41	-13	Pass	1711
1000	3000	1	Peak	1639	-36.3	-13	Pass	2001
3000	10000	1	Peak	6959	-30.38	-13	Pass	7001




**13.18. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.52	-13	Pass	2986
30	809	0.1	Peak	494.4	-53.22	-13	Pass	7791
809	829	0.1	Peak	819.3	25.8	60	Pass	401
829	1000	0.1	Peak	838.6	-46.39	-13	Pass	1711
1000	3000	1	Peak	1639	-36.39	-13	Pass	2001
3000	10000	1	Peak	7639	-30.13	-13	Pass	7001




13.19. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.39	-13	Pass	401
0.15	30	0.01	Peak	0.38	-64.93	-13	Pass	2986
30	809	0.1	Peak	681.3	-53.6	-13	Pass	7791
809	829	0.1	Peak	814.6	25.27	60	Pass	401
829	1000	0.1	Peak	833.9	-45.33	-13	Pass	1711
1000	3000	1	Peak	2965	-37.8	-13	Pass	2001
3000	10000	1	Peak	6700	-30.37	-13	Pass	7001



13.20. LTE Spurious Emission at Antenna Terminals(NTLV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.93	-13	Pass	401
0.15	30	0.01	Peak	0.21	-64.18	-13	Pass	2986
30	809	0.1	Peak	808.6	-50.96	-13	Pass	7791
809	829	0.1	Peak	814.55	25.78	60	Pass	401
829	1000	0.1	Peak	833.8	-45.15	-13	Pass	1711
1000	3000	1	Peak	2946	-36.91	-13	Pass	2001
3000	10000	1	Peak	6983	-29.47	-13	Pass	7001



14. LTE_Band41 full


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.14	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.66	-25	Pass	2986
30	1000	0.1	RMS	814.1	-60.31	-25	Pass	9701
1000	2486	1	RMS	2485	-44.81	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.46	60	Pass	401
2700	3000	1	RMS	2955	-44.98	-25	Pass	401
3000	12000	1	RMS	4993	-42.74	-25	Pass	9002
12000	27000	1	RMS	25995	-31.75	-25	Pass	15002




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.52	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.01	-25	Pass	2986
30	1000	0.1	RMS	829.3	-60.22	-25	Pass	9701
1000	2486	1	RMS	2486	-45.05	-25	Pass	1487
2486	2700	1	RMS	2496.165	20.73	60	Pass	401
2700	3000	1	RMS	2968.5	-44.97	-25	Pass	401
3000	12000	1	RMS	11999	-46.67	-25	Pass	9002
12000	27000	1	RMS	26028	-31.78	-25	Pass	15002




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.86	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.06	-25	Pass	2986
30	1000	0.1	RMS	825	-60.31	-25	Pass	9701
1000	2486	1	RMS	2486	-46.87	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.53	60	Pass	401
2700	3000	1	RMS	2960.25	-45	-25	Pass	401
3000	12000	1	RMS	11986	-46.7	-25	Pass	9002
12000	27000	1	RMS	25986	-31.73	-25	Pass	15002




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.13	-25	Pass	2986
30	1000	0.1	RMS	847.5	-60.13	-25	Pass	9701
1000	2486	1	RMS	2477	-46.89	-25	Pass	1487
2486	2700	1	RMS	2590.86	20.76	60	Pass	401
2700	3000	1	RMS	2958	-45	-25	Pass	401
3000	12000	1	RMS	11993	-46.72	-25	Pass	9002
12000	27000	1	RMS	26011	-31.73	-25	Pass	15002




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.8	-25	Pass	2986
30	1000	0.1	RMS	724.6	-59.44	-25	Pass	9701
1000	2486	1	RMS	2480	-46.82	-25	Pass	1487
2486	2700	1	RMS	2685.02	22.94	60	Pass	401
2700	3000	1	RMS	2700	-44.62	-25	Pass	401
3000	12000	1	RMS	8057	-46.14	-25	Pass	9002
12000	27000	1	RMS	26005	-31.67	-25	Pass	15002




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.99	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.93	-25	Pass	2986
30	1000	0.1	RMS	724.6	-60.11	-25	Pass	9701
1000	2486	1	RMS	2478	-46.87	-25	Pass	1487
2486	2700	1	RMS	2685.02	21.25	60	Pass	401
2700	3000	1	RMS	2700.75	-44.93	-25	Pass	401
3000	12000	1	RMS	8056	-40.17	-25	Pass	9002
12000	27000	1	RMS	26005	-31.72	-25	Pass	15002




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.2	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.85	-25	Pass	2986
30	1000	0.1	RMS	856.305	-60.26	-25	Pass	9701
1000	2486	1	RMS	2486	-46.14	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.14	60	Pass	401
2700	3000	1	RMS	2961	-44.99	-25	Pass	401
3000	12000	1	RMS	11989	-46.64	-25	Pass	9002
12000	27000	1	RMS	26003	-31.62	-25	Pass	15002




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.04	-25	Pass	2986
30	1000	0.1	RMS	845.7	-60.21	-25	Pass	9701
1000	2486	1	RMS	2486	-46.43	-25	Pass	1487
2486	2700	1	RMS	2496.165	21.27	60	Pass	401
2700	3000	1	RMS	2957.25	-45.01	-25	Pass	401
3000	12000	1	RMS	11991	-46.66	-25	Pass	9002
12000	27000	1	RMS	25992	-31.73	-25	Pass	15002




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.72	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.87	-25	Pass	2986
30	1000	0.1	RMS	851.001	-60.23	-25	Pass	9701
1000	2486	1	RMS	2485	-46.8	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.64	60	Pass	401
2700	3000	1	RMS	2962.5	-44.99	-25	Pass	401
3000	12000	1	RMS	11998	-46.67	-25	Pass	9002
12000	27000	1	RMS	26024	-31.72	-25	Pass	15002




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.35	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.59	-25	Pass	2986
30	1000	0.1	RMS	822	-60.21	-25	Pass	9701
1000	2486	1	RMS	2473	-46.8	-25	Pass	1487
2486	2700	1	RMS	2588.185	20.6	60	Pass	401
2700	3000	1	RMS	2955.75	-45.02	-25	Pass	401
3000	12000	1	RMS	11991	-46.61	-25	Pass	9002
12000	27000	1	RMS	25998	-31.65	-25	Pass	15002




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.03	-25	Pass	2986
30	1000	0.1	RMS	719.8	-60.11	-25	Pass	9701
1000	2486	1	RMS	2484	-46.84	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.8	60	Pass	401
2700	3000	1	RMS	2967	-44.99	-25	Pass	401
3000	12000	1	RMS	8042	-40.61	-25	Pass	9002
12000	27000	1	RMS	26001	-31.66	-25	Pass	15002




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.61	-25	Pass	2986
30	1000	0.1	RMS	719.9	-59.75	-25	Pass	9701
1000	2486	1	RMS	2485	-46.84	-25	Pass	1487
2486	2700	1	RMS	2680.205	22.04	60	Pass	401
2700	3000	1	RMS	2964.75	-45	-25	Pass	401
3000	12000	1	RMS	8042	-42.19	-25	Pass	9002
12000	27000	1	RMS	26004	-31.69	-25	Pass	15002




**14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.97	-25	Pass	2986
30	1000	0.1	RMS	856.005	-60.18	-25	Pass	9701
1000	2486	1	RMS	2486	-46.23	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.21	60	Pass	401
2700	3000	1	RMS	2964.75	-45.02	-25	Pass	401
3000	12000	1	RMS	11996	-46.68	-25	Pass	9002
12000	27000	1	RMS	26001	-31.71	-25	Pass	15002




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.85	-25	Pass	401
0.15	30	0.01	RMS	0.51	-69.42	-25	Pass	2986
30	1000	0.1	RMS	831.7	-60.23	-25	Pass	9701
1000	2486	1	RMS	2485	-46.46	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.53	60	Pass	401
2700	3000	1	RMS	2956.5	-45.01	-25	Pass	401
3000	12000	1	RMS	11997	-46.62	-25	Pass	9002
12000	27000	1	RMS	26008	-31.72	-25	Pass	15002




14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.87	-25	Pass	2986
30	1000	0.1	RMS	857.506	-60.19	-25	Pass	9701
1000	2486	1	RMS	2480	-46.84	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.74	60	Pass	401
2700	3000	1	RMS	2957.25	-45.01	-25	Pass	401
3000	12000	1	RMS	11993	-46.63	-25	Pass	9002
12000	27000	1	RMS	26000	-31.74	-25	Pass	15002




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.39	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.9	-25	Pass	2986
30	1000	0.1	RMS	848	-60.17	-25	Pass	9701
1000	2486	1	RMS	2486	-46.85	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.54	60	Pass	401
2700	3000	1	RMS	2965.5	-45.01	-25	Pass	401
3000	12000	1	RMS	12000	-46.64	-25	Pass	9002
12000	27000	1	RMS	26014	-31.66	-25	Pass	15002




**14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.83	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.98	-25	Pass	2986
30	1000	0.1	RMS	850.401	-60.25	-25	Pass	9701
1000	2486	1	RMS	2469	-46.84	-25	Pass	1487
2486	2700	1	RMS	2675.39	22.9	60	Pass	401
2700	3000	1	RMS	2702.25	-36.22	-25	Pass	401
3000	12000	1	RMS	5352	-43.56	-25	Pass	9002
12000	27000	1	RMS	26017	-31.79	-25	Pass	15002




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.99	-25	Pass	2986
30	1000	0.1	RMS	850.401	-60.27	-25	Pass	9701
1000	2486	1	RMS	2484	-46.8	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.28	60	Pass	401
2700	3000	1	RMS	2702.25	-37.06	-25	Pass	401
3000	12000	1	RMS	8027	-44.54	-25	Pass	9002
12000	27000	1	RMS	26003	-31.73	-25	Pass	15002




**14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.84	-25	Pass	2986
30	1000	0.1	RMS	846.3	-60.18	-25	Pass	9701
1000	2486	1	RMS	2486	-46.43	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.78	60	Pass	401
2700	3000	1	RMS	2963.25	-44.98	-25	Pass	401
3000	12000	1	RMS	4994	-43.44	-25	Pass	9002
12000	27000	1	RMS	25999	-31.74	-25	Pass	15002




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.18	-25	Pass	401
0.15	30	0.01	RMS	0.35	-69.33	-25	Pass	2986
30	1000	0.1	RMS	847	-60.12	-25	Pass	9701
1000	2486	1	RMS	2479	-46.48	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.28	60	Pass	401
2700	3000	1	RMS	2967.75	-45.01	-25	Pass	401
3000	12000	1	RMS	11990	-46.68	-25	Pass	9002
12000	27000	1	RMS	26003	-31.75	-25	Pass	15002




14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.65	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.98	-25	Pass	2986
30	1000	0.1	RMS	821.7	-60.26	-25	Pass	9701
1000	2486	1	RMS	2478	-46.83	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.69	60	Pass	401
2700	3000	1	RMS	2961	-45	-25	Pass	401
3000	12000	1	RMS	11990	-46.72	-25	Pass	9002
12000	27000	1	RMS	26005	-31.66	-25	Pass	15002




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.92	-25	Pass	2986
30	1000	0.1	RMS	825	-60.14	-25	Pass	9701
1000	2486	1	RMS	2479	-46.79	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.96	60	Pass	401
2700	3000	1	RMS	2958	-44.99	-25	Pass	401
3000	12000	1	RMS	12000	-46.67	-25	Pass	9002
12000	27000	1	RMS	25999	-31.5	-25	Pass	15002




**14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.74	-25	Pass	2986
30	1000	0.1	RMS	710.4	-60.06	-25	Pass	9701
1000	2486	1	RMS	2486	-46.66	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.94	60	Pass	401
2700	3000	1	RMS	2706	-36.12	-25	Pass	401
3000	12000	1	RMS	8013	-40.37	-25	Pass	9002
12000	27000	1	RMS	26009	-31.7	-25	Pass	15002



**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.06	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.94	-25	Pass	2986
30	1000	0.1	RMS	857.105	-60.09	-25	Pass	9701
1000	2486	1	RMS	2486	-43.05	-25	Pass	1487
2486	2700	1	RMS	2671.11	23.63	60	Pass	401
2700	3000	1	RMS	2706.75	-37.35	-25	Pass	401
3000	12000	1	RMS	8013	-43.29	-25	Pass	9002
12000	27000	1	RMS	25999	-31.68	-25	Pass	15002



--BLANK BELOW--