


Annex A.5 Spurious Emission at Antenna Terminals

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.41	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.94	-13	Pass	2985
30	1000	0.1	Peak	835.498	-52.92	-13	Pass	9699
1000	3000	1	Peak	1851.426	23.27	-13	N/A	2000
3000	20000	1	Peak	16357.631	-22.19	-13	Pass	17000




1.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.83	-13	Pass	401
0.15	30	0.01	Peak	0.25	-65.2	-13	Pass	2985
30	1000	0.1	Peak	842.599	-53.51	-13	Pass	9699
1000	3000	1	Peak	1878.439	23.29	-13	N/A	2000
3000	20000	1	Peak	16729.676	-22.38	-13	Pass	17000



1.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.6	-13	Pass	401
0.15	30	0.01	Peak	0.2	-65.82	-13	Pass	2985
30	1000	0.1	Peak	972.063	-53.02	-13	Pass	9699
1000	3000	1	Peak	1906.453	23.2	-13	N/A	2000
3000	20000	1	Peak	16709.674	-22.46	-13	Pass	17000



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-68.22	-13	Pass	401
0.15	30	0.01	Peak	0.22	-63.59	-13	Pass	2985
30	1000	0.1	Peak	814.796	-53.22	-13	Pass	9699
1000	3000	1	Peak	1711.356	23.33	-13	N/A	2000
3000	20000	1	Peak	19391.011	-22.49	-13	Pass	17000




2.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.05	-13	Pass	401
0.15	30	0.01	Peak	0.16	-65.35	-13	Pass	2985
30	1000	0.1	Peak	849.3	-53.12	-13	Pass	9699
1000	3000	1	Peak	1733.367	23.46	-13	N/A	2000
3000	20000	1	Peak	19818.706	-22.39	-13	Pass	17000



2.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.13	-13	Pass	401
0.15	30	0.01	Peak	0.26	-65.38	-13	Pass	2985
30	1000	0.1	Peak	501.558	-53.46	-13	Pass	9699
1000	3000	1	Peak	1751.376	23.46	-13	N/A	2000
3000	20000	1	Peak	18916.943	-22.41	-13	Pass	17000



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.61	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.41	-13	Pass	2985
30	500	0.1	Peak	479.496	-53.95	-13	Pass	4700
500	1000	0.1	Peak	827.365	17.2	-13	N/A	5000
1000	10000	1	Peak	7201.757	-30.32	-13	Pass	9000




3.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.85	-13	Pass	401
0.15	30	0.01	Peak	0.34	-64.6	-13	Pass	2985
30	500	0.1	Peak	434.486	-54.07	-13	Pass	4700
500	1000	0.1	Peak	835.567	18.91	-13	N/A	5000
1000	10000	1	Peak	6960.728	-29.33	-13	Pass	9000



3.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.85	-13	Pass	401
0.15	30	0.01	Peak	0.34	-64.07	-13	Pass	2985
30	500	0.1	Peak	367.372	-54.34	-13	Pass	4700
500	1000	0.1	Peak	846.869	17.01	-13	N/A	5000
1000	10000	1	Peak	7701.818	-30.62	-13	Pass	9000



4. LTE_Band2


4.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	Pass	2985
30	1000	0.1	RMS	827.697	-64.24	-13	Pass	9699
1000	1840	1	RMS	1840	-51.92	-13	Pass	840
1840	1920	1	RMS	1850.2	22.72	60	Pass	401
1920	3000	1	RMS	2963.967	-49.46	-13	Pass	1080
3000	12000	1	RMS	11987.985	-40.7	-13	Pass	9000
12000	20000	1	RMS	19401.925	-33.74	-13	Pass	8000




**4.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.43	-13	Pass	2985
30	1000	0.1	RMS	843.899	-64.15	-13	Pass	9699
1000	1840	1	RMS	1840	-51.97	-13	Pass	840
1840	1920	1	RMS	1850.2	21.74	60	Pass	401
1920	3000	1	RMS	2961.965	-49.44	-13	Pass	1080
3000	12000	1	RMS	11994.994	-40.61	-13	Pass	9000
12000	20000	1	RMS	19395.924	-33.78	-13	Pass	8000




**4.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.03	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.53	-13	Pass	2985
30	1000	0.1	RMS	847.8	-64.18	-13	Pass	9699
1000	1840	1	RMS	1819.976	-52.53	-13	Pass	840
1840	1920	1	RMS	1879.4	22.67	60	Pass	401
1920	3000	1	RMS	2958.962	-49.48	-13	Pass	1080
3000	12000	1	RMS	11996.996	-40.63	-13	Pass	9000
12000	20000	1	RMS	19402.925	-33.75	-13	Pass	8000




**4.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.59	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.65	-13	Pass	2985
30	1000	0.1	RMS	843.099	-64.14	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.52	-13	Pass	840
1840	1920	1	RMS	1879.4	21.85	60	Pass	401
1920	3000	1	RMS	2951.956	-49.5	-13	Pass	1080
3000	12000	1	RMS	11991.99	-40.63	-13	Pass	9000
12000	20000	1	RMS	19395.924	-33.79	-13	Pass	8000




**4.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.22	-13	Pass	2985
30	1000	0.1	RMS	849.801	-63.95	-13	Pass	9699
1000	1840	1	RMS	1836.996	-52.51	-13	Pass	840
1840	1920	1	RMS	1908.8	22.57	60	Pass	401
1920	3000	1	RMS	2960.964	-49.45	-13	Pass	1080
3000	12000	1	RMS	11994.994	-40.61	-13	Pass	9000
12000	20000	1	RMS	19398.925	-33.8	-13	Pass	8000




**4.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.42	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.64	-13	Pass	2985
30	1000	0.1	RMS	840.999	-64.07	-13	Pass	9699
1000	1840	1	RMS	1819.976	-52.49	-13	Pass	840
1840	1920	1	RMS	1908.8	21.69	60	Pass	401
1920	3000	1	RMS	2956.96	-49.5	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.61	-13	Pass	9000
12000	20000	1	RMS	19395.924	-33.78	-13	Pass	8000




**4.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.71	-13	Pass	2985
30	1000	0.1	RMS	847.2	-64.21	-13	Pass	9699
1000	1840	1	RMS	1840	-51.14	-13	Pass	840
1840	1920	1	RMS	1850.2	22.62	60	Pass	401
1920	3000	1	RMS	2965.968	-49.49	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.54	-13	Pass	9000
12000	20000	1	RMS	19404.926	-33.78	-13	Pass	8000




**4.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.53	-13	Pass	2985
30	1000	0.1	RMS	863.619	-64.14	-13	Pass	9699
1000	1840	1	RMS	1840	-51.83	-13	Pass	840
1840	1920	1	RMS	1850.2	21.78	60	Pass	401
1920	3000	1	RMS	2951.956	-49.48	-13	Pass	1080
3000	12000	1	RMS	11994.994	-40.6	-13	Pass	9000
12000	20000	1	RMS	19400.925	-33.79	-13	Pass	8000




**4.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.17	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.5	-13	Pass	2985
30	1000	0.1	RMS	840.299	-64.22	-13	Pass	9699
1000	1840	1	RMS	1834.994	-52.49	-13	Pass	840
1840	1920	1	RMS	1878.6	22.6	60	Pass	401
1920	3000	1	RMS	2956.96	-49.46	-13	Pass	1080
3000	12000	1	RMS	11992.991	-40.59	-13	Pass	9000
12000	20000	1	RMS	19400.925	-33.69	-13	Pass	8000




**4.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.81	-13	Pass	2985
30	1000	0.1	RMS	831.698	-64.24	-13	Pass	9699
1000	1840	1	RMS	1827.986	-52.51	-13	Pass	840
1840	1920	1	RMS	1878.6	21.87	60	Pass	401
1920	3000	1	RMS	2953.957	-49.45	-13	Pass	1080
3000	12000	1	RMS	11996.996	-40.59	-13	Pass	9000
12000	20000	1	RMS	19398.925	-33.78	-13	Pass	8000




**4.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.88	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.83	-13	Pass	2985
30	1000	0.1	RMS	830.698	-64.1	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.51	-13	Pass	840
1840	1920	1	RMS	1907.2	22.56	60	Pass	401
1920	3000	1	RMS	2954.958	-49.46	-13	Pass	1080
3000	12000	1	RMS	11991.99	-40.68	-13	Pass	9000
12000	20000	1	RMS	19397.925	-33.77	-13	Pass	8000




**4.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.32	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.92	-13	Pass	2985
30	1000	0.1	RMS	843.999	-64.09	-13	Pass	9699
1000	1840	1	RMS	1818.975	-52.56	-13	Pass	840
1840	1920	1	RMS	1907.2	21.63	60	Pass	401
1920	3000	1	RMS	2955.959	-49.47	-13	Pass	1080
3000	12000	1	RMS	11996.996	-40.63	-13	Pass	9000
12000	20000	1	RMS	19401.925	-33.8	-13	Pass	8000




**4.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.84	-13	Pass	2985
30	1000	0.1	RMS	844.299	-64.2	-13	Pass	9699
1000	1840	1	RMS	1840	-51.96	-13	Pass	840
1840	1920	1	RMS	1850.2	22.57	60	Pass	401
1920	3000	1	RMS	2953.957	-49.49	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.62	-13	Pass	9000
12000	20000	1	RMS	19401.925	-33.79	-13	Pass	8000




**4.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2985
30	1000	0.1	RMS	853.205	-64.04	-13	Pass	9699
1000	1840	1	RMS	1840	-51.92	-13	Pass	840
1840	1920	1	RMS	1850.2	21.64	60	Pass	401
1920	3000	1	RMS	2963.967	-49.47	-13	Pass	1080
3000	12000	1	RMS	11988.986	-40.64	-13	Pass	9000
12000	20000	1	RMS	19409.926	-33.75	-13	Pass	8000




**4.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.85	-13	Pass	2985
30	1000	0.1	RMS	922.798	-64.24	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.51	-13	Pass	840
1840	1920	1	RMS	1877.8	22.6	60	Pass	401
1920	3000	1	RMS	2958.962	-49.49	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.7	-13	Pass	9000
12000	20000	1	RMS	19399.925	-33.79	-13	Pass	8000




**4.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.92	-13	Pass	2985
30	1000	0.1	RMS	859.814	-64.14	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.5	-13	Pass	840
1840	1920	1	RMS	1877.8	21.76	60	Pass	401
1920	3000	1	RMS	2953.957	-49.52	-13	Pass	1080
3000	12000	1	RMS	12000	-40.61	-13	Pass	9000
12000	20000	1	RMS	19408.926	-33.79	-13	Pass	8000




**4.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2985
30	1000	0.1	RMS	848.5	-64.18	-13	Pass	9699
1000	1840	1	RMS	1825.983	-52.52	-13	Pass	840
1840	1920	1	RMS	1905.2	22.56	60	Pass	401
1920	3000	1	RMS	2965.968	-49.44	-13	Pass	1080
3000	12000	1	RMS	11995.995	-40.65	-13	Pass	9000
12000	20000	1	RMS	19393.924	-33.66	-13	Pass	8000




**4.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2985
30	1000	0.1	RMS	852.304	-64.1	-13	Pass	9699
1000	1840	1	RMS	1821.979	-52.44	-13	Pass	840
1840	1920	1	RMS	1905.2	21.81	60	Pass	401
1920	3000	1	RMS	2958.962	-49.51	-13	Pass	1080
3000	12000	1	RMS	11994.994	-40.55	-13	Pass	9000
12000	20000	1	RMS	19400.925	-33.78	-13	Pass	8000




**4.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	Pass	2985
30	1000	0.1	RMS	861.616	-64.1	-13	Pass	9699
1000	1840	1	RMS	1840	-51.79	-13	Pass	840
1840	1920	1	RMS	1850.4	22.67	60	Pass	401
1920	3000	1	RMS	2952.956	-49.52	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.57	-13	Pass	9000
12000	20000	1	RMS	19404.926	-33.74	-13	Pass	8000




**4.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-13	Pass	2985
30	1000	0.1	RMS	843.799	-64.2	-13	Pass	9699
1000	1840	1	RMS	1840	-52.01	-13	Pass	840
1840	1920	1	RMS	1850.4	21.76	60	Pass	401
1920	3000	1	RMS	2960.964	-49.46	-13	Pass	1080
3000	12000	1	RMS	12000	-40.58	-13	Pass	9000
12000	20000	1	RMS	19401.925	-33.79	-13	Pass	8000




**4.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.63	-13	Pass	2985
30	1000	0.1	RMS	849.1	-64.15	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.48	-13	Pass	840
1840	1920	1	RMS	1875.4	22.57	60	Pass	401
1920	3000	1	RMS	2955.959	-49.45	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.51	-13	Pass	9000
12000	20000	1	RMS	19395.924	-33.77	-13	Pass	8000




**4.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.09	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.61	-13	Pass	2985
30	1000	0.1	RMS	853.305	-64.2	-13	Pass	9699
1000	1840	1	RMS	1840	-52.52	-13	Pass	840
1840	1920	1	RMS	1875.4	21.63	60	Pass	401
1920	3000	1	RMS	2965.968	-49.46	-13	Pass	1080
3000	12000	1	RMS	11993.993	-40.64	-13	Pass	9000
12000	20000	1	RMS	19408.926	-33.73	-13	Pass	8000




**4.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	Pass	2985
30	1000	0.1	RMS	858.612	-64.21	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.54	-13	Pass	840
1840	1920	1	RMS	1900.6	22.63	60	Pass	401
1920	3000	1	RMS	2969.972	-49.51	-13	Pass	1080
3000	12000	1	RMS	11994.994	-40.54	-13	Pass	9000
12000	20000	1	RMS	19399.925	-33.82	-13	Pass	8000




**4.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.01	-13	Pass	2985
30	1000	0.1	RMS	860.014	-64.13	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.53	-13	Pass	840
1840	1920	1	RMS	1900.4	21.73	60	Pass	401
1920	3000	1	RMS	2960.964	-49.44	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.66	-13	Pass	9000
12000	20000	1	RMS	19386.923	-33.78	-13	Pass	8000




**4.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.41	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.99	-13	Pass	2985
30	1000	0.1	RMS	852.104	-64.22	-13	Pass	9699
1000	1840	1	RMS	1837.998	-51.14	-13	Pass	840
1840	1920	1	RMS	1850.8	22.46	60	Pass	401
1920	3000	1	RMS	2956.96	-49.44	-13	Pass	1080
3000	12000	1	RMS	12000	-40.57	-13	Pass	9000
12000	20000	1	RMS	19399.925	-33.73	-13	Pass	8000




**4.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.21	-73.01	-13	Pass	2985
30	1000	0.1	RMS	835.098	-64.06	-13	Pass	9699
1000	1840	1	RMS	1837.998	-51.9	-13	Pass	840
1840	1920	1	RMS	1850.8	22.04	60	Pass	401
1920	3000	1	RMS	2958.962	-49.47	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.65	-13	Pass	9000
12000	20000	1	RMS	19408.926	-33.77	-13	Pass	8000




**4.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	1000	0.1	RMS	827.597	-64.09	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.49	-13	Pass	840
1840	1920	1	RMS	1873.2	22.44	60	Pass	401
1920	3000	1	RMS	2954.958	-49.46	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.62	-13	Pass	9000
12000	20000	1	RMS	19399.925	-33.75	-13	Pass	8000




**4.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2985
30	1000	0.1	RMS	839.199	-64.12	-13	Pass	9699
1000	1840	1	RMS	1836.996	-52.54	-13	Pass	840
1840	1920	1	RMS	1873.2	21.59	60	Pass	401
1920	3000	1	RMS	2956.96	-49.47	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.66	-13	Pass	9000
12000	20000	1	RMS	19404.926	-33.8	-13	Pass	8000




**4.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.82	-13	Pass	2985
30	1000	0.1	RMS	864.62	-64.11	-13	Pass	9699
1000	1840	1	RMS	1817.974	-52.51	-13	Pass	840
1840	1920	1	RMS	1895.8	22.51	60	Pass	401
1920	3000	1	RMS	2955.959	-49.42	-13	Pass	1080
3000	12000	1	RMS	11997.998	-40.64	-13	Pass	9000
12000	20000	1	RMS	19399.925	-33.77	-13	Pass	8000




**4.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.03	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.54	-13	Pass	2985
30	1000	0.1	RMS	853.205	-64.23	-13	Pass	9699
1000	1840	1	RMS	1837.998	-52.5	-13	Pass	840
1840	1920	1	RMS	1895.8	21.58	60	Pass	401
1920	3000	1	RMS	2959.963	-49.48	-13	Pass	1080
3000	12000	1	RMS	12000	-40.61	-13	Pass	9000
12000	20000	1	RMS	19401.925	-33.82	-13	Pass	8000




**4.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-13	Pass	2985
30	1000	0.1	RMS	858.813	-64.14	-13	Pass	9699
1000	1840	1	RMS	1840	-51.81	-13	Pass	840
1840	1920	1	RMS	1851	22.52	60	Pass	401
1920	3000	1	RMS	2957.961	-49.49	-13	Pass	1080
3000	12000	1	RMS	11998.999	-40.51	-13	Pass	9000
12000	20000	1	RMS	19403.925	-33.69	-13	Pass	8000




**4.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.75	-13	Pass	2985
30	1000	0.1	RMS	839.999	-64.09	-13	Pass	9699
1000	1840	1	RMS	1840	-51.98	-13	Pass	840
1840	1920	1	RMS	1851	21.81	60	Pass	401
1920	3000	1	RMS	2960.964	-49.48	-13	Pass	1080
3000	12000	1	RMS	12000	-40.68	-13	Pass	9000
12000	20000	1	RMS	19397.925	-33.75	-13	Pass	8000




**4.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.77	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.66	-13	Pass	2985
30	1000	0.1	RMS	823.497	-64.19	-13	Pass	9699
1000	1840	1	RMS	1836.996	-52.44	-13	Pass	840
1840	1920	1	RMS	1871	22.54	60	Pass	401
1920	3000	1	RMS	2954.958	-49.44	-13	Pass	1080
3000	12000	1	RMS	11987.985	-40.65	-13	Pass	9000
12000	20000	1	RMS	19402.925	-33.78	-13	Pass	8000




**4.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.04	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.09	-13	Pass	2985
30	1000	0.1	RMS	824.797	-64.12	-13	Pass	9699
1000	1840	1	RMS	1840	-52.47	-13	Pass	840
1840	1920	1	RMS	1871	21.55	60	Pass	401
1920	3000	1	RMS	2957.961	-49.45	-13	Pass	1080
3000	12000	1	RMS	11994.994	-40.62	-13	Pass	9000
12000	20000	1	RMS	19404.926	-33.71	-13	Pass	8000




**4.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.74	-13	Pass	2985
30	1000	0.1	RMS	835.198	-64.08	-13	Pass	9699
1000	1840	1	RMS	1835.995	-52.52	-13	Pass	840
1840	1920	1	RMS	1891	22.51	60	Pass	401
1920	3000	1	RMS	2969.972	-49.48	-13	Pass	1080
3000	12000	1	RMS	11995.995	-40.6	-13	Pass	9000
12000	20000	1	RMS	19397.925	-33.76	-13	Pass	8000



**4.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.63	-13	Pass	2985
30	1000	0.1	RMS	854.107	-64.18	-13	Pass	9699
1000	1840	1	RMS	1838.999	-52.47	-13	Pass	840
1840	1920	1	RMS	1891	21.67	60	Pass	401
1920	3000	1	RMS	2964.968	-49.44	-13	Pass	1080
3000	12000	1	RMS	11996.996	-40.56	-13	Pass	9000
12000	20000	1	RMS	19396.925	-33.7	-13	Pass	8000



5. LTE_Band4


5.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2985
30	1000	0.1	RMS	820.897	-64.2	-13	Pass	9699
1000	1700	1	RMS	1700	-52.26	-13	Pass	700
1700	1765	1	RMS	1710.238	22.99	60	Pass	401
1765	3000	1	RMS	2952.962	-49.48	-13	Pass	1235
3000	12000	1	RMS	11995.995	-40.61	-13	Pass	9000
12000	20000	1	RMS	19398.925	-33.68	-13	Pass	8000




**5.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2985
30	1000	0.1	RMS	840.499	-63.97	-13	Pass	9699
1000	1700	1	RMS	1700	-52.28	-13	Pass	700
1700	1765	1	RMS	1710.238	22.18	60	Pass	401
1765	3000	1	RMS	2964.972	-49.45	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.64	-13	Pass	9000
12000	20000	1	RMS	19400.925	-33.78	-13	Pass	8000




**5.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.6	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.47	-13	Pass	2985
30	1000	0.1	RMS	855.108	-64.2	-13	Pass	9699
1000	1700	1	RMS	1691.989	-52.98	-13	Pass	700
1700	1765	1	RMS	1732.013	23.26	60	Pass	401
1765	3000	1	RMS	2955.964	-49.48	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.6	-13	Pass	9000
12000	20000	1	RMS	19404.926	-33.7	-13	Pass	8000




**5.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.39	-13	Pass	2985
30	1000	0.1	RMS	823.797	-64.18	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.88	-13	Pass	700
1700	1765	1	RMS	1732.013	22.37	60	Pass	401
1765	3000	1	RMS	2960.968	-49.48	-13	Pass	1235
3000	12000	1	RMS	11994.994	-40.62	-13	Pass	9000
12000	20000	1	RMS	19404.926	-33.78	-13	Pass	8000




**5.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.64	-13	Pass	2985
30	1000	0.1	RMS	853.305	-64.13	-13	Pass	9699
1000	1700	1	RMS	1700	-52.96	-13	Pass	700
1700	1765	1	RMS	1753.788	23.19	60	Pass	401
1765	3000	1	RMS	2964.972	-49.49	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.66	-13	Pass	9000
12000	20000	1	RMS	19399.925	-33.77	-13	Pass	8000




**5.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.51	-13	Pass	2985
30	1000	0.1	RMS	822.597	-64.19	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.92	-13	Pass	700
1700	1765	1	RMS	1753.788	22.33	60	Pass	401
1765	3000	1	RMS	2964.972	-49.55	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.57	-13	Pass	9000
12000	20000	1	RMS	19402.925	-33.73	-13	Pass	8000




**5.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	Pass	2985
30	1000	0.1	RMS	938.218	-64.22	-13	Pass	9699
1000	1700	1	RMS	1700	-50.64	-13	Pass	700
1700	1765	1	RMS	1710.238	22.97	60	Pass	401
1765	3000	1	RMS	2955.964	-49.38	-13	Pass	1235
3000	12000	1	RMS	11993.993	-40.56	-13	Pass	9000
12000	20000	1	RMS	19405.926	-33.81	-13	Pass	8000




**5.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.9	-13	Pass	2985
30	1000	0.1	RMS	996.195	-64.12	-13	Pass	9699
1000	1700	1	RMS	1700	-52.24	-13	Pass	700
1700	1765	1	RMS	1710.238	22.09	60	Pass	401
1765	3000	1	RMS	2956.965	-49.44	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.6	-13	Pass	9000
12000	20000	1	RMS	19400.925	-33.68	-13	Pass	8000




**5.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.12	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.77	-13	Pass	2985
30	1000	0.1	RMS	847.4	-64.07	-13	Pass	9699
1000	1700	1	RMS	1700	-52.93	-13	Pass	700
1700	1765	1	RMS	1731.2	23.19	60	Pass	401
1765	3000	1	RMS	2952.962	-49.41	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.55	-13	Pass	9000
12000	20000	1	RMS	19390.924	-33.77	-13	Pass	8000




**5.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.88	-13	Pass	2985
30	1000	0.1	RMS	840.299	-64.17	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.95	-13	Pass	700
1700	1765	1	RMS	1731.2	22.35	60	Pass	401
1765	3000	1	RMS	2956.965	-49.43	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.61	-13	Pass	9000
12000	20000	1	RMS	19401.925	-33.73	-13	Pass	8000




5.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.65	-13	Pass	2985
30	1000	0.1	RMS	849.4	-63.96	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.93	-13	Pass	700
1700	1765	1	RMS	1752.163	23.23	60	Pass	401
1765	3000	1	RMS	2957.966	-49.45	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.57	-13	Pass	9000
12000	20000	1	RMS	19398.925	-33.76	-13	Pass	8000




**5.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.77	-13	Pass	2985
30	1000	0.1	RMS	852.004	-64.02	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.93	-13	Pass	700
1700	1765	1	RMS	1752.163	22.3	60	Pass	401
1765	3000	1	RMS	2957.966	-49.42	-13	Pass	1235
3000	12000	1	RMS	11994.994	-40.55	-13	Pass	9000
12000	20000	1	RMS	19395.924	-33.72	-13	Pass	8000




**5.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.4	-13	Pass	401
0.15	30	0.01	RMS	0.27	-73.07	-13	Pass	2985
30	1000	0.1	RMS	857.912	-64.1	-13	Pass	9699
1000	1700	1	RMS	1700	-52.03	-13	Pass	700
1700	1765	1	RMS	1710.238	23.05	60	Pass	401
1765	3000	1	RMS	2955.964	-49.48	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.61	-13	Pass	9000
12000	20000	1	RMS	19401.925	-33.73	-13	Pass	8000




**5.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.52	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.67	-13	Pass	2985
30	1000	0.1	RMS	849.4	-64.08	-13	Pass	9699
1000	1700	1	RMS	1700	-52.26	-13	Pass	700
1700	1765	1	RMS	1710.4	22.17	60	Pass	401
1765	3000	1	RMS	2961.969	-49.47	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.65	-13	Pass	9000
12000	20000	1	RMS	19399.925	-33.8	-13	Pass	8000




**5.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	Pass	2985
30	1000	0.1	RMS	854.407	-64.09	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.94	-13	Pass	700
1700	1765	1	RMS	1730.225	23.22	60	Pass	401
1765	3000	1	RMS	2961.969	-49.47	-13	Pass	1235
3000	12000	1	RMS	11994.994	-40.65	-13	Pass	9000
12000	20000	1	RMS	19400.925	-33.76	-13	Pass	8000




**5.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	Pass	2985
30	1000	0.1	RMS	834.498	-64.1	-13	Pass	9699
1000	1700	1	RMS	1700	-52.91	-13	Pass	700
1700	1765	1	RMS	1730.225	22.41	60	Pass	401
1765	3000	1	RMS	2963.971	-49.44	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.63	-13	Pass	9000
12000	20000	1	RMS	19405.926	-33.8	-13	Pass	8000




**5.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2985
30	1000	0.1	RMS	859.614	-64.17	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.94	-13	Pass	700
1700	1765	1	RMS	1750.213	23.37	60	Pass	401
1765	3000	1	RMS	2967.974	-49.46	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.59	-13	Pass	9000
12000	20000	1	RMS	19397.925	-33.77	-13	Pass	8000




**5.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2985
30	1000	0.1	RMS	832.898	-64.12	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.96	-13	Pass	700
1700	1765	1	RMS	1750.213	22.28	60	Pass	401
1765	3000	1	RMS	2965.972	-49.49	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.57	-13	Pass	9000
12000	20000	1	RMS	19408.926	-33.8	-13	Pass	8000




**5.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.08	-13	Pass	2985
30	1000	0.1	RMS	837.399	-64.11	-13	Pass	9699
1000	1700	1	RMS	1700	-51.47	-13	Pass	700
1700	1765	1	RMS	1710.563	23.01	60	Pass	401
1765	3000	1	RMS	2956.965	-49.41	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.62	-13	Pass	9000
12000	20000	1	RMS	19400.925	-33.79	-13	Pass	8000




5.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2985
30	1000	0.1	RMS	846.5	-64.07	-13	Pass	9699
1000	1700	1	RMS	1700	-52.19	-13	Pass	700
1700	1765	1	RMS	1710.563	22.38	60	Pass	401
1765	3000	1	RMS	2956.965	-49.45	-13	Pass	1235
3000	12000	1	RMS	11992.991	-40.61	-13	Pass	9000
12000	20000	1	RMS	19397.925	-33.79	-13	Pass	8000




**5.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	1000	0.1	RMS	844.499	-64.1	-13	Pass	9699
1000	1700	1	RMS	1700	-52.92	-13	Pass	700
1700	1765	1	RMS	1727.95	23.23	60	Pass	401
1765	3000	1	RMS	2965.972	-49.46	-13	Pass	1235
3000	12000	1	RMS	11995.995	-40.68	-13	Pass	9000
12000	20000	1	RMS	19398.925	-33.72	-13	Pass	8000




**5.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	Pass	2985
30	1000	0.1	RMS	848.4	-64.14	-13	Pass	9699
1000	1700	1	RMS	1700	-52.93	-13	Pass	700
1700	1765	1	RMS	1727.95	22.38	60	Pass	401
1765	3000	1	RMS	2964.972	-49.46	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.56	-13	Pass	9000
12000	20000	1	RMS	19400.925	-33.81	-13	Pass	8000




**5.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	Pass	2985
30	1000	0.1	RMS	827.197	-64.19	-13	Pass	9699
1000	1700	1	RMS	1700	-52.91	-13	Pass	700
1700	1765	1	RMS	1745.5	23.25	60	Pass	401
1765	3000	1	RMS	2967.974	-49.47	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.6	-13	Pass	9000
12000	20000	1	RMS	19399.925	-33.72	-13	Pass	8000




**5.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.65	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.63	-13	Pass	2985
30	1000	0.1	RMS	845.2	-64.04	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.92	-13	Pass	700
1700	1765	1	RMS	1745.5	22.36	60	Pass	401
1765	3000	1	RMS	2969.976	-49.43	-13	Pass	1235
3000	12000	1	RMS	12000	-40.59	-13	Pass	9000
12000	20000	1	RMS	19402.925	-33.78	-13	Pass	8000




**5.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,
Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.92	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.87	-13	Pass	2985
30	1000	0.1	RMS	863.018	-64.06	-13	Pass	9699
1000	1700	1	RMS	1697.997	-51.72	-13	Pass	700
1700	1765	1	RMS	1710.725	23.12	60	Pass	401
1765	3000	1	RMS	2962.97	-49.45	-13	Pass	1235
3000	12000	1	RMS	11993.993	-40.6	-13	Pass	9000
12000	20000	1	RMS	19401.925	-33.72	-13	Pass	8000




**5.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.98	-13	Pass	2985
30	1000	0.1	RMS	843.599	-64.19	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.17	-13	Pass	700
1700	1765	1	RMS	1710.725	22.14	60	Pass	401
1765	3000	1	RMS	2961.969	-49.42	-13	Pass	1235
3000	12000	1	RMS	11983.98	-40.5	-13	Pass	9000
12000	20000	1	RMS	19401.925	-33.73	-13	Pass	8000




**5.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	Pass	2985
30	1000	0.1	RMS	837.699	-64.11	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.89	-13	Pass	700
1700	1765	1	RMS	1725.675	22.99	60	Pass	401
1765	3000	1	RMS	2967.974	-49.47	-13	Pass	1235
3000	12000	1	RMS	11994.994	-40.55	-13	Pass	9000
12000	20000	1	RMS	19403.925	-33.71	-13	Pass	8000




**5.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	Pass	2985
30	1000	0.1	RMS	846.5	-64.05	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.86	-13	Pass	700
1700	1765	1	RMS	1725.675	22.21	60	Pass	401
1765	3000	1	RMS	2963.971	-49.45	-13	Pass	1235
3000	12000	1	RMS	12000	-40.6	-13	Pass	9000
12000	20000	1	RMS	19398.925	-33.73	-13	Pass	8000




**5.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.4	-13	Pass	2985
30	1000	0.1	RMS	838.899	-64.11	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.98	-13	Pass	700
1700	1765	1	RMS	1740.788	23.02	60	Pass	401
1765	3000	1	RMS	2963.971	-49.47	-13	Pass	1235
3000	12000	1	RMS	11981.978	-40.63	-13	Pass	9000
12000	20000	1	RMS	19400.925	-33.77	-13	Pass	8000




**5.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.13	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.75	-13	Pass	2985
30	1000	0.1	RMS	828.497	-64.09	-13	Pass	9699
1000	1700	1	RMS	1692.99	-52.97	-13	Pass	700
1700	1765	1	RMS	1740.788	22.04	60	Pass	401
1765	3000	1	RMS	2955.964	-49.45	-13	Pass	1235
3000	12000	1	RMS	11998.999	-40.59	-13	Pass	9000
12000	20000	1	RMS	19401.925	-33.83	-13	Pass	8000




5.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	1000	0.1	RMS	845.7	-64.13	-13	Pass	9699
1000	1700	1	RMS	1700	-52	-13	Pass	700
1700	1765	1	RMS	1711.05	23.37	60	Pass	401
1765	3000	1	RMS	2969.976	-49.44	-13	Pass	1235
3000	12000	1	RMS	11996.996	-40.64	-13	Pass	9000
12000	20000	1	RMS	19401.925	-33.78	-13	Pass	8000




5.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	Pass	2985
30	1000	0.1	RMS	848	-64.11	-13	Pass	9699
1000	1700	1	RMS	1700	-52.04	-13	Pass	700
1700	1765	1	RMS	1711.05	21.88	60	Pass	401
1765	3000	1	RMS	2960.968	-49.47	-13	Pass	1235
3000	12000	1	RMS	11995.995	-40.62	-13	Pass	9000
12000	20000	1	RMS	19402.925	-33.71	-13	Pass	8000




**5.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33,
Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-13	Pass	2985
30	1000	0.1	RMS	835.498	-64.16	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.89	-13	Pass	700
1700	1765	1	RMS	1723.563	22.9	60	Pass	401
1765	3000	1	RMS	2955.964	-49.46	-13	Pass	1235
3000	12000	1	RMS	11992.991	-40.52	-13	Pass	9000
12000	20000	1	RMS	19404.926	-33.75	-13	Pass	8000




**5.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.29	-13	Pass	2985
30	1000	0.1	RMS	828.197	-64.16	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.82	-13	Pass	700
1700	1765	1	RMS	1723.563	22.15	60	Pass	401
1765	3000	1	RMS	2959.968	-49.43	-13	Pass	1235
3000	12000	1	RMS	11994.994	-40.66	-13	Pass	9000
12000	20000	1	RMS	19409.926	-33.79	-13	Pass	8000




**5.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.26	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.48	-13	Pass	2985
30	1000	0.1	RMS	825.397	-64.15	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.93	-13	Pass	700
1700	1765	1	RMS	1736.075	22.83	60	Pass	401
1765	3000	1	RMS	2960.968	-49.48	-13	Pass	1235
3000	12000	1	RMS	11997.998	-40.53	-13	Pass	9000
12000	20000	1	RMS	19400.925	-33.79	-13	Pass	8000



**5.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.83	-13	Pass	2985
30	1000	0.1	RMS	864.12	-64.1	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.92	-13	Pass	700
1700	1765	1	RMS	1736.075	22.25	60	Pass	401
1765	3000	1	RMS	2964.972	-49.42	-13	Pass	1235
3000	12000	1	RMS	12000	-40.58	-13	Pass	9000
12000	20000	1	RMS	19398.925	-33.76	-13	Pass	8000



6. LTE_Band5


6.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.73	-13	Pass	7840
814	860	0.1	RMS	824.222	20.01	60	Pass	460
860	1000	0.1	RMS	861.601	-64.28	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.99	-13	Pass	2000
3000	10000	1	RMS	6960.566	-41.48	-13	Pass	7000




**6.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.22	-73.19	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.71	-13	Pass	7840
814	860	0.1	RMS	824.222	18.97	60	Pass	460
860	1000	0.1	RMS	871.408	-64.16	-13	Pass	1400
1000	3000	1	RMS	2968.984	-49.53	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.49	-13	Pass	7000




**6.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.87	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.19	-13	Pass	7840
814	860	0.1	RMS	836.048	20.04	60	Pass	460
860	1000	0.1	RMS	864.403	-64.2	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.81	-13	Pass	2000
3000	10000	1	RMS	6967.567	-41.52	-13	Pass	7000




**6.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.4	-13	Pass	401
0.15	30	0.01	RMS	0.34	-72.53	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.35	-13	Pass	7840
814	860	0.1	RMS	836.048	19.27	60	Pass	460
860	1000	0.1	RMS	863.603	-64.3	-13	Pass	1400
1000	3000	1	RMS	1671.336	-49.39	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.5	-13	Pass	7000




**6.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.22	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.34	-13	Pass	7840
814	860	0.1	RMS	847.874	20	60	Pass	460
860	1000	0.1	RMS	860.901	-64.35	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.5	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.51	-13	Pass	7000




**6.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.47	-13	Pass	2985
30	814	0.1	RMS	812	-64.48	-13	Pass	7840
814	860	0.1	RMS	847.874	19	60	Pass	460
860	1000	0.1	RMS	868.406	-64.21	-13	Pass	1400
1000	3000	1	RMS	1695.348	-49.1	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.52	-13	Pass	7000




**6.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.74	-13	Pass	401
0.15	30	0.01	RMS	0.37	-73.26	-13	Pass	2985
30	814	0.1	RMS	813.9	-63	-13	Pass	7840
814	860	0.1	RMS	824.222	19.93	60	Pass	460
860	1000	0.1	RMS	861.901	-64.25	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.37	-13	Pass	2000
3000	10000	1	RMS	6966.567	-41.47	-13	Pass	7000




**6.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.72	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.62	-13	Pass	7840
814	860	0.1	RMS	824.222	19.1	60	Pass	460
860	1000	0.1	RMS	870.107	-64.2	-13	Pass	1400
1000	3000	1	RMS	2956.978	-49.48	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.37	-13	Pass	7000




**6.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-13	Pass	2985
30	814	0.1	RMS	813.9	-64.35	-13	Pass	7840
814	860	0.1	RMS	835.246	19.89	60	Pass	460
860	1000	0.1	RMS	864.003	-64.25	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.6	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.51	-13	Pass	7000




**6.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.88	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.34	-13	Pass	7840
814	860	0.1	RMS	835.246	19.36	60	Pass	460
860	1000	0.1	RMS	990.593	-64.32	-13	Pass	1400
1000	3000	1	RMS	2954.977	-49.5	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.47	-13	Pass	7000




**6.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.35	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.81	-13	Pass	2985
30	814	0.1	RMS	811.8	-64.46	-13	Pass	7840
814	860	0.1	RMS	846.27	19.86	60	Pass	460
860	1000	0.1	RMS	971.079	-64.23	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.89	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.48	-13	Pass	7000




**6.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.45	-13	Pass	2985
30	814	0.1	RMS	802.899	-64.53	-13	Pass	7840
814	860	0.1	RMS	846.27	18.81	60	Pass	460
860	1000	0.1	RMS	865.904	-64.03	-13	Pass	1400
1000	3000	1	RMS	2956.978	-49.45	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.49	-13	Pass	7000




**6.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.28	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.78	-13	Pass	2985
30	814	0.1	RMS	813.6	-63.43	-13	Pass	7840
814	860	0.1	RMS	824.322	19.95	60	Pass	460
860	1000	0.1	RMS	869.307	-64.22	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.81	-13	Pass	2000
3000	10000	1	RMS	6966.567	-41.49	-13	Pass	7000




**6.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	Pass	2985
30	814	0.1	RMS	813.5	-63.33	-13	Pass	7840
814	860	0.1	RMS	824.322	19.12	60	Pass	460
860	1000	0.1	RMS	861.701	-64.03	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.46	-13	Pass	2000
3000	10000	1	RMS	6966.567	-41.53	-13	Pass	7000




**6.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.75	-13	Pass	2985
30	814	0.1	RMS	812.4	-64.33	-13	Pass	7840
814	860	0.1	RMS	834.344	20.19	60	Pass	460
860	1000	0.1	RMS	993.996	-64.11	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.68	-13	Pass	2000
3000	10000	1	RMS	6967.567	-41.48	-13	Pass	7000




**6.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.92	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-13	Pass	2985
30	814	0.1	RMS	812.5	-64.37	-13	Pass	7840
814	860	0.1	RMS	834.344	19.3	60	Pass	460
860	1000	0.1	RMS	985.69	-64.25	-13	Pass	1400
1000	3000	1	RMS	1668.334	-49.34	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.48	-13	Pass	7000




**6.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2985
30	814	0.1	RMS	812.9	-64.37	-13	Pass	7840
814	860	0.1	RMS	844.366	19.72	60	Pass	460
860	1000	0.1	RMS	971.88	-64.38	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.2	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.44	-13	Pass	7000




**6.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.58	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.68	-13	Pass	2985
30	814	0.1	RMS	813.5	-64.44	-13	Pass	7840
814	860	0.1	RMS	844.366	18.96	60	Pass	460
860	1000	0.1	RMS	865.604	-64.34	-13	Pass	1400
1000	3000	1	RMS	1688.344	-49.28	-13	Pass	2000
3000	10000	1	RMS	6970.567	-41.56	-13	Pass	7000




**6.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.88	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.16	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.15	-13	Pass	7840
814	860	0.1	RMS	824.623	19.79	60	Pass	460
860	1000	0.1	RMS	869.807	-64.23	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.2	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.5	-13	Pass	7000




**6.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.76	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.77	-13	Pass	2985
30	814	0.1	RMS	813.9	-63.6	-13	Pass	7840
814	860	0.1	RMS	824.623	18.98	60	Pass	460
860	1000	0.1	RMS	994.296	-64.3	-13	Pass	1400
1000	3000	1	RMS	2967.984	-49.5	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.49	-13	Pass	7000




**6.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.21	-13	Pass	7840
814	860	0.1	RMS	832.039	19.46	60	Pass	460
860	1000	0.1	RMS	871.308	-64.29	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.26	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.46	-13	Pass	7000




**6.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.88	-13	Pass	2985
30	814	0.1	RMS	813.1	-64.36	-13	Pass	7840
814	860	0.1	RMS	832.139	18.6	60	Pass	460
860	1000	0.1	RMS	860.901	-64.26	-13	Pass	1400
1000	3000	1	RMS	2954.977	-49.47	-13	Pass	2000
3000	10000	1	RMS	6973.568	-41.53	-13	Pass	7000




**6.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.74	-13	Pass	2985
30	814	0.1	RMS	811.4	-64.38	-13	Pass	7840
814	860	0.1	RMS	839.556	19.79	60	Pass	460
860	1000	0.1	RMS	863.903	-64.23	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.78	-13	Pass	2000
3000	10000	1	RMS	6968.567	-41.46	-13	Pass	7000



**6.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.54	-13	Pass	401
0.15	30	0.01	RMS	0.18	-73.1	-13	Pass	2985
30	814	0.1	RMS	813.3	-64.35	-13	Pass	7840
814	860	0.1	RMS	839.556	18.86	60	Pass	460
860	1000	0.1	RMS	985.289	-64.3	-13	Pass	1400
1000	3000	1	RMS	2969.985	-49.49	-13	Pass	2000
3000	10000	1	RMS	6973.568	-41.49	-13	Pass	7000



7. LTE_Band7


7.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.25	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.19	-25	Pass	2985
30	1000	0.1	RMS	847.2	-64.1	-25	Pass	9699
1000	2490	1	RMS	2490	-50.6	-25	Pass	1490
2490	2580	1	RMS	2500.125	21.86	60	Pass	401
2580	3000	1	RMS	2961.909	-49.52	-25	Pass	420
3000	12000	1	RMS	11997.998	-50.86	-25	Pass	9000
12000	26000	1	RMS	25989.998	-39.13	-25	Pass	14000




**7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72.67	-25	Pass	2985
30	1000	0.1	RMS	822.897	-64.13	-25	Pass	9699
1000	2490	1	RMS	2490	-50.6	-25	Pass	1490
2490	2580	1	RMS	2500.35	20.98	60	Pass	401
2580	3000	1	RMS	2956.897	-49.45	-25	Pass	420
3000	12000	1	RMS	11979.975	-50.87	-25	Pass	9000
12000	26000	1	RMS	26000	-35.91	-25	Pass	14000




**7.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-25	Pass	2985
30	1000	0.1	RMS	866.022	-64.17	-25	Pass	9699
1000	2490	1	RMS	2490	-51.09	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.13	60	Pass	401
2580	3000	1	RMS	2960.907	-49.49	-25	Pass	420
3000	12000	1	RMS	11993.993	-50.9	-25	Pass	9000
12000	26000	1	RMS	25995.999	-35.92	-25	Pass	14000




**7.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-25	Pass	2985
30	1000	0.1	RMS	834.798	-64.19	-25	Pass	9699
1000	2490	1	RMS	2485.997	-51.13	-25	Pass	1490
2490	2580	1	RMS	2532.75	21.22	60	Pass	401
2580	3000	1	RMS	2956.897	-49.48	-25	Pass	420
3000	12000	1	RMS	11993.993	-50.87	-25	Pass	9000
12000	26000	1	RMS	25992.999	-35.97	-25	Pass	14000




**7.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-25	Pass	2985
30	1000	0.1	RMS	604.67	-63.3	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.07	-25	Pass	1490
2490	2580	1	RMS	2565.15	21.98	60	Pass	401
2580	3000	1	RMS	2965.919	-49.52	-25	Pass	420
3000	12000	1	RMS	11993.993	-50.77	-25	Pass	9000
12000	26000	1	RMS	25987.998	-35.96	-25	Pass	14000




**7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-25	Pass	2985
30	1000	0.1	RMS	604.67	-63.81	-25	Pass	9699
1000	2490	1	RMS	2481.995	-51.1	-25	Pass	1490
2490	2580	1	RMS	2565.15	21.23	60	Pass	401
2580	3000	1	RMS	2956.897	-49.52	-25	Pass	420
3000	12000	1	RMS	12000	-50.78	-25	Pass	9000
12000	26000	1	RMS	26000	-36.03	-25	Pass	14000




**7.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.09	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.81	-25	Pass	2985
30	1000	0.1	RMS	848.8	-64.21	-25	Pass	9699
1000	2490	1	RMS	2487.999	-50.44	-25	Pass	1490
2490	2580	1	RMS	2500.575	21.98	60	Pass	401
2580	3000	1	RMS	2955.895	-49.52	-25	Pass	420
3000	12000	1	RMS	12000	-50.84	-25	Pass	9000
12000	26000	1	RMS	25992.999	-36	-25	Pass	14000




**7.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.07	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.67	-25	Pass	2985
30	1000	0.1	RMS	850.301	-64.1	-25	Pass	9699
1000	2490	1	RMS	2490	-50.45	-25	Pass	1490
2490	2580	1	RMS	2500.575	21.01	60	Pass	401
2580	3000	1	RMS	2958.902	-49.55	-25	Pass	420
3000	12000	1	RMS	11980.976	-50.84	-25	Pass	9000
12000	26000	1	RMS	25999	-35.96	-25	Pass	14000




**7.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.11	-25	Pass	401
0.15	30	0.01	RMS	0.16	-73.31	-25	Pass	2985
30	1000	0.1	RMS	854.807	-64.25	-25	Pass	9699
1000	2490	1	RMS	2483.996	-51.1	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.28	60	Pass	401
2580	3000	1	RMS	2951.885	-49.54	-25	Pass	420
3000	12000	1	RMS	11994.994	-50.88	-25	Pass	9000
12000	26000	1	RMS	26000	-35.93	-25	Pass	14000




**7.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.81	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.79	-25	Pass	2985
30	1000	0.1	RMS	959.646	-64.08	-25	Pass	9699
1000	2490	1	RMS	2472.989	-51.07	-25	Pass	1490
2490	2580	1	RMS	2530.5	21.33	60	Pass	401
2580	3000	1	RMS	2966.921	-49.53	-25	Pass	420
3000	12000	1	RMS	11992.991	-50.88	-25	Pass	9000
12000	26000	1	RMS	25992.999	-36	-25	Pass	14000




7.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.36	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-25	Pass	2985
30	1000	0.1	RMS	599.87	-63.47	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.09	-25	Pass	1490
2490	2580	1	RMS	2560.425	22.07	60	Pass	401
2580	3000	1	RMS	2956.897	-49.54	-25	Pass	420
3000	12000	1	RMS	12000	-50.82	-25	Pass	9000
12000	26000	1	RMS	25995.999	-36	-25	Pass	14000




**7.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.77	-25	Pass	2985
30	1000	0.1	RMS	599.87	-63.39	-25	Pass	9699
1000	2490	1	RMS	2490	-51.04	-25	Pass	1490
2490	2580	1	RMS	2560.425	21.29	60	Pass	401
2580	3000	1	RMS	2955.895	-49.52	-25	Pass	420
3000	12000	1	RMS	12000	-50.84	-25	Pass	9000
12000	26000	1	RMS	25991.999	-36.06	-25	Pass	14000




**7.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.55	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.93	-25	Pass	2985
30	1000	0.1	RMS	837.999	-64.14	-25	Pass	9699
1000	2490	1	RMS	2490	-50.2	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.72	60	Pass	401
2580	3000	1	RMS	2955.895	-49.51	-25	Pass	420
3000	12000	1	RMS	11996.996	-50.87	-25	Pass	9000
12000	26000	1	RMS	25989.998	-35.97	-25	Pass	14000




**7.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.05	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.87	-25	Pass	2985
30	1000	0.1	RMS	840.999	-64.11	-25	Pass	9699
1000	2490	1	RMS	2490	-50.67	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.02	60	Pass	401
2580	3000	1	RMS	2958.902	-49.52	-25	Pass	420
3000	12000	1	RMS	11994.994	-50.82	-25	Pass	9000
12000	26000	1	RMS	25999	-35.99	-25	Pass	14000




**7.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.02	-25	Pass	401
0.15	30	0.01	RMS	0.3	-73.25	-25	Pass	2985
30	1000	0.1	RMS	844.899	-64.19	-25	Pass	9699
1000	2490	1	RMS	2482.995	-51.11	-25	Pass	1490
2490	2580	1	RMS	2528.25	21.9	60	Pass	401
2580	3000	1	RMS	2959.905	-49.48	-25	Pass	420
3000	12000	1	RMS	11992.991	-50.83	-25	Pass	9000
12000	26000	1	RMS	25998	-35.96	-25	Pass	14000




**7.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.7	-25	Pass	401
0.15	30	0.01	RMS	0.28	-72.3	-25	Pass	2985
30	1000	0.1	RMS	852.304	-64.23	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.05	-25	Pass	1490
2490	2580	1	RMS	2528.25	21.25	60	Pass	401
2580	3000	1	RMS	2956.897	-49.49	-25	Pass	420
3000	12000	1	RMS	11987.985	-50.86	-25	Pass	9000
12000	26000	1	RMS	25993.999	-35.96	-25	Pass	14000




**7.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.82	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.92	-25	Pass	2985
30	1000	0.1	RMS	595.169	-63.2	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.12	-25	Pass	1490
2490	2580	1	RMS	2555.7	21.83	60	Pass	401
2580	3000	1	RMS	2965.919	-49.51	-25	Pass	420
3000	12000	1	RMS	11989.988	-50.86	-25	Pass	9000
12000	26000	1	RMS	25999	-35.98	-25	Pass	14000




**7.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.62	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-25	Pass	2985
30	1000	0.1	RMS	595.169	-63.43	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.11	-25	Pass	1490
2490	2580	1	RMS	2555.7	20.91	60	Pass	401
2580	3000	1	RMS	2958.902	-49.52	-25	Pass	420
3000	12000	1	RMS	11992.991	-50.83	-25	Pass	9000
12000	26000	1	RMS	26000	-35.97	-25	Pass	14000




**7.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-25	Pass	2985
30	1000	0.1	RMS	845.3	-64.11	-25	Pass	9699
1000	2490	1	RMS	2490	-50.45	-25	Pass	1490
2490	2580	1	RMS	2501.025	21.95	60	Pass	401
2580	3000	1	RMS	2956.897	-49.49	-25	Pass	420
3000	12000	1	RMS	11993.993	-50.81	-25	Pass	9000
12000	26000	1	RMS	25986.998	-35.91	-25	Pass	14000




**7.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.2	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.82	-25	Pass	2985
30	1000	0.1	RMS	845.099	-64.18	-25	Pass	9699
1000	2490	1	RMS	2484.997	-50.66	-25	Pass	1490
2490	2580	1	RMS	2501.025	21	60	Pass	401
2580	3000	1	RMS	2956.897	-49.51	-25	Pass	420
3000	12000	1	RMS	11994.994	-50.76	-25	Pass	9000
12000	26000	1	RMS	25991.999	-35.94	-25	Pass	14000




**7.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75	-25	Pass	401
0.15	30	0.01	RMS	0.2	-73.21	-25	Pass	2985
30	1000	0.1	RMS	861.616	-64.12	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.07	-25	Pass	1490
2490	2580	1	RMS	2526	21.75	60	Pass	401
2580	3000	1	RMS	2962.912	-49.49	-25	Pass	420
3000	12000	1	RMS	11996.996	-50.76	-25	Pass	9000
12000	26000	1	RMS	25987.998	-36	-25	Pass	14000




**7.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.72	-25	Pass	2985
30	1000	0.1	RMS	845.4	-64.11	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.1	-25	Pass	1490
2490	2580	1	RMS	2526	20.99	60	Pass	401
2580	3000	1	RMS	2960.907	-49.51	-25	Pass	420
3000	12000	1	RMS	11986.984	-50.84	-25	Pass	9000
12000	26000	1	RMS	25993.999	-36.05	-25	Pass	14000




**7.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.14	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.81	-25	Pass	2985
30	1000	0.1	RMS	590.368	-63.3	-25	Pass	9699
1000	2490	1	RMS	2490	-51.02	-25	Pass	1490
2490	2580	1	RMS	2550.975	21.87	60	Pass	401
2580	3000	1	RMS	2956.897	-49.51	-25	Pass	420
3000	12000	1	RMS	11998.999	-50.9	-25	Pass	9000
12000	26000	1	RMS	25994.999	-35.89	-25	Pass	14000



**7.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.07	-25	Pass	401
0.15	30	0.01	RMS	0.18	-73.02	-25	Pass	2985
30	1000	0.1	RMS	590.368	-63.75	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.06	-25	Pass	1490
2490	2580	1	RMS	2550.975	21.02	60	Pass	401
2580	3000	1	RMS	2956.897	-49.5	-25	Pass	420
3000	12000	1	RMS	12000	-50.88	-25	Pass	9000
12000	26000	1	RMS	25994.999	-36	-25	Pass	14000



8. LTE_Band12


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.97	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.48	-13	Pass	2985
30	689	0.1	RMS	688.5	-64.13	-13	Pass	6590
689	726	0.1	RMS	699.268	19.79	60	Pass	401
726	1000	0.1	RMS	999.4	-64	-13	Pass	2740
1000	3000	1	RMS	1398.199	-49.11	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.52	-13	Pass	7000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.63	-13	Pass	2985
30	689	0.1	RMS	688.5	-64.43	-13	Pass	6590
689	726	0.1	RMS	699.268	18.94	60	Pass	401
726	1000	0.1	RMS	990.597	-63.87	-13	Pass	2740
1000	3000	1	RMS	2969.985	-49.48	-13	Pass	2000
3000	10000	1	RMS	6966.567	-41.43	-13	Pass	7000




**8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.44	-13	Pass	2985
30	689	0.1	RMS	487.169	-64.88	-13	Pass	6590
689	726	0.1	RMS	707.038	20.13	60	Pass	401
726	1000	0.1	RMS	848.745	-63.94	-13	Pass	2740
1000	3000	1	RMS	2963.982	-49.45	-13	Pass	2000
3000	10000	1	RMS	6969.567	-41.51	-13	Pass	7000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.69	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.8	-13	Pass	2985
30	689	0.1	RMS	493.87	-64.95	-13	Pass	6590
689	726	0.1	RMS	707.038	19.01	60	Pass	401
726	1000	0.1	RMS	999.5	-63.97	-13	Pass	2740
1000	3000	1	RMS	2958.979	-49.5	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.42	-13	Pass	7000




**8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	Pass	2985
30	689	0.1	RMS	480.868	-64.91	-13	Pass	6590
689	726	0.1	RMS	714.808	19.43	60	Pass	401
726	1000	0.1	RMS	866.551	-64.04	-13	Pass	2740
1000	3000	1	RMS	1429.215	-49.04	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.48	-13	Pass	7000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.21	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.67	-13	Pass	2985
30	689	0.1	RMS	509.473	-64.94	-13	Pass	6590
689	726	0.1	RMS	714.808	18.56	60	Pass	401
726	1000	0.1	RMS	865.551	-63.97	-13	Pass	2740
1000	3000	1	RMS	2962.981	-49.47	-13	Pass	2000
3000	10000	1	RMS	6968.567	-41.52	-13	Pass	7000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.22	-13	Pass	2985
30	689	0.1	RMS	689	-63.2	-13	Pass	6590
689	726	0.1	RMS	699.268	19.59	60	Pass	401
726	1000	0.1	RMS	840.642	-63.96	-13	Pass	2740
1000	3000	1	RMS	2952.976	-49.47	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.48	-13	Pass	7000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.24	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.63	-13	Pass	2985
30	689	0.1	RMS	688.5	-64.27	-13	Pass	6590
689	726	0.1	RMS	699.268	19.13	60	Pass	401
726	1000	0.1	RMS	858.348	-64.03	-13	Pass	2740
1000	3000	1	RMS	2952.976	-49.48	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.51	-13	Pass	7000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.75	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.88	-13	Pass	2985
30	689	0.1	RMS	482.069	-64.85	-13	Pass	6590
689	726	0.1	RMS	706.205	19.66	60	Pass	401
726	1000	0.1	RMS	854.047	-63.89	-13	Pass	2740
1000	3000	1	RMS	2957.979	-49.49	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.49	-13	Pass	7000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.43	-13	Pass	2985
30	689	0.1	RMS	495.571	-64.86	-13	Pass	6590
689	726	0.1	RMS	706.205	18.61	60	Pass	401
726	1000	0.1	RMS	993.198	-63.8	-13	Pass	2740
1000	3000	1	RMS	2958.979	-49.48	-13	Pass	2000
3000	10000	1	RMS	6968.567	-41.52	-13	Pass	7000




8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.65	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.54	-13	Pass	2985
30	689	0.1	RMS	483.269	-64.79	-13	Pass	6590
689	726	0.1	RMS	713.235	19.95	60	Pass	401
726	1000	0.1	RMS	847.344	-63.84	-13	Pass	2740
1000	3000	1	RMS	2956.978	-49.48	-13	Pass	2000
3000	10000	1	RMS	6973.568	-41.51	-13	Pass	7000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	Pass	2985
30	689	0.1	RMS	494.27	-64.82	-13	Pass	6590
689	726	0.1	RMS	713.235	19	60	Pass	401
726	1000	0.1	RMS	842.743	-63.95	-13	Pass	2740
1000	3000	1	RMS	2954.977	-49.45	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.49	-13	Pass	7000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.79	-13	Pass	2985
30	689	0.1	RMS	688.6	-64.06	-13	Pass	6590
689	726	0.1	RMS	699.36	19.92	60	Pass	401
726	1000	0.1	RMS	973.49	-64.14	-13	Pass	2740
1000	3000	1	RMS	1398.199	-49.16	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.53	-13	Pass	7000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.01	-13	Pass	401
0.15	30	0.01	RMS	0.32	-72.75	-13	Pass	2985
30	689	0.1	RMS	688.6	-64.48	-13	Pass	6590
689	726	0.1	RMS	699.36	18.79	60	Pass	401
726	1000	0.1	RMS	851.346	-63.91	-13	Pass	2740
1000	3000	1	RMS	2963.982	-49.51	-13	Pass	2000
3000	10000	1	RMS	6967.567	-41.5	-13	Pass	7000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.97	-13	Pass	2985
30	689	0.1	RMS	494.671	-64.91	-13	Pass	6590
689	726	0.1	RMS	705.373	19.83	60	Pass	401
726	1000	0.1	RMS	854.547	-63.94	-13	Pass	2740
1000	3000	1	RMS	2956.978	-49.48	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.45	-13	Pass	7000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.71	-13	Pass	2985
30	689	0.1	RMS	688.8	-64.89	-13	Pass	6590
689	726	0.1	RMS	705.373	18.72	60	Pass	401
726	1000	0.1	RMS	846.044	-64.06	-13	Pass	2740
1000	3000	1	RMS	2956.978	-49.52	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.5	-13	Pass	7000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.58	-13	Pass	2985
30	689	0.1	RMS	614.189	-64.88	-13	Pass	6590
689	726	0.1	RMS	711.385	19.42	60	Pass	401
726	1000	0.1	RMS	848.445	-63.87	-13	Pass	2740
1000	3000	1	RMS	1422.211	-49.03	-13	Pass	2000
3000	10000	1	RMS	6962.566	-41.52	-13	Pass	7000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.31	-13	Pass	2985
30	689	0.1	RMS	497.971	-64.93	-13	Pass	6590
689	726	0.1	RMS	711.385	18.57	60	Pass	401
726	1000	0.1	RMS	833.339	-64.03	-13	Pass	2740
1000	3000	1	RMS	2956.978	-49.52	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.55	-13	Pass	7000




**8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.06	-13	Pass	2985
30	689	0.1	RMS	688.9	-63.79	-13	Pass	6590
689	726	0.1	RMS	699.545	19.43	60	Pass	401
726	1000	0.1	RMS	837.141	-63.8	-13	Pass	2740
1000	3000	1	RMS	2964.982	-49.5	-13	Pass	2000
3000	10000	1	RMS	6963.566	-41.54	-13	Pass	7000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73	-13	Pass	2985
30	689	0.1	RMS	688.9	-64.08	-13	Pass	6590
689	726	0.1	RMS	699.545	18.83	60	Pass	401
726	1000	0.1	RMS	875.054	-64.11	-13	Pass	2740
1000	3000	1	RMS	2964.982	-49.47	-13	Pass	2000
3000	10000	1	RMS	6968.567	-41.47	-13	Pass	7000




**8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.5	-13	Pass	2985
30	689	0.1	RMS	688	-64.68	-13	Pass	6590
689	726	0.1	RMS	703.06	19.81	60	Pass	401
726	1000	0.1	RMS	870.853	-64.02	-13	Pass	2740
1000	3000	1	RMS	2956.978	-49.48	-13	Pass	2000
3000	10000	1	RMS	6965.567	-41.5	-13	Pass	7000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-73.47	-13	Pass	2985
30	689	0.1	RMS	688	-64.83	-13	Pass	6590
689	726	0.1	RMS	703.06	18.91	60	Pass	401
726	1000	0.1	RMS	849.845	-64.02	-13	Pass	2740
1000	3000	1	RMS	2959.98	-49.5	-13	Pass	2000
3000	10000	1	RMS	6971.567	-41.45	-13	Pass	7000




**8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.29	-13	Pass	401
0.15	30	0.01	RMS	0.2	-73.09	-13	Pass	2985
30	689	0.1	RMS	688.3	-64.88	-13	Pass	6590
689	726	0.1	RMS	706.575	19.84	60	Pass	401
726	1000	0.1	RMS	921.871	-63.89	-13	Pass	2740
1000	3000	1	RMS	2962.981	-49.46	-13	Pass	2000
3000	10000	1	RMS	6961.566	-41.47	-13	Pass	7000



**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-73.09	-13	Pass	2985
30	689	0.1	RMS	488.77	-64.81	-13	Pass	6590
689	726	0.1	RMS	706.575	18.92	60	Pass	401
726	1000	0.1	RMS	995.498	-63.95	-13	Pass	2740
1000	3000	1	RMS	2955.978	-49.51	-13	Pass	2000
3000	10000	1	RMS	6966.567	-41.46	-13	Pass	7000



9. LTE_Band13

9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.3	-13	Pass	401
0.15	30	0.01	RMS	0.31	-72.72	-13	Pass	2985
30	767	0.1	RMS	766.6	-64.05	-13	Pass	7370
767	797	0.1	RMS	777.35	20.07	60	Pass	401
797	1000	0.1	RMS	849.026	-63.95	-13	Pass	2030
1000	3000	1	RMS	1554.277	-48.83	-13	Pass	2000
3000	10000	1	RMS	6964.566	-41.44	-13	Pass	7000

