



30.22. CA Band Edge(NTNV)(Subtest:10, Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:High|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	0.1	RMS	1778.9	13.84	30	Pass	401
1780	1781	0.5	RMS	1780	-29.23	-13	Pass	3
1781	1805	1	RMS	1798.7	-39.78	-13	Pass	401




30.23. CA Band Edge(NTNV)(Subtest:11, Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	0.1	RMS	1778.9	9.83	30	Pass	401
1780	1781	0.5	RMS	1780	-33.2	-13	Pass	3
1781	1805	1	RMS	1781	-43.19	-13	Pass	401



30.24. CA Band Edge(NTNV)(Subtest:12, Channel:132374|132572, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	0.1	RMS	1772.1	-3.56	30	Pass	401
1780	1781	0.5	RMS	1780	-35.28	-13	Pass	3
1781	1805	1	RMS	1781.12	-34.42	-13	Pass	401



31. n2 15kHz


31.1. Band Edge for SA(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-36.62	-13	Pass	25
1849	1850	0.051	RMS	1850	-16.86	-13	Pass	601
1850	1870	1	RMS	1850.333	21.33	30	Pass	601




31.2. Band Edge for SA(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1848	-32.75	-13	Pass	25
1849	1850	0.051	RMS	1850	-28.37	-13	Pass	601
1850	1870	1	RMS	1851.433	15.08	30	Pass	601




31.3. Band Edge for SA(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-36.84	-13	Pass	25
1849	1850	0.051	RMS	1850	-17.31	-13	Pass	601
1850	1870	1	RMS	1850.333	20.8	30	Pass	601




31.4. Band Edge for SA(NTNV)(Subtest:4, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-31.23	-13	Pass	25
1849	1850	0.051	RMS	1850	-27.06	-13	Pass	601
1850	1870	1	RMS	1851.233	14.63	30	Pass	601




31.5. Band Edge for SA(NTNV)(Subtest:5, Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1909.633	20.89	30	Pass	601
1910	1911	0.051	RMS	1910	-19.53	-13	Pass	601
1911	1935	1	RMS	1911	-36.28	-13	Pass	25




31.6. Band Edge for SA(NTNV)(Subtest:6, Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1906.3	14.96	30	Pass	601
1910	1911	0.051	RMS	1910	-25.61	-13	Pass	601
1911	1935	1	RMS	1912	-31.29	-13	Pass	25




31.7. Band Edge for SA(NTNV)(Subtest:7, Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1909.667	20.47	30	Pass	601
1910	1911	0.051	RMS	1910	-18.86	-13	Pass	601
1911	1935	1	RMS	1911	-36.43	-13	Pass	25




31.8. Band Edge for SA(NTNV)(Subtest:8, Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1906.2	14.51	30	Pass	601
1910	1911	0.051	RMS	1910	-27.87	-13	Pass	601
1911	1935	1	RMS	1911	-30.68	-13	Pass	25




31.9. Band Edge for SA(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-36.73	-13	Pass	25
1849	1850	0.15	RMS	1850	-16.44	-13	Pass	601
1850	1870	1	RMS	1850.467	21.52	30	Pass	601




31.10. Band Edge for SA(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-24.85	-13	Pass	601
1849	1850	0.15	RMS	1850	-31.8	-13	Pass	601
1850	1870	1	RMS	1862.8	10.89	30	Pass	601




31.11. Band Edge for SA(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-36.44	-13	Pass	25
1849	1850	0.15	RMS	1850	-16.58	-13	Pass	601
1850	1870	1	RMS	1850.433	21.02	30	Pass	601




31.12. Band Edge for SA(NTNV)(Subtest:4, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-24.35	-13	Pass	601
1849	1850	0.15	RMS	1849.997	-31.19	-13	Pass	601
1850	1870	1	RMS	1862.633	10.63	30	Pass	601




31.13. Band Edge for SA(NTNV)(Subtest:5, Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1909.5	21.2	30	Pass	601
1910	1911	0.15	RMS	1910	-19.02	-13	Pass	601
1911	1935	1	RMS	1911	-35.61	-13	Pass	25




31.14. Band Edge for SA(NTNV)(Subtest:6, Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1898.467	10.65	30	Pass	601
1910	1911	0.15	RMS	1910.002	-41.37	-13	Pass	601
1911	1935	1	RMS	1915.2	-35.68	-13	Pass	601




31.15. Band Edge for SA(NTNV)(Subtest:7, Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1909.5	20.76	30	Pass	601
1910	1911	0.15	RMS	1910	-18.64	-13	Pass	601
1911	1935	1	RMS	1911	-36.05	-13	Pass	25




31.16. Band Edge for SA(NTNV)(Subtest:8, Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1899.7	10.07	30	Pass	601
1910	1911	0.15	RMS	1910.067	-41.02	-13	Pass	601
1911	1935	1	RMS	1911	-34.23	-13	Pass	601




31.17. Band Edge for SA(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-37.53	-13	Pass	25
1849	1850	0.2	RMS	1850	-18.04	-13	Pass	601
1850	1870	1	RMS	1850.533	21.49	30	Pass	601




31.18. Band Edge for SA(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-28.86	-13	Pass	601
1849	1850	0.2	RMS	1850	-34.4	-13	Pass	601
1850	1870	1	RMS	1865.7	9.92	30	Pass	601




31.19. Band Edge for SA(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-37.22	-13	Pass	25
1849	1850	0.2	RMS	1850	-18.45	-13	Pass	601
1850	1870	1	RMS	1850.533	21.05	30	Pass	601




31.20. Band Edge for SA(NTNV)(Subtest:4, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-28.77	-13	Pass	601
1849	1850	0.2	RMS	1850	-34.06	-13	Pass	601
1850	1870	1	RMS	1866.9	9.76	30	Pass	601




31.21. Band Edge for SA(NTNV)(Subtest:5, Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1909.433	21.21	30	Pass	601
1910	1911	0.2	RMS	1910	-20.61	-13	Pass	601
1911	1935	1	RMS	1911	-36.62	-13	Pass	25




31.22. Band Edge for SA(NTNV)(Subtest:6, Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1894.233	9.26	30	Pass	601
1910	1911	0.2	RMS	1910.038	-42.77	-13	Pass	601
1911	1935	1	RMS	1916.64	-36.96	-13	Pass	601




31.23. Band Edge for SA(NTNV)(Subtest:7, Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1909.433	20.79	30	Pass	601
1910	1911	0.2	RMS	1910.002	-20.35	-13	Pass	601
1911	1935	1	RMS	1911	-37.04	-13	Pass	25



31.24. Band Edge for SA(NTNV)(Subtest:8, Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1897.1	8.73	30	Pass	601
1910	1911	0.2	RMS	1910.23	-39.66	-13	Pass	601
1911	1935	1	RMS	1911	-34	-13	Pass	601



32. n5 15kHz


32.1. Band Edge for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.08	-42.46	-13	Pass	601
823	824	0.02	RMS	824	-20.5	-13	Pass	51
824	844	0.1	RMS	824.333	19.49	30	Pass	601




32.2. Band Edge for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.16	-40.11	-13	Pass	601
823	824	0.051	RMS	824	-27.52	-13	Pass	601
824	844	0.1	RMS	825.033	6.48	30	Pass	601




32.3. Band Edge for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.12	-43.02	-13	Pass	601
823	824	0.051	RMS	824	-16.58	-13	Pass	601
824	844	0.1	RMS	824.333	18.85	30	Pass	601




32.4. Band Edge for SA(NTNV)(Subtest:4, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.16	-45.97	-13	Pass	601
823	824	0.051	RMS	823.998	-26.63	-13	Pass	601
824	844	0.1	RMS	825.033	5.99	30	Pass	601



32.5. Band Edge for SA(NTNV)(Subtest:5, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.633	19.54	30	Pass	601
849	850	0.051	RMS	849	-18.16	-13	Pass	601
850	874	0.1	RMS	850.72	-40.33	-13	Pass	601




32.6. Band Edge for SA(NTNV)(Subtest:6, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.033	6.65	30	Pass	601
849	850	0.051	RMS	849.003	-25.01	-13	Pass	601
850	874	0.1	RMS	850.88	-32.83	-13	Pass	601




32.7. Band Edge for SA(NTNV)(Subtest:7, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.633	18.81	30	Pass	601
849	850	0.051	RMS	849	-17.09	-13	Pass	601
850	874	0.1	RMS	850.76	-43.7	-13	Pass	601




32.8. Band Edge for SA(NTNV)(Subtest:8, Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845	5.92	30	Pass	601
849	850	0.051	RMS	849	-26.06	-13	Pass	601
850	874	0.1	RMS	850	-33.91	-13	Pass	601




32.9. Band Edge for SA(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-51.05	-13	Pass	601
823	824	0.02	RMS	824	-25.58	-13	Pass	51
824	844	0.1	RMS	824.467	19.71	30	Pass	601




32.10. Band Edge for SA(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.96	-39.42	-13	Pass	601
823	824	0.15	RMS	823.998	-28.16	-13	Pass	601
824	844	0.1	RMS	835.8	1.9	30	Pass	601




32.11. Band Edge for SA(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.96	-51.38	-13	Pass	601
823	824	0.15	RMS	824	-16.65	-13	Pass	601
824	844	0.1	RMS	824.467	19.1	30	Pass	601




32.12. Band Edge for SA(NTNV)(Subtest:4, Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-39.84	-13	Pass	601
823	824	0.15	RMS	824	-29.66	-13	Pass	601
824	844	0.1	RMS	828.767	1.56	30	Pass	601




32.13. Band Edge for SA(NTNV)(Subtest:5, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	19.55	30	Pass	601
849	850	0.15	RMS	849	-18.1	-13	Pass	601
850	874	0.1	RMS	850.04	-51.02	-13	Pass	601




32.14. Band Edge for SA(NTNV)(Subtest:6, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	836.033	2.19	30	Pass	601
849	850	0.15	RMS	849.01	-37.71	-13	Pass	601
850	874	0.1	RMS	850.2	-41.76	-13	Pass	601




32.15. Band Edge for SA(NTNV)(Subtest:7, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	18.78	30	Pass	601
849	850	0.15	RMS	849	-16.93	-13	Pass	601
850	874	0.1	RMS	850	-50.17	-13	Pass	601




32.16. Band Edge for SA(NTNV)(Subtest:8, Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	838.767	1.78	30	Pass	601
849	850	0.15	RMS	849.005	-35.48	-13	Pass	601
850	874	0.1	RMS	850	-39.85	-13	Pass	601




32.17. Band Edge for SA(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-51.3	-13	Pass	601
823	824	0.2	RMS	824	-17.96	-13	Pass	6
824	844	0.1	RMS	824.533	19.73	30	Pass	601




32.18. Band Edge for SA(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.96	-33.03	-13	Pass	601
823	824	0.2	RMS	823.998	-28.22	-13	Pass	601
824	844	0.1	RMS	837.567	0.91	30	Pass	601




32.19. Band Edge for SA(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-50.07	-13	Pass	601
823	824	0.2	RMS	824	-19.18	-13	Pass	6
824	844	0.1	RMS	824.533	19.08	30	Pass	601




32.20. Band Edge for SA(NTNV)(Subtest:4, Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-38.57	-13	Pass	601
823	824	0.2	RMS	824	-29.64	-13	Pass	601
824	844	0.1	RMS	831	0.45	30	Pass	601



32.21. Band Edge for SA(NTNV)(Subtest:5, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.433	19.48	30	Pass	601
849	850	0.2	RMS	849	-21.34	-13	Pass	6
850	874	0.1	RMS	850	-51.22	-13	Pass	601




32.22. Band Edge for SA(NTNV)(Subtest:6, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	833.233	1.44	30	Pass	601
849	850	0.2	RMS	849.145	-32.79	-13	Pass	601
850	874	0.1	RMS	850.12	-39.26	-13	Pass	601




32.23. Band Edge for SA(NTNV)(Subtest:7, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.433	18.75	30	Pass	601
849	850	0.2	RMS	849	-19.77	-13	Pass	6
850	874	0.1	RMS	850	-49.93	-13	Pass	601



32.24. Band Edge for SA(NTNV)(Subtest:8, Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	833.233	0.53	30	Pass	601
849	850	0.2	RMS	849.247	-33.21	-13	Pass	601
850	874	0.1	RMS	850	-38.67	-13	Pass	601



33. n7 15kHz


33.1. Band Edge for SA(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.842	-47.6	-25	Pass	601
2494	2496	1	RMS	2495.99	-43.9	-13	Pass	601
2496	2499	1	RMS	2499	-32.92	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-17.27	-10	Pass	601
2500	2520	1	RMS	2500.333	21.26	30	Pass	601




33.2. Band Edge for SA(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.968	-43.13	-25	Pass	601
2494	2496	1	RMS	2496	-35.08	-13	Pass	601
2496	2499	1	RMS	2498	-28.86	-10	Pass	4
2499	2500	0.1	RMS	2500	-25.98	-10	Pass	601
2500	2520	1	RMS	2503.667	15.28	30	Pass	601




33.3. Band Edge for SA(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.968	-47.75	-25	Pass	601
2494	2496	1	RMS	2495.993	-44.61	-13	Pass	601
2496	2499	1	RMS	2499	-33.82	-10	Pass	4
2499	2500	0.051	RMS	2500	-17.97	-10	Pass	601
2500	2520	1	RMS	2500.333	20.72	30	Pass	601




33.4. Band Edge for SA(NTNV)(Subtest:4, Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.968	-43.01	-25	Pass	601
2494	2496	1	RMS	2495.997	-34.98	-13	Pass	601
2496	2499	1	RMS	2499	-25.21	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-23.96	-10	Pass	601
2500	2520	1	RMS	2503.533	14.81	30	Pass	601




33.5. Band Edge for SA(NTNV)(Subtest:5, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.633	21.37	30	Pass	601
2570	2571	0.051	RMS	2570	-20.45	-10	Pass	601
2571	2575	1	RMS	2571	-32.51	-10	Pass	5
2575	2576	1	RMS	2575.027	-46.61	-13	Pass	601
2576	2595	1	RMS	2576.095	-47.24	-25	Pass	601




33.6. Band Edge for SA(NTNV)(Subtest:6, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.467	15.24	30	Pass	601
2570	2571	0.1	RMS	2570	-22.6	-10	Pass	601
2571	2575	1	RMS	2571	-29.65	-10	Pass	5
2575	2576	1	RMS	2575.015	-41.2	-13	Pass	601
2576	2595	1	RMS	2576	-41.73	-25	Pass	601




33.7. Band Edge for SA(NTNV)(Subtest:7, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.667	20.93	30	Pass	601
2570	2571	0.051	RMS	2570.002	-18.84	-10	Pass	601
2571	2575	1	RMS	2571	-32.51	-10	Pass	5
2575	2576	1	RMS	2575.023	-46.53	-13	Pass	601
2576	2595	1	RMS	2576.095	-47.25	-25	Pass	601




33.8. Band Edge for SA(NTNV)(Subtest:8, Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.2	14.8	30	Pass	601
2570	2571	0.1	RMS	2570	-24.86	-10	Pass	601
2571	2575	1	RMS	2571	-27.41	-10	Pass	5
2575	2576	1	RMS	2575.007	-39.19	-13	Pass	601
2576	2595	1	RMS	2576	-41.66	-25	Pass	601




33.9. Band Edge for SA(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-48.49	-25	Pass	601
2485	2496	1	RMS	2495.982	-44.92	-13	Pass	601
2496	2499	1	RMS	2499	-33.32	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.99	-10	Pass	601
2500	2520	1	RMS	2500.467	21.55	30	Pass	601




33.10. Band Edge for SA(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2482.617	-45.84	-25	Pass	601
2485	2496	1	RMS	2492.553	-34.91	-13	Pass	601
2496	2499	1	RMS	2499	-30.22	-10	Pass	4
2499	2500	0.3	RMS	2500	-23.83	-10	Pass	601
2500	2520	1	RMS	2511.533	11.19	30	Pass	601




33.11. Band Edge for SA(NTNV)(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.717	-48.52	-25	Pass	601
2485	2496	1	RMS	2495.89	-45.12	-13	Pass	601
2496	2499	1	RMS	2499	-34.24	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.54	-10	Pass	601
2500	2520	1	RMS	2500.467	21.07	30	Pass	601




33.12. Band Edge for SA(NTNV)(Subtest:4, Channel:501500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-46.04	-25	Pass	601
2485	2496	1	RMS	2495.908	-32.27	-13	Pass	601
2496	2499	1	RMS	2499	-29	-10	Pass	4
2499	2500	0.3	RMS	2500	-23.84	-10	Pass	601
2500	2520	1	RMS	2512.433	10.85	30	Pass	601



33.13. Band Edge for SA(NTNV)(Subtest:5, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.56	30	Pass	601
2570	2571	0.051	RMS	2570.002	-25.07	-10	Pass	601
2571	2575	1	RMS	2571	-33.17	-10	Pass	5
2575	2585	1	RMS	2575	-46.61	-13	Pass	601
2585	2595	1	RMS	2585.633	-47.97	-25	Pass	601




33.14. Band Edge for SA(NTNV)(Subtest:6, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2558.433	10.99	30	Pass	601
2570	2571	0.3	RMS	2570.068	-36.24	-10	Pass	601
2571	2575	1	RMS	2571	-33.22	-10	Pass	5
2575	2585	1	RMS	2576.65	-35.93	-13	Pass	601
2585	2595	1	RMS	2585.067	-47.28	-25	Pass	601



33.15. Band Edge for SA(NTNV)(Subtest:7, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.17	30	Pass	601
2570	2571	0.051	RMS	2570	-23.58	-10	Pass	601
2571	2575	1	RMS	2571	-33.31	-10	Pass	5
2575	2585	1	RMS	2575.017	-46.74	-13	Pass	601
2585	2595	1	RMS	2587.317	-48	-25	Pass	601




33.16. Band Edge for SA(NTNV)(Subtest:8, Channel:512500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2559.667	10.41	30	Pass	601
2570	2571	0.3	RMS	2570.007	-31.52	-10	Pass	601
2571	2575	1	RMS	2571	-28.34	-10	Pass	5
2575	2585	1	RMS	2575.017	-35.29	-13	Pass	601
2585	2595	1	RMS	2585.033	-46.28	-25	Pass	601




33.17. Band Edge for SA(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.917	-48.72	-25	Pass	601
2480	2496	1	RMS	2496	-45.02	-13	Pass	601
2496	2499	1	RMS	2499	-33.96	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.52	-10	Pass	601
2500	2520	1	RMS	2500.533	21.56	30	Pass	601




33.18. Band Edge for SA(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2480	-47.55	-25	Pass	601
2480	2496	1	RMS	2496	-35.35	-13	Pass	601
2496	2499	1	RMS	2499	-32.1	-10	Pass	4
2499	2500	0.39	RMS	2500	-20.42	-10	Pass	601
2500	2520	1	RMS	2515.533	10.01	30	Pass	601




33.19. Band Edge for SA(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.142	-48.68	-25	Pass	601
2480	2496	1	RMS	2495.973	-45.26	-13	Pass	601
2496	2499	1	RMS	2499	-34.71	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.95	-10	Pass	601
2500	2520	1	RMS	2500.533	21.05	30	Pass	601




33.20. Band Edge for SA(NTNV)(Subtest:4, Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.933	-46.73	-25	Pass	601
2480	2496	1	RMS	2496	-31.97	-13	Pass	601
2496	2499	1	RMS	2499	-27.94	-10	Pass	4
2499	2500	0.39	RMS	2500	-21.79	-10	Pass	601
2500	2520	1	RMS	2516.767	9.53	30	Pass	601



33.21. Band Edge for SA(NTNV)(Subtest:5, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.433	21.54	30	Pass	601
2570	2571	0.051	RMS	2570.002	-28.83	-10	Pass	601
2571	2575	1	RMS	2571	-33.72	-10	Pass	5
2575	2590	1	RMS	2575	-46.73	-13	Pass	601
2590	2595	1	RMS	2594.05	-48.01	-25	Pass	601




33.22. Band Edge for SA(NTNV)(Subtest:6, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2554.333	9.72	30	Pass	601
2570	2571	0.39	RMS	2570.002	-36.04	-10	Pass	601
2571	2575	1	RMS	2571	-34.61	-10	Pass	5
2575	2590	1	RMS	2577.85	-36.31	-13	Pass	601
2590	2595	1	RMS	2590.675	-47.97	-25	Pass	601



33.23. Band Edge for SA(NTNV)(Subtest:7, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.433	21.14	30	Pass	601
2570	2571	0.051	RMS	2570	-27.3	-10	Pass	601
2571	2575	1	RMS	2571	-33.95	-10	Pass	5
2575	2590	1	RMS	2575	-46.76	-13	Pass	601
2590	2595	1	RMS	2591.85	-48	-25	Pass	601



33.24. Band Edge for SA(NTNV)(Subtest:8, Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.067	9.08	30	Pass	601
2570	2571	0.39	RMS	2570.065	-32.93	-10	Pass	601
2571	2575	1	RMS	2571	-30.15	-10	Pass	5
2575	2590	1	RMS	2575.275	-34.97	-13	Pass	601
2590	2595	1	RMS	2590.392	-47.89	-25	Pass	601



34. n12 15kHz


34.1. Band Edge for SA(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-19.32	-13	Pass	601
698.9	699	0.03	RMS	699	-18.82	-13	Pass	601
699	719	0.1	RMS	699.333	19.36	30	Pass	601




34.2. Band Edge for SA(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-28.77	-13	Pass	601
698.9	699	0.03	RMS	699	-30.75	-13	Pass	601
699	719	0.1	RMS	700.033	6.3	30	Pass	601




34.3. Band Edge for SA(NTNV)(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-20.47	-13	Pass	601
698.9	699	0.03	RMS	698.999	-20.42	-13	Pass	601
699	719	0.1	RMS	699.333	18.89	30	Pass	601




34.4. Band Edge for SA(NTNV)(Subtest:4, Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-26.83	-13	Pass	601
698.9	699	0.03	RMS	698.998	-28.94	-13	Pass	601
699	719	0.1	RMS	700	5.64	30	Pass	601



34.5. Band Edge for SA(NTNV)(Subtest:5, Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	715.633	19.3	30	Pass	601
716	716.1	0.03	RMS	716	-20.85	-13	Pass	601
716.1	741	0.1	RMS	716.1	-21.6	-13	Pass	601




34.6. Band Edge for SA(NTNV)(Subtest:6, Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	712.033	6.13	30	Pass	601
716	716.1	0.03	RMS	716.001	-27.53	-13	Pass	601
716.1	741	0.1	RMS	716.1	-25.27	-13	Pass	601



34.7. Band Edge for SA(NTNV)(Subtest:7, Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	715.633	18.48	30	Pass	601
716	716.1	0.03	RMS	716.001	-19.88	-13	Pass	601
716.1	741	0.1	RMS	716.1	-21.67	-13	Pass	601




34.8. Band Edge for SA(NTNV)(Subtest:8, Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	712	5.61	30	Pass	601
716	716.1	0.03	RMS	716.001	-28.94	-13	Pass	601
716.1	741	0.1	RMS	716.1	-26.66	-13	Pass	601




34.9. Band Edge for SA(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-20.62	-13	Pass	601
698.9	699	0.03	RMS	699	-20.71	-13	Pass	601
699	719	0.1	RMS	699.4	19.37	30	Pass	601




34.10. Band Edge for SA(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-32.75	-13	Pass	601
698.9	699	0.03	RMS	699	-34.74	-13	Pass	601
699	719	0.1	RMS	702.133	3.52	30	Pass	601




34.11. Band Edge for SA(NTNV)(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-21.11	-13	Pass	601
698.9	699	0.03	RMS	699	-21.5	-13	Pass	601
699	719	0.1	RMS	699.4	18.73	30	Pass	601




34.12. Band Edge for SA(NTNV)(Subtest:4, Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-32.77	-13	Pass	601
698.9	699	0.03	RMS	698.998	-35.05	-13	Pass	601
699	719	0.1	RMS	702.233	2.68	30	Pass	601



34.13. Band Edge for SA(NTNV)(Subtest:5, Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	715.567	19.28	30	Pass	601
716	716.1	0.03	RMS	716.001	-22.55	-13	Pass	601
716.1	741	0.1	RMS	716.1	-21.93	-13	Pass	601




34.14. Band Edge for SA(NTNV)(Subtest:6, Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	709.133	3.69	30	Pass	601
716	716.1	0.03	RMS	716.002	-43.73	-13	Pass	601
716.1	741	0.1	RMS	716.308	-39.01	-13	Pass	601



34.15. Band Edge for SA(NTNV)(Subtest:7, Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	715.567	18.45	30	Pass	601
716	716.1	0.03	RMS	716.001	-22.06	-13	Pass	601
716.1	741	0.1	RMS	716.1	-21.6	-13	Pass	601




34.16. Band Edge for SA(NTNV)(Subtest:8, Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	708.133	2.75	30	Pass	601
716	716.1	0.03	RMS	716.099	-40.28	-13	Pass	601
716.1	741	0.1	RMS	716.1	-36.12	-13	Pass	601




34.17. Band Edge for SA(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-23.83	-13	Pass	601
698.9	699	0.03	RMS	698.999	-23.86	-13	Pass	601
699	719	0.1	RMS	699.467	19.57	30	Pass	601




34.18. Band Edge for SA(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-31.33	-13	Pass	601
698.9	699	0.03	RMS	698.969	-35.77	-13	Pass	601
699	719	0.1	RMS	707.167	1.61	30	Pass	601




34.19. Band Edge for SA(NTNV)(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-24.13	-13	Pass	601
698.9	699	0.03	RMS	699	-24.55	-13	Pass	601
699	719	0.1	RMS	699.467	18.87	30	Pass	601




34.20. Band Edge for SA(NTNV)(Subtest:4, Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
674	698.9	0.1	RMS	698.9	-34.65	-13	Pass	601
698.9	699	0.03	RMS	698.99	-37.38	-13	Pass	601
699	719	0.1	RMS	703.767	1.43	30	Pass	601




34.21. Band Edge for SA(NTNV)(Subtest:5, Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	715.5	19.37	30	Pass	601
716	716.1	0.03	RMS	716	-25.66	-13	Pass	601
716.1	741	0.1	RMS	716.1	-25.75	-13	Pass	601




34.22. Band Edge for SA(NTNV)(Subtest:6, Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	706.467	1.69	30	Pass	601
716	716.1	0.03	RMS	716.032	-42.93	-13	Pass	601
716.1	741	0.1	RMS	716.142	-38.26	-13	Pass	601




34.23. Band Edge for SA(NTNV)(Subtest:7, Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	715.5	18.51	30	Pass	601
716	716.1	0.03	RMS	716.001	-24.8	-13	Pass	601
716.1	741	0.1	RMS	716.1	-25.12	-13	Pass	601



34.24. Band Edge for SA(NTNV)(Subtest:8, Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
696	716	0.1	RMS	705.767	1.41	30	Pass	601
716	716.1	0.03	RMS	716.006	-41.8	-13	Pass	601
716.1	741	0.1	RMS	716.308	-38.36	-13	Pass	601



35. n13 15kHz


35.1. Band Edge for SA(NTNV)(Subtest:1, Channel:155900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.24	-72.03	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-55.65	-13	Pass	601
775.9	776	0.03	RMS	775.998	-58.02	-13	Pass	601
776	788	0.1	RMS	777.32	19.57	30	Pass	601




35.2. Band Edge for SA(NTNV)(Subtest:2, Channel:155900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-50.37	-35	Pass	1201
775	775.9	0.1	RMS	775.639	-30.09	-13	Pass	601
775.9	776	0.03	RMS	775.971	-35.8	-13	Pass	601
776	788	0.1	RMS	778.7	6.45	30	Pass	601




35.3. Band Edge for SA(NTNV)(Subtest:3, Channel:155900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	768.27	-71.84	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-54.85	-13	Pass	601
775.9	776	0.03	RMS	775.993	-56.41	-13	Pass	601
776	788	0.1	RMS	777.34	19.05	30	Pass	601




35.4. Band Edge for SA(NTNV)(Subtest:4, Channel:155900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	775	-53.36	-35	Pass	1201
775	775.9	0.1	RMS	775.876	-32.73	-13	Pass	601
775.9	776	0.03	RMS	775.965	-37.49	-13	Pass	601
776	788	0.1	RMS	778.02	5.76	30	Pass	601




35.5. Band Edge for SA(NTNV)(Subtest:5, Channel:156900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.64	19.51	30	Pass	601
788	788.1	0.03	RMS	788.008	-57.19	-13	Pass	601
788.1	793	0.1	RMS	788.1	-54.69	-13	Pass	601
793	805	0.01	RMS	798.17	-72.09	-35	Pass	1201




35.6. Band Edge for SA(NTNV)(Subtest:6, Channel:156900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.58	6.24	30	Pass	601
788	788.1	0.03	RMS	788.037	-40.15	-13	Pass	601
788.1	793	0.1	RMS	788.909	-30.61	-13	Pass	601
793	805	0.01	RMS	793.03	-69.25	-35	Pass	1201




35.7. Band Edge for SA(NTNV)(Subtest:7, Channel:156900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.64	18.6	30	Pass	601
788	788.1	0.03	RMS	788.003	-55.1	-13	Pass	601
788.1	793	0.1	RMS	788.1	-52.76	-13	Pass	601
793	805	0.01	RMS	797.47	-71.28	-35	Pass	1201




35.8. Band Edge for SA(NTNV)(Subtest:8, Channel:156900, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	783	5.88	30	Pass	601
788	788.1	0.03	RMS	788.091	-45.02	-13	Pass	601
788.1	793	0.1	RMS	788.312	-40.53	-13	Pass	601
793	805	0.01	RMS	793	-70.86	-35	Pass	1201




35.9. Band Edge for SA(NTNV)(Subtest:1, Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	771.21	-71.92	-35	Pass	1201
775	775.9	0.1	RMS	775.89	-53.67	-13	Pass	601
775.9	776	0.03	RMS	775.963	-57.63	-13	Pass	601
776	788	0.1	RMS	777.4	19.63	30	Pass	601




35.10. Band Edge for SA(NTNV)(Subtest:2, Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.97	-54.98	-35	Pass	1201
775	775.9	0.1	RMS	775.897	-31.47	-13	Pass	601
775.9	776	0.03	RMS	775.969	-35.8	-13	Pass	601
776	788	0.1	RMS	780.12	3.73	30	Pass	601




35.11. Band Edge for SA(NTNV)(Subtest:3, Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	770.54	-72.13	-35	Pass	1201
775	775.9	0.1	RMS	775.879	-51.98	-13	Pass	601
775.9	776	0.03	RMS	775.991	-55.62	-13	Pass	601
776	788	0.1	RMS	777.4	18.88	30	Pass	601




35.12. Band Edge for SA(NTNV)(Subtest:4, Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	775	-54.54	-35	Pass	1201
775	775.9	0.1	RMS	775.749	-33.78	-13	Pass	601
775.9	776	0.03	RMS	776	-38.98	-13	Pass	601
776	788	0.1	RMS	782.12	3.14	30	Pass	601



35.13. Band Edge for SA(NTNV)(Subtest:5, Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.56	19.45	30	Pass	601
788	788.1	0.03	RMS	788.052	-55.93	-13	Pass	601
788.1	793	0.1	RMS	788.108	-52.13	-13	Pass	601
793	805	0.01	RMS	797.69	-71.81	-35	Pass	1201




35.14. Band Edge for SA(NTNV)(Subtest:6, Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	782.84	3.61	30	Pass	401
788	788.1	0.03	RMS	788.001	-30.35	-13	Pass	401
788.1	793	0.1	RMS	788.186	-25.47	-13	Pass	401
793	805	0.01	RMS	793.04	-56.85	-35	Pass	1201




35.15. Band Edge for SA(NTNV)(Subtest:7, Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.58	18.57	30	Pass	601
788	788.1	0.03	RMS	788.013	-53.18	-13	Pass	601
788.1	793	0.1	RMS	788.1	-49.38	-13	Pass	601
793	805	0.01	RMS	799.34	-71.87	-35	Pass	1201



35.16. Band Edge for SA(NTNV)(Subtest:8, Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	782.12	3.11	30	Pass	401
788	788.1	0.03	RMS	788.031	-34.94	-13	Pass	401
788.1	793	0.1	RMS	788.21	-31.31	-13	Pass	401
793	805	0.01	RMS	793.22	-64.84	-35	Pass	1201



36. n14 15kHz


36.1. Band Edge for SA(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	772.053	-74	-35	Pass	968
775	787.9	0.1	RMS	787.9	-18.86	-13	Pass	601
787.9	788	0.03	RMS	787.999	-18.28	-13	Pass	601
788	798	0.1	RMS	788.317	19.47	30	Pass	601




36.2. Band Edge for SA(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	769.217	-73.76	-35	Pass	968
775	787.9	0.1	RMS	787.9	-28.61	-13	Pass	601
787.9	788	0.03	RMS	787.998	-30.37	-13	Pass	601
788	798	0.1	RMS	792.6	6.27	30	Pass	601




36.3. Band Edge for SA(NTNV)(Subtest:3, Channel:158100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	773.046	-73.98	-35	Pass	968
775	787.9	0.1	RMS	787.9	-20.09	-13	Pass	601
787.9	788	0.03	RMS	787.999	-19.79	-13	Pass	601
788	798	0.1	RMS	788.333	18.69	30	Pass	601




36.4. Band Edge for SA(NTNV)(Subtest:4, Channel:158100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	774.2	-73.87	-35	Pass	968
775	787.9	0.1	RMS	787.9	-26.51	-13	Pass	601
787.9	788	0.03	RMS	787.999	-28.62	-13	Pass	601
788	798	0.1	RMS	789	5.87	30	Pass	601




36.5. Band Edge for SA(NTNV)(Subtest:5, Channel:159100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	797.65	19.28	30	Pass	601
798	798.1	0.03	RMS	798.001	-20.52	-13	Pass	601
798.1	799	0.1	RMS	798.1	-21.1	-13	Pass	601
799	804	0.0062	RMS	799.006	-60.14	-35	Pass	807
804	810	0.1	RMS	804.07	-62.07	-13	Pass	601




36.6. Band Edge for SA(NTNV)(Subtest:6, Channel:159100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	797.6	6.23	30	Pass	601
798	798.1	0.03	RMS	798	-27.26	-13	Pass	601
798.1	799	0.1	RMS	798.1	-25.08	-13	Pass	601
799	804	0.0062	RMS	799.372	-45.31	-35	Pass	807
804	810	0.1	RMS	804.76	-43.45	-13	Pass	601




36.7. Band Edge for SA(NTNV)(Subtest:7, Channel:159100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	797.65	18.78	30	Pass	601
798	798.1	0.03	RMS	798.002	-21.65	-13	Pass	601
798.1	799	0.1	RMS	798.102	-22.33	-13	Pass	601
799	804	0.0062	RMS	799.05	-63.34	-35	Pass	807
804	810	0.1	RMS	804.08	-62.18	-13	Pass	601




36.8. Band Edge for SA(NTNV)(Subtest:8, Channel:159100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	794.017	5.84	30	Pass	601
798	798.1	0.03	RMS	798	-28.65	-13	Pass	601
798.1	799	0.1	RMS	798.1	-26.24	-13	Pass	601
799	804	0.0062	RMS	799.372	-48.04	-35	Pass	807
804	810	0.1	RMS	805.63	-39.87	-13	Pass	601



36.9. Band Edge for SA(NTNV)(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	774.839	-73.69	-35	Pass	968
775	787.9	0.1	RMS	787.9	-19.96	-13	Pass	601
787.9	788	0.03	RMS	788	-20.62	-13	Pass	601
788	798	0.1	RMS	788.4	19.52	30	Pass	601




36.10. Band Edge for SA(NTNV)(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	773.678	-68.27	-35	Pass	968
775	787.9	0.1	RMS	787.9	-31.11	-13	Pass	601
787.9	788	0.03	RMS	787.984	-34.06	-13	Pass	601
788	798	0.1	RMS	791.133	3.66	30	Pass	601




36.11. Band Edge for SA(NTNV)(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	772.078	-74.29	-35	Pass	968
775	787.9	0.1	RMS	787.9	-21.3	-13	Pass	601
787.9	788	0.03	RMS	787.999	-21.34	-13	Pass	601
788	798	0.1	RMS	788.383	18.61	30	Pass	601




36.12. Band Edge for SA(NTNV)(Subtest:4, Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	774.671	-65.67	-35	Pass	968
775	787.9	0.1	RMS	787.9	-32.37	-13	Pass	601
787.9	788	0.03	RMS	788	-34.73	-13	Pass	601
788	798	0.1	RMS	794.983	2.66	30	Pass	601




36.13. Band Edge for SA(NTNV)(Subtest:5, Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	797.567	19.37	30	Pass	601
798	798.1	0.03	RMS	798	-22.69	-13	Pass	601
798.1	799	0.1	RMS	798.102	-23.26	-13	Pass	601
799	804	0.0062	RMS	799.05	-60.92	-35	Pass	807
804	810	0.1	RMS	804.19	-62.44	-13	Pass	601




36.14. Band Edge for SA(NTNV)(Subtest:6, Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	791.15	3.95	30	Pass	401
798	798.1	0.03	RMS	798.075	-35.98	-13	Pass	401
798.1	799	0.1	RMS	798.1	-32.22	-13	Pass	401
799	804	0.0062	RMS	799	-43.37	-35	Pass	807
804	810	0.1	RMS	805.8	-39.13	-13	Pass	401




36.15. Band Edge for SA(NTNV)(Subtest:7, Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	797.567	18.61	30	Pass	601
798	798.1	0.03	RMS	798	-21.61	-13	Pass	601
798.1	799	0.1	RMS	798.1	-22.05	-13	Pass	601
799	804	0.0062	RMS	799.112	-62.11	-35	Pass	807
804	810	0.1	RMS	804.04	-62.15	-13	Pass	601



36.16. Band Edge for SA(NTNV)(Subtest:8, Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	790.15	2.73	30	Pass	401
798	798.1	0.03	RMS	798.085	-40.93	-13	Pass	401
798.1	799	0.1	RMS	798.102	-36.47	-13	Pass	401
799	804	0.0062	RMS	800.228	-47.31	-35	Pass	807
804	810	0.1	RMS	808.98	-39.63	-13	Pass	401



37. n18 15kHz_824-830MHz


37.1. Band Edge for SA(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.08	-42.1	-13	Pass	401
823	824	0.02	RMS	824	-24.33	-13	Pass	51
824	829	0.1	RMS	824.325	16.99	30	Pass	401




37.2. Band Edge for SA(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.14	-35.92	-13	Pass	401
823	824	0.051	RMS	824	-29.55	-13	Pass	401
824	829	0.1	RMS	825.025	3.97	30	Pass	401




37.3. Band Edge for SA(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.14	-44.07	-13	Pass	401
823	824	0.02	RMS	824	-23.33	-13	Pass	401
824	829	0.1	RMS	824.325	16.24	30	Pass	401




37.4. Band Edge for SA(NTNV)(Subtest:4, Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-36.05	-13	Pass	401
823	824	0.051	RMS	824	-29.01	-13	Pass	401
824	829	0.1	RMS	825.638	3.73	30	Pass	401




37.5. Band Edge for SA(NTNV)(Subtest:5, Channel:165500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
825	830	0.1	RMS	829.638	17.34	30	Pass	401
830	831	0.02	RMS	830	-25.44	-13	Pass	401
831	841	0.1	RMS	831.725	-39.13	-13	Pass	401




37.6. Band Edge for SA(NTNV)(Subtest:6, Channel:165500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
825	830	0.1	RMS	826.175	4.13	30	Pass	401
830	831	0.051	RMS	830	-28.69	-13	Pass	401
831	841	0.1	RMS	831.825	-36.23	-13	Pass	401



37.7. Band Edge for SA(NTNV)(Subtest:7, Channel:165500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
825	830	0.1	RMS	829.65	16.65	30	Pass	401
830	831	0.02	RMS	830	-24.79	-13	Pass	401
831	841	0.1	RMS	831.75	-40.64	-13	Pass	401



37.8. Band Edge for SA(NTNV)(Subtest:8, Channel:165500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
825	830	0.1	RMS	826.013	3.7	30	Pass	401
830	831	0.051	RMS	830	-28.93	-13	Pass	401
831	841	0.1	RMS	831.375	-39.88	-13	Pass	401



38. n18 15kHz_815-824MHz


38.1. Band Edge for SA(NTNV)(Subtest:1, Channel:163500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
810	814.9625	0.1	RMS	814.963	-19.73	-13	Pass	51
814.9625	815	0.01	RMS	815	-26.85	-20	Pass	5
815	820	0.1	RMS	815.338	17.17	30	Pass	401




38.2. Band Edge for SA(NTNV)(Subtest:2, Channel:163500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
810	814.9625	0.1	RMS	814.963	-28.72	-13	Pass	401
814.9625	815	0.051	RMS	815	-30.38	-20	Pass	401
815	820	0.1	RMS	819.613	4.35	30	Pass	401




38.3. Band Edge for SA(NTNV)(Subtest:3, Channel:163500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
810	814.9625	0.1	RMS	814.963	-19.05	-13	Pass	51
814.9625	815	0.01	RMS	814.991	-26.2	-20	Pass	5
815	820	0.1	RMS	815.325	16.39	30	Pass	401




38.4. Band Edge for SA(NTNV)(Subtest:4, Channel:163500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
810	814.9625	0.1	RMS	814.963	-26.96	-13	Pass	401
814.9625	815	0.051	RMS	814.999	-28.65	-20	Pass	401
815	820	0.1	RMS	816.013	3.59	30	Pass	401




38.5. Band Edge for SA(NTNV)(Subtest:5, Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.638	18.36	30	Pass	401
824	824.0375	0.01	RMS	824	-27.88	-20	Pass	5
824.0375	829	0.1	RMS	824.038	-18.86	-13	Pass	401




38.6. Band Edge for SA(NTNV)(Subtest:6, Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.588	4.18	30	Pass	401
824	824.0375	0.051	RMS	824.004	-26.57	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-25.69	-13	Pass	401




38.7. Band Edge for SA(NTNV)(Subtest:7, Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	16.55	30	Pass	401
824	824.0375	0.01	RMS	824.009	-27.43	-20	Pass	5
824.0375	829	0.1	RMS	824.038	-19.05	-13	Pass	401



38.8. Band Edge for SA(NTNV)(Subtest:8, Channel:164300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820	3.5	30	Pass	401
824	824.0375	0.051	RMS	824	-28.76	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-26.84	-13	Pass	401



39. n25 15kHz


39.1. Band Edge for SA(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-35.82	-13	Pass	45
1849	1850	0.05	RMS	1850	-16.24	-13	Pass	21
1850	1890	1	RMS	1850.333	22.18	30	Pass	601




39.2. Band Edge for SA(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-32.82	-13	Pass	45
1849	1850	0.051	RMS	1850	-27.69	-13	Pass	601
1850	1890	1	RMS	1851.267	16.04	30	Pass	601




39.3. Band Edge for SA(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-35.91	-13	Pass	45
1849	1850	0.051	RMS	1850	-16.23	-13	Pass	601
1850	1890	1	RMS	1850.333	21.75	30	Pass	601




39.4. Band Edge for SA(NTNV)(Subtest:4, Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-29.97	-13	Pass	45
1849	1850	0.051	RMS	1850	-26.33	-13	Pass	601
1850	1890	1	RMS	1851.333	15.65	30	Pass	601




39.5. Band Edge for SA(NTNV)(Subtest:5, Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1914.667	21.94	30	Pass	601
1915	1916	0.051	RMS	1915	-19.98	-13	Pass	601
1916	1960	1	RMS	1916	-35.47	-13	Pass	45




39.6. Band Edge for SA(NTNV)(Subtest:6, Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1911.4	15.84	30	Pass	601
1915	1916	0.051	RMS	1915	-25.04	-13	Pass	601
1916	1960	1	RMS	1916	-28.15	-13	Pass	45




39.7. Band Edge for SA(NTNV)(Subtest:7, Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1914.667	21.51	30	Pass	601
1915	1916	0.051	RMS	1915.003	-18.43	-13	Pass	601
1916	1960	1	RMS	1916	-35.58	-13	Pass	45




39.8. Band Edge for SA(NTNV)(Subtest:8, Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1911.2	15.4	30	Pass	601
1915	1916	0.051	RMS	1915.002	-27.41	-13	Pass	601
1916	1960	1	RMS	1916	-25.73	-13	Pass	45




39.9. Band Edge for SA(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-35.91	-13	Pass	45
1849	1850	0.15	RMS	1850	-16.25	-13	Pass	8
1850	1890	1	RMS	1850.467	22.54	30	Pass	601




39.10. Band Edge for SA(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-23.62	-13	Pass	601
1849	1850	0.15	RMS	1849.997	-30.39	-13	Pass	601
1850	1890	1	RMS	1862.8	12.08	30	Pass	601




39.11. Band Edge for SA(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-35.31	-13	Pass	45
1849	1850	0.15	RMS	1850	-16.66	-13	Pass	8
1850	1890	1	RMS	1850.467	22.03	30	Pass	601




39.12. Band Edge for SA(NTNV)(Subtest:4, Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-22.8	-13	Pass	601
1849	1850	0.15	RMS	1850	-30.57	-13	Pass	601
1850	1890	1	RMS	1862.6	11.78	30	Pass	601




39.13. Band Edge for SA(NTNV)(Subtest:5, Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1914.533	22.13	30	Pass	601
1915	1916	0.15	RMS	1915	-19.11	-13	Pass	601
1916	1960	1	RMS	1916	-35.98	-13	Pass	45




39.14. Band Edge for SA(NTNV)(Subtest:6, Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1902	11.93	30	Pass	601
1915	1916	0.15	RMS	1915.118	-37.5	-13	Pass	601
1916	1960	1	RMS	1916	-32.05	-13	Pass	601




39.15. Band Edge for SA(NTNV)(Subtest:7, Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1914.533	21.73	30	Pass	601
1915	1916	0.15	RMS	1915	-17.68	-13	Pass	601
1916	1960	1	RMS	1916	-35.26	-13	Pass	45




39.16. Band Edge for SA(NTNV)(Subtest:8, Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1902	11.33	30	Pass	601
1915	1916	0.15	RMS	1915.003	-35.9	-13	Pass	601
1916	1960	1	RMS	1916	-29.2	-13	Pass	601



39.17. Band Edge for SA(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-36.74	-13	Pass	45
1849	1850	0.2	RMS	1849.998	-16.91	-13	Pass	601
1850	1890	1	RMS	1850.533	22.5	30	Pass	601



39.18. Band Edge for SA(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-27.41	-13	Pass	601
1849	1850	0.2	RMS	1849.998	-32.55	-13	Pass	601
1850	1890	1	RMS	1865.733	11.07	30	Pass	601

