


EXHIBIT C. Spurious Emission at Antenna Terminals

1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.74	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.41	-13	Pass	2986
30	1000	0.1	Peak	942.5	-51.43	-13	Pass	9701
1000	3000	1	Peak	1851	23.23	-13	N/A	2001
3000	20000	1	Peak	18872	-19.89	-13	Pass	17001




1.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-47	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.52	-13	Pass	2986
30	1000	0.1	Peak	923.5	-51.38	-13	Pass	9701
1000	3000	1	Peak	1879	23.17	-13	N/A	2001
3000	20000	1	Peak	18874	-19.17	-13	Pass	17001



1.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-45.94	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.88	-13	Pass	2986
30	1000	0.1	Peak	951.5	-51.74	-13	Pass	9701
1000	3000	1	Peak	1907	23.26	-13	N/A	2001
3000	20000	1	Peak	19009	-20.1	-13	Pass	17001



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	1000	0.1	RMS	907.5	-62.52	-13	Pass	9701
1000	3000	1	RMS	1713	18.02	-13	N/A	2001
3000	20000	1	RMS	18921	-31.53	-13	Pass	17001




2.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-13	Pass	2986
30	1000	0.1	RMS	905.9	-62.59	-13	Pass	9701
1000	3000	1	RMS	1732	17.87	-13	N/A	2001
3000	20000	1	RMS	18924	-31.59	-13	Pass	17001



2.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.29	-13	Pass	2986
30	1000	0.1	RMS	902	-62.51	-13	Pass	9701
1000	3000	1	RMS	1753	17.71	-13	N/A	2001
3000	20000	1	RMS	18881	-31.57	-13	Pass	17001



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-47.06	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.86	-13	Pass	2986
30	500	0.1	Peak	411.7	-52.65	-13	Pass	4701
500	1000	0.1	Peak	826.1	18.13	-13	N/A	5001
1000	10000	1	Peak	9772	-33.09	-13	Pass	9001




3.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.03	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.74	-13	Pass	2986
30	500	0.1	Peak	426.4	-53.38	-13	Pass	4701
500	1000	0.1	Peak	835.5	19.48	-13	N/A	5001
1000	10000	1	Peak	9892	-33.25	-13	Pass	9001



3.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.9	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.64	-13	Pass	2986
30	500	0.1	Peak	475.7	-52.76	-13	Pass	4701
500	1000	0.1	Peak	845.8	18.73	-13	N/A	5001
1000	10000	1	Peak	9904	-33.33	-13	Pass	9001



4. LTE_Band2


4.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.5	-13	Pass	2986
30	1000	0.1	RMS	927.9	-62.66	-13	Pass	9701
1000	1840	1	RMS	1831	-50.98	-13	Pass	841
1840	1920	1	RMS	1850.2	23.04	60	Pass	401
1920	3000	1	RMS	2676	-48.19	-13	Pass	1081
3000	12000	1	RMS	11971	-41.7	-13	Pass	9001
12000	20000	1	RMS	18908	-31.58	-13	Pass	8001




4.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.12	-13	Pass	2986
30	1000	0.1	RMS	911.2	-62.54	-13	Pass	9701
1000	1840	1	RMS	1831	-51.12	-13	Pass	841
1840	1920	1	RMS	1850.2	22.29	60	Pass	401
1920	3000	1	RMS	2671	-48.17	-13	Pass	1081
3000	12000	1	RMS	11960	-41.59	-13	Pass	9001
12000	20000	1	RMS	18943	-31.5	-13	Pass	8001




4.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.68	-13	Pass	2986
30	1000	0.1	RMS	939.6	-62.53	-13	Pass	9701
1000	1840	1	RMS	1832	-51.4	-13	Pass	841
1840	1920	1	RMS	1879.6	22.82	60	Pass	401
1920	3000	1	RMS	2676	-48.07	-13	Pass	1081
3000	12000	1	RMS	11967	-41.66	-13	Pass	9001
12000	20000	1	RMS	18874	-31.53	-13	Pass	8001




4.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2986
30	1000	0.1	RMS	904.7	-62.55	-13	Pass	9701
1000	1840	1	RMS	1840	-51.43	-13	Pass	841
1840	1920	1	RMS	1879.6	21.97	60	Pass	401
1920	3000	1	RMS	2677	-48.03	-13	Pass	1081
3000	12000	1	RMS	11968	-41.62	-13	Pass	9001
12000	20000	1	RMS	18903	-31.46	-13	Pass	8001




4.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.97	-13	Pass	2986
30	1000	0.1	RMS	972.1	-62.52	-13	Pass	9701
1000	1840	1	RMS	1840	-51.45	-13	Pass	841
1840	1920	1	RMS	1908.8	22.88	60	Pass	401
1920	3000	1	RMS	2688	-48.03	-13	Pass	1081
3000	12000	1	RMS	11974	-41.53	-13	Pass	9001
12000	20000	1	RMS	18878	-31.5	-13	Pass	8001




4.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	1000	0.1	RMS	923.4	-62.52	-13	Pass	9701
1000	1840	1	RMS	1837	-51.42	-13	Pass	841
1840	1920	1	RMS	1908.8	21.9	60	Pass	401
1920	3000	1	RMS	2672	-48.05	-13	Pass	1081
3000	12000	1	RMS	11970	-41.67	-13	Pass	9001
12000	20000	1	RMS	18876	-31.54	-13	Pass	8001




4.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.46	-13	Pass	2986
30	1000	0.1	RMS	927.9	-62.55	-13	Pass	9701
1000	1840	1	RMS	1831	-50.9	-13	Pass	841
1840	1920	1	RMS	1850.2	23.06	60	Pass	401
1920	3000	1	RMS	2677	-48.05	-13	Pass	1081
3000	12000	1	RMS	11971	-41.54	-13	Pass	9001
12000	20000	1	RMS	18936	-31.51	-13	Pass	8001




4.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	1000	0.1	RMS	930.9	-62.56	-13	Pass	9701
1000	1840	1	RMS	1840	-51	-13	Pass	841
1840	1920	1	RMS	1850.2	21.98	60	Pass	401
1920	3000	1	RMS	2677	-48.09	-13	Pass	1081
3000	12000	1	RMS	11971	-41.56	-13	Pass	9001
12000	20000	1	RMS	18938	-31.48	-13	Pass	8001




4.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2986
30	1000	0.1	RMS	923.5	-62.54	-13	Pass	9701
1000	1840	1	RMS	1840	-51.14	-13	Pass	841
1840	1920	1	RMS	1878.8	22.88	60	Pass	401
1920	3000	1	RMS	2665	-48.08	-13	Pass	1081
3000	12000	1	RMS	11981	-41.63	-13	Pass	9001
12000	20000	1	RMS	18867	-31.48	-13	Pass	8001




4.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.25	-13	Pass	2986
30	1000	0.1	RMS	969.3	-62.45	-13	Pass	9701
1000	1840	1	RMS	1840	-51.25	-13	Pass	841
1840	1920	1	RMS	1878.8	22.54	60	Pass	401
1920	3000	1	RMS	2678	-48.04	-13	Pass	1081
3000	12000	1	RMS	11962	-41.6	-13	Pass	9001
12000	20000	1	RMS	19017	-31.53	-13	Pass	8001




4.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	1000	0.1	RMS	909.7	-62.69	-13	Pass	9701
1000	1840	1	RMS	1840	-51.42	-13	Pass	841
1840	1920	1	RMS	1907.2	22.95	60	Pass	401
1920	3000	1	RMS	2675	-48.04	-13	Pass	1081
3000	12000	1	RMS	11970	-41.55	-13	Pass	9001
12000	20000	1	RMS	19022	-31.49	-13	Pass	8001




4.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2986
30	1000	0.1	RMS	930.7	-62.51	-13	Pass	9701
1000	1840	1	RMS	1832	-51.45	-13	Pass	841
1840	1920	1	RMS	1907.2	22.44	60	Pass	401
1920	3000	1	RMS	2676	-48.09	-13	Pass	1081
3000	12000	1	RMS	11970	-41.6	-13	Pass	9001
12000	20000	1	RMS	19019	-31.56	-13	Pass	8001




4.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	1000	0.1	RMS	935.6	-62.55	-13	Pass	9701
1000	1840	1	RMS	1831	-50.92	-13	Pass	841
1840	1920	1	RMS	1850.4	22.59	60	Pass	401
1920	3000	1	RMS	2676	-48.05	-13	Pass	1081
3000	12000	1	RMS	11969	-41.63	-13	Pass	9001
12000	20000	1	RMS	18877	-31.49	-13	Pass	8001




4.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	1000	0.1	RMS	934.4	-62.56	-13	Pass	9701
1000	1840	1	RMS	1831	-51	-13	Pass	841
1840	1920	1	RMS	1850.4	21.33	60	Pass	401
1920	3000	1	RMS	2676	-48.09	-13	Pass	1081
3000	12000	1	RMS	11974	-41.62	-13	Pass	9001
12000	20000	1	RMS	18872	-31.45	-13	Pass	8001




4.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2986
30	1000	0.1	RMS	931.4	-62.52	-13	Pass	9701
1000	1840	1	RMS	1839	-51.22	-13	Pass	841
1840	1920	1	RMS	1877.8	22.57	60	Pass	401
1920	3000	1	RMS	2677	-48.03	-13	Pass	1081
3000	12000	1	RMS	11971	-41.61	-13	Pass	9001
12000	20000	1	RMS	19021	-31.51	-13	Pass	8001




4.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.95	-13	Pass	2986
30	1000	0.1	RMS	928	-62.57	-13	Pass	9701
1000	1840	1	RMS	1840	-51.26	-13	Pass	841
1840	1920	1	RMS	1877.8	22.31	60	Pass	401
1920	3000	1	RMS	2676	-48.05	-13	Pass	1081
3000	12000	1	RMS	11976	-41.58	-13	Pass	9001
12000	20000	1	RMS	18881	-31.49	-13	Pass	8001




4.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	1000	0.1	RMS	956.1	-62.57	-13	Pass	9701
1000	1840	1	RMS	1836	-51.45	-13	Pass	841
1840	1920	1	RMS	1905.4	22.67	60	Pass	401
1920	3000	1	RMS	2668	-48.04	-13	Pass	1081
3000	12000	1	RMS	11969	-41.58	-13	Pass	9001
12000	20000	1	RMS	18896	-31.54	-13	Pass	8001




4.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	1000	0.1	RMS	906.7	-62.65	-13	Pass	9701
1000	1840	1	RMS	1837	-51.43	-13	Pass	841
1840	1920	1	RMS	1905.4	22.02	60	Pass	401
1920	3000	1	RMS	2663	-48.1	-13	Pass	1081
3000	12000	1	RMS	11968	-41.56	-13	Pass	9001
12000	20000	1	RMS	18881	-31.5	-13	Pass	8001




4.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.35	-13	Pass	2986
30	1000	0.1	RMS	917.5	-62.59	-13	Pass	9701
1000	1840	1	RMS	1833	-44.47	-13	Pass	841
1840	1920	1	RMS	1850.6	23.05	60	Pass	401
1920	3000	1	RMS	2678	-48.07	-13	Pass	1081
3000	12000	1	RMS	11973	-41.58	-13	Pass	9001
12000	20000	1	RMS	18903	-31.56	-13	Pass	8001




**4.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	1000	0.1	RMS	940.6	-62.59	-13	Pass	9701
1000	1840	1	RMS	1833	-46.7	-13	Pass	841
1840	1920	1	RMS	1850.6	21.94	60	Pass	401
1920	3000	1	RMS	2681	-48.05	-13	Pass	1081
3000	12000	1	RMS	11972	-41.66	-13	Pass	9001
12000	20000	1	RMS	18873	-31.56	-13	Pass	8001




4.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.22	-13	Pass	2986
30	1000	0.1	RMS	912.1	-62.51	-13	Pass	9701
1000	1840	1	RMS	1837	-51.18	-13	Pass	841
1840	1920	1	RMS	1875.6	23.01	60	Pass	401
1920	3000	1	RMS	2673	-48.07	-13	Pass	1081
3000	12000	1	RMS	11964	-41.59	-13	Pass	9001
12000	20000	1	RMS	18939	-31.53	-13	Pass	8001




4.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.82	-13	Pass	2986
30	1000	0.1	RMS	814.1	-62.63	-13	Pass	9701
1000	1840	1	RMS	1837	-51.28	-13	Pass	841
1840	1920	1	RMS	1875.6	22.4	60	Pass	401
1920	3000	1	RMS	2673	-48.08	-13	Pass	1081
3000	12000	1	RMS	11971	-41.64	-13	Pass	9001
12000	20000	1	RMS	18927	-31.52	-13	Pass	8001




4.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	1000	0.1	RMS	906.9	-62.52	-13	Pass	9701
1000	1840	1	RMS	1836	-51.37	-13	Pass	841
1840	1920	1	RMS	1900.6	23.11	60	Pass	401
1920	3000	1	RMS	2679	-48.06	-13	Pass	1081
3000	12000	1	RMS	11970	-41.57	-13	Pass	9001
12000	20000	1	RMS	18935	-31.55	-13	Pass	8001




4.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.54	-13	Pass	2986
30	1000	0.1	RMS	913.8	-62.62	-13	Pass	9701
1000	1840	1	RMS	1838	-51.48	-13	Pass	841
1840	1920	1	RMS	1900.6	22.12	60	Pass	401
1920	3000	1	RMS	2668	-48.06	-13	Pass	1081
3000	12000	1	RMS	11969	-41.59	-13	Pass	9001
12000	20000	1	RMS	19011	-31.48	-13	Pass	8001




4.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2986
30	1000	0.1	RMS	920.4	-62.63	-13	Pass	9701
1000	1840	1	RMS	1838	-47.41	-13	Pass	841
1840	1920	1	RMS	1850.8	22.79	60	Pass	401
1920	3000	1	RMS	2679	-48.09	-13	Pass	1081
3000	12000	1	RMS	11969	-41.57	-13	Pass	9001
12000	20000	1	RMS	18874	-31.46	-13	Pass	8001




4.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-13	Pass	2986
30	1000	0.1	RMS	932.4	-62.54	-13	Pass	9701
1000	1840	1	RMS	1838	-48.03	-13	Pass	841
1840	1920	1	RMS	1850.8	22	60	Pass	401
1920	3000	1	RMS	2680	-48.08	-13	Pass	1081
3000	12000	1	RMS	11966	-41.56	-13	Pass	9001
12000	20000	1	RMS	18870	-31.53	-13	Pass	8001




4.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.54	-13	Pass	2986
30	1000	0.1	RMS	969.5	-62.45	-13	Pass	9701
1000	1840	1	RMS	1835	-51.19	-13	Pass	841
1840	1920	1	RMS	1873.4	22.83	60	Pass	401
1920	3000	1	RMS	2683	-48.03	-13	Pass	1081
3000	12000	1	RMS	11969	-41.52	-13	Pass	9001
12000	20000	1	RMS	18884	-31.5	-13	Pass	8001




4.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2986
30	1000	0.1	RMS	936.8	-62.6	-13	Pass	9701
1000	1840	1	RMS	1835	-51.19	-13	Pass	841
1840	1920	1	RMS	1873.4	22.61	60	Pass	401
1920	3000	1	RMS	2675	-48.07	-13	Pass	1081
3000	12000	1	RMS	11972	-41.5	-13	Pass	9001
12000	20000	1	RMS	19016	-31.53	-13	Pass	8001




4.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	1000	0.1	RMS	919.3	-62.54	-13	Pass	9701
1000	1840	1	RMS	1840	-51.4	-13	Pass	841
1840	1920	1	RMS	1895.8	22.87	60	Pass	401
1920	3000	1	RMS	1922	-43.49	-13	Pass	1081
3000	12000	1	RMS	11972	-41.59	-13	Pass	9001
12000	20000	1	RMS	18863	-31.54	-13	Pass	8001




4.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.05	-13	Pass	2986
30	1000	0.1	RMS	912.5	-62.58	-13	Pass	9701
1000	1840	1	RMS	1840	-51.44	-13	Pass	841
1840	1920	1	RMS	1895.8	21.9	60	Pass	401
1920	3000	1	RMS	1922	-45.23	-13	Pass	1081
3000	12000	1	RMS	11970	-41.6	-13	Pass	9001
12000	20000	1	RMS	18936	-31.54	-13	Pass	8001




4.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	1000	0.1	RMS	934.2	-62.56	-13	Pass	9701
1000	1840	1	RMS	1833	-46.5	-13	Pass	841
1840	1920	1	RMS	1851	22.76	60	Pass	401
1920	3000	1	RMS	2676	-48.03	-13	Pass	1081
3000	12000	1	RMS	11968	-41.64	-13	Pass	9001
12000	20000	1	RMS	18919	-31.52	-13	Pass	8001




4.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.06	-13	Pass	2986
30	1000	0.1	RMS	889.6	-62.63	-13	Pass	9701
1000	1840	1	RMS	1833	-47.44	-13	Pass	841
1840	1920	1	RMS	1851	21.93	60	Pass	401
1920	3000	1	RMS	2675	-47.98	-13	Pass	1081
3000	12000	1	RMS	11965	-41.63	-13	Pass	9001
12000	20000	1	RMS	18868	-31.52	-13	Pass	8001




4.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2986
30	1000	0.1	RMS	912.9	-62.52	-13	Pass	9701
1000	1840	1	RMS	1835	-48.61	-13	Pass	841
1840	1920	1	RMS	1871	23.16	60	Pass	401
1920	3000	1	RMS	2678	-48.07	-13	Pass	1081
3000	12000	1	RMS	11971	-41.59	-13	Pass	9001
12000	20000	1	RMS	18895	-31.52	-13	Pass	8001




4.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	1000	0.1	RMS	903	-62.51	-13	Pass	9701
1000	1840	1	RMS	1835	-50.18	-13	Pass	841
1840	1920	1	RMS	1871	21.94	60	Pass	401
1920	3000	1	RMS	2676	-48.12	-13	Pass	1081
3000	12000	1	RMS	11969	-41.62	-13	Pass	9001
12000	20000	1	RMS	18894	-31.49	-13	Pass	8001




4.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	1000	0.1	RMS	902.5	-62.41	-13	Pass	9701
1000	1840	1	RMS	1837	-51.36	-13	Pass	841
1840	1920	1	RMS	1891	22.8	60	Pass	401
1920	3000	1	RMS	2676	-47.99	-13	Pass	1081
3000	12000	1	RMS	11971	-41.58	-13	Pass	9001
12000	20000	1	RMS	18894	-31.49	-13	Pass	8001



4.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.16	-13	Pass	2986
30	1000	0.1	RMS	912.7	-62.59	-13	Pass	9701
1000	1840	1	RMS	1838	-51.41	-13	Pass	841
1840	1920	1	RMS	1891	22.26	60	Pass	401
1920	3000	1	RMS	2675	-48.06	-13	Pass	1081
3000	12000	1	RMS	11973	-41.64	-13	Pass	9001
12000	20000	1	RMS	18867	-31.56	-13	Pass	8001



5. LTE_Band4


5.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	907.9	-62.57	-13	Pass	9701
1000	1700	1	RMS	1700	-51.65	-13	Pass	701
1700	1765	1	RMS	1710.238	23.02	60	Pass	401
1765	3000	1	RMS	2673	-48.19	-13	Pass	1236
3000	12000	1	RMS	11972	-41.69	-13	Pass	9001
12000	20000	1	RMS	18880	-31.62	-13	Pass	8001




5.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	1000	0.1	RMS	932.6	-62.55	-13	Pass	9701
1000	1700	1	RMS	1700	-51.68	-13	Pass	701
1700	1765	1	RMS	1710.238	22.15	60	Pass	401
1765	3000	1	RMS	2669	-48.16	-13	Pass	1236
3000	12000	1	RMS	11968	-41.69	-13	Pass	9001
12000	20000	1	RMS	18894	-31.61	-13	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	1000	0.1	RMS	912.4	-62.55	-13	Pass	9701
1000	1700	1	RMS	1619	-51.87	-13	Pass	701
1700	1765	1	RMS	1732.013	22.79	60	Pass	401
1765	3000	1	RMS	2670	-48.15	-13	Pass	1236
3000	12000	1	RMS	11969	-41.67	-13	Pass	9001
12000	20000	1	RMS	18870	-31.58	-13	Pass	8001




5.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2986
30	1000	0.1	RMS	926.8	-62.63	-13	Pass	9701
1000	1700	1	RMS	1620	-51.87	-13	Pass	701
1700	1765	1	RMS	1732.013	22.01	60	Pass	401
1765	3000	1	RMS	2674	-48.2	-13	Pass	1236
3000	12000	1	RMS	11972	-41.69	-13	Pass	9001
12000	20000	1	RMS	18916	-31.62	-13	Pass	8001




5.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.76	-13	Pass	2986
30	1000	0.1	RMS	927.7	-62.62	-13	Pass	9701
1000	1700	1	RMS	1661	-51.93	-13	Pass	701
1700	1765	1	RMS	1753.788	22.97	60	Pass	401
1765	3000	1	RMS	2675	-48.19	-13	Pass	1236
3000	12000	1	RMS	11971	-41.56	-13	Pass	9001
12000	20000	1	RMS	18869	-31.54	-13	Pass	8001




5.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2986
30	1000	0.1	RMS	963	-62.68	-13	Pass	9701
1000	1700	1	RMS	1618	-51.94	-13	Pass	701
1700	1765	1	RMS	1753.788	21.98	60	Pass	401
1765	3000	1	RMS	2679	-48.2	-13	Pass	1236
3000	12000	1	RMS	11973	-41.67	-13	Pass	9001
12000	20000	1	RMS	18872	-31.58	-13	Pass	8001




5.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	1000	0.1	RMS	895.6	-62.62	-13	Pass	9701
1000	1700	1	RMS	1700	-51.45	-13	Pass	701
1700	1765	1	RMS	1710.238	23.04	60	Pass	401
1765	3000	1	RMS	2678	-48.16	-13	Pass	1236
3000	12000	1	RMS	11970	-41.72	-13	Pass	9001
12000	20000	1	RMS	19022	-31.56	-13	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.45	-13	Pass	2986
30	1000	0.1	RMS	965.6	-62.6	-13	Pass	9701
1000	1700	1	RMS	1700	-51.69	-13	Pass	701
1700	1765	1	RMS	1710.238	21.95	60	Pass	401
1765	3000	1	RMS	2673	-48.18	-13	Pass	1236
3000	12000	1	RMS	11969	-41.66	-13	Pass	9001
12000	20000	1	RMS	18957	-31.58	-13	Pass	8001




5.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-13	Pass	2986
30	1000	0.1	RMS	926.3	-62.37	-13	Pass	9701
1000	1700	1	RMS	1621	-51.95	-13	Pass	701
1700	1765	1	RMS	1731.2	22.95	60	Pass	401
1765	3000	1	RMS	2686	-48.16	-13	Pass	1236
3000	12000	1	RMS	11972	-41.69	-13	Pass	9001
12000	20000	1	RMS	19018	-31.58	-13	Pass	8001




5.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2986
30	1000	0.1	RMS	926.8	-62.55	-13	Pass	9701
1000	1700	1	RMS	1700	-51.94	-13	Pass	701
1700	1765	1	RMS	1731.2	22.13	60	Pass	401
1765	3000	1	RMS	2678	-48.13	-13	Pass	1236
3000	12000	1	RMS	11970	-41.75	-13	Pass	9001
12000	20000	1	RMS	19021	-31.58	-13	Pass	8001




5.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.36	-13	Pass	2986
30	1000	0.1	RMS	910.1	-62.52	-13	Pass	9701
1000	1700	1	RMS	1659	-51.91	-13	Pass	701
1700	1765	1	RMS	1752.163	23.06	60	Pass	401
1765	3000	1	RMS	2678	-48.13	-13	Pass	1236
3000	12000	1	RMS	11970	-41.67	-13	Pass	9001
12000	20000	1	RMS	18873	-31.56	-13	Pass	8001




5.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.2	-13	Pass	2986
30	1000	0.1	RMS	967.7	-62.54	-13	Pass	9701
1000	1700	1	RMS	1624	-51.95	-13	Pass	701
1700	1765	1	RMS	1752.163	22.05	60	Pass	401
1765	3000	1	RMS	2671	-48.14	-13	Pass	1236
3000	12000	1	RMS	11970	-41.58	-13	Pass	9001
12000	20000	1	RMS	19021	-31.58	-13	Pass	8001




5.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.06	-13	Pass	2986
30	1000	0.1	RMS	951.3	-62.56	-13	Pass	9701
1000	1700	1	RMS	1700	-51.45	-13	Pass	701
1700	1765	1	RMS	1710.4	22.78	60	Pass	401
1765	3000	1	RMS	2663	-48.19	-13	Pass	1236
3000	12000	1	RMS	11973	-41.68	-13	Pass	9001
12000	20000	1	RMS	18890	-31.56	-13	Pass	8001




5.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.57	-13	Pass	2986
30	1000	0.1	RMS	918.9	-62.57	-13	Pass	9701
1000	1700	1	RMS	1700	-51.6	-13	Pass	701
1700	1765	1	RMS	1710.4	21.69	60	Pass	401
1765	3000	1	RMS	2676	-48.13	-13	Pass	1236
3000	12000	1	RMS	11973	-41.67	-13	Pass	9001
12000	20000	1	RMS	18864	-31.59	-13	Pass	8001




5.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.87	-13	Pass	2986
30	1000	0.1	RMS	945.8	-62.64	-13	Pass	9701
1000	1700	1	RMS	1621	-51.9	-13	Pass	701
1700	1765	1	RMS	1730.388	22.61	60	Pass	401
1765	3000	1	RMS	2672	-48.22	-13	Pass	1236
3000	12000	1	RMS	11970	-41.62	-13	Pass	9001
12000	20000	1	RMS	18896	-31.53	-13	Pass	8001




**5.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	1000	0.1	RMS	953.2	-62.55	-13	Pass	9701
1000	1700	1	RMS	1619	-51.94	-13	Pass	701
1700	1765	1	RMS	1730.388	22.09	60	Pass	401
1765	3000	1	RMS	2678	-48.14	-13	Pass	1236
3000	12000	1	RMS	11969	-41.63	-13	Pass	9001
12000	20000	1	RMS	18922	-31.57	-13	Pass	8001




5.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.3	-13	Pass	2986
30	1000	0.1	RMS	959.9	-62.45	-13	Pass	9701
1000	1700	1	RMS	1622	-51.91	-13	Pass	701
1700	1765	1	RMS	1750.375	22.99	60	Pass	401
1765	3000	1	RMS	2673	-48.17	-13	Pass	1236
3000	12000	1	RMS	11968	-41.64	-13	Pass	9001
12000	20000	1	RMS	18892	-31.58	-13	Pass	8001




**5.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	1000	0.1	RMS	953	-62.58	-13	Pass	9701
1000	1700	1	RMS	1619	-51.93	-13	Pass	701
1700	1765	1	RMS	1750.375	22.19	60	Pass	401
1765	3000	1	RMS	2676	-48.15	-13	Pass	1236
3000	12000	1	RMS	11969	-41.6	-13	Pass	9001
12000	20000	1	RMS	18890	-31.63	-13	Pass	8001




5.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2986
30	1000	0.1	RMS	899.3	-62.67	-13	Pass	9701
1000	1700	1	RMS	1693	-49.34	-13	Pass	701
1700	1765	1	RMS	1710.563	23.05	60	Pass	401
1765	3000	1	RMS	2671	-48.16	-13	Pass	1236
3000	12000	1	RMS	11970	-41.6	-13	Pass	9001
12000	20000	1	RMS	18881	-31.58	-13	Pass	8001




5.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	1000	0.1	RMS	927.3	-62.58	-13	Pass	9701
1000	1700	1	RMS	1693	-49.22	-13	Pass	701
1700	1765	1	RMS	1710.563	22.16	60	Pass	401
1765	3000	1	RMS	2680	-48.16	-13	Pass	1236
3000	12000	1	RMS	11970	-41.6	-13	Pass	9001
12000	20000	1	RMS	18876	-31.55	-13	Pass	8001




5.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.88	-13	Pass	2986
30	1000	0.1	RMS	908.3	-62.58	-13	Pass	9701
1000	1700	1	RMS	1700	-51.91	-13	Pass	701
1700	1765	1	RMS	1728.113	22.94	60	Pass	401
1765	3000	1	RMS	2679	-48.13	-13	Pass	1236
3000	12000	1	RMS	11967	-41.7	-13	Pass	9001
12000	20000	1	RMS	18910	-31.58	-13	Pass	8001




5.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.61	-13	Pass	2986
30	1000	0.1	RMS	929.7	-62.56	-13	Pass	9701
1000	1700	1	RMS	1699	-51.93	-13	Pass	701
1700	1765	1	RMS	1728.113	22.33	60	Pass	401
1765	3000	1	RMS	2675	-48.15	-13	Pass	1236
3000	12000	1	RMS	11976	-41.55	-13	Pass	9001
12000	20000	1	RMS	18879	-31.6	-13	Pass	8001




5.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	1000	0.1	RMS	913.3	-62.48	-13	Pass	9701
1000	1700	1	RMS	1623	-51.93	-13	Pass	701
1700	1765	1	RMS	1745.5	23.24	60	Pass	401
1765	3000	1	RMS	2677	-48.19	-13	Pass	1236
3000	12000	1	RMS	11968	-41.65	-13	Pass	9001
12000	20000	1	RMS	18874	-31.54	-13	Pass	8001




5.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	1000	0.1	RMS	906.7	-62.62	-13	Pass	9701
1000	1700	1	RMS	1623	-51.92	-13	Pass	701
1700	1765	1	RMS	1745.663	22.22	60	Pass	401
1765	3000	1	RMS	2665	-48.18	-13	Pass	1236
3000	12000	1	RMS	11971	-41.72	-13	Pass	9001
12000	20000	1	RMS	19024	-31.49	-13	Pass	8001




5.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2986
30	1000	0.1	RMS	906.5	-62.56	-13	Pass	9701
1000	1700	1	RMS	1698	-41.43	-13	Pass	701
1700	1765	1	RMS	1710.888	23.2	60	Pass	401
1765	3000	1	RMS	2676	-48.14	-13	Pass	1236
3000	12000	1	RMS	11973	-41.67	-13	Pass	9001
12000	20000	1	RMS	19014	-31.53	-13	Pass	8001




5.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	1000	0.1	RMS	924.1	-62.61	-13	Pass	9701
1000	1700	1	RMS	1698	-44.41	-13	Pass	701
1700	1765	1	RMS	1710.725	21.95	60	Pass	401
1765	3000	1	RMS	2680	-48.19	-13	Pass	1236
3000	12000	1	RMS	11967	-41.62	-13	Pass	9001
12000	20000	1	RMS	18905	-31.59	-13	Pass	8001




5.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-13	Pass	2986
30	1000	0.1	RMS	911.5	-62.54	-13	Pass	9701
1000	1700	1	RMS	1699	-51.08	-13	Pass	701
1700	1765	1	RMS	1725.838	23.02	60	Pass	401
1765	3000	1	RMS	2684	-48.18	-13	Pass	1236
3000	12000	1	RMS	11971	-41.66	-13	Pass	9001
12000	20000	1	RMS	19027	-31.51	-13	Pass	8001




5.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2986
30	1000	0.1	RMS	912.6	-62.58	-13	Pass	9701
1000	1700	1	RMS	1700	-50.71	-13	Pass	701
1700	1765	1	RMS	1725.838	22.64	60	Pass	401
1765	3000	1	RMS	2678	-48.14	-13	Pass	1236
3000	12000	1	RMS	11972	-41.67	-13	Pass	9001
12000	20000	1	RMS	18870	-31.57	-13	Pass	8001




5.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.89	-13	Pass	2986
30	1000	0.1	RMS	936.6	-62.67	-13	Pass	9701
1000	1700	1	RMS	1610	-51.93	-13	Pass	701
1700	1765	1	RMS	1740.788	23.16	60	Pass	401
1765	3000	1	RMS	1767	-43.32	-13	Pass	1236
3000	12000	1	RMS	11972	-41.67	-13	Pass	9001
12000	20000	1	RMS	18867	-31.59	-13	Pass	8001




5.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	Pass	2986
30	1000	0.1	RMS	906.4	-62.55	-13	Pass	9701
1000	1700	1	RMS	1616	-51.91	-13	Pass	701
1700	1765	1	RMS	1740.788	22.29	60	Pass	401
1765	3000	1	RMS	1767	-43.89	-13	Pass	1236
3000	12000	1	RMS	11970	-41.65	-13	Pass	9001
12000	20000	1	RMS	18871	-31.51	-13	Pass	8001




5.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2986
30	1000	0.1	RMS	904.1	-62.65	-13	Pass	9701
1000	1700	1	RMS	1693	-44.01	-13	Pass	701
1700	1765	1	RMS	1711.05	22.74	60	Pass	401
1765	3000	1	RMS	2686	-48.18	-13	Pass	1236
3000	12000	1	RMS	11971	-41.64	-13	Pass	9001
12000	20000	1	RMS	18894	-31.57	-13	Pass	8001




5.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.68	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.83	-13	Pass	2986
30	1000	0.1	RMS	909.9	-62.53	-13	Pass	9701
1000	1700	1	RMS	1693	-45.02	-13	Pass	701
1700	1765	1	RMS	1711.05	22.35	60	Pass	401
1765	3000	1	RMS	2680	-48.17	-13	Pass	1236
3000	12000	1	RMS	11967	-41.7	-13	Pass	9001
12000	20000	1	RMS	18872	-31.49	-13	Pass	8001




5.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-13	Pass	2986
30	1000	0.1	RMS	961.1	-62.54	-13	Pass	9701
1000	1700	1	RMS	1698	-51.85	-13	Pass	701
1700	1765	1	RMS	1723.563	23.31	60	Pass	401
1765	3000	1	RMS	2679	-48.18	-13	Pass	1236
3000	12000	1	RMS	11972	-41.65	-13	Pass	9001
12000	20000	1	RMS	19018	-31.58	-13	Pass	8001




5.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	1000	0.1	RMS	966.5	-62.6	-13	Pass	9701
1000	1700	1	RMS	1620	-51.9	-13	Pass	701
1700	1765	1	RMS	1723.563	21.75	60	Pass	401
1765	3000	1	RMS	2664	-48.23	-13	Pass	1236
3000	12000	1	RMS	11970	-41.7	-13	Pass	9001
12000	20000	1	RMS	18935	-31.59	-13	Pass	8001




5.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-13	Pass	2986
30	1000	0.1	RMS	921.3	-62.58	-13	Pass	9701
1000	1700	1	RMS	1700	-50.1	-13	Pass	701
1700	1765	1	RMS	1736.075	23	60	Pass	401
1765	3000	1	RMS	1772	-35.29	-13	Pass	1236
3000	12000	1	RMS	11971	-41.64	-13	Pass	9001
12000	20000	1	RMS	18868	-31.56	-13	Pass	8001



5.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.87	-13	Pass	2986
30	1000	0.1	RMS	934.1	-62.57	-13	Pass	9701
1000	1700	1	RMS	1700	-51.56	-13	Pass	701
1700	1765	1	RMS	1736.075	22.44	60	Pass	401
1765	3000	1	RMS	1772	-40.29	-13	Pass	1236
3000	12000	1	RMS	11969	-41.62	-13	Pass	9001
12000	20000	1	RMS	18876	-31.58	-13	Pass	8001



6. LTE_Band5


6.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.62	-13	Pass	2986
30	814	0.1	RMS	805	-62.05	-13	Pass	7841
814	860	0.1	RMS	824.2	20.12	60	Pass	461
860	1000	0.1	RMS	883.9	-62.84	-13	Pass	1401
1000	3000	1	RMS	1648	-46.06	-13	Pass	2001
3000	10000	1	RMS	9925	-44.84	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	814	0.1	RMS	805	-62.6	-13	Pass	7841
814	860	0.1	RMS	824.3	19.52	60	Pass	461
860	1000	0.1	RMS	899	-62.86	-13	Pass	1401
1000	3000	1	RMS	1648	-46.64	-13	Pass	2001
3000	10000	1	RMS	9931	-44.8	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.48	-13	Pass	2986
30	814	0.1	RMS	800.2	-62.78	-13	Pass	7841
814	860	0.1	RMS	836.1	20.04	60	Pass	461
860	1000	0.1	RMS	936	-62.75	-13	Pass	1401
1000	3000	1	RMS	1672	-45.1	-13	Pass	2001
3000	10000	1	RMS	9926	-44.83	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.54	-13	Pass	7841
814	860	0.1	RMS	836	19.6	60	Pass	461
860	1000	0.1	RMS	951.4	-62.96	-13	Pass	1401
1000	3000	1	RMS	1672	-45.32	-13	Pass	2001
3000	10000	1	RMS	9930	-44.82	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.71	-13	Pass	7841
814	860	0.1	RMS	847.9	19.9	60	Pass	461
860	1000	0.1	RMS	949.3	-62.84	-13	Pass	1401
1000	3000	1	RMS	1696	-45.48	-13	Pass	2001
3000	10000	1	RMS	9929	-44.82	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-13	Pass	2986
30	814	0.1	RMS	810.7	-62.84	-13	Pass	7841
814	860	0.1	RMS	847.9	18.81	60	Pass	461
860	1000	0.1	RMS	905.1	-62.85	-13	Pass	1401
1000	3000	1	RMS	1696	-46.55	-13	Pass	2001
3000	10000	1	RMS	9918	-44.8	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2986
30	814	0.1	RMS	805.1	-62.41	-13	Pass	7841
814	860	0.1	RMS	824.2	20.52	60	Pass	461
860	1000	0.1	RMS	990.8	-62.91	-13	Pass	1401
1000	3000	1	RMS	1648	-45.96	-13	Pass	2001
3000	10000	1	RMS	9920	-44.81	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2986
30	814	0.1	RMS	805.1	-62.56	-13	Pass	7841
814	860	0.1	RMS	824.2	19.32	60	Pass	461
860	1000	0.1	RMS	989.5	-62.89	-13	Pass	1401
1000	3000	1	RMS	1648	-46.86	-13	Pass	2001
3000	10000	1	RMS	9931	-44.78	-13	Pass	7001




**6.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2986
30	814	0.1	RMS	805.4	-62.82	-13	Pass	7841
814	860	0.1	RMS	835.2	20.13	60	Pass	461
860	1000	0.1	RMS	915	-62.82	-13	Pass	1401
1000	3000	1	RMS	1670	-47	-13	Pass	2001
3000	10000	1	RMS	9930	-44.72	-13	Pass	7001




6.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	Pass	2986
30	814	0.1	RMS	809.1	-62.79	-13	Pass	7841
814	860	0.1	RMS	835.2	19.39	60	Pass	461
860	1000	0.1	RMS	962.2	-62.86	-13	Pass	1401
1000	3000	1	RMS	1670	-47.53	-13	Pass	2001
3000	10000	1	RMS	9924	-44.78	-13	Pass	7001




6.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	814	0.1	RMS	809.4	-62.67	-13	Pass	7841
814	860	0.1	RMS	846.2	20.14	60	Pass	461
860	1000	0.1	RMS	910.2	-62.88	-13	Pass	1401
1000	3000	1	RMS	2675	-48.23	-13	Pass	2001
3000	10000	1	RMS	9916	-44.78	-13	Pass	7001




6.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.79	-13	Pass	2986
30	814	0.1	RMS	813	-62.42	-13	Pass	7841
814	860	0.1	RMS	846.2	19.23	60	Pass	461
860	1000	0.1	RMS	955.1	-62.87	-13	Pass	1401
1000	3000	1	RMS	2679	-48.23	-13	Pass	2001
3000	10000	1	RMS	9932	-44.89	-13	Pass	7001




6.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.53	-13	Pass	7841
814	860	0.1	RMS	824.3	20.02	60	Pass	461
860	1000	0.1	RMS	993.7	-62.77	-13	Pass	1401
1000	3000	1	RMS	1649	-45.76	-13	Pass	2001
3000	10000	1	RMS	9936	-44.81	-13	Pass	7001




**6.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2986
30	814	0.1	RMS	805.2	-62.44	-13	Pass	7841
814	860	0.1	RMS	824.3	19.02	60	Pass	461
860	1000	0.1	RMS	903.8	-62.96	-13	Pass	1401
1000	3000	1	RMS	1649	-46.75	-13	Pass	2001
3000	10000	1	RMS	9919	-44.88	-13	Pass	7001




**6.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.77	-13	Pass	7841
814	860	0.1	RMS	834.3	19.88	60	Pass	461
860	1000	0.1	RMS	919	-62.87	-13	Pass	1401
1000	3000	1	RMS	1669	-47.59	-13	Pass	2001
3000	10000	1	RMS	9932	-44.74	-13	Pass	7001




6.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	814	0.1	RMS	806.6	-62.81	-13	Pass	7841
814	860	0.1	RMS	834.3	19.78	60	Pass	461
860	1000	0.1	RMS	927.6	-62.96	-13	Pass	1401
1000	3000	1	RMS	1669	-47.7	-13	Pass	2001
3000	10000	1	RMS	9931	-44.81	-13	Pass	7001




6.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	814	0.1	RMS	808.2	-62.79	-13	Pass	7841
814	860	0.1	RMS	844.3	20.28	60	Pass	461
860	1000	0.1	RMS	998.1	-62.94	-13	Pass	1401
1000	3000	1	RMS	2676	-48.25	-13	Pass	2001
3000	10000	1	RMS	9929	-44.75	-13	Pass	7001




6.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2986
30	814	0.1	RMS	803.4	-62.85	-13	Pass	7841
814	860	0.1	RMS	844.3	19.33	60	Pass	461
860	1000	0.1	RMS	875.8	-62.86	-13	Pass	1401
1000	3000	1	RMS	2671	-48.25	-13	Pass	2001
3000	10000	1	RMS	9929	-44.84	-13	Pass	7001




6.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.57	-13	Pass	2986
30	814	0.1	RMS	806.9	-58.5	-13	Pass	7841
814	860	0.1	RMS	824.6	20.73	60	Pass	461
860	1000	0.1	RMS	906.9	-62.83	-13	Pass	1401
1000	3000	1	RMS	1649	-45.08	-13	Pass	2001
3000	10000	1	RMS	9929	-44.87	-13	Pass	7001




**6.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	814	0.1	RMS	806.9	-57.68	-13	Pass	7841
814	860	0.1	RMS	824.6	20.07	60	Pass	461
860	1000	0.1	RMS	975.4	-62.89	-13	Pass	1401
1000	3000	1	RMS	1649	-45.89	-13	Pass	2001
3000	10000	1	RMS	9926	-44.78	-13	Pass	7001




6.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	814	0.1	RMS	812.8	-57.39	-13	Pass	7841
814	860	0.1	RMS	832.1	20.57	60	Pass	461
860	1000	0.1	RMS	946.1	-62.76	-13	Pass	1401
1000	3000	1	RMS	2677	-48.21	-13	Pass	2001
3000	10000	1	RMS	9926	-44.79	-13	Pass	7001




6.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	814	0.1	RMS	812.9	-57.68	-13	Pass	7841
814	860	0.1	RMS	832.1	19.99	60	Pass	461
860	1000	0.1	RMS	913.8	-62.91	-13	Pass	1401
1000	3000	1	RMS	2674	-48.22	-13	Pass	2001
3000	10000	1	RMS	9931	-44.81	-13	Pass	7001




6.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-13	Pass	2986
30	814	0.1	RMS	801.9	-62.7	-13	Pass	7841
814	860	0.1	RMS	839.6	20.55	60	Pass	461
860	1000	0.1	RMS	932.7	-62.82	-13	Pass	1401
1000	3000	1	RMS	1679	-44.16	-13	Pass	2001
3000	10000	1	RMS	9909	-44.86	-13	Pass	7001



6.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2986
30	814	0.1	RMS	811.1	-62.7	-13	Pass	7841
814	860	0.1	RMS	839.6	19.65	60	Pass	461
860	1000	0.1	RMS	935.3	-62.9	-13	Pass	1401
1000	3000	1	RMS	1679	-45.04	-13	Pass	2001
3000	10000	1	RMS	9937	-44.89	-13	Pass	7001



7. LTE_Band7


7.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-25	Pass	2986
30	1000	0.1	RMS	875	-62.74	-25	Pass	9701
1000	2490	1	RMS	2481	-47.44	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.85	60	Pass	401
2580	3000	1	RMS	2677	-48.23	-25	Pass	421
3000	12000	1	RMS	11968	-51.64	-25	Pass	9001
12000	27000	1	RMS	24905	-39.34	-25	Pass	15001




**7.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55	-25	Pass	2986
30	1000	0.1	RMS	911.4	-62.67	-25	Pass	9701
1000	2490	1	RMS	2481	-48.34	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.82	60	Pass	401
2580	3000	1	RMS	2674	-48.27	-25	Pass	421
3000	12000	1	RMS	11969	-51.67	-25	Pass	9001
12000	27000	1	RMS	24916	-39.32	-25	Pass	15001




7.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-25	Pass	2986
30	1000	0.1	RMS	925.6	-62.63	-25	Pass	9701
1000	2490	1	RMS	2437	-49.67	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.71	60	Pass	401
2580	3000	1	RMS	2673	-48.28	-25	Pass	421
3000	12000	1	RMS	11971	-51.67	-25	Pass	9001
12000	27000	1	RMS	24904	-39.4	-25	Pass	15001




**7.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-25	Pass	2986
30	1000	0.1	RMS	929.5	-62.67	-25	Pass	9701
1000	2490	1	RMS	2414	-49.69	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.43	60	Pass	401
2580	3000	1	RMS	2676	-48.27	-25	Pass	421
3000	12000	1	RMS	11974	-51.63	-25	Pass	9001
12000	27000	1	RMS	24910	-39.42	-25	Pass	15001




7.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-25	Pass	2986
30	1000	0.1	RMS	898.8	-62.71	-25	Pass	9701
1000	2490	1	RMS	2416	-49.68	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.26	60	Pass	401
2580	3000	1	RMS	2585	-47.46	-25	Pass	421
3000	12000	1	RMS	11970	-51.63	-25	Pass	9001
12000	27000	1	RMS	24847	-39.41	-25	Pass	15001




**7.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-25	Pass	2986
30	1000	0.1	RMS	932.5	-62.63	-25	Pass	9701
1000	2490	1	RMS	2424	-49.66	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.15	60	Pass	401
2580	3000	1	RMS	2585	-47.41	-25	Pass	421
3000	12000	1	RMS	11969	-51.69	-25	Pass	9001
12000	27000	1	RMS	24888	-39.4	-25	Pass	15001




7.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-25	Pass	2986
30	1000	0.1	RMS	914.8	-62.68	-25	Pass	9701
1000	2490	1	RMS	2483	-44.7	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.13	60	Pass	401
2580	3000	1	RMS	2677	-48.27	-25	Pass	421
3000	12000	1	RMS	11968	-51.69	-25	Pass	9001
12000	27000	1	RMS	24909	-39.42	-25	Pass	15001




7.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-25	Pass	2986
30	1000	0.1	RMS	906	-62.7	-25	Pass	9701
1000	2490	1	RMS	2483	-47.5	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.98	60	Pass	401
2580	3000	1	RMS	2681	-48.28	-25	Pass	421
3000	12000	1	RMS	11972	-51.7	-25	Pass	9001
12000	27000	1	RMS	24884	-39.36	-25	Pass	15001




7.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-25	Pass	2986
30	1000	0.1	RMS	930.1	-62.68	-25	Pass	9701
1000	2490	1	RMS	2417	-49.68	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.07	60	Pass	401
2580	3000	1	RMS	2672	-48.26	-25	Pass	421
3000	12000	1	RMS	11972	-51.64	-25	Pass	9001
12000	27000	1	RMS	24880	-39.44	-25	Pass	15001




7.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-25	Pass	2986
30	1000	0.1	RMS	948.3	-62.71	-25	Pass	9701
1000	2490	1	RMS	2423	-49.63	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.32	60	Pass	401
2580	3000	1	RMS	2675	-48.29	-25	Pass	421
3000	12000	1	RMS	11969	-51.65	-25	Pass	9001
12000	27000	1	RMS	24864	-39.35	-25	Pass	15001




7.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-25	Pass	2986
30	1000	0.1	RMS	915.2	-62.7	-25	Pass	9701
1000	2490	1	RMS	2487	-49.65	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.5	60	Pass	401
2580	3000	1	RMS	2580	-45.61	-25	Pass	421
3000	12000	1	RMS	11969	-51.64	-25	Pass	9001
12000	27000	1	RMS	24890	-39.35	-25	Pass	15001




7.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.56	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.35	-25	Pass	2986
30	1000	0.1	RMS	922	-62.64	-25	Pass	9701
1000	2490	1	RMS	2449	-49.71	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.26	60	Pass	401
2580	3000	1	RMS	2580	-45.64	-25	Pass	421
3000	12000	1	RMS	11974	-51.64	-25	Pass	9001
12000	27000	1	RMS	24830	-39.38	-25	Pass	15001




7.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.37	-25	Pass	2986
30	1000	0.1	RMS	916.3	-62.74	-25	Pass	9701
1000	2490	1	RMS	2488	-39.63	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.03	60	Pass	401
2580	3000	1	RMS	2679	-48.25	-25	Pass	421
3000	12000	1	RMS	11972	-51.56	-25	Pass	9001
12000	27000	1	RMS	24908	-39.31	-25	Pass	15001




7.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-25	Pass	2986
30	1000	0.1	RMS	934.2	-62.55	-25	Pass	9701
1000	2490	1	RMS	2487	-40.53	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.92	60	Pass	401
2580	3000	1	RMS	2680	-48.22	-25	Pass	421
3000	12000	1	RMS	11970	-51.58	-25	Pass	9001
12000	27000	1	RMS	24911	-39.32	-25	Pass	15001




7.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.29	-25	Pass	2986
30	1000	0.1	RMS	906	-62.68	-25	Pass	9701
1000	2490	1	RMS	2490	-49.58	-25	Pass	1491
2490	2580	1	RMS	2528.25	23	60	Pass	401
2580	3000	1	RMS	2677	-48.28	-25	Pass	421
3000	12000	1	RMS	11971	-51.54	-25	Pass	9001
12000	27000	1	RMS	24871	-39.29	-25	Pass	15001




7.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.49	-25	Pass	2986
30	1000	0.1	RMS	915.8	-62.69	-25	Pass	9701
1000	2490	1	RMS	2490	-49.61	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.44	60	Pass	401
2580	3000	1	RMS	2673	-48.29	-25	Pass	421
3000	12000	1	RMS	11972	-51.7	-25	Pass	9001
12000	27000	1	RMS	24873	-39.42	-25	Pass	15001




7.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-25	Pass	2986
30	1000	0.1	RMS	922	-62.66	-25	Pass	9701
1000	2490	1	RMS	2488	-49.66	-25	Pass	1491
2490	2580	1	RMS	2555.925	23.02	60	Pass	401
2580	3000	1	RMS	2582	-35.68	-25	Pass	421
3000	12000	1	RMS	11964	-51.61	-25	Pass	9001
12000	27000	1	RMS	24852	-39.4	-25	Pass	15001




7.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.26	-25	Pass	2986
30	1000	0.1	RMS	940.5	-62.69	-25	Pass	9701
1000	2490	1	RMS	2452	-49.73	-25	Pass	1491
2490	2580	1	RMS	2555.925	21.79	60	Pass	401
2580	3000	1	RMS	2582	-34.7	-25	Pass	421
3000	12000	1	RMS	11969	-51.68	-25	Pass	9001
12000	27000	1	RMS	24907	-39.38	-25	Pass	15001




7.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-25	Pass	2986
30	1000	0.1	RMS	958.5	-62.74	-25	Pass	9701
1000	2490	1	RMS	2483	-44.14	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.11	60	Pass	401
2580	3000	1	RMS	2680	-48.28	-25	Pass	421
3000	12000	1	RMS	11974	-51.61	-25	Pass	9001
12000	27000	1	RMS	24885	-39.43	-25	Pass	15001




7.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.06	-25	Pass	2986
30	1000	0.1	RMS	909.5	-62.8	-25	Pass	9701
1000	2490	1	RMS	2483	-44.12	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.44	60	Pass	401
2580	3000	1	RMS	2675	-48.27	-25	Pass	421
3000	12000	1	RMS	11970	-51.61	-25	Pass	9001
12000	27000	1	RMS	24924	-39.36	-25	Pass	15001




7.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-25	Pass	2986
30	1000	0.1	RMS	968.3	-62.67	-25	Pass	9701
1000	2490	1	RMS	2490	-47.86	-25	Pass	1491
2490	2580	1	RMS	2526	23.17	60	Pass	401
2580	3000	1	RMS	2677	-48.23	-25	Pass	421
3000	12000	1	RMS	11972	-51.62	-25	Pass	9001
12000	27000	1	RMS	24871	-39.43	-25	Pass	15001




7.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-25	Pass	2986
30	1000	0.1	RMS	912.7	-62.68	-25	Pass	9701
1000	2490	1	RMS	2490	-48.71	-25	Pass	1491
2490	2580	1	RMS	2526	21.82	60	Pass	401
2580	3000	1	RMS	2662	-48.27	-25	Pass	421
3000	12000	1	RMS	11980	-51.68	-25	Pass	9001
12000	27000	1	RMS	24889	-39.4	-25	Pass	15001




7.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-25	Pass	2986
30	1000	0.1	RMS	949.6	-62.73	-25	Pass	9701
1000	2490	1	RMS	2426	-49.7	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.61	60	Pass	401
2580	3000	1	RMS	2587	-40.02	-25	Pass	421
3000	12000	1	RMS	11972	-51.64	-25	Pass	9001
12000	27000	1	RMS	24900	-39.4	-25	Pass	15001



7.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.08	-25	Pass	2986
30	1000	0.1	RMS	934.4	-62.76	-25	Pass	9701
1000	2490	1	RMS	2426	-49.71	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.06	60	Pass	401
2580	3000	1	RMS	2587	-40.42	-25	Pass	421
3000	12000	1	RMS	11971	-51.63	-25	Pass	9001
12000	27000	1	RMS	24869	-39.42	-25	Pass	15001



8. LTE_Band12


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	689	0.1	RMS	501.2	-63.47	-13	Pass	6591
689	726	0.1	RMS	699.268	21.18	60	Pass	401
726	1000	0.1	RMS	915.3	-62.49	-13	Pass	2741
1000	3000	1	RMS	1398	-44.62	-13	Pass	2001
3000	10000	1	RMS	9931	-44.99	-13	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.61	-13	Pass	2986
30	689	0.1	RMS	498.4	-63.61	-13	Pass	6591
689	726	0.1	RMS	699.268	20.01	60	Pass	401
726	1000	0.1	RMS	910.5	-62.61	-13	Pass	2741
1000	3000	1	RMS	1398	-45.8	-13	Pass	2001
3000	10000	1	RMS	9930	-44.99	-13	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2986
30	689	0.1	RMS	499.5	-63.38	-13	Pass	6591
689	726	0.1	RMS	707.038	20.98	60	Pass	401
726	1000	0.1	RMS	951	-62.48	-13	Pass	2741
1000	3000	1	RMS	2673	-48.28	-13	Pass	2001
3000	10000	1	RMS	9929	-44.99	-13	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	689	0.1	RMS	505.5	-63.56	-13	Pass	6591
689	726	0.1	RMS	707.038	20.74	60	Pass	401
726	1000	0.1	RMS	911.4	-62.64	-13	Pass	2741
1000	3000	1	RMS	2687	-48.29	-13	Pass	2001
3000	10000	1	RMS	9928	-44.99	-13	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2986
30	689	0.1	RMS	507.1	-63.53	-13	Pass	6591
689	726	0.1	RMS	714.808	20.4	60	Pass	401
726	1000	0.1	RMS	916	-62.56	-13	Pass	2741
1000	3000	1	RMS	1430	-44.05	-13	Pass	2001
3000	10000	1	RMS	9929	-44.96	-13	Pass	7001




8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2986
30	689	0.1	RMS	506.8	-63.63	-13	Pass	6591
689	726	0.1	RMS	714.808	19.81	60	Pass	401
726	1000	0.1	RMS	902.6	-62.62	-13	Pass	2741
1000	3000	1	RMS	1430	-44.61	-13	Pass	2001
3000	10000	1	RMS	9932	-44.93	-13	Pass	7001




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.58	-13	Pass	2986
30	689	0.1	RMS	498.1	-63.45	-13	Pass	6591
689	726	0.1	RMS	699.268	20.76	60	Pass	401
726	1000	0.1	RMS	910.4	-62.65	-13	Pass	2741
1000	3000	1	RMS	1398	-44.79	-13	Pass	2001
3000	10000	1	RMS	9929	-44.95	-13	Pass	7001




8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-13	Pass	2986
30	689	0.1	RMS	497.6	-63.54	-13	Pass	6591
689	726	0.1	RMS	699.268	19.92	60	Pass	401
726	1000	0.1	RMS	892.9	-62.58	-13	Pass	2741
1000	3000	1	RMS	1398	-45.75	-13	Pass	2001
3000	10000	1	RMS	9932	-44.94	-13	Pass	7001




8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2986
30	689	0.1	RMS	501.2	-63.52	-13	Pass	6591
689	726	0.1	RMS	706.205	20.75	60	Pass	401
726	1000	0.1	RMS	931.5	-62.63	-13	Pass	2741
1000	3000	1	RMS	2679	-48.29	-13	Pass	2001
3000	10000	1	RMS	9929	-45.02	-13	Pass	7001




8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-13	Pass	2986
30	689	0.1	RMS	500.2	-63.54	-13	Pass	6591
689	726	0.1	RMS	706.205	20.13	60	Pass	401
726	1000	0.1	RMS	919.1	-62.75	-13	Pass	2741
1000	3000	1	RMS	2679	-48.32	-13	Pass	2001
3000	10000	1	RMS	9929	-44.92	-13	Pass	7001




8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2986
30	689	0.1	RMS	505.3	-63.44	-13	Pass	6591
689	726	0.1	RMS	713.235	21.14	60	Pass	401
726	1000	0.1	RMS	923.7	-62.59	-13	Pass	2741
1000	3000	1	RMS	1426	-43.56	-13	Pass	2001
3000	10000	1	RMS	9921	-45.02	-13	Pass	7001




8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2986
30	689	0.1	RMS	528.6	-63.55	-13	Pass	6591
689	726	0.1	RMS	713.235	20.16	60	Pass	401
726	1000	0.1	RMS	904.3	-62.64	-13	Pass	2741
1000	3000	1	RMS	1426	-44.51	-13	Pass	2001
3000	10000	1	RMS	9926	-44.98	-13	Pass	7001




8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	689	0.1	RMS	503.3	-63.44	-13	Pass	6591
689	726	0.1	RMS	699.36	20.62	60	Pass	401
726	1000	0.1	RMS	915.2	-62.53	-13	Pass	2741
1000	3000	1	RMS	1399	-44.28	-13	Pass	2001
3000	10000	1	RMS	9919	-44.98	-13	Pass	7001




8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.04	-13	Pass	2986
30	689	0.1	RMS	502.4	-63.68	-13	Pass	6591
689	726	0.1	RMS	699.36	19.54	60	Pass	401
726	1000	0.1	RMS	833.9	-62.68	-13	Pass	2741
1000	3000	1	RMS	1399	-45.6	-13	Pass	2001
3000	10000	1	RMS	9928	-44.9	-13	Pass	7001




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.79	-13	Pass	2986
30	689	0.1	RMS	506.8	-63.39	-13	Pass	6591
689	726	0.1	RMS	705.373	20.43	60	Pass	401
726	1000	0.1	RMS	897.3	-62.56	-13	Pass	2741
1000	3000	1	RMS	2673	-48.3	-13	Pass	2001
3000	10000	1	RMS	9917	-45.04	-13	Pass	7001




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-13	Pass	2986
30	689	0.1	RMS	500	-63.5	-13	Pass	6591
689	726	0.1	RMS	705.373	20.16	60	Pass	401
726	1000	0.1	RMS	892	-62.64	-13	Pass	2741
1000	3000	1	RMS	2675	-48.35	-13	Pass	2001
3000	10000	1	RMS	9913	-44.97	-13	Pass	7001




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	689	0.1	RMS	513	-63.5	-13	Pass	6591
689	726	0.1	RMS	711.293	20.25	60	Pass	401
726	1000	0.1	RMS	918.4	-62.6	-13	Pass	2741
1000	3000	1	RMS	1423	-43.78	-13	Pass	2001
3000	10000	1	RMS	9922	-44.99	-13	Pass	7001




8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.77	-13	Pass	2986
30	689	0.1	RMS	506.2	-63.61	-13	Pass	6591
689	726	0.1	RMS	711.385	19.4	60	Pass	401
726	1000	0.1	RMS	923.8	-62.61	-13	Pass	2741
1000	3000	1	RMS	1423	-44.97	-13	Pass	2001
3000	10000	1	RMS	9930	-44.97	-13	Pass	7001




8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2986
30	689	0.1	RMS	497.8	-63.54	-13	Pass	6591
689	726	0.1	RMS	699.545	20.35	60	Pass	401
726	1000	0.1	RMS	912.4	-62.73	-13	Pass	2741
1000	3000	1	RMS	1399	-43.51	-13	Pass	2001
3000	10000	1	RMS	9926	-44.97	-13	Pass	7001




8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.14	-13	Pass	2986
30	689	0.1	RMS	502.6	-63.46	-13	Pass	6591
689	726	0.1	RMS	699.638	19.48	60	Pass	401
726	1000	0.1	RMS	899	-62.57	-13	Pass	2741
1000	3000	1	RMS	1399	-44.4	-13	Pass	2001
3000	10000	1	RMS	9928	-44.94	-13	Pass	7001




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	689	0.1	RMS	510.1	-63.46	-13	Pass	6591
689	726	0.1	RMS	703.06	20.85	60	Pass	401
726	1000	0.1	RMS	891.6	-62.57	-13	Pass	2741
1000	3000	1	RMS	1406	-44.58	-13	Pass	2001
3000	10000	1	RMS	9921	-44.98	-13	Pass	7001




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.79	-13	Pass	2986
30	689	0.1	RMS	674.9	-63.61	-13	Pass	6591
689	726	0.1	RMS	703.06	20.06	60	Pass	401
726	1000	0.1	RMS	931.5	-62.62	-13	Pass	2741
1000	3000	1	RMS	1406	-45	-13	Pass	2001
3000	10000	1	RMS	9930	-45.02	-13	Pass	7001




8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	689	0.1	RMS	487.6	-63.52	-13	Pass	6591
689	726	0.1	RMS	706.575	21.11	60	Pass	401
726	1000	0.1	RMS	900.9	-62.61	-13	Pass	2741
1000	3000	1	RMS	2673	-48.29	-13	Pass	2001
3000	10000	1	RMS	9927	-44.98	-13	Pass	7001



8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2986
30	689	0.1	RMS	520.3	-63.53	-13	Pass	6591
689	726	0.1	RMS	706.575	20.05	60	Pass	401
726	1000	0.1	RMS	915.7	-62.58	-13	Pass	2741
1000	3000	1	RMS	2675	-48.35	-13	Pass	2001
3000	10000	1	RMS	9939	-45	-13	Pass	7001



9. LTE_Band13


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	767	0.1	RMS	757.2	-63.11	-13	Pass	7371
767	797	0.1	RMS	777.35	20.76	60	Pass	401
797	1000	0.1	RMS	930.2	-62.5	-13	Pass	2031
1000	3000	1	RMS	2680	-48.18	-13	Pass	2001
3000	10000	1	RMS	9911	-44.76	-13	Pass	7001




9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.69	-13	Pass	2986
30	767	0.1	RMS	764.1	-62.88	-13	Pass	7371
767	797	0.1	RMS	777.35	19.77	60	Pass	401
797	1000	0.1	RMS	953.2	-62.64	-13	Pass	2031
1000	3000	1	RMS	2674	-48.2	-13	Pass	2001
3000	10000	1	RMS	9926	-44.8	-13	Pass	7001




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	767	0.1	RMS	753.3	-63.11	-13	Pass	7371
767	797	0.1	RMS	779.825	20.84	60	Pass	401
797	1000	0.1	RMS	799	-61.8	-13	Pass	2031
1000	3000	1	RMS	2677	-48.16	-13	Pass	2001
3000	10000	1	RMS	9927	-44.87	-13	Pass	7001




9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.96	-13	Pass	2986
30	767	0.1	RMS	761.2	-63.11	-13	Pass	7371
767	797	0.1	RMS	779.825	20.15	60	Pass	401
797	1000	0.1	RMS	910.4	-62.63	-13	Pass	2031
1000	3000	1	RMS	2678	-48.18	-13	Pass	2001
3000	10000	1	RMS	9929	-44.85	-13	Pass	7001




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.59	-13	Pass	2986
30	767	0.1	RMS	763	-63.15	-13	Pass	7371
767	797	0.1	RMS	782.3	20.58	60	Pass	401
797	1000	0.1	RMS	954.5	-62.55	-13	Pass	2031
1000	3000	1	RMS	1565	-47.41	-13	Pass	2001
3000	10000	1	RMS	9924	-44.77	-13	Pass	7001




9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	767	0.1	RMS	765	-63.03	-13	Pass	7371
767	797	0.1	RMS	782.375	19.56	60	Pass	401
797	1000	0.1	RMS	932.9	-62.68	-13	Pass	2031
1000	3000	1	RMS	2679	-48.17	-13	Pass	2001
3000	10000	1	RMS	9930	-44.78	-13	Pass	7001




9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2986
30	767	0.1	RMS	761.9	-63.11	-13	Pass	7371
767	797	0.1	RMS	777.575	20.9	60	Pass	401
797	1000	0.1	RMS	941.4	-62.49	-13	Pass	2031
1000	3000	1	RMS	2676	-48.15	-13	Pass	2001
3000	10000	1	RMS	9931	-44.83	-13	Pass	7001



9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.26	-13	Pass	2986
30	767	0.1	RMS	766.4	-63.1	-13	Pass	7371
767	797	0.1	RMS	777.575	20.14	60	Pass	401
797	1000	0.1	RMS	975.1	-62.59	-13	Pass	2031
1000	3000	1	RMS	2673	-48.16	-13	Pass	2001
3000	10000	1	RMS	9930	-44.75	-13	Pass	7001



10. LTE_Band17


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2986
30	694	0.1	RMS	517	-63.44	-13	Pass	6641
694	726	0.1	RMS	704.32	20.67	60	Pass	401
726	1000	0.1	RMS	892.9	-62.52	-13	Pass	2741
1000	3000	1	RMS	1409	-47.46	-13	Pass	2001
3000	10000	1	RMS	9934	-44.8	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.6	-13	Pass	2986
30	694	0.1	RMS	693.6	-63.45	-13	Pass	6641
694	726	0.1	RMS	704.32	19.46	60	Pass	401
726	1000	0.1	RMS	936.2	-62.53	-13	Pass	2741
1000	3000	1	RMS	2673	-48.19	-13	Pass	2001
3000	10000	1	RMS	9913	-44.83	-13	Pass	7001




**10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-13	Pass	2986
30	694	0.1	RMS	694	-63.44	-13	Pass	6641
694	726	0.1	RMS	707.84	20.57	60	Pass	401
726	1000	0.1	RMS	906.3	-62.54	-13	Pass	2741
1000	3000	1	RMS	2674	-48.17	-13	Pass	2001
3000	10000	1	RMS	9932	-44.81	-13	Pass	7001




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	694	0.1	RMS	512.1	-63.52	-13	Pass	6641
694	726	0.1	RMS	707.84	20.06	60	Pass	401
726	1000	0.1	RMS	917.7	-62.5	-13	Pass	2741
1000	3000	1	RMS	2678	-48.17	-13	Pass	2001
3000	10000	1	RMS	9923	-44.79	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.57	-13	Pass	2986
30	694	0.1	RMS	692.1	-61.92	-13	Pass	6641
694	726	0.1	RMS	711.36	20.61	60	Pass	401
726	1000	0.1	RMS	926.8	-62.4	-13	Pass	2741
1000	3000	1	RMS	1423	-44.08	-13	Pass	2001
3000	10000	1	RMS	9933	-44.76	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-13	Pass	2986
30	694	0.1	RMS	692.2	-62.12	-13	Pass	6641
694	726	0.1	RMS	711.36	19.86	60	Pass	401
726	1000	0.1	RMS	914.5	-62.44	-13	Pass	2741
1000	3000	1	RMS	1423	-45.02	-13	Pass	2001
3000	10000	1	RMS	9926	-44.78	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2986
30	694	0.1	RMS	505.7	-63.36	-13	Pass	6641
694	726	0.1	RMS	704.56	20.78	60	Pass	401
726	1000	0.1	RMS	917.9	-62.4	-13	Pass	2741
1000	3000	1	RMS	1409	-47.38	-13	Pass	2001
3000	10000	1	RMS	9926	-44.83	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.43	-13	Pass	2986
30	694	0.1	RMS	693.2	-63.44	-13	Pass	6641
694	726	0.1	RMS	704.56	19.9	60	Pass	401
726	1000	0.1	RMS	914.9	-62.58	-13	Pass	2741
1000	3000	1	RMS	1409	-47.95	-13	Pass	2001
3000	10000	1	RMS	9932	-44.81	-13	Pass	7001




10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2986
30	694	0.1	RMS	502.4	-63.41	-13	Pass	6641
694	726	0.1	RMS	705.6	20.72	60	Pass	401
726	1000	0.1	RMS	904.3	-62.56	-13	Pass	2741
1000	3000	1	RMS	2671	-48.15	-13	Pass	2001
3000	10000	1	RMS	9934	-44.84	-13	Pass	7001




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	694	0.1	RMS	693.5	-63.45	-13	Pass	6641
694	726	0.1	RMS	705.6	20.2	60	Pass	401
726	1000	0.1	RMS	919.2	-62.62	-13	Pass	2741
1000	3000	1	RMS	2680	-48.17	-13	Pass	2001
3000	10000	1	RMS	9927	-44.8	-13	Pass	7001




10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2986
30	694	0.1	RMS	511.1	-63.27	-13	Pass	6641
694	726	0.1	RMS	706.56	20.88	60	Pass	401
726	1000	0.1	RMS	892.9	-62.38	-13	Pass	2741
1000	3000	1	RMS	2680	-48.15	-13	Pass	2001
3000	10000	1	RMS	9932	-44.77	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	694	0.1	RMS	501.5	-63.53	-13	Pass	6641
694	726	0.1	RMS	706.56	19.66	60	Pass	401
726	1000	0.1	RMS	916.2	-62.57	-13	Pass	2741
1000	3000	1	RMS	2676	-48.17	-13	Pass	2001
3000	10000	1	RMS	9937	-44.78	-13	Pass	7001



11. LTE_Band25


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2986
30	1000	0.1	RMS	940.4	-62.47	-13	Pass	9701
1000	1840	1	RMS	1831	-50.93	-13	Pass	841
1840	1925	1	RMS	1850.2	22.96	60	Pass	401
1925	3000	1	RMS	2675	-48.2	-13	Pass	1076
3000	12000	1	RMS	11978	-41.68	-13	Pass	9001
12000	20000	1	RMS	18937	-31.6	-13	Pass	8001




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.44	-13	Pass	2986
30	1000	0.1	RMS	926.4	-62.52	-13	Pass	9701
1000	1840	1	RMS	1831	-51.12	-13	Pass	841
1840	1925	1	RMS	1850.2	21.92	60	Pass	401
1925	3000	1	RMS	2678	-48.17	-13	Pass	1076
3000	12000	1	RMS	11969	-41.64	-13	Pass	9001
12000	20000	1	RMS	18892	-31.57	-13	Pass	8001




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-13	Pass	2986
30	1000	0.1	RMS	925.8	-62.55	-13	Pass	9701
1000	1840	1	RMS	1840	-51.47	-13	Pass	841
1840	1925	1	RMS	1882.075	22.57	60	Pass	401
1925	3000	1	RMS	2673	-48.17	-13	Pass	1076
3000	12000	1	RMS	11965	-41.7	-13	Pass	9001
12000	20000	1	RMS	18883	-31.55	-13	Pass	8001




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	1000	0.1	RMS	973	-62.68	-13	Pass	9701
1000	1840	1	RMS	1834	-51.58	-13	Pass	841
1840	1925	1	RMS	1882.075	22.27	60	Pass	401
1925	3000	1	RMS	2676	-48.19	-13	Pass	1076
3000	12000	1	RMS	11972	-41.65	-13	Pass	9001
12000	20000	1	RMS	18869	-31.56	-13	Pass	8001




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	1000	0.1	RMS	907.6	-62.63	-13	Pass	9701
1000	1840	1	RMS	1839	-51.53	-13	Pass	841
1840	1925	1	RMS	1913.95	22.65	60	Pass	401
1925	3000	1	RMS	2677	-48.12	-13	Pass	1076
3000	12000	1	RMS	11970	-41.65	-13	Pass	9001
12000	20000	1	RMS	19034	-31.57	-13	Pass	8001




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	1000	0.1	RMS	930.4	-62.58	-13	Pass	9701
1000	1840	1	RMS	1839	-51.6	-13	Pass	841
1840	1925	1	RMS	1913.738	21.6	60	Pass	401
1925	3000	1	RMS	2677	-48.16	-13	Pass	1076
3000	12000	1	RMS	11967	-41.65	-13	Pass	9001
12000	20000	1	RMS	18885	-31.55	-13	Pass	8001




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-13	Pass	2986
30	1000	0.1	RMS	928.4	-62.58	-13	Pass	9701
1000	1840	1	RMS	1840	-51.06	-13	Pass	841
1840	1925	1	RMS	1850.2	22.9	60	Pass	401
1925	3000	1	RMS	2677	-48.16	-13	Pass	1076
3000	12000	1	RMS	11972	-41.61	-13	Pass	9001
12000	20000	1	RMS	18896	-31.58	-13	Pass	8001




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-13	Pass	2986
30	1000	0.1	RMS	870.5	-62.6	-13	Pass	9701
1000	1840	1	RMS	1840	-50.91	-13	Pass	841
1840	1925	1	RMS	1850.2	21.9	60	Pass	401
1925	3000	1	RMS	2675	-48.19	-13	Pass	1076
3000	12000	1	RMS	11970	-41.53	-13	Pass	9001
12000	20000	1	RMS	19020	-31.51	-13	Pass	8001




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2986
30	1000	0.1	RMS	951.2	-62.53	-13	Pass	9701
1000	1840	1	RMS	1838	-51.53	-13	Pass	841
1840	1925	1	RMS	1881.225	22.73	60	Pass	401
1925	3000	1	RMS	2677	-48.18	-13	Pass	1076
3000	12000	1	RMS	11971	-41.65	-13	Pass	9001
12000	20000	1	RMS	18868	-31.43	-13	Pass	8001




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	1000	0.1	RMS	936.6	-62.64	-13	Pass	9701
1000	1840	1	RMS	1836	-51.52	-13	Pass	841
1840	1925	1	RMS	1881.225	22.14	60	Pass	401
1925	3000	1	RMS	2660	-48.18	-13	Pass	1076
3000	12000	1	RMS	11970	-41.64	-13	Pass	9001
12000	20000	1	RMS	18922	-31.56	-13	Pass	8001




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2986
30	1000	0.1	RMS	908.8	-62.63	-13	Pass	9701
1000	1840	1	RMS	1834	-51.56	-13	Pass	841
1840	1925	1	RMS	1912.25	22.96	60	Pass	401
1925	3000	1	RMS	2678	-48.15	-13	Pass	1076
3000	12000	1	RMS	11972	-41.64	-13	Pass	9001
12000	20000	1	RMS	18952	-31.54	-13	Pass	8001




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2986
30	1000	0.1	RMS	930.5	-62.5	-13	Pass	9701
1000	1840	1	RMS	1837	-51.57	-13	Pass	841
1840	1925	1	RMS	1912.25	21.92	60	Pass	401
1925	3000	1	RMS	2674	-48.21	-13	Pass	1076
3000	12000	1	RMS	11965	-41.63	-13	Pass	9001
12000	20000	1	RMS	18865	-31.49	-13	Pass	8001




**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	1000	0.1	RMS	941.6	-62.61	-13	Pass	9701
1000	1840	1	RMS	1831	-51.04	-13	Pass	841
1840	1925	1	RMS	1850.413	22.47	60	Pass	401
1925	3000	1	RMS	2671	-48.16	-13	Pass	1076
3000	12000	1	RMS	11971	-41.67	-13	Pass	9001
12000	20000	1	RMS	18870	-31.54	-13	Pass	8001




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-13	Pass	2986
30	1000	0.1	RMS	907.4	-62.61	-13	Pass	9701
1000	1840	1	RMS	1840	-51.17	-13	Pass	841
1840	1925	1	RMS	1850.413	21.1	60	Pass	401
1925	3000	1	RMS	2676	-48.2	-13	Pass	1076
3000	12000	1	RMS	11974	-41.66	-13	Pass	9001
12000	20000	1	RMS	18870	-31.55	-13	Pass	8001




**11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-13	Pass	2986
30	1000	0.1	RMS	943.7	-62.43	-13	Pass	9701
1000	1840	1	RMS	1840	-51.52	-13	Pass	841
1840	1925	1	RMS	1880.375	22.55	60	Pass	401
1925	3000	1	RMS	2671	-48.21	-13	Pass	1076
3000	12000	1	RMS	11975	-41.58	-13	Pass	9001
12000	20000	1	RMS	19020	-31.55	-13	Pass	8001




11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	1000	0.1	RMS	939.7	-62.59	-13	Pass	9701
1000	1840	1	RMS	1836	-51.58	-13	Pass	841
1840	1925	1	RMS	1880.375	22.08	60	Pass	401
1925	3000	1	RMS	2680	-48.2	-13	Pass	1076
3000	12000	1	RMS	11969	-41.61	-13	Pass	9001
12000	20000	1	RMS	19018	-31.51	-13	Pass	8001




11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	Pass	2986
30	1000	0.1	RMS	930.9	-62.59	-13	Pass	9701
1000	1840	1	RMS	1840	-51.53	-13	Pass	841
1840	1925	1	RMS	1910.338	22.9	60	Pass	401
1925	3000	1	RMS	2675	-48.07	-13	Pass	1076
3000	12000	1	RMS	11973	-41.67	-13	Pass	9001
12000	20000	1	RMS	18886	-31.56	-13	Pass	8001




11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	1000	0.1	RMS	921	-62.51	-13	Pass	9701
1000	1840	1	RMS	1838	-51.53	-13	Pass	841
1840	1925	1	RMS	1910.338	21.73	60	Pass	401
1925	3000	1	RMS	2666	-48.2	-13	Pass	1076
3000	12000	1	RMS	11972	-41.67	-13	Pass	9001
12000	20000	1	RMS	19028	-31.58	-13	Pass	8001




11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.87	-13	Pass	2986
30	1000	0.1	RMS	947.2	-62.41	-13	Pass	9701
1000	1840	1	RMS	1833	-44.14	-13	Pass	841
1840	1925	1	RMS	1850.625	22.87	60	Pass	401
1925	3000	1	RMS	2675	-48.15	-13	Pass	1076
3000	12000	1	RMS	11967	-41.66	-13	Pass	9001
12000	20000	1	RMS	18914	-31.58	-13	Pass	8001




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	1000	0.1	RMS	907.7	-62.55	-13	Pass	9701
1000	1840	1	RMS	1833	-44.84	-13	Pass	841
1840	1925	1	RMS	1850.625	22.11	60	Pass	401
1925	3000	1	RMS	2675	-48.2	-13	Pass	1076
3000	12000	1	RMS	11972	-41.71	-13	Pass	9001
12000	20000	1	RMS	19018	-31.55	-13	Pass	8001




**11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.93	-13	Pass	2986
30	1000	0.1	RMS	930.3	-62.51	-13	Pass	9701
1000	1840	1	RMS	1840	-51.31	-13	Pass	841
1840	1925	1	RMS	1878.038	22.78	60	Pass	401
1925	3000	1	RMS	2676	-48.18	-13	Pass	1076
3000	12000	1	RMS	11968	-41.68	-13	Pass	9001
12000	20000	1	RMS	18891	-31.57	-13	Pass	8001




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.58	-13	Pass	2986
30	1000	0.1	RMS	922	-62.55	-13	Pass	9701
1000	1840	1	RMS	1840	-51.42	-13	Pass	841
1840	1925	1	RMS	1878.038	22.09	60	Pass	401
1925	3000	1	RMS	2679	-48.18	-13	Pass	1076
3000	12000	1	RMS	11968	-41.62	-13	Pass	9001
12000	20000	1	RMS	18939	-31.54	-13	Pass	8001




**11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2986
30	1000	0.1	RMS	932.9	-62.64	-13	Pass	9701
1000	1840	1	RMS	1835	-51.58	-13	Pass	841
1840	1925	1	RMS	1905.663	22.79	60	Pass	401
1925	3000	1	RMS	2678	-48.18	-13	Pass	1076
3000	12000	1	RMS	11973	-41.65	-13	Pass	9001
12000	20000	1	RMS	18899	-31.59	-13	Pass	8001




11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	1000	0.1	RMS	908.9	-62.65	-13	Pass	9701
1000	1840	1	RMS	1840	-51.53	-13	Pass	841
1840	1925	1	RMS	1905.663	22.13	60	Pass	401
1925	3000	1	RMS	2675	-48.2	-13	Pass	1076
3000	12000	1	RMS	11972	-41.58	-13	Pass	9001
12000	20000	1	RMS	18869	-31.5	-13	Pass	8001




11.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2986
30	1000	0.1	RMS	990.4	-62.62	-13	Pass	9701
1000	1840	1	RMS	1838	-47.99	-13	Pass	841
1840	1925	1	RMS	1850.838	22.86	60	Pass	401
1925	3000	1	RMS	2670	-48.18	-13	Pass	1076
3000	12000	1	RMS	11975	-41.61	-13	Pass	9001
12000	20000	1	RMS	18872	-31.44	-13	Pass	8001




11.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	1000	0.1	RMS	911.8	-62.53	-13	Pass	9701
1000	1840	1	RMS	1838	-48.55	-13	Pass	841
1840	1925	1	RMS	1850.838	22.03	60	Pass	401
1925	3000	1	RMS	2676	-48.2	-13	Pass	1076
3000	12000	1	RMS	11974	-41.67	-13	Pass	9001
12000	20000	1	RMS	18937	-31.52	-13	Pass	8001




**11.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	1000	0.1	RMS	933.1	-62.53	-13	Pass	9701
1000	1840	1	RMS	1837	-51.35	-13	Pass	841
1840	1925	1	RMS	1875.913	22.79	60	Pass	401
1925	3000	1	RMS	2673	-48.16	-13	Pass	1076
3000	12000	1	RMS	11971	-41.57	-13	Pass	9001
12000	20000	1	RMS	19013	-31.6	-13	Pass	8001




**11.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2986
30	1000	0.1	RMS	929.3	-62.53	-13	Pass	9701
1000	1840	1	RMS	1837	-51.34	-13	Pass	841
1840	1925	1	RMS	1875.913	21.95	60	Pass	401
1925	3000	1	RMS	2673	-48.2	-13	Pass	1076
3000	12000	1	RMS	11969	-41.63	-13	Pass	9001
12000	20000	1	RMS	18924	-31.47	-13	Pass	8001




**11.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2986
30	1000	0.1	RMS	936.8	-62.57	-13	Pass	9701
1000	1840	1	RMS	1838	-51.52	-13	Pass	841
1840	1925	1	RMS	1900.775	22.74	60	Pass	401
1925	3000	1	RMS	2677	-48.19	-13	Pass	1076
3000	12000	1	RMS	11971	-41.63	-13	Pass	9001
12000	20000	1	RMS	18869	-31.53	-13	Pass	8001




**11.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	1000	0.1	RMS	964.7	-62.41	-13	Pass	9701
1000	1840	1	RMS	1837	-51.56	-13	Pass	841
1840	1925	1	RMS	1900.775	21.66	60	Pass	401
1925	3000	1	RMS	2671	-48.2	-13	Pass	1076
3000	12000	1	RMS	11970	-41.69	-13	Pass	9001
12000	20000	1	RMS	18930	-31.56	-13	Pass	8001




11.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2986
30	1000	0.1	RMS	935.7	-62.51	-13	Pass	9701
1000	1840	1	RMS	1833	-47.69	-13	Pass	841
1840	1925	1	RMS	1851.05	22.55	60	Pass	401
1925	3000	1	RMS	2673	-48.16	-13	Pass	1076
3000	12000	1	RMS	11966	-41.46	-13	Pass	9001
12000	20000	1	RMS	18911	-31.57	-13	Pass	8001




11.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.04	-13	Pass	2986
30	1000	0.1	RMS	909	-62.53	-13	Pass	9701
1000	1840	1	RMS	1833	-48.23	-13	Pass	841
1840	1925	1	RMS	1851.05	21.83	60	Pass	401
1925	3000	1	RMS	2676	-48.11	-13	Pass	1076
3000	12000	1	RMS	11969	-41.61	-13	Pass	9001
12000	20000	1	RMS	18917	-31.57	-13	Pass	8001




11.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2986
30	1000	0.1	RMS	839.1	-62.65	-13	Pass	9701
1000	1840	1	RMS	1838	-49.15	-13	Pass	841
1840	1925	1	RMS	1873.575	23.02	60	Pass	401
1925	3000	1	RMS	2674	-48.09	-13	Pass	1076
3000	12000	1	RMS	11969	-41.66	-13	Pass	9001
12000	20000	1	RMS	18904	-31.6	-13	Pass	8001




**11.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.79	-13	Pass	2986
30	1000	0.1	RMS	917.1	-62.68	-13	Pass	9701
1000	1840	1	RMS	1838	-50.61	-13	Pass	841
1840	1925	1	RMS	1873.575	21.71	60	Pass	401
1925	3000	1	RMS	2675	-48.15	-13	Pass	1076
3000	12000	1	RMS	11968	-41.72	-13	Pass	9001
12000	20000	1	RMS	18938	-31.59	-13	Pass	8001




11.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.08	-13	Pass	2986
30	1000	0.1	RMS	905.9	-62.59	-13	Pass	9701
1000	1840	1	RMS	1839	-51.5	-13	Pass	841
1840	1925	1	RMS	1896.1	22.75	60	Pass	401
1925	3000	1	RMS	2678	-48.18	-13	Pass	1076
3000	12000	1	RMS	11973	-41.62	-13	Pass	9001
12000	20000	1	RMS	18880	-31.48	-13	Pass	8001



**11.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2986
30	1000	0.1	RMS	922.9	-62.51	-13	Pass	9701
1000	1840	1	RMS	1840	-51.54	-13	Pass	841
1840	1925	1	RMS	1896.1	22.19	60	Pass	401
1925	3000	1	RMS	2668	-48.16	-13	Pass	1076
3000	12000	1	RMS	11969	-41.7	-13	Pass	9001
12000	20000	1	RMS	18865	-31.56	-13	Pass	8001



12. LTE_Band41 full


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-25	Pass	2986
30	1000	0.1	RMS	827	-62.82	-25	Pass	9701
1000	2486	1	RMS	2477	-48.38	-25	Pass	1487
2486	2700	1	RMS	2496.165	17.74	60	Pass	401
2700	3000	1	RMS	2702.25	-48.55	-25	Pass	401
3000	12000	1	RMS	4992	-69.6	-25	Pass	9001
12000	27000	1	RMS	24857	-59.93	-25	Pass	15001




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.2	-25	Pass	2986
30	1000	0.1	RMS	914.4	-62.59	-25	Pass	9701
1000	2486	1	RMS	2477	-47.76	-25	Pass	1487
2486	2700	1	RMS	2496.7	16.57	60	Pass	401
2700	3000	1	RMS	2704.5	-48.54	-25	Pass	401
3000	12000	1	RMS	4993	-63.37	-25	Pass	9001
12000	27000	1	RMS	24911	-59.9	-25	Pass	15001




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-25	Pass	2986
30	1000	0.1	RMS	906.6	-62.77	-25	Pass	9701
1000	2486	1	RMS	2442	-49.83	-25	Pass	1487
2486	2700	1	RMS	2590.86	17.92	60	Pass	401
2700	3000	1	RMS	2703.75	-48.59	-25	Pass	401
3000	12000	1	RMS	5182	-67.96	-25	Pass	9001
12000	27000	1	RMS	24899	-59.9	-25	Pass	15001




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-25	Pass	2986
30	1000	0.1	RMS	960.5	-62.73	-25	Pass	9701
1000	2486	1	RMS	2416	-49.76	-25	Pass	1487
2486	2700	1	RMS	2590.86	19.01	60	Pass	401
2700	3000	1	RMS	2701.5	-48.56	-25	Pass	401
3000	12000	1	RMS	5182	-69.32	-25	Pass	9001
12000	27000	1	RMS	24914	-59.93	-25	Pass	15001




**12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-25	Pass	2986
30	1000	0.1	RMS	941.3	-62.7	-25	Pass	9701
1000	2486	1	RMS	2426	-49.77	-25	Pass	1487
2486	2700	1	RMS	2685.02	18.25	60	Pass	401
2700	3000	1	RMS	2704.5	-47.27	-25	Pass	401
3000	12000	1	RMS	8055	-69.21	-25	Pass	9001
12000	27000	1	RMS	24908	-59.92	-25	Pass	15001




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.63	-25	Pass	2986
30	1000	0.1	RMS	823.1	-62.74	-25	Pass	9701
1000	2486	1	RMS	2432	-49.83	-25	Pass	1487
2486	2700	1	RMS	2685.555	18.07	60	Pass	401
2700	3000	1	RMS	2704.5	-47.09	-25	Pass	401
3000	12000	1	RMS	8056	-64.7	-25	Pass	9001
12000	27000	1	RMS	24912	-59.91	-25	Pass	15001




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.09	-25	Pass	2986
30	1000	0.1	RMS	905.7	-62.82	-25	Pass	9701
1000	2486	1	RMS	2481	-42.89	-25	Pass	1487
2486	2700	1	RMS	2496.7	18.4	60	Pass	401
2700	3000	1	RMS	2700	-48.52	-25	Pass	401
3000	12000	1	RMS	4993	-61.02	-25	Pass	9001
12000	27000	1	RMS	24870	-59.9	-25	Pass	15001




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.91	-25	Pass	2986
30	1000	0.1	RMS	890.7	-62.79	-25	Pass	9701
1000	2486	1	RMS	2479	-47.48	-25	Pass	1487
2486	2700	1	RMS	2496.7	16.91	60	Pass	401
2700	3000	1	RMS	2700	-48.54	-25	Pass	401
3000	12000	1	RMS	4993	-65.59	-25	Pass	9001
12000	27000	1	RMS	24827	-59.91	-25	Pass	15001




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.82	-25	Pass	2986
30	1000	0.1	RMS	948	-62.8	-25	Pass	9701
1000	2486	1	RMS	2437	-49.78	-25	Pass	1487
2486	2700	1	RMS	2588.185	17.99	60	Pass	401
2700	3000	1	RMS	2700	-48.49	-25	Pass	401
3000	12000	1	RMS	11971	-72.18	-25	Pass	9001
12000	27000	1	RMS	24914	-59.85	-25	Pass	15001




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.36	-25	Pass	2986
30	1000	0.1	RMS	923.3	-62.64	-25	Pass	9701
1000	2486	1	RMS	2432	-49.69	-25	Pass	1487
2486	2700	1	RMS	2588.72	18.1	60	Pass	401
2700	3000	1	RMS	2703.75	-48.59	-25	Pass	401
3000	12000	1	RMS	5178	-71	-25	Pass	9001
12000	27000	1	RMS	24868	-59.98	-25	Pass	15001




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-25	Pass	2986
30	1000	0.1	RMS	938.7	-62.81	-25	Pass	9701
1000	2486	1	RMS	2430	-49.78	-25	Pass	1487
2486	2700	1	RMS	2680.74	19.05	60	Pass	401
2700	3000	1	RMS	2700	-40.28	-25	Pass	401
3000	12000	1	RMS	8042	-71.23	-25	Pass	9001
12000	27000	1	RMS	24828	-59.89	-25	Pass	15001




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.25	-25	Pass	2986
30	1000	0.1	RMS	932	-62.73	-25	Pass	9701
1000	2486	1	RMS	2449	-49.78	-25	Pass	1487
2486	2700	1	RMS	2680.74	17.69	60	Pass	401
2700	3000	1	RMS	2700	-39.26	-25	Pass	401
3000	12000	1	RMS	8041	-68.95	-25	Pass	9001
12000	27000	1	RMS	24909	-59.87	-25	Pass	15001




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-25	Pass	2986
30	1000	0.1	RMS	955.9	-62.76	-25	Pass	9701
1000	2486	1	RMS	2483	-43.35	-25	Pass	1487
2486	2700	1	RMS	2496.7	19.08	60	Pass	401
2700	3000	1	RMS	2704.5	-48.59	-25	Pass	401
3000	12000	1	RMS	4994	-68.25	-25	Pass	9001
12000	27000	1	RMS	24853	-59.91	-25	Pass	15001




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-25	Pass	2986
30	1000	0.1	RMS	934.8	-62.77	-25	Pass	9701
1000	2486	1	RMS	2484	-43.71	-25	Pass	1487
2486	2700	1	RMS	2496.7	17.17	60	Pass	401
2700	3000	1	RMS	2706	-48.58	-25	Pass	401
3000	12000	1	RMS	4994	-64.72	-25	Pass	9001
12000	27000	1	RMS	24889	-59.84	-25	Pass	15001




12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-25	Pass	2986
30	1000	0.1	RMS	915.9	-62.83	-25	Pass	9701
1000	2486	1	RMS	2421	-49.75	-25	Pass	1487
2486	2700	1	RMS	2586.58	18.69	60	Pass	401
2700	3000	1	RMS	2700.75	-48.55	-25	Pass	401
3000	12000	1	RMS	7759	-71.11	-25	Pass	9001
12000	27000	1	RMS	24845	-60	-25	Pass	15001




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.63	-25	Pass	2986
30	1000	0.1	RMS	951.9	-62.76	-25	Pass	9701
1000	2486	1	RMS	2417	-49.79	-25	Pass	1487
2486	2700	1	RMS	2586.045	18.11	60	Pass	401
2700	3000	1	RMS	2700.75	-48.61	-25	Pass	401
3000	12000	1	RMS	5173	-72.12	-25	Pass	9001
12000	27000	1	RMS	24892	-60.02	-25	Pass	15001




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.13	-25	Pass	2986
30	1000	0.1	RMS	974.9	-62.77	-25	Pass	9701
1000	2486	1	RMS	2484	-49.82	-25	Pass	1487
2486	2700	1	RMS	2675.925	19.1	60	Pass	401
2700	3000	1	RMS	2702.25	-42.01	-25	Pass	401
3000	12000	1	RMS	8028	-62.78	-25	Pass	9001
12000	27000	1	RMS	24893	-59.93	-25	Pass	15001




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-25	Pass	2986
30	1000	0.1	RMS	928.5	-62.85	-25	Pass	9701
1000	2486	1	RMS	2414	-49.83	-25	Pass	1487
2486	2700	1	RMS	2675.925	17.47	60	Pass	401
2700	3000	1	RMS	2703.75	-40.89	-25	Pass	401
3000	12000	1	RMS	8028	-64.64	-25	Pass	9001
12000	27000	1	RMS	24839	-60.05	-25	Pass	15001




12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-25	Pass	2986
30	1000	0.1	RMS	895.7	-62.77	-25	Pass	9701
1000	2486	1	RMS	2480	-42.99	-25	Pass	1487
2486	2700	1	RMS	2497.235	18.76	60	Pass	401
2700	3000	1	RMS	2701.5	-48.59	-25	Pass	401
3000	12000	1	RMS	4995	-67.75	-25	Pass	9001
12000	27000	1	RMS	24918	-60.03	-25	Pass	15001




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-25	Pass	2986
30	1000	0.1	RMS	964.2	-62.85	-25	Pass	9701
1000	2486	1	RMS	2480	-43.74	-25	Pass	1487
2486	2700	1	RMS	2497.235	18.45	60	Pass	401
2700	3000	1	RMS	2701.5	-48.56	-25	Pass	401
3000	12000	1	RMS	4994	-63.38	-25	Pass	9001
12000	27000	1	RMS	24906	-59.98	-25	Pass	15001




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-25	Pass	2986
30	1000	0.1	RMS	896.9	-62.79	-25	Pass	9701
1000	2486	1	RMS	2432	-49.77	-25	Pass	1487
2486	2700	1	RMS	2583.905	19.2	60	Pass	401
2700	3000	1	RMS	2701.5	-48.55	-25	Pass	401
3000	12000	1	RMS	11970	-72.32	-25	Pass	9001
12000	27000	1	RMS	24835	-59.98	-25	Pass	15001




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-25	Pass	2986
30	1000	0.1	RMS	954.9	-62.89	-25	Pass	9701
1000	2486	1	RMS	2418	-49.8	-25	Pass	1487
2486	2700	1	RMS	2583.905	17.64	60	Pass	401
2700	3000	1	RMS	2700	-48.6	-25	Pass	401
3000	12000	1	RMS	5168	-71.95	-25	Pass	9001
12000	27000	1	RMS	24883	-60.02	-25	Pass	15001




**12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.78	-25	Pass	2986
30	1000	0.1	RMS	935.7	-62.73	-25	Pass	9701
1000	2486	1	RMS	2486	-49.76	-25	Pass	1487
2486	2700	1	RMS	2671.11	19.11	60	Pass	401
2700	3000	1	RMS	2706.75	-39.77	-25	Pass	401
3000	12000	1	RMS	5342	-65.88	-25	Pass	9001
12000	27000	1	RMS	24898	-60.02	-25	Pass	15001



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.18	-25	Pass	2986
30	1000	0.1	RMS	920.9	-62.74	-25	Pass	9701
1000	2486	1	RMS	2424	-49.82	-25	Pass	1487
2486	2700	1	RMS	2671.11	18.18	60	Pass	401
2700	3000	1	RMS	2706.75	-41.09	-25	Pass	401
3000	12000	1	RMS	5342	-66.14	-25	Pass	9001
12000	27000	1	RMS	24918	-60.03	-25	Pass	15001



13. LTE_Band66


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2986
30	1000	0.1	RMS	945.9	-62.46	-13	Pass	9701
1000	1700	1	RMS	1700	-51.61	-13	Pass	701
1700	1790	1	RMS	1710.125	23.25	60	Pass	401
1790	3000	1	RMS	2682	-48.18	-13	Pass	1211
3000	12000	1	RMS	11979	-41.75	-13	Pass	9001
12000	20000	1	RMS	18883	-31.66	-13	Pass	8001




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	1000	0.1	RMS	903.5	-62.48	-13	Pass	9701
1000	1700	1	RMS	1700	-51.6	-13	Pass	701
1700	1790	1	RMS	1710.125	22.3	60	Pass	401
1790	3000	1	RMS	2681	-48.15	-13	Pass	1211
3000	12000	1	RMS	11969	-41.76	-13	Pass	9001
12000	20000	1	RMS	18869	-31.61	-13	Pass	8001




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.9	-13	Pass	2986
30	1000	0.1	RMS	916.2	-62.45	-13	Pass	9701
1000	1700	1	RMS	1661	-51.91	-13	Pass	701
1700	1790	1	RMS	1744.55	23.1	60	Pass	401
1790	3000	1	RMS	2678	-48.14	-13	Pass	1211
3000	12000	1	RMS	11974	-41.74	-13	Pass	9001
12000	20000	1	RMS	18874	-31.62	-13	Pass	8001




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	1000	0.1	RMS	943.4	-62.53	-13	Pass	9701
1000	1700	1	RMS	1620	-51.89	-13	Pass	701
1700	1790	1	RMS	1744.55	22.67	60	Pass	401
1790	3000	1	RMS	2681	-48.19	-13	Pass	1211
3000	12000	1	RMS	11966	-41.78	-13	Pass	9001
12000	20000	1	RMS	18944	-31.65	-13	Pass	8001




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-13	Pass	2986
30	1000	0.1	RMS	927	-62.59	-13	Pass	9701
1000	1700	1	RMS	1617	-51.92	-13	Pass	701
1700	1790	1	RMS	1778.75	22.85	60	Pass	401
1790	3000	1	RMS	2678	-48.2	-13	Pass	1211
3000	12000	1	RMS	11977	-41.74	-13	Pass	9001
12000	20000	1	RMS	18909	-31.66	-13	Pass	8001




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2986
30	1000	0.1	RMS	925.6	-62.64	-13	Pass	9701
1000	1700	1	RMS	1617	-51.99	-13	Pass	701
1700	1790	1	RMS	1778.75	21.38	60	Pass	401
1790	3000	1	RMS	2671	-48.21	-13	Pass	1211
3000	12000	1	RMS	11970	-41.62	-13	Pass	9001
12000	20000	1	RMS	18941	-31.63	-13	Pass	8001




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2986
30	1000	0.1	RMS	914.5	-62.53	-13	Pass	9701
1000	1700	1	RMS	1700	-51.61	-13	Pass	701
1700	1790	1	RMS	1710.125	23.1	60	Pass	401
1790	3000	1	RMS	2675	-48.18	-13	Pass	1211
3000	12000	1	RMS	11974	-41.73	-13	Pass	9001
12000	20000	1	RMS	18870	-31.64	-13	Pass	8001




**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-13	Pass	2986
30	1000	0.1	RMS	919	-62.58	-13	Pass	9701
1000	1700	1	RMS	1700	-51.65	-13	Pass	701
1700	1790	1	RMS	1710.125	21.97	60	Pass	401
1790	3000	1	RMS	2678	-48.17	-13	Pass	1211
3000	12000	1	RMS	11967	-41.72	-13	Pass	9001
12000	20000	1	RMS	18904	-31.66	-13	Pass	8001




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2986
30	1000	0.1	RMS	933.4	-62.6	-13	Pass	9701
1000	1700	1	RMS	1661	-51.92	-13	Pass	701
1700	1790	1	RMS	1743.65	22.99	60	Pass	401
1790	3000	1	RMS	2679	-48.18	-13	Pass	1211
3000	12000	1	RMS	11969	-41.69	-13	Pass	9001
12000	20000	1	RMS	18939	-31.58	-13	Pass	8001




**13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2986
30	1000	0.1	RMS	914.2	-62.63	-13	Pass	9701
1000	1700	1	RMS	1620	-51.94	-13	Pass	701
1700	1790	1	RMS	1743.65	22.31	60	Pass	401
1790	3000	1	RMS	2673	-48.11	-13	Pass	1211
3000	12000	1	RMS	11969	-41.67	-13	Pass	9001
12000	20000	1	RMS	18875	-31.67	-13	Pass	8001




13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.1	-13	Pass	2986
30	1000	0.1	RMS	935.2	-62.6	-13	Pass	9701
1000	1700	1	RMS	1621	-51.91	-13	Pass	701
1700	1790	1	RMS	1777.175	22.9	60	Pass	401
1790	3000	1	RMS	2680	-48.14	-13	Pass	1211
3000	12000	1	RMS	11967	-41.73	-13	Pass	9001
12000	20000	1	RMS	18879	-31.55	-13	Pass	8001




**13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	914.8	-62.51	-13	Pass	9701
1000	1700	1	RMS	1621	-51.94	-13	Pass	701
1700	1790	1	RMS	1777.175	22.34	60	Pass	401
1790	3000	1	RMS	2682	-48.21	-13	Pass	1211
3000	12000	1	RMS	11970	-41.73	-13	Pass	9001
12000	20000	1	RMS	18935	-31.59	-13	Pass	8001




13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2986
30	1000	0.1	RMS	938.9	-62.52	-13	Pass	9701
1000	1700	1	RMS	1700	-51.39	-13	Pass	701
1700	1790	1	RMS	1710.35	22.9	60	Pass	401
1790	3000	1	RMS	2673	-48.13	-13	Pass	1211
3000	12000	1	RMS	11973	-41.71	-13	Pass	9001
12000	20000	1	RMS	18871	-31.64	-13	Pass	8001




**13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	1000	0.1	RMS	894.7	-62.63	-13	Pass	9701
1000	1700	1	RMS	1700	-51.66	-13	Pass	701
1700	1790	1	RMS	1710.35	21.85	60	Pass	401
1790	3000	1	RMS	2670	-48.21	-13	Pass	1211
3000	12000	1	RMS	11967	-41.73	-13	Pass	9001
12000	20000	1	RMS	18879	-31.64	-13	Pass	8001




13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.04	-13	Pass	2986
30	1000	0.1	RMS	930	-62.38	-13	Pass	9701
1000	1700	1	RMS	1620	-51.92	-13	Pass	701
1700	1790	1	RMS	1742.75	22.61	60	Pass	401
1790	3000	1	RMS	2681	-48.16	-13	Pass	1211
3000	12000	1	RMS	11970	-41.65	-13	Pass	9001
12000	20000	1	RMS	18884	-31.63	-13	Pass	8001




**13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.65	-13	Pass	2986
30	1000	0.1	RMS	924	-62.61	-13	Pass	9701
1000	1700	1	RMS	1619	-51.96	-13	Pass	701
1700	1790	1	RMS	1742.75	22.28	60	Pass	401
1790	3000	1	RMS	2679	-48.2	-13	Pass	1211
3000	12000	1	RMS	11971	-41.72	-13	Pass	9001
12000	20000	1	RMS	19021	-31.65	-13	Pass	8001




**13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.1	-13	Pass	2986
30	1000	0.1	RMS	943.3	-62.56	-13	Pass	9701
1000	1700	1	RMS	1621	-51.97	-13	Pass	701
1700	1790	1	RMS	1775.375	22.94	60	Pass	401
1790	3000	1	RMS	2679	-48.17	-13	Pass	1211
3000	12000	1	RMS	11969	-41.74	-13	Pass	9001
12000	20000	1	RMS	18868	-31.64	-13	Pass	8001




**13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-13	Pass	2986
30	1000	0.1	RMS	918.7	-62.65	-13	Pass	9701
1000	1700	1	RMS	1620	-51.95	-13	Pass	701
1700	1790	1	RMS	1775.375	22.32	60	Pass	401
1790	3000	1	RMS	2676	-48.2	-13	Pass	1211
3000	12000	1	RMS	11972	-41.77	-13	Pass	9001
12000	20000	1	RMS	18870	-31.54	-13	Pass	8001




13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	Pass	2986
30	1000	0.1	RMS	893.1	-62.66	-13	Pass	9701
1000	1700	1	RMS	1693	-48.61	-13	Pass	701
1700	1790	1	RMS	1710.575	23.13	60	Pass	401
1790	3000	1	RMS	2679	-48.11	-13	Pass	1211
3000	12000	1	RMS	11969	-41.68	-13	Pass	9001
12000	20000	1	RMS	18936	-31.62	-13	Pass	8001




**13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-13	Pass	2986
30	1000	0.1	RMS	902.6	-62.62	-13	Pass	9701
1000	1700	1	RMS	1693	-49.19	-13	Pass	701
1700	1790	1	RMS	1710.575	22.26	60	Pass	401
1790	3000	1	RMS	2672	-48.12	-13	Pass	1211
3000	12000	1	RMS	11971	-41.73	-13	Pass	9001
12000	20000	1	RMS	18880	-31.61	-13	Pass	8001




13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.1	-13	Pass	2986
30	1000	0.1	RMS	933.4	-62.35	-13	Pass	9701
1000	1700	1	RMS	1620	-51.93	-13	Pass	701
1700	1790	1	RMS	1740.5	23.12	60	Pass	401
1790	3000	1	RMS	2681	-48.13	-13	Pass	1211
3000	12000	1	RMS	11974	-41.77	-13	Pass	9001
12000	20000	1	RMS	18874	-31.59	-13	Pass	8001




**13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-13	Pass	2986
30	1000	0.1	RMS	960.5	-62.3	-13	Pass	9701
1000	1700	1	RMS	1620	-51.87	-13	Pass	701
1700	1790	1	RMS	1740.5	22.43	60	Pass	401
1790	3000	1	RMS	2674	-48.17	-13	Pass	1211
3000	12000	1	RMS	11971	-41.69	-13	Pass	9001
12000	20000	1	RMS	18875	-31.55	-13	Pass	8001




13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2986
30	1000	0.1	RMS	921.9	-62.52	-13	Pass	9701
1000	1700	1	RMS	1700	-51.95	-13	Pass	701
1700	1790	1	RMS	1770.65	22.89	60	Pass	401
1790	3000	1	RMS	2681	-48.15	-13	Pass	1211
3000	12000	1	RMS	11973	-41.76	-13	Pass	9001
12000	20000	1	RMS	18878	-31.61	-13	Pass	8001




**13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	1000	0.1	RMS	929.3	-62.67	-13	Pass	9701
1000	1700	1	RMS	1623	-51.96	-13	Pass	701
1700	1790	1	RMS	1770.65	21.85	60	Pass	401
1790	3000	1	RMS	2677	-48.24	-13	Pass	1211
3000	12000	1	RMS	11974	-41.66	-13	Pass	9001
12000	20000	1	RMS	18878	-31.61	-13	Pass	8001




13.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	1000	0.1	RMS	968.7	-62.5	-13	Pass	9701
1000	1700	1	RMS	1697	-42.41	-13	Pass	701
1700	1790	1	RMS	1710.8	23.14	60	Pass	401
1790	3000	1	RMS	2681	-48.14	-13	Pass	1211
3000	12000	1	RMS	11969	-41.72	-13	Pass	9001
12000	20000	1	RMS	18876	-31.6	-13	Pass	8001




**13.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	1000	0.1	RMS	952.9	-62.64	-13	Pass	9701
1000	1700	1	RMS	1698	-44.14	-13	Pass	701
1700	1790	1	RMS	1710.8	22.16	60	Pass	401
1790	3000	1	RMS	2677	-48.2	-13	Pass	1211
3000	12000	1	RMS	11969	-41.73	-13	Pass	9001
12000	20000	1	RMS	18872	-31.58	-13	Pass	8001




13.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2986
30	1000	0.1	RMS	904.1	-62.47	-13	Pass	9701
1000	1700	1	RMS	1700	-51.77	-13	Pass	701
1700	1790	1	RMS	1738.25	23.07	60	Pass	401
1790	3000	1	RMS	2679	-48.18	-13	Pass	1211
3000	12000	1	RMS	11971	-41.66	-13	Pass	9001
12000	20000	1	RMS	18884	-31.63	-13	Pass	8001




**13.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.01	-13	Pass	2986
30	1000	0.1	RMS	928.6	-62.62	-13	Pass	9701
1000	1700	1	RMS	1700	-51.81	-13	Pass	701
1700	1790	1	RMS	1738.25	22.66	60	Pass	401
1790	3000	1	RMS	2671	-48.17	-13	Pass	1211
3000	12000	1	RMS	11971	-41.71	-13	Pass	9001
12000	20000	1	RMS	18873	-31.59	-13	Pass	8001




13.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	1000	0.1	RMS	956.2	-62.51	-13	Pass	9701
1000	1700	1	RMS	1697	-51.96	-13	Pass	701
1700	1790	1	RMS	1765.925	22.68	60	Pass	401
1790	3000	1	RMS	1792	-40.14	-13	Pass	1211
3000	12000	1	RMS	11970	-41.72	-13	Pass	9001
12000	20000	1	RMS	18886	-31.56	-13	Pass	8001




**13.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2986
30	1000	0.1	RMS	898.4	-62.61	-13	Pass	9701
1000	1700	1	RMS	1700	-51.91	-13	Pass	701
1700	1790	1	RMS	1765.925	21.64	60	Pass	401
1790	3000	1	RMS	1792	-42.07	-13	Pass	1211
3000	12000	1	RMS	11972	-41.65	-13	Pass	9001
12000	20000	1	RMS	18867	-31.63	-13	Pass	8001




13.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2986
30	1000	0.1	RMS	902.8	-62.63	-13	Pass	9701
1000	1700	1	RMS	1693	-43.8	-13	Pass	701
1700	1790	1	RMS	1711.025	23	60	Pass	401
1790	3000	1	RMS	2679	-48.18	-13	Pass	1211
3000	12000	1	RMS	11971	-41.68	-13	Pass	9001
12000	20000	1	RMS	18876	-31.64	-13	Pass	8001




**13.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32,
Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2986
30	1000	0.1	RMS	936.1	-62.6	-13	Pass	9701
1000	1700	1	RMS	1693	-45.82	-13	Pass	701
1700	1790	1	RMS	1711.025	22.07	60	Pass	401
1790	3000	1	RMS	2679	-48.13	-13	Pass	1211
3000	12000	1	RMS	11971	-41.76	-13	Pass	9001
12000	20000	1	RMS	18864	-31.59	-13	Pass	8001




13.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	1000	0.1	RMS	921.9	-62.53	-13	Pass	9701
1000	1700	1	RMS	1700	-50.22	-13	Pass	701
1700	1790	1	RMS	1736	23.06	60	Pass	401
1790	3000	1	RMS	2678	-48.17	-13	Pass	1211
3000	12000	1	RMS	11967	-41.72	-13	Pass	9001
12000	20000	1	RMS	18867	-31.57	-13	Pass	8001




**13.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	1000	0.1	RMS	918.5	-62.64	-13	Pass	9701
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1790	1	RMS	1736	21.82	60	Pass	401
1790	3000	1	RMS	2681	-48.17	-13	Pass	1211
3000	12000	1	RMS	11968	-41.68	-13	Pass	9001
12000	20000	1	RMS	18880	-31.61	-13	Pass	8001




13.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	1000	0.1	RMS	920.9	-62.56	-13	Pass	9701
1000	1700	1	RMS	1620	-51.93	-13	Pass	701
1700	1790	1	RMS	1760.975	22.86	60	Pass	401
1790	3000	1	RMS	1797	-39.44	-13	Pass	1211
3000	12000	1	RMS	11967	-41.73	-13	Pass	9001
12000	20000	1	RMS	18922	-31.64	-13	Pass	8001



**13.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-13	Pass	2986
30	1000	0.1	RMS	911.6	-62.62	-13	Pass	9701
1000	1700	1	RMS	1614	-51.98	-13	Pass	701
1700	1790	1	RMS	1761.2	22.09	60	Pass	401
1790	3000	1	RMS	1797	-40.34	-13	Pass	1211
3000	12000	1	RMS	11967	-41.65	-13	Pass	9001
12000	20000	1	RMS	18880	-31.6	-13	Pass	8001



14. LTE_Band71


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	653	0.1	RMS	454	-63.68	-13	Pass	6231
653	709	0.1	RMS	663.3	20.2	60	Pass	561
709	1000	0.1	RMS	945.3	-62.69	-13	Pass	2911
1000	3000	1	RMS	2675	-48.26	-13	Pass	2001
3000	10000	1	RMS	9932	-44.84	-13	Pass	7001




14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	653	0.1	RMS	456.5	-63.69	-13	Pass	6231
653	709	0.1	RMS	663.3	19.14	60	Pass	561
709	1000	0.1	RMS	927.4	-62.7	-13	Pass	2911
1000	3000	1	RMS	2680	-48.26	-13	Pass	2001
3000	10000	1	RMS	9928	-44.88	-13	Pass	7001




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2986
30	653	0.1	RMS	488.1	-63.62	-13	Pass	6231
653	709	0.1	RMS	678.3	19.95	60	Pass	561
709	1000	0.1	RMS	923.4	-62.65	-13	Pass	2911
1000	3000	1	RMS	1357	-47.11	-13	Pass	2001
3000	10000	1	RMS	9936	-44.97	-13	Pass	7001




14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	653	0.1	RMS	510.6	-63.73	-13	Pass	6231
653	709	0.1	RMS	678.3	19.9	60	Pass	561
709	1000	0.1	RMS	906	-62.59	-13	Pass	2911
1000	3000	1	RMS	1357	-47.21	-13	Pass	2001
3000	10000	1	RMS	9921	-44.95	-13	Pass	7001




14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	653	0.1	RMS	502.2	-63.48	-13	Pass	6231
653	709	0.1	RMS	693.3	20.53	60	Pass	561
709	1000	0.1	RMS	895.7	-62.52	-13	Pass	2911
1000	3000	1	RMS	2678	-48.24	-13	Pass	2001
3000	10000	1	RMS	9925	-44.92	-13	Pass	7001




14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.96	-13	Pass	2986
30	653	0.1	RMS	508.4	-63.73	-13	Pass	6231
653	709	0.1	RMS	693.3	19.51	60	Pass	561
709	1000	0.1	RMS	917	-62.69	-13	Pass	2911
1000	3000	1	RMS	2674	-48.23	-13	Pass	2001
3000	10000	1	RMS	9928	-44.93	-13	Pass	7001




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.61	-13	Pass	2986
30	653	0.1	RMS	461.2	-63.59	-13	Pass	6231
653	709	0.1	RMS	663.6	20.89	60	Pass	561
709	1000	0.1	RMS	934.3	-62.72	-13	Pass	2911
1000	3000	1	RMS	1327	-47.44	-13	Pass	2001
3000	10000	1	RMS	9929	-44.96	-13	Pass	7001




14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	653	0.1	RMS	429	-63.73	-13	Pass	6231
653	709	0.1	RMS	663.6	20.02	60	Pass	561
709	1000	0.1	RMS	809.1	-62.78	-13	Pass	2911
1000	3000	1	RMS	2678	-48.25	-13	Pass	2001
3000	10000	1	RMS	9925	-44.95	-13	Pass	7001




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.27	-13	Pass	2986
30	653	0.1	RMS	499.5	-63.63	-13	Pass	6231
653	709	0.1	RMS	676.1	20.85	60	Pass	561
709	1000	0.1	RMS	995.7	-62.7	-13	Pass	2911
1000	3000	1	RMS	2677	-48.22	-13	Pass	2001
3000	10000	1	RMS	9927	-44.87	-13	Pass	7001




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.73	-13	Pass	2986
30	653	0.1	RMS	501.6	-63.65	-13	Pass	6231
653	709	0.1	RMS	676.1	20.43	60	Pass	561
709	1000	0.1	RMS	920.1	-62.57	-13	Pass	2911
1000	3000	1	RMS	2680	-48.28	-13	Pass	2001
3000	10000	1	RMS	9925	-44.88	-13	Pass	7001




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2986
30	653	0.1	RMS	511.9	-63.55	-13	Pass	6231
653	709	0.1	RMS	688.6	21.13	60	Pass	561
709	1000	0.1	RMS	977.3	-62.65	-13	Pass	2911
1000	3000	1	RMS	1377	-44.88	-13	Pass	2001
3000	10000	1	RMS	9932	-44.93	-13	Pass	7001




**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	653	0.1	RMS	490.4	-63.63	-13	Pass	6231
653	709	0.1	RMS	688.6	20.29	60	Pass	561
709	1000	0.1	RMS	901.7	-62.71	-13	Pass	2911
1000	3000	1	RMS	1377	-45.74	-13	Pass	2001
3000	10000	1	RMS	9928	-44.89	-13	Pass	7001




14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.86	-13	Pass	2986
30	653	0.1	RMS	451.3	-63.48	-13	Pass	6231
653	709	0.1	RMS	663.8	20.22	60	Pass	561
709	1000	0.1	RMS	925.7	-62.55	-13	Pass	2911
1000	3000	1	RMS	1328	-47.09	-13	Pass	2001
3000	10000	1	RMS	9931	-44.86	-13	Pass	7001




**14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2986
30	653	0.1	RMS	434.3	-63.71	-13	Pass	6231
653	709	0.1	RMS	663.8	19.33	60	Pass	561
709	1000	0.1	RMS	907.3	-62.61	-13	Pass	2911
1000	3000	1	RMS	1328	-48.21	-13	Pass	2001
3000	10000	1	RMS	9925	-44.96	-13	Pass	7001




14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	653	0.1	RMS	504.6	-63.51	-13	Pass	6231
653	709	0.1	RMS	673.8	20.22	60	Pass	561
709	1000	0.1	RMS	931.5	-62.62	-13	Pass	2911
1000	3000	1	RMS	2677	-48.23	-13	Pass	2001
3000	10000	1	RMS	9930	-44.97	-13	Pass	7001




**14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	653	0.1	RMS	492.7	-63.66	-13	Pass	6231
653	709	0.1	RMS	673.8	20.05	60	Pass	561
709	1000	0.1	RMS	935.9	-62.76	-13	Pass	2911
1000	3000	1	RMS	2678	-48.27	-13	Pass	2001
3000	10000	1	RMS	9933	-44.93	-13	Pass	7001




14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-13	Pass	2986
30	653	0.1	RMS	521.3	-63.61	-13	Pass	6231
653	709	0.1	RMS	683.8	20.03	60	Pass	561
709	1000	0.1	RMS	710.4	-48.5	-13	Pass	2911
1000	3000	1	RMS	1368	-44.51	-13	Pass	2001
3000	10000	1	RMS	9930	-44.79	-13	Pass	7001




**14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	653	0.1	RMS	498.1	-63.73	-13	Pass	6231
653	709	0.1	RMS	683.8	19.04	60	Pass	561
709	1000	0.1	RMS	710.4	-50.71	-13	Pass	2911
1000	3000	1	RMS	1368	-45.93	-13	Pass	2001
3000	10000	1	RMS	9917	-44.98	-13	Pass	7001




14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.46	-13	Pass	2986
30	653	0.1	RMS	466.8	-63.7	-13	Pass	6231
653	709	0.1	RMS	664.1	20.51	60	Pass	561
709	1000	0.1	RMS	710.1	-62.47	-13	Pass	2911
1000	3000	1	RMS	1328	-46.35	-13	Pass	2001
3000	10000	1	RMS	9926	-44.93	-13	Pass	7001




**14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2986
30	653	0.1	RMS	501.4	-63.78	-13	Pass	6231
653	709	0.1	RMS	664.1	19.86	60	Pass	561
709	1000	0.1	RMS	929.8	-62.72	-13	Pass	2911
1000	3000	1	RMS	1328	-47.18	-13	Pass	2001
3000	10000	1	RMS	9931	-44.99	-13	Pass	7001




14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:133297, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-13	Pass	2986
30	653	0.1	RMS	504.4	-63.5	-13	Pass	6231
653	709	0.1	RMS	671.6	20.96	60	Pass	561
709	1000	0.1	RMS	915.1	-62.68	-13	Pass	2911
1000	3000	1	RMS	1343	-45.51	-13	Pass	2001
3000	10000	1	RMS	9922	-44.96	-13	Pass	7001




**14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:133297, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2986
30	653	0.1	RMS	499.9	-63.72	-13	Pass	6231
653	709	0.1	RMS	671.6	19.75	60	Pass	561
709	1000	0.1	RMS	921	-62.83	-13	Pass	2911
1000	3000	1	RMS	1343	-46.46	-13	Pass	2001
3000	10000	1	RMS	9917	-44.93	-13	Pass	7001



14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2986
30	653	0.1	RMS	490.7	-63.56	-13	Pass	6231
653	709	0.1	RMS	679.1	20.92	60	Pass	561
709	1000	0.1	RMS	946.5	-62.72	-13	Pass	2911
1000	3000	1	RMS	1358	-44.5	-13	Pass	2001
3000	10000	1	RMS	9928	-44.94	-13	Pass	7001



**14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.62	-13	Pass	2986
30	653	0.1	RMS	500	-63.65	-13	Pass	6231
653	709	0.1	RMS	679.1	20.06	60	Pass	561
709	1000	0.1	RMS	871.8	-62.67	-13	Pass	2911
1000	3000	1	RMS	1358	-45.34	-13	Pass	2001
3000	10000	1	RMS	9932	-44.96	-13	Pass	7001

