


EXHIBIT D. Band Edge

1. WCDMA_Band2


1.1. WCDMA Band Edge(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-16.71	-13	Pass	401
1849	1850	0.051	RMS	1849.845	-28.57	-13	Pass	401
1850	1855	0.1	RMS	1852.363	7.86	35	Pass	401



1.2. WCDMA Band Edge(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.75	7.98	35	Pass	401
1910	1911	0.051	RMS	1910	-27.33	-13	Pass	401
1911	1915	1	RMS	1911	-16.91	-13	Pass	401



2. WCDMA_Band4


2.1. WCDMA Band Edge(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-16.3	-13	Pass	401
1709	1710	0.051	RMS	1709.845	-26.94	-13	Pass	401
1710	1715	0.1	RMS	1712.813	8.28	35	Pass	401



2.2. WCDMA Band Edge(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.588	8.03	35	Pass	401
1755	1756	0.051	RMS	1755.158	-27.77	-13	Pass	401
1756	1760	1	RMS	1756	-16.86	-13	Pass	401



3. WCDMA_Band5


3.1. WCDMA Band Edge(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.798	-27.42	-13	Pass	401
823	824	0.051	RMS	823.838	-25.22	-13	Pass	401
824	829	0.1	RMS	826.363	8.4	35	Pass	401



3.2. WCDMA Band Edge(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.738	8.41	35	Pass	401
849	850	0.051	RMS	849.15	-27.44	-13	Pass	401
850	855	0.1	RMS	850.163	-31.53	-13	Pass	401



4. LTE_Band2


4.1. LTE Band Edge(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-33.86	-13	Pass	401
1848	1849	1	RMS	1849	-27.99	-13	Pass	2
1849	1850	0.02	RMS	1850	-25.41	-13	Pass	401
1850	1852	0.1	RMS	1850.245	20.75	30	Pass	401




4.2. LTE Band Edge(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.08	-13	Pass	401
1848	1849	1	RMS	1849	-26.82	-13	Pass	2
1849	1850	0.02	RMS	1850	-29.77	-13	Pass	401
1850	1852	0.1	RMS	1850.28	12.21	30	Pass	401




4.3. LTE Band Edge(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.04	-13	Pass	401
1848	1849	1	RMS	1849	-28.96	-13	Pass	2
1849	1850	0.02	RMS	1849.998	-26.52	-13	Pass	401
1850	1852	0.1	RMS	1850.255	19.89	30	Pass	401



4.4. LTE Band Edge(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.58	-13	Pass	401
1848	1849	1	RMS	1849	-27.48	-13	Pass	2
1849	1850	0.02	RMS	1850	-30.25	-13	Pass	401
1850	1852	0.1	RMS	1851.11	11.35	30	Pass	401



4.5. LTE Band Edge(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.75	20.75	30	Pass	401
1910	1911	0.02	RMS	1910	-26.25	-13	Pass	401
1911	1912	1	RMS	1911	-24.61	-13	Pass	2
1912	1920	1	RMS	1912	-32.92	-13	Pass	401



4.6. LTE Band Edge(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.935	12.44	30	Pass	401
1910	1911	0.02	RMS	1910	-29.51	-13	Pass	401
1911	1912	1	RMS	1911	-27.18	-13	Pass	2
1912	1920	1	RMS	1912	-33.6	-13	Pass	401



4.7. LTE Band Edge(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.755	19.82	30	Pass	401
1910	1911	0.02	RMS	1910	-26.64	-13	Pass	401
1911	1912	1	RMS	1911	-26.07	-13	Pass	2
1912	1920	1	RMS	1912	-34.21	-13	Pass	401




4.8. LTE Band Edge(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.97	11.44	30	Pass	401
1910	1911	0.02	RMS	1910	-31.08	-13	Pass	401
1911	1912	1	RMS	1911	-28.75	-13	Pass	2
1912	1920	1	RMS	1912	-34.36	-13	Pass	401




4.9. LTE Band Edge(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.78	-32.68	-13	Pass	401
1848	1849	1	RMS	1849	-32.98	-13	Pass	2
1849	1850	0.03	RMS	1850	-22.8	-13	Pass	401
1850	1853	0.1	RMS	1850.233	20.64	30	Pass	401




4.10. LTE Band Edge(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.73	-13	Pass	401
1848	1849	1	RMS	1849	-26.97	-13	Pass	2
1849	1850	0.03	RMS	1850	-28.54	-13	Pass	401
1850	1853	0.1	RMS	1851.433	8.36	30	Pass	401




4.11. LTE Band Edge(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-33.81	-13	Pass	401
1848	1849	1	RMS	1848	-33.74	-13	Pass	2
1849	1850	0.03	RMS	1850	-24	-13	Pass	401
1850	1853	0.1	RMS	1850.255	19.65	30	Pass	401




4.12. LTE Band Edge(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.44	-13	Pass	401
1848	1849	1	RMS	1849	-26.29	-13	Pass	2
1849	1850	0.03	RMS	1850	-30.21	-13	Pass	401
1850	1853	0.1	RMS	1851.23	7.13	30	Pass	401



4.13. LTE Band Edge(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.753	20.68	30	Pass	401
1910	1911	0.03	RMS	1910	-23.3	-13	Pass	401
1911	1912	1	RMS	1912	-30.01	-13	Pass	2
1912	1920	1	RMS	1912.2	-30	-13	Pass	401




4.14. LTE Band Edge(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1908.08	8.69	30	Pass	401
1910	1911	0.03	RMS	1910	-29.77	-13	Pass	401
1911	1912	1	RMS	1911	-22.78	-13	Pass	2
1912	1920	1	RMS	1912	-26.43	-13	Pass	401




4.15. LTE Band Edge(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.753	20.11	30	Pass	401
1910	1911	0.03	RMS	1910	-23.64	-13	Pass	401
1911	1912	1	RMS	1912	-32.64	-13	Pass	2
1912	1920	1	RMS	1912.18	-32.73	-13	Pass	401




4.16. LTE Band Edge(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.645	7.89	30	Pass	401
1910	1911	0.03	RMS	1910	-29.91	-13	Pass	401
1911	1912	1	RMS	1911	-23.18	-13	Pass	2
1912	1920	1	RMS	1912	-27.34	-13	Pass	401




4.17. LTE Band Edge(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-34.67	-13	Pass	401
1848	1849	1	RMS	1849	-32.65	-13	Pass	2
1849	1850	0.051	RMS	1850	-23.47	-13	Pass	401
1850	1855	0.1	RMS	1850.35	20.46	30	Pass	401




4.18. LTE Band Edge(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.12	-29.84	-13	Pass	401
1848	1849	1	RMS	1849	-31.16	-13	Pass	2
1849	1850	0.051	RMS	1849.995	-30.25	-13	Pass	401
1850	1855	0.1	RMS	1851.675	6.35	30	Pass	401




4.19. LTE Band Edge(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.35	-13	Pass	401
1848	1849	1	RMS	1849	-35	-13	Pass	2
1849	1850	0.051	RMS	1850	-24.05	-13	Pass	401
1850	1855	0.1	RMS	1850.35	19.25	30	Pass	401




4.20. LTE Band Edge(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-30.47	-13	Pass	401
1848	1849	1	RMS	1849	-29.34	-13	Pass	2
1849	1850	0.051	RMS	1850	-31	-13	Pass	401
1850	1855	0.1	RMS	1851.688	5.2	30	Pass	401




4.21. LTE Band Edge(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	20.35	30	Pass	401
1910	1911	0.051	RMS	1910	-23.71	-13	Pass	401
1911	1912	1	RMS	1911	-33.13	-13	Pass	2
1912	1920	1	RMS	1913.94	-33.78	-13	Pass	401




4.22. LTE Band Edge(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.888	6.54	30	Pass	401
1910	1911	0.051	RMS	1910.003	-29.32	-13	Pass	401
1911	1912	1	RMS	1911	-21.63	-13	Pass	2
1912	1920	1	RMS	1912	-22.26	-13	Pass	401




4.23. LTE Band Edge(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	19.75	30	Pass	401
1910	1911	0.051	RMS	1910	-23.67	-13	Pass	401
1911	1912	1	RMS	1911	-33.89	-13	Pass	2
1912	1920	1	RMS	1912.02	-35.89	-13	Pass	401




4.24. LTE Band Edge(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1907.238	5.64	30	Pass	401
1910	1911	0.051	RMS	1910	-30.3	-13	Pass	401
1911	1912	1	RMS	1911	-22.86	-13	Pass	2
1912	1920	1	RMS	1912	-23.56	-13	Pass	401




4.25. LTE Band Edge(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.04	-13	Pass	401
1848	1849	1	RMS	1849	-33.97	-13	Pass	2
1849	1850	0.1	RMS	1850	-33.46	-13	Pass	401
1850	1860	0.1	RMS	1850.6	20.48	30	Pass	401




4.26. LTE Band Edge(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.5	-29.58	-13	Pass	401
1848	1849	1	RMS	1848	-29.92	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-33.95	-13	Pass	401
1850	1860	0.1	RMS	1854.25	3.39	30	Pass	401




4.27. LTE Band Edge(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-36.66	-13	Pass	401
1848	1849	1	RMS	1849	-34.76	-13	Pass	2
1849	1850	0.1	RMS	1850	-33.8	-13	Pass	401
1850	1860	0.1	RMS	1850.6	19.72	30	Pass	401




4.28. LTE Band Edge(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.08	-29.29	-13	Pass	401
1848	1849	1	RMS	1848	-29.74	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-34.65	-13	Pass	401
1850	1860	0.1	RMS	1855.025	2.24	30	Pass	401




4.29. LTE Band Edge(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	20.59	30	Pass	401
1910	1911	0.1	RMS	1910	-32.87	-13	Pass	401
1911	1912	1	RMS	1911	-33.45	-13	Pass	2
1912	1920	1	RMS	1912	-35.83	-13	Pass	401




4.30. LTE Band Edge(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1905.35	3.75	30	Pass	401
1910	1911	0.1	RMS	1910	-31.02	-13	Pass	401
1911	1912	1	RMS	1911	-23.42	-13	Pass	2
1912	1920	1	RMS	1912	-24.07	-13	Pass	401




4.31. LTE Band Edge(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	20.15	30	Pass	401
1910	1911	0.1	RMS	1910	-33.31	-13	Pass	401
1911	1912	1	RMS	1911	-33.7	-13	Pass	2
1912	1920	1	RMS	1912	-36.39	-13	Pass	401




4.32. LTE Band Edge(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1905.675	2.58	30	Pass	401
1910	1911	0.1	RMS	1910	-32.71	-13	Pass	401
1911	1912	1	RMS	1911	-24.97	-13	Pass	2
1912	1920	1	RMS	1912	-25.55	-13	Pass	401




4.33. LTE Band Edge(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.43	-13	Pass	401
1848	1849	1	RMS	1849	-34.02	-13	Pass	2
1849	1850	0.15	RMS	1850	-29.13	-13	Pass	401
1850	1865	0.1	RMS	1850.825	20.4	30	Pass	401




4.34. LTE Band Edge(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.58	-29.51	-13	Pass	401
1848	1849	1	RMS	1849	-30.36	-13	Pass	2
1849	1850	0.15	RMS	1849.993	-36.43	-13	Pass	401
1850	1865	0.1	RMS	1854.538	1.59	30	Pass	401




4.35. LTE Band Edge(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.79	-13	Pass	401
1848	1849	1	RMS	1849	-34.68	-13	Pass	2
1849	1850	0.15	RMS	1850	-29.24	-13	Pass	401
1850	1865	0.1	RMS	1850.863	19.7	30	Pass	401




4.36. LTE Band Edge(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.52	-29.09	-13	Pass	401
1848	1849	1	RMS	1848	-29.6	-13	Pass	2
1849	1850	0.15	RMS	1850	-36.2	-13	Pass	401
1850	1865	0.1	RMS	1857.2	0.68	30	Pass	401




4.37. LTE Band Edge(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	20.73	30	Pass	401
1910	1911	0.15	RMS	1910.003	-28.91	-13	Pass	401
1911	1912	1	RMS	1911	-34.29	-13	Pass	2
1912	1920	1	RMS	1912	-36.52	-13	Pass	401




4.38. LTE Band Edge(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1901.975	2.09	30	Pass	401
1910	1911	0.15	RMS	1910.005	-31.48	-13	Pass	401
1911	1912	1	RMS	1911	-24.65	-13	Pass	2
1912	1920	1	RMS	1912.2	-25.01	-13	Pass	401




4.39. LTE Band Edge(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	20.22	30	Pass	401
1910	1911	0.15	RMS	1910.003	-29.07	-13	Pass	401
1911	1912	1	RMS	1911	-34.81	-13	Pass	2
1912	1920	1	RMS	1912	-37	-13	Pass	401




4.40. LTE Band Edge(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1903.663	1.16	30	Pass	401
1910	1911	0.15	RMS	1910.003	-32.7	-13	Pass	401
1911	1912	1	RMS	1911	-26.42	-13	Pass	2
1912	1920	1	RMS	1912	-26.51	-13	Pass	401




4.41. LTE Band Edge(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.3	-13	Pass	401
1848	1849	1	RMS	1849	-34.96	-13	Pass	2
1849	1850	0.2	RMS	1850	-32.39	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.55	30	Pass	401




4.42. LTE Band Edge(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-32.4	-13	Pass	401
1848	1849	1	RMS	1849	-32.39	-13	Pass	2
1849	1850	0.2	RMS	1849.995	-37.74	-13	Pass	401
1850	1870	0.1	RMS	1858.95	0.31	30	Pass	401




4.43. LTE Band Edge(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.98	-13	Pass	401
1848	1849	1	RMS	1849	-35.59	-13	Pass	2
1849	1850	0.2	RMS	1850	-32.32	-13	Pass	401
1850	1870	0.1	RMS	1851.1	19.63	30	Pass	401




4.44. LTE Band Edge(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-31.62	-13	Pass	401
1848	1849	1	RMS	1849	-31.63	-13	Pass	2
1849	1850	0.2	RMS	1850	-37.18	-13	Pass	401
1850	1870	0.1	RMS	1859.95	-0.67	30	Pass	401



4.45. LTE Band Edge(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.79	30	Pass	401
1910	1911	0.2	RMS	1910	-31.77	-13	Pass	401
1911	1912	1	RMS	1911	-34.51	-13	Pass	2
1912	1920	1	RMS	1912	-37.12	-13	Pass	401




4.46. LTE Band Edge(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1903	0.71	30	Pass	401
1910	1911	0.2	RMS	1910.045	-31.98	-13	Pass	401
1911	1912	1	RMS	1911	-26.46	-13	Pass	2
1912	1920	1	RMS	1912.16	-27.4	-13	Pass	401




4.47. LTE Band Edge(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	19.5	30	Pass	401
1910	1911	0.2	RMS	1910.003	-32.25	-13	Pass	401
1911	1912	1	RMS	1911	-35.68	-13	Pass	2
1912	1920	1	RMS	1912	-38.22	-13	Pass	401



4.48. LTE Band Edge(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1901.05	-0.37	30	Pass	401
1910	1911	0.2	RMS	1910.005	-33.19	-13	Pass	401
1911	1912	1	RMS	1911	-27.47	-13	Pass	2
1912	1920	1	RMS	1912	-28.05	-13	Pass	401



5. LTE_Band4


5.1. LTE Band Edge(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.15	-13	Pass	401
1708	1709	1	RMS	1709	-31.22	-13	Pass	2
1709	1710	0.02	RMS	1710	-25.24	-13	Pass	401
1710	1712	0.1	RMS	1710.25	20.69	30	Pass	401




5.2. LTE Band Edge(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.89	-13	Pass	401
1708	1709	1	RMS	1709	-26.19	-13	Pass	2
1709	1710	0.02	RMS	1710	-29.26	-13	Pass	401
1710	1712	0.1	RMS	1711.11	12.22	30	Pass	401




5.3. LTE Band Edge(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-37.84	-13	Pass	401
1708	1709	1	RMS	1709	-32.66	-13	Pass	2
1709	1710	0.02	RMS	1710	-25.96	-13	Pass	401
1710	1712	0.1	RMS	1710.26	19.82	30	Pass	401



5.4. LTE Band Edge(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.4	-13	Pass	401
1708	1709	1	RMS	1709	-26.8	-13	Pass	2
1709	1710	0.02	RMS	1710	-29.93	-13	Pass	401
1710	1712	0.1	RMS	1711.105	11.42	30	Pass	401



5.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.745	20.74	30	Pass	401
1755	1756	0.02	RMS	1755	-26.82	-13	Pass	401
1756	1757	1	RMS	1756	-29.31	-13	Pass	2
1757	1765	1	RMS	1757.02	-35.79	-13	Pass	401



5.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.43	12.22	30	Pass	401
1755	1756	0.02	RMS	1755	-31.66	-13	Pass	401
1756	1757	1	RMS	1756	-29.1	-13	Pass	2
1757	1765	1	RMS	1757	-33.58	-13	Pass	401



5.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.755	20.44	30	Pass	401
1755	1756	0.02	RMS	1755	-26	-13	Pass	401
1756	1757	1	RMS	1756	-29.43	-13	Pass	2
1757	1765	1	RMS	1757.02	-35.95	-13	Pass	401




5.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.32	11.58	30	Pass	401
1755	1756	0.02	RMS	1755	-32.39	-13	Pass	401
1756	1757	1	RMS	1756	-29.08	-13	Pass	2
1757	1765	1	RMS	1757	-33.99	-13	Pass	401




5.9. LTE Band Edge(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.88	-35.48	-13	Pass	401
1708	1709	1	RMS	1709	-34.43	-13	Pass	2
1709	1710	0.03	RMS	1710	-22.57	-13	Pass	401
1710	1713	0.1	RMS	1710.233	20.73	30	Pass	401




5.10. LTE Band Edge(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.46	-13	Pass	401
1708	1709	1	RMS	1709	-24.27	-13	Pass	2
1709	1710	0.03	RMS	1710	-28.58	-13	Pass	401
1710	1713	0.1	RMS	1712.685	8.39	30	Pass	401




5.11. LTE Band Edge(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.86	-36.76	-13	Pass	401
1708	1709	1	RMS	1709	-35.69	-13	Pass	2
1709	1710	0.03	RMS	1710	-24.14	-13	Pass	401
1710	1713	0.1	RMS	1710.248	19.54	30	Pass	401




5.12. LTE Band Edge(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.26	-13	Pass	401
1708	1709	1	RMS	1709	-23.77	-13	Pass	2
1709	1710	0.03	RMS	1710	-29.57	-13	Pass	401
1710	1713	0.1	RMS	1712.408	7.56	30	Pass	401



5.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.753	20.72	30	Pass	401
1755	1756	0.03	RMS	1755	-23.99	-13	Pass	401
1756	1757	1	RMS	1756	-33.79	-13	Pass	2
1757	1765	1	RMS	1757.04	-36.15	-13	Pass	401




5.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.095	8.52	30	Pass	401
1755	1756	0.03	RMS	1755	-30.13	-13	Pass	401
1756	1757	1	RMS	1756	-24.61	-13	Pass	2
1757	1765	1	RMS	1757	-27.61	-13	Pass	401



5.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.768	19.84	30	Pass	401
1755	1756	0.03	RMS	1755	-23.86	-13	Pass	401
1756	1757	1	RMS	1756	-34.69	-13	Pass	2
1757	1765	1	RMS	1757	-36.97	-13	Pass	401




5.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.228	7.3	30	Pass	401
1755	1756	0.03	RMS	1755	-30.62	-13	Pass	401
1756	1757	1	RMS	1756	-24.81	-13	Pass	2
1757	1765	1	RMS	1757	-28.53	-13	Pass	401




5.17. LTE Band Edge(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.4	-13	Pass	401
1708	1709	1	RMS	1709	-33.21	-13	Pass	2
1709	1710	0.051	RMS	1710	-23.5	-13	Pass	401
1710	1715	0.1	RMS	1710.325	20.24	30	Pass	401




5.18. LTE Band Edge(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.83	-13	Pass	401
1708	1709	1	RMS	1709	-27.79	-13	Pass	2
1709	1710	0.051	RMS	1710	-30.04	-13	Pass	401
1710	1715	0.1	RMS	1713.338	6.14	30	Pass	401




5.19. LTE Band Edge(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.15	-13	Pass	401
1708	1709	1	RMS	1709	-36.18	-13	Pass	2
1709	1710	0.051	RMS	1710	-24.36	-13	Pass	401
1710	1715	0.1	RMS	1710.35	19.4	30	Pass	401




5.20. LTE Band Edge(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.48	-13	Pass	401
1708	1709	1	RMS	1709	-26.91	-13	Pass	2
1709	1710	0.051	RMS	1710	-30.64	-13	Pass	401
1710	1715	0.1	RMS	1713.313	5.39	30	Pass	401



5.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	20.42	30	Pass	401
1755	1756	0.051	RMS	1755	-23.7	-13	Pass	401
1756	1757	1	RMS	1756	-34.13	-13	Pass	2
1757	1765	1	RMS	1757.02	-36.42	-13	Pass	401




5.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.85	6.51	30	Pass	401
1755	1756	0.051	RMS	1755.003	-29.89	-13	Pass	401
1756	1757	1	RMS	1756	-25.23	-13	Pass	2
1757	1765	1	RMS	1757.02	-25.9	-13	Pass	401




5.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.663	20.14	30	Pass	401
1755	1756	0.051	RMS	1755	-23.86	-13	Pass	401
1756	1757	1	RMS	1756	-35.12	-13	Pass	2
1757	1765	1	RMS	1757	-37	-13	Pass	401




5.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1752.275	5.64	30	Pass	401
1755	1756	0.051	RMS	1755	-30.5	-13	Pass	401
1756	1757	1	RMS	1756	-24.27	-13	Pass	2
1757	1765	1	RMS	1757	-24.91	-13	Pass	401




5.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.29	-13	Pass	401
1708	1709	1	RMS	1709	-35.96	-13	Pass	2
1709	1710	0.1	RMS	1710	-33.91	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.57	30	Pass	401




5.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-32.34	-13	Pass	401
1708	1709	1	RMS	1709	-31.22	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-34.28	-13	Pass	401
1710	1720	0.1	RMS	1714.25	3.34	30	Pass	401




5.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.04	-13	Pass	401
1708	1709	1	RMS	1709	-36.8	-13	Pass	2
1709	1710	0.1	RMS	1710	-34.06	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.71	30	Pass	401




5.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.86	-31.05	-13	Pass	401
1708	1709	1	RMS	1709	-30.07	-13	Pass	2
1709	1710	0.1	RMS	1710	-34.65	-13	Pass	401
1710	1720	0.1	RMS	1716.6	2.54	30	Pass	401




5.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	20.75	30	Pass	401
1755	1756	0.1	RMS	1755	-33.2	-13	Pass	401
1756	1757	1	RMS	1756	-35.56	-13	Pass	2
1757	1765	1	RMS	1757	-37.69	-13	Pass	401




5.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1750.35	3.64	30	Pass	401
1755	1756	0.1	RMS	1755	-34.21	-13	Pass	401
1756	1757	1	RMS	1756	-29.59	-13	Pass	2
1757	1765	1	RMS	1757	-30.86	-13	Pass	401




5.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.425	20.17	30	Pass	401
1755	1756	0.1	RMS	1755	-33.76	-13	Pass	401
1756	1757	1	RMS	1756	-35.93	-13	Pass	2
1757	1765	1	RMS	1763.3	-36.96	-13	Pass	401




5.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1750.65	2.66	30	Pass	401
1755	1756	0.1	RMS	1755.003	-34.86	-13	Pass	401
1756	1757	1	RMS	1756	-29.45	-13	Pass	2
1757	1765	1	RMS	1757	-30.7	-13	Pass	401




5.33. LTE Band Edge(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.85	-13	Pass	401
1708	1709	1	RMS	1709	-36.62	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.58	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.55	30	Pass	401




5.34. LTE Band Edge(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.72	-30.96	-13	Pass	401
1708	1709	1	RMS	1708	-31.22	-13	Pass	2
1709	1710	0.15	RMS	1709.993	-36.83	-13	Pass	401
1710	1725	0.1	RMS	1720.725	1.71	30	Pass	401




5.35. LTE Band Edge(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-39.91	-13	Pass	401
1708	1709	1	RMS	1709	-37.55	-13	Pass	2
1709	1710	0.15	RMS	1710	-30.03	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.41	30	Pass	401




5.36. LTE Band Edge(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.82	-30.22	-13	Pass	401
1708	1709	1	RMS	1708	-30.45	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-36.68	-13	Pass	401
1710	1725	0.1	RMS	1718.7	0.67	30	Pass	401




5.37. LTE Band Edge(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	20.7	30	Pass	401
1755	1756	0.15	RMS	1755	-29.21	-13	Pass	401
1756	1757	1	RMS	1756	-36.56	-13	Pass	2
1757	1765	1	RMS	1757	-38.46	-13	Pass	401




5.38. LTE Band Edge(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1748.55	2.03	30	Pass	401
1755	1756	0.15	RMS	1755	-36.75	-13	Pass	401
1756	1757	1	RMS	1756	-32.75	-13	Pass	2
1757	1765	1	RMS	1757	-33.22	-13	Pass	401




5.39. LTE Band Edge(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	20.17	30	Pass	401
1755	1756	0.15	RMS	1755	-28.86	-13	Pass	401
1756	1757	1	RMS	1756	-36.64	-13	Pass	2
1757	1765	1	RMS	1757.02	-38.37	-13	Pass	401




5.40. LTE Band Edge(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1749	0.91	30	Pass	401
1755	1756	0.15	RMS	1755	-36.87	-13	Pass	401
1756	1757	1	RMS	1756	-32.68	-13	Pass	2
1757	1765	1	RMS	1757	-33.51	-13	Pass	401




5.41. LTE Band Edge(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.68	-13	Pass	401
1708	1709	1	RMS	1709	-37.53	-13	Pass	2
1709	1710	0.2	RMS	1710	-33.81	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.24	30	Pass	401




5.42. LTE Band Edge(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.04	-13	Pass	401
1708	1709	1	RMS	1709	-33.23	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-37.79	-13	Pass	401
1710	1730	0.1	RMS	1722.8	0.55	30	Pass	401




5.43. LTE Band Edge(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.02	-13	Pass	401
1708	1709	1	RMS	1709	-38.09	-13	Pass	2
1709	1710	0.2	RMS	1710	-32.99	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.77	30	Pass	401




5.44. LTE Band Edge(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.42	-33.36	-13	Pass	401
1708	1709	1	RMS	1709	-32.8	-13	Pass	2
1709	1710	0.2	RMS	1710	-37.77	-13	Pass	401
1710	1730	0.1	RMS	1722.9	-0.24	30	Pass	401




5.45. LTE Band Edge(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	20.68	30	Pass	401
1755	1756	0.2	RMS	1755	-32.54	-13	Pass	401
1756	1757	1	RMS	1756	-36.6	-13	Pass	2
1757	1765	1	RMS	1757	-39.12	-13	Pass	401




5.46. LTE Band Edge(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1744.65	0.49	30	Pass	401
1755	1756	0.2	RMS	1755.003	-37.73	-13	Pass	401
1756	1757	1	RMS	1756	-32.86	-13	Pass	2
1757	1765	1	RMS	1757.02	-34.56	-13	Pass	401




5.47. LTE Band Edge(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	19.58	30	Pass	401
1755	1756	0.2	RMS	1755.003	-32.8	-13	Pass	401
1756	1757	1	RMS	1756	-37.6	-13	Pass	2
1757	1765	1	RMS	1757	-40.06	-13	Pass	401



5.48. LTE Band Edge(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1746.05	-0.53	30	Pass	401
1755	1756	0.2	RMS	1755.008	-38.26	-13	Pass	401
1756	1757	1	RMS	1756	-33.17	-13	Pass	2
1757	1765	1	RMS	1757.02	-34.56	-13	Pass	401



6. LTE_Band5


6.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.57	-13	Pass	401
823	824	0.02	RMS	824	-24.08	-13	Pass	401
824	826	0.1	RMS	824.25	21.3	30	Pass	401




6.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.65	-13	Pass	401
823	824	0.02	RMS	823.998	-28.57	-13	Pass	401
824	826	0.1	RMS	824.285	12.56	30	Pass	401




6.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-48.58	-13	Pass	401
823	824	0.02	RMS	824	-25.47	-13	Pass	401
824	826	0.1	RMS	824.26	20.19	30	Pass	401




6.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-38.58	-13	Pass	401
823	824	0.02	RMS	824	-28.81	-13	Pass	401
824	826	0.1	RMS	825.1	11.93	30	Pass	401




6.5. LTE Band Edge(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	20.7	30	Pass	401
849	850	0.02	RMS	849	-25.38	-13	Pass	401
850	860	0.1	RMS	850	-48.71	-13	Pass	401




6.6. LTE Band Edge(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.895	12.46	30	Pass	401
849	850	0.02	RMS	849	-29.05	-13	Pass	401
850	860	0.1	RMS	850	-40.28	-13	Pass	401




6.7. LTE Band Edge(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.41	30	Pass	401
849	850	0.02	RMS	849	-25.08	-13	Pass	401
850	860	0.1	RMS	850	-49.07	-13	Pass	401




6.8. LTE Band Edge(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.95	11.81	30	Pass	401
849	850	0.02	RMS	849	-29.8	-13	Pass	401
850	860	0.1	RMS	850	-40.39	-13	Pass	401




6.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-47.64	-13	Pass	401
823	824	0.03	RMS	824	-21.94	-13	Pass	401
824	827	0.1	RMS	824.233	21.07	30	Pass	401




6.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-29.91	-13	Pass	401
823	824	0.03	RMS	824	-27.08	-13	Pass	401
824	827	0.1	RMS	825.448	8.8	30	Pass	401




6.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.5	-13	Pass	401
823	824	0.03	RMS	824	-23.16	-13	Pass	401
824	827	0.1	RMS	824.248	20.12	30	Pass	401




6.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-30.28	-13	Pass	401
823	824	0.03	RMS	824	-28.63	-13	Pass	401
824	827	0.1	RMS	826.408	7.8	30	Pass	401




6.13. LTE Band Edge(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	20.83	30	Pass	401
849	850	0.03	RMS	849	-22.12	-13	Pass	401
850	860	0.1	RMS	850	-48.09	-13	Pass	401




6.14. LTE Band Edge(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	847.073	8.91	30	Pass	401
849	850	0.03	RMS	849	-29.81	-13	Pass	401
850	860	0.1	RMS	850.075	-33.14	-13	Pass	401



6.15. LTE Band Edge(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	19.91	30	Pass	401
849	850	0.03	RMS	849	-22.89	-13	Pass	401
850	860	0.1	RMS	850	-49.06	-13	Pass	401




6.16. LTE Band Edge(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.645	8.07	30	Pass	401
849	850	0.03	RMS	849	-29.36	-13	Pass	401
850	860	0.1	RMS	850	-32.88	-13	Pass	401




6.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-46.66	-13	Pass	401
823	824	0.051	RMS	824	-22.89	-13	Pass	401
824	829	0.1	RMS	824.338	20.71	30	Pass	401




6.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-30.91	-13	Pass	401
823	824	0.051	RMS	824	-28.33	-13	Pass	401
824	829	0.1	RMS	825.688	6.73	30	Pass	401




6.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.52	-13	Pass	401
823	824	0.051	RMS	824	-23.65	-13	Pass	401
824	829	0.1	RMS	824.35	19.66	30	Pass	401



6.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-31.32	-13	Pass	401
823	824	0.051	RMS	823.998	-29.17	-13	Pass	401
824	829	0.1	RMS	825.688	5.81	30	Pass	401




6.21. LTE Band Edge(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.51	30	Pass	401
849	850	0.051	RMS	849	-23.7	-13	Pass	401
850	860	0.1	RMS	850	-47.47	-13	Pass	401




6.22. LTE Band Edge(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.85	6.68	30	Pass	401
849	850	0.051	RMS	849	-30.32	-13	Pass	401
850	860	0.1	RMS	850	-35.17	-13	Pass	401




6.23. LTE Band Edge(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	20.08	30	Pass	401
849	850	0.051	RMS	849	-23.17	-13	Pass	401
850	860	0.1	RMS	850	-49.29	-13	Pass	401




6.24. LTE Band Edge(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.238	5.74	30	Pass	401
849	850	0.051	RMS	849	-30.82	-13	Pass	401
850	860	0.1	RMS	850.125	-35.19	-13	Pass	401




6.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-48.58	-13	Pass	401
823	824	0.1	RMS	824	-32.69	-13	Pass	401
824	834	0.1	RMS	824.575	20.98	30	Pass	401




6.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-33.86	-13	Pass	401
823	824	0.1	RMS	823.998	-30.23	-13	Pass	401
824	834	0.1	RMS	828.275	3.8	30	Pass	401




6.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-49.47	-13	Pass	401
823	824	0.1	RMS	824	-33.64	-13	Pass	401
824	834	0.1	RMS	824.6	20.03	30	Pass	401




6.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-34.14	-13	Pass	401
823	824	0.1	RMS	824	-31.6	-13	Pass	401
824	834	0.1	RMS	829	2.82	30	Pass	401




6.29. LTE Band Edge(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.68	30	Pass	401
849	850	0.1	RMS	849	-33.71	-13	Pass	401
850	860	0.1	RMS	850	-49.97	-13	Pass	401




6.30. LTE Band Edge(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.35	3.7	30	Pass	401
849	850	0.1	RMS	849	-32.92	-13	Pass	401
850	860	0.1	RMS	850.025	-35.65	-13	Pass	401




6.31. LTE Band Edge(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.33	30	Pass	401
849	850	0.1	RMS	849	-33.23	-13	Pass	401
850	860	0.1	RMS	850.025	-50.24	-13	Pass	401



6.32. LTE Band Edge(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.7	2.66	30	Pass	401
849	850	0.1	RMS	849	-33.17	-13	Pass	401
850	860	0.1	RMS	850.1	-36.03	-13	Pass	401



7. LTE_Band7


7.1. LTE Band Edge(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.72	-38.92	-25	Pass	401
2494	2496	1	RMS	2495.99	-31.86	-13	Pass	401
2496	2499	1	RMS	2496	-31.75	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-18.49	-10	Pass	401
2500	2505	0.1	RMS	2500.325	20.53	30	Pass	401




7.2. LTE Band Edge(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-40.69	-25	Pass	401
2494	2496	1	RMS	2496	-30.24	-13	Pass	401
2496	2499	1	RMS	2499	-24.29	-10	Pass	4
2499	2500	0.1	RMS	2499.995	-26.31	-10	Pass	401
2500	2505	0.1	RMS	2501.663	6.46	30	Pass	401




7.3. LTE Band Edge(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2491.768	-45.51	-25	Pass	401
2494	2496	1	RMS	2495.995	-35	-13	Pass	401
2496	2499	1	RMS	2496	-35.78	-10	Pass	4
2499	2500	0.1	RMS	2500	-19.36	-10	Pass	401
2500	2505	0.1	RMS	2500.338	19.26	30	Pass	401




7.4. LTE Band Edge(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-40.45	-25	Pass	401
2494	2496	1	RMS	2496	-32.74	-13	Pass	401
2496	2499	1	RMS	2499	-24.84	-10	Pass	4
2499	2500	0.1	RMS	2500	-27.27	-10	Pass	401
2500	2505	0.1	RMS	2501.7	5.55	30	Pass	401




7.5. LTE Band Edge(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.65	20.93	30	Pass	401
2570	2571	0.1	RMS	2570	-18.2	-10	Pass	401
2571	2575	1	RMS	2571	-36.14	-10	Pass	5
2575	2576	1	RMS	2575.003	-44.26	-13	Pass	401
2576	2595	1	RMS	2578.233	-42.9	-25	Pass	401




7.6. LTE Band Edge(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2568.275	6.59	30	Pass	401
2570	2571	0.1	RMS	2570	-26.3	-10	Pass	401
2571	2575	1	RMS	2572	-23.7	-10	Pass	5
2575	2576	1	RMS	2575.018	-39.09	-13	Pass	401
2576	2595	1	RMS	2576	-40.89	-25	Pass	401




7.7. LTE Band Edge(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	20.44	30	Pass	401
2570	2571	0.1	RMS	2570	-17.86	-10	Pass	401
2571	2575	1	RMS	2574	-38.11	-10	Pass	5
2575	2576	1	RMS	2575.023	-44.55	-13	Pass	401
2576	2595	1	RMS	2578.185	-42.67	-25	Pass	401




7.8. LTE Band Edge(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2567.275	5.9	30	Pass	401
2570	2571	0.1	RMS	2570.003	-26.9	-10	Pass	401
2571	2575	1	RMS	2571	-24.91	-10	Pass	5
2575	2576	1	RMS	2575.035	-38.93	-13	Pass	401
2576	2595	1	RMS	2576	-40.99	-25	Pass	401




7.9. LTE Band Edge(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.025	-44.5	-25	Pass	401
2490	2496	1	RMS	2491.77	-35.02	-13	Pass	401
2496	2499	1	RMS	2499	-39.5	-10	Pass	4
2499	2500	0.2	RMS	2500	-25.51	-10	Pass	401
2500	2510	0.1	RMS	2500.575	20.77	30	Pass	401




7.10. LTE Band Edge(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-43.58	-25	Pass	401
2490	2496	1	RMS	2495.985	-29.14	-13	Pass	401
2496	2499	1	RMS	2499	-25.9	-10	Pass	4
2499	2500	0.2	RMS	2499.995	-28.14	-10	Pass	401
2500	2510	0.1	RMS	2504.275	3.51	30	Pass	401




7.11. LTE Band Edge(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482.838	-45.61	-25	Pass	401
2490	2496	1	RMS	2491.785	-36.61	-13	Pass	401
2496	2499	1	RMS	2499	-40.24	-10	Pass	4
2499	2500	0.2	RMS	2500	-26.13	-10	Pass	401
2500	2510	0.1	RMS	2500.6	19.93	30	Pass	401




7.12. LTE Band Edge(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-43	-25	Pass	401
2490	2496	1	RMS	2496	-29.68	-13	Pass	401
2496	2499	1	RMS	2499	-26.57	-10	Pass	4
2499	2500	0.2	RMS	2500	-29.29	-10	Pass	401
2500	2510	0.1	RMS	2503.975	2.66	30	Pass	401




7.13. LTE Band Edge(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	21.18	30	Pass	401
2570	2571	0.2	RMS	2570.003	-24.95	-10	Pass	401
2571	2575	1	RMS	2571	-38.91	-10	Pass	5
2575	2580	1	RMS	2578.275	-38	-13	Pass	401
2580	2595	1	RMS	2587.125	-41.4	-25	Pass	401




7.14. LTE Band Edge(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2567.55	3.91	30	Pass	401
2570	2571	0.2	RMS	2570	-28.72	-10	Pass	401
2571	2575	1	RMS	2571	-24.79	-10	Pass	5
2575	2580	1	RMS	2575	-28.72	-13	Pass	401
2580	2595	1	RMS	2580	-42.02	-25	Pass	401




7.15. LTE Band Edge(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.46	30	Pass	401
2570	2571	0.2	RMS	2570	-25.5	-10	Pass	401
2571	2575	1	RMS	2574	-38.41	-10	Pass	5
2575	2580	1	RMS	2578.263	-38.08	-13	Pass	401
2580	2595	1	RMS	2586.975	-43.46	-25	Pass	401




7.16. LTE Band Edge(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2566.55	2.81	30	Pass	401
2570	2571	0.2	RMS	2570.005	-30.03	-10	Pass	401
2571	2575	1	RMS	2571	-26.14	-10	Pass	5
2575	2580	1	RMS	2575	-30.1	-13	Pass	401
2580	2595	1	RMS	2580	-41.8	-25	Pass	401




7.17. LTE Band Edge(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.488	-37.05	-25	Pass	401
2490	2496	1	RMS	2494.17	-42.55	-13	Pass	401
2496	2499	1	RMS	2499	-40.06	-10	Pass	4
2499	2500	0.3	RMS	2500	-22.39	-10	Pass	401
2500	2515	0.1	RMS	2500.825	20.66	30	Pass	401




7.18. LTE Band Edge(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-36.36	-25	Pass	401
2490	2496	1	RMS	2496	-31.31	-13	Pass	401
2496	2499	1	RMS	2498	-28.5	-10	Pass	4
2499	2500	0.3	RMS	2500	-31.07	-10	Pass	401
2500	2515	0.1	RMS	2504.538	1.72	30	Pass	401




7.19. LTE Band Edge(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.488	-38.77	-25	Pass	401
2490	2496	1	RMS	2496	-45.16	-13	Pass	401
2496	2499	1	RMS	2499	-40.79	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-22.89	-10	Pass	401
2500	2515	0.1	RMS	2500.863	19.75	30	Pass	401




7.20. LTE Band Edge(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.72	-25	Pass	401
2490	2496	1	RMS	2495.985	-31.79	-13	Pass	401
2496	2499	1	RMS	2498	-29.09	-10	Pass	4
2499	2500	0.3	RMS	2500	-31.66	-10	Pass	401
2500	2515	0.1	RMS	2506.488	0.9	30	Pass	401




7.21. LTE Band Edge(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	21.11	30	Pass	401
2570	2571	0.3	RMS	2570	-22.81	-10	Pass	401
2571	2575	1	RMS	2571	-39.32	-10	Pass	5
2575	2585	1	RMS	2582.525	-38.77	-13	Pass	401
2585	2595	1	RMS	2588.325	-47.16	-25	Pass	401




7.22. LTE Band Edge(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2565.725	2.03	30	Pass	401
2570	2571	0.3	RMS	2570	-29.19	-10	Pass	401
2571	2575	1	RMS	2572	-24.97	-10	Pass	5
2575	2585	1	RMS	2575.025	-29.5	-13	Pass	401
2585	2595	1	RMS	2585	-42.48	-25	Pass	401




7.23. LTE Band Edge(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	20.11	30	Pass	401
2570	2571	0.3	RMS	2570.008	-23.31	-10	Pass	401
2571	2575	1	RMS	2571	-40.31	-10	Pass	5
2575	2585	1	RMS	2582.475	-39.79	-13	Pass	401
2585	2595	1	RMS	2588.35	-47.36	-25	Pass	401




7.24. LTE Band Edge(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2565.463	1.09	30	Pass	401
2570	2571	0.3	RMS	2570.008	-30.56	-10	Pass	401
2571	2575	1	RMS	2572	-26.35	-10	Pass	5
2575	2585	1	RMS	2575	-30.88	-13	Pass	401
2585	2595	1	RMS	2585	-43.01	-25	Pass	401




7.25. LTE Band Edge(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.213	-43.39	-25	Pass	401
2490	2496	1	RMS	2492.205	-43.23	-13	Pass	401
2496	2499	1	RMS	2499	-41.41	-10	Pass	4
2499	2500	0.51	RMS	2500	-22.7	-10	Pass	401
2500	2520	0.1	RMS	2501.1	19.76	30	Pass	401




7.26. LTE Band Edge(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.725	-35.66	-25	Pass	401
2490	2496	1	RMS	2496	-33.29	-13	Pass	401
2496	2499	1	RMS	2499	-30.19	-10	Pass	4
2499	2500	0.51	RMS	2500	-30.7	-10	Pass	401
2500	2520	0.1	RMS	2508.95	0.33	30	Pass	401




7.27. LTE Band Edge(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.288	-43.27	-25	Pass	401
2490	2496	1	RMS	2492.16	-43.6	-13	Pass	401
2496	2499	1	RMS	2499	-41.64	-10	Pass	4
2499	2500	0.51	RMS	2500	-22.05	-10	Pass	401
2500	2520	0.1	RMS	2501.1	19.61	30	Pass	401




7.28. LTE Band Edge(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-36.72	-25	Pass	401
2490	2496	1	RMS	2496	-33.6	-13	Pass	401
2496	2499	1	RMS	2499	-30.58	-10	Pass	4
2499	2500	0.51	RMS	2500	-31.37	-10	Pass	401
2500	2520	0.1	RMS	2509.2	-0.47	30	Pass	401




7.29. LTE Band Edge(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	21.09	30	Pass	401
2570	2571	0.51	RMS	2570.008	-21.69	-10	Pass	401
2571	2575	1	RMS	2571	-40.25	-10	Pass	5
2575	2590	1	RMS	2577.813	-38.79	-13	Pass	401
2590	2595	1	RMS	2590.15	-49.11	-25	Pass	401




7.30. LTE Band Edge(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2565.65	0.7	30	Pass	401
2570	2571	0.51	RMS	2570	-28.62	-10	Pass	401
2571	2575	1	RMS	2571	-27.37	-10	Pass	5
2575	2590	1	RMS	2575.038	-30.58	-13	Pass	401
2590	2595	1	RMS	2590.113	-46	-25	Pass	401




7.31. LTE Band Edge(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	19.54	30	Pass	401
2570	2571	0.51	RMS	2570	-22.38	-10	Pass	401
2571	2575	1	RMS	2571	-40.94	-10	Pass	5
2575	2590	1	RMS	2577.775	-41.11	-13	Pass	401
2590	2595	1	RMS	2590.25	-49.12	-25	Pass	401



7.32. LTE Band Edge(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2562.85	-0.36	30	Pass	401
2570	2571	0.51	RMS	2570	-29.92	-10	Pass	401
2571	2575	1	RMS	2571	-28.6	-10	Pass	5
2575	2590	1	RMS	2575	-31.3	-13	Pass	401
2590	2595	1	RMS	2590.013	-45.94	-25	Pass	401



8. LTE_Band12


8.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.79	-13	Pass	401
698.9	699	0.03	RMS	699	-21.92	-13	Pass	401
699	701	0.1	RMS	699.25	21.28	30	Pass	401




8.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.31	-13	Pass	401
698.9	699	0.03	RMS	699	-27.22	-13	Pass	401
699	701	0.1	RMS	699.29	12.61	30	Pass	401




8.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.16	-13	Pass	401
698.9	699	0.03	RMS	699	-23.4	-13	Pass	401
699	701	0.1	RMS	699.26	20.14	30	Pass	401



8.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.56	-13	Pass	401
698.9	699	0.03	RMS	699	-28.12	-13	Pass	401
699	701	0.1	RMS	700.1	11.85	30	Pass	401




8.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.755	21.08	30	Pass	401
716	716.1	0.03	RMS	716	-22.84	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.4	-13	Pass	401



8.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.915	12.84	30	Pass	401
716	716.1	0.03	RMS	716	-27.08	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.25	-13	Pass	401




8.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.755	20.81	30	Pass	401
716	716.1	0.03	RMS	716	-22.5	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.44	-13	Pass	401




8.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.975	12.17	30	Pass	401
716	716.1	0.03	RMS	716.002	-28.11	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.86	-13	Pass	401




8.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.6	-13	Pass	401
698.9	699	0.03	RMS	698.999	-21.78	-13	Pass	401
699	702	0.1	RMS	699.248	21.02	30	Pass	401




8.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-27.09	-13	Pass	401
698.9	699	0.03	RMS	699	-27.05	-13	Pass	401
699	702	0.1	RMS	700.425	8.95	30	Pass	401




8.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.38	-13	Pass	401
698.9	699	0.03	RMS	699	-22.44	-13	Pass	401
699	702	0.1	RMS	699.24	20.09	30	Pass	401




8.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.23	-13	Pass	401
698.9	699	0.03	RMS	699	-29.58	-13	Pass	401
699	702	0.1	RMS	700.148	7.63	30	Pass	401



8.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	21.07	30	Pass	401
716	716.1	0.03	RMS	716	-20.85	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.55	-13	Pass	401




8.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	714.088	9.2	30	Pass	401
716	716.1	0.03	RMS	716.001	-29.36	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.91	-13	Pass	401



8.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.753	20.49	30	Pass	401
716	716.1	0.03	RMS	716	-22.1	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.93	-13	Pass	401




8.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.855	8.25	30	Pass	401
716	716.1	0.03	RMS	716	-29.17	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.32	-13	Pass	401




8.17. LTE Band Edge(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.33	-13	Pass	401
698.9	699	0.03	RMS	699	-25.13	-13	Pass	401
699	704	0.1	RMS	699.325	20.88	30	Pass	401




8.18. LTE Band Edge(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.21	-13	Pass	401
698.9	699	0.03	RMS	698.999	-30.69	-13	Pass	401
699	704	0.1	RMS	700.65	6.95	30	Pass	401




8.19. LTE Band Edge(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.82	-13	Pass	401
698.9	699	0.03	RMS	699	-25.8	-13	Pass	401
699	704	0.1	RMS	699.35	20.14	30	Pass	401




8.20. LTE Band Edge(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.02	-13	Pass	401
698.9	699	0.03	RMS	699	-31.95	-13	Pass	401
699	704	0.1	RMS	700.688	5.95	30	Pass	401




8.21. LTE Band Edge(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.77	30	Pass	401
716	716.1	0.03	RMS	716.001	-25.95	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.47	-13	Pass	401




8.22. LTE Band Edge(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.888	6.87	30	Pass	401
716	716.1	0.03	RMS	716.002	-32.36	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.4	-13	Pass	401



8.23. LTE Band Edge(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.14	30	Pass	401
716	716.1	0.03	RMS	716	-25.65	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.34	-13	Pass	401




8.24. LTE Band Edge(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.1	5.92	30	Pass	401
716	716.1	0.03	RMS	716.001	-33.04	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.16	-13	Pass	401




8.25. LTE Band Edge(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-39.54	-13	Pass	401
698.9	699	0.03	RMS	699	-39.84	-13	Pass	401
699	709	0.1	RMS	699.6	20.9	30	Pass	401




8.26. LTE Band Edge(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.57	-13	Pass	401
698.9	699	0.03	RMS	699	-35.4	-13	Pass	401
699	709	0.1	RMS	703.275	3.99	30	Pass	401




8.27. LTE Band Edge(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-40.29	-13	Pass	401
698.9	699	0.03	RMS	699	-40.38	-13	Pass	401
699	709	0.1	RMS	699.6	20.07	30	Pass	401




8.28. LTE Band Edge(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.88	-13	Pass	401
698.9	699	0.03	RMS	698.977	-38.05	-13	Pass	401
699	709	0.1	RMS	704.025	2.86	30	Pass	401




8.29. LTE Band Edge(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	21.04	30	Pass	401
716	716.1	0.03	RMS	716	-40.1	-13	Pass	401
716.1	725	0.1	RMS	716.1	-39.79	-13	Pass	401




8.30. LTE Band Edge(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	711.325	4.09	30	Pass	401
716	716.1	0.03	RMS	716	-38.71	-13	Pass	401
716.1	725	0.1	RMS	716.1	-34.25	-13	Pass	401




8.31. LTE Band Edge(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.23	30	Pass	401
716	716.1	0.03	RMS	716	-39.99	-13	Pass	401
716.1	725	0.1	RMS	716.1	-40.81	-13	Pass	401



8.32. LTE Band Edge(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	710.375	3.04	30	Pass	401
716	716.1	0.03	RMS	716	-39.82	-13	Pass	401
716.1	725	0.1	RMS	716.1	-35.79	-13	Pass	401



9. LTE_Band13


9.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.96	-57.29	-35	Pass	1201
775	775.9	0.1	RMS	775.495	-43.51	-13	Pass	401
775.9	776	0.03	RMS	775.995	-47.82	-13	Pass	401
776	788	0.1	RMS	777.35	20.8	30	Pass	401




9.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.26	-43.51	-35	Pass	1201
775	775.9	0.1	RMS	775.875	-32.61	-13	Pass	401
775.9	776	0.03	RMS	775.9	-37.61	-13	Pass	401
776	788	0.1	RMS	779.72	7.06	30	Pass	401




9.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.89	-58.34	-35	Pass	1201
775	775.9	0.1	RMS	775.234	-46.85	-13	Pass	401
775.9	776	0.03	RMS	775.997	-51.42	-13	Pass	401
776	788	0.1	RMS	777.35	20.06	30	Pass	401




9.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.85	-43.44	-35	Pass	1201
775	775.9	0.1	RMS	775.815	-32.77	-13	Pass	401
775.9	776	0.03	RMS	775.931	-37.94	-13	Pass	401
776	788	0.1	RMS	779.84	6.19	30	Pass	401



9.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	20.87	30	Pass	401
788	788.1	0.03	RMS	788.018	-50.45	-13	Pass	401
788.1	793	0.1	RMS	788.112	-45.98	-13	Pass	401
793	805	0.01	RMS	795.42	-70.63	-35	Pass	1201




9.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	783.86	6.76	30	Pass	401
788	788.1	0.03	RMS	788.053	-39.82	-13	Pass	401
788.1	793	0.1	RMS	788.137	-34.96	-13	Pass	401
793	805	0.01	RMS	793.02	-59.96	-35	Pass	1201




9.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	20.44	30	Pass	401
788	788.1	0.03	RMS	788.045	-51.18	-13	Pass	401
788.1	793	0.1	RMS	788.137	-46.64	-13	Pass	401
793	805	0.01	RMS	795.29	-71.37	-35	Pass	1201




9.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	784.28	5.71	30	Pass	401
788	788.1	0.03	RMS	788.1	-39.13	-13	Pass	401
788.1	793	0.1	RMS	788.125	-34.14	-13	Pass	401
793	805	0.01	RMS	793.01	-60.5	-35	Pass	1201




9.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.97	-59.15	-35	Pass	1201
775	775.9	0.1	RMS	775.898	-48.05	-13	Pass	401
775.9	776	0.03	RMS	776	-51.8	-13	Pass	401
776	788	0.1	RMS	777.59	21.15	30	Pass	401




9.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.74	-44.01	-35	Pass	1201
775	775.9	0.1	RMS	775.731	-33.44	-13	Pass	401
775.9	776	0.03	RMS	775.956	-38.57	-13	Pass	401
776	788	0.1	RMS	781.22	4.31	30	Pass	401




9.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.98	-59.09	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-48.56	-13	Pass	401
775.9	776	0.03	RMS	775.986	-52.7	-13	Pass	401
776	788	0.1	RMS	777.59	20.27	30	Pass	401




9.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.5	-44.34	-35	Pass	1201
775	775.9	0.1	RMS	775.893	-34.31	-13	Pass	401
775.9	776	0.03	RMS	775.972	-38.87	-13	Pass	401
776	788	0.1	RMS	780.95	3.1	30	Pass	401



9.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	21.13	30	Pass	401
788	788.1	0.03	RMS	788.036	-51.33	-13	Pass	401
788.1	793	0.1	RMS	788.1	-47.14	-13	Pass	401
793	805	0.01	RMS	795.12	-68.88	-35	Pass	1201




9.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	788.1	0.03	RMS	788.013	-41.25	-13	Pass	401
788.1	793	0.1	RMS	788.259	-36.33	-13	Pass	401
793	805	0.01	RMS	793.23	-52.87	-35	Pass	1201




9.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	20.34	30	Pass	401
788	788.1	0.03	RMS	788.051	-52.14	-13	Pass	401
788.1	793	0.1	RMS	788.1	-47.78	-13	Pass	401
793	805	0.01	RMS	795.16	-68.98	-35	Pass	1201



9.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	788.1	0.03	RMS	788.016	-41.14	-13	Pass	401
788.1	793	0.1	RMS	788.174	-36.13	-13	Pass	401
793	805	0.01	RMS	793.23	-54.36	-35	Pass	1201



10. LTE_Band17


10.1. LTE Band Edge(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-30.23	-13	Pass	401
703.9	704	0.03	RMS	704	-25.88	-13	Pass	401
704	709	0.1	RMS	704.338	20.6	30	Pass	401




10.2. LTE Band Edge(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-29.26	-13	Pass	401
703.9	704	0.03	RMS	703.999	-31.33	-13	Pass	401
704	709	0.1	RMS	705.688	6.75	30	Pass	401




10.3. LTE Band Edge(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.31	-13	Pass	401
703.9	704	0.03	RMS	704	-26.36	-13	Pass	401
704	709	0.1	RMS	704.35	19.8	30	Pass	401




10.4. LTE Band Edge(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-30.96	-13	Pass	401
703.9	704	0.03	RMS	703.999	-32.59	-13	Pass	401
704	709	0.1	RMS	706.813	5.84	30	Pass	401




10.5. LTE Band Edge(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.78	30	Pass	401
716	716.1	0.03	RMS	716.001	-26.1	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.58	-13	Pass	401




10.6. LTE Band Edge(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.863	6.68	30	Pass	401
716	716.1	0.03	RMS	716.001	-32.55	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.95	-13	Pass	401



10.7. LTE Band Edge(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.23	30	Pass	401
716	716.1	0.03	RMS	716	-25.46	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.22	-13	Pass	401




10.8. LTE Band Edge(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.15	5.62	30	Pass	401
716	716.1	0.03	RMS	716.001	-33.48	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.57	-13	Pass	401




10.9. LTE Band Edge(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-39.19	-13	Pass	401
703.9	704	0.03	RMS	704	-39.41	-13	Pass	401
704	714	0.1	RMS	704.575	21.27	30	Pass	401




10.10. LTE Band Edge(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-32.42	-13	Pass	401
703.9	704	0.03	RMS	703.999	-36.08	-13	Pass	401
704	714	0.1	RMS	708.225	4.02	30	Pass	401




10.11. LTE Band Edge(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-40.48	-13	Pass	401
703.9	704	0.03	RMS	704	-40.51	-13	Pass	401
704	714	0.1	RMS	704.6	20.28	30	Pass	401




10.12. LTE Band Edge(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-34.33	-13	Pass	401
703.9	704	0.03	RMS	703.98	-38.39	-13	Pass	401
704	714	0.1	RMS	709	3.08	30	Pass	401




10.13. LTE Band Edge(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.93	30	Pass	401
716	716.1	0.03	RMS	716	-39.99	-13	Pass	401
716.1	725	0.1	RMS	716.1	-40	-13	Pass	401




10.14. LTE Band Edge(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	711.375	3.96	30	Pass	401
716	716.1	0.03	RMS	716.002	-38.88	-13	Pass	401
716.1	725	0.1	RMS	716.1	-34.43	-13	Pass	401




10.15. LTE Band Edge(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.44	30	Pass	401
716	716.1	0.03	RMS	716.001	-39.82	-13	Pass	401
716.1	725	0.1	RMS	716.1	-40.45	-13	Pass	401



10.16. LTE Band Edge(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	710.35	2.88	30	Pass	401
716	716.1	0.03	RMS	716.002	-40.18	-13	Pass	401
716.1	725	0.1	RMS	716.1	-36.35	-13	Pass	401



11. LTE_Band25


11.1. LTE Band Edge(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-34.03	-13	Pass	401
1848	1849	1	RMS	1849	-28.23	-13	Pass	2
1849	1850	0.02	RMS	1850	-25.4	-13	Pass	401
1850	1852	0.1	RMS	1850.25	20.85	30	Pass	401




11.2. LTE Band Edge(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.71	-13	Pass	401
1848	1849	1	RMS	1849	-27.66	-13	Pass	2
1849	1850	0.02	RMS	1850	-30.2	-13	Pass	401
1850	1852	0.1	RMS	1850.285	12.09	30	Pass	401




11.3. LTE Band Edge(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.3	-13	Pass	401
1848	1849	1	RMS	1849	-29.99	-13	Pass	2
1849	1850	0.02	RMS	1850	-26.89	-13	Pass	401
1850	1852	0.1	RMS	1850.26	19.55	30	Pass	401



11.4. LTE Band Edge(NTNV)(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.19	-13	Pass	401
1848	1849	1	RMS	1849	-28.15	-13	Pass	2
1849	1850	0.02	RMS	1849.998	-30.84	-13	Pass	401
1850	1852	0.1	RMS	1851.095	11.03	30	Pass	401




11.5. LTE Band Edge(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.755	20.48	30	Pass	401
1915	1916	0.02	RMS	1915	-26.45	-13	Pass	401
1916	1917	1	RMS	1916	-25.75	-13	Pass	2
1917	1925	1	RMS	1917	-32.86	-13	Pass	401



11.6. LTE Band Edge(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.685	12.03	30	Pass	401
1915	1916	0.02	RMS	1915	-30.78	-13	Pass	401
1916	1917	1	RMS	1916	-26.68	-13	Pass	2
1917	1925	1	RMS	1917	-32.15	-13	Pass	401



11.7. LTE Band Edge(NTNV)(Subtest:7, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.745	20.18	30	Pass	401
1915	1916	0.02	RMS	1915	-26.29	-13	Pass	401
1916	1917	1	RMS	1916	-25.03	-13	Pass	2
1917	1925	1	RMS	1917	-32.88	-13	Pass	401




11.8. LTE Band Edge(NTNV)(Subtest:8, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.335	11.52	30	Pass	401
1915	1916	0.02	RMS	1915	-30.77	-13	Pass	401
1916	1917	1	RMS	1916	-27.13	-13	Pass	2
1917	1925	1	RMS	1917	-32.88	-13	Pass	401




11.9. LTE Band Edge(NTNV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.8	-33.23	-13	Pass	401
1848	1849	1	RMS	1848	-33.04	-13	Pass	2
1849	1850	0.03	RMS	1850	-23.17	-13	Pass	401
1850	1853	0.1	RMS	1850.233	20.61	30	Pass	401




11.10. LTE Band Edge(NTNV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-32.14	-13	Pass	401
1848	1849	1	RMS	1849	-26.93	-13	Pass	2
1849	1850	0.03	RMS	1850	-28.71	-13	Pass	401
1850	1853	0.1	RMS	1851.448	8.19	30	Pass	401




11.11. LTE Band Edge(NTNV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.78	-33.88	-13	Pass	401
1848	1849	1	RMS	1848	-33.84	-13	Pass	2
1849	1850	0.03	RMS	1850	-24.36	-13	Pass	401
1850	1853	0.1	RMS	1850.24	19.52	30	Pass	401




11.12. LTE Band Edge(NTNV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.97	-13	Pass	401
1848	1849	1	RMS	1849	-27	-13	Pass	2
1849	1850	0.03	RMS	1850	-30.38	-13	Pass	401
1850	1853	0.1	RMS	1851.178	7.07	30	Pass	401



11.13. LTE Band Edge(NTNV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	20.54	30	Pass	401
1915	1916	0.03	RMS	1915	-23.48	-13	Pass	401
1916	1917	1	RMS	1917	-31.43	-13	Pass	2
1917	1925	1	RMS	1917.16	-31.59	-13	Pass	401




11.14. LTE Band Edge(NTNV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.073	8.35	30	Pass	401
1915	1916	0.03	RMS	1915	-29.94	-13	Pass	401
1916	1917	1	RMS	1916	-23.39	-13	Pass	2
1917	1925	1	RMS	1917	-26.47	-13	Pass	401




11.15. LTE Band Edge(NTNV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.753	19.84	30	Pass	401
1915	1916	0.03	RMS	1915	-23.8	-13	Pass	401
1916	1917	1	RMS	1917	-31.85	-13	Pass	2
1917	1925	1	RMS	1917.12	-32.08	-13	Pass	401




11.16. LTE Band Edge(NTNV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1912	1915	0.1	RMS	1912.63	7.61	30	Pass	401
1915	1916	0.03	RMS	1915	-30.33	-13	Pass	401
1916	1917	1	RMS	1916	-23.46	-13	Pass	2
1917	1925	1	RMS	1917	-26.84	-13	Pass	401




11.17. LTE Band Edge(NTNV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-35.39	-13	Pass	401
1848	1849	1	RMS	1849	-32.94	-13	Pass	2
1849	1850	0.051	RMS	1850	-23.44	-13	Pass	401
1850	1855	0.1	RMS	1850.338	20.24	30	Pass	401




11.18. LTE Band Edge(NTNV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.27	-13	Pass	401
1848	1849	1	RMS	1849	-28.54	-13	Pass	2
1849	1850	0.051	RMS	1850	-30.16	-13	Pass	401
1850	1855	0.1	RMS	1851.663	6.15	30	Pass	401




11.19. LTE Band Edge(NTNV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.8	-13	Pass	401
1848	1849	1	RMS	1849	-35.02	-13	Pass	2
1849	1850	0.051	RMS	1850	-24.15	-13	Pass	401
1850	1855	0.1	RMS	1850.35	19.36	30	Pass	401




11.20. LTE Band Edge(NTNV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32	-13	Pass	401
1848	1849	1	RMS	1849	-29.62	-13	Pass	2
1849	1850	0.051	RMS	1850	-30.98	-13	Pass	401
1850	1855	0.1	RMS	1851.675	5.14	30	Pass	401



11.21. LTE Band Edge(NTNV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.663	20.23	30	Pass	401
1915	1916	0.051	RMS	1915	-23.86	-13	Pass	401
1916	1917	1	RMS	1916	-32.69	-13	Pass	2
1917	1925	1	RMS	1917	-34.72	-13	Pass	401




11.22. LTE Band Edge(NTNV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1911.875	6.31	30	Pass	401
1915	1916	0.051	RMS	1915.003	-29.98	-13	Pass	401
1916	1917	1	RMS	1916	-22.94	-13	Pass	2
1917	1925	1	RMS	1917	-22.79	-13	Pass	401



11.23. LTE Band Edge(NTNV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.663	19.84	30	Pass	401
1915	1916	0.051	RMS	1915	-23.45	-13	Pass	401
1916	1917	1	RMS	1916	-33.36	-13	Pass	2
1917	1925	1	RMS	1917	-35.13	-13	Pass	401




11.24. LTE Band Edge(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	0.1	RMS	1912.25	5.45	30	Pass	401
1915	1916	0.051	RMS	1915	-31.01	-13	Pass	401
1916	1917	1	RMS	1916	-24.17	-13	Pass	2
1917	1925	1	RMS	1917	-24.11	-13	Pass	401




11.25. LTE Band Edge(NTNV)(Subtest:25, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-35.81	-13	Pass	401
1848	1849	1	RMS	1849	-33.97	-13	Pass	2
1849	1850	0.1	RMS	1850	-33.6	-13	Pass	401
1850	1860	0.1	RMS	1850.6	20.39	30	Pass	401




11.26. LTE Band Edge(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-32.97	-13	Pass	401
1848	1849	1	RMS	1849	-32.05	-13	Pass	2
1849	1850	0.1	RMS	1849.995	-34.2	-13	Pass	401
1850	1860	0.1	RMS	1854.25	3.14	30	Pass	401




11.27. LTE Band Edge(NTNV)(Subtest:27, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-36.77	-13	Pass	401
1848	1849	1	RMS	1849	-34.85	-13	Pass	2
1849	1850	0.1	RMS	1850	-34.2	-13	Pass	401
1850	1860	0.1	RMS	1850.6	19.47	30	Pass	401




11.28. LTE Band Edge(NTNV)(Subtest:28, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1846.66	-32.04	-13	Pass	401
1848	1849	1	RMS	1849	-31.58	-13	Pass	2
1849	1850	0.1	RMS	1850	-35.2	-13	Pass	401
1850	1860	0.1	RMS	1855	2.1	30	Pass	401



11.29. LTE Band Edge(NTNV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	20.45	30	Pass	401
1915	1916	0.1	RMS	1915	-33.14	-13	Pass	401
1916	1917	1	RMS	1916	-33.93	-13	Pass	2
1917	1925	1	RMS	1917	-35.69	-13	Pass	401




11.30. LTE Band Edge(NTNV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1908.875	3.53	30	Pass	401
1915	1916	0.1	RMS	1915	-34.06	-13	Pass	401
1916	1917	1	RMS	1916	-26.91	-13	Pass	2
1917	1925	1	RMS	1917	-27.37	-13	Pass	401




11.31. LTE Band Edge(NTNV)(Subtest:31, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	20.09	30	Pass	401
1915	1916	0.1	RMS	1915	-33.19	-13	Pass	401
1916	1917	1	RMS	1916	-34.22	-13	Pass	2
1917	1925	1	RMS	1917	-35.88	-13	Pass	401




11.32. LTE Band Edge(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1915	0.1	RMS	1908.225	2.46	30	Pass	401
1915	1916	0.1	RMS	1915.005	-34.81	-13	Pass	401
1916	1917	1	RMS	1916	-27.94	-13	Pass	2
1917	1925	1	RMS	1917	-28.07	-13	Pass	401




11.33. LTE Band Edge(NTNV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-36.39	-13	Pass	401
1848	1849	1	RMS	1849	-34.02	-13	Pass	2
1849	1850	0.15	RMS	1850	-29.38	-13	Pass	401
1850	1865	0.1	RMS	1850.825	20.3	30	Pass	401




11.34. LTE Band Edge(NTNV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.72	-33.9	-13	Pass	401
1848	1849	1	RMS	1848	-34.29	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-37.94	-13	Pass	401
1850	1865	0.1	RMS	1854.575	1.42	30	Pass	401




11.35. LTE Band Edge(NTNV)(Subtest:35, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.35	-13	Pass	401
1848	1849	1	RMS	1849	-34.96	-13	Pass	2
1849	1850	0.15	RMS	1849.998	-29.91	-13	Pass	401
1850	1865	0.1	RMS	1850.825	19.3	30	Pass	401




11.36. LTE Band Edge(NTNV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-32.16	-13	Pass	401
1848	1849	1	RMS	1848	-32.23	-13	Pass	2
1849	1850	0.15	RMS	1849.995	-37.68	-13	Pass	401
1850	1865	0.1	RMS	1856.488	0.42	30	Pass	401




11.37. LTE Band Edge(NTNV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	20.35	30	Pass	401
1915	1916	0.15	RMS	1915	-29.5	-13	Pass	401
1916	1917	1	RMS	1916	-34.07	-13	Pass	2
1917	1925	1	RMS	1917	-36.55	-13	Pass	401




11.38. LTE Band Edge(NTNV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1906.188	2.07	30	Pass	401
1915	1916	0.15	RMS	1915.305	-35.04	-13	Pass	401
1916	1917	1	RMS	1917	-27.72	-13	Pass	2
1917	1925	1	RMS	1917.28	-27.51	-13	Pass	401




11.39. LTE Band Edge(NTNV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	20.11	30	Pass	401
1915	1916	0.15	RMS	1915.003	-28.95	-13	Pass	401
1916	1917	1	RMS	1916	-34.16	-13	Pass	2
1917	1925	1	RMS	1917.02	-36.62	-13	Pass	401




11.40. LTE Band Edge(NTNV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1915	0.1	RMS	1906.113	1.13	30	Pass	401
1915	1916	0.15	RMS	1915.005	-36.07	-13	Pass	401
1916	1917	1	RMS	1917	-28.95	-13	Pass	2
1917	1925	1	RMS	1917	-29.39	-13	Pass	401




11.41. LTE Band Edge(NTNV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.4	-13	Pass	401
1848	1849	1	RMS	1849	-35.04	-13	Pass	2
1849	1850	0.2	RMS	1850	-32.94	-13	Pass	401
1850	1870	0.1	RMS	1851.1	20.08	30	Pass	401




11.42. LTE Band Edge(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1840.3	-36.73	-13	Pass	401
1848	1849	1	RMS	1849	-36.71	-13	Pass	2
1849	1850	0.2	RMS	1850	-40.74	-13	Pass	401
1850	1870	0.1	RMS	1862.8	-0.04	30	Pass	401




11.43. LTE Band Edge(NTNV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.49	-13	Pass	401
1848	1849	1	RMS	1849	-35.33	-13	Pass	2
1849	1850	0.2	RMS	1850	-32.45	-13	Pass	401
1850	1870	0.1	RMS	1851.1	19.77	30	Pass	401




11.44. LTE Band Edge(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.9	-34.7	-13	Pass	401
1848	1849	1	RMS	1849	-34.76	-13	Pass	2
1849	1850	0.2	RMS	1849.993	-39.5	-13	Pass	401
1850	1870	0.1	RMS	1862.95	-0.82	30	Pass	401




11.45. LTE Band Edge(NTNV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	20.39	30	Pass	401
1915	1916	0.2	RMS	1915.005	-32.29	-13	Pass	401
1916	1917	1	RMS	1916	-34.49	-13	Pass	2
1917	1925	1	RMS	1917	-37.16	-13	Pass	401




11.46. LTE Band Edge(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1904	0.66	30	Pass	401
1915	1916	0.2	RMS	1915.008	-34.96	-13	Pass	401
1916	1917	1	RMS	1916	-29.14	-13	Pass	2
1917	1925	1	RMS	1917	-29.79	-13	Pass	401




11.47. LTE Band Edge(NTNV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	19.36	30	Pass	401
1915	1916	0.2	RMS	1915	-32.6	-13	Pass	401
1916	1917	1	RMS	1916	-35.24	-13	Pass	2
1917	1925	1	RMS	1917	-37.95	-13	Pass	401



11.48. LTE Band Edge(NTNV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	0.1	RMS	1906.05	-0.32	30	Pass	401
1915	1916	0.2	RMS	1915.005	-36.64	-13	Pass	401
1916	1917	1	RMS	1916	-30.47	-13	Pass	2
1917	1925	1	RMS	1917.02	-30.95	-13	Pass	401



12. LTE_Band41 full


12.1. LTE Band Edge(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.625	-46.78	-25	Pass	401
2490	2495	1	RMS	2495	-32.51	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-25.21	-13	Pass	401
2496	2501	0.1	RMS	2496.313	16.85	30	Pass	401




12.2. LTE Band Edge(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-42.1	-25	Pass	401
2490	2495	1	RMS	2495	-27.25	-13	Pass	6
2495	2496	0.051	RMS	2496	-33.44	-13	Pass	401
2496	2501	0.1	RMS	2498.913	2.44	30	Pass	401




12.3. LTE Band Edge(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.4	-46.34	-25	Pass	401
2490	2495	1	RMS	2495	-29.72	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-26.51	-13	Pass	401
2496	2501	0.1	RMS	2496.35	15.94	30	Pass	401




12.4. LTE Band Edge(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-43.03	-25	Pass	401
2490	2495	1	RMS	2495	-29.15	-13	Pass	6
2495	2496	0.051	RMS	2495.998	-36.75	-13	Pass	401
2496	2501	0.1	RMS	2498.213	0.94	30	Pass	401




12.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	16.33	30	Pass	401
2690	2691	0.051	RMS	2690.003	-25.1	-10	Pass	401
2691	2695	1	RMS	2691	-29.75	-10	Pass	5
2695	2696	1	RMS	2695.003	-41.27	-13	Pass	401
2696	2715	1	RMS	2696.048	-44.9	-25	Pass	401




12.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2686.688	2.52	30	Pass	401
2690	2691	0.1	RMS	2690	-29.27	-10	Pass	401
2691	2695	1	RMS	2691	-29.12	-10	Pass	5
2695	2696	1	RMS	2695.015	-39.29	-13	Pass	401
2696	2715	1	RMS	2696	-40.97	-25	Pass	401



12.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	15.6	30	Pass	401
2690	2691	0.1	RMS	2690	-22.02	-10	Pass	401
2691	2695	1	RMS	2691	-30.94	-10	Pass	5
2695	2696	1	RMS	2695.008	-41.8	-13	Pass	401
2696	2715	1	RMS	2696	-45.14	-25	Pass	401




12.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.338	1.65	30	Pass	401
2690	2691	0.1	RMS	2690.003	-30.57	-10	Pass	401
2691	2695	1	RMS	2691	-29.87	-10	Pass	5
2695	2696	1	RMS	2695.003	-38.5	-13	Pass	401
2696	2715	1	RMS	2696.048	-40.57	-25	Pass	401




12.9. LTE Band Edge(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.75	-39.79	-25	Pass	401
2490	2495	1	RMS	2495	-34.44	-13	Pass	6
2495	2496	0.1	RMS	2496	-32.57	-13	Pass	401
2496	2506	0.1	RMS	2496.6	16.98	30	Pass	401




12.10. LTE Band Edge(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-35.4	-25	Pass	401
2490	2495	1	RMS	2495	-28.29	-13	Pass	6
2495	2496	0.1	RMS	2495.993	-34.3	-13	Pass	401
2496	2506	0.1	RMS	2500.225	-0.19	30	Pass	401




12.11. LTE Band Edge(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.825	-42.17	-25	Pass	401
2490	2495	1	RMS	2495	-32.46	-13	Pass	6
2495	2496	0.1	RMS	2496	-33.42	-13	Pass	401
2496	2506	0.1	RMS	2496.575	15.62	30	Pass	401




12.12. LTE Band Edge(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-35.62	-25	Pass	401
2490	2495	1	RMS	2495	-29.98	-13	Pass	6
2495	2496	0.1	RMS	2495.998	-35.91	-13	Pass	401
2496	2506	0.1	RMS	2501	-1.26	30	Pass	401




12.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	17.43	30	Pass	401
2690	2691	0.2	RMS	2690.008	-27.12	-10	Pass	401
2691	2695	1	RMS	2691	-33.24	-10	Pass	5
2695	2700	1	RMS	2698.238	-36.25	-13	Pass	401
2700	2715	1	RMS	2708.475	-46.83	-25	Pass	401




12.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.8	0.14	30	Pass	401
2690	2691	0.2	RMS	2690	-32.29	-10	Pass	401
2691	2695	1	RMS	2691	-29.95	-10	Pass	5
2695	2700	1	RMS	2695.038	-32.13	-13	Pass	401
2700	2715	1	RMS	2700	-41.75	-25	Pass	401




12.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	16.81	30	Pass	401
2690	2691	0.2	RMS	2690	-27.48	-10	Pass	401
2691	2695	1	RMS	2691	-34.6	-10	Pass	5
2695	2700	1	RMS	2698.213	-36.35	-13	Pass	401
2700	2715	1	RMS	2706.9	-47	-25	Pass	401




12.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2685.425	-0.75	30	Pass	401
2690	2691	0.2	RMS	2690	-34.56	-10	Pass	401
2691	2695	1	RMS	2691	-31.58	-10	Pass	5
2695	2700	1	RMS	2695	-32.69	-13	Pass	401
2700	2715	1	RMS	2700	-42.12	-25	Pass	401




12.17. LTE Band Edge(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.438	-40.53	-25	Pass	401
2490	2495	1	RMS	2495	-32.58	-13	Pass	6
2495	2496	0.15	RMS	2495.995	-30.1	-13	Pass	401
2496	2511	0.1	RMS	2496.863	16.21	30	Pass	401




12.18. LTE Band Edge(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-35.75	-25	Pass	401
2490	2495	1	RMS	2495	-29.97	-13	Pass	6
2495	2496	0.15	RMS	2495.983	-35.55	-13	Pass	401
2496	2511	0.1	RMS	2502.413	-2.26	30	Pass	401




12.19. LTE Band Edge(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2483.588	-42.12	-25	Pass	401
2490	2495	1	RMS	2495	-31.83	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-31.29	-13	Pass	401
2496	2511	0.1	RMS	2496.825	14.93	30	Pass	401




12.20. LTE Band Edge(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-35.98	-25	Pass	401
2490	2495	1	RMS	2495	-30.69	-13	Pass	6
2495	2496	0.15	RMS	2495.993	-36.82	-13	Pass	401
2496	2511	0.1	RMS	2502.488	-2.96	30	Pass	401




12.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	17.41	30	Pass	401
2690	2691	0.3	RMS	2690.005	-25.53	-10	Pass	401
2691	2695	1	RMS	2691	-32.1	-10	Pass	5
2695	2705	1	RMS	2702.5	-36.6	-13	Pass	401
2705	2715	1	RMS	2708.375	-47.19	-25	Pass	401




12.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2684.075	-2.11	30	Pass	401
2690	2691	0.3	RMS	2690.01	-33.28	-10	Pass	401
2691	2695	1	RMS	2692	-29.98	-10	Pass	5
2695	2705	1	RMS	2695.05	-33.87	-13	Pass	401
2705	2715	1	RMS	2705	-42.21	-25	Pass	401



12.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	16.79	30	Pass	401
2690	2691	0.3	RMS	2690.008	-26.13	-10	Pass	401
2691	2695	1	RMS	2691	-34.02	-10	Pass	5
2695	2705	1	RMS	2702.475	-36.91	-13	Pass	401
2705	2715	1	RMS	2708.275	-47.4	-25	Pass	401




12.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2683.138	-2.76	30	Pass	401
2690	2691	0.3	RMS	2690.013	-34.9	-10	Pass	401
2691	2695	1	RMS	2692	-31.61	-10	Pass	5
2695	2705	1	RMS	2695	-33.4	-13	Pass	401
2705	2715	1	RMS	2705.025	-43	-25	Pass	401




12.25. LTE Band Edge(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2479.275	-42.45	-25	Pass	401
2490	2495	1	RMS	2495	-35.1	-13	Pass	6
2495	2496	0.2	RMS	2496	-32.6	-13	Pass	401
2496	2516	0.1	RMS	2497.1	16.02	30	Pass	401




12.26. LTE Band Edge(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-35.94	-25	Pass	401
2490	2495	1	RMS	2495	-32.2	-13	Pass	6
2495	2496	0.2	RMS	2496	-37.62	-13	Pass	401
2496	2516	0.1	RMS	2503.85	-3.46	30	Pass	401




12.27. LTE Band Edge(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2479.238	-42.19	-25	Pass	401
2490	2495	1	RMS	2495	-34.28	-13	Pass	6
2495	2496	0.2	RMS	2495.993	-32.02	-13	Pass	401
2496	2516	0.1	RMS	2497.05	15.18	30	Pass	401




12.28. LTE Band Edge(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-36.66	-25	Pass	401
2490	2495	1	RMS	2495	-33.41	-13	Pass	6
2495	2496	0.2	RMS	2495.955	-38.78	-13	Pass	401
2496	2516	0.1	RMS	2505.25	-4.77	30	Pass	401




12.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	17.31	30	Pass	401
2690	2691	0.51	RMS	2690.003	-24.68	-10	Pass	401
2691	2695	1	RMS	2691	-34.62	-10	Pass	5
2695	2710	1	RMS	2706.7	-38.36	-13	Pass	401
2710	2715	1	RMS	2710.163	-48.13	-25	Pass	401




12.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2683	-2.65	30	Pass	401
2690	2691	0.51	RMS	2690.003	-33.78	-10	Pass	401
2691	2695	1	RMS	2691	-33.23	-10	Pass	5
2695	2710	1	RMS	2695	-35.37	-13	Pass	401
2710	2715	1	RMS	2710.063	-44.79	-25	Pass	401




12.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	15.75	30	Pass	401
2690	2691	0.51	RMS	2690.008	-25.08	-10	Pass	401
2691	2695	1	RMS	2691	-34.46	-10	Pass	5
2695	2710	1	RMS	2697.813	-40.61	-13	Pass	401
2710	2715	1	RMS	2710.2	-48.1	-25	Pass	401



12.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2678.3	-4.29	30	Pass	401
2690	2691	0.51	RMS	2690	-34.28	-10	Pass	401
2691	2695	1	RMS	2691	-33.72	-10	Pass	5
2695	2710	1	RMS	2695.038	-35.6	-13	Pass	401
2710	2715	1	RMS	2710.038	-44.52	-25	Pass	401



13. LTE_Band66


13.1. LTE Band Edge(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-36.32	-13	Pass	401
1708	1709	1	RMS	1709	-30.66	-13	Pass	2
1709	1710	0.02	RMS	1710	-24.48	-13	Pass	401
1710	1712	0.1	RMS	1710.255	21.17	30	Pass	401




13.2. LTE Band Edge(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-33.92	-13	Pass	401
1708	1709	1	RMS	1709	-26.31	-13	Pass	2
1709	1710	0.02	RMS	1710	-29.32	-13	Pass	401
1710	1712	0.1	RMS	1710.275	12.26	30	Pass	401




13.3. LTE Band Edge(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-37.77	-13	Pass	401
1708	1709	1	RMS	1709	-32.53	-13	Pass	2
1709	1710	0.02	RMS	1710	-25.93	-13	Pass	401
1710	1712	0.1	RMS	1710.255	19.91	30	Pass	401



13.4. LTE Band Edge(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-34.26	-13	Pass	401
1708	1709	1	RMS	1709	-26.58	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-29.83	-13	Pass	401
1710	1712	0.1	RMS	1711.12	11.41	30	Pass	401




13.5. LTE Band Edge(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.745	20.63	30	Pass	401
1780	1781	0.02	RMS	1780	-26.44	-13	Pass	401
1781	1782	1	RMS	1781	-26.58	-13	Pass	2
1782	1790	1	RMS	1782	-36.08	-13	Pass	401



13.6. LTE Band Edge(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.925	12.07	30	Pass	401
1780	1781	0.02	RMS	1780	-31.5	-13	Pass	401
1781	1782	1	RMS	1781	-29.23	-13	Pass	2
1782	1790	1	RMS	1782	-33.69	-13	Pass	401




13.7. LTE Band Edge(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	20.19	30	Pass	401
1780	1781	0.02	RMS	1780	-26.1	-13	Pass	401
1781	1782	1	RMS	1781	-26.73	-13	Pass	2
1782	1790	1	RMS	1782	-36.36	-13	Pass	401




13.8. LTE Band Edge(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1778.965	11.49	30	Pass	401
1780	1781	0.02	RMS	1780	-32.38	-13	Pass	401
1781	1782	1	RMS	1781	-29.72	-13	Pass	2
1782	1790	1	RMS	1782	-34.35	-13	Pass	401




13.9. LTE Band Edge(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-35.52	-13	Pass	401
1708	1709	1	RMS	1709	-34.24	-13	Pass	2
1709	1710	0.03	RMS	1710	-22.43	-13	Pass	401
1710	1713	0.1	RMS	1710.24	20.83	30	Pass	401




13.10. LTE Band Edge(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.36	-13	Pass	401
1708	1709	1	RMS	1709	-24.12	-13	Pass	2
1709	1710	0.03	RMS	1710	-28.24	-13	Pass	401
1710	1713	0.1	RMS	1712.708	8.44	30	Pass	401




13.11. LTE Band Edge(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-36.59	-13	Pass	401
1708	1709	1	RMS	1709	-35.53	-13	Pass	2
1709	1710	0.03	RMS	1710	-23.86	-13	Pass	401
1710	1713	0.1	RMS	1710.233	19.69	30	Pass	401




13.12. LTE Band Edge(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.39	-13	Pass	401
1708	1709	1	RMS	1709	-23.98	-13	Pass	2
1709	1710	0.03	RMS	1710	-29.94	-13	Pass	401
1710	1713	0.1	RMS	1712.415	7.35	30	Pass	401



13.13. LTE Band Edge(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	20.64	30	Pass	401
1780	1781	0.03	RMS	1780	-23.68	-13	Pass	401
1781	1782	1	RMS	1781	-33.85	-13	Pass	2
1782	1790	1	RMS	1782.08	-34.67	-13	Pass	401




13.14. LTE Band Edge(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.073	8.38	30	Pass	401
1780	1781	0.03	RMS	1780	-30.58	-13	Pass	401
1781	1782	1	RMS	1781	-25.74	-13	Pass	2
1782	1790	1	RMS	1782	-28.74	-13	Pass	401




13.15. LTE Band Edge(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.768	19.8	30	Pass	401
1780	1781	0.03	RMS	1780	-23.8	-13	Pass	401
1781	1782	1	RMS	1781	-34.65	-13	Pass	2
1782	1790	1	RMS	1782.04	-35.12	-13	Pass	401




13.16. LTE Band Edge(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.59	7.51	30	Pass	401
1780	1781	0.03	RMS	1780	-30.72	-13	Pass	401
1781	1782	1	RMS	1781	-27.04	-13	Pass	2
1782	1790	1	RMS	1782	-29.95	-13	Pass	401




13.17. LTE Band Edge(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.82	-13	Pass	401
1708	1709	1	RMS	1709	-32.77	-13	Pass	2
1709	1710	0.01	RMS	1710	-31.23	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.33	30	Pass	401




13.18. LTE Band Edge(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.4	-13	Pass	401
1708	1709	1	RMS	1709	-27.28	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-30.14	-13	Pass	401
1710	1715	0.1	RMS	1713.338	6.35	30	Pass	401




13.19. LTE Band Edge(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-37.87	-13	Pass	401
1708	1709	1	RMS	1709	-35.95	-13	Pass	2
1709	1710	0.01	RMS	1710	-31.56	-13	Pass	401
1710	1715	0.1	RMS	1710.35	19.51	30	Pass	401




13.20. LTE Band Edge(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-30.44	-13	Pass	401
1708	1709	1	RMS	1709	-26.79	-13	Pass	2
1709	1710	0.051	RMS	1710	-30.7	-13	Pass	401
1710	1715	0.1	RMS	1713.325	5.43	30	Pass	401




13.21. LTE Band Edge(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	20.34	30	Pass	401
1780	1781	0.01	RMS	1780	-31.11	-13	Pass	401
1781	1782	1	RMS	1781	-34.7	-13	Pass	2
1782	1790	1	RMS	1782.02	-36.52	-13	Pass	401




13.22. LTE Band Edge(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.863	6.19	30	Pass	401
1780	1781	0.051	RMS	1780.005	-30.41	-13	Pass	401
1781	1782	1	RMS	1781	-24.71	-13	Pass	2
1782	1790	1	RMS	1782	-25.17	-13	Pass	401



13.23. LTE Band Edge(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	19.81	30	Pass	401
1780	1781	0.01	RMS	1780	-31.09	-13	Pass	401
1781	1782	1	RMS	1781	-35.55	-13	Pass	2
1782	1790	1	RMS	1782	-37.2	-13	Pass	401




13.24. LTE Band Edge(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1777.25	5.43	30	Pass	401
1780	1781	0.051	RMS	1780	-31.05	-13	Pass	401
1781	1782	1	RMS	1781	-25.73	-13	Pass	2
1782	1790	1	RMS	1782	-26.36	-13	Pass	401




13.25. LTE Band Edge(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.1	-13	Pass	401
1708	1709	1	RMS	1709	-35.83	-13	Pass	2
1709	1710	0.1	RMS	1710	-33.67	-13	Pass	401
1710	1720	0.1	RMS	1710.575	20.7	30	Pass	401




13.26. LTE Band Edge(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-33.01	-13	Pass	401
1708	1709	1	RMS	1709	-31.52	-13	Pass	2
1709	1710	0.1	RMS	1709.993	-34.37	-13	Pass	401
1710	1720	0.1	RMS	1714.225	3.41	30	Pass	401




13.27. LTE Band Edge(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-38.93	-13	Pass	401
1708	1709	1	RMS	1709	-36.69	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-34.1	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.84	30	Pass	401




13.28. LTE Band Edge(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.61	-13	Pass	401
1708	1709	1	RMS	1709	-30.4	-13	Pass	2
1709	1710	0.1	RMS	1710	-34.88	-13	Pass	401
1710	1720	0.1	RMS	1715	2.42	30	Pass	401




13.29. LTE Band Edge(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	20.44	30	Pass	401
1780	1781	0.1	RMS	1780	-33.64	-13	Pass	401
1781	1782	1	RMS	1781	-35.85	-13	Pass	2
1782	1790	1	RMS	1782	-38.14	-13	Pass	401




13.30. LTE Band Edge(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1775.325	3.26	30	Pass	401
1780	1781	0.1	RMS	1780	-34.43	-13	Pass	401
1781	1782	1	RMS	1781	-28.77	-13	Pass	2
1782	1790	1	RMS	1782.04	-29.27	-13	Pass	401




13.31. LTE Band Edge(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.425	20.04	30	Pass	401
1780	1781	0.1	RMS	1780	-33.8	-13	Pass	401
1781	1782	1	RMS	1781	-36.12	-13	Pass	2
1782	1790	1	RMS	1782	-38.17	-13	Pass	401




13.32. LTE Band Edge(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1774.7	2.41	30	Pass	401
1780	1781	0.1	RMS	1780	-35.65	-13	Pass	401
1781	1782	1	RMS	1781	-30.13	-13	Pass	2
1782	1790	1	RMS	1782	-30.7	-13	Pass	401




13.33. LTE Band Edge(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-38.78	-13	Pass	401
1708	1709	1	RMS	1709	-36.52	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-29.74	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.71	30	Pass	401




13.34. LTE Band Edge(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.86	-31.3	-13	Pass	401
1708	1709	1	RMS	1708	-31.67	-13	Pass	2
1709	1710	0.15	RMS	1709.995	-36.94	-13	Pass	401
1710	1725	0.1	RMS	1720.725	1.74	30	Pass	401




13.35. LTE Band Edge(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-39.31	-13	Pass	401
1708	1709	1	RMS	1709	-37.3	-13	Pass	2
1709	1710	0.15	RMS	1710	-29.93	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.62	30	Pass	401




13.36. LTE Band Edge(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.66	-30.57	-13	Pass	401
1708	1709	1	RMS	1708	-30.85	-13	Pass	2
1709	1710	0.15	RMS	1709.993	-37.01	-13	Pass	401
1710	1725	0.1	RMS	1718.738	0.72	30	Pass	401




13.37. LTE Band Edge(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	20.41	30	Pass	401
1780	1781	0.15	RMS	1780	-29.52	-13	Pass	401
1781	1782	1	RMS	1781	-35.99	-13	Pass	2
1782	1790	1	RMS	1782.02	-38.6	-13	Pass	401




13.38. LTE Band Edge(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1771.788	1.76	30	Pass	401
1780	1781	0.15	RMS	1780	-36.9	-13	Pass	401
1781	1782	1	RMS	1781	-32.07	-13	Pass	2
1782	1790	1	RMS	1782.06	-31.92	-13	Pass	401




13.39. LTE Band Edge(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	19.56	30	Pass	401
1780	1781	0.15	RMS	1780.003	-29.84	-13	Pass	401
1781	1782	1	RMS	1781	-36.84	-13	Pass	2
1782	1790	1	RMS	1782	-39.25	-13	Pass	401




13.40. LTE Band Edge(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1771.113	0.72	30	Pass	401
1780	1781	0.15	RMS	1780	-37.47	-13	Pass	401
1781	1782	1	RMS	1782	-32.56	-13	Pass	2
1782	1790	1	RMS	1782	-31.91	-13	Pass	401




13.41. LTE Band Edge(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-39.76	-13	Pass	401
1708	1709	1	RMS	1709	-37.48	-13	Pass	2
1709	1710	0.2	RMS	1710	-33.63	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.36	30	Pass	401




13.42. LTE Band Edge(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.77	-13	Pass	401
1708	1709	1	RMS	1709	-33.76	-13	Pass	2
1709	1710	0.2	RMS	1710	-38.18	-13	Pass	401
1710	1730	0.1	RMS	1721.7	0.58	30	Pass	401




13.43. LTE Band Edge(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-40.55	-13	Pass	401
1708	1709	1	RMS	1709	-38.21	-13	Pass	2
1709	1710	0.2	RMS	1710	-33.31	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.59	30	Pass	401




13.44. LTE Band Edge(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.39	-13	Pass	401
1708	1709	1	RMS	1709	-32.8	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-37.76	-13	Pass	401
1710	1730	0.1	RMS	1723	-0.33	30	Pass	401




13.45. LTE Band Edge(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.84	30	Pass	401
1780	1781	0.2	RMS	1780	-32.3	-13	Pass	401
1781	1782	1	RMS	1781	-36.2	-13	Pass	2
1782	1790	1	RMS	1782	-38.94	-13	Pass	401




13.46. LTE Band Edge(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1769.65	0.47	30	Pass	401
1780	1781	0.2	RMS	1780.003	-37.62	-13	Pass	401
1781	1782	1	RMS	1781	-32.42	-13	Pass	2
1782	1790	1	RMS	1782	-33.17	-13	Pass	401




13.47. LTE Band Edge(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.24	30	Pass	401
1780	1781	0.2	RMS	1780.003	-33.36	-13	Pass	401
1781	1782	1	RMS	1781	-37.49	-13	Pass	2
1782	1790	1	RMS	1782	-40.18	-13	Pass	401



13.48. LTE Band Edge(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1771.05	-0.59	30	Pass	401
1780	1781	0.2	RMS	1780.003	-37.92	-13	Pass	401
1781	1782	1	RMS	1781	-32.48	-13	Pass	2
1782	1790	1	RMS	1782.04	-32.93	-13	Pass	401



14. LTE_Band71


14.1. LTE Band Edge(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-29.84	-13	Pass	401
662.9	663	0.03	RMS	663	-25.29	-13	Pass	401
663	668	0.1	RMS	663.338	20.82	30	Pass	401




14.2. LTE Band Edge(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-29.48	-13	Pass	401
662.9	663	0.03	RMS	663	-31.35	-13	Pass	401
663	668	0.1	RMS	664.675	6.89	30	Pass	401




14.3. LTE Band Edge(NTNV)(Subtest:3, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-30.59	-13	Pass	401
662.9	663	0.03	RMS	663	-26.28	-13	Pass	401
663	668	0.1	RMS	663.338	19.6	30	Pass	401




14.4. LTE Band Edge(NTNV)(Subtest:4, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-31.07	-13	Pass	401
662.9	663	0.03	RMS	663	-32.54	-13	Pass	401
663	668	0.1	RMS	664.675	5.95	30	Pass	401



14.5. LTE Band Edge(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	697.663	21.06	30	Pass	401
698	698.1	0.03	RMS	698	-25.73	-13	Pass	401
698.1	710	0.1	RMS	698.1	-30.41	-13	Pass	401




14.6. LTE Band Edge(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	694.85	6.77	30	Pass	401
698	698.1	0.03	RMS	698.001	-32.09	-13	Pass	401
698.1	710	0.1	RMS	698.1	-31.44	-13	Pass	401



14.7. LTE Band Edge(NTNV)(Subtest:7, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	697.663	20.13	30	Pass	401
698	698.1	0.03	RMS	698	-25.91	-13	Pass	401
698.1	710	0.1	RMS	698.1	-30.41	-13	Pass	401




14.8. LTE Band Edge(NTNV)(Subtest:8, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	695.25	5.92	30	Pass	401
698	698.1	0.03	RMS	698.001	-32.7	-13	Pass	401
698.1	710	0.1	RMS	698.1	-32.65	-13	Pass	401




14.9. LTE Band Edge(NTNV)(Subtest:9, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-40.03	-13	Pass	401
662.9	663	0.03	RMS	663	-40.1	-13	Pass	401
663	673	0.1	RMS	663.575	21.01	30	Pass	401




14.10. LTE Band Edge(NTNV)(Subtest:10, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-32.82	-13	Pass	401
662.9	663	0.03	RMS	662.999	-36.52	-13	Pass	401
663	673	0.1	RMS	671.025	4.03	30	Pass	401




14.11. LTE Band Edge(NTNV)(Subtest:11, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-40.98	-13	Pass	401
662.9	663	0.03	RMS	662.999	-40.16	-13	Pass	401
663	673	0.1	RMS	663.6	20.26	30	Pass	401




14.12. LTE Band Edge(NTNV)(Subtest:12, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-34.63	-13	Pass	401
662.9	663	0.03	RMS	662.98	-38.72	-13	Pass	401
663	673	0.1	RMS	669.6	2.89	30	Pass	401




14.13. LTE Band Edge(NTNV)(Subtest:13, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	697.425	21.13	30	Pass	401
698	698.1	0.03	RMS	698.001	-39.81	-13	Pass	401
698.1	710	0.1	RMS	698.1	-39.64	-13	Pass	401




14.14. LTE Band Edge(NTNV)(Subtest:14, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	690.45	3.91	30	Pass	401
698	698.1	0.03	RMS	698.004	-38.4	-13	Pass	401
698.1	710	0.1	RMS	698.1	-34.28	-13	Pass	401




14.15. LTE Band Edge(NTNV)(Subtest:15, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	697.4	20.65	30	Pass	401
698	698.1	0.03	RMS	698	-39.43	-13	Pass	401
698.1	710	0.1	RMS	698.1	-40.21	-13	Pass	401




14.16. LTE Band Edge(NTNV)(Subtest:16, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	690.525	2.71	30	Pass	401
698	698.1	0.03	RMS	698	-39.71	-13	Pass	401
698.1	710	0.1	RMS	698.1	-36.06	-13	Pass	401




14.17. LTE Band Edge(NTNV)(Subtest:17, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-36.23	-13	Pass	401
662.9	663	0.03	RMS	662.998	-36.5	-13	Pass	401
663	678	0.1	RMS	663.825	20.89	30	Pass	401




14.18. LTE Band Edge(NTNV)(Subtest:18, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-35.32	-13	Pass	401
662.9	663	0.03	RMS	662.998	-39.91	-13	Pass	401
663	678	0.1	RMS	673.725	2.52	30	Pass	401




14.19. LTE Band Edge(NTNV)(Subtest:19, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-36.81	-13	Pass	401
662.9	663	0.03	RMS	663	-36.81	-13	Pass	401
663	678	0.1	RMS	663.825	20.13	30	Pass	401




14.20. LTE Band Edge(NTNV)(Subtest:20, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-37.7	-13	Pass	401
662.9	663	0.03	RMS	662.998	-42.09	-13	Pass	401
663	678	0.1	RMS	673.2	1.28	30	Pass	401




14.21. LTE Band Edge(NTNV)(Subtest:21, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	697.175	21.08	30	Pass	401
698	698.1	0.03	RMS	698.002	-35.89	-13	Pass	401
698.1	710	0.1	RMS	698.1	-35.98	-13	Pass	401




14.22. LTE Band Edge(NTNV)(Subtest:22, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	689.188	2.51	30	Pass	401
698	698.1	0.03	RMS	698.002	-40.42	-13	Pass	401
698.1	710	0.1	RMS	700.302	-36.03	-13	Pass	401




14.23. LTE Band Edge(NTNV)(Subtest:23, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	697.175	20.65	30	Pass	401
698	698.1	0.03	RMS	698	-35.87	-13	Pass	401
698.1	710	0.1	RMS	698.1	-35.77	-13	Pass	401




14.24. LTE Band Edge(NTNV)(Subtest:24, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	689.113	1.49	30	Pass	401
698	698.1	0.03	RMS	698.001	-41.92	-13	Pass	401
698.1	710	0.1	RMS	700.331	-37.54	-13	Pass	401




14.25. LTE Band Edge(NTNV)(Subtest:25, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-41.07	-13	Pass	401
662.9	663	0.03	RMS	662.999	-41.83	-13	Pass	401
663	683	0.1	RMS	664.1	20.82	30	Pass	401




14.26. LTE Band Edge(NTNV)(Subtest:26, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.868	-36.29	-13	Pass	401
662.9	663	0.03	RMS	662.93	-41.3	-13	Pass	401
663	683	0.1	RMS	674.35	1.39	30	Pass	401




14.27. LTE Band Edge(NTNV)(Subtest:27, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-41.44	-13	Pass	401
662.9	663	0.03	RMS	663	-41.9	-13	Pass	401
663	683	0.1	RMS	664.1	20.04	30	Pass	401




14.28. LTE Band Edge(NTNV)(Subtest:28, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.868	-38.26	-13	Pass	401
662.9	663	0.03	RMS	662.919	-43.31	-13	Pass	401
663	683	0.1	RMS	673	0.48	30	Pass	401




14.29. LTE Band Edge(NTNV)(Subtest:29, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	696.9	20.74	30	Pass	401
698	698.1	0.03	RMS	698.001	-41.42	-13	Pass	401
698.1	710	0.1	RMS	698.1	-40.85	-13	Pass	401




14.30. LTE Band Edge(NTNV)(Subtest:30, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	689.5	1.26	30	Pass	401
698	698.1	0.03	RMS	698	-41.91	-13	Pass	401
698.1	710	0.1	RMS	698.1	-36.99	-13	Pass	401



14.31. LTE Band Edge(NTNV)(Subtest:31, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	696.9	19.73	30	Pass	401
698	698.1	0.03	RMS	698.001	-41.87	-13	Pass	401
698.1	710	0.1	RMS	698.1	-41.49	-13	Pass	401



14.32. LTE Band Edge(NTNV)(Subtest:32, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	689	0.2	30	Pass	401
698	698.1	0.03	RMS	698	-43.53	-13	Pass	401
698.1	710	0.1	RMS	698.1	-39.1	-13	Pass	401

