

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3740.01	649334	80	30kHz	Inner_1RB_Left	26.42
					Inner_1RB_Right	26.42
					Inner_Full	26.90
	3840	656000			Inner_1RB_Left	25.92
					Inner_1RB_Right	26.19
					Inner_Full	26.55
	3939.99	662666			Inner_1RB_Left	26.00
					Inner_1RB_Right	26.11
					Inner_Full	26.31
DFT-16QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	25.18
					Inner_1RB_Right	25.23
					Inner_Full	25.88
	3840	656000			Inner_1RB_Left	24.74
					Inner_1RB_Right	25.02
					Inner_Full	25.51
	3939.99	662666			Inner_1RB_Left	24.78
					Inner_1RB_Right	24.87
					Inner_Full	25.30
DFT-64QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	23.85
					Inner_1RB_Right	23.98
					Inner_Full	24.34
	3840	656000			Inner_1RB_Left	23.41
					Inner_1RB_Right	23.77
					Inner_Full	23.96
	3939.99	662666			Inner_1RB_Left	23.49
					Inner_1RB_Right	23.58
					Inner_Full	23.76
DFT-256QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	22.10
					Inner_1RB_Right	22.13
					Inner_Full	22.31
	3840	656000			Inner_1RB_Left	21.56
					Inner_1RB_Right	21.89
					Inner_Full	21.94
	3939.99	662666			Inner_1RB_Left	21.69
					Inner_1RB_Right	21.81
					Inner_Full	21.71

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3740.01	649334	80	30kHz	Inner_1RB_Left	24.74
					Inner_1RB_Right	24.87
					Inner_Full	25.32
	3840	656000			Inner_1RB_Left	24.26
					Inner_1RB_Right	24.65
					Inner_Full	24.93
	3939.99	662666			Inner_1RB_Left	24.37
					Inner_1RB_Right	24.93
					Inner_Full	24.73
CP-16QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	24.13
					Inner_1RB_Right	24.25
					Inner_Full	24.84
	3840	656000			Inner_1RB_Left	24.01
					Inner_1RB_Right	24.31
					Inner_Full	24.49
	3939.99	662666			Inner_1RB_Left	23.74
					Inner_1RB_Right	23.89
					Inner_Full	24.23
CP-64QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	22.62
					Inner_1RB_Right	22.75
					Inner_Full	23.33
	3840	656000			Inner_1RB_Left	22.17
					Inner_1RB_Right	22.63
					Inner_Full	22.96
	3939.99	662666			Inner_1RB_Left	22.29
					Inner_1RB_Right	22.48
					Inner_Full	22.73
CP-256QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	20.29
					Inner_1RB_Right	20.42
					Inner_Full	20.43
	3840	656000			Inner_1RB_Left	19.92
					Inner_1RB_Right	20.19
					Inner_Full	20.05
	3939.99	662666			Inner_1RB_Left	19.94
					Inner_1RB_Right	20.17
					Inner_Full	19.82

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3745.02	649668	90	30kHz	Inner_1RB_Left	26.30
					Inner_1RB_Right	26.40
					Inner_Full	26.88
	3840	656000			Inner_1RB_Left	25.91
					Inner_1RB_Right	26.13
					Inner_Full	26.50
	3934.98	662332			Inner_1RB_Left	24.63
					Inner_1RB_Right	26.04
					Inner_Full	26.33
DFT-16QAM	3745.02	649668			Inner_1RB_Left	25.08
					Inner_1RB_Right	25.22
					Inner_Full	25.89
	3840	656000			Inner_1RB_Left	24.30
					Inner_1RB_Right	24.95
					Inner_Full	25.52
	3934.98	662332			Inner_1RB_Left	24.78
					Inner_1RB_Right	24.92
					Inner_Full	25.31
DFT-64QAM	3745.02	649668			Inner_1RB_Left	23.82
					Inner_1RB_Right	23.86
					Inner_Full	24.28
	3840	656000			Inner_1RB_Left	23.40
					Inner_1RB_Right	23.62
					Inner_Full	23.93
	3934.98	662332			Inner_1RB_Left	23.82
					Inner_1RB_Right	23.39
					Inner_Full	23.78
DFT-256QAM	3745.02	649668	Inner_1RB_Left	21.99		
			Inner_1RB_Right	22.05		
			Inner_Full	22.26		
	3840	656000	Inner_1RB_Left	21.61		
			Inner_1RB_Right	21.86		
			Inner_Full	21.89		
	3934.98	662332	Inner_1RB_Left	21.59		
			Inner_1RB_Right	21.90		
			Inner_Full	21.72		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3745.02	649668	90	30kHz	Inner_1RB_Left	24.66
					Inner_1RB_Right	24.81
					Inner_Full	25.32
	3840	656000			Inner_1RB_Left	24.21
					Inner_1RB_Right	24.63
					Inner_Full	24.54
	3934.98	662332			Inner_1RB_Left	24.38
					Inner_1RB_Right	24.54
					Inner_Full	24.77
CP-16QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	24.05
					Inner_1RB_Right	24.18
					Inner_Full	24.74
	3840	656000			Inner_1RB_Left	23.69
					Inner_1RB_Right	23.99
					Inner_Full	24.41
	3934.98	662332			Inner_1RB_Left	23.60
					Inner_1RB_Right	23.85
					Inner_Full	23.36
CP-64QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	22.60
					Inner_1RB_Right	22.58
					Inner_Full	23.22
	3840	656000			Inner_1RB_Left	22.17
					Inner_1RB_Right	22.52
					Inner_Full	22.85
	3934.98	662332			Inner_1RB_Left	22.08
					Inner_1RB_Right	22.56
					Inner_Full	22.69
CP-256QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	20.34
					Inner_1RB_Right	20.43
					Inner_Full	19.69
	3840	656000			Inner_1RB_Left	19.91
					Inner_1RB_Right	20.24
					Inner_Full	20.02
	3934.98	662332			Inner_1RB_Left	20.06
					Inner_1RB_Right	20.18
					Inner_Full	19.85

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3750	650000	100	30kHz	Inner_1RB_Left	26.05
					Inner_1RB_Right	26.00
					Inner_Full	26.80
	3840	656000			Inner_1RB_Left	25.73
					Inner_1RB_Right	25.94
					Inner_Full	26.47
	3930	662000			Inner_1RB_Left	25.62
					Inner_1RB_Right	25.88
					Inner_Full	26.29
DFT-16QAM	3750	650000			Inner_1RB_Left	24.80
					Inner_1RB_Right	24.80
					Inner_Full	25.79
	3840	656000			Inner_1RB_Left	24.54
					Inner_1RB_Right	24.71
					Inner_Full	24.05
	3930	662000			Inner_1RB_Left	24.33
					Inner_1RB_Right	24.48
					Inner_Full	24.19
DFT-64QAM	3750	650000			Inner_1RB_Left	23.53
					Inner_1RB_Right	23.48
					Inner_Full	24.27
	3840	656000			Inner_1RB_Left	23.24
					Inner_1RB_Right	23.46
					Inner_Full	23.96
	3930	662000			Inner_1RB_Left	23.41
					Inner_1RB_Right	23.25
					Inner_Full	23.81
DFT-256QAM	3750	650000	Inner_1RB_Left	21.70		
			Inner_1RB_Right	21.59		
			Inner_Full	22.21		
	3840	656000	Inner_1RB_Left	21.34		
			Inner_1RB_Right	21.57		
			Inner_Full	23.07		
	3930	662000	Inner_1RB_Left	21.30		
			Inner_1RB_Right	21.45		
			Inner_Full	24.17		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3750	650000	100	30kHz	Inner_1RB_Left	24.39
					Inner_1RB_Right	24.35
					Inner_Full	25.27
	3840	656000			Inner_1RB_Left	24.05
					Inner_1RB_Right	20.93
					Inner_Full	24.92
	3930	662000			Inner_1RB_Left	24.06
					Inner_1RB_Right	24.44
					Inner_Full	24.76
CP-16QAM	3750	650000	100	30kHz	Inner_1RB_Left	23.87
					Inner_1RB_Right	23.80
					Inner_Full	19.04
	3840	656000			Inner_1RB_Left	23.62
					Inner_1RB_Right	23.96
					Inner_Full	24.42
	3930	662000			Inner_1RB_Left	23.53
					Inner_1RB_Right	23.84
					Inner_Full	24.30
CP-64QAM	3750	650000	100	30kHz	Inner_1RB_Left	22.50
					Inner_1RB_Right	22.46
					Inner_Full	23.22
	3840	656000			Inner_1RB_Left	22.09
					Inner_1RB_Right	22.33
					Inner_Full	22.89
	3930	662000			Inner_1RB_Left	21.93
					Inner_1RB_Right	22.27
					Inner_Full	22.73
CP-256QAM	3750	650000	100	30kHz	Inner_1RB_Left	20.11
					Inner_1RB_Right	20.34
					Inner_Full	20.33
	3840	656000			Inner_1RB_Left	19.96
					Inner_1RB_Right	20.01
					Inner_Full	20.02
	3930	662000			Inner_1RB_Left	20.00
					Inner_1RB_Right	19.97
					Inner_Full	19.85

MIMO:

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3705	647000	10	30kHz	Inner_1RB_Left	21.53	21.98	24.77
					Inner_1RB_Right	21.66	21.99	24.84
					Inner_Full	21.51	22.13	24.84
	3840	656000			Inner_1RB_Left	21.98	22.61	25.32
					Inner_1RB_Right	21.97	22.62	25.32
					Inner_Full	21.86	22.64	25.28
	3975	665000			Inner_1RB_Left	21.59	21.66	24.64
					Inner_1RB_Right	21.96	22.22	25.10
					Inner_Full	21.47	22.62	25.09
CP-16QAM	3705	647000	10	30kHz	Inner_1RB_Left	21.45	21.38	24.43
					Inner_1RB_Right	21.61	21.42	24.53
					Inner_Full	21.12	21.56	24.36
	3840	656000			Inner_1RB_Left	21.76	21.83	24.81
					Inner_1RB_Right	21.8	21.96	24.89
					Inner_Full	21.35	22.21	24.81
	3975	665000			Inner_1RB_Left	21.15	21.8	24.50
					Inner_1RB_Right	21.12	21.8	24.48
					Inner_Full	20.96	22.03	24.54
CP-64QAM	3705	647000	10	30kHz	Inner_1RB_Left	19.57	20.23	22.92
					Inner_1RB_Right	19.69	19.38	22.55
					Inner_Full	19.6	20.08	22.86
	3840	656000			Inner_1RB_Left	20.65	20.61	23.64
					Inner_1RB_Right	20.19	20.79	23.51
					Inner_Full	19.93	20.61	23.29
	3975	665000			Inner_1RB_Left	19.55	20.72	23.18
					Inner_1RB_Right	19.6	20.69	23.19
					Inner_Full	19.53	20.53	23.07
CP-256QAM	3705	647000	10	30kHz	Inner_1RB_Left	16.91	17.03	19.98
					Inner_1RB_Right	16.92	17.29	20.12
					Inner_Full	16.53	17.18	19.88
	3840	656000			Inner_1RB_Left	16.7	17.6	20.18
					Inner_1RB_Right	17.31	17.71	20.52
					Inner_Full	16.99	17.75	20.40
	3975	665000			Inner_1RB_Left	16.31	15.42	18.90
					Inner_1RB_Right	16.4	17.52	20.01
					Inner_Full	16.54	17.67	20.15

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3707.52	647168	15	30kHz	Inner_1RB_Left	21.59	22.06	24.84
					Inner_1RB_Right	21.76	22.03	24.91
					Inner_Full	21.57	22.23	24.92
	3840	656000			Inner_1RB_Left	21.97	22.63	25.32
					Inner_1RB_Right	21.93	22.68	25.33
					Inner_Full	21.89	22.73	25.34
	3972.48	664832			Inner_1RB_Left	21.68	22.6	25.17
					Inner_1RB_Right	21.48	22.63	25.10
					Inner_Full	21.52	22.8	25.22
CP-16QAM	3707.52	647168	Inner_1RB_Left	21.4	21.38	24.40		
			Inner_1RB_Right	21.61	21.41	24.52		
			Inner_Full	21.2	21.66	24.45		
	3840	656000	Inner_1RB_Left	21.72	21.83	24.79		
			Inner_1RB_Right	21.75	21.89	24.83		
			Inner_Full	21.38	22.19	24.81		
	3972.48	664832	Inner_1RB_Left	21.26	21.92	24.61		
			Inner_1RB_Right	21.17	21.87	24.54		
			Inner_Full	20.99	22.15	24.62		
CP-64QAM	3707.52	647168	Inner_1RB_Left	19.65	17.98	21.91		
			Inner_1RB_Right	20.29	20.06	23.19		
			Inner_Full	19.72	20.08	22.91		
	3840	656000	Inner_1RB_Left	19.98	20.65	23.34		
			Inner_1RB_Right	20.19	20.82	23.53		
			Inner_Full	20.07	20.64	23.37		
	3972.48	664832	Inner_1RB_Left	19.68	20.68	23.22		
			Inner_1RB_Right	20.22	20.17	23.21		
			Inner_Full	19.69	20.67	23.22		
CP-256QAM	3707.52	647168	Inner_1RB_Left	16.9	16.99	19.96		
			Inner_1RB_Right	16.89	17.23	20.07		
			Inner_Full	16.66	17.22	19.96		
	3840	656000	Inner_1RB_Left	16.6	17.63	20.16		
			Inner_1RB_Right	16.62	17.75	20.23		
			Inner_Full	17.01	17.76	20.41		
	3972.48	664832	Inner_1RB_Left	16.4	16.76	19.59		
			Inner_1RB_Right	17.02	17.41	20.23		
			Inner_Full	16.66	17.71	20.23		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3710.01	647334	20	30kHz	Inner_1RB_Left	21.61	22.04	24.84
					Inner_1RB_Right	21.68	21.94	24.82
					Inner_Full	21.59	22.18	24.91
	3840	656000			Inner_1RB_Left	21.89	22.55	25.24
					Inner_1RB_Right	21.89	22.63	25.29
					Inner_Full	21.9	22.67	25.31
	3969.99	664666			Inner_1RB_Left	21.61	22.35	25.01
					Inner_1RB_Right	21.52	22.53	25.06
					Inner_Full	21.51	22.62	25.11
CP-16QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	21.47	21.41	24.45
					Inner_1RB_Right	21.38	21.29	24.35
					Inner_Full	21.28	21.71	24.51
	3840	656000			Inner_1RB_Left	21.57	21.81	24.70
					Inner_1RB_Right	21.5	22	24.77
					Inner_Full	21.37	22.26	24.85
	3969.99	664666			Inner_1RB_Left	21.25	21.66	24.47
					Inner_1RB_Right	21.11	21.72	24.44
					Inner_Full	21.02	22.19	24.65
CP-64QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	19.63	20.16	22.91
					Inner_1RB_Right	19.74	20.17	22.97
					Inner_Full	20.15	20.23	23.20
	3840	656000			Inner_1RB_Left	19.88	20.81	23.38
					Inner_1RB_Right	19.92	20.89	23.44
					Inner_Full	20.53	20.68	23.62
	3969.99	664666			Inner_1RB_Left	19.62	19.63	22.64
					Inner_1RB_Right	20.07	20.11	23.10
					Inner_Full	19.69	20.69	23.23
CP-256QAM	3710.01	647334	20	30kHz	Inner_1RB_Left	16.83	17.01	19.93
					Inner_1RB_Right	16.9	17.12	20.02
					Inner_Full	16.66	17.27	19.99
	3840	656000			Inner_1RB_Left	16.62	16.66	19.65
					Inner_1RB_Right	16.59	17.77	20.23
					Inner_Full	16.89	17.77	20.36
	3969.99	664666			Inner_1RB_Left	16.35	17.53	19.99
					Inner_1RB_Right	16.86	17.23	20.06
					Inner_Full	16.51	17.75	20.18

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3720	648000	40	30kHz	Inner_1RB_Left	21.23	21.7	24.48
					Inner_1RB_Right	21.55	21.94	24.76
					Inner_Full	21.57	22.08	24.84
	3840	656000			Inner_1RB_Left	21.65	22.39	25.05
					Inner_1RB_Right	21.62	22.4	25.04
					Inner_Full	21.85	22.72	25.32
	3960	664000			Inner_1RB_Left	21.31	21.97	24.66
					Inner_1RB_Right	21.32	22.25	24.82
					Inner_Full	21.57	22.45	25.04
CP-16QAM	3720	648000	40	30kHz	Inner_1RB_Left	21.15	21.12	24.15
					Inner_1RB_Right	21.17	21.3	24.25
					Inner_Full	21.18	21.57	24.39
	3840	656000			Inner_1RB_Left	21.36	21.74	24.56
					Inner_1RB_Right	21.31	21.8	24.57
					Inner_Full	21.37	22.28	24.86
	3960	664000			Inner_1RB_Left	20.95	21.3	24.14
					Inner_1RB_Right	21.04	21.51	24.29
					Inner_Full	21.1	21.98	24.57
CP-64QAM	3720	648000	40	30kHz	Inner_1RB_Left	19.24	20.09	22.70
					Inner_1RB_Right	19.55	20.37	22.99
					Inner_Full	20.02	20.01	23.03
	3840	656000			Inner_1RB_Left	19.64	20.63	23.17
					Inner_1RB_Right	19.64	20.75	23.24
					Inner_Full	20.46	20.48	23.48
	3960	664000			Inner_1RB_Left	19.36	20.14	22.78
					Inner_1RB_Right	19.84	19.75	22.81
					Inner_Full	19.69	20.38	23.06
CP-256QAM	3720	648000	40	30kHz	Inner_1RB_Left	16.07	16.91	19.52
					Inner_1RB_Right	16.51	17.14	19.85
					Inner_Full	16.66	17.12	19.91
	3840	656000			Inner_1RB_Left	16.96	17.18	20.08
					Inner_1RB_Right	16.92	17.44	20.20
					Inner_Full	16.96	17.8	20.41
	3960	664000			Inner_1RB_Left	16.04	17.19	19.66
					Inner_1RB_Right	16.76	17.31	20.05
					Inner_Full	16.66	17.53	20.13

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3725.01	648334	50	30kHz	Inner_1RB_Left	21.36	21.81	24.60
					Inner_1RB_Right	21.86	22.3	25.10
					Inner_Full	20.07	20.46	23.28
	3840	656000			Inner_1RB_Left	21.87	22.71	25.32
					Inner_1RB_Right	21.95	22.61	25.30
					Inner_Full	21.91	22.81	25.39
	3954.99	663666			Inner_1RB_Left	21.72	22.4	25.08
					Inner_1RB_Right	21.39	22.47	24.97
					Inner_Full	21.55	22.51	25.07
CP-16QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	20.9	21.09	24.01
					Inner_1RB_Right	21.55	21.65	24.61
					Inner_Full	21.12	21.54	24.35
	3840	656000			Inner_1RB_Left	21.57	22.05	24.83
					Inner_1RB_Right	21.64	22.05	24.86
					Inner_Full	21.43	22.27	24.88
	3954.99	663666			Inner_1RB_Left	21.25	21.79	24.54
					Inner_1RB_Right	21.03	21.68	24.38
					Inner_Full	21.1	21.96	24.56
CP-64QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	19.48	20.08	22.80
					Inner_1RB_Right	19.97	20.47	23.24
					Inner_Full	19.73	20.05	22.90
	3840	656000			Inner_1RB_Left	19.98	20.9	23.47
					Inner_1RB_Right	20.37	20.44	23.42
					Inner_Full	20.01	20.8	23.43
	3954.99	663666			Inner_1RB_Left	19.72	20.63	23.21
					Inner_1RB_Right	19.95	19.99	22.98
					Inner_Full	19.66	20.47	23.09
CP-256QAM	3725.01	648334	50	30kHz	Inner_1RB_Left	16.55	16.78	19.68
					Inner_1RB_Right	16.94	17.4	20.19
					Inner_Full	16.67	17.14	19.92
	3840	656000			Inner_1RB_Left	17.21	17.53	20.38
					Inner_1RB_Right	17.04	17.65	20.37
					Inner_Full	16.99	17.89	20.47
	3954.99	663666			Inner_1RB_Left	16.83	17.75	20.32
					Inner_1RB_Right	16.86	17.25	20.07
					Inner_Full	16.65	17.54	20.13

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3705	647000	60	30kHz	Inner_1RB_Left	21.46	21.87	24.68
					Inner_1RB_Right	21.69	22.27	25.00
					Inner_Full	21.62	22.2	24.93
	3840	656000			Inner_1RB_Left	21.95	22.68	25.34
					Inner_1RB_Right	22	22.61	25.33
					Inner_Full	21.95	22.87	25.44
	3975	665000			Inner_1RB_Left	21.49	22.23	24.89
					Inner_1RB_Right	21.56	22.43	25.03
					Inner_Full	21.56	22.49	25.06
CP-16QAM	3705	647000	Inner_1RB_Left	21.47	21.34	24.42		
			Inner_1RB_Right	21.38	21.58	24.49		
			Inner_Full	21.13	21.71	24.44		
	3840	656000	Inner_1RB_Left	21.59	22.07	24.85		
			Inner_1RB_Right	21.85	21.98	24.93		
			Inner_Full	21.42	22.36	24.93		
	3975	665000	Inner_1RB_Left	21.2	21.59	24.41		
			Inner_1RB_Right	21.18	21.79	24.51		
			Inner_Full	21.07	21.92	24.53		
CP-64QAM	3705	647000	Inner_1RB_Left	19.54	20.36	22.98		
			Inner_1RB_Right	19.82	20.64	23.26		
			Inner_Full	20.01	20.12	23.08		
	3840	656000	Inner_1RB_Left	20.08	20.83	23.48		
			Inner_1RB_Right	20.5	20.43	23.48		
			Inner_Full	20.07	20.72	23.42		
	3975	665000	Inner_1RB_Left	19.67	20.46	23.09		
			Inner_1RB_Right	19.74	20.64	23.22		
			Inner_Full	20.14	20.32	23.24		
CP-256QAM	3705	647000	Inner_1RB_Left	16.47	17.24	19.88		
			Inner_1RB_Right	16.75	17.54	20.17		
			Inner_Full	16.71	17.23	19.99		
	3840	656000	Inner_1RB_Left	17.34	17.46	20.41		
			Inner_1RB_Right	17.28	17.85	20.58		
			Inner_Full	17	17.88	20.47		
	3975	665000	Inner_1RB_Left	16.37	17.42	19.94		
			Inner_1RB_Right	17.09	17.36	20.24		
			Inner_Full	16.61	17.51	20.09		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3735	649000	70	30kHz	Inner_1RB_Left	21.05	21.55	24.32
					Inner_1RB_Right	21.51	22.22	24.89
					Inner_Full	20.21	20.59	23.41
	3840	656000			Inner_1RB_Left	21.59	22.51	25.08
					Inner_1RB_Right	21.7	22.25	24.99
					Inner_Full	20.5	21.2	23.87
	3945	663000			Inner_1RB_Left	21.24	21.9	24.59
					Inner_1RB_Right	21.33	22.29	24.85
					Inner_Full	20.22	20.84	23.55
CP-16QAM	3735	649000	Inner_1RB_Left	21.06	21.01	24.05		
			Inner_1RB_Right	21.18	21.55	24.38		
			Inner_Full	20.24	20.61	23.44		
	3840	656000	Inner_1RB_Left	21.21	21.77	24.51		
			Inner_1RB_Right	21.24	21.66	24.47		
			Inner_Full	20.52	21.25	23.91		
	3945	663000	Inner_1RB_Left	20.72	21.33	24.05		
			Inner_1RB_Right	20.84	21.56	24.23		
			Inner_Full	20.24	20.87	23.58		
CP-64QAM	3735	649000	Inner_1RB_Left	19.6	19.57	22.60		
			Inner_1RB_Right	19.71	20.18	22.96		
			Inner_Full	19.7	20.11	22.92		
	3840	656000	Inner_1RB_Left	19.93	20.55	23.26		
			Inner_1RB_Right	20.23	20.16	23.21		
			Inner_Full	19.98	20.76	23.40		
	3945	663000	Inner_1RB_Left	19.49	20.12	22.83		
			Inner_1RB_Right	19.55	13.36	20.49		
			Inner_Full	19.69	20.36	23.05		
CP-256QAM	3735	649000	Inner_1RB_Left	16.04	16.98	19.55		
			Inner_1RB_Right	16.82	17.31	20.08		
			Inner_Full	16.68	17.21	19.96		
	3840	656000	Inner_1RB_Left	16.58	17.69	20.18		
			Inner_1RB_Right	17.09	17.48	20.30		
			Inner_Full	16.91	17.87	20.43		
	3945	663000	Inner_1RB_Left	16.17	17.15	19.70		
			Inner_1RB_Right	16.92	17.16	20.05		
			Inner_Full	16.67	17.45	20.09		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3740.01	649334	80	30kHz	Inner_1RB_Left	21.51	21.97	24.76
					Inner_1RB_Right	21.84	22.59	25.24
					Inner_Full	22	22.67	25.36
	3840	656000			Inner_1RB_Left	21.5	22.23	24.89
					Inner_1RB_Right	21.57	22.15	24.88
					Inner_Full	21.86	22.8	25.37
	3939.99	662666			Inner_1RB_Left	21.31	22.02	24.69
					Inner_1RB_Right	21.17	22.12	24.68
					Inner_Full	21.59	22.45	25.05
CP-16QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	21.48	21.45	24.48
					Inner_1RB_Right	21.5	21.95	24.74
					Inner_Full	21.53	22.17	24.87
	3840	656000			Inner_1RB_Left	21.14	21.58	24.38
					Inner_1RB_Right	21.16	21.54	24.36
					Inner_Full	21.37	22.3	24.87
	3939.99	662666			Inner_1RB_Left	20.95	21.54	24.27
					Inner_1RB_Right	20.82	21.52	24.19
					Inner_Full	21.09	21.96	24.56
CP-64QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	19.68	20.26	22.99
					Inner_1RB_Right	20.05	20.71	23.40
					Inner_Full	20.19	20.57	23.39
	3840	656000			Inner_1RB_Left	19.75	20.45	23.12
					Inner_1RB_Right	19.8	20.44	23.14
					Inner_Full	20.38	20.65	23.53
	3939.99	662666			Inner_1RB_Left	19.52	20.32	22.95
					Inner_1RB_Right	19.97	19.8	22.90
					Inner_Full	19.73	20.4	23.09
CP-256QAM	3740.01	649334	80	30kHz	Inner_1RB_Left	16.4	17.27	19.87
					Inner_1RB_Right	17.42	18.2	20.84
					Inner_Full	17.13	17.71	20.44
	3840	656000			Inner_1RB_Left	16.41	17.52	20.01
					Inner_1RB_Right	17.07	17.66	20.39
					Inner_Full	16.95	17.85	20.43
	3939.99	662666			Inner_1RB_Left	16.27	17.18	19.76
					Inner_1RB_Right	16.79	17.27	20.05
					Inner_Full	16.62	17.46	20.07

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3745.02	649668	90	30kHz	Inner_1RB_Left	21.15	21.86	24.53
					Inner_1RB_Right	21.99	22.49	25.26
					Inner_Full	21.98	22.59	25.31
	3840	656000			Inner_1RB_Left	21.31	22.1	24.73
					Inner_1RB_Right	21.53	22.04	24.80
					Inner_Full	21.86	22.77	25.35
	3934.98	662332			Inner_1RB_Left	21.35	22.07	24.74
					Inner_1RB_Right	20.95	21.87	24.44
					Inner_Full	21.55	22.43	25.02
CP-16QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	21.3	21.35	24.34
					Inner_1RB_Right	21.64	21.98	24.82
					Inner_Full	21.45	22.08	24.79
	3840	656000			Inner_1RB_Left	20.95	21.37	24.18
					Inner_1RB_Right	20.99	21.43	24.23
					Inner_Full	21.32	22.24	24.81
	3934.98	662332			Inner_1RB_Left	20.84	21.49	24.19
					Inner_1RB_Right	20.49	21.17	23.85
					Inner_Full	21.05	21.98	24.55
CP-64QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	19.54	20.03	22.80
					Inner_1RB_Right	20.15	20.75	23.47
					Inner_Full	20.06	20.49	23.29
	3840	656000			Inner_1RB_Left	19.55	20.19	22.89
					Inner_1RB_Right	19.79	20.29	23.06
					Inner_Full	19.95	20.65	23.32
	3934.98	662332			Inner_1RB_Left	19.57	20.37	23.00
					Inner_1RB_Right	19.7	19.59	22.66
					Inner_Full	19.66	20.36	23.03
CP-256QAM	3745.02	649668	90	30kHz	Inner_1RB_Left	16.22	13.07	17.93
					Inner_1RB_Right	17.33	17.84	20.60
					Inner_Full	17.06	17.63	20.36
	3840	656000			Inner_1RB_Left	16.22	17.34	19.83
					Inner_1RB_Right	16.39	17.35	19.91
					Inner_Full	16.88	17.8	20.37
	3934.98	662332			Inner_1RB_Left	16.18	17.42	19.85
					Inner_1RB_Right	16.76	17.27	20.03
					Inner_Full	16.63	17.5	20.10

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3750	650000	100	30kHz	Inner_1RB_Left	21.12	21.67	24.41
					Inner_1RB_Right	21.59	22.12	24.87
					Inner_Full	21.98	22.72	25.38
	3840	656000			Inner_1RB_Left	21.13	21.87	24.53
					Inner_1RB_Right	21.24	21.91	24.60
					Inner_Full	21.85	22.77	25.34
	3930	662000			Inner_1RB_Left	21.05	21.65	24.37
					Inner_1RB_Right	21.4	21.71	24.57
					Inner_Full	21.58	22.44	25.04
CP-16QAM	3750	650000	Inner_1RB_Left	21.31	21.19	24.26		
			Inner_1RB_Right	21.15	21.59	24.39		
			Inner_Full	21.54	22.27	24.93		
	3840	656000	Inner_1RB_Left	20.7	21.25	23.99		
			Inner_1RB_Right	20.81	21.36	24.10		
			Inner_Full	21.36	22.3	24.87		
	3930	662000	Inner_1RB_Left	20.7	21.09	23.91		
			Inner_1RB_Right	20.43	21.18	23.83		
			Inner_Full	-26.63	21.96	21.96		
CP-64QAM	3750	650000	Inner_1RB_Left	-26.24	19.85	19.85		
			Inner_1RB_Right	19.96	20.28	23.13		
			Inner_Full	20.41	20.65	23.54		
	3840	656000	Inner_1RB_Left	19.43	19.97	22.72		
			Inner_1RB_Right	19.61	19.17	22.41		
			Inner_Full	19.98	20.74	23.39		
	3930	662000	Inner_1RB_Left	19.73	19.77	22.76		
			Inner_1RB_Right	19.74	19.71	22.74		
			Inner_Full	19.73	20.37	23.07		
CP-256QAM	3750	650000	Inner_1RB_Left	16.15	17.11	19.67		
			Inner_1RB_Right	17	17.59	20.32		
			Inner_Full	17.15	17.77	20.48		
	3840	656000	Inner_1RB_Left	16.04	17.27	19.71		
			Inner_1RB_Right	16.81	17.33	20.09		
			Inner_Full	16.95	17.83	20.42		
	3930	662000	Inner_1RB_Left	16.13	17.07	19.64		
			Inner_1RB_Right	16.53	16.79	19.67		
			Inner_Full	16.7	17.47	20.11		

2 Occupied Bandwidth

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of 99% Power (MHz)							
					DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N77-3700-3980	Mid	10	30	Outer_Full	9.382	Fig.1	9.372	Fig.2	9.573	Fig.3	9.384	Fig.4
	Mid	15		Outer_Full	13.83	Fig.9	14.01	Fig.10	13.96	Fig.11	13.99	Fig.12
	Mid	20		Outer_Full	19.55	Fig.17	19.04	Fig.18	19.24	Fig.19	18.88	Fig.20
	Mid	40		Outer_Full	37.88	Fig.25	39.11	Fig.26	39.45	Fig.27	37.83	Fig.28
	Mid	50		Outer_Full	47.83	Fig.33	48.39	Fig.34	48.39	Fig.35	48.73	Fig.36
	Mid	60		Outer_Full	60.58	Fig.41	61.70	Fig.42	61.70	Fig.43	61.13	Fig.44
	Mid	70		Outer_Full	67.72	Fig.49	61.31	Fig.50	64.07	Fig.51	63.95	Fig.52
	Mid	80		Outer_Full	79.97	Fig.57	83.17	Fig.58	83.09	Fig.59	80.26	Fig.60
	Mid	90		Outer_Full	90.37	Fig.65	88.79	Fig.66	89.20	Fig.67	90.38	Fig.68
	Mid	100		Outer_Full	99.69	Fig.73	102.1	Fig.74	101.1	Fig.75	101.3	Fig.76
Band	Channel	BW (MHz)	SCS	Outer_Full	Bandwidth of 99% Power (MHz)							
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM	
N77-3700-3980	Mid	10	30	Outer_Full	9.355	Fig.5	9.852	Fig.6	9.312	Fig.7	9.298	Fig.8
	Mid	15		Outer_Full	13.87	Fig.13	14.81	Fig.14	14.44	Fig.15	14.60	Fig.16
	Mid	20		Outer_Full	18.50	Fig.21	19.59	Fig.22	19.46	Fig.23	19.43	Fig.24
	Mid	40		Outer_Full	37.96	Fig.29	40.09	Fig.30	39.58	Fig.31	40.03	Fig.32
	Mid	50		Outer_Full	48.12	Fig.37	50.29	Fig.38	49.88	Fig.39	49.87	Fig.40
	Mid	60		Outer_Full	60.14	Fig.45	60.38	Fig.46	60.07	Fig.47	60.20	Fig.48
	Mid	70		Outer_Full	63.28	Fig.53	68.60	Fig.54	63.80	Fig.55	67.86	Fig.56
	Mid	80		Outer_Full	80.18	Fig.61	81.84	Fig.62	80.42	Fig.63	84.82	Fig.64
	Mid	90		Outer_Full	94.34	Fig.69	94.33	Fig.70	91.37	Fig.71	92.95	Fig.72
	Mid	100		Outer_Full	100.5	Fig.77	102.8	Fig.78	100.8	Fig.79	101.6	Fig.80

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)							
					DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N77-3700-3980	Mid	10	30	Outer_Full	8.5619	Fig.1	8.5900	Fig.2	8.5929	Fig.3	8.5927	Fig.4
	Mid	15		Outer_Full	12.860	Fig.9	12.871	Fig.10	12.842	Fig.11	12.870	Fig.12
	Mid	20		Outer_Full	17.835	Fig.17	17.860	Fig.18	17.856	Fig.19	17.767	Fig.20
	Mid	40		Outer_Full	35.661	Fig.25	35.741	Fig.26	35.738	Fig.27	35.781	Fig.28
	Mid	50		Outer_Full	45.587	Fig.33	45.691	Fig.34	45.696	Fig.35	45.752	Fig.36
	Mid	60		Outer_Full	57.822	Fig.41	57.764	Fig.42	57.782	Fig.43	57.777	Fig.44
	Mid	70		Outer_Full	64.276	Fig.49	57.887	Fig.50	57.938	Fig.51	57.915	Fig.52
	Mid	80		Outer_Full	77.172	Fig.57	77.139	Fig.58	77.193	Fig.59	77.233	Fig.60
	Mid	90		Outer_Full	85.679	Fig.65	85.715	Fig.66	85.677	Fig.67	85.851	Fig.68
	Mid	100		Outer_Full	96.322	Fig.73	96.336	Fig.74	96.204	Fig.75	96.272	Fig.76
Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)							
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM	
N77-3700-3980	Mid	10	30	Outer_Full	8.5643	Fig.5	8.6005	Fig.6	8.5842	Fig.7	8.5543	Fig.8
	Mid	15		Outer_Full	12.859	Fig.13	13.583	Fig.14	13.556	Fig.15	13.573	Fig.16
	Mid	20		Outer_Full	17.862	Fig.21	18.237	Fig.22	18.233	Fig.23	18.215	Fig.24
	Mid	40		Outer_Full	35.691	Fig.29	37.826	Fig.30	37.760	Fig.31	37.769	Fig.32
	Mid	50		Outer_Full	45.598	Fig.37	47.444	Fig.38	47.452	Fig.39	47.406	Fig.40
	Mid	60		Outer_Full	57.882	Fig.45	57.901	Fig.46	57.745	Fig.47	57.828	Fig.48
	Mid	70		Outer_Full	57.938	Fig.53	64.376	Fig.54	57.845	Fig.55	64.374	Fig.56
	Mid	80		Outer_Full	77.503	Fig.61	77.549	Fig.62	77.539	Fig.63	77.581	Fig.64
	Mid	90		Outer_Full	86.596	Fig.69	87.451	Fig.70	87.493	Fig.71	87.529	Fig.72
	Mid	100		Outer_Full	96.383	Fig.77	96.377	Fig.78	96.499	Fig.79	97.250	Fig.80




Fig.1




Fig.2



Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19



Fig.20




Fig.21




Fig.22




Fig.23




Fig.24



Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30




Fig.31




Fig.32




Fig.33




Fig.34




Fig.35




Fig.36




Fig.37



Fig.38




Fig.39




Fig.40




Fig.41




Fig.42



Fig.43




Fig.44




Fig.45




Fig.46




Fig.47




Fig.48



Fig.49



Fig.50



Fig.51



Fig.52




Fig.53




Fig.54




Fig.55




Fig.56




Fig.57




Fig.58




Fig.59




Fig.60




Fig.61




Fig.62




Fig.63



Fig.64




Fig.65




Fig.66




Fig.67



Fig.68




Fig.69




Fig.70




Fig.71




Fig.72



Fig.73




Fig.74



Fig.75




Fig.76




Fig.77




Fig.78



Fig.79



Fig.80

3 Peak-Average Ratio

Band	Carrier frequency (MHz)	Channel	BW (MHz)	SCS	RB Config	DFT-QPSK	CP-QPSK
N77-3700-3980	3840	656000	100	30kHz	Outer_Full	Fig.1	Fig.2




Fig.1




Fig.2

4 Spurious Emissions at antenna terminal 3700-3980

Band	Carrier frequency (MHz)	Channel	BW	SCS	RB Size	RB Offset	Conducted Spurious Plot
							DFT-QPSK
N77	3750	650000	100	30kHz	1	0	Fig.1
	3840	656000			1	0	Fig.2
	3930	662000			1	0	Fig.3

MIMO:

Band	Carrier frequency (MHz)	Channel	BW	SCS	RB Size	RB Offset	Conducted Spurious Plot	
							CP-QPSK (ANT1)	CP-QPSK (ANT2)
N77	3750	650000	100	30kHz	1	0	Fig.4	Fig.7
	3840	656000			1	0	Fig.5	Fig.8
	3930	662000			1	0	Fig.6	Fig.9

3450-3500 MIMO:

Band	Carrier frequency (MHz)	Channel	BW	SCS	RB Size	RB Offset	Conducted Spurious Plot	
							CP-QPSK (ANT1)	CP-QPSK (ANT2)
N77	3750	650000	100	30kHz	1	0	Fig.10	Fig.13
	3840	656000			1	0	Fig.11	Fig.14
	3930	662000			1	0	Fig.12	Fig.15




Fig.1




Fig.2



Fig.3








Fig.4






Fig.9




Fig.10




Fig.11




Fig.12




Fig. 13




Fig. 14




Fig. 15

5 Band Edges Compliance
3700-3980

Band	Carrier frequency (MHz)	Channel	BW	SCS	RB Config	Band Edges Plot	
						DFT-QPSK	CP-QPSK
N77	3705	647000	10	30kHz	1RB_Left	Fig.1	Fig.5
					Outer_Full	Fig.2	Fig.6
	3975	665000	1RB_Right		Fig.3	Fig.7	
			Outer_Full		Fig.4	Fig.8	
	3707.52	647168	15		1RB_Left	Fig.9	Fig.13
					Outer_Full	Fig.10	Fig.14
	3972.48	664832	1RB_Right		Fig.11	Fig.15	
			Outer_Full		Fig.12	Fig.16	
	3710.01	647334	20		1RB_Left	Fig.17	Fig.21
					Outer_Full	Fig.18	Fig.22
	3969.99	664666	1RB_Right		Fig.19	Fig.23	
			Outer_Full		Fig.20	Fig.24	
	3720	648000	40		1RB_Left	Fig.25	Fig.29
					Outer_Full	Fig.26	Fig.30
	3960	664000	1RB_Right		Fig.27	Fig.31	
			Outer_Full		Fig.28	Fig.32	
	3725.01	648334	50		1RB_Left	Fig.33	Fig.37
					Outer_Full	Fig.34	Fig.38
	3954.99	663666	1RB_Right		Fig.35	Fig.39	
			Outer_Full		Fig.36	Fig.40	
	3730.02	648668	60		1RB_Left	Fig.41	Fig.45
					Outer_Full	Fig.42	Fig.46
	3949.98	663332	1RB_Right		Fig.43	Fig.47	
			Outer_Full		Fig.44	Fig.48	
	3735	649000	70		1RB_Left	Fig.49	Fig.53
					Outer_Full	Fig.50	Fig.54
	3945	663000	1RB_Right		Fig.51	Fig.55	
			Outer_Full		Fig.52	Fig.56	
3740.01	649334	80	1RB_Left	Fig.57	Fig.61		
			Outer_Full	Fig.58	Fig.62		
3939.99	662666	1RB_Right	Fig.59	Fig.63			
		Outer_Full	Fig.60	Fig.64			
3745.02	649668	90	1RB_Left	Fig.65	Fig.69		
			Outer_Full	Fig.66	Fig.70		
3934.98	662332	1RB_Right	Fig.67	Fig.71			
		Outer_Full	Fig.68	Fig.72			
3750	650000	100	1RB_Left	Fig.73	Fig.77		
			Outer_Full	Fig.74	Fig.78		
3930	662000	1RB_Right	Fig.75	Fig.79			
		Outer_Full	Fig.76	Fig.80			

MIMO:

Band	Carrier frequency (MHz)	Channel	BW	SCS	RB Config	Band Edges Plot	
						CP-QPSK (ANT1)	CP-QPSK (ANT2)
N77	3705	647000	10	30kHz	1RB_Left	Fig.81	Fig.85
					Outer_Full	Fig.82	Fig.86
	3975	665000			1RB_Right	Fig.83	Fig.87
					Outer_Full	Fig.84	Fig.88
	3707.52	647168	15		1RB_Left	Fig.89	Fig.93
					Outer_Full	Fig.90	Fig.94
	3972.48	664832			1RB_Right	Fig.91	Fig.95
					Outer_Full	Fig.92	Fig.96
	3710.01	647334	20		1RB_Left	Fig.97	Fig.101
					Outer_Full	Fig.98	Fig.102
	3969.99	664666			1RB_Right	Fig.99	Fig.103
					Outer_Full	Fig.100	Fig.104
	3720	648000	40		1RB_Left	Fig.105	Fig.109
					Outer_Full	Fig.106	Fig.110
	3960	664000			1RB_Right	Fig.107	Fig.111
					Outer_Full	Fig.108	Fig.112
	3725.01	648334	50		1RB_Left	Fig.113	Fig.117
					Outer_Full	Fig.114	Fig.118
	3954.99	663666			1RB_Right	Fig.115	Fig.119
					Outer_Full	Fig.116	Fig.120
	3730.02	648668	60		1RB_Left	Fig.121	Fig.125
					Outer_Full	Fig.122	Fig.126
	3949.98	663332			1RB_Right	Fig.123	Fig.127
					Outer_Full	Fig.124	Fig.128
3735	649000	70	1RB_Left	Fig.129	Fig.133		
			Outer_Full	Fig.130	Fig.134		
3945	663000		1RB_Right	Fig.131	Fig.135		
			Outer_Full	Fig.132	Fig.136		
3740.01	649334	80	1RB_Left	Fig.137	Fig.141		
			Outer_Full	Fig.138	Fig.142		
3939.99	662666		1RB_Right	Fig.139	Fig.143		
			Outer_Full	Fig.140	Fig.144		
3745.02	649668	90	1RB_Left	Fig.145	Fig.149		
			Outer_Full	Fig.146	Fig.150		
3934.98	662332		1RB_Right	Fig.147	Fig.151		
			Outer_Full	Fig.148	Fig.152		
3750	650000	100	1RB_Left	Fig.153	Fig.157		
			Outer_Full	Fig.154	Fig.158		
3930	662000		1RB_Right	Fig.155	Fig.159		
			Outer_Full	Fig.156	Fig.160		