

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

NR Band78

1 RF Power Output

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3455.01	630334	10	15kHz	Inner_1RB_Left	26.79
					Inner_1RB_Right	26.77
					Inner_Full	26.80
	3500.01	633334			Inner_1RB_Left	25.45
					Inner_1RB_Right	25.44
					Inner_Full	25.32
	3545.01	636334			Inner_1RB_Left	24.94
					Inner_1RB_Right	25.38
					Inner_Full	25.15
DFT-16QAM	3455.01	630334	10	15kHz	Inner_1RB_Left	25.93
					Inner_1RB_Right	25.93
					Inner_Full	25.83
	3500.01	633334			Inner_1RB_Left	24.99
					Inner_1RB_Right	24.99
					Inner_Full	24.79
	3545.01	636334			Inner_1RB_Left	24.61
					Inner_1RB_Right	24.80
					Inner_Full	24.56
DFT-64QAM	3455.01	630334	10	15kHz	Inner_1RB_Left	24.05
					Inner_1RB_Right	24.06
					Inner_Full	24.15
	3500.01	633334			Inner_1RB_Left	23.41
					Inner_1RB_Right	23.37
					Inner_Full	23.26
	3545.01	636334			Inner_1RB_Left	23.10
					Inner_1RB_Right	23.17
					Inner_Full	23.04
DFT-256QAM	3455.01	630334	10	15kHz	Inner_1RB_Left	23.98
					Inner_1RB_Right	24.14
					Inner_Full	24.15
	3500.01	633334			Inner_1RB_Left	23.39
					Inner_1RB_Right	23.30
					Inner_Full	23.22
	3545.01	636334			Inner_1RB_Left	23.22
					Inner_1RB_Right	22.42
					Inner_Full	21.91

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3455.01	630334	10	15kHz	Inner_1RB_Left	25.91
					Inner_1RB_Right	25.31
					Inner_Full	25.18
	3500.01	633334			Inner_1RB_Left	25.45
					Inner_1RB_Right	25.49
					Inner_Full	25.35
	3545.01	636334			Inner_1RB_Left	25.18
					Inner_1RB_Right	25.50
					Inner_Full	25.14
CP-16QAM	3455.01	630334	10	15kHz	Inner_1RB_Left	24.52
					Inner_1RB_Right	24.59
					Inner_Full	24.62
	3500.01	633334			Inner_1RB_Left	24.99
					Inner_1RB_Right	24.74
					Inner_Full	24.83
	3545.01	636334			Inner_1RB_Left	24.45
					Inner_1RB_Right	24.65
					Inner_Full	24.56
CP-64QAM	3455.01	630334	10	15kHz	Inner_1RB_Left	23.08
					Inner_1RB_Right	23.24
					Inner_Full	23.09
	3500.01	633334			Inner_1RB_Left	23.37
					Inner_1RB_Right	23.41
					Inner_Full	23.26
	3545.01	636334			Inner_1RB_Left	23.00
					Inner_1RB_Right	22.92
					Inner_Full	22.43
CP-256QAM	3455.01	630334	10	15kHz	Inner_1RB_Left	23.00
					Inner_1RB_Right	23.29
					Inner_Full	23.06
	3500.01	633334			Inner_1RB_Left	23.33
					Inner_1RB_Right	23.32
					Inner_Full	23.24
	3545.01	636334			Inner_1RB_Left	22.55
					Inner_1RB_Right	23.23
					Inner_Full	22.27

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3457.5	630500	15	15kHz	Inner_1RB_Left	25.11
					Inner_1RB_Right	25.30
					Inner_Full	25.35
	3500.01	633334			Inner_1RB_Left	25.70
					Inner_1RB_Right	25.38
					Inner_Full	25.47
	3542.49	636166			Inner_1RB_Left	25.08
					Inner_1RB_Right	25.36
					Inner_Full	25.28
DFT-16QAM	3457.5	630500	15	15kHz	Inner_1RB_Left	24.75
					Inner_1RB_Right	24.92
					Inner_Full	24.74
	3500.01	633334			Inner_1RB_Left	25.06
					Inner_1RB_Right	25.13
					Inner_Full	24.89
	3542.49	636166			Inner_1RB_Left	24.68
					Inner_1RB_Right	25.03
					Inner_Full	24.81
DFT-64QAM	3457.5	630500	15	15kHz	Inner_1RB_Left	24.84
					Inner_1RB_Right	24.11
					Inner_Full	25.04
	3500.01	633334			Inner_1RB_Left	23.68
					Inner_1RB_Right	23.59
					Inner_Full	24.17
	3542.49	636166			Inner_1RB_Left	23.28
					Inner_1RB_Right	23.60
					Inner_Full	24.24
DFT-256QAM	3457.5	630500	15	15kHz	Inner_1RB_Left	24.05
					Inner_1RB_Right	22.45
					Inner_Full	22.12
	3500.01	633334			Inner_1RB_Left	24.18
					Inner_1RB_Right	22.36
					Inner_Full	22.15
	3542.49	636166			Inner_1RB_Left	21.94
					Inner_1RB_Right	23.45
					Inner_Full	22.17

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3457.5	630500	15	15kHz	Inner_1RB_Left	25.66
					Inner_1RB_Right	25.75
					Inner_Full	25.75
	3500.01	633334			Inner_1RB_Left	25.79
					Inner_1RB_Right	25.67
					Inner_Full	25.47
	3542.49	636166			Inner_1RB_Left	25.69
					Inner_1RB_Right	25.57
					Inner_Full	25.31
CP-16QAM	3457.5	630500	Inner_1RB_Left	24.09		
			Inner_1RB_Right	24.23		
			Inner_Full	23.95		
	3500.01	633334	Inner_1RB_Left	25.16		
			Inner_1RB_Right	25.16		
			Inner_Full	24.97		
	3542.49	636166	Inner_1RB_Left	24.69		
			Inner_1RB_Right	25.05		
			Inner_Full	24.74		
CP-64QAM	3457.5	630500	Inner_1RB_Left	22.11		
			Inner_1RB_Right	23.64		
			Inner_Full	22.66		
	3500.01	633334	Inner_1RB_Left	23.48		
			Inner_1RB_Right	23.47		
			Inner_Full	23.39		
	3542.49	636166	Inner_1RB_Left	23.09		
			Inner_1RB_Right	23.41		
			Inner_Full	23.08		
CP-256QAM	3457.5	630500	Inner_1RB_Left	23.69		
			Inner_1RB_Right	23.36		
			Inner_Full	23.48		
	3500.01	633334	Inner_1RB_Left	23.47		
			Inner_1RB_Right	23.85		
			Inner_Full	23.40		
	3542.49	636166	Inner_1RB_Left	23.06		
			Inner_1RB_Right	23.54		
			Inner_Full	23.33		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3460.02	630668	20	15kHz	Inner_1RB_Left	26.70
					Inner_1RB_Right	26.01
					Inner_Full	26.97
	3500.01	633334			Inner_1RB_Left	25.57
					Inner_1RB_Right	25.40
					Inner_Full	25.42
	3540	636000			Inner_1RB_Left	25.19
					Inner_1RB_Right	25.40
					Inner_Full	25.25
DFT-16QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	25.88
					Inner_1RB_Right	25.91
					Inner_Full	25.92
	3500.01	633334			Inner_1RB_Left	24.92
					Inner_1RB_Right	24.85
					Inner_Full	24.89
	3540	636000			Inner_1RB_Left	24.63
					Inner_1RB_Right	24.71
					Inner_Full	24.71
DFT-64QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	23.90
					Inner_1RB_Right	24.10
					Inner_Full	24.41
	3500.01	633334			Inner_1RB_Left	23.35
					Inner_1RB_Right	23.23
					Inner_Full	23.24
	3540	636000			Inner_1RB_Left	23.11
					Inner_1RB_Right	23.31
					Inner_Full	23.04
DFT-256QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	23.93
					Inner_1RB_Right	24.11
					Inner_Full	24.25
	3500.01	633334			Inner_1RB_Left	23.34
					Inner_1RB_Right	23.21
					Inner_Full	23.33
	3540	636000			Inner_1RB_Left	23.05
					Inner_1RB_Right	23.25
					Inner_Full	23.19

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3460.02	630668	20	15kHz	Inner_1RB_Left	26.75
					Inner_1RB_Right	26.96
					Inner_Full	26.90
	3500.01	633334			Inner_1RB_Left	25.45
					Inner_1RB_Right	25.20
					Inner_Full	25.44
	3540	636000			Inner_1RB_Left	25.24
					Inner_1RB_Right	25.36
					Inner_Full	25.23
CP-16QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	25.86
					Inner_1RB_Right	26.03
					Inner_Full	25.92
	3500.01	633334			Inner_1RB_Left	24.84
					Inner_1RB_Right	24.83
					Inner_Full	24.93
	3540	636000			Inner_1RB_Left	24.63
					Inner_1RB_Right	24.88
					Inner_Full	24.68
CP-64QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	24.04
					Inner_1RB_Right	24.23
					Inner_Full	24.13
	3500.01	633334			Inner_1RB_Left	23.42
					Inner_1RB_Right	23.22
					Inner_Full	24.81
	3540	636000			Inner_1RB_Left	23.02
					Inner_1RB_Right	23.28
					Inner_Full	23.17
CP-256QAM	3460.02	630668	20	15kHz	Inner_1RB_Left	24.04
					Inner_1RB_Right	24.22
					Inner_Full	24.19
	3500.01	633334			Inner_1RB_Left	24.85
					Inner_1RB_Right	24.09
					Inner_Full	24.08
	3540	636000			Inner_1RB_Left	23.07
					Inner_1RB_Right	23.25
					Inner_Full	23.15

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3462.51	630834	25	15kHz	Inner_1RB_Left	25.62
					Inner_1RB_Right	26.14
					Inner_Full	26.09
	3500.01	633334			Inner_1RB_Left	27.06
					Inner_1RB_Right	26.82
					Inner_Full	27.00
	3537.51	635834			Inner_1RB_Left	26.74
					Inner_1RB_Right	26.85
					Inner_Full	26.87
DFT-16QAM	3462.51	630834			Inner_1RB_Left	23.84
					Inner_1RB_Right	24.29
					Inner_Full	24.40
	3500.01	633334			Inner_1RB_Left	26.00
					Inner_1RB_Right	25.63
					Inner_Full	25.98
	3537.51	635834			Inner_1RB_Left	25.97
					Inner_1RB_Right	26.02
					Inner_Full	25.82
DFT-64QAM	3462.51	630834			Inner_1RB_Left	22.05
					Inner_1RB_Right	22.56
					Inner_Full	22.26
	3500.01	633334			Inner_1RB_Left	24.41
					Inner_1RB_Right	23.74
					Inner_Full	24.38
	3537.51	635834			Inner_1RB_Left	23.74
					Inner_1RB_Right	24.19
					Inner_Full	24.28
DFT-256QAM	3462.51	630834	Inner_1RB_Left	22.09		
			Inner_1RB_Right	22.30		
			Inner_Full	22.24		
	3500.01	633334	Inner_1RB_Left	24.43		
			Inner_1RB_Right	24.10		
			Inner_Full	24.41		
	3537.51	635834	Inner_1RB_Left	23.74		
			Inner_1RB_Right	23.84		
			Inner_Full	24.27		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3462.51	630834	25	15kHz	Inner_1RB_Left	25.90
					Inner_1RB_Right	25.79
					Inner_Full	25.79
	3500.01	633334			Inner_1RB_Left	27.12
					Inner_1RB_Right	26.85
					Inner_Full	26.85
	3537.51	635834			Inner_1RB_Left	26.78
					Inner_1RB_Right	26.87
					Inner_Full	26.94
CP-16QAM	3462.51	630834	25	15kHz	Inner_1RB_Left	24.04
					Inner_1RB_Right	24.08
					Inner_Full	24.13
	3500.01	633334			Inner_1RB_Left	26.24
					Inner_1RB_Right	25.96
					Inner_Full	25.63
	3537.51	635834			Inner_1RB_Left	25.96
					Inner_1RB_Right	25.75
					Inner_Full	26.03
CP-64QAM	3462.51	630834	25	15kHz	Inner_1RB_Left	23.18
					Inner_1RB_Right	23.45
					Inner_Full	23.39
	3500.01	633334			Inner_1RB_Left	24.35
					Inner_1RB_Right	23.67
					Inner_Full	24.06
	3537.51	635834			Inner_1RB_Left	24.13
					Inner_1RB_Right	23.83
					Inner_Full	24.20
CP-256QAM	3462.51	630834	25	15kHz	Inner_1RB_Left	24.09
					Inner_1RB_Right	24.34
					Inner_Full	24.31
	3500.01	633334			Inner_1RB_Left	24.07
					Inner_1RB_Right	23.76
					Inner_Full	24.10
	3537.51	635834			Inner_1RB_Left	23.77
					Inner_1RB_Right	23.82
					Inner_Full	23.83

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3465	631000	30	15kHz	Inner_1RB_Left	25.15
					Inner_1RB_Right	25.30
					Inner_Full	25.41
	3500.01	633334			Inner_1RB_Left	25.54
					Inner_1RB_Right	25.16
					Inner_Full	25.33
	3534.99	635666			Inner_1RB_Left	25.36
					Inner_1RB_Right	25.18
					Inner_Full	25.26
DFT-16QAM	3465	631000	30	15kHz	Inner_1RB_Left	24.49
					Inner_1RB_Right	24.69
					Inner_Full	24.92
	3500.01	633334			Inner_1RB_Left	25.04
					Inner_1RB_Right	24.38
					Inner_Full	24.75
	3534.99	635666			Inner_1RB_Left	24.56
					Inner_1RB_Right	24.72
					Inner_Full	24.74
DFT-64QAM	3465	631000	30	15kHz	Inner_1RB_Left	23.13
					Inner_1RB_Right	23.31
					Inner_Full	24.40
	3500.01	633334			Inner_1RB_Left	23.41
					Inner_1RB_Right	22.90
					Inner_Full	23.19
	3534.99	635666			Inner_1RB_Left	23.08
					Inner_1RB_Right	23.11
					Inner_Full	23.18
DFT-256QAM	3465	631000	30	15kHz	Inner_1RB_Left	23.85
					Inner_1RB_Right	24.05
					Inner_Full	24.37
	3500.01	633334			Inner_1RB_Left	23.44
					Inner_1RB_Right	22.98
					Inner_Full	23.29
	3534.99	635666			Inner_1RB_Left	23.05
					Inner_1RB_Right	23.12
					Inner_Full	23.17

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3465	631000	30	15kHz	Inner_1RB_Left	26.71
					Inner_1RB_Right	26.99
					Inner_Full	27.03
	3500.01	633334			Inner_1RB_Left	25.57
					Inner_1RB_Right	25.00
					Inner_Full	25.31
	3534.99	635666			Inner_1RB_Left	25.30
					Inner_1RB_Right	25.16
					Inner_Full	25.23
CP-16QAM	3465	631000	30	15kHz	Inner_1RB_Left	25.73
					Inner_1RB_Right	26.11
					Inner_Full	25.92
	3500.01	633334			Inner_1RB_Left	25.05
					Inner_1RB_Right	24.36
					Inner_Full	24.80
	3534.99	635666			Inner_1RB_Left	24.55
					Inner_1RB_Right	24.50
					Inner_Full	24.69
CP-64QAM	3465	631000	30	15kHz	Inner_1RB_Left	23.95
					Inner_1RB_Right	24.18
					Inner_Full	24.41
	3500.01	633334			Inner_1RB_Left	23.48
					Inner_1RB_Right	22.90
					Inner_Full	23.50
	3534.99	635666			Inner_1RB_Left	23.16
					Inner_1RB_Right	23.03
					Inner_Full	23.22
CP-256QAM	3465	631000	30	15kHz	Inner_1RB_Left	23.82
					Inner_1RB_Right	24.21
					Inner_Full	24.36
	3500.01	633334			Inner_1RB_Left	23.50
					Inner_1RB_Right	23.55
					Inner_Full	24.30
	3534.99	635666			Inner_1RB_Left	23.18
					Inner_1RB_Right	23.09
					Inner_Full	23.15

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3470.01	631334	40	15kHz	Inner_1RB_Left	25.06
					Inner_1RB_Right	24.88
					Inner_Full	25.47
	3500.01	633334			Inner_1RB_Left	25.48
					Inner_1RB_Right	24.88
					Inner_Full	25.18
	3530.01	635334			Inner_1RB_Left	26.31
					Inner_1RB_Right	26.48
					Inner_Full	26.66
DFT-16QAM	3470.01	631334	40	15kHz	Inner_1RB_Left	24.49
					Inner_1RB_Right	24.34
					Inner_Full	24.95
	3500.01	633334			Inner_1RB_Left	24.97
					Inner_1RB_Right	24.40
					Inner_Full	24.68
	3530.01	635334			Inner_1RB_Left	25.37
					Inner_1RB_Right	25.45
					Inner_Full	25.62
DFT-64QAM	3470.01	631334	40	15kHz	Inner_1RB_Left	22.89
					Inner_1RB_Right	22.92
					Inner_Full	23.30
	3500.01	633334			Inner_1RB_Left	23.21
					Inner_1RB_Right	22.82
					Inner_Full	23.11
	3530.01	635334			Inner_1RB_Left	23.64
					Inner_1RB_Right	23.74
					Inner_Full	24.07
DFT-256QAM	3470.01	631334	40	15kHz	Inner_1RB_Left	22.91
					Inner_1RB_Right	22.90
					Inner_Full	23.36
	3500.01	633334			Inner_1RB_Left	23.43
					Inner_1RB_Right	22.74
					Inner_Full	23.10
	3530.01	635334			Inner_1RB_Left	23.57
					Inner_1RB_Right	23.77
					Inner_Full	24.10

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3470.01	631334	40	15kHz	Inner_1RB_Left	24.87
					Inner_1RB_Right	24.93
					Inner_Full	25.46
	3500.01	633334			Inner_1RB_Left	25.43
					Inner_1RB_Right	24.87
					Inner_Full	25.21
	3530.01	635334			Inner_1RB_Left	26.30
					Inner_1RB_Right	26.44
					Inner_Full	26.71
CP-16QAM	3470.01	631334	40	15kHz	Inner_1RB_Left	24.29
					Inner_1RB_Right	24.33
					Inner_Full	24.95
	3500.01	633334			Inner_1RB_Left	24.79
					Inner_1RB_Right	24.28
					Inner_Full	24.69
	3530.01	635334			Inner_1RB_Left	25.44
					Inner_1RB_Right	25.46
					Inner_Full	25.58
CP-64QAM	3470.01	631334	40	15kHz	Inner_1RB_Left	22.84
					Inner_1RB_Right	22.91
					Inner_Full	23.35
	3500.01	633334			Inner_1RB_Left	23.37
					Inner_1RB_Right	22.79
					Inner_Full	23.07
	3530.01	635334			Inner_1RB_Left	23.53
					Inner_1RB_Right	23.70
					Inner_Full	24.08
CP-256QAM	3470.01	631334	40	15kHz	Inner_1RB_Left	22.84
					Inner_1RB_Right	22.90
					Inner_Full	23.35
	3500.01	633334			Inner_1RB_Left	23.18
					Inner_1RB_Right	22.80
					Inner_Full	23.14
	3530.01	635334			Inner_1RB_Left	23.52
					Inner_1RB_Right	23.68
					Inner_Full	24.13

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3475.02	631668	50	15kHz	Inner_1RB_Left	26.67
					Inner_1RB_Right	26.36
					Inner_Full	27.06
	3500.01	633334			Inner_1RB_Left	25.37
					Inner_1RB_Right	24.82
					Inner_Full	25.20
	3525	635000			Inner_1RB_Left	26.67
					Inner_1RB_Right	26.71
					Inner_Full	26.95
DFT-16QAM	3475.02	631668	50	15kHz	Inner_1RB_Left	25.86
					Inner_1RB_Right	25.49
					Inner_Full	26.03
	3500.01	633334			Inner_1RB_Left	25.17
					Inner_1RB_Right	24.57
					Inner_Full	24.71
	3525	635000			Inner_1RB_Left	25.54
					Inner_1RB_Right	26.01
					Inner_Full	25.96
DFT-64QAM	3475.02	631668	50	15kHz	Inner_1RB_Left	24.07
					Inner_1RB_Right	23.62
					Inner_Full	24.42
	3500.01	633334			Inner_1RB_Left	23.38
					Inner_1RB_Right	23.07
					Inner_Full	23.18
	3525	635000			Inner_1RB_Left	23.74
					Inner_1RB_Right	24.14
					Inner_Full	24.33
DFT-256QAM	3475.02	631668	50	15kHz	Inner_1RB_Left	24.07
					Inner_1RB_Right	23.40
					Inner_Full	24.39
	3500.01	633334			Inner_1RB_Left	23.36
					Inner_1RB_Right	23.05
					Inner_Full	23.15
	3525	635000			Inner_1RB_Left	23.73
					Inner_1RB_Right	23.82
					Inner_Full	24.33

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3475.02	631668	50	15kHz	Inner_1RB_Left	26.74
					Inner_1RB_Right	26.35
					Inner_Full	27.09
	3500.01	633334			Inner_1RB_Left	25.31
					Inner_1RB_Right	24.86
					Inner_Full	25.29
	3525	635000			Inner_1RB_Left	26.39
					Inner_1RB_Right	26.73
					Inner_Full	26.81
CP-16QAM	3475.02	631668			Inner_1RB_Left	25.94
					Inner_1RB_Right	25.51
					Inner_Full	26.05
	3500.01	633334			Inner_1RB_Left	25.01
					Inner_1RB_Right	24.57
					Inner_Full	24.75
	3525	635000			Inner_1RB_Left	25.72
					Inner_1RB_Right	25.56
					Inner_Full	25.67
CP-64QAM	3475.02	631668			Inner_1RB_Left	23.84
					Inner_1RB_Right	23.43
					Inner_Full	24.38
	3500.01	633334			Inner_1RB_Left	23.59
					Inner_1RB_Right	22.85
					Inner_Full	23.08
	3525	635000			Inner_1RB_Left	23.21
					Inner_1RB_Right	23.67
					Inner_Full	24.06
CP-256QAM	3475.02	631668	Inner_1RB_Left	23.82		
			Inner_1RB_Right	23.63		
			Inner_Full	24.38		
	3500.01	633334	Inner_1RB_Left	23.38		
			Inner_1RB_Right	23.09		
			Inner_Full	23.09		
	3525	635000	Inner_1RB_Left	23.19		
			Inner_1RB_Right	23.38		
			Inner_Full	23.85		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	25.57
					Inner_1RB_Right	25.47
					Inner_Full	25.64
	3500.01	633334			Inner_1RB_Left	26.76
					Inner_1RB_Right	26.58
					Inner_Full	26.78
	3545.01	636334			Inner_1RB_Left	26.71
					Inner_1RB_Right	25.64
					Inner_Full	26.67
DFT-16QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	23.99
					Inner_1RB_Right	23.90
					Inner_Full	24.03
	3500.01	633334			Inner_1RB_Left	25.54
					Inner_1RB_Right	25.46
					Inner_Full	25.89
	3545.01	636334			Inner_1RB_Left	24.64
					Inner_1RB_Right	24.76
					Inner_Full	24.65
DFT-64QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	21.74
					Inner_1RB_Right	21.77
					Inner_Full	21.89
	3500.01	633334			Inner_1RB_Left	24.38
					Inner_1RB_Right	24.42
					Inner_Full	24.19
	3545.01	636334			Inner_1RB_Left	24.78
					Inner_1RB_Right	24.79
					Inner_Full	24.69
DFT-256QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	21.77
					Inner_1RB_Right	21.70
					Inner_Full	21.83
	3500.01	633334			Inner_1RB_Left	24.37
					Inner_1RB_Right	24.42
					Inner_Full	24.31
	3545.01	636334			Inner_1RB_Left	24.75
					Inner_1RB_Right	24.72
					Inner_Full	24.73

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	25.31
					Inner_1RB_Right	25.57
					Inner_Full	25.69
	3500.01	633334			Inner_1RB_Left	26.85
					Inner_1RB_Right	26.68
					Inner_Full	26.78
	3545.01	636334			Inner_1RB_Left	24.69
					Inner_1RB_Right	24.69
					Inner_Full	24.65
CP-16QAM	3455.01	630334			Inner_1RB_Left	24.00
					Inner_1RB_Right	24.10
					Inner_Full	24.02
	3500.01	633334			Inner_1RB_Left	25.70
					Inner_1RB_Right	25.46
					Inner_Full	25.86
	3545.01	636334			Inner_1RB_Left	-34.84
					Inner_1RB_Right	24.72
					Inner_Full	24.70
CP-64QAM	3455.01	630334			Inner_1RB_Left	21.75
					Inner_1RB_Right	21.76
					Inner_Full	21.79
	3500.01	633334			Inner_1RB_Left	24.56
					Inner_1RB_Right	24.40
					Inner_Full	24.31
	3545.01	636334			Inner_1RB_Left	24.76
					Inner_1RB_Right	24.74
					Inner_Full	24.78
CP-256QAM	3455.01	630334	Inner_1RB_Left	21.82		
			Inner_1RB_Right	21.73		
			Inner_Full	21.89		
	3500.01	633334	Inner_1RB_Left	24.62		
			Inner_1RB_Right	24.37		
			Inner_Full	24.15		
	3545.01	636334	Inner_1RB_Left	24.68		
			Inner_1RB_Right	24.82		
			Inner_Full	24.81		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	24.88
					Inner_1RB_Right	24.01
					Inner_Full	24.96
	3500.01	633334			Inner_1RB_Left	25.34
					Inner_1RB_Right	25.00
					Inner_Full	25.27
	3542.49	636166			Inner_1RB_Left	24.81
					Inner_1RB_Right	24.80
					Inner_Full	24.90
DFT-16QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	24.33
					Inner_1RB_Right	24.25
					Inner_Full	24.50
	3500.01	633334			Inner_1RB_Left	24.69
					Inner_1RB_Right	24.61
					Inner_Full	24.67
	3542.49	636166			Inner_1RB_Left	24.08
					Inner_1RB_Right	24.34
					Inner_Full	24.25
DFT-64QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	22.61
					Inner_1RB_Right	23.08
					Inner_Full	22.71
	3500.01	633334			Inner_1RB_Left	22.99
					Inner_1RB_Right	22.83
					Inner_Full	22.87
	3542.49	636166			Inner_1RB_Left	22.33
					Inner_1RB_Right	23.01
					Inner_Full	22.59
DFT-256QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	23.06
					Inner_1RB_Right	23.05
					Inner_Full	22.75
	3500.01	633334			Inner_1RB_Left	23.36
					Inner_1RB_Right	22.78
					Inner_Full	23.08
	3542.49	636166			Inner_1RB_Left	22.74
					Inner_1RB_Right	22.60
					Inner_Full	22.59

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	24.74
					Inner_1RB_Right	25.08
					Inner_Full	24.97
	3500.01	633334			Inner_1RB_Left	25.17
					Inner_1RB_Right	24.98
					Inner_Full	25.19
	3542.49	636166			Inner_1RB_Left	24.63
					Inner_1RB_Right	24.74
					Inner_Full	24.82
CP-16QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	24.25
					Inner_1RB_Right	24.21
					Inner_Full	24.55
	3500.01	633334			Inner_1RB_Left	24.74
					Inner_1RB_Right	24.55
					Inner_Full	24.65
	3542.49	636166			Inner_1RB_Left	24.04
					Inner_1RB_Right	24.39
					Inner_Full	24.32
CP-64QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	22.58
					Inner_1RB_Right	23.12
					Inner_Full	22.89
	3500.01	633334			Inner_1RB_Left	23.39
					Inner_1RB_Right	23.22
					Inner_Full	23.02
	3542.49	636166			Inner_1RB_Left	22.81
					Inner_1RB_Right	23.06
					Inner_Full	22.85
CP-256QAM	3457.5	630500	15	30kHz	Inner_1RB_Left	22.58
					Inner_1RB_Right	22.59
					Inner_Full	22.97
	3500.01	633334			Inner_1RB_Left	22.97
					Inner_1RB_Right	22.81
					Inner_Full	23.18
	3542.49	636166			Inner_1RB_Left	22.71
					Inner_1RB_Right	22.60
					Inner_Full	22.85

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	26.29
					Inner_1RB_Right	26.39
					Inner_Full	26.57
	3500.01	633334			Inner_1RB_Left	25.16
					Inner_1RB_Right	24.97
					Inner_Full	25.10
	3540	636000			Inner_1RB_Left	26.01
					Inner_1RB_Right	26.21
					Inner_Full	26.34
DFT-16QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	25.20
					Inner_1RB_Right	25.18
					Inner_Full	25.48
	3500.01	633334			Inner_1RB_Left	24.48
					Inner_1RB_Right	24.19
					Inner_Full	24.57
	3540	636000			Inner_1RB_Left	24.83
					Inner_1RB_Right	25.10
					Inner_Full	25.33
DFT-64QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	24.07
					Inner_1RB_Right	24.06
					Inner_Full	23.87
	3500.01	633334			Inner_1RB_Left	22.77
					Inner_1RB_Right	23.02
					Inner_Full	23.04
	3540	636000			Inner_1RB_Left	23.61
					Inner_1RB_Right	23.79
					Inner_Full	23.63
DFT-256QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	24.17
					Inner_1RB_Right	23.92
					Inner_Full	23.91
	3500.01	633334			Inner_1RB_Left	22.72
					Inner_1RB_Right	22.99
					Inner_Full	22.99
	3540	636000			Inner_1RB_Left	23.82
					Inner_1RB_Right	23.99
					Inner_Full	23.64

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	26.37
					Inner_1RB_Right	26.24
					Inner_Full	26.56
	3500.01	633334			Inner_1RB_Left	25.08
					Inner_1RB_Right	24.78
					Inner_Full	25.16
	3540	636000			Inner_1RB_Left	26.06
					Inner_1RB_Right	26.21
					Inner_Full	26.38
CP-16QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	25.22
					Inner_1RB_Right	25.21
					Inner_Full	25.45
	3500.01	633334			Inner_1RB_Left	24.42
					Inner_1RB_Right	24.38
					Inner_Full	24.67
	3540	636000			Inner_1RB_Left	24.90
					Inner_1RB_Right	25.13
					Inner_Full	25.31
CP-64QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	24.14
					Inner_1RB_Right	23.89
					Inner_Full	23.84
	3500.01	633334			Inner_1RB_Left	23.31
					Inner_1RB_Right	22.56
					Inner_Full	22.96
	3540	636000			Inner_1RB_Left	23.64
					Inner_1RB_Right	24.00
					Inner_Full	23.71
CP-256QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	24.10
					Inner_1RB_Right	24.06
					Inner_Full	23.87
	3500.01	633334			Inner_1RB_Left	22.79
					Inner_1RB_Right	22.98
					Inner_Full	23.05
	3540	636000			Inner_1RB_Left	23.80
					Inner_1RB_Right	24.04
					Inner_Full	23.69

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3462.51	630834	25	30kHz	Inner_1RB_Left	24.39
					Inner_1RB_Right	24.70
					Inner_Full	24.63
	3500.01	633334			Inner_1RB_Left	26.32
					Inner_1RB_Right	26.24
					Inner_Full	26.50
	3537.51	635834			Inner_1RB_Left	26.12
					Inner_1RB_Right	26.07
					Inner_Full	26.40
DFT-16QAM	3462.51	630834	25	30kHz	Inner_1RB_Left	24.26
					Inner_1RB_Right	24.02
					Inner_Full	24.12
	3500.01	633334			Inner_1RB_Left	25.30
					Inner_1RB_Right	25.21
					Inner_Full	22.34
	3537.51	635834			Inner_1RB_Left	25.21
					Inner_1RB_Right	25.23
					Inner_Full	25.48
DFT-64QAM	3462.51	630834	25	30kHz	Inner_1RB_Left	22.70
					Inner_1RB_Right	22.92
					Inner_Full	22.57
	3500.01	633334			Inner_1RB_Left	23.88
					Inner_1RB_Right	23.80
					Inner_Full	23.97
	3537.51	635834			Inner_1RB_Left	23.43
					Inner_1RB_Right	23.49
					Inner_Full	23.91
DFT-256QAM	3462.51	630834	25	30kHz	Inner_1RB_Left	22.70
					Inner_1RB_Right	22.87
					Inner_Full	22.59
	3500.01	633334			Inner_1RB_Left	21.85
					Inner_1RB_Right	21.56
					Inner_Full	21.92
	3537.51	635834			Inner_1RB_Left	21.70
					Inner_1RB_Right	21.47
					Inner_Full	21.79

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3462.51	630834	25	30kHz	Inner_1RB_Left	24.43
					Inner_1RB_Right	24.61
					Inner_Full	24.69
	3500.01	633334			Inner_1RB_Left	24.86
					Inner_1RB_Right	25.65
					Inner_Full	24.94
	3537.51	635834			Inner_1RB_Left	24.61
					Inner_1RB_Right	24.69
					Inner_Full	25.69
CP-16QAM	3462.51	630834	25	30kHz	Inner_1RB_Left	24.23
					Inner_1RB_Right	24.27
					Inner_Full	24.12
	3500.01	633334			Inner_1RB_Left	24.49
					Inner_1RB_Right	24.43
					Inner_Full	24.43
	3537.51	635834			Inner_1RB_Left	24.22
					Inner_1RB_Right	24.27
					Inner_Full	24.36
CP-64QAM	3462.51	630834	25	30kHz	Inner_1RB_Left	22.67
					Inner_1RB_Right	23.05
					Inner_Full	22.59
	3500.01	633334			Inner_1RB_Left	22.89
					Inner_1RB_Right	22.80
					Inner_Full	22.90
	3537.51	635834			Inner_1RB_Left	22.63
					Inner_1RB_Right	22.69
					Inner_Full	22.80
CP-256QAM	3462.51	630834	25	30kHz	Inner_1RB_Left	22.79
					Inner_1RB_Right	22.87
					Inner_Full	22.47
	3500.01	633334			Inner_1RB_Left	22.06
					Inner_1RB_Right	19.79
					Inner_Full	20.05
	3537.51	635834			Inner_1RB_Left	19.81
					Inner_1RB_Right	19.77
					Inner_Full	19.95

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3465	631000	30	30kHz	Inner_1RB_Left	26.32
					Inner_1RB_Right	26.37
					Inner_Full	26.59
	3500.01	633334			Inner_1RB_Left	25.19
					Inner_1RB_Right	24.88
					Inner_Full	25.10
	3534.99	635666			Inner_1RB_Left	24.90
					Inner_1RB_Right	24.85
					Inner_Full	24.98
DFT-16QAM	3465	631000	30	30kHz	Inner_1RB_Left	25.24
					Inner_1RB_Right	25.28
					Inner_Full	25.60
	3500.01	633334			Inner_1RB_Left	24.61
					Inner_1RB_Right	24.03
					Inner_Full	24.54
	3534.99	635666			Inner_1RB_Left	24.33
					Inner_1RB_Right	24.27
					Inner_Full	24.34
DFT-64QAM	3465	631000	30	30kHz	Inner_1RB_Left	23.86
					Inner_1RB_Right	24.15
					Inner_Full	23.99
	3500.01	633334			Inner_1RB_Left	23.00
					Inner_1RB_Right	22.37
					Inner_Full	22.87
	3534.99	635666			Inner_1RB_Left	22.93
					Inner_1RB_Right	23.02
					Inner_Full	22.80
DFT-256QAM	3465	631000	30	30kHz	Inner_1RB_Left	23.96
					Inner_1RB_Right	24.16
					Inner_Full	24.04
	3500.01	633334			Inner_1RB_Left	22.93
					Inner_1RB_Right	22.40
					Inner_Full	22.92
	3534.99	635666			Inner_1RB_Left	22.93
					Inner_1RB_Right	22.54
					Inner_Full	22.71

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3465	631000	30	30kHz	Inner_1RB_Left	26.39
					Inner_1RB_Right	26.38
					Inner_Full	26.39
	3500.01	633334			Inner_1RB_Left	25.32
					Inner_1RB_Right	24.87
					Inner_Full	25.06
	3534.99	635666			Inner_1RB_Left	24.71
					Inner_1RB_Right	24.73
					Inner_Full	24.90
CP-16QAM	3465	631000	30	30kHz	Inner_1RB_Left	25.18
					Inner_1RB_Right	25.25
					Inner_Full	25.30
	3500.01	633334			Inner_1RB_Left	24.78
					Inner_1RB_Right	24.23
					Inner_Full	24.45
	3534.99	635666			Inner_1RB_Left	24.25
					Inner_1RB_Right	24.20
					Inner_Full	24.26
CP-64QAM	3465	631000	30	30kHz	Inner_1RB_Left	23.96
					Inner_1RB_Right	23.96
					Inner_Full	23.95
	3500.01	633334			Inner_1RB_Left	22.98
					Inner_1RB_Right	22.87
					Inner_Full	22.98
	3534.99	635666			Inner_1RB_Left	22.91
					Inner_1RB_Right	22.99
					Inner_Full	22.73
CP-256QAM	3465	631000	30	30kHz	Inner_1RB_Left	23.95
					Inner_1RB_Right	24.19
					Inner_Full	23.99
	3500.01	633334			Inner_1RB_Left	23.40
					Inner_1RB_Right	22.40
					Inner_Full	22.92
	3534.99	635666			Inner_1RB_Left	22.91
					Inner_1RB_Right	22.99
					Inner_Full	22.83

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	26.21
					Inner_1RB_Right	25.85
					Inner_Full	26.58
	3500.01	633334			Inner_1RB_Left	25.03
					Inner_1RB_Right	24.34
					Inner_Full	24.91
	3530.01	635334			Inner_1RB_Left	24.48
					Inner_1RB_Right	24.55
					Inner_Full	24.88
DFT-16QAM	3470.01	631334			Inner_1RB_Left	24.85
					Inner_1RB_Right	24.81
					Inner_Full	25.48
	3500.01	633334			Inner_1RB_Left	24.43
					Inner_1RB_Right	23.81
					Inner_Full	24.35
	3530.01	635334			Inner_1RB_Left	24.10
					Inner_1RB_Right	24.15
					Inner_Full	24.32
DFT-64QAM	3470.01	631334			Inner_1RB_Left	23.83
					Inner_1RB_Right	23.61
					Inner_Full	23.89
	3500.01	633334			Inner_1RB_Left	23.22
					Inner_1RB_Right	22.56
					Inner_Full	22.79
	3530.01	635334			Inner_1RB_Left	22.20
					Inner_1RB_Right	22.34
					Inner_Full	22.84
DFT-256QAM	3470.01	631334	Inner_1RB_Left	23.76		
			Inner_1RB_Right	23.56		
			Inner_Full	23.82		
	3500.01	633334	Inner_1RB_Left	22.75		
			Inner_1RB_Right	22.02		
			Inner_Full	22.73		
	3530.01	635334	Inner_1RB_Left	22.71		
			Inner_1RB_Right	22.75		
			Inner_Full	22.73		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	26.11
					Inner_1RB_Right	25.83
					Inner_Full	25.86
	3500.01	633334			Inner_1RB_Left	24.99
					Inner_1RB_Right	24.39
					Inner_Full	24.87
	3530.01	635334			Inner_1RB_Left	24.58
					Inner_1RB_Right	24.72
					Inner_Full	24.84
CP-16QAM	3470.01	631334			Inner_1RB_Left	24.97
					Inner_1RB_Right	24.78
					Inner_Full	24.82
	3500.01	633334			Inner_1RB_Left	24.36
					Inner_1RB_Right	23.76
					Inner_Full	24.35
	3530.01	635334			Inner_1RB_Left	24.07
					Inner_1RB_Right	24.05
					Inner_Full	24.22
CP-64QAM	3470.01	631334			Inner_1RB_Left	23.98
					Inner_1RB_Right	23.70
					Inner_Full	23.74
	3500.01	633334			Inner_1RB_Left	22.72
					Inner_1RB_Right	22.65
					Inner_Full	22.75
	3530.01	635334			Inner_1RB_Left	22.28
					Inner_1RB_Right	22.35
					Inner_Full	22.70
CP-256QAM	3470.01	631334	Inner_1RB_Left	23.69		
			Inner_1RB_Right	23.45		
			Inner_Full	23.39		
	3500.01	633334	Inner_1RB_Left	23.22		
			Inner_1RB_Right	22.09		
			Inner_Full	22.77		
	3530.01	635334	Inner_1RB_Left	22.25		
			Inner_1RB_Right	22.33		
			Inner_Full	22.68		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	26.26
					Inner_1RB_Right	25.97
					Inner_Full	26.87
	3500.01	633334			Inner_1RB_Left	25.12
					Inner_1RB_Right	24.52
					Inner_Full	24.91
	3525	635000			Inner_1RB_Left	24.70
					Inner_1RB_Right	24.80
					Inner_Full	25.03
DFT-16QAM	3475.02	631668			Inner_1RB_Left	25.20
					Inner_1RB_Right	24.71
					Inner_Full	25.80
	3500.01	633334			Inner_1RB_Left	24.39
					Inner_1RB_Right	23.92
					Inner_Full	24.40
	3525	635000			Inner_1RB_Left	24.29
					Inner_1RB_Right	24.22
					Inner_Full	24.47
DFT-64QAM	3475.02	631668			Inner_1RB_Left	23.89
					Inner_1RB_Right	23.75
					Inner_Full	24.17
	3500.01	633334			Inner_1RB_Left	22.91
					Inner_1RB_Right	22.17
					Inner_Full	22.74
	3525	635000			Inner_1RB_Left	22.40
					Inner_1RB_Right	22.56
					Inner_Full	22.83
DFT-256QAM	3475.02	631668	Inner_1RB_Left	23.79		
			Inner_1RB_Right	23.73		
			Inner_Full	24.20		
	3500.01	633334	Inner_1RB_Left	22.89		
			Inner_1RB_Right	22.16		
			Inner_Full	22.71		
	3525	635000	Inner_1RB_Left	22.83		
			Inner_1RB_Right	23.02		
			Inner_Full	22.84		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	26.26
					Inner_1RB_Right	25.97
					Inner_Full	26.87
	3500.01	633334			Inner_1RB_Left	25.12
					Inner_1RB_Right	24.52
					Inner_Full	24.91
	3525	635000			Inner_1RB_Left	24.70
					Inner_1RB_Right	24.80
					Inner_Full	25.03
CP-16QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	25.20
					Inner_1RB_Right	24.71
					Inner_Full	25.80
	3500.01	633334			Inner_1RB_Left	24.39
					Inner_1RB_Right	23.92
					Inner_Full	24.40
	3525	635000			Inner_1RB_Left	24.29
					Inner_1RB_Right	24.22
					Inner_Full	24.47
CP-64QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	23.89
					Inner_1RB_Right	23.75
					Inner_Full	24.17
	3500.01	633334			Inner_1RB_Left	22.91
					Inner_1RB_Right	22.17
					Inner_Full	22.74
	3525	635000			Inner_1RB_Left	22.40
					Inner_1RB_Right	22.56
					Inner_Full	22.83
CP-256QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	23.79
					Inner_1RB_Right	23.73
					Inner_Full	24.20
	3500.01	633334			Inner_1RB_Left	22.89
					Inner_1RB_Right	22.16
					Inner_Full	22.71
	3525	635000			Inner_1RB_Left	22.83
					Inner_1RB_Right	23.02
					Inner_Full	22.84

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	26.39
					Inner_1RB_Right	26.06
					Inner_Full	26.04
	3500.01	633334			Inner_1RB_Left	24.99
					Inner_1RB_Right	24.56
					Inner_Full	24.86
	3519.99	634666			Inner_1RB_Left	24.85
					Inner_1RB_Right	25.02
					Inner_Full	24.93
DFT-16QAM	3480	632000	60	30kHz	Inner_1RB_Left	25.19
					Inner_1RB_Right	24.90
					Inner_Full	24.89
	3500.01	633334			Inner_1RB_Left	24.38
					Inner_1RB_Right	24.24
					Inner_Full	24.27
	3519.99	634666			Inner_1RB_Left	24.30
					Inner_1RB_Right	24.30
					Inner_Full	24.37
DFT-64QAM	3480	632000	60	30kHz	Inner_1RB_Left	24.02
					Inner_1RB_Right	23.73
					Inner_Full	23.77
	3500.01	633334			Inner_1RB_Left	22.90
					Inner_1RB_Right	22.59
					Inner_Full	22.75
	3519.99	634666			Inner_1RB_Left	22.42
					Inner_1RB_Right	22.99
					Inner_Full	22.81
DFT-256QAM	3480	632000	60	30kHz	Inner_1RB_Left	24.08
					Inner_1RB_Right	23.69
					Inner_Full	23.55
	3500.01	633334			Inner_1RB_Left	22.91
					Inner_1RB_Right	22.17
					Inner_Full	22.80
	3519.99	634666			Inner_1RB_Left	22.91
					Inner_1RB_Right	22.97
					Inner_Full	22.79

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	24.63
					Inner_1RB_Right	24.47
					Inner_Full	25.18
	3500.01	633334			Inner_1RB_Left	24.99
					Inner_1RB_Right	24.11
					Inner_Full	24.80
	3519.99	634666			Inner_1RB_Left	26.62
					Inner_1RB_Right	26.35
					Inner_Full	26.58
CP-16QAM	3480	632000			Inner_1RB_Left	24.49
					Inner_1RB_Right	24.08
					Inner_Full	24.73
	3500.01	633334			Inner_1RB_Left	24.32
					Inner_1RB_Right	23.63
					Inner_Full	24.26
	3519.99	634666			Inner_1RB_Left	25.22
					Inner_1RB_Right	24.90
					Inner_Full	25.50
CP-64QAM	3480	632000			Inner_1RB_Left	22.38
					Inner_1RB_Right	22.58
					Inner_Full	23.08
	3500.01	633334			Inner_1RB_Left	23.00
					Inner_1RB_Right	22.22
					Inner_Full	22.58
	3519.99	634666			Inner_1RB_Left	24.28
					Inner_1RB_Right	23.87
					Inner_Full	23.92
CP-256QAM	3480	632000	Inner_1RB_Left	23.03		
			Inner_1RB_Right	22.59		
			Inner_Full	23.00		
	3500.01	633334	Inner_1RB_Left	23.04		
			Inner_1RB_Right	21.79		
			Inner_Full	22.63		
	3519.99	634666	Inner_1RB_Left	24.18		
			Inner_1RB_Right	24.03		
			Inner_Full	23.45		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	24.58
					Inner_1RB_Right	24.46
					Inner_Full	25.17
	3500.01	633334			Inner_1RB_Left	24.82
					Inner_1RB_Right	24.15
					Inner_Full	24.80
	3515.01	634334			Inner_1RB_Left	25.38
					Inner_1RB_Right	25.24
					Inner_Full	25.45
DFT-16QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	24.07
					Inner_1RB_Right	24.06
					Inner_Full	24.69
	3500.01	633334			Inner_1RB_Left	24.23
					Inner_1RB_Right	23.69
					Inner_Full	24.23
	3515.01	634334			Inner_1RB_Left	24.07
					Inner_1RB_Right	23.80
					Inner_Full	23.98
DFT-64QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	22.37
					Inner_1RB_Right	22.49
					Inner_Full	23.04
	3500.01	633334			Inner_1RB_Left	23.09
					Inner_1RB_Right	21.78
					Inner_Full	22.61
	3515.01	634334			Inner_1RB_Left	21.70
					Inner_1RB_Right	21.65
					Inner_Full	21.82
DFT-256QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	22.91
					Inner_1RB_Right	21.96
					Inner_Full	23.03
	3500.01	633334			Inner_1RB_Left	22.53
					Inner_1RB_Right	22.28
					Inner_Full	22.59
	3515.01	634334			Inner_1RB_Left	21.75
					Inner_1RB_Right	21.65
					Inner_Full	21.78

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	25.37
					Inner_1RB_Right	25.35
					Inner_Full	25.36
	3500.01	633334			Inner_1RB_Left	24.97
					Inner_1RB_Right	24.94
					Inner_Full	25.01
	3515.01	634334			Inner_1RB_Left	23.98
					Inner_1RB_Right	23.98
					Inner_Full	23.96
CP-16QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	24.31
					Inner_1RB_Right	24.31
					Inner_Full	24.29
	3500.01	633334			Inner_1RB_Left	23.96
					Inner_1RB_Right	23.89
					Inner_Full	23.94
	3515.01	634334			Inner_1RB_Left	23.38
					Inner_1RB_Right	23.48
					Inner_Full	23.46
CP-64QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	23.80
					Inner_1RB_Right	23.72
					Inner_Full	23.75
	3500.01	633334			Inner_1RB_Left	23.40
					Inner_1RB_Right	23.40
					Inner_Full	23.36
	3515.01	634334			Inner_1RB_Left	21.23
					Inner_1RB_Right	21.25
					Inner_Full	21.28
CP-256QAM	3485.01	632334	70	30kHz	Inner_1RB_Left	23.76
					Inner_1RB_Right	23.73
					Inner_Full	23.76
	3500.01	633334			Inner_1RB_Left	23.40
					Inner_1RB_Right	23.40
					Inner_Full	23.35
	3515.01	634334			Inner_1RB_Left	21.26
					Inner_1RB_Right	21.26
					Inner_Full	21.30

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	25.35
					Inner_1RB_Right	25.44
					Inner_Full	25.35
	3500.01	633334			Inner_1RB_Left	24.98
					Inner_1RB_Right	24.97
					Inner_Full	24.97
	3510	634000			Inner_1RB_Left	23.97
					Inner_1RB_Right	23.96
					Inner_Full	23.97
DFT-16QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	24.30
					Inner_1RB_Right	24.32
					Inner_Full	24.30
	3500.01	633334			Inner_1RB_Left	23.92
					Inner_1RB_Right	23.91
					Inner_Full	23.91
	3510	634000			Inner_1RB_Left	23.44
					Inner_1RB_Right	23.43
					Inner_Full	23.44
DFT-64QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	23.70
					Inner_1RB_Right	23.73
					Inner_Full	23.73
	3500.01	633334			Inner_1RB_Left	23.35
					Inner_1RB_Right	23.27
					Inner_Full	23.32
	3510	634000			Inner_1RB_Left	21.26
					Inner_1RB_Right	21.24
					Inner_Full	21.27
DFT-256QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	23.72
					Inner_1RB_Right	23.71
					Inner_Full	23.66
	3500.01	633334			Inner_1RB_Left	23.39
					Inner_1RB_Right	23.36
					Inner_Full	23.38
	3510	634000			Inner_1RB_Left	21.31
					Inner_1RB_Right	21.25
					Inner_Full	21.27

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	25.26
					Inner_1RB_Right	24.62
					Inner_Full	25.04
	3500.01	633334			Inner_1RB_Left	26.03
					Inner_1RB_Right	25.44
					Inner_Full	25.84
	3510	634000			Inner_1RB_Left	25.97
					Inner_1RB_Right	25.74
					Inner_Full	25.68
CP-16QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	23.34
					Inner_1RB_Right	23.24
					Inner_Full	23.32
	3500.01	633334			Inner_1RB_Left	24.84
					Inner_1RB_Right	24.34
					Inner_Full	24.83
	3510	634000			Inner_1RB_Left	25.01
					Inner_1RB_Right	24.57
					Inner_Full	24.67
CP-64QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	21.24
					Inner_1RB_Right	20.58
					Inner_Full	21.16
	3500.01	633334			Inner_1RB_Left	23.27
					Inner_1RB_Right	22.74
					Inner_Full	23.18
	3510	634000			Inner_1RB_Left	23.72
					Inner_1RB_Right	22.98
					Inner_Full	22.97
CP-256QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	21.35
					Inner_1RB_Right	20.74
					Inner_Full	21.22
	3500.01	633334			Inner_1RB_Left	23.61
					Inner_1RB_Right	23.09
					Inner_Full	23.15
	3510	634000			Inner_1RB_Left	23.73
					Inner_1RB_Right	22.98
					Inner_Full	22.99

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	25.19
					Inner_1RB_Right	24.64
					Inner_Full	24.61
	3500.01	633334			Inner_1RB_Left	25.96
					Inner_1RB_Right	25.46
					Inner_Full	25.45
	3504.99	633666			Inner_1RB_Left	26.00
					Inner_1RB_Right	25.66
					Inner_Full	25.76
DFT-16QAM	3495	633000	Inner_1RB_Left	23.81		
			Inner_1RB_Right	22.74		
			Inner_Full	22.72		
	3500.01	633334	Inner_1RB_Left	24.89		
			Inner_1RB_Right	24.61		
			Inner_Full	24.38		
	3504.99	633666	Inner_1RB_Left	25.02		
			Inner_1RB_Right	24.67		
			Inner_Full	24.68		
DFT-64QAM	3495	633000	Inner_1RB_Left	21.35		
			Inner_1RB_Right	20.65		
			Inner_Full	20.66		
	3500.01	633334	Inner_1RB_Left	23.23		
			Inner_1RB_Right	23.10		
			Inner_Full	23.12		
	3504.99	633666	Inner_1RB_Left	23.32		
			Inner_1RB_Right	23.04		
			Inner_Full	23.38		
DFT-256QAM	3495	633000	Inner_1RB_Left	21.36		
			Inner_1RB_Right	20.68		
			Inner_Full	20.71		
	3500.01	633334	Inner_1RB_Left	23.60		
			Inner_1RB_Right	23.10		
			Inner_Full	22.74		
	3504.99	633666	Inner_1RB_Left	23.40		
			Inner_1RB_Right	23.03		
			Inner_Full	23.03		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
CP-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	24.22
					Inner_1RB_Right	23.94
					Inner_Full	24.63
	3500.01	633334			Inner_1RB_Left	25.78
					Inner_1RB_Right	25.46
					Inner_Full	25.82
	3504.99	633666			Inner_1RB_Left	24.19
					Inner_1RB_Right	24.04
					Inner_Full	24.21
CP-16QAM	3495	633000	90	30kHz	Inner_1RB_Left	23.59
					Inner_1RB_Right	23.87
					Inner_Full	24.10
	3500.01	633334			Inner_1RB_Left	24.68
					Inner_1RB_Right	24.32
					Inner_Full	24.78
	3504.99	633666			Inner_1RB_Left	23.67
					Inner_1RB_Right	23.63
					Inner_Full	23.62
CP-64QAM	3495	633000	90	30kHz	Inner_1RB_Left	22.01
					Inner_1RB_Right	21.58
					Inner_Full	22.48
	3500.01	633334			Inner_1RB_Left	23.12
					Inner_1RB_Right	22.74
					Inner_Full	23.24
	3504.99	633666			Inner_1RB_Left	21.88
					Inner_1RB_Right	22.35
					Inner_Full	22.13
CP-256QAM	3495	633000	90	30kHz	Inner_1RB_Left	21.92
					Inner_1RB_Right	21.60
					Inner_Full	22.43
	3500.01	633334			Inner_1RB_Left	23.49
					Inner_1RB_Right	23.11
					Inner_Full	23.26
	3504.99	633666			Inner_1RB_Left	22.43
					Inner_1RB_Right	22.29
					Inner_Full	22.09

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	Conducted power (dBm)
DFT-QPSK	3500.01	633334	100	30kHz	Inner_1RB_Left	24.67
					Inner_1RB_Right	24.11
					Inner_Full	24.86
DFT-16QAM	3500.01	633334			Inner_1RB_Left	22.64
					Inner_1RB_Right	22.39
					Inner_Full	23.25
DFT-64QAM	3500.01	633334			Inner_1RB_Left	20.71
					Inner_1RB_Right	20.41
					Inner_Full	21.07
DFT-256QAM	3500.01	633334			Inner_1RB_Left	20.74
					Inner_1RB_Right	20.39
					Inner_Full	21.05
CP-QPSK	3500.01	633334			Inner_1RB_Left	24.72
					Inner_1RB_Right	24.44
					Inner_Full	24.45
CP-16QAM	3500.01	633334			Inner_1RB_Left	22.65
					Inner_1RB_Right	23.03
					Inner_Full	22.40
CP-64QAM	3500.01	633334			Inner_1RB_Left	20.80
					Inner_1RB_Right	20.53
					Inner_Full	20.46
CP-256QAM	3500.01	633334			Inner_1RB_Left	20.77
					Inner_1RB_Right	20.52
					Inner_Full	20.38

MIMO:

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3455.01	630334	10	30kHz	Inner_1RB_Left	21.47	23.13	25.39
					Inner_1RB_Right	21.65	23.13	25.46
					Inner_Full	21.53	23.31	25.52
	3500.01	633334			Inner_1RB_Left	21.99	23.62	25.89
					Inner_1RB_Right	21.91	23.56	25.82
					Inner_Full	21.93	23.83	25.99
	3545.01	636334			Inner_1RB_Left	21.79	23.26	25.60
					Inner_1RB_Right	21.8	23.28	25.61
					Inner_Full	21.81	23.28	25.62
CP-16QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	21.16	22.52	24.90
					Inner_1RB_Right	21.32	22.56	24.99
					Inner_Full	21.17	22.7	25.01
	3500.01	633334			Inner_1RB_Left	21.72	23.07	25.46
					Inner_1RB_Right	21.71	23.03	25.43
					Inner_Full	21.59	23.18	25.47
	3545.01	636334			Inner_1RB_Left	21.5	22.67	25.13
					Inner_1RB_Right	21.56	22.7	25.18
					Inner_Full	21.41	22.84	25.19
CP-64QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	19.81	20.49	23.17
					Inner_1RB_Right	19.65	21.43	23.64
					Inner_Full	20.07	20.6	23.35
	3500.01	633334			Inner_1RB_Left	20.03	21.82	24.03
					Inner_1RB_Right	20.02	21.84	24.03
					Inner_Full	20.43	20.72	23.59
	3545.01	636334			Inner_1RB_Left	19.79	21.48	23.73
					Inner_1RB_Right	19.84	21.59	23.81
					Inner_Full	19.76	21.27	23.59
CP-256QAM	3455.01	630334	10	30kHz	Inner_1RB_Left	16.4	18.19	20.40
					Inner_1RB_Right	17.01	17.36	20.20
					Inner_Full	16.61	18.29	20.54
	3500.01	633334			Inner_1RB_Left	16.82	18.76	20.91
					Inner_1RB_Right	17.24	17.5	20.38
					Inner_Full	16.99	18.8	21.00
	3545.01	636334			Inner_1RB_Left	17.11	17	20.07
					Inner_1RB_Right	17.24	17.08	20.17
					Inner_Full	17.11	17.08	20.11

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3457.5	630500	15	30kHz	Inner_1RB_Left	21.55	23.14	25.43
					Inner_1RB_Right	21.62	23.22	25.50
					Inner_Full	21.62	23.31	25.56
	3500.01	633334			Inner_1RB_Left	21.95	23.57	25.85
					Inner_1RB_Right	21.85	23.55	25.79
					Inner_Full	21.88	23.71	25.90
	3542.49	636166			Inner_1RB_Left	21.91	23.47	25.77
					Inner_1RB_Right	21.91	23.43	25.75
					Inner_Full	20.47	22.04	24.34
CP-16QAM	3457.5	630500	Inner_1RB_Left	21.19	22.57	24.94		
			Inner_1RB_Right	21.39	22.65	25.08		
			Inner_Full	21.31	22.78	25.12		
	3500.01	633334	Inner_1RB_Left	21.8	23.04	25.47		
			Inner_1RB_Right	21.66	22.97	25.37		
			Inner_Full	21.57	23.17	25.45		
	3542.49	636166	Inner_1RB_Left	21.67	22.83	25.30		
			Inner_1RB_Right	21.66	22.88	25.32		
			Inner_Full	21.51	23.01	25.33		
CP-64QAM	3457.5	630500	Inner_1RB_Left	19.59	21.27	23.52		
			Inner_1RB_Right	19.7	21.42	23.65		
			Inner_Full	20.19	20.72	23.47		
	3500.01	633334	Inner_1RB_Left	20.04	21.83	24.04		
			Inner_1RB_Right	20.27	20.04	23.17		
			Inner_Full	20.1	21.59	23.92		
	3542.49	636166	Inner_1RB_Left	19.89	21.77	23.94		
			Inner_1RB_Right	19.9	21.71	23.91		
			Inner_Full	20.46	20.53	23.51		
CP-256QAM	3457.5	630500	Inner_1RB_Left	16.44	18.28	20.47		
			Inner_1RB_Right	16.5	18.39	20.56		
			Inner_Full	17.13	17.48	20.32		
	3500.01	633334	Inner_1RB_Left	16.87	18.79	20.95		
			Inner_1RB_Right	17.42	17.8	20.62		
			Inner_Full	17.05	18.76	21.00		
	3542.49	636166	Inner_1RB_Left	17.26	16.06	19.71		
			Inner_1RB_Right	17.39	17.42	20.42		
			Inner_Full	16.99	18.67	20.92		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3460.02	630668	20	30kHz	Inner_1RB_Left	21.58	23.16	25.45
					Inner_1RB_Right	21.61	23.24	25.51
					Inner_Full	21.67	23.44	25.65
	3500.01	633334			Inner_1RB_Left	21.97	23.53	25.83
					Inner_1RB_Right	21.84	23.52	25.77
					Inner_Full	21.94	23.69	25.91
	3540	636000			Inner_1RB_Left	21.91	23.36	25.71
					Inner_1RB_Right	21.87	23.35	25.68
					Inner_Full	21.84	23.48	25.75
CP-16QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	21.28	22.58	24.99
					Inner_1RB_Right	21.32	22.65	25.05
					Inner_Full	21.32	22.81	25.14
	3500.01	633334			Inner_1RB_Left	21.61	22.95	25.34
					Inner_1RB_Right	21.48	22.89	25.25
					Inner_Full	21.55	23.13	25.42
	3540	636000			Inner_1RB_Left	21.63	22.83	25.28
					Inner_1RB_Right	21.52	22.83	25.23
					Inner_Full	21.41	22.96	25.26
CP-64QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	19.65	20.39	23.05
					Inner_1RB_Right	20.12	20.5	23.32
					Inner_Full	19.83	21.33	23.65
	3500.01	633334			Inner_1RB_Left	20.04	21.74	23.98
					Inner_1RB_Right	20.41	20.6	23.52
					Inner_Full	20.07	21.69	23.97
	3540	636000			Inner_1RB_Left	19.92	21.6	23.85
					Inner_1RB_Right	20.42	20.36	23.40
					Inner_Full	19.96	21.5	23.81
CP-256QAM	3460.02	630668	20	30kHz	Inner_1RB_Left	16.98	16.5	19.76
					Inner_1RB_Right	16.9	17.34	20.14
					Inner_Full	16.73	18.44	20.68
	3500.01	633334			Inner_1RB_Left	17.46	16.22	19.89
					Inner_1RB_Right	17.2	17.49	20.36
					Inner_Full	16.95	18.74	20.95
	3540	636000			Inner_1RB_Left	16.67	18.51	20.70
					Inner_1RB_Right	17.23	17.26	20.26
					Inner_Full	16.88	18.56	20.81

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)	
CP-QPSK	3462.51	630834	25	30kHz	Inner_1RB_Left	21.81	23.35	25.66	
					Inner_1RB_Right	21.6	23.32	25.55	
					Inner_Full	21.8	23.63	25.82	
	3500.01	633334			Inner_1RB_Left	21.86	23.5	25.77	
					Inner_1RB_Right	21.75	23.47	25.70	
					Inner_Full	21.92	23.76	25.95	
					Inner_1RB_Left	21.81	23.29	25.62	
					Inner_1RB_Right	21.76	23.19	25.54	
					Inner_Full	21.83	23.41	25.70	
3537.51	635834	Inner_1RB_Left			21.38	22.78	25.15		
		Inner_1RB_Right			21.33	22.76	25.11		
		Inner_Full			21.46	23.1	25.37		
		3462.51			630834	Inner_1RB_Left	21.61	22.93	25.33
						Inner_1RB_Right	21.56	22.9	25.29
						Inner_Full	21.54	23.22	25.47
		3500.01			633334	Inner_1RB_Left	21.63	22.71	25.21
						Inner_1RB_Right	21.58	22.67	25.17
						Inner_Full	21.42	22.92	25.24
3537.51	635834					Inner_1RB_Left	19.72	21.47	23.69
						Inner_1RB_Right	20.04	20.54	23.31
						Inner_Full	19.97	21.53	23.83
CP-64QAM	3462.51	630834			Inner_1RB_Left	20.02	20.59	23.32	
					Inner_1RB_Right	19.85	21.71	23.89	
					Inner_Full	20.38	20.68	23.54	
	3500.01	633334			Inner_1RB_Left	19.87	21.48	23.76	
					Inner_1RB_Right	20.46	20.14	23.31	
					Inner_Full	19.89	21.37	23.70	
			3537.51	635834	Inner_1RB_Left	16.98	17.32	20.16	
					Inner_1RB_Right	16.81	17.45	20.15	
					Inner_Full	16.87	18.66	20.87	
CP-256QAM	3462.51	630834	Inner_1RB_Left	16.7	18.72	20.84			
			Inner_1RB_Right	17.14	17.56	20.37			
			Inner_Full	16.96	18.79	20.98			
	3500.01	633334	Inner_1RB_Left	17.07	17.27	20.18			
			Inner_1RB_Right	17.18	16.87	20.04			
			Inner_Full	16.85	18.48	20.75			

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3465	631000	30	30kHz	Inner_1RB_Left	21.6	23.14	25.45
					Inner_1RB_Right	21.63	23.32	25.57
					Inner_Full	21.68	23.44	25.66
	3500.01	633334			Inner_1RB_Left	21.76	23.45	25.70
					Inner_1RB_Right	21.94	23.59	25.85
					Inner_Full	21.93	23.72	25.93
	3534.99	635666			Inner_1RB_Left	21.93	23.5	25.80
					Inner_1RB_Right	21.94	23.4	25.74
					Inner_Full	21.97	23.66	25.91
CP-16QAM	3465	631000	30	30kHz	Inner_1RB_Left	21.16	22.54	24.91
					Inner_1RB_Right	21.36	22.75	25.12
					Inner_Full	21.28	22.93	25.19
	3500.01	633334			Inner_1RB_Left	21.52	22.91	25.28
					Inner_1RB_Right	21.76	22.99	25.43
					Inner_Full	21.51	23.2	25.45
	3534.99	635666			Inner_1RB_Left	21.74	22.92	25.38
					Inner_1RB_Right	21.64	22.79	25.26
					Inner_Full	21.6	23.13	25.44
CP-64QAM	3465	631000	30	30kHz	Inner_1RB_Left	19.6	21.26	23.52
					Inner_1RB_Right	20.26	20.44	23.36
					Inner_Full	19.76	21.33	23.63
	3500.01	633334			Inner_1RB_Left	19.87	21.64	23.85
					Inner_1RB_Right	19.99	17.9	22.08
					Inner_Full	20	21.62	23.90
	3534.99	635666			Inner_1RB_Left	20.05	19.51	22.80
					Inner_1RB_Right	20.46	20.32	23.40
					Inner_Full	20.07	21.58	23.90
CP-256QAM	3465	631000	30	30kHz	Inner_1RB_Left	16.34	18.28	20.43
					Inner_1RB_Right	16.88	17.35	20.13
					Inner_Full	16.73	18.49	20.71
	3500.01	633334			Inner_1RB_Left	16.65	18.66	20.78
					Inner_1RB_Right	17.21	17.45	20.34
					Inner_Full	16.94	18.75	20.95
	3534.99	635666			Inner_1RB_Left	17.36	16.6	20.01
					Inner_1RB_Right	17.24	17.28	20.27
					Inner_Full	17.04	18.7	20.96

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3470.01	631334	40	30kHz	Inner_1RB_Left	21.53	23.02	25.35
					Inner_1RB_Right	21.59	23.19	25.47
					Inner_Full	21.66	23.47	25.67
	3500.01	633334			Inner_1RB_Left	21.42	23.2	25.41
					Inner_1RB_Right	21.71	23.32	25.60
					Inner_Full	21.87	23.66	25.87
	3530.01	635334			Inner_1RB_Left	21.55	23.18	25.45
					Inner_1RB_Right	21.67	23.16	25.49
					Inner_Full	21.9	23.54	25.81
CP-16QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	21.14	22.44	24.85
					Inner_1RB_Right	21.37	22.66	25.07
					Inner_Full	21.27	22.97	25.21
	3500.01	633334			Inner_1RB_Left	21.23	22.62	24.99
					Inner_1RB_Right	21.57	22.74	25.20
					Inner_Full	21.46	23.12	25.38
	3530.01	635334			Inner_1RB_Left	21.31	22.64	25.04
					Inner_1RB_Right	21.57	22.68	25.17
					Inner_Full	21.54	23.02	25.35
CP-64QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	19.47	21.24	23.45
					Inner_1RB_Right	19.81	20.29	23.07
					Inner_Full	19.79	21.46	23.72
	3500.01	633334			Inner_1RB_Left	19.6	20.41	23.03
					Inner_1RB_Right	20.27	20.38	23.34
					Inner_Full	20	21.61	23.89
	3530.01	635334			Inner_1RB_Left	19.52	21.43	23.59
					Inner_1RB_Right	19.74	21.34	23.62
					Inner_Full	20.37	20.46	23.43
CP-256QAM	3470.01	631334	40	30kHz	Inner_1RB_Left	16.76	17.01	19.90
					Inner_1RB_Right	16.85	17.23	20.05
					Inner_Full	16.75	18.57	20.76
	3500.01	633334			Inner_1RB_Left	16.36	18.43	20.53
					Inner_1RB_Right	17.22	17.42	20.33
					Inner_Full	16.91	18.74	20.93
	3530.01	635334			Inner_1RB_Left	16.41	18.37	20.51
					Inner_1RB_Right	16.93	17.01	19.98
					Inner_Full	16.94	18.63	20.88

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3475.02	631668	50	30kHz	Inner_1RB_Left	21.89	23.38	25.71
					Inner_1RB_Right	21.79	23.43	25.70
					Inner_Full	21.76	23.68	25.84
	3500.01	633334			Inner_1RB_Left	21.64	23.47	25.66
					Inner_1RB_Right	22.01	23.51	25.83
					Inner_Full	21.91	23.72	25.92
	3525	635000			Inner_1RB_Left	21.65	23.26	25.54
					Inner_1RB_Right	21.83	23.23	25.60
					Inner_Full	21.79	23.5	25.74
CP-16QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	21.43	22.78	25.17
					Inner_1RB_Right	21.65	22.89	25.32
					Inner_Full	21.43	23.13	25.37
	3500.01	633334			Inner_1RB_Left	21.38	22.85	25.19
					Inner_1RB_Right	21.81	22.96	25.43
					Inner_Full	21.58	23.2	25.48
	3525	635000			Inner_1RB_Left	21.44	22.67	25.11
					Inner_1RB_Right	21.65	22.69	25.21
					Inner_Full	21.45	22.95	25.27
CP-64QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	19.87	20.69	23.31
					Inner_1RB_Right	19.93	21.6	23.86
					Inner_Full	20.32	20.85	23.60
	3500.01	633334			Inner_1RB_Left	19.79	21.56	23.77
					Inner_1RB_Right	20.14	21.72	24.01
					Inner_Full	20.43	20.7	23.58
	3525	635000			Inner_1RB_Left	19.75	21.41	23.67
					Inner_1RB_Right	19.98	21.44	23.78
					Inner_Full	20.32	20.4	23.37
CP-256QAM	3475.02	631668	50	30kHz	Inner_1RB_Left	16.6	18.56	20.70
					Inner_1RB_Right	17.08	17.57	20.34
					Inner_Full	16.84	18.7	20.88
	3500.01	633334			Inner_1RB_Left	16.58	18.64	20.74
					Inner_1RB_Right	17.3	17.51	20.42
					Inner_Full	17.02	18.78	21.00
	3525	635000			Inner_1RB_Left	16.95	17	19.99
					Inner_1RB_Right	17.21	17.23	20.23
					Inner_Full	16.9	18.53	20.80

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3480	632000	60	30kHz	Inner_1RB_Left	21.79	23.27	25.60
					Inner_1RB_Right	21.75	23.44	25.69
					Inner_Full	21.72	23.59	25.77
	3500.01	633334			Inner_1RB_Left	21.68	23.35	25.61
					Inner_1RB_Right	22.06	23.46	25.83
					Inner_Full	21.86	23.69	25.88
	3519.99	634666			Inner_1RB_Left	21.93	23.44	25.76
					Inner_1RB_Right	22.08	23.43	25.82
					Inner_Full	21.95	23.67	25.90
CP-16QAM	3480	632000	60	30kHz	Inner_1RB_Left	21.36	22.7	25.09
					Inner_1RB_Right	21.68	22.88	25.33
					Inner_Full	21.32	23.08	25.30
	3500.01	633334			Inner_1RB_Left	21.48	22.79	25.19
					Inner_1RB_Right	21.91	22.85	25.42
					Inner_Full	21.5	23.18	25.43
	3519.99	634666			Inner_1RB_Left	21.73	23.02	25.43
					Inner_1RB_Right	21.93	22.96	25.49
					Inner_Full	21.6	23.18	25.47
CP-64QAM	3480	632000	60	30kHz	Inner_1RB_Left	19.71	19.22	22.48
					Inner_1RB_Right	20.34	20.52	23.44
					Inner_Full	19.83	21.49	23.75
	3500.01	633334			Inner_1RB_Left	19.69	21.57	23.74
					Inner_1RB_Right	20.11	21.75	24.02
					Inner_Full	20.44	20.68	23.57
	3519.99	634666			Inner_1RB_Left	19.89	21.65	23.87
					Inner_1RB_Right	20.65	20.45	23.56
					Inner_Full	20.08	21.63	23.93
CP-256QAM	3480	632000	60	30kHz	Inner_1RB_Left	16.53	11.44	17.70
					Inner_1RB_Right	17.12	17.44	20.29
					Inner_Full	16.78	18.64	20.82
	3500.01	633334			Inner_1RB_Left	16.64	11.51	17.80
					Inner_1RB_Right	17.67	17.63	20.66
					Inner_Full	16.94	18.72	20.93
	3519.99	634666			Inner_1RB_Left	16.79	18.67	20.84
					Inner_1RB_Right	17.43	17.32	20.39
					Inner_Full	17.05	18.81	21.03

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3485.01	632334	70	30kHz	Inner_1RB_Left	21.26	22.89	25.16
					Inner_1RB_Right	21.58	23.15	25.45
					Inner_Full	20.25	21.89	24.16
	3500.01	633334			Inner_1RB_Left	21.52	23.12	25.40
					Inner_1RB_Right	21.61	23.18	25.48
					Inner_Full	20.46	22.12	24.38
	3515.01	634334			Inner_1RB_Left	21.37	23.12	25.34
					Inner_1RB_Right	21.66	23.18	25.50
					Inner_Full	20.4	22.01	24.29
CP-16QAM	3485.01	632334	Inner_1RB_Left	21.08	22.32	24.75		
			Inner_1RB_Right	21.46	22.61	25.08		
			Inner_Full	20.25	21.93	24.18		
	3500.01	633334	Inner_1RB_Left	21.37	22.58	25.03		
			Inner_1RB_Right	21.49	22.59	25.09		
			Inner_Full	20.44	22.16	24.39		
	3515.01	634334	Inner_1RB_Left	21.25	22.57	24.97		
			Inner_1RB_Right	21.61	22.68	25.19		
			Inner_Full	20.41	22.01	24.29		
CP-64QAM	3485.01	632334	Inner_1RB_Left	19.51	21.05	23.36		
			Inner_1RB_Right	20.29	20.38	23.35		
			Inner_Full	19.72	21.43	23.67		
	3500.01	633334	Inner_1RB_Left	19.77	20.43	23.12		
			Inner_1RB_Right	19.88	21.34	23.68		
			Inner_Full	20.45	20.82	23.65		
	3515.01	634334	Inner_1RB_Left	19.63	21.26	23.53		
			Inner_1RB_Right	20.52	20.31	23.43		
			Inner_Full	19.85	21.54	23.79		
CP-256QAM	3485.01	632334	Inner_1RB_Left	16.6	17.05	19.84		
			Inner_1RB_Right	17.12	17.2	20.17		
			Inner_Full	16.68	18.51	20.70		
	3500.01	633334	Inner_1RB_Left	16.5	18.42	20.58		
			Inner_1RB_Right	17.13	17.21	20.18		
			Inner_Full	16.89	18.76	20.94		
	3515.01	634334	Inner_1RB_Left	16.39	16.18	19.30		
			Inner_1RB_Right	17.22	17.22	20.23		
			Inner_Full	16.89	18.65	20.87		

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3490.02	632668	80	30kHz	Inner_1RB_Left	21.1	22.86	25.08
					Inner_1RB_Right	21.5	23.1	25.38
					Inner_Full	21.7	23.56	25.74
	3500.01	633334			Inner_1RB_Left	21.43	23.07	25.34
					Inner_1RB_Right	21.57	23.08	25.40
					Inner_Full	21.83	23.7	25.88
	3510	634000			Inner_1RB_Left	21.27	23.06	25.27
					Inner_1RB_Right	21.55	23.13	25.42
					Inner_Full	20.37	21.99	24.27
CP-16QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	21.14	22.28	24.76
					Inner_1RB_Right	21.4	22.51	25.00
					Inner_Full	21.36	23.02	25.28
	3500.01	633334			Inner_1RB_Left	21.33	22.45	24.94
					Inner_1RB_Right	21.46	22.54	25.04
					Inner_Full	21.49	23.16	25.42
	3510	634000			Inner_1RB_Left	21.2	22.45	24.88
					Inner_1RB_Right	21.5	22.52	25.05
					Inner_Full	21.51	23.2	25.45
CP-64QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	19.46	21.04	23.33
					Inner_1RB_Right	19.77	21.35	23.64
					Inner_Full	20.34	20.72	23.54
	3500.01	633334			Inner_1RB_Left	19.72	20.39	23.08
					Inner_1RB_Right	19.8	21.3	23.62
					Inner_Full	20.48	20.77	23.64
	3510	634000			Inner_1RB_Left	19.58	21.18	23.46
					Inner_1RB_Right	19.84	21.34	23.66
					Inner_Full	20.52	20.74	23.64
CP-256QAM	3490.02	632668	80	30kHz	Inner_1RB_Left	16.24	18.12	20.29
					Inner_1RB_Right	17.3	17.4	20.36
					Inner_Full	16.81	18.61	20.81
	3500.01	633334			Inner_1RB_Left	16.47	18.34	20.52
					Inner_1RB_Right	17.09	17.13	20.12
					Inner_Full	16.91	18.73	20.92
	3510	634000			Inner_1RB_Left	16.7	17.09	19.91
					Inner_1RB_Right	17.13	16.86	20.01
					Inner_Full	16.96	18.78	20.97

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3495	633000	90	30kHz	Inner_1RB_Left	21.01	22.77	24.99
					Inner_1RB_Right	21.5	22.99	25.32
					Inner_Full	21.59	23.42	25.61
	3500.01	633334			Inner_1RB_Left	21.26	22.93	25.19
					Inner_1RB_Right	21.42	22.93	25.25
					Inner_Full	21.8	23.63	25.82
	3504.99	633666			Inner_1RB_Left	21.37	23.04	25.30
					Inner_1RB_Right	21.35	22.87	25.19
					Inner_Full	21.87	23.73	25.91
CP-16QAM	3495	633000	90	30kHz	Inner_1RB_Left	21.1	22.2	24.70
					Inner_1RB_Right	21.53	22.45	25.02
					Inner_Full	21.25	22.89	25.16
	3500.01	633334			Inner_1RB_Left	21.2	22.33	24.81
					Inner_1RB_Right	21.47	22.39	24.96
					Inner_Full	21.42	23.17	25.39
	3504.99	633666			Inner_1RB_Left	21.34	22.41	24.92
					Inner_1RB_Right	21.35	22.33	24.88
					Inner_Full	21.54	23.28	25.51
CP-64QAM	3495	633000	90	30kHz	Inner_1RB_Left	19.34	20.82	23.15
					Inner_1RB_Right	19.81	21.08	23.50
					Inner_Full	20.21	20.48	23.36
	3500.01	633334			Inner_1RB_Left	19.58	21.03	23.38
					Inner_1RB_Right	20.37	20.07	23.23
					Inner_Full	19.91	21.56	23.82
	3504.99	633666			Inner_1RB_Left	19.69	21.13	23.48
					Inner_1RB_Right	20.29	20.09	23.20
					Inner_Full	20	21.65	23.91
CP-256QAM	3495	633000	90	30kHz	Inner_1RB_Left	16.43	17.26	19.88
					Inner_1RB_Right	17.09	16.99	20.05
					Inner_Full	16.7	18.44	20.67
	3500.01	633334			Inner_1RB_Left	16.36	18.22	20.40
					Inner_1RB_Right	17.11	17.08	20.11
					Inner_Full	16.89	18.67	20.88
	3504.99	633666			Inner_1RB_Left	16.5	18.33	20.52
					Inner_1RB_Right	16.98	16.93	19.97
					Inner_Full	16.98	18.76	20.97

Modulation	Carrier frequency (MHz)	UL Channel	BW	SCS	RB Config	ANT1 (dBm)	ANT2 (dBm)	Total (dBm)
CP-QPSK	3500.01	633334	100	30kHz	Inner_1RB_Left	20.96	22.68	24.91
					Inner_1RB_Right	21.27	22.76	25.09
					Inner_Full	21.83	23.67	25.86
CP-16QAM	3500.01	633334			Inner_1RB_Left	21.35	21.37	24.37
					Inner_1RB_Right	21.13	20.81	23.98
					Inner_Full	21.49	23.12	25.39
CP-64QAM	3500.01	633334			Inner_1RB_Left	19.37	20.9	23.21
					Inner_1RB_Right	19.59	20.96	23.34
					Inner_Full	19.92	21.59	23.85
CP-256QAM	3500.01	633334			Inner_1RB_Left	16.19	18.06	20.24
					Inner_1RB_Right	17.25	17.13	20.20
					Inner_Full	16.95	18.71	20.93

2 Occupied Bandwidth

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of 99% Power (MHz)							
					DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N78	Mid	10	30	Outer_Full	9.295	Fig.1	9.322	Fig.2	9.297	Fig.3	9.364	Fig.4
	Mid	15		Outer_Full	13.71	Fig.9	14.04	Fig.10	13.83	Fig.11	13.87	Fig.12
	Mid	20		Outer_Full	18.94	Fig.17	19.01	Fig.18	18.97	Fig.19	19.23	Fig.20
	Mid	25		Outer_Full	24.43	Fig.25	24.50	Fig.26	24.16	Fig.27	24.30	Fig.28
	Mid	30		Outer_Full	28.49	Fig.33	28.31	Fig.34	28.39	Fig.35	28.35	Fig.36
	Mid	40		Outer_Full	37.59	Fig.41	37.37	Fig.42	37.76	Fig.43	37.68	Fig.44
	Mid	50		Outer_Full	48.81	Fig.49	48.17	Fig.50	48.68	Fig.51	48.09	Fig.52
	Mid	60		Outer_Full	60.33	Fig.57	60.33	Fig.58	60.17	Fig.59	61.04	Fig.60
	Mid	70		Outer_Full	63.67	Fig.65	62.97	Fig.66	63.82	Fig.67	60.99	Fig.68
	Mid	80		Outer_Full	79.46	Fig.73	84.06	Fig.74	81.51	Fig.75	80.37	Fig.76
	Mid	90		Outer_Full	88.97	Fig.81	89.31	Fig.82	89.80	Fig.83	90.56	Fig.84
	Mid	100		Outer_Full	101.0	Fig.89	100.8	Fig.90	99.69	Fig.91	99.91	Fig.92
Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of 99% Power (MHz)							
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM	
N78	Mid	10	30	Outer_Full	10.10	Fig.5	9.221	Fig.6	9.450	Fig.7	10.57	Fig.8
	Mid	15		Outer_Full	14.43	Fig.13	15.67	Fig.14	14.53	Fig.15	15.10	Fig.16
	Mid	20		Outer_Full	19.33	Fig.21	19.42	Fig.22	19.44	Fig.23	19.44	Fig.24
	Mid	25		Outer_Full	24.45	Fig.29	24.39	Fig.30	24.35	Fig.31	24.47	Fig.32
	Mid	30		Outer_Full	29.29	Fig.37	30.14	Fig.38	30.25	Fig.39	29.74	Fig.40
	Mid	40		Outer_Full	40.36	Fig.45	40.88	Fig.46	40.94	Fig.47	39.71	Fig.48
	Mid	50		Outer_Full	49.62	Fig.53	50.63	Fig.54	50.62	Fig.55	49.78	Fig.56
	Mid	60		Outer_Full	59.90	Fig.61	60.27	Fig.62	60.64	Fig.63	60.59	Fig.64
	Mid	70		Outer_Full	63.10	Fig.69	64.49	Fig.70	60.85	Fig.71	61.89	Fig.72
	Mid	80		Outer_Full	81.19	Fig.77	80.43	Fig.78	82.89	Fig.79	82.31	Fig.80
	Mid	90		Outer_Full	90.42	Fig.85	90.83	Fig.86	92.99	Fig.87	91.79	Fig.88
	Mid	100		Outer_Full	100.5	Fig.93	101.3	Fig.94	100.6	Fig.95	100.8	Fig.96

3 Emission Bandwidth

Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)							
					DFT-QPSK		DFT-16QAM		DFT-64QAM		DFT-256QAM	
N78	Mid	10	30	Outer_Full	8.55	Fig.1	8.56	Fig.2	8.56	Fig.3	8.57	Fig.4
	Mid	15		Outer_Full	12.85	Fig.9	12.85	Fig.10	12.86	Fig.11	12.89	Fig.12
	Mid	20		Outer_Full	17.82	Fig.17	17.79	Fig.18	17.84	Fig.19	17.85	Fig.20
	Mid	25		Outer_Full	22.87	Fig.25	22.86	Fig.26	22.84	Fig.27	22.86	Fig.28
	Mid	30		Outer_Full	26.78	Fig.33	26.78	Fig.34	26.77	Fig.35	26.82	Fig.36
	Mid	40		Outer_Full	35.72	Fig.41	35.67	Fig.42	35.74	Fig.43	35.73	Fig.44
	Mid	50		Outer_Full	45.72	Fig.49	45.73	Fig.50	45.70	Fig.51	45.69	Fig.52
	Mid	60		Outer_Full	57.76	Fig.57	57.91	Fig.58	57.79	Fig.59	57.95	Fig.60
	Mid	70		Outer_Full	57.95	Fig.65	57.92	Fig.66	57.93	Fig.67	57.94	Fig.68
	Mid	80		Outer_Full	77.85	Fig.73	77.15	Fig.74	77.15	Fig.75	77.17	Fig.76
	Mid	90		Outer_Full	85.77	Fig.81	85.68	Fig.82	85.64	Fig.83	85.62	Fig.84
	Mid	100		Outer_Full	96.28	Fig.89	96.29	Fig.90	96.18	Fig.91	96.12	Fig.92
Band	Channel	BW (MHz)	SCS	RB Config	Bandwidth of -26dB transmitter power (MHz)							
					CP-QPSK		CP-16QAM		CP-64QAM		CP-256QAM	
N78	Mid	10	30	Outer_Full	8.58	Fig.5	8.57	Fig.6	8.57	Fig.7	8.58	Fig.8
	Mid	15		Outer_Full	13.54	Fig.13	13.55	Fig.14	13.57	Fig.15	13.58	Fig.16
	Mid	20		Outer_Full	18.18	Fig.21	18.21	Fig.22	18.19	Fig.23	18.19	Fig.24
	Mid	25		Outer_Full	23.18	Fig.29	23.16	Fig.30	23.17	Fig.31	23.17	Fig.32
	Mid	30		Outer_Full	28.03	Fig.37	27.82	Fig.38	27.82	Fig.39	27.85	Fig.40
	Mid	40		Outer_Full	37.82	Fig.45	37.85	Fig.46	37.88	Fig.47	37.81	Fig.48
	Mid	50		Outer_Full	47.42	Fig.53	47.48	Fig.54	47.45	Fig.55	47.36	Fig.56
	Mid	60		Outer_Full	58.12	Fig.61	57.84	Fig.62	57.74	Fig.63	57.74	Fig.64
	Mid	70		Outer_Full	57.81	Fig.69	57.92	Fig.70	57.92	Fig.71	57.89	Fig.72
	Mid	80		Outer_Full	77.45	Fig.77	77.45	Fig.78	77.51	Fig.79	77.46	Fig.80
	Mid	90		Outer_Full	87.97	Fig.85	87.42	Fig.86	87.31	Fig.87	87.45	Fig.88
	Mid	100		Outer_Full	97.40	Fig.93	97.28	Fig.94	97.38	Fig.95	97.26	Fig.96




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6



Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14



Fig.15




Fig.16




Fig.17




Fig.18



Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24




Fig.25




Fig.26




Fig.27




Fig.28




Fig.29




Fig.30



Fig.31



Fig.32



Fig.33




Fig.34



Fig.35




Fig.36