

| Modulation | Carrier frequency (MHz) | UL Channel | BW | SCS | RB Config | Conducted power (dBm) | ERP/EIRP (dBm) | ERP/EIRP (W) |
|------------|-------------------------|------------|-----|-------|-----------------|-----------------------|----------------|--------------|
| CP-QPSK | 3750 | 650000 | 100 | 30kHz | Inner_1RB_Left | 24.62 | 22.53 | 0.179 |
| | | | | | Inner_1RB_Right | 24.87 | 22.78 | 0.190 |
| | | | | | Inner_Full | 25.46 | 23.37 | 0.217 |
| CP-16QAM | 3750 | 650000 | | | Inner_1RB_Left | 25.63 | 23.54 | 0.226 |
| | | | | | Inner_1RB_Right | 24.36 | 22.27 | 0.169 |
| | | | | | Inner_Full | 24.95 | 22.86 | 0.193 |
| CP-64QAM | 3750 | 650000 | | | Inner_1RB_Left | 22.61 | 20.52 | 0.113 |
| | | | | | Inner_1RB_Right | 22.85 | 20.76 | 0.119 |
| | | | | | Inner_Full | 23.4 | 21.31 | 0.135 |
| CP-256QAM | 3750 | 650000 | | | Inner_1RB_Left | 20.18 | 18.09 | 0.064 |
| | | | | | Inner_1RB_Right | 20.31 | 18.22 | 0.066 |
| | | | | | Inner_Full | 20.52 | 18.43 | 0.070 |

MIMO:

| Modulation | Carrier frequency (MHz) | UL Channel | BW | SCS | RB Config | Ant1(dBm) | Ant2(dBm) | Total(dBm) | ERP/ EIRP (dBm) | ERP/ EIRP (W) |
|------------|-------------------------|------------|----|-------|-----------------|-----------|-----------|------------|-----------------|---------------|
| CP-QPSK | 3705 | 647000 | 10 | 30kHz | Inner_1RB_Left | 21.58 | 22.07 | 24.84 | 22.75 | 0.188 |
| | | | | | Inner_1RB_Right | 21.74 | 22.05 | 24.91 | 22.82 | 0.191 |
| | | | | | Inner_Full | 21.57 | 22.19 | 24.90 | 22.81 | 0.191 |
| | 3750 | 650000 | | | Inner_1RB_Left | 22.24 | 22.72 | 25.50 | 23.41 | 0.219 |
| | | | | | Inner_1RB_Right | 22.17 | 22.7 | 25.45 | 23.36 | 0.217 |
| | | | | | Inner_Full | 22.14 | 22.85 | 25.52 | 23.43 | 0.220 |
| | 3795 | 653000 | | | Inner_1RB_Left | 21.91 | 22.58 | 25.27 | 23.18 | 0.208 |
| | | | | | Inner_1RB_Right | 22.04 | 22.6 | 25.34 | 23.25 | 0.211 |
| | | | | | Inner_Full | 21.84 | 22.6 | 25.25 | 23.16 | 0.207 |
| CP-16QAM | 3705 | 647000 | 10 | 30kHz | Inner_1RB_Left | 21.49 | 21.59 | 24.55 | 22.46 | 0.176 |
| | | | | | Inner_1RB_Right | 21.67 | 21.64 | 24.67 | 22.58 | 0.181 |
| | | | | | Inner_Full | 21.26 | 21.73 | 24.51 | 22.42 | 0.175 |
| | 3750 | 650000 | | | Inner_1RB_Left | 22.04 | 22.25 | 25.16 | 23.07 | 0.203 |
| | | | | | Inner_1RB_Right | 21.97 | 22.21 | 25.10 | 23.01 | 0.200 |
| | | | | | Inner_Full | 21.72 | 22.28 | 25.02 | 22.93 | 0.196 |
| | 3795 | 653000 | | | Inner_1RB_Left | 21.69 | 21.97 | 24.84 | 22.75 | 0.188 |
| | | | | | Inner_1RB_Right | 21.64 | 21.97 | 24.82 | 22.73 | 0.187 |
| | | | | | Inner_Full | 21.33 | 22.16 | 24.78 | 22.69 | 0.186 |
| CP-64QAM | 3705 | 647000 | 10 | 30kHz | Inner_1RB_Left | 19.6 | 20.39 | 23.02 | 20.93 | 0.124 |
| | | | | | Inner_1RB_Right | 19.78 | 20.46 | 23.14 | 21.05 | 0.127 |
| | | | | | Inner_Full | 19.67 | 20.17 | 22.94 | 20.85 | 0.122 |
| | 3750 | 650000 | | | Inner_1RB_Left | 20.26 | 21.05 | 23.68 | 21.59 | 0.144 |
| | | | | | Inner_1RB_Right | 20.22 | 21.17 | 23.73 | 21.64 | 0.146 |
| | | | | | Inner_Full | 20.21 | 20.83 | 23.54 | 21.45 | 0.140 |
| | 3795 | 653000 | | | Inner_1RB_Left | 19.85 | 20.87 | 23.40 | 21.31 | 0.135 |
| | | | | | Inner_1RB_Right | 20.03 | 20.94 | 23.52 | 21.43 | 0.139 |
| | | | | | Inner_Full | 19.92 | 20.59 | 23.28 | 21.19 | 0.132 |
| CP-256QAM | 3705 | 647000 | 10 | 30kHz | Inner_1RB_Left | 16.32 | 17.17 | 19.78 | 17.69 | 0.059 |
| | | | | | Inner_1RB_Right | 16.52 | 17.25 | 19.91 | 17.82 | 0.061 |
| | | | | | Inner_Full | 16.62 | 17.32 | 19.99 | 17.9 | 0.062 |
| | 3750 | 650000 | | | Inner_1RB_Left | 17.03 | 17.85 | 20.47 | 18.38 | 0.069 |
| | | | | | Inner_1RB_Right | 16.96 | 17.89 | 20.46 | 18.37 | 0.069 |
| | | | | | Inner_Full | 17.17 | 17.95 | 20.59 | 18.5 | 0.071 |
| | 3795 | 653000 | | | Inner_1RB_Left | 16.6 | 17.7 | 20.20 | 18.11 | 0.065 |
| | | | | | Inner_1RB_Right | 16.8 | 17.73 | 20.30 | 18.21 | 0.066 |
| | | | | | Inner_Full | 16.86 | 17.75 | 20.34 | 18.25 | 0.067 |

| Modulation | Carrier frequency (MHz) | UL Channel | BW | SCS | RB Config | Ant1(dBm) | Ant2(dBm) | Total(dBm) | ERP/EIRP (dBm) | ERP/EIRP (W) |
|------------|-------------------------|------------|----|-------|-----------------|-----------|-----------|------------|----------------|--------------|
| CP-QPSK | 3707.52 | 647168 | 15 | 30kHz | Inner_1RB_Left | 21.59 | 22.04 | 24.83 | 22.74 | 0.188 |
| | | | | | Inner_1RB_Right | 21.78 | 22.06 | 24.93 | 22.84 | 0.192 |
| | | | | | Inner_Full | 21.6 | 22.2 | 24.92 | 22.83 | 0.192 |
| | 3750 | 650000 | | | Inner_1RB_Left | 22.29 | 22.79 | 25.56 | 23.47 | 0.222 |
| | | | | | Inner_1RB_Right | 22.17 | 22.75 | 25.48 | 23.39 | 0.218 |
| | | | | | Inner_Full | 22.13 | 22.87 | 25.53 | 23.44 | 0.221 |
| | 3792.48 | 652832 | | | Inner_1RB_Left | 21.95 | 22.75 | 25.38 | 23.29 | 0.213 |
| | | | | | Inner_1RB_Right | 22.05 | 22.6 | 25.34 | 23.25 | 0.211 |
| | | | | | Inner_Full | 21.84 | 22.74 | 25.32 | 23.23 | 0.210 |
| CP-16QAM | 3707.52 | 647168 | 15 | 30kHz | Inner_1RB_Left | 21.43 | 21.51 | 24.48 | 22.39 | 0.173 |
| | | | | | Inner_1RB_Right | 21.66 | 21.5 | 24.59 | 22.5 | 0.178 |
| | | | | | Inner_Full | 21.25 | 21.69 | 24.49 | 22.4 | 0.174 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.89 | 22.29 | 25.10 | 23.01 | 0.200 |
| | | | | | Inner_1RB_Right | 21.85 | 22.27 | 25.08 | 22.99 | 0.199 |
| | | | | | Inner_Full | 21.57 | 22.39 | 25.01 | 22.92 | 0.196 |
| | 3792.48 | 652832 | | | Inner_1RB_Left | 21.66 | 22.25 | 24.98 | 22.89 | 0.195 |
| | | | | | Inner_1RB_Right | 21.65 | 22.18 | 24.93 | 22.84 | 0.192 |
| | | | | | Inner_Full | 21.3 | 22.27 | 24.82 | 22.73 | 0.187 |
| CP-64QAM | 3707.52 | 647168 | 15 | 30kHz | Inner_1RB_Left | 19.68 | 20.31 | 23.02 | 20.93 | 0.124 |
| | | | | | Inner_1RB_Right | 19.79 | 20.37 | 23.10 | 21.01 | 0.126 |
| | | | | | Inner_Full | 19.8 | 20.18 | 23.00 | 20.91 | 0.123 |
| | 3750 | 650000 | | | Inner_1RB_Left | 20.23 | 21.18 | 23.74 | 21.65 | 0.146 |
| | | | | | Inner_1RB_Right | 20.13 | 21.22 | 23.72 | 21.63 | 0.146 |
| | | | | | Inner_Full | 20.26 | 20.73 | 23.51 | 21.42 | 0.139 |
| | 3792.48 | 652832 | | | Inner_1RB_Left | 19.98 | 21.18 | 23.63 | 21.54 | 0.143 |
| | | | | | Inner_1RB_Right | 19.93 | 20.99 | 23.50 | 21.41 | 0.138 |
| | | | | | Inner_Full | 19.96 | 20.6 | 23.30 | 21.21 | 0.132 |
| CP-256QAM | 3707.52 | 647168 | 15 | 30kHz | Inner_1RB_Left | 16.34 | 17.28 | 19.85 | 17.76 | 0.060 |
| | | | | | Inner_1RB_Right | 16.53 | 17.21 | 19.89 | 17.8 | 0.060 |
| | | | | | Inner_Full | 16.72 | 17.3 | 20.03 | 17.94 | 0.062 |
| | 3750 | 650000 | | | Inner_1RB_Left | 17.01 | 17.84 | 20.46 | 18.37 | 0.069 |
| | | | | | Inner_1RB_Right | 16.87 | 17.79 | 20.36 | 18.27 | 0.067 |
| | | | | | Inner_Full | 17.24 | 17.94 | 20.61 | 18.52 | 0.071 |
| | 3792.48 | 652832 | | | Inner_1RB_Left | 16.72 | 17.72 | 20.26 | 18.17 | 0.066 |
| | | | | | Inner_1RB_Right | 16.74 | 17.75 | 20.28 | 18.19 | 0.066 |
| | | | | | Inner_Full | 16.97 | 17.79 | 20.41 | 18.32 | 0.068 |

| Modulation | Carrier frequency (MHz) | UL Channel | BW | SCS | RB Config | Ant1(dBm) | Ant2(dBm) | Total(dBm) | ERP/EIRP (dBm) | ERP/EIRP (W) |
|------------|-------------------------|------------|----|-------|-----------------|-----------|-----------|------------|----------------|--------------|
| CP-QPSK | 3710.01 | 647334 | 20 | 30kHz | Inner_1RB_Left | 21.66 | 22.23 | 24.96 | 22.87 | 0.194 |
| | | | | | Inner_1RB_Right | 21.77 | 22 | 24.90 | 22.81 | 0.191 |
| | | | | | Inner_Full | 21.57 | 22.21 | 24.91 | 22.82 | 0.191 |
| | 3750 | 650000 | | | Inner_1RB_Left | 22.22 | 22.71 | 25.48 | 23.39 | 0.218 |
| | | | | | Inner_1RB_Right | 22.16 | 22.64 | 25.42 | 23.33 | 0.215 |
| | | | | | Inner_Full | 22.06 | 22.8 | 25.46 | 23.37 | 0.217 |
| | 3789.99 | 652666 | | | Inner_1RB_Left | 21.91 | 22.61 | 25.28 | 23.19 | 0.208 |
| | | | | | Inner_1RB_Right | 21.96 | 22.56 | 25.28 | 23.19 | 0.208 |
| | | | | | Inner_Full | 21.83 | 22.72 | 25.31 | 23.22 | 0.210 |
| CP-16QAM | 3710.01 | 647334 | 20 | 30kHz | Inner_1RB_Left | 21.42 | 21.62 | 24.53 | 22.44 | 0.175 |
| | | | | | Inner_1RB_Right | 21.54 | 21.52 | 24.54 | 22.45 | 0.176 |
| | | | | | Inner_Full | 21.28 | 21.65 | 24.48 | 22.39 | 0.173 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.86 | 22.21 | 25.05 | 22.96 | 0.198 |
| | | | | | Inner_1RB_Right | 21.69 | 22.28 | 25.01 | 22.92 | 0.196 |
| | | | | | Inner_Full | 21.61 | 22.25 | 24.95 | 22.86 | 0.193 |
| | 3789.99 | 652666 | | | Inner_1RB_Left | 21.47 | 22.13 | 24.82 | 22.73 | 0.187 |
| | | | | | Inner_1RB_Right | 21.65 | 22 | 24.84 | 22.75 | 0.188 |
| | | | | | Inner_Full | 21.33 | 22.21 | 24.80 | 22.71 | 0.187 |
| CP-64QAM | 3710.01 | 647334 | 20 | 30kHz | Inner_1RB_Left | 19.57 | 20.46 | 23.05 | 20.96 | 0.125 |
| | | | | | Inner_1RB_Right | 19.67 | 20.45 | 23.09 | 21 | 0.126 |
| | | | | | Inner_Full | 19.77 | 20.17 | 22.98 | 20.89 | 0.123 |
| | 3750 | 650000 | | | Inner_1RB_Left | 20.17 | 21.01 | 23.62 | 21.53 | 0.142 |
| | | | | | Inner_1RB_Right | 20.02 | 21.13 | 23.62 | 21.53 | 0.142 |
| | | | | | Inner_Full | 20.21 | 20.76 | 23.50 | 21.41 | 0.138 |
| | 3789.99 | 652666 | | | Inner_1RB_Left | 19.88 | 20.92 | 23.44 | 21.35 | 0.136 |
| | | | | | Inner_1RB_Right | 20.02 | 20.87 | 23.48 | 21.39 | 0.138 |
| | | | | | Inner_Full | 19.97 | 20.65 | 23.33 | 21.24 | 0.133 |
| CP-256QAM | 3710.01 | 647334 | 20 | 30kHz | Inner_1RB_Left | 16.32 | 17.15 | 19.77 | 17.68 | 0.059 |
| | | | | | Inner_1RB_Right | 16.43 | 17.05 | 19.76 | 17.67 | 0.058 |
| | | | | | Inner_Full | 16.74 | 17.25 | 20.01 | 17.92 | 0.062 |
| | 3750 | 650000 | | | Inner_1RB_Left | 16.97 | 17.72 | 20.37 | 18.28 | 0.067 |
| | | | | | Inner_1RB_Right | 16.81 | 17.82 | 20.35 | 18.26 | 0.067 |
| | | | | | Inner_Full | 17.16 | 17.83 | 20.52 | 18.43 | 0.070 |
| | 3789.99 | 652666 | | | Inner_1RB_Left | 16.61 | 17.73 | 20.22 | 18.13 | 0.065 |
| | | | | | Inner_1RB_Right | 16.66 | 17.75 | 20.25 | 18.16 | 0.065 |
| | | | | | Inner_Full | 16.83 | 17.76 | 20.33 | 18.24 | 0.067 |

| Modulation | Carrier frequency (MHz) | UL Channel | BW | SCS | RB Config | Ant1(dBm) | Ant2(dBm) | Total(dBm) | ERP/EIRP (dBm) | ERP/EIRP (W) |
|------------|-------------------------|------------|----|-------|-----------------|-----------|-----------|------------|----------------|--------------|
| CP-QPSK | 3712.5 | 647500 | 25 | 30kHz | Inner_1RB_Left | 21.51 | 21.97 | 24.76 | 22.67 | 0.185 |
| | | | | | Inner_1RB_Right | 21.54 | 21.72 | 24.64 | 22.55 | 0.180 |
| | | | | | Inner_Full | 21.57 | 22.23 | 24.92 | 22.83 | 0.192 |
| | 3750 | 650000 | | | Inner_1RB_Left | 22.07 | 22.4 | 25.25 | 23.16 | 0.207 |
| | | | | | Inner_1RB_Right | 22 | 22.52 | 25.28 | 23.19 | 0.208 |
| | | | | | Inner_Full | 22.09 | 22.77 | 25.45 | 23.36 | 0.217 |
| | 3787.5 | 652500 | | | Inner_1RB_Left | 21.77 | 22.41 | 25.11 | 23.02 | 0.200 |
| | | | | | Inner_1RB_Right | 21.9 | 22.43 | 25.18 | 23.09 | 0.204 |
| | | | | | Inner_Full | 21.81 | 22.64 | 25.26 | 23.17 | 0.207 |
| CP-16QAM | 3712.5 | 647500 | 25 | 30kHz | Inner_1RB_Left | 21.44 | 21.46 | 24.46 | 22.37 | 0.173 |
| | | | | | Inner_1RB_Right | 21.47 | 21.29 | 24.39 | 22.3 | 0.170 |
| | | | | | Inner_Full | 21.21 | 21.64 | 24.44 | 22.35 | 0.172 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.8 | 21.94 | 24.88 | 22.79 | 0.190 |
| | | | | | Inner_1RB_Right | 21.7 | 22.03 | 24.88 | 22.79 | 0.190 |
| | | | | | Inner_Full | 21.57 | 22.23 | 24.92 | 22.83 | 0.192 |
| | 3787.5 | 652500 | | | Inner_1RB_Left | 21.44 | 21.87 | 24.67 | 22.58 | 0.181 |
| | | | | | Inner_1RB_Right | 21.56 | 21.89 | 24.74 | 22.65 | 0.184 |
| | | | | | Inner_Full | 21.29 | 22.14 | 24.75 | 22.66 | 0.185 |
| CP-64QAM | 3712.5 | 647500 | 25 | 30kHz | Inner_1RB_Left | 19.54 | 20.31 | 22.95 | 20.86 | 0.122 |
| | | | | | Inner_1RB_Right | 19.54 | 20.16 | 22.87 | 20.78 | 0.120 |
| | | | | | Inner_Full | 19.71 | 20.14 | 22.94 | 20.85 | 0.122 |
| | 3750 | 650000 | | | Inner_1RB_Left | 20.07 | 20.83 | 23.48 | 21.39 | 0.138 |
| | | | | | Inner_1RB_Right | 20.06 | 20.93 | 23.53 | 21.44 | 0.139 |
| | | | | | Inner_Full | 20.23 | 20.73 | 23.50 | 21.41 | 0.138 |
| | 3787.5 | 652500 | | | Inner_1RB_Left | 19.79 | 20.68 | 23.27 | 21.18 | 0.131 |
| | | | | | Inner_1RB_Right | 19.94 | 20.8 | 23.40 | 21.31 | 0.135 |
| | | | | | Inner_Full | 19.93 | 20.62 | 23.30 | 21.21 | 0.132 |
| CP-256QAM | 3712.5 | 647500 | 25 | 30kHz | Inner_1RB_Left | 16.24 | 17.27 | 19.80 | 17.71 | 0.059 |
| | | | | | Inner_1RB_Right | 16.21 | 17 | 19.63 | 17.54 | 0.057 |
| | | | | | Inner_Full | 16.7 | 17.24 | 19.99 | 17.9 | 0.062 |
| | 3750 | 650000 | | | Inner_1RB_Left | 16.76 | 17.68 | 20.25 | 18.16 | 0.065 |
| | | | | | Inner_1RB_Right | 16.81 | 17.8 | 20.34 | 18.25 | 0.067 |
| | | | | | Inner_Full | 17.14 | 17.83 | 20.51 | 18.42 | 0.070 |
| | 3787.5 | 652500 | | | Inner_1RB_Left | 16.49 | 17.69 | 20.14 | 18.05 | 0.064 |
| | | | | | Inner_1RB_Right | 16.64 | 17.71 | 20.22 | 18.13 | 0.065 |
| | | | | | Inner_Full | 16.84 | 17.71 | 20.31 | 18.22 | 0.066 |

| Modulation | Carrier frequency (MHz) | UL Channel | BW | SCS | RB Config | Ant1(dBm) | Ant2(dBm) | Total(dBm) | ERP/EIRP (dBm) | ERP/EIRP (W) |
|------------|-------------------------|------------|----|-------|-----------------|-----------|-----------|------------|----------------|--------------|
| CP-QPSK | 3715.02 | 647668 | 30 | 30kHz | Inner_1RB_Left | 21.55 | 21.96 | 24.77 | 22.68 | 0.185 |
| | | | | | Inner_1RB_Right | 21.62 | 21.91 | 24.78 | 22.69 | 0.186 |
| | | | | | Inner_Full | 21.6 | 22.2 | 24.92 | 22.83 | 0.192 |
| | 3750 | 650000 | | | Inner_1RB_Left | 22 | 22.31 | 25.17 | 23.08 | 0.203 |
| | | | | | Inner_1RB_Right | 22.13 | 22.83 | 25.50 | 23.41 | 0.219 |
| | | | | | Inner_Full | 22.06 | 22.76 | 25.43 | 23.34 | 0.216 |
| | 3785.01 | 652334 | | | Inner_1RB_Left | 21.57 | 22.26 | 24.94 | 22.85 | 0.193 |
| | | | | | Inner_1RB_Right | 22.04 | 22.46 | 25.27 | 23.18 | 0.208 |
| | | | | | Inner_Full | 21.81 | 22.61 | 25.24 | 23.15 | 0.207 |
| CP-16QAM | 3715.02 | 647668 | 30 | 30kHz | Inner_1RB_Left | 21.47 | 21.51 | 24.50 | 22.41 | 0.174 |
| | | | | | Inner_1RB_Right | 21.36 | 21.33 | 24.36 | 22.27 | 0.169 |
| | | | | | Inner_Full | 21.28 | 21.7 | 24.51 | 22.42 | 0.175 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.69 | 21.79 | 24.75 | 22.66 | 0.185 |
| | | | | | Inner_1RB_Right | 21.81 | 22.18 | 25.01 | 22.92 | 0.196 |
| | | | | | Inner_Full | 21.62 | 22.24 | 24.95 | 22.86 | 0.193 |
| | 3785.01 | 652334 | | | Inner_1RB_Left | 21.27 | 21.72 | 24.51 | 22.42 | 0.175 |
| | | | | | Inner_1RB_Right | 21.68 | 21.95 | 24.83 | 22.74 | 0.188 |
| | | | | | Inner_Full | 21.31 | 22.13 | 24.75 | 22.66 | 0.185 |
| CP-64QAM | 3715.02 | 647668 | 30 | 30kHz | Inner_1RB_Left | 19.59 | 20.3 | 22.97 | 20.88 | 0.122 |
| | | | | | Inner_1RB_Right | 19.57 | 20.23 | 22.92 | 20.83 | 0.121 |
| | | | | | Inner_Full | 19.71 | 20.14 | 22.94 | 20.85 | 0.122 |
| | 3750 | 650000 | | | Inner_1RB_Left | 20.04 | 20.63 | 23.36 | 21.27 | 0.134 |
| | | | | | Inner_1RB_Right | 20.16 | 21.14 | 23.69 | 21.6 | 0.145 |
| | | | | | Inner_Full | 20.18 | 20.69 | 23.45 | 21.36 | 0.137 |
| | 3785.01 | 652334 | | | Inner_1RB_Left | 19.68 | 20.59 | 23.17 | 21.08 | 0.128 |
| | | | | | Inner_1RB_Right | 19.98 | 20.79 | 23.41 | 21.32 | 0.136 |
| | | | | | Inner_Full | 19.91 | 20.54 | 23.25 | 21.16 | 0.131 |
| CP-256QAM | 3715.02 | 647668 | 30 | 30kHz | Inner_1RB_Left | 16.32 | 17.27 | 19.83 | 17.74 | 0.059 |
| | | | | | Inner_1RB_Right | 16.32 | 17.13 | 19.75 | 17.66 | 0.058 |
| | | | | | Inner_Full | 16.6 | 17.22 | 19.93 | 17.84 | 0.061 |
| | 3750 | 650000 | | | Inner_1RB_Left | 16.75 | 17.6 | 20.21 | 18.12 | 0.065 |
| | | | | | Inner_1RB_Right | 16.88 | 18 | 20.49 | 18.4 | 0.069 |
| | | | | | Inner_Full | 17.13 | 17.8 | 20.49 | 18.4 | 0.069 |
| | 3785.01 | 652334 | | | Inner_1RB_Left | 16.44 | 17.48 | 20.00 | 17.91 | 0.062 |
| | | | | | Inner_1RB_Right | 16.71 | 17.67 | 20.23 | 18.14 | 0.065 |
| | | | | | Inner_Full | 16.85 | 17.63 | 20.27 | 18.18 | 0.066 |

| Modulation | Carrier frequency (MHz) | UL Channel | BW | SCS | RB Config | Ant1(dBm) | Ant2(dBm) | Total(dBm) | ERP/EIRP (dBm) | ERP/EIRP (W) |
|------------|-------------------------|------------|-----------------|-------|-----------------|-----------|-----------|------------|----------------|--------------|
| CP-QPSK | 3720 | 648000 | 40 | 30kHz | Inner_1RB_Left | 21.24 | 21.71 | 24.49 | 22.4 | 0.174 |
| | | | | | Inner_1RB_Right | 21.42 | 21.86 | 24.66 | 22.57 | 0.181 |
| | | | | | Inner_Full | 21.54 | 22.04 | 24.81 | 22.72 | 0.187 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.7 | 22.01 | 24.87 | 22.78 | 0.190 |
| | | | | | Inner_1RB_Right | 21.98 | 22.7 | 25.37 | 23.28 | 0.213 |
| | | | | | Inner_Full | 22.02 | 22.71 | 25.39 | 23.3 | 0.214 |
| | 3780 | 652000 | | | Inner_1RB_Left | 21.39 | 21.95 | 24.69 | 22.6 | 0.182 |
| | | | | | Inner_1RB_Right | 21.84 | 22.34 | 25.11 | 23.02 | 0.200 |
| | | | | | Inner_Full | 21.85 | 22.68 | 25.30 | 23.21 | 0.209 |
| CP-16QAM | 3720 | 648000 | | | Inner_1RB_Left | 21.2 | 21.14 | 24.18 | 22.09 | 0.162 |
| | | | | | Inner_1RB_Right | 21.17 | 21.32 | 24.26 | 22.17 | 0.165 |
| | | | | | Inner_Full | 21.17 | 21.5 | 24.35 | 22.26 | 0.168 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.6 | 21.47 | 24.55 | 22.46 | 0.176 |
| | | | | | Inner_1RB_Right | 21.69 | 22.08 | 24.90 | 22.81 | 0.191 |
| | | | | | Inner_Full | 21.51 | 22.22 | 24.89 | 22.8 | 0.191 |
| | 3780 | 652000 | | | Inner_1RB_Left | 21.11 | 21.45 | 24.29 | 22.2 | 0.166 |
| | | | | | Inner_1RB_Right | 21.47 | 21.87 | 24.68 | 22.59 | 0.182 |
| | | | | | Inner_Full | 21.35 | 22.21 | 24.81 | 22.72 | 0.187 |
| CP-64QAM | 3720 | 648000 | | | Inner_1RB_Left | 19.34 | 20.05 | 22.72 | 20.63 | 0.116 |
| | | | | | Inner_1RB_Right | 19.57 | 20.26 | 22.94 | 20.85 | 0.122 |
| | | | | | Inner_Full | 19.68 | 19.98 | 22.84 | 20.75 | 0.119 |
| | 3750 | 650000 | | | Inner_1RB_Left | 19.78 | 20.4 | 23.11 | 21.02 | 0.126 |
| | | | | | Inner_1RB_Right | 19.99 | 20.9 | 23.48 | 21.39 | 0.138 |
| | | | | | Inner_Full | 20.15 | 20.68 | 23.43 | 21.34 | 0.136 |
| | 3780 | 652000 | | | Inner_1RB_Left | 19.53 | 20.37 | 22.98 | 20.89 | 0.123 |
| | | | | | Inner_1RB_Right | 19.91 | 20.73 | 23.35 | 21.26 | 0.134 |
| | | | | | Inner_Full | 19.97 | 20.67 | 23.34 | 21.25 | 0.133 |
| CP-256QAM | 3720 | 648000 | Inner_1RB_Left | 16.11 | 16.99 | 19.58 | 17.49 | 0.056 | | |
| | | | Inner_1RB_Right | 16.21 | 17.19 | 19.74 | 17.65 | 0.058 | | |
| | | | Inner_Full | 16.65 | 17.14 | 19.91 | 17.82 | 0.061 | | |
| | 3750 | 650000 | Inner_1RB_Left | 16.53 | 17.3 | 19.94 | 17.85 | 0.061 | | |
| | | | Inner_1RB_Right | 16.73 | 17.78 | 20.30 | 18.21 | 0.066 | | |
| | | | Inner_Full | 17.12 | 17.8 | 20.48 | 18.39 | 0.069 | | |
| | 3780 | 652000 | Inner_1RB_Left | 16.24 | 17.25 | 19.78 | 17.69 | 0.059 | | |
| | | | Inner_1RB_Right | 16.63 | 17.59 | 20.15 | 18.06 | 0.064 | | |
| | | | Inner_Full | 16.94 | 17.79 | 20.40 | 18.31 | 0.068 | | |

| Modulation | Carrier frequency (MHz) | UL Channel | BW | SCS | RB Config | Ant1(dBm) | Ant2(dBm) | Total(dBm) | ERP/ EIRP (dBm) | ERP/ EIRP (W) |
|------------|-------------------------|------------|----|-------|-----------------|-----------|-----------|------------|-----------------|---------------|
| CP-QPSK | 3725.01 | 648334 | 50 | 30kHz | Inner_1RB_Left | 21.4 | 21.8 | 24.61 | 22.52 | 0.179 |
| | | | | | Inner_1RB_Right | 21.88 | 22.27 | 25.09 | 23 | 0.200 |
| | | | | | Inner_Full | 21.51 | 21.98 | 24.76 | 22.67 | 0.185 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.89 | 22.11 | 25.01 | 22.92 | 0.196 |
| | | | | | Inner_1RB_Right | 22.24 | 22.84 | 25.56 | 23.47 | 0.222 |
| | | | | | Inner_Full | 22.03 | 22.72 | 25.40 | 23.31 | 0.214 |
| | 3774.99 | 651666 | | | Inner_1RB_Left | 21.83 | 22.27 | 25.07 | 22.98 | 0.199 |
| | | | | | Inner_1RB_Right | 21.88 | 22.47 | 25.20 | 23.11 | 0.205 |
| | | | | | Inner_Full | 21.8 | 22.76 | 25.32 | 23.23 | 0.210 |
| CP-16QAM | 3725.01 | 648334 | 50 | 30kHz | Inner_1RB_Left | 21.22 | 21.24 | 24.24 | 22.15 | 0.164 |
| | | | | | Inner_1RB_Right | 21.56 | 21.67 | 24.63 | 22.54 | 0.179 |
| | | | | | Inner_Full | 21.2 | 21.46 | 24.34 | 22.25 | 0.168 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.76 | 21.62 | 24.70 | 22.61 | 0.182 |
| | | | | | Inner_1RB_Right | 21.85 | 22.38 | 25.13 | 23.04 | 0.201 |
| | | | | | Inner_Full | 21.58 | 22.17 | 24.90 | 22.81 | 0.191 |
| | 3774.99 | 651666 | | | Inner_1RB_Left | 21.49 | 21.83 | 24.67 | 22.58 | 0.181 |
| | | | | | Inner_1RB_Right | 21.41 | 21.9 | 24.67 | 22.58 | 0.181 |
| | | | | | Inner_Full | 21.34 | 22.21 | 24.81 | 22.72 | 0.187 |
| CP-64QAM | 3725.01 | 648334 | 50 | 30kHz | Inner_1RB_Left | 19.47 | 20.05 | 22.78 | 20.69 | 0.117 |
| | | | | | Inner_1RB_Right | 19.96 | 20.5 | 23.25 | 21.16 | 0.131 |
| | | | | | Inner_Full | 19.66 | 20 | 22.84 | 20.75 | 0.119 |
| | 3750 | 650000 | | | Inner_1RB_Left | 19.97 | 20.42 | 23.21 | 21.12 | 0.129 |
| | | | | | Inner_1RB_Right | 20.35 | 21.12 | 23.76 | 21.67 | 0.147 |
| | | | | | Inner_Full | 20.14 | 20.73 | 23.46 | 21.37 | 0.137 |
| | 3774.99 | 651666 | | | Inner_1RB_Left | 19.91 | 20.57 | 23.26 | 21.17 | 0.131 |
| | | | | | Inner_1RB_Right | 20 | 20.8 | 23.43 | 21.34 | 0.136 |
| | | | | | Inner_Full | 19.9 | 20.75 | 23.36 | 21.27 | 0.134 |
| CP-256QAM | 3725.01 | 648334 | 50 | 30kHz | Inner_1RB_Left | 16.14 | 17.07 | 19.64 | 17.55 | 0.057 |
| | | | | | Inner_1RB_Right | 16.69 | 17.49 | 20.12 | 18.03 | 0.064 |
| | | | | | Inner_Full | 16.6 | 17.09 | 19.86 | 17.77 | 0.060 |
| | 3750 | 650000 | | | Inner_1RB_Left | 16.71 | 17.43 | 20.10 | 18.01 | 0.063 |
| | | | | | Inner_1RB_Right | 17.03 | 18.15 | 20.64 | 18.55 | 0.072 |
| | | | | | Inner_Full | 17.13 | 17.77 | 20.47 | 18.38 | 0.069 |
| | 3774.99 | 651666 | | | Inner_1RB_Left | 16.49 | 17.57 | 20.07 | 17.98 | 0.063 |
| | | | | | Inner_1RB_Right | 16.66 | 17.76 | 20.26 | 18.17 | 0.066 |
| | | | | | Inner_Full | 16.93 | 17.82 | 20.41 | 18.32 | 0.068 |

| Modulation | Carrier frequency (MHz) | UL Channel | BW | SCS | RB Config | Ant1(dBm) | Ant2(dBm) | Total(dBm) | ERP/EIRP (dBm) | ERP/EIRP (W) |
|------------|-------------------------|------------|----|-------|-----------------|-----------|-----------|------------|----------------|--------------|
| CP-QPSK | 3730.02 | 648668 | 60 | 30kHz | Inner_1RB_Left | 21.42 | 21.84 | 24.65 | 22.56 | 0.180 |
| | | | | | Inner_1RB_Right | 21.71 | 22.17 | 24.96 | 22.87 | 0.194 |
| | | | | | Inner_Full | 21.56 | 22.01 | 24.80 | 22.71 | 0.187 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.86 | 22.08 | 24.98 | 22.89 | 0.195 |
| | | | | | Inner_1RB_Right | 22.27 | 22.86 | 25.59 | 23.5 | 0.224 |
| | | | | | Inner_Full | 22.01 | 22.67 | 25.36 | 23.27 | 0.212 |
| | 3769.98 | 651332 | | | Inner_1RB_Left | 21.73 | 22.14 | 24.95 | 22.86 | 0.193 |
| | | | | | Inner_1RB_Right | 21.96 | 22.55 | 25.28 | 23.19 | 0.208 |
| | | | | | Inner_Full | 21.73 | 22.57 | 25.18 | 23.09 | 0.204 |
| CP-16QAM | 3730.02 | 648668 | 60 | 30kHz | Inner_1RB_Left | 21.4 | 21.35 | 24.39 | 22.3 | 0.170 |
| | | | | | Inner_1RB_Right | 21.44 | 21.58 | 24.52 | 22.43 | 0.175 |
| | | | | | Inner_Full | 21.19 | 21.55 | 24.38 | 22.29 | 0.169 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.86 | 21.6 | 24.74 | 22.65 | 0.184 |
| | | | | | Inner_1RB_Right | 22.03 | 22.38 | 25.22 | 23.13 | 0.206 |
| | | | | | Inner_Full | 21.55 | 22.18 | 24.89 | 22.8 | 0.191 |
| | 3769.98 | 651332 | | | Inner_1RB_Left | 21.4 | 21.63 | 24.53 | 22.44 | 0.175 |
| | | | | | Inner_1RB_Right | 21.75 | 22.03 | 24.90 | 22.81 | 0.191 |
| | | | | | Inner_Full | 21.23 | 22.13 | 24.71 | 22.62 | 0.183 |
| CP-64QAM | 3730.02 | 648668 | 60 | 30kHz | Inner_1RB_Left | 19.59 | 20.17 | 22.90 | 20.81 | 0.121 |
| | | | | | Inner_1RB_Right | 19.87 | 20.47 | 23.19 | 21.1 | 0.129 |
| | | | | | Inner_Full | 19.72 | 19.97 | 22.86 | 20.77 | 0.119 |
| | 3750 | 650000 | | | Inner_1RB_Left | 20.01 | 20.39 | 23.21 | 21.12 | 0.129 |
| | | | | | Inner_1RB_Right | 20.47 | 21.23 | 23.88 | 21.79 | 0.151 |
| | | | | | Inner_Full | 20.15 | 20.62 | 23.40 | 21.31 | 0.135 |
| | 3769.98 | 651332 | | | Inner_1RB_Left | 19.85 | 20.39 | 23.14 | 21.05 | 0.127 |
| | | | | | Inner_1RB_Right | 20.14 | 20.89 | 23.54 | 21.45 | 0.140 |
| | | | | | Inner_Full | 19.87 | 20.53 | 23.22 | 21.13 | 0.130 |
| CP-256QAM | 3730.02 | 648668 | 60 | 30kHz | Inner_1RB_Left | 16.21 | 17.15 | 19.72 | 17.63 | 0.058 |
| | | | | | Inner_1RB_Right | 16.53 | 17.42 | 20.01 | 17.92 | 0.062 |
| | | | | | Inner_Full | 16.65 | 17.12 | 19.90 | 17.81 | 0.060 |
| | 3750 | 650000 | | | Inner_1RB_Left | 16.75 | 17.43 | 20.11 | 18.02 | 0.063 |
| | | | | | Inner_1RB_Right | 17.09 | 18.17 | 20.67 | 18.58 | 0.072 |
| | | | | | Inner_Full | 17.11 | 17.78 | 20.47 | 18.38 | 0.069 |
| | 3769.98 | 651332 | | | Inner_1RB_Left | 16.5 | 17.38 | 19.97 | 17.88 | 0.061 |
| | | | | | Inner_1RB_Right | 16.78 | 17.85 | 20.36 | 18.27 | 0.067 |
| | | | | | Inner_Full | 16.82 | 17.68 | 20.28 | 18.19 | 0.066 |

| Modulation | Carrier frequency (MHz) | UL Channel | BW | SCS | RB Config | Ant1(dBm) | Ant2(dBm) | Total(dBm) | ERP/ EIRP (dBm) | ERP/ EIRP (W) |
|------------|-------------------------|------------|-----------------|-------|-----------------|-----------|-----------|------------|-----------------|---------------|
| CP-QPSK | 3735 | 649000 | 70 | 30kHz | Inner_1RB_Left | 20.97 | 21.56 | 24.29 | 22.2 | 0.166 |
| | | | | | Inner_1RB_Right | 21.54 | 22.23 | 24.91 | 22.82 | 0.191 |
| | | | | | Inner_Full | 20.19 | 20.54 | 23.38 | 21.29 | 0.135 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.69 | 22.06 | 24.89 | 22.8 | 0.191 |
| | | | | | Inner_1RB_Right | 22.09 | 22.51 | 25.32 | 23.23 | 0.210 |
| | | | | | Inner_Full | 20.6 | 21.16 | 23.90 | 21.81 | 0.152 |
| | 3765 | 651000 | | | Inner_1RB_Left | 21.2 | 21.73 | 24.48 | 22.39 | 0.173 |
| | | | | | Inner_1RB_Right | 21.81 | 22.69 | 25.28 | 23.19 | 0.208 |
| | | | | | Inner_Full | 20.39 | 20.96 | 23.69 | 21.6 | 0.145 |
| CP-16QAM | 3735 | 649000 | | | Inner_1RB_Left | 21.04 | 21.05 | 24.06 | 21.97 | 0.157 |
| | | | | | Inner_1RB_Right | 21.2 | 21.79 | 24.52 | 22.43 | 0.175 |
| | | | | | Inner_Full | 20.23 | 20.52 | 23.39 | 21.3 | 0.135 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.67 | 21.44 | 24.57 | 22.48 | 0.177 |
| | | | | | Inner_1RB_Right | 21.63 | 22.15 | 24.91 | 22.82 | 0.191 |
| | | | | | Inner_Full | 20.63 | 21.18 | 23.92 | 21.83 | 0.152 |
| | 3765 | 651000 | | | Inner_1RB_Left | 20.96 | 21.08 | 24.03 | 21.94 | 0.156 |
| | | | | | Inner_1RB_Right | 21.48 | 21.94 | 24.73 | 22.64 | 0.184 |
| | | | | | Inner_Full | 20.4 | 20.96 | 23.70 | 21.61 | 0.145 |
| CP-64QAM | 3735 | 649000 | | | Inner_1RB_Left | 19.34 | 19.67 | 22.52 | 20.43 | 0.110 |
| | | | | | Inner_1RB_Right | 19.81 | 20.37 | 23.11 | 21.02 | 0.126 |
| | | | | | Inner_Full | 19.67 | 20.04 | 22.87 | 20.78 | 0.120 |
| | 3750 | 650000 | | | Inner_1RB_Left | 19.92 | 20.17 | 23.06 | 20.97 | 0.125 |
| | | | | | Inner_1RB_Right | 20.15 | 20.88 | 23.54 | 21.45 | 0.140 |
| | | | | | Inner_Full | 20.06 | 20.71 | 23.41 | 21.32 | 0.136 |
| | 3765 | 651000 | | | Inner_1RB_Left | 19.35 | 19.65 | 22.51 | 20.42 | 0.110 |
| | | | | | Inner_1RB_Right | 19.98 | 20.62 | 23.32 | 21.23 | 0.133 |
| | | | | | Inner_Full | 19.82 | 20.48 | 23.17 | 21.08 | 0.128 |
| CP-256QAM | 3735 | 649000 | Inner_1RB_Left | 16.02 | 16.86 | 19.47 | 17.38 | 0.055 | | |
| | | | Inner_1RB_Right | 16.53 | 17.61 | 20.11 | 18.02 | 0.063 | | |
| | | | Inner_Full | 16.69 | 17.14 | 19.93 | 17.84 | 0.061 | | |
| | 3750 | 650000 | Inner_1RB_Left | 16.66 | 17.24 | 19.97 | 17.88 | 0.061 | | |
| | | | Inner_1RB_Right | 16.98 | 17.84 | 20.44 | 18.35 | 0.068 | | |
| | | | Inner_Full | 17.08 | 17.77 | 20.45 | 18.36 | 0.069 | | |
| | 3765 | 651000 | Inner_1RB_Left | 16.29 | 16.77 | 19.55 | 17.46 | 0.056 | | |
| | | | Inner_1RB_Right | 16.79 | 17.56 | 20.20 | 18.11 | 0.065 | | |
| | | | Inner_Full | 16.81 | 17.56 | 20.21 | 18.12 | 0.065 | | |

| Modulation | Carrier frequency (MHz) | UL Channel | BW | SCS | RB Config | Ant1(dBm) | Ant2(dBm) | Total(dBm) | ERP/ EIRP (dBm) | ERP/ EIRP (W) |
|------------|-------------------------|------------|----|-------|-----------------|-----------|-----------|------------|-----------------|---------------|
| CP-QPSK | 3740.01 | 649334 | 80 | 30kHz | Inner_1RB_Left | 21.48 | 21.96 | 24.74 | 22.65 | 0.184 |
| | | | | | Inner_1RB_Right | 21.96 | 22.59 | 25.30 | 23.21 | 0.209 |
| | | | | | Inner_Full | 21.98 | 22.55 | 25.28 | 23.19 | 0.208 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.59 | 21.87 | 24.74 | 22.65 | 0.184 |
| | | | | | Inner_1RB_Right | 21.9 | 22.53 | 25.24 | 23.15 | 0.207 |
| | | | | | Inner_Full | 21.99 | 22.71 | 25.38 | 23.29 | 0.213 |
| | 3759.99 | 650666 | | | Inner_1RB_Left | 21.53 | 21.7 | 24.63 | 22.54 | 0.179 |
| | | | | | Inner_1RB_Right | 22 | 22.54 | 25.29 | 23.2 | 0.209 |
| | | | | | Inner_Full | 22.05 | 22.77 | 25.44 | 23.35 | 0.216 |
| CP-16QAM | 3740.01 | 649334 | 80 | 30kHz | Inner_1RB_Left | 21.51 | 21.5 | 24.52 | 22.43 | 0.175 |
| | | | | | Inner_1RB_Right | 21.56 | 22.14 | 24.87 | 22.78 | 0.190 |
| | | | | | Inner_Full | 21.47 | 22.03 | 24.77 | 22.68 | 0.185 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.59 | 21.38 | 24.50 | 22.41 | 0.174 |
| | | | | | Inner_1RB_Right | 21.57 | 21.92 | 24.76 | 22.67 | 0.185 |
| | | | | | Inner_Full | 21.48 | 22.13 | 24.83 | 22.74 | 0.188 |
| | 3759.99 | 650666 | | | Inner_1RB_Left | 21.15 | 21.23 | 24.20 | 22.11 | 0.163 |
| | | | | | Inner_1RB_Right | 21.55 | 21.98 | 24.78 | 22.69 | 0.186 |
| | | | | | Inner_Full | 21.56 | 22.24 | 24.92 | 22.83 | 0.192 |
| CP-64QAM | 3740.01 | 649334 | 80 | 30kHz | Inner_1RB_Left | 19.69 | 20.12 | 22.92 | 20.83 | 0.121 |
| | | | | | Inner_1RB_Right | 20.07 | 20.87 | 23.50 | 21.41 | 0.138 |
| | | | | | Inner_Full | 20.1 | 20.47 | 23.30 | 21.21 | 0.132 |
| | 3750 | 650000 | | | Inner_1RB_Left | 19.8 | 20.22 | 23.03 | 20.94 | 0.124 |
| | | | | | Inner_1RB_Right | 20.14 | 20.84 | 23.51 | 21.42 | 0.139 |
| | | | | | Inner_Full | 20.18 | 20.59 | 23.40 | 21.31 | 0.135 |
| | 3759.99 | 650666 | | | Inner_1RB_Left | 19.85 | 20.06 | 22.97 | 20.88 | 0.122 |
| | | | | | Inner_1RB_Right | 20.23 | 20.85 | 23.56 | 21.47 | 0.140 |
| | | | | | Inner_Full | 20.26 | 20.7 | 23.50 | 21.41 | 0.138 |
| CP-256QAM | 3740.01 | 649334 | 80 | 30kHz | Inner_1RB_Left | 16.36 | 17.19 | 19.81 | 17.72 | 0.059 |
| | | | | | Inner_1RB_Right | 16.75 | 17.88 | 20.36 | 18.27 | 0.067 |
| | | | | | Inner_Full | 17.05 | 17.6 | 20.34 | 18.25 | 0.067 |
| | 3750 | 650000 | | | Inner_1RB_Left | 16.55 | 17.21 | 19.90 | 17.81 | 0.060 |
| | | | | | Inner_1RB_Right | 16.76 | 17.88 | 20.37 | 18.28 | 0.067 |
| | | | | | Inner_Full | 17.09 | 17.75 | 20.44 | 18.35 | 0.068 |
| | 3759.99 | 650666 | | | Inner_1RB_Left | 16.44 | 17.04 | 19.76 | 17.67 | 0.058 |
| | | | | | Inner_1RB_Right | 16.84 | 17.88 | 20.40 | 18.31 | 0.068 |
| | | | | | Inner_Full | 17.13 | 17.88 | 20.53 | 18.44 | 0.070 |

| Modulation | Carrier frequency (MHz) | UL Channel | BW | SCS | RB Config | Ant1(dBm) | Ant2(dBm) | Total(dBm) | ERP/ EIRP (dBm) | ERP/ EIRP (W) |
|------------|-------------------------|------------|----|-------|-----------------|-----------|-----------|------------|-----------------|---------------|
| CP-QPSK | 3745.02 | 649668 | 90 | 30kHz | Inner_1RB_Left | 21.2 | 21.61 | 24.42 | 22.33 | 0.171 |
| | | | | | Inner_1RB_Right | 21.95 | 22.49 | 25.24 | 23.15 | 0.207 |
| | | | | | Inner_Full | 21.93 | 22.49 | 25.23 | 23.14 | 0.206 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.37 | 21.73 | 24.56 | 22.47 | 0.177 |
| | | | | | Inner_1RB_Right | 21.85 | 22.28 | 25.08 | 22.99 | 0.199 |
| | | | | | Inner_Full | 21.96 | 22.59 | 25.30 | 23.21 | 0.209 |
| | 3754.98 | 650332 | | | Inner_1RB_Left | 21.55 | 21.85 | 24.71 | 22.62 | 0.183 |
| | | | | | Inner_1RB_Right | 21.73 | 22.19 | 24.98 | 22.89 | 0.195 |
| | | | | | Inner_Full | 21.98 | 22.67 | 25.35 | 23.26 | 0.212 |
| CP-16QAM | 3745.02 | 649668 | 90 | 30kHz | Inner_1RB_Left | 21.23 | 21.09 | 24.17 | 22.08 | 0.161 |
| | | | | | Inner_1RB_Right | 21.6 | 22.02 | 24.83 | 22.74 | 0.188 |
| | | | | | Inner_Full | 21.4 | 22 | 24.72 | 22.63 | 0.183 |
| | 3750 | 650000 | | | Inner_1RB_Left | 21.46 | 21.26 | 24.37 | 22.28 | 0.169 |
| | | | | | Inner_1RB_Right | 21.46 | 21.81 | 24.65 | 22.56 | 0.180 |
| | | | | | Inner_Full | 21.45 | 22.07 | 24.78 | 22.69 | 0.186 |
| | 3754.98 | 650332 | | | Inner_1RB_Left | 21.63 | 21.38 | 24.52 | 22.43 | 0.175 |
| | | | | | Inner_1RB_Right | 21.34 | 21.63 | 24.50 | 22.41 | 0.174 |
| | | | | | Inner_Full | 21.45 | 22.17 | 24.84 | 22.75 | 0.188 |
| CP-64QAM | 3745.02 | 649668 | 90 | 30kHz | Inner_1RB_Left | 19.49 | 19.93 | 22.73 | 20.64 | 0.116 |
| | | | | | Inner_1RB_Right | 20.25 | 20.81 | 23.55 | 21.46 | 0.140 |
| | | | | | Inner_Full | 20.06 | 20.38 | 23.23 | 21.14 | 0.130 |
| | 3750 | 650000 | | | Inner_1RB_Left | 19.68 | 20.01 | 22.86 | 20.77 | 0.119 |
| | | | | | Inner_1RB_Right | 20.16 | 20.58 | 23.39 | 21.3 | 0.135 |
| | | | | | Inner_Full | 20.08 | 20.53 | 23.32 | 21.23 | 0.133 |
| | 3754.98 | 650332 | | | Inner_1RB_Left | 19.84 | 20.02 | 22.94 | 20.85 | 0.122 |
| | | | | | Inner_1RB_Right | 20.04 | 20.54 | 23.31 | 21.22 | 0.132 |
| | | | | | Inner_Full | 20.06 | 20.61 | 23.35 | 21.26 | 0.134 |
| CP-256QAM | 3745.02 | 649668 | 90 | 30kHz | Inner_1RB_Left | 16.2 | 17.05 | 19.66 | 17.57 | 0.057 |
| | | | | | Inner_1RB_Right | 16.94 | 17.95 | 20.48 | 18.39 | 0.069 |
| | | | | | Inner_Full | 17.03 | 17.53 | 20.30 | 18.21 | 0.066 |
| | 3750 | 650000 | | | Inner_1RB_Left | 16.34 | 17.17 | 19.79 | 17.7 | 0.059 |
| | | | | | Inner_1RB_Right | 16.73 | 17.77 | 20.29 | 18.2 | 0.066 |
| | | | | | Inner_Full | 17.05 | 17.65 | 20.37 | 18.28 | 0.067 |
| | 3754.98 | 650332 | | | Inner_1RB_Left | 16.53 | 17.29 | 19.94 | 17.85 | 0.061 |
| | | | | | Inner_1RB_Right | 16.69 | 17.65 | 20.21 | 18.12 | 0.065 |
| | | | | | Inner_Full | 17.04 | 17.74 | 20.41 | 18.32 | 0.068 |

| Modulation | Carrier frequency (MHz) | UL Channel | BW | SCS | RB Config | Ant1(dBm) | Ant2(dBm) | Total(dBm) | ERP/EIRP (dBm) | ERP/EIRP (W) |
|------------|-------------------------|------------|-----------------|-------|-----------------|-----------|-----------|------------|----------------|--------------|
| CP-QPSK | 3750 | 650000 | 100 | 30kHz | Inner_1RB_Left | 21.06 | 21.54 | 24.32 | 22.23 | 0.167 |
| | | | | | Inner_1RB_Right | 21.65 | 22.25 | 24.97 | 22.88 | 0.194 |
| | | | | | Inner_Full | 22 | 22.58 | 25.31 | 23.22 | 0.210 |
| CP-16QAM | 3750 | 650000 | | | Inner_1RB_Left | 21.27 | 21.02 | 24.16 | 22.07 | 0.161 |
| | | | | | Inner_1RB_Right | 21.31 | 21.64 | 24.49 | 22.4 | 0.174 |
| | | | | | Inner_Full | 21.48 | 22.1 | 24.81 | 22.72 | 0.187 |
| CP-64QAM | 3750 | 650000 | | | Inner_1RB_Left | 19.53 | 19.73 | 22.64 | 20.55 | 0.114 |
| | | | | | Inner_1RB_Right | 20.04 | 20.41 | 23.24 | 21.15 | 0.130 |
| | | | | | Inner_Full | 20.12 | 20.56 | 23.36 | 21.27 | 0.134 |
| CP-256QAM | 3750 | 650000 | Inner_1RB_Left | 16.15 | 16.97 | 19.59 | 17.5 | 0.056 | | |
| | | | Inner_1RB_Right | 16.68 | 17.63 | 20.19 | 18.1 | 0.065 | | |
| | | | Inner_Full | 17.07 | 17.7 | 20.41 | 18.32 | 0.068 | | |

The End