




Band26-3MHz-16QAM-26705-1RB#14




Band26-3MHz-16QAM-26705-15RB#0



Band26-3MHz-16QAM-26775-1RB#0




Band26-3MHz-16QAM-26775-1RB#14



Band26-3MHz-16QAM-26775-15RB#0



Band26-5MHz-QPSK-26715-1RB#0




Band26-5MHz-QPSK-26715-1RB#24




Band26-5MHz-QPSK-26715-25RB#0



Band26-5MHz-QPSK-26765-1RB#0




Band26-5MHz-QPSK-26765-1RB#24



Band26-5MHz-QPSK-26765-25RB#0



Band26-5MHz-16QAM-26715-1RB#0




Band26-5MHz-16QAM-26715-1RB#24




Band26-5MHz-16QAM-26715-25RB#0



Band26-5MHz-16QAM-26765-1RB#0




Band26-5MHz-16QAM-26765-1RB#24




Band26-5MHz-16QAM-26765-25RB#0



Band26-10MHz-QPSK-26740-1RB#0




Band26-10MHz-QPSK-26740-1RB#49




Band26-10MHz-QPSK-26740-50RB#0




Band26-10MHz-16QAM-26740-1RB#0



Band26-10MHz-16QAM-26740-1RB#49



Band26-10MHz-16QAM-26740-50RB#0





## 5: Conducted Spurious Emission


### Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band26	1.4MHz	QPSK	26697	1RB#0	Range1:30~1000MHz	-45.65	PASS
Band26	1.4MHz	QPSK	26697	1RB#0	Range2:1000~10000MHz	-41.16	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-45.77	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-40.48	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	Range1:30~1000MHz	-45.32	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	Range2:1000~10000MHz	-40.52	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	Range1:30~1000MHz	-45.63	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	Range2:1000~10000MHz	-40.7	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-46.01	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-40.26	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	Range1:30~1000MHz	-45.49	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	Range2:1000~10000MHz	-41.13	PASS
Band26	3MHz	QPSK	26705	1RB#0	Range1:30~1000MHz	-45.69	PASS
Band26	3MHz	QPSK	26705	1RB#0	Range2:1000~10000MHz	-40.05	PASS
Band26	3MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-45.84	PASS
Band26	3MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-41.12	PASS
Band26	3MHz	QPSK	26775	1RB#0	Range1:30~1000MHz	-44.95	PASS
Band26	3MHz	QPSK	26775	1RB#0	Range2:1000~10000MHz	-39.03	PASS
Band26	3MHz	16QAM	26705	1RB#0	Range1:30~1000MHz	-45.18	PASS
Band26	3MHz	16QAM	26705	1RB#0	Range2:1000~10000MHz	-40.04	PASS
Band26	3MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-46.03	PASS
Band26	3MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-40.92	PASS
Band26	3MHz	16QAM	26775	1RB#0	Range1:30~1000MHz	-45.39	PASS
Band26	3MHz	16QAM	26775	1RB#0	Range2:1000~10000MHz	-41.35	PASS
Band26	5MHz	QPSK	26715	1RB#0	Range1:30~1000MHz	-44.72	PASS
Band26	5MHz	QPSK	26715	1RB#0	Range2:1000~10000MHz	-41.05	PASS
Band26	5MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-44.93	PASS
Band26	5MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-40.45	PASS
Band26	5MHz	QPSK	26765	1RB#0	Range1:30~1000MHz	-45.34	PASS
Band26	5MHz	QPSK	26765	1RB#0	Range2:1000~10000MHz	-40.9	PASS
Band26	5MHz	16QAM	26715	1RB#0	Range1:30~1000MHz	-46.01	PASS
Band26	5MHz	16QAM	26715	1RB#0	Range2:1000~10000MHz	-41.12	PASS


Band26	5MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-44.73	PASS
Band26	5MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-40.95	PASS
Band26	5MHz	16QAM	26765	1RB#0	Range1:30~1000MHz	-44.72	PASS
Band26	5MHz	16QAM	26765	1RB#0	Range2:1000~10000MHz	-40.17	PASS
Band26	10MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-45.83	PASS
Band26	10MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-40.77	PASS
Band26	10MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-44.97	PASS
Band26	10MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-40.17	PASS

**Test Graphs**


Band26-1.4MHz-QPSK-26697-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-QPSK-26697-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-QPSK-26740-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-QPSK-26740-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-QPSK-26783-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-QPSK-26783-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-16QAM-26697-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-16QAM-26697-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-16QAM-26740-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-16QAM-26740-1RB#0-Range2:1000~10000MHz




Band26-1.4MHz-16QAM-26783-1RB#0-Range1:30~1000MHz




Band26-1.4MHz-16QAM-26783-1RB#0-Range2:1000~10000MHz




Band26-3MHz-QPSK-26705-1RB#0-Range1:30~1000MHz




Band26-3MHz-QPSK-26705-1RB#0-Range2:1000~10000MHz




Band26-3MHz-QPSK-26740-1RB#0-Range1:30~1000MHz



Band26-3MHz-QPSK-26740-1RB#0-Range2:1000~10000MHz



Band26-3MHz-QPSK-26775-1RB#0-Range1:30~1000MHz




Band26-3MHz-QPSK-26775-1RB#0-Range2:1000~10000MHz




Band26-3MHz-16QAM-26705-1RB#0-Range1:30~1000MHz







Band26-3MHz-16QAM-26705-1RB#0-Range2: 1000~10000MHz




Band26-3MHz-16QAM-26740-1RB#0-Range1:30~1000MHz




Band26-3MHz-16QAM-26740-1RB#0-Range2: 1000~10000MHz




Band26-3MHz-16QAM-26775-1RB#0-Range1:30~1000MHz




Band26-3MHz-16QAM-26775-1RB#0-Range2:1000~10000MHz




Band26-5MHz-QPSK-26715-1RB#0-Range1:30~1000MHz




Band26-5MHz-QPSK-26715-1RB#0-Range2:1000~10000MHz




Band26-5MHz-QPSK-26740-1RB#0-Range1:30~1000MHz




Band26-5MHz-QPSK-26740-1RB#0-Range2:1000~10000MHz




Band26-5MHz-QPSK-26765-1RB#0-Range1:30~1000MHz




Band26-5MHz-QPSK-26765-1RB#0-Range2:1000~10000MHz




Band26-5MHz-16QAM-26715-1RB#0-Range1:30~1000MHz




Band26-5MHz-16QAM-26715-1RB#0-Range2:1000~10000MHz




Band26-5MHz-16QAM-26740-1RB#0-Range1:30~1000MHz




Band26-5MHz-16QAM-26740-1RB#0-Range2:1000~10000MHz




Band26-5MHz-16QAM-26765-1RB#0-Range1:30~1000MHz




Band26-5MHz-16QAM-26765-1RB#0-Range2:1000~10000MHz




Band26-10MHz-QPSK-26740-1RB#0-Range1:30~1000MHz




Band26-10MHz-QPSK-26740-1RB#0-Range2:1000~10000MHz



Band26-10MHz-16QAM-26740-1RB#0-Range1:30~1000MHz



Band26-10MHz-16QAM-26740-1RB#0-Range2:1000~10000MHz





## 6: Frequency Stability

### Test Result

Band	Bandwidth	Modulation	Channel	RB Configure	Voltage		Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
					Voltage [Vdc]	Temperature (°C)				
Band26	1.4MHz	QPSK	26697	6RB#0	VL	NT	15.26	0.018731	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	VN	NT	16.90	0.020744	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	VH	NT	-4.29	-0.005266	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	VL	NT	-15.85	-0.019353	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	VN	NT	-17.26	-0.021074	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	VH	NT	-8.42	-0.010281	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	VL	NT	5.86	0.007118	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	VN	NT	15.20	0.018462	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	VH	NT	-6.33	-0.007689	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	VL	NT	-6.31	-0.007745	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	VN	NT	-8.26	-0.010139	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	VH	NT	-6.53	-0.008015	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	VL	NT	4.01	0.004896	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	VN	NT	-4.06	-0.004957	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	VH	NT	-5.96	-0.007277	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	VL	NT	-6.01	-0.007300	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	VN	NT	-3.97	-0.004822	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	VH	NT	-4.43	-0.005381	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	VL	NT	2.21	0.002710	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	VN	NT	3.69	0.004525	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	VH	NT	2.24	0.002747	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	VL	NT	-2.83	-0.003455	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	VN	NT	0.97	0.001184	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	VH	NT	-1.60	-0.001954	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	VL	NT	-2.18	-0.002650	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	VN	NT	6.84	0.008316	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	VH	NT	-3.95	-0.004802	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	VL	NT	-5.56	-0.006818	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	VN	NT	-2.66	-0.003262	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	VH	NT	2.52	0.003090	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	VL	NT	-2.85	-0.003480	±2.5	PASS

Band26	3MHz	16QAM	26740	15RB#0	VN	NT	-5.28	-0.006447	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	VH	NT	-7.71	-0.009414	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	VL	NT	2.93	0.003562	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	VN	NT	5.56	0.006760	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	VH	NT	7.95	0.009666	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	VL	NT	9.62	0.011782	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	VN	NT	5.74	0.007030	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	VH	NT	9.15	0.011206	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	VL	NT	-1.72	-0.002100	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	VN	NT	-3.41	-0.004164	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	VH	NT	-4.26	-0.005201	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	VL	NT	-6.53	-0.007949	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	VN	NT	1.70	0.002069	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	VH	NT	-8.51	-0.010359	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	VL	NT	2.77	0.003393	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	VN	NT	3.30	0.004042	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	VH	NT	5.08	0.006222	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	VL	NT	-8.72	-0.010647	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	VN	NT	-6.49	-0.007924	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	VH	NT	-1.19	-0.001453	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	VL	NT	-5.17	-0.006293	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	VN	NT	-3.51	-0.004273	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	VH	NT	2.63	0.003201	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	VL	NT	-5.84	-0.007131	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	VN	NT	-7.11	-0.008681	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	VH	NT	-4.35	-0.005311	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	VL	NT	-1.52	-0.001856	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	VN	NT	-7.35	-0.008974	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	VH	NT	-5.73	-0.006996	±2.5	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26	1.4MHz	QPSK	26697	6RB#0	NV	-30	-1.74	-0.002136	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	-20	-3.91	-0.004799	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	-10	-2.91	-0.003572	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	0	-4.03	-0.004947	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	10	-7.24	-0.008887	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	20	-6.57	-0.008064	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	30	-1.17	-0.001436	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	40	-3.86	-0.004738	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	50	-7.06	-0.008666	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	-30	-3.27	-0.003993	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	-20	-4.28	-0.005226	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	-10	-5.18	-0.006325	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	0	-3.54	-0.004322	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	10	-2.72	-0.003321	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	20	-3.98	-0.004860	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	30	-1.51	-0.001844	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	40	-3.79	-0.004628	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	50	4.95	0.006044	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	-30	-2.60	-0.003158	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	-20	-7.09	-0.008612	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	-10	-4.95	-0.006012	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	0	-6.68	-0.008114	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	10	-3.69	-0.004482	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	20	-6.66	-0.008089	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	30	3.28	0.003984	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	40	-6.41	-0.007786	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	50	2.90	0.003522	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	-30	-1.86	-0.002283	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	-20	3.18	0.003903	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	-10	-6.19	-0.007598	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	0	-6.21	-0.007622	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	10	4.19	0.005143	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	20	-7.39	-0.009071	±2.5	PASS

Band26	1.4MHz	16QAM	26697	6RB#0	NV	30	2.80	0.003437	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	40	2.30	0.002823	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	50	-1.85	-0.002271	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	-30	-3.25	-0.003968	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	-20	-4.18	-0.005104	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	-10	-3.82	-0.004664	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	0	-4.81	-0.005873	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	10	-6.63	-0.008095	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	20	2.24	0.002735	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	30	-4.58	-0.005592	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	40	-6.26	-0.007643	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	50	-6.08	-0.007424	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	-30	-1.71	-0.002077	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	-20	1.90	0.002308	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	-10	3.09	0.003753	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	0	-4.62	-0.005612	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	10	-4.68	-0.005684	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	20	-1.93	-0.002344	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	30	-1.31	-0.001591	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	40	-3.51	-0.004263	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	50	-3.79	-0.004603	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	-30	-7.79	-0.009552	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	-20	-6.69	-0.008204	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	-10	-5.22	-0.006401	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	0	-4.75	-0.005825	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	10	-3.24	-0.003973	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	20	-4.25	-0.005212	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	30	-2.14	-0.002624	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	40	-2.44	-0.002992	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	50	1.42	0.001741	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	-30	-3.30	-0.004029	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	-20	-9.71	-0.011856	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	-10	-9.56	-0.011673	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	0	-4.98	-0.006081	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	10	-4.36	-0.005324	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	20	-5.75	-0.007021	±2.5	PASS

Band26	3MHz	QPSK	26740	15RB#0	NV	30	-8.47	-0.010342	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	40	-8.09	-0.009878	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	50	-8.98	-0.010965	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	-30	8.69	0.010565	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	-20	6.97	0.008474	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	-10	8.16	0.009921	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	0	2.10	0.002553	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	10	5.26	0.006395	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	20	-2.07	-0.002517	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	30	2.64	0.003210	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	40	2.22	0.002699	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	50	7.46	0.009070	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	-30	-5.61	-0.006879	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	-20	1.55	0.001901	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	-10	-6.84	-0.008387	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	0	-2.69	-0.003299	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	10	-3.50	-0.004292	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	20	-5.76	-0.007063	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	30	-3.01	-0.003691	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	40	2.60	0.003188	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	50	-9.36	-0.011478	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	-30	2.66	0.003248	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	-20	-5.73	-0.006996	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	-10	-4.85	-0.005922	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	0	-2.48	-0.003028	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	10	-1.88	-0.002295	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	20	-8.66	-0.010574	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	30	-9.54	-0.011648	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	40	1.70	0.002076	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	50	1.68	0.002051	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	-30	-2.52	-0.003064	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	-20	3.47	0.004219	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	-10	4.82	0.005860	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	0	5.86	0.007125	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	10	4.80	0.005836	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	20	-1.53	-0.001860	±2.5	PASS

Band26	3MHz	16QAM	26775	15RB#0	NV	30	2.35	0.002857	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	40	5.14	0.006249	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	50	5.36	0.006517	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	-30	-3.07	-0.003760	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	-20	6.89	0.008438	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	-10	6.88	0.008426	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	0	6.26	0.007667	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	10	6.03	0.007385	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	20	6.25	0.007655	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	30	3.92	0.004801	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	40	4.56	0.005585	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	50	2.73	0.003344	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	-30	-2.78	-0.003394	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	-20	-8.41	-0.010269	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	-10	-4.38	-0.005348	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	0	1.77	0.002161	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	10	-3.92	-0.004786	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	20	-6.31	-0.007705	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	30	-8.36	-0.010208	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	40	-11.03	-0.013468	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	50	-3.14	-0.003834	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	-30	-7.10	-0.008643	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	-20	-3.79	-0.004614	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	-10	-8.16	-0.009933	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	0	-2.42	-0.002946	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	10	-8.08	-0.009836	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	20	-1.42	-0.001729	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	30	-4.09	-0.004979	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	40	-7.53	-0.009166	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	50	2.95	0.003591	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	-30	1.13	0.001384	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	-20	5.45	0.006675	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	-10	7.52	0.009210	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	0	9.83	0.012039	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	10	3.09	0.003784	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	20	3.52	0.004311	±2.5	PASS

Band26	5MHz	16QAM	26715	25RB#0	NV	30	4.78	0.005854	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	40	5.30	0.006491	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	50	6.70	0.008206	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	-30	4.01	0.004896	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	-20	-6.85	-0.008364	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	-10	-7.41	-0.009048	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	0	-4.98	-0.006081	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	10	-4.53	-0.005531	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	20	-3.46	-0.004225	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	30	-10.61	-0.012955	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	40	-6.70	-0.008181	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	50	-2.57	-0.003138	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	-30	2.82	0.003433	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	-20	-6.58	-0.008010	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	-10	-2.39	-0.002909	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	0	-2.08	-0.002532	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	10	-2.76	-0.003360	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	20	1.27	0.001546	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	30	-2.45	-0.002982	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	40	-1.55	-0.001887	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	50	3.05	0.003713	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	-30	-5.55	-0.006777	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	-20	-7.62	-0.009304	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	-10	-9.35	-0.011416	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	0	-9.03	-0.011026	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	10	-4.17	-0.005092	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	20	-3.17	-0.003871	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	30	-4.94	-0.006032	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	40	-6.35	-0.007753	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	50	-7.48	-0.009133	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	-30	-1.02	-0.001245	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	-20	-5.04	-0.006154	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	-10	-5.35	-0.006532	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	0	-7.37	-0.008999	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	10	-2.96	-0.003614	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	20	-10.07	-0.012295	±2.5	PASS

Band26	10MHz	16QAM	26740	50RB#0	NV	30	-9.34	-0.011404	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	40	-6.92	-0.008449	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	50	-6.97	-0.008510	±2.5	PASS

-----END OF THE REPORT-----