

Appendix for Band 7

Report No.: BCTC2408023427-6E

Applicant: SHENZHEN YUNJI INTELLIGENT TECHNOLOGY
CO.,LTD

Product Name: Smart Phone


Test Model: P1

Tested Date: 2024-08-27 to 2024-09-27

Shenzhen BCTC Testing Co., Ltd.

Contents

Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power Measurement	3
Appendix 2. Frequency stability.....	8
Appendix 3. Peak-to-Average Ratio	15
Appendix 4. Occupied bandwidth	28
Appendix 5. Band edge	41
Appendix 6. Out-of-band emissions	50



Appendix 1. Effective Radiated Power and Effective Isotropic Radiated Power

Measurement


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dBm)	EIRP (dBm)	Verdict
Band7	5	20775	1	#0	QPSK	22.76	0.25	23.01	PASS
Band7	5	20775	1	#Mid	QPSK	22.78	0.25	23.03	PASS
Band7	5	20775	1	#Max	QPSK	22.68	0.25	22.93	PASS
Band7	5	20775	12	#0	QPSK	21.72	0.25	21.97	PASS
Band7	5	20775	12	#Mid	QPSK	21.78	0.25	22.03	PASS
Band7	5	20775	12	#Max	QPSK	21.75	0.25	22.00	PASS
Band7	5	20775	25	#0	QPSK	21.74	0.25	21.99	PASS
Band7	5	20775	1	#0	16QAM	22.16	0.25	22.41	PASS
Band7	5	20775	1	#Mid	16QAM	22.24	0.25	22.49	PASS
Band7	5	20775	1	#Max	16QAM	22.16	0.25	22.41	PASS
Band7	5	20775	12	#0	16QAM	20.66	0.25	20.91	PASS
Band7	5	20775	12	#Mid	16QAM	20.75	0.25	21.00	PASS
Band7	5	20775	12	#Max	16QAM	20.72	0.25	20.97	PASS
Band7	5	20775	25	#0	16QAM	20.69	0.25	20.94	PASS
Band7	5	21100	1	#0	QPSK	22.77	0.25	23.02	PASS
Band7	5	21100	1	#Mid	QPSK	22.85	0.25	23.10	PASS
Band7	5	21100	1	#Max	QPSK	22.80	0.25	23.05	PASS
Band7	5	21100	12	#0	QPSK	21.76	0.25	22.01	PASS
Band7	5	21100	12	#Mid	QPSK	21.80	0.25	22.05	PASS
Band7	5	21100	12	#Max	QPSK	21.77	0.25	22.02	PASS
Band7	5	21100	25	#0	QPSK	21.79	0.25	22.04	PASS
Band7	5	21100	1	#0	16QAM	22.02	0.25	22.27	PASS
Band7	5	21100	1	#Mid	16QAM	22.08	0.25	22.33	PASS
Band7	5	21100	1	#Max	16QAM	22.03	0.25	22.28	PASS
Band7	5	21100	12	#0	16QAM	20.68	0.25	20.93	PASS
Band7	5	21100	12	#Mid	16QAM	20.73	0.25	20.98	PASS
Band7	5	21100	12	#Max	16QAM	20.66	0.25	20.91	PASS
Band7	5	21100	25	#0	16QAM	20.77	0.25	21.02	PASS
Band7	5	21425	1	#0	QPSK	22.64	0.25	22.89	PASS
Band7	5	21425	1	#Mid	QPSK	22.77	0.25	23.02	PASS
Band7	5	21425	1	#Max	QPSK	22.71	0.25	22.96	PASS
Band7	5	21425	12	#0	QPSK	21.72	0.25	21.97	PASS
Band7	5	21425	12	#Mid	QPSK	21.80	0.25	22.05	PASS
Band7	5	21425	12	#Max	QPSK	21.74	0.25	21.99	PASS
Band7	5	21425	25	#0	QPSK	21.76	0.25	22.01	PASS
Band7	5	21425	1	#0	16QAM	21.96	0.25	22.21	PASS

Band7	5	21425	1	#Mid	16QAM	22.06	0.25	22.31	PASS
Band7	5	21425	1	#Max	16QAM	21.99	0.25	22.24	PASS
Band7	5	21425	12	#0	16QAM	20.76	0.25	21.01	PASS
Band7	5	21425	12	#Mid	16QAM	20.82	0.25	21.07	PASS
Band7	5	21425	12	#Max	16QAM	20.80	0.25	21.05	PASS
Band7	5	21425	25	#0	16QAM	20.75	0.25	21.00	PASS
Band7	10	20800	1	#0	QPSK	22.81	0.25	23.06	PASS
Band7	10	20800	1	#Mid	QPSK	22.81	0.25	23.06	PASS
Band7	10	20800	1	#Max	QPSK	22.73	0.25	22.98	PASS
Band7	10	20800	25	#0	QPSK	21.72	0.25	21.97	PASS
Band7	10	20800	25	#Mid	QPSK	21.77	0.25	22.02	PASS
Band7	10	20800	25	#Max	QPSK	21.78	0.25	22.03	PASS
Band7	10	20800	50	#0	QPSK	21.76	0.25	22.01	PASS
Band7	10	20800	1	#0	16QAM	22.12	0.25	22.37	PASS
Band7	10	20800	1	#Mid	16QAM	22.14	0.25	22.39	PASS
Band7	10	20800	1	#Max	16QAM	22.11	0.25	22.36	PASS
Band7	10	20800	25	#0	16QAM	20.72	0.25	20.97	PASS
Band7	10	20800	25	#Mid	16QAM	20.77	0.25	21.02	PASS
Band7	10	20800	25	#Max	16QAM	20.74	0.25	20.99	PASS
Band7	10	20800	50	#0	16QAM	20.73	0.25	20.98	PASS
Band7	10	21100	1	#0	QPSK	22.76	0.25	23.01	PASS
Band7	10	21100	1	#Mid	QPSK	22.87	0.25	23.12	PASS
Band7	10	21100	1	#Max	QPSK	22.83	0.25	23.08	PASS
Band7	10	21100	25	#0	QPSK	21.79	0.25	22.04	PASS
Band7	10	21100	25	#Mid	QPSK	21.83	0.25	22.08	PASS
Band7	10	21100	25	#Max	QPSK	21.79	0.25	22.04	PASS
Band7	10	21100	50	#0	QPSK	21.83	0.25	22.08	PASS
Band7	10	21100	1	#0	16QAM	21.89	0.25	22.14	PASS
Band7	10	21100	1	#Mid	16QAM	21.97	0.25	22.22	PASS
Band7	10	21100	1	#Max	16QAM	21.95	0.25	22.20	PASS
Band7	10	21100	25	#0	16QAM	20.79	0.25	21.04	PASS
Band7	10	21100	25	#Mid	16QAM	20.79	0.25	21.04	PASS
Band7	10	21100	25	#Max	16QAM	20.79	0.25	21.04	PASS
Band7	10	21100	50	#0	16QAM	20.82	0.25	21.07	PASS
Band7	10	21400	1	#0	QPSK	22.82	0.25	23.07	PASS
Band7	10	21400	1	#Mid	QPSK	22.92	0.25	23.17	PASS
Band7	10	21400	1	#Max	QPSK	22.94	0.25	23.19	PASS
Band7	10	21400	25	#0	QPSK	21.75	0.25	22.00	PASS
Band7	10	21400	25	#Mid	QPSK	21.77	0.25	22.02	PASS
Band7	10	21400	25	#Max	QPSK	21.76	0.25	22.01	PASS
Band7	10	21400	50	#0	QPSK	21.77	0.25	22.02	PASS
Band7	10	21400	1	#0	16QAM	21.57	0.25	21.82	PASS
Band7	10	21400	1	#Mid	16QAM	21.65	0.25	21.90	PASS

Band7	10	21400	1	#Max	16QAM	21.65	0.25	21.90	PASS
Band7	10	21400	25	#0	16QAM	20.77	0.25	21.02	PASS
Band7	10	21400	25	#Mid	16QAM	20.79	0.25	21.04	PASS
Band7	10	21400	25	#Max	16QAM	20.75	0.25	21.00	PASS
Band7	10	21400	50	#0	16QAM	20.76	0.25	21.01	PASS
Band7	15	20825	1	#0	QPSK	22.72	0.25	22.97	PASS
Band7	15	20825	1	#Mid	QPSK	22.75	0.25	23.00	PASS
Band7	15	20825	1	#Max	QPSK	22.63	0.25	22.88	PASS
Band7	15	20825	36	#0	QPSK	21.67	0.25	21.92	PASS
Band7	15	20825	36	#Mid	QPSK	21.76	0.25	22.01	PASS
Band7	15	20825	36	#Max	QPSK	21.68	0.25	21.93	PASS
Band7	15	20825	75	#0	QPSK	21.74	0.25	21.99	PASS
Band7	15	20825	1	#0	16QAM	22.06	0.25	22.31	PASS
Band7	15	20825	1	#Mid	16QAM	22.11	0.25	22.36	PASS
Band7	15	20825	1	#Max	16QAM	22.05	0.25	22.30	PASS
Band7	15	20825	36	#0	16QAM	20.69	0.25	20.94	PASS
Band7	15	20825	36	#Mid	16QAM	20.77	0.25	21.02	PASS
Band7	15	20825	36	#Max	16QAM	20.70	0.25	20.95	PASS
Band7	15	20825	75	#0	16QAM	20.71	0.25	20.96	PASS
Band7	15	21100	1	#0	QPSK	22.69	0.25	22.94	PASS
Band7	15	21100	1	#Mid	QPSK	22.84	0.25	23.09	PASS
Band7	15	21100	1	#Max	QPSK	22.78	0.25	23.03	PASS
Band7	15	21100	36	#0	QPSK	21.78	0.25	22.03	PASS
Band7	15	21100	36	#Mid	QPSK	21.87	0.25	22.12	PASS
Band7	15	21100	36	#Max	QPSK	21.80	0.25	22.05	PASS
Band7	15	21100	75	#0	QPSK	21.82	0.25	22.07	PASS
Band7	15	21100	1	#0	16QAM	21.83	0.25	22.08	PASS
Band7	15	21100	1	#Mid	16QAM	21.93	0.25	22.18	PASS
Band7	15	21100	1	#Max	16QAM	21.88	0.25	22.13	PASS
Band7	15	21100	36	#0	16QAM	20.82	0.25	21.07	PASS
Band7	15	21100	36	#Mid	16QAM	20.87	0.25	21.12	PASS
Band7	15	21100	36	#Max	16QAM	20.85	0.25	21.10	PASS
Band7	15	21100	75	#0	16QAM	20.76	0.25	21.01	PASS
Band7	15	21375	1	#0	QPSK	22.76	0.25	23.01	PASS
Band7	15	21375	1	#Mid	QPSK	22.90	0.25	23.15	PASS
Band7	15	21375	1	#Max	QPSK	22.90	0.25	23.15	PASS
Band7	15	21375	36	#0	QPSK	21.72	0.25	21.97	PASS
Band7	15	21375	36	#Mid	QPSK	21.82	0.25	22.07	PASS
Band7	15	21375	36	#Max	QPSK	21.79	0.25	22.04	PASS
Band7	15	21375	75	#0	QPSK	21.77	0.25	22.02	PASS
Band7	15	21375	1	#0	16QAM	21.72	0.25	21.97	PASS
Band7	15	21375	1	#Mid	16QAM	21.83	0.25	22.08	PASS
Band7	15	21375	1	#Max	16QAM	21.84	0.25	22.09	PASS

Band7	15	21375	36	#0	16QAM	20.66	0.25	20.91	PASS
Band7	15	21375	36	#Mid	16QAM	20.74	0.25	20.99	PASS
Band7	15	21375	36	#Max	16QAM	20.71	0.25	20.96	PASS
Band7	15	21375	75	#0	16QAM	20.76	0.25	21.01	PASS
Band7	20	20850	1	#0	QPSK	22.64	0.25	22.89	PASS
Band7	20	20850	1	#Mid	QPSK	22.82	0.25	23.07	PASS
Band7	20	20850	1	#Max	QPSK	22.60	0.25	22.85	PASS
Band7	20	20850	50	#0	QPSK	21.60	0.25	21.85	PASS
Band7	20	20850	50	#Mid	QPSK	21.70	0.25	21.95	PASS
Band7	20	20850	50	#Max	QPSK	21.58	0.25	21.83	PASS
Band7	20	20850	100	#0	QPSK	21.57	0.25	21.82	PASS
Band7	20	20850	1	#0	16QAM	21.88	0.25	22.13	PASS
Band7	20	20850	1	#Mid	16QAM	22.05	0.25	22.30	PASS
Band7	20	20850	1	#Max	16QAM	21.88	0.25	22.13	PASS
Band7	20	20850	50	#0	16QAM	20.67	0.25	20.92	PASS
Band7	20	20850	50	#Mid	16QAM	20.77	0.25	21.02	PASS
Band7	20	20850	50	#Max	16QAM	20.64	0.25	20.89	PASS
Band7	20	20850	100	#0	16QAM	20.56	0.25	20.81	PASS
Band7	20	21100	1	#0	QPSK	22.67	0.25	22.92	PASS
Band7	20	21100	1	#Mid	QPSK	22.97	0.25	23.22	PASS
Band7	20	21100	1	#Max	QPSK	22.84	0.25	23.09	PASS
Band7	20	21100	50	#0	QPSK	21.76	0.25	22.01	PASS
Band7	20	21100	50	#Mid	QPSK	21.81	0.25	22.06	PASS
Band7	20	21100	50	#Max	QPSK	21.76	0.25	22.01	PASS
Band7	20	21100	100	#0	QPSK	21.78	0.25	22.03	PASS
Band7	20	21100	1	#0	16QAM	21.78	0.25	22.03	PASS
Band7	20	21100	1	#Mid	16QAM	22.05	0.25	22.30	PASS
Band7	20	21100	1	#Max	16QAM	21.91	0.25	22.16	PASS
Band7	20	21100	50	#0	16QAM	20.72	0.25	20.97	PASS
Band7	20	21100	50	#Mid	16QAM	20.75	0.25	21.00	PASS
Band7	20	21100	50	#Max	16QAM	20.71	0.25	20.96	PASS
Band7	20	21100	100	#0	16QAM	20.73	0.25	20.98	PASS
Band7	20	21350	1	#0	QPSK	22.63	0.25	22.88	PASS
Band7	20	21350	1	#Mid	QPSK	22.88	0.25	23.13	PASS
Band7	20	21350	1	#Max	QPSK	22.76	0.25	23.01	PASS
Band7	20	21350	50	#0	QPSK	21.63	0.25	21.88	PASS
Band7	20	21350	50	#Mid	QPSK	21.76	0.25	22.01	PASS
Band7	20	21350	50	#Max	QPSK	21.66	0.25	21.91	PASS
Band7	20	21350	100	#0	QPSK	21.63	0.25	21.88	PASS
Band7	20	21350	1	#0	16QAM	21.81	0.25	22.06	PASS
Band7	20	21350	1	#Mid	16QAM	22.02	0.25	22.27	PASS
Band7	20	21350	1	#Max	16QAM	21.94	0.25	22.19	PASS
Band7	20	21350	50	#0	16QAM	20.65	0.25	20.90	PASS

Band7	20	21350	50	#Mid	16QAM	20.82	0.25	21.07	PASS
Band7	20	21350	50	#Max	16QAM	20.72	0.25	20.97	PASS
Band7	20	21350	100	#0	16QAM	20.65	0.25	20.90	PASS



Appendix 2. Frequency stability

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
Band7	5	20775	25	#0	QPSK	LV	NT	-19.01	-0.008	PASS
Band7	5	20775	25	#0	QPSK	NV	NT	-30.88	-0.012	PASS
Band7	5	20775	25	#0	QPSK	HV	NT	-25.05	-0.010	PASS
Band7	5	20775	25	#0	16QAM	LV	NT	-22.92	-0.009	PASS
Band7	5	20775	25	#0	16QAM	NV	NT	-9.21	-0.004	PASS
Band7	5	20775	25	#0	16QAM	HV	NT	-9.44	-0.004	PASS
Band7	5	21100	25	#0	QPSK	LV	NT	-5.01	-0.002	PASS
Band7	5	21100	25	#0	QPSK	NV	NT	-18.78	-0.007	PASS
Band7	5	21100	25	#0	QPSK	HV	NT	-15.98	-0.006	PASS
Band7	5	21100	25	#0	16QAM	LV	NT	-8.35	-0.003	PASS
Band7	5	21100	25	#0	16QAM	NV	NT	-5.48	-0.002	PASS
Band7	5	21100	25	#0	16QAM	HV	NT	0.66	0.000	PASS
Band7	5	21425	25	#0	QPSK	LV	NT	7.52	0.003	PASS
Band7	5	21425	25	#0	QPSK	NV	NT	-3.46	-0.001	PASS
Band7	5	21425	25	#0	QPSK	HV	NT	-4.01	-0.002	PASS
Band7	5	21425	25	#0	16QAM	LV	NT	1.17	0.000	PASS
Band7	5	21425	25	#0	16QAM	NV	NT	-4.43	-0.002	PASS
Band7	5	21425	25	#0	16QAM	HV	NT	1.13	0.000	PASS
Band7	10	20800	50	#0	QPSK	LV	NT	-0.09	0.000	PASS
Band7	10	20800	50	#0	QPSK	NV	NT	-4.72	-0.002	PASS
Band7	10	20800	50	#0	QPSK	HV	NT	-7.07	-0.003	PASS
Band7	10	20800	50	#0	16QAM	LV	NT	-5.68	-0.002	PASS
Band7	10	20800	50	#0	16QAM	NV	NT	-1.27	-0.001	PASS
Band7	10	20800	50	#0	16QAM	HV	NT	-1.90	-0.001	PASS
Band7	10	21100	50	#0	QPSK	LV	NT	-4.16	-0.002	PASS
Band7	10	21100	50	#0	QPSK	NV	NT	-8.18	-0.003	PASS
Band7	10	21100	50	#0	QPSK	HV	NT	-7.78	-0.003	PASS
Band7	10	21100	50	#0	16QAM	LV	NT	-3.82	-0.002	PASS
Band7	10	21100	50	#0	16QAM	NV	NT	1.92	0.001	PASS
Band7	10	21100	50	#0	16QAM	HV	NT	0.70	0.000	PASS
Band7	10	21400	50	#0	QPSK	LV	NT	-8.60	-0.003	PASS
Band7	10	21400	50	#0	QPSK	NV	NT	-26.62	-0.010	PASS
Band7	10	21400	50	#0	QPSK	HV	NT	-21.53	-0.008	PASS
Band7	10	21400	50	#0	16QAM	LV	NT	-14.39	-0.006	PASS
Band7	10	21400	50	#0	16QAM	NV	NT	-10.09	-0.004	PASS
Band7	10	21400	50	#0	16QAM	HV	NT	-2.95	-0.001	PASS
Band7	15	20825	75	#0	QPSK	LV	NT	-3.20	-0.001	PASS
Band7	15	20825	75	#0	QPSK	NV	NT	0.39	0.000	PASS

Band7	15	20825	75	#0	QPSK	HV	NT	1.06	0.000	PASS
Band7	15	20825	75	#0	16QAM	LV	NT	1.83	0.001	PASS
Band7	15	20825	75	#0	16QAM	NV	NT	0.97	0.000	PASS
Band7	15	20825	75	#0	16QAM	HV	NT	1.62	0.001	PASS
Band7	15	21100	75	#0	QPSK	LV	NT	-4.43	-0.002	PASS
Band7	15	21100	75	#0	QPSK	NV	NT	0.49	0.000	PASS
Band7	15	21100	75	#0	QPSK	HV	NT	-3.33	-0.001	PASS
Band7	15	21100	75	#0	16QAM	LV	NT	-1.60	-0.001	PASS
Band7	15	21100	75	#0	16QAM	NV	NT	-1.16	0.000	PASS
Band7	15	21100	75	#0	16QAM	HV	NT	0.84	0.000	PASS
Band7	15	21375	75	#0	QPSK	LV	NT	-1.83	-0.001	PASS
Band7	15	21375	75	#0	QPSK	NV	NT	-8.00	-0.003	PASS
Band7	15	21375	75	#0	QPSK	HV	NT	-6.82	-0.003	PASS
Band7	15	21375	75	#0	16QAM	LV	NT	-4.88	-0.002	PASS
Band7	15	21375	75	#0	16QAM	NV	NT	-3.66	-0.001	PASS
Band7	15	21375	75	#0	16QAM	HV	NT	-3.78	-0.001	PASS
Band7	20	20850	100	#0	QPSK	LV	NT	-22.53	-0.009	PASS
Band7	20	20850	100	#0	QPSK	NV	NT	-6.64	-0.003	PASS
Band7	20	20850	100	#0	QPSK	HV	NT	-3.03	-0.001	PASS
Band7	20	20850	100	#0	16QAM	LV	NT	-2.17	-0.001	PASS
Band7	20	20850	100	#0	16QAM	NV	NT	-2.45	-0.001	PASS
Band7	20	20850	100	#0	16QAM	HV	NT	0.99	0.000	PASS
Band7	20	21100	100	#0	QPSK	LV	NT	-11.96	-0.005	PASS
Band7	20	21100	100	#0	QPSK	NV	NT	-9.16	-0.004	PASS
Band7	20	21100	100	#0	QPSK	HV	NT	-6.67	-0.003	PASS
Band7	20	21100	100	#0	16QAM	LV	NT	-8.44	-0.003	PASS
Band7	20	21100	100	#0	16QAM	NV	NT	-0.07	0.000	PASS
Band7	20	21100	100	#0	16QAM	HV	NT	-2.68	-0.001	PASS
Band7	20	21350	100	#0	QPSK	LV	NT	-2.90	-0.001	PASS
Band7	20	21350	100	#0	QPSK	NV	NT	-5.51	-0.002	PASS
Band7	20	21350	100	#0	QPSK	HV	NT	-6.25	-0.002	PASS
Band7	20	21350	100	#0	16QAM	LV	NT	-0.62	0.000	PASS
Band7	20	21350	100	#0	16QAM	NV	NT	-0.97	0.000	PASS
Band7	20	21350	100	#0	16QAM	HV	NT	-0.77	0.000	PASS

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Voltage (Vdc)	Temperature (C)	Result (Hz)	Result (ppm)	Verdict
Band7	5	20775	25	#0	QPSK	NV	-30	-27.71	-0.011	PASS
Band7	5	20775	25	#0	QPSK	NV	-20	-16.89	-0.007	PASS
Band7	5	20775	25	#0	QPSK	NV	-10	-0.56	0.000	PASS
Band7	5	20775	25	#0	QPSK	NV	0	-4.49	-0.002	PASS
Band7	5	20775	25	#0	QPSK	NV	10	-7.82	-0.003	PASS
Band7	5	20775	25	#0	QPSK	NV	20	-0.09	0.000	PASS

Band7	5	20775	25	#0	QPSK	NV	30	-7.82	-0.003	PASS
Band7	5	20775	25	#0	QPSK	NV	40	-2.35	-0.001	PASS
Band7	5	20775	25	#0	QPSK	NV	50	-8.43	-0.003	PASS
Band7	5	20775	25	#0	16QAM	NV	-30	-5.36	-0.002	PASS
Band7	5	20775	25	#0	16QAM	NV	-20	1.40	0.001	PASS
Band7	5	20775	25	#0	16QAM	NV	-10	-2.88	-0.001	PASS
Band7	5	20775	25	#0	16QAM	NV	0	2.72	0.001	PASS
Band7	5	20775	25	#0	16QAM	NV	10	-2.49	-0.001	PASS
Band7	5	20775	25	#0	16QAM	NV	20	-6.21	-0.002	PASS
Band7	5	20775	25	#0	16QAM	NV	30	-5.02	-0.002	PASS
Band7	5	20775	25	#0	16QAM	NV	40	-5.69	-0.002	PASS
Band7	5	20775	25	#0	16QAM	NV	50	-3.40	-0.001	PASS
Band7	5	21100	25	#0	QPSK	NV	-30	-7.37	-0.003	PASS
Band7	5	21100	25	#0	QPSK	NV	-20	-16.26	-0.006	PASS
Band7	5	21100	25	#0	QPSK	NV	-10	-14.25	-0.006	PASS
Band7	5	21100	25	#0	QPSK	NV	0	-13.92	-0.005	PASS
Band7	5	21100	25	#0	QPSK	NV	10	-9.63	-0.004	PASS
Band7	5	21100	25	#0	QPSK	NV	20	0.24	0.000	PASS
Band7	5	21100	25	#0	QPSK	NV	30	-2.12	-0.001	PASS
Band7	5	21100	25	#0	QPSK	NV	40	-12.83	-0.005	PASS
Band7	5	21100	25	#0	QPSK	NV	50	-5.92	-0.002	PASS
Band7	5	21100	25	#0	16QAM	NV	-30	-8.84	-0.003	PASS
Band7	5	21100	25	#0	16QAM	NV	-20	-10.66	-0.004	PASS
Band7	5	21100	25	#0	16QAM	NV	-10	-1.44	-0.001	PASS
Band7	5	21100	25	#0	16QAM	NV	0	4.39	0.002	PASS
Band7	5	21100	25	#0	16QAM	NV	10	-1.85	-0.001	PASS
Band7	5	21100	25	#0	16QAM	NV	20	-7.32	-0.003	PASS
Band7	5	21100	25	#0	16QAM	NV	30	-6.77	-0.003	PASS
Band7	5	21100	25	#0	16QAM	NV	40	-2.20	-0.001	PASS
Band7	5	21100	25	#0	16QAM	NV	50	-8.14	-0.003	PASS
Band7	5	21425	25	#0	QPSK	NV	-30	-4.72	-0.002	PASS
Band7	5	21425	25	#0	QPSK	NV	-20	-8.38	-0.003	PASS
Band7	5	21425	25	#0	QPSK	NV	-10	-9.24	-0.004	PASS
Band7	5	21425	25	#0	QPSK	NV	0	-4.41	-0.002	PASS
Band7	5	21425	25	#0	QPSK	NV	10	-12.29	-0.005	PASS
Band7	5	21425	25	#0	QPSK	NV	20	-9.71	-0.004	PASS
Band7	5	21425	25	#0	QPSK	NV	30	-5.56	-0.002	PASS
Band7	5	21425	25	#0	QPSK	NV	40	-0.87	0.000	PASS
Band7	5	21425	25	#0	QPSK	NV	50	-5.89	-0.002	PASS
Band7	5	21425	25	#0	16QAM	NV	-30	-2.82	-0.001	PASS
Band7	5	21425	25	#0	16QAM	NV	-20	-8.17	-0.003	PASS
Band7	5	21425	25	#0	16QAM	NV	-10	-0.63	0.000	PASS
Band7	5	21425	25	#0	16QAM	NV	0	1.06	0.000	PASS

Band7	5	21425	25	#0	16QAM	NV	10	-2.26	-0.001	PASS
Band7	5	21425	25	#0	16QAM	NV	20	-3.20	-0.001	PASS
Band7	5	21425	25	#0	16QAM	NV	30	-1.92	-0.001	PASS
Band7	5	21425	25	#0	16QAM	NV	40	-3.68	-0.001	PASS
Band7	5	21425	25	#0	16QAM	NV	50	-7.47	-0.003	PASS
Band7	10	20800	50	#0	QPSK	NV	-30	5.68	0.002	PASS
Band7	10	20800	50	#0	QPSK	NV	-20	-5.29	-0.002	PASS
Band7	10	20800	50	#0	QPSK	NV	-10	7.62	0.003	PASS
Band7	10	20800	50	#0	QPSK	NV	0	-3.98	-0.002	PASS
Band7	10	20800	50	#0	QPSK	NV	10	-5.31	-0.002	PASS
Band7	10	20800	50	#0	QPSK	NV	20	-2.37	-0.001	PASS
Band7	10	20800	50	#0	QPSK	NV	30	1.65	0.001	PASS
Band7	10	20800	50	#0	QPSK	NV	40	-2.90	-0.001	PASS
Band7	10	20800	50	#0	QPSK	NV	50	0.14	0.000	PASS
Band7	10	20800	50	#0	16QAM	NV	-30	-7.14	-0.003	PASS
Band7	10	20800	50	#0	16QAM	NV	-20	-2.36	-0.001	PASS
Band7	10	20800	50	#0	16QAM	NV	-10	2.30	0.001	PASS
Band7	10	20800	50	#0	16QAM	NV	0	-2.37	-0.001	PASS
Band7	10	20800	50	#0	16QAM	NV	10	-2.90	-0.001	PASS
Band7	10	20800	50	#0	16QAM	NV	20	-1.59	-0.001	PASS
Band7	10	20800	50	#0	16QAM	NV	30	-3.10	-0.001	PASS
Band7	10	20800	50	#0	16QAM	NV	40	4.66	0.002	PASS
Band7	10	20800	50	#0	16QAM	NV	50	-3.15	-0.001	PASS
Band7	10	21100	50	#0	QPSK	NV	-30	-7.48	-0.003	PASS
Band7	10	21100	50	#0	QPSK	NV	-20	-10.64	-0.004	PASS
Band7	10	21100	50	#0	QPSK	NV	-10	-8.43	-0.003	PASS
Band7	10	21100	50	#0	QPSK	NV	0	-4.51	-0.002	PASS
Band7	10	21100	50	#0	QPSK	NV	10	-5.87	-0.002	PASS
Band7	10	21100	50	#0	QPSK	NV	20	-4.73	-0.002	PASS
Band7	10	21100	50	#0	QPSK	NV	30	-3.63	-0.001	PASS
Band7	10	21100	50	#0	QPSK	NV	40	0.86	0.000	PASS
Band7	10	21100	50	#0	QPSK	NV	50	-2.93	-0.001	PASS
Band7	10	21100	50	#0	16QAM	NV	-30	-1.52	-0.001	PASS
Band7	10	21100	50	#0	16QAM	NV	-20	4.63	0.002	PASS
Band7	10	21100	50	#0	16QAM	NV	-10	3.53	0.001	PASS
Band7	10	21100	50	#0	16QAM	NV	0	-1.65	-0.001	PASS
Band7	10	21100	50	#0	16QAM	NV	10	0.23	0.000	PASS
Band7	10	21100	50	#0	16QAM	NV	20	-6.65	-0.003	PASS
Band7	10	21100	50	#0	16QAM	NV	30	0.17	0.000	PASS
Band7	10	21100	50	#0	16QAM	NV	40	-2.72	-0.001	PASS
Band7	10	21100	50	#0	16QAM	NV	50	-5.32	-0.002	PASS
Band7	10	21400	50	#0	QPSK	NV	-30	-3.72	-0.001	PASS
Band7	10	21400	50	#0	QPSK	NV	-20	-3.08	-0.001	PASS

Band7	10	21400	50	#0	QPSK	NV	-10	0.86	0.000	PASS
Band7	10	21400	50	#0	QPSK	NV	0	-3.28	-0.001	PASS
Band7	10	21400	50	#0	QPSK	NV	10	-1.57	-0.001	PASS
Band7	10	21400	50	#0	QPSK	NV	20	-3.16	-0.001	PASS
Band7	10	21400	50	#0	QPSK	NV	30	-1.06	0.000	PASS
Band7	10	21400	50	#0	QPSK	NV	40	-5.65	-0.002	PASS
Band7	10	21400	50	#0	QPSK	NV	50	-1.37	-0.001	PASS
Band7	10	21400	50	#0	16QAM	NV	-30	-1.79	-0.001	PASS
Band7	10	21400	50	#0	16QAM	NV	-20	-3.15	-0.001	PASS
Band7	10	21400	50	#0	16QAM	NV	-10	4.82	0.002	PASS
Band7	10	21400	50	#0	16QAM	NV	0	-2.13	-0.001	PASS
Band7	10	21400	50	#0	16QAM	NV	10	-0.54	0.000	PASS
Band7	10	21400	50	#0	16QAM	NV	20	-10.90	-0.004	PASS
Band7	10	21400	50	#0	16QAM	NV	30	-1.30	-0.001	PASS
Band7	10	21400	50	#0	16QAM	NV	40	-1.13	0.000	PASS
Band7	10	21400	50	#0	16QAM	NV	50	-3.02	-0.001	PASS
Band7	15	20825	75	#0	QPSK	NV	-30	-6.84	-0.003	PASS
Band7	15	20825	75	#0	QPSK	NV	-20	-6.95	-0.003	PASS
Band7	15	20825	75	#0	QPSK	NV	-10	-4.76	-0.002	PASS
Band7	15	20825	75	#0	QPSK	NV	0	-0.39	0.000	PASS
Band7	15	20825	75	#0	QPSK	NV	10	-4.94	-0.002	PASS
Band7	15	20825	75	#0	QPSK	NV	20	2.32	0.001	PASS
Band7	15	20825	75	#0	QPSK	NV	30	-3.29	-0.001	PASS
Band7	15	20825	75	#0	QPSK	NV	40	-4.38	-0.002	PASS
Band7	15	20825	75	#0	QPSK	NV	50	-1.16	0.000	PASS
Band7	15	20825	75	#0	16QAM	NV	-30	3.40	0.001	PASS
Band7	15	20825	75	#0	16QAM	NV	-20	3.22	0.001	PASS
Band7	15	20825	75	#0	16QAM	NV	-10	-1.36	-0.001	PASS
Band7	15	20825	75	#0	16QAM	NV	0	1.65	0.001	PASS
Band7	15	20825	75	#0	16QAM	NV	10	-3.52	-0.001	PASS
Band7	15	20825	75	#0	16QAM	NV	20	-1.04	0.000	PASS
Band7	15	20825	75	#0	16QAM	NV	30	-0.59	0.000	PASS
Band7	15	20825	75	#0	16QAM	NV	40	1.07	0.000	PASS
Band7	15	20825	75	#0	16QAM	NV	50	-0.56	0.000	PASS
Band7	15	21100	75	#0	QPSK	NV	-30	-8.51	-0.003	PASS
Band7	15	21100	75	#0	QPSK	NV	-20	-6.61	-0.003	PASS
Band7	15	21100	75	#0	QPSK	NV	-10	-7.62	-0.003	PASS
Band7	15	21100	75	#0	QPSK	NV	0	-4.18	-0.002	PASS
Band7	15	21100	75	#0	QPSK	NV	10	-3.26	-0.001	PASS
Band7	15	21100	75	#0	QPSK	NV	20	-1.32	-0.001	PASS
Band7	15	21100	75	#0	QPSK	NV	30	-4.98	-0.002	PASS
Band7	15	21100	75	#0	QPSK	NV	40	-1.63	-0.001	PASS
Band7	15	21100	75	#0	QPSK	NV	50	-3.82	-0.002	PASS


Band7	15	21100	75	#0	16QAM	NV	-30	-5.55	-0.002	PASS
Band7	15	21100	75	#0	16QAM	NV	-20	-2.00	-0.001	PASS
Band7	15	21100	75	#0	16QAM	NV	-10	-0.56	0.000	PASS
Band7	15	21100	75	#0	16QAM	NV	0	3.76	0.001	PASS
Band7	15	21100	75	#0	16QAM	NV	10	-0.74	0.000	PASS
Band7	15	21100	75	#0	16QAM	NV	20	-3.56	-0.001	PASS
Band7	15	21100	75	#0	16QAM	NV	30	-2.98	-0.001	PASS
Band7	15	21100	75	#0	16QAM	NV	40	0.36	0.000	PASS
Band7	15	21100	75	#0	16QAM	NV	50	0.33	0.000	PASS
Band7	15	21375	75	#0	QPSK	NV	-30	0.97	0.000	PASS
Band7	15	21375	75	#0	QPSK	NV	-20	-5.25	-0.002	PASS
Band7	15	21375	75	#0	QPSK	NV	-10	-6.15	-0.002	PASS
Band7	15	21375	75	#0	QPSK	NV	0	2.59	0.001	PASS
Band7	15	21375	75	#0	QPSK	NV	10	-0.30	0.000	PASS
Band7	15	21375	75	#0	QPSK	NV	20	-1.63	-0.001	PASS
Band7	15	21375	75	#0	QPSK	NV	30	-0.27	0.000	PASS
Band7	15	21375	75	#0	QPSK	NV	40	-3.26	-0.001	PASS
Band7	15	21375	75	#0	QPSK	NV	50	-0.60	0.000	PASS
Band7	15	21375	75	#0	16QAM	NV	-30	-2.57	-0.001	PASS
Band7	15	21375	75	#0	16QAM	NV	-20	2.25	0.001	PASS
Band7	15	21375	75	#0	16QAM	NV	-10	-2.95	-0.001	PASS
Band7	15	21375	75	#0	16QAM	NV	0	-1.19	0.000	PASS
Band7	15	21375	75	#0	16QAM	NV	10	-0.24	0.000	PASS
Band7	15	21375	75	#0	16QAM	NV	20	0.19	0.000	PASS
Band7	15	21375	75	#0	16QAM	NV	30	-1.93	-0.001	PASS
Band7	15	21375	75	#0	16QAM	NV	40	0.10	0.000	PASS
Band7	15	21375	75	#0	16QAM	NV	50	-0.72	0.000	PASS
Band7	20	20850	100	#0	QPSK	NV	-30	-2.75	-0.001	PASS
Band7	20	20850	100	#0	QPSK	NV	-20	-5.49	-0.002	PASS
Band7	20	20850	100	#0	QPSK	NV	-10	-2.23	-0.001	PASS
Band7	20	20850	100	#0	QPSK	NV	0	-2.89	-0.001	PASS
Band7	20	20850	100	#0	QPSK	NV	10	-8.17	-0.003	PASS
Band7	20	20850	100	#0	QPSK	NV	20	0.16	0.000	PASS
Band7	20	20850	100	#0	QPSK	NV	30	-0.60	0.000	PASS
Band7	20	20850	100	#0	QPSK	NV	40	-1.57	-0.001	PASS
Band7	20	20850	100	#0	QPSK	NV	50	-1.56	-0.001	PASS
Band7	20	20850	100	#0	16QAM	NV	-30	-1.65	-0.001	PASS
Band7	20	20850	100	#0	16QAM	NV	-20	3.18	0.001	PASS
Band7	20	20850	100	#0	16QAM	NV	-10	-2.89	-0.001	PASS
Band7	20	20850	100	#0	16QAM	NV	0	2.40	0.001	PASS
Band7	20	20850	100	#0	16QAM	NV	10	-0.73	0.000	PASS
Band7	20	20850	100	#0	16QAM	NV	20	-2.06	-0.001	PASS
Band7	20	20850	100	#0	16QAM	NV	30	0.62	0.000	PASS

Band7	20	20850	100	#0	16QAM	NV	40	-2.19	-0.001	PASS
Band7	20	20850	100	#0	16QAM	NV	50	1.59	0.001	PASS
Band7	20	21100	100	#0	QPSK	NV	-30	-5.12	-0.002	PASS
Band7	20	21100	100	#0	QPSK	NV	-20	-5.66	-0.002	PASS
Band7	20	21100	100	#0	QPSK	NV	-10	-8.85	-0.003	PASS
Band7	20	21100	100	#0	QPSK	NV	0	-3.62	-0.001	PASS
Band7	20	21100	100	#0	QPSK	NV	10	-2.95	-0.001	PASS
Band7	20	21100	100	#0	QPSK	NV	20	-4.69	-0.002	PASS
Band7	20	21100	100	#0	QPSK	NV	30	-5.56	-0.002	PASS
Band7	20	21100	100	#0	QPSK	NV	40	-5.31	-0.002	PASS
Band7	20	21100	100	#0	QPSK	NV	50	-6.55	-0.003	PASS
Band7	20	21100	100	#0	16QAM	NV	-30	-3.13	-0.001	PASS
Band7	20	21100	100	#0	16QAM	NV	-20	0.24	0.000	PASS
Band7	20	21100	100	#0	16QAM	NV	-10	-2.96	-0.001	PASS
Band7	20	21100	100	#0	16QAM	NV	0	-3.99	-0.002	PASS
Band7	20	21100	100	#0	16QAM	NV	10	-3.26	-0.001	PASS
Band7	20	21100	100	#0	16QAM	NV	20	-3.68	-0.001	PASS
Band7	20	21100	100	#0	16QAM	NV	30	-3.20	-0.001	PASS
Band7	20	21100	100	#0	16QAM	NV	40	-4.28	-0.002	PASS
Band7	20	21100	100	#0	16QAM	NV	50	-7.93	-0.003	PASS
Band7	20	21350	100	#0	QPSK	NV	-30	-2.75	-0.001	PASS
Band7	20	21350	100	#0	QPSK	NV	-20	-4.09	-0.002	PASS
Band7	20	21350	100	#0	QPSK	NV	-10	-5.89	-0.002	PASS
Band7	20	21350	100	#0	QPSK	NV	0	-3.73	-0.001	PASS
Band7	20	21350	100	#0	QPSK	NV	10	-2.66	-0.001	PASS
Band7	20	21350	100	#0	QPSK	NV	20	-3.32	-0.001	PASS
Band7	20	21350	100	#0	QPSK	NV	30	-3.63	-0.001	PASS
Band7	20	21350	100	#0	QPSK	NV	40	-3.58	-0.001	PASS
Band7	20	21350	100	#0	QPSK	NV	50	-8.48	-0.003	PASS
Band7	20	21350	100	#0	16QAM	NV	-30	-1.24	0.000	PASS
Band7	20	21350	100	#0	16QAM	NV	-20	-2.52	-0.001	PASS
Band7	20	21350	100	#0	16QAM	NV	-10	0.51	0.000	PASS
Band7	20	21350	100	#0	16QAM	NV	0	-3.19	-0.001	PASS
Band7	20	21350	100	#0	16QAM	NV	10	-4.41	-0.002	PASS
Band7	20	21350	100	#0	16QAM	NV	20	-7.11	-0.003	PASS
Band7	20	21350	100	#0	16QAM	NV	30	-3.38	-0.001	PASS
Band7	20	21350	100	#0	16QAM	NV	40	-0.66	0.000	PASS
Band7	20	21350	100	#0	16QAM	NV	50	-1.73	-0.001	PASS


Appendix 3. Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band7	5	20775	1	#0	QPSK	4.03	13	PASS
Band7	5	20775	1	#0	16QAM	4.78	13	PASS
Band7	5	21100	1	#0	QPSK	4.54	13	PASS
Band7	5	21100	1	#0	16QAM	5.19	13	PASS
Band7	5	21425	1	#0	QPSK	5.09	13	PASS
Band7	5	21425	1	#0	16QAM	5.71	13	PASS
Band7	10	20800	1	#0	QPSK	4.19	13	PASS
Band7	10	20800	1	#0	16QAM	5.02	13	PASS
Band7	10	21100	1	#0	QPSK	4.33	13	PASS
Band7	10	21100	1	#0	16QAM	5.36	13	PASS
Band7	10	21400	1	#0	QPSK	4.50	13	PASS
Band7	10	21400	1	#0	16QAM	5.29	13	PASS
Band7	15	20825	1	#0	QPSK	4.14	13	PASS
Band7	15	20825	1	#0	16QAM	5.07	13	PASS
Band7	15	21100	1	#0	QPSK	4.23	13	PASS
Band7	15	21100	1	#0	16QAM	5.30	13	PASS
Band7	15	21375	1	#0	QPSK	4.32	13	PASS
Band7	15	21375	1	#0	16QAM	5.13	13	PASS
Band7	20	20850	1	#0	QPSK	4.12	13	PASS
Band7	20	20850	1	#0	16QAM	4.83	13	PASS
Band7	20	21100	1	#0	QPSK	4.34	13	PASS
Band7	20	21100	1	#0	16QAM	5.24	13	PASS
Band7	20	21350	1	#0	QPSK	4.29	13	PASS
Band7	20	21350	1	#0	16QAM	5.31	13	PASS


Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#0




Band7 16QAM BW=15MHz Channel=20825 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=15MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=1 Position=#0




Band7 16QAM BW=15MHz Channel=21375 RB Size=1 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=1 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0




Band7 16QAM BW=20MHz Channel=21100 RB Size=1 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0




Band7 16QAM BW=20MHz Channel=21350 RB Size=1 Position=#0




Appendix 4. Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band7	5	20775	25	#0	QPSK	4.507	4.877	PASS
Band7	5	20775	25	#0	16QAM	4.504	4.922	PASS
Band7	5	21100	25	#0	QPSK	4.505	4.855	PASS
Band7	5	21100	25	#0	16QAM	4.523	4.921	PASS
Band7	5	21425	25	#0	QPSK	4.503	4.910	PASS
Band7	5	21425	25	#0	16QAM	4.500	4.877	PASS
Band7	10	20800	50	#0	QPSK	8.957	9.732	PASS
Band7	10	20800	50	#0	16QAM	8.981	9.650	PASS
Band7	10	21100	50	#0	QPSK	8.995	9.684	PASS
Band7	10	21100	50	#0	16QAM	8.999	9.782	PASS
Band7	10	21400	50	#0	QPSK	8.994	9.690	PASS
Band7	10	21400	50	#0	16QAM	8.969	9.659	PASS
Band7	15	20825	75	#0	QPSK	13.429	14.434	PASS
Band7	15	20825	75	#0	16QAM	13.462	14.568	PASS
Band7	15	21100	75	#0	QPSK	13.406	14.549	PASS
Band7	15	21100	75	#0	16QAM	13.466	14.425	PASS
Band7	15	21375	75	#0	QPSK	13.458	14.479	PASS
Band7	15	21375	75	#0	16QAM	13.499	14.489	PASS
Band7	20	20850	100	#0	QPSK	17.960	19.227	PASS
Band7	20	20850	100	#0	16QAM	17.984	19.266	PASS
Band7	20	21100	100	#0	QPSK	17.921	19.262	PASS
Band7	20	21100	100	#0	16QAM	17.928	19.244	PASS
Band7	20	21350	100	#0	QPSK	17.903	19.150	PASS
Band7	20	21350	100	#0	16QAM	17.912	19.173	PASS


Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=21350 RB Size=100 Position=#0




Appendix 5. Band edge


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	2499.00	-15.16	-10	PASS
Band7	5	20775	25	#0	16QAM	2499.00	-15.52	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.00	-15.14	-10	PASS
Band7	5	21425	25	#0	16QAM	2571.02	-15.44	-10	PASS
Band7	10	20800	50	#0	QPSK	2489.91	-36.56	-25	PASS
Band7	10	20800	50	#0	16QAM	2489.88	-36.13	-25	PASS
Band7	10	21400	50	#0	QPSK	2584.22	-33.97	-25	PASS
Band7	10	21400	50	#0	16QAM	2580.03	-33.27	-25	PASS
Band7	15	20825	75	#0	QPSK	2484.83	-38.39	-25	PASS
Band7	15	20825	75	#0	16QAM	2484.87	-38.37	-25	PASS
Band7	15	21375	75	#0	QPSK	2585.09	-33.51	-25	PASS
Band7	15	21375	75	#0	16QAM	2585.18	-33.23	-25	PASS
Band7	20	20850	100	#0	QPSK	2479.88	-42.54	-25	PASS
Band7	20	20850	100	#0	16QAM	2479.98	-42.32	-25	PASS
Band7	20	21350	100	#0	QPSK	2591.30	-36.84	-25	PASS
Band7	20	21350	100	#0	16QAM	2590.15	-35.58	-25	PASS

Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0







Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=21350 RB Size=100 Position=#0




Appendix 6. Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	2456.25	-34.57	-25	PASS
Band7	5	20775	25	#0	16QAM	2456.25	-37.08	-25	PASS
Band7	5	21100	25	#0	QPSK	2456.25	-34.95	-25	PASS
Band7	5	21100	25	#0	16QAM	2456.88	-35.64	-25	PASS
Band7	5	21425	25	#0	QPSK	2456.88	-36.35	-25	PASS
Band7	5	21425	25	#0	16QAM	2456.88	-34.38	-25	PASS
Band7	10	20800	50	#0	QPSK	2456.88	-33.75	-25	PASS
Band7	10	20800	50	#0	16QAM	25635.00	-35.68	-25	PASS
Band7	10	21100	50	#0	QPSK	25586.25	-36.80	-25	PASS
Band7	10	21100	50	#0	16QAM	25616.25	-37.11	-25	PASS
Band7	10	21400	50	#0	QPSK	25611.25	-37.01	-25	PASS
Band7	10	21400	50	#0	16QAM	2456.88	-35.01	-25	PASS
Band7	15	20825	75	#0	QPSK	25685.63	-36.35	-25	PASS
Band7	15	20825	75	#0	16QAM	25631.25	-36.19	-25	PASS
Band7	15	21100	75	#0	QPSK	25644.38	-36.75	-25	PASS
Band7	15	21100	75	#0	16QAM	25650.63	-36.86	-25	PASS
Band7	15	21375	75	#0	QPSK	25673.13	-36.28	-25	PASS
Band7	15	21375	75	#0	16QAM	25615.00	-36.75	-25	PASS
Band7	20	20850	100	#0	QPSK	25682.50	-36.69	-25	PASS
Band7	20	20850	100	#0	16QAM	25587.50	-36.38	-25	PASS
Band7	20	21100	100	#0	QPSK	25658.13	-37.35	-25	PASS
Band7	20	21100	100	#0	16QAM	25651.88	-36.95	-25	PASS
Band7	20	21350	100	#0	QPSK	25609.38	-36.22	-25	PASS
Band7	20	21350	100	#0	16QAM	25663.75	-36.87	-25	PASS


Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 16QAM BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 16QAM BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 16QAM BW=20MHz Channel=21350 RB Size=100 Position=#0

