

1. Effective (Isotropic) Radiated Power Output Data

1.1 B26b_1.4MHz_ERP

1.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	824.7	1	0	22.23	-1.8	18.28	<=38.45	Pass		
			2	22.34	-1.8	18.39	<=38.45	Pass		
			5	22.23	-1.8	18.28	<=38.45	Pass		
		3	0	22.31	-1.8	18.36	<=38.45	Pass		
			2	22.33	-1.8	18.38	<=38.45	Pass		
			3	22.31	-1.8	18.36	<=38.45	Pass		
		6	0	21.25	-1.8	17.3	<=38.45	Pass		
		836.5	1	0	22.30	-1.8	18.35	<=38.45	Pass	
				2	22.39	-1.8	18.44	<=38.45	Pass	
	5			22.28	-1.8	18.33	<=38.45	Pass		
	3		0	22.41	-1.8	18.46	<=38.45	Pass		
			2	22.41	-1.8	18.46	<=38.45	Pass		
			3	22.39	-1.8	18.44	<=38.45	Pass		
	6		0	21.39	-1.8	17.44	<=38.45	Pass		
	848.3		1	0	22.18	-1.8	18.23	<=38.45	Pass	
				2	22.32	-1.8	18.37	<=38.45	Pass	
		5		22.18	-1.8	18.23	<=38.45	Pass		
		3	0	22.32	-1.8	18.37	<=38.45	Pass		
			2	22.34	-1.8	18.39	<=38.45	Pass		
			3	22.29	-1.8	18.34	<=38.45	Pass		
		6	0	21.31	-1.8	17.36	<=38.45	Pass		
		16QAM	824.7	1	0	21.19	-1.8	17.24	<=38.45	Pass
					2	21.32	-1.8	17.37	<=38.45	Pass
	5				21.26	-1.8	17.31	<=38.45	Pass	
3	0			21.38	-1.8	17.43	<=38.45	Pass		
	2			21.36	-1.8	17.41	<=38.45	Pass		
	3			21.36	-1.8	17.41	<=38.45	Pass		
6	0			20.20	-1.8	16.25	<=38.45	Pass		
836.5	1			0	21.33	-1.8	17.38	<=38.45	Pass	
				2	21.42	-1.8	17.47	<=38.45	Pass	
			5	21.27	-1.8	17.32	<=38.45	Pass		
	3		0	21.59	-1.8	17.64	<=38.45	Pass		
			2	21.61	-1.8	17.66	<=38.45	Pass		
			3	21.60	-1.8	17.65	<=38.45	Pass		
	6		0	20.39	-1.8	16.44	<=38.45	Pass		
	848.3		1	0	21.40	-1.8	17.45	<=38.45	Pass	
				2	21.49	-1.8	17.54	<=38.45	Pass	
5				21.37	-1.8	17.42	<=38.45	Pass		
3			0	21.30	-1.8	17.35	<=38.45	Pass		
			2	21.32	-1.8	17.37	<=38.45	Pass		
			3	21.31	-1.8	17.36	<=38.45	Pass		
6			0	20.31	-1.8	16.36	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.2 B26b_3MHz_ERP

1.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	825.5	1	0	22.30	-1.8	18.35	<=38.45	Pass		
			7	22.44	-1.8	18.49	<=38.45	Pass		
			14	22.32	-1.8	18.37	<=38.45	Pass		
		8	0	21.26	-1.8	17.31	<=38.45	Pass		
			4	21.32	-1.8	17.37	<=38.45	Pass		
			7	21.28	-1.8	17.33	<=38.45	Pass		
		15	0	21.23	-1.8	17.28	<=38.45	Pass		
		836.5	1	0	22.30	-1.8	18.35	<=38.45	Pass	
				7	22.41	-1.8	18.46	<=38.45	Pass	
	14			22.29	-1.8	18.34	<=38.45	Pass		
	8		0	21.32	-1.8	17.37	<=38.45	Pass		
			4	21.32	-1.8	17.37	<=38.45	Pass		
			7	21.31	-1.8	17.36	<=38.45	Pass		
	15		0	21.34	-1.8	17.39	<=38.45	Pass		
	847.5		1	0	22.21	-1.8	18.26	<=38.45	Pass	
				7	22.36	-1.8	18.41	<=38.45	Pass	
		14		22.21	-1.8	18.26	<=38.45	Pass		
		8	0	21.26	-1.8	17.31	<=38.45	Pass		
			4	21.26	-1.8	17.31	<=38.45	Pass		
			7	21.24	-1.8	17.29	<=38.45	Pass		
		15	0	21.25	-1.8	17.3	<=38.45	Pass		
		16QAM	825.5	1	0	21.31	-1.8	17.36	<=38.45	Pass
					7	21.47	-1.8	17.52	<=38.45	Pass
	14				21.31	-1.8	17.36	<=38.45	Pass	
8	0			20.32	-1.8	16.37	<=38.45	Pass		
	4			20.38	-1.8	16.43	<=38.45	Pass		
	7			20.32	-1.8	16.37	<=38.45	Pass		
15	0			20.30	-1.8	16.35	<=38.45	Pass		
836.5	1			0	21.48	-1.8	17.53	<=38.45	Pass	
				7	21.59	-1.8	17.64	<=38.45	Pass	
			14	21.49	-1.8	17.54	<=38.45	Pass		
	8		0	20.29	-1.8	16.34	<=38.45	Pass		
			4	20.33	-1.8	16.38	<=38.45	Pass		
			7	20.30	-1.8	16.35	<=38.45	Pass		
	15		0	20.32	-1.8	16.37	<=38.45	Pass		
	847.5		1	0	21.86	-1.8	17.91	<=38.45	Pass	
				7	21.97	-1.8	18.02	<=38.45	Pass	
14				21.86	-1.8	17.91	<=38.45	Pass		
8			0	20.42	-1.8	16.47	<=38.45	Pass		
			4	20.46	-1.8	16.51	<=38.45	Pass		
			7	20.42	-1.8	16.47	<=38.45	Pass		
15			0	20.35	-1.8	16.4	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.3 B26b_5MHz_ERP

1.3.1 Test Result

Band: 26b / Bandwidth: 5MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	826.5	1	0	22.19	-1.8	18.24	<=38.45	Pass		
			13	22.34	-1.8	18.39	<=38.45	Pass		
			24	22.23	-1.8	18.28	<=38.45	Pass		
		12	0	21.27	-1.8	17.32	<=38.45	Pass		
			6	21.28	-1.8	17.33	<=38.45	Pass		
			13	21.31	-1.8	17.36	<=38.45	Pass		
		25	0	21.26	-1.8	17.31	<=38.45	Pass		
		836.5	1	0	22.18	-1.8	18.23	<=38.45	Pass	
				13	22.31	-1.8	18.36	<=38.45	Pass	
	24			22.21	-1.8	18.26	<=38.45	Pass		
	12		0	21.26	-1.8	17.31	<=38.45	Pass		
			6	21.35	-1.8	17.4	<=38.45	Pass		
			13	21.32	-1.8	17.37	<=38.45	Pass		
	25		0	21.29	-1.8	17.34	<=38.45	Pass		
	846.5		1	0	22.16	-1.8	18.21	<=38.45	Pass	
				13	22.27	-1.8	18.32	<=38.45	Pass	
		24		22.19	-1.8	18.24	<=38.45	Pass		
		12	0	21.29	-1.8	17.34	<=38.45	Pass		
			6	21.28	-1.8	17.33	<=38.45	Pass		
			13	21.20	-1.8	17.25	<=38.45	Pass		
		25	0	21.27	-1.8	17.32	<=38.45	Pass		
		16QAM	826.5	1	0	21.27	-1.8	17.32	<=38.45	Pass
					13	21.43	-1.8	17.48	<=38.45	Pass
	24				21.31	-1.8	17.36	<=38.45	Pass	
12	0			20.24	-1.8	16.29	<=38.45	Pass		
	6			20.25	-1.8	16.3	<=38.45	Pass		
	13			20.26	-1.8	16.31	<=38.45	Pass		
25	0			20.30	-1.8	16.35	<=38.45	Pass		
836.5	1			0	21.42	-1.8	17.47	<=38.45	Pass	
				13	21.58	-1.8	17.63	<=38.45	Pass	
			24	21.48	-1.8	17.53	<=38.45	Pass		
	12		0	20.33	-1.8	16.38	<=38.45	Pass		
			6	20.40	-1.8	16.45	<=38.45	Pass		
			13	20.35	-1.8	16.4	<=38.45	Pass		
	25		0	20.30	-1.8	16.35	<=38.45	Pass		
	846.5		1	0	21.02	-1.8	17.07	<=38.45	Pass	
				13	21.16	-1.8	17.21	<=38.45	Pass	
24				21.07	-1.8	17.12	<=38.45	Pass		
12			0	20.27	-1.8	16.32	<=38.45	Pass		
			6	20.30	-1.8	16.35	<=38.45	Pass		
			13	20.18	-1.8	16.23	<=38.45	Pass		
25			0	20.31	-1.8	16.36	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.4 B26b_10MHz_ERP

1.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.27	-1.8	18.32	<=38.45	Pass
			25	22.46	-1.8	18.51	<=38.45	Pass

		25	49	22.29	-1.8	18.34	<=38.45	Pass	
			0	21.30	-1.8	17.35	<=38.45	Pass	
			13	21.28	-1.8	17.33	<=38.45	Pass	
			25	21.33	-1.8	17.38	<=38.45	Pass	
		50	0	21.25	-1.8	17.3	<=38.45	Pass	
			1	0	22.26	-1.8	18.31	<=38.45	Pass
				25	22.38	-1.8	18.43	<=38.45	Pass
		836.5	25	49	22.19	-1.8	18.24	<=38.45	Pass
				0	21.34	-1.8	17.39	<=38.45	Pass
				13	21.31	-1.8	17.36	<=38.45	Pass
	844	1	25	21.33	-1.8	17.38	<=38.45	Pass	
			50	0	21.37	-1.8	17.42	<=38.45	Pass
			0	22.15	-1.8	18.2	<=38.45	Pass	
		25	25	22.38	-1.8	18.43	<=38.45	Pass	
			49	22.20	-1.8	18.25	<=38.45	Pass	
			0	21.26	-1.8	17.31	<=38.45	Pass	
		50	13	21.26	-1.8	17.31	<=38.45	Pass	
			25	21.22	-1.8	17.27	<=38.45	Pass	
			0	21.24	-1.8	17.29	<=38.45	Pass	
	16QAM	829	1	0	21.25	-1.8	17.3	<=38.45	Pass
				25	21.45	-1.8	17.5	<=38.45	Pass
				49	21.30	-1.8	17.35	<=38.45	Pass
			25	0	20.35	-1.8	16.4	<=38.45	Pass
				13	20.37	-1.8	16.42	<=38.45	Pass
				25	20.44	-1.8	16.49	<=38.45	Pass
			50	0	20.37	-1.8	16.42	<=38.45	Pass
				1	0	21.42	-1.8	17.47	<=38.45
25					21.58	-1.8	17.63	<=38.45	Pass
836.5			49		21.39	-1.8	17.44	<=38.45	Pass
844		25	0	20.40	-1.8	16.45	<=38.45	Pass	
			13	20.33	-1.8	16.38	<=38.45	Pass	
			25	20.36	-1.8	16.41	<=38.45	Pass	
		50	0	20.36	-1.8	16.41	<=38.45	Pass	
			1	0	21.78	-1.8	17.83	<=38.45	Pass
				25	21.91	-1.8	17.96	<=38.45	Pass
		49		21.78	-1.8	17.83	<=38.45	Pass	
		25	0	20.33	-1.8	16.38	<=38.45	Pass	
			13	20.32	-1.8	16.37	<=38.45	Pass	
25			20.27	-1.8	16.32	<=38.45	Pass		
50		0	20.26	-1.8	16.31	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 B26b_1.4MHz

2.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	-0.672	-0.0008	-2.5 to 2.5	Pass
					3.85	-1.516	-0.0018	-2.5 to 2.5	Pass
					4.43	2.403	0.0029	-2.5 to 2.5	Pass

				-30	3.85	-3.448	-0.0042	-2.5 to 2.5	Pass			
				-20	3.85	3.719	0.0045	-2.5 to 2.5	Pass			
				-10	3.85	1.073	0.0013	-2.5 to 2.5	Pass			
				0	3.85	-3.018	-0.0037	-2.5 to 2.5	Pass			
				10	3.85	1.373	0.0017	-2.5 to 2.5	Pass			
				30	3.85	-2.789	-0.0034	-2.5 to 2.5	Pass			
				40	3.85	-0.572	-0.0007	-2.5 to 2.5	Pass			
	50	3.85	-2.933	-0.0036	-2.5 to 2.5	Pass						
	836.5	6	0	20	3.27	-1.030	-0.0012	-2.5 to 2.5	Pass			
					3.85	-2.632	-0.0031	-2.5 to 2.5	Pass			
					4.43	-1.416	-0.0017	-2.5 to 2.5	Pass			
				-30	3.85	-2.160	-0.0026	-2.5 to 2.5	Pass			
				-20	3.85	-0.529	-0.0006	-2.5 to 2.5	Pass			
				-10	3.85	-1.101	-0.0013	-2.5 to 2.5	Pass			
				0	3.85	-1.745	-0.0021	-2.5 to 2.5	Pass			
				10	3.85	-4.892	-0.0058	-2.5 to 2.5	Pass			
				30	3.85	-2.346	-0.0028	-2.5 to 2.5	Pass			
				40	3.85	-3.347	-0.0040	-2.5 to 2.5	Pass			
				50	3.85	-6.251	-0.0075	-2.5 to 2.5	Pass			
				848.3	6	0	20	3.27	-0.329	-0.0004	-2.5 to 2.5	Pass
								3.85	-0.858	-0.0010	-2.5 to 2.5	Pass
								4.43	-0.801	-0.0009	-2.5 to 2.5	Pass
	-30	3.85	-1.402				-0.0017	-2.5 to 2.5	Pass			
	-20	3.85	-3.791				-0.0045	-2.5 to 2.5	Pass			
	-10	3.85	-3.562				-0.0042	-2.5 to 2.5	Pass			
	0	3.85	-10.314				-0.0122	-2.5 to 2.5	Pass			
	10	3.85	-1.631				-0.0019	-2.5 to 2.5	Pass			
30	3.85	1.130	0.0013				-2.5 to 2.5	Pass				
40	3.85	-2.060	-0.0024				-2.5 to 2.5	Pass				
50	3.85	-1.502	-0.0018				-2.5 to 2.5	Pass				
16QAM	824.7	6	0	20	3.27	0.143	0.0002	-2.5 to 2.5	Pass			
					3.85	-1.731	-0.0021	-2.5 to 2.5	Pass			
					4.43	0.129	0.0002	-2.5 to 2.5	Pass			
				-30	3.85	-0.300	-0.0004	-2.5 to 2.5	Pass			
				-20	3.85	3.505	0.0043	-2.5 to 2.5	Pass			
				-10	3.85	-2.618	-0.0032	-2.5 to 2.5	Pass			
				0	3.85	-1.802	-0.0022	-2.5 to 2.5	Pass			
				10	3.85	0.830	0.0010	-2.5 to 2.5	Pass			
				30	3.85	0.215	0.0003	-2.5 to 2.5	Pass			
				40	3.85	-3.176	-0.0039	-2.5 to 2.5	Pass			
				50	3.85	-0.772	-0.0009	-2.5 to 2.5	Pass			
				836.5	6	0	20	3.27	-2.575	-0.0031	-2.5 to 2.5	Pass
								3.85	0.343	0.0004	-2.5 to 2.5	Pass
								4.43	2.489	0.0030	-2.5 to 2.5	Pass
	-30	3.85	-2.146				-0.0026	-2.5 to 2.5	Pass			
	-20	3.85	-2.475				-0.0030	-2.5 to 2.5	Pass			
	-10	3.85	-0.930				-0.0011	-2.5 to 2.5	Pass			
	0	3.85	0.172				0.0002	-2.5 to 2.5	Pass			
	10	3.85	-2.718				-0.0032	-2.5 to 2.5	Pass			
	30	3.85	1.087				0.0013	-2.5 to 2.5	Pass			
	40	3.85	-2.332				-0.0028	-2.5 to 2.5	Pass			
	50	3.85	-2.074				-0.0025	-2.5 to 2.5	Pass			
	848.3	6	0	20	3.27	-0.715	-0.0008	-2.5 to 2.5	Pass			
					3.85	4.206	0.0050	-2.5 to 2.5	Pass			
					4.43	-2.747	-0.0032	-2.5 to 2.5	Pass			
				-30	3.85	-0.286	-0.0003	-2.5 to 2.5	Pass			
	-20	3.85	2.604	0.0031	-2.5 to 2.5	Pass						

				-10	3.85	0.401	0.0005	-2.5 to 2.5	Pass
				0	3.85	-3.147	-0.0037	-2.5 to 2.5	Pass
				10	3.85	1.316	0.0016	-2.5 to 2.5	Pass
				30	3.85	1.302	0.0015	-2.5 to 2.5	Pass
				40	3.85	-0.458	-0.0005	-2.5 to 2.5	Pass
				50	3.85	0.243	0.0003	-2.5 to 2.5	Pass

2.2 B26b_3MHz

2.2.1 Test Result

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	2.904	0.0035	-2.5 to 2.5	Pass
					3.85	-2.875	-0.0035	-2.5 to 2.5	Pass
					4.43	-0.830	-0.0010	-2.5 to 2.5	Pass
				-30	3.85	2.532	0.0031	-2.5 to 2.5	Pass
				-20	3.85	-0.644	-0.0008	-2.5 to 2.5	Pass
				-10	3.85	0.515	0.0006	-2.5 to 2.5	Pass
				0	3.85	1.788	0.0022	-2.5 to 2.5	Pass
				10	3.85	-4.435	-0.0054	-2.5 to 2.5	Pass
				30	3.85	-2.675	-0.0032	-2.5 to 2.5	Pass
				40	3.85	-3.791	-0.0046	-2.5 to 2.5	Pass
	50	3.85	3.462	0.0042	-2.5 to 2.5	Pass			
	836.5	15	0	20	3.27	1.431	0.0017	-2.5 to 2.5	Pass
					3.85	-3.233	-0.0039	-2.5 to 2.5	Pass
					4.43	-3.719	-0.0044	-2.5 to 2.5	Pass
				-30	3.85	-0.787	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-0.858	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	3.548	0.0042	-2.5 to 2.5	Pass
				0	3.85	-2.818	-0.0034	-2.5 to 2.5	Pass
				10	3.85	0.343	0.0004	-2.5 to 2.5	Pass
				30	3.85	1.473	0.0018	-2.5 to 2.5	Pass
				40	3.85	-0.415	-0.0005	-2.5 to 2.5	Pass
	50	3.85	-3.061	-0.0037	-2.5 to 2.5	Pass			
	847.5	15	0	20	3.27	-0.472	-0.0006	-2.5 to 2.5	Pass
					3.85	-3.119	-0.0037	-2.5 to 2.5	Pass
					4.43	-4.091	-0.0048	-2.5 to 2.5	Pass
				-30	3.85	-2.031	-0.0024	-2.5 to 2.5	Pass
				-20	3.85	-1.059	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-0.658	-0.0008	-2.5 to 2.5	Pass
				0	3.85	-2.160	-0.0025	-2.5 to 2.5	Pass
				10	3.85	-3.791	-0.0045	-2.5 to 2.5	Pass
30				3.85	-4.721	-0.0056	-2.5 to 2.5	Pass	
40				3.85	0.143	0.0002	-2.5 to 2.5	Pass	
50	3.85	-3.047	-0.0036	-2.5 to 2.5	Pass				
16QAM	825.5	15	0	20	3.27	-5.937	-0.0072	-2.5 to 2.5	Pass
					3.85	-1.616	-0.0020	-2.5 to 2.5	Pass
					4.43	-3.734	-0.0045	-2.5 to 2.5	Pass
				-30	3.85	-2.217	-0.0027	-2.5 to 2.5	Pass
				-20	3.85	-3.133	-0.0038	-2.5 to 2.5	Pass
				-10	3.85	-0.501	-0.0006	-2.5 to 2.5	Pass
				0	3.85	0.029	0.0000	-2.5 to 2.5	Pass
10	3.85	-0.558	-0.0007	-2.5 to 2.5	Pass				

	836.5	15	0	30	3.85	-5.121	-0.0062	-2.5 to 2.5	Pass
				40	3.85	-3.548	-0.0043	-2.5 to 2.5	Pass
				50	3.85	-4.377	-0.0053	-2.5 to 2.5	Pass
				20	3.27	2.003	0.0024	-2.5 to 2.5	Pass
					3.85	1.445	0.0017	-2.5 to 2.5	Pass
					4.43	-0.172	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	3.018	0.0036	-2.5 to 2.5	Pass
				-20	3.85	-1.645	-0.0020	-2.5 to 2.5	Pass
				-10	3.85	-1.760	-0.0021	-2.5 to 2.5	Pass
				0	3.85	-0.343	-0.0004	-2.5 to 2.5	Pass
				10	3.85	3.204	0.0038	-2.5 to 2.5	Pass
				30	3.85	-1.574	-0.0019	-2.5 to 2.5	Pass
	40	3.85	0.143	0.0002	-2.5 to 2.5	Pass			
	50	3.85	0.315	0.0004	-2.5 to 2.5	Pass			
	847.5	15	0	20	3.27	2.546	0.0030	-2.5 to 2.5	Pass
					3.85	5.651	0.0067	-2.5 to 2.5	Pass
					4.43	-0.801	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	-1.330	-0.0016	-2.5 to 2.5	Pass
				-20	3.85	-3.376	-0.0040	-2.5 to 2.5	Pass
				-10	3.85	-2.289	-0.0027	-2.5 to 2.5	Pass
				0	3.85	0.429	0.0005	-2.5 to 2.5	Pass
				10	3.85	0.358	0.0004	-2.5 to 2.5	Pass
				30	3.85	2.303	0.0027	-2.5 to 2.5	Pass
				40	3.85	-2.131	-0.0025	-2.5 to 2.5	Pass
50				3.85	0.086	0.0001	-2.5 to 2.5	?	

2.3 B26b_5MHz

2.3.1 Test Result

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	1.988	0.0024	-2.5 to 2.5	Pass
					3.85	13.590	0.0164	-2.5 to 2.5	Pass
					4.43	-0.887	-0.0011	-2.5 to 2.5	Pass
				-30	3.85	-1.016	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	2.589	0.0031	-2.5 to 2.5	Pass
				-10	3.85	0.944	0.0011	-2.5 to 2.5	Pass
				0	3.85	-0.072	-0.0001	-2.5 to 2.5	Pass
				10	3.85	2.074	0.0025	-2.5 to 2.5	Pass
				30	3.85	2.475	0.0030	-2.5 to 2.5	Pass
				40	3.85	4.349	0.0053	-2.5 to 2.5	Pass
				50	3.85	3.648	0.0044	-2.5 to 2.5	Pass
				836.5	25	0	20	3.27	0.329
	3.85	0.100	0.0001					-2.5 to 2.5	Pass
	4.43	1.130	0.0014					-2.5 to 2.5	Pass
	-30	3.85	-0.114				-0.0001	-2.5 to 2.5	Pass
	-20	3.85	-2.761				-0.0033	-2.5 to 2.5	Pass
	-10	3.85	0.944				0.0011	-2.5 to 2.5	Pass
	0	3.85	-3.276				-0.0039	-2.5 to 2.5	Pass
	10	3.85	1.760				0.0021	-2.5 to 2.5	Pass
	30	3.85	2.904				0.0035	-2.5 to 2.5	Pass
	40	3.85	1.187				0.0014	-2.5 to 2.5	Pass
	50	3.85	-0.458				-0.0005	-2.5 to 2.5	Pass

	846.5	25	0	20	3.27	3.233	0.0038	-2.5 to 2.5	Pass	
					3.85	2.518	0.0030	-2.5 to 2.5	Pass	
					4.43	-0.343	-0.0004	-2.5 to 2.5	Pass	
				-30	3.85	0.486	0.0006	-2.5 to 2.5	Pass	
										-20
				-10	3.85	-3.347	-0.0040	-2.5 to 2.5	Pass	
										0
				10	3.85	2.947	0.0035	-2.5 to 2.5	Pass	
										30
				40	3.85	3.247	0.0038	-2.5 to 2.5	Pass	
50	3.85	0.844	0.0010							-2.5 to 2.5
				16QAM	826.5	25	0	20	3.27	
3.85	-2.561	-0.0031	-2.5 to 2.5						Pass	
4.43	-1.516	-0.0018	-2.5 to 2.5						Pass	
-30	3.85	-1.059	-0.0013					-2.5 to 2.5	Pass	
										-20
-10	3.85	0.658	0.0008					-2.5 to 2.5	Pass	
										0
10	3.85	4.134	0.0050					-2.5 to 2.5	Pass	
										30
40	3.85	1.888	0.0023					-2.5 to 2.5	Pass	
				50	3.85	1.273	0.0015			-2.5 to 2.5
20	3.27	-1.030	-0.0012					-2.5 to 2.5	Pass	
				3.85	-4.449	-0.0053	-2.5 to 2.5			Pass
-30	3.85	-1.173	-0.0014	-2.5 to 2.5	Pass					
						-20	3.85	0.014	0.0000	-2.5 to 2.5
-10	3.85	0.787	0.0009	-2.5 to 2.5	Pass					
						0	3.85	-0.701	-0.0008	-2.5 to 2.5
10	3.85	2.875	0.0034	-2.5 to 2.5	Pass					
						30	3.85	1.087	0.0013	-2.5 to 2.5
40	3.85	0.644	0.0008	-2.5 to 2.5	Pass					
						50	3.85	-1.616	-0.0019	-2.5 to 2.5
20	3.27	4.463	0.0053	-2.5 to 2.5	Pass					
						3.85	0.916	0.0011	-2.5 to 2.5	Pass
-30	3.85	-1.044	-0.0012	-2.5 to 2.5	Pass					
						-20	3.85	0.887	0.0010	-2.5 to 2.5
-10	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass					
						0	3.85	-0.715	-0.0008	-2.5 to 2.5
10	3.85	-0.901	-0.0011	-2.5 to 2.5	Pass					
						30	3.85	-0.286	-0.0003	-2.5 to 2.5
40	3.85	1.760	0.0021	-2.5 to 2.5	Pass					
						50	3.85	1.187	0.0014	-2.5 to 2.5

2.4 B26b_10MHz

2.4.1 Test Result

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	2.589	0.0031	-2.5 to 2.5	Pass
					3.85	-1.659	-0.0020	-2.5 to 2.5	Pass
					4.43	-1.945	-0.0023	-2.5 to 2.5	Pass

				-30	3.85	1.001	0.0012	-2.5 to 2.5	Pass			
				-20	3.85	-0.100	-0.0001	-2.5 to 2.5	Pass			
				-10	3.85	2.346	0.0028	-2.5 to 2.5	Pass			
				0	3.85	2.418	0.0029	-2.5 to 2.5	Pass			
				10	3.85	-0.730	-0.0009	-2.5 to 2.5	Pass			
				30	3.85	1.245	0.0015	-2.5 to 2.5	Pass			
				40	3.85	-1.230	-0.0015	-2.5 to 2.5	Pass			
	50	3.85	-0.172	-0.0002	-2.5 to 2.5	Pass						
	836.5	50	0	20	3.27	-1.144	-0.0014	-2.5 to 2.5	Pass			
					3.85	-0.443	-0.0005	-2.5 to 2.5	Pass			
					4.43	1.259	0.0015	-2.5 to 2.5	Pass			
				-30	3.85	1.745	0.0021	-2.5 to 2.5	Pass			
				-20	3.85	0.172	0.0002	-2.5 to 2.5	Pass			
				-10	3.85	-0.944	-0.0011	-2.5 to 2.5	Pass			
				0	3.85	-0.987	-0.0012	-2.5 to 2.5	Pass			
				10	3.85	-1.516	-0.0018	-2.5 to 2.5	Pass			
				30	3.85	-0.787	-0.0009	-2.5 to 2.5	Pass			
				40	3.85	0.744	0.0009	-2.5 to 2.5	Pass			
				50	3.85	-0.086	-0.0001	-2.5 to 2.5	Pass			
				844	50	0	20	3.27	-3.662	-0.0043	-2.5 to 2.5	Pass
								3.85	-1.574	-0.0019	-2.5 to 2.5	Pass
								4.43	-3.719	-0.0044	-2.5 to 2.5	Pass
	-30	3.85	-2.174				-0.0026	-2.5 to 2.5	Pass			
	-20	3.85	-4.120				-0.0049	-2.5 to 2.5	Pass			
	-10	3.85	-0.701				-0.0008	-2.5 to 2.5	Pass			
	0	3.85	-3.734				-0.0044	-2.5 to 2.5	Pass			
	10	3.85	-2.818				-0.0033	-2.5 to 2.5	Pass			
30	3.85	-3.276	-0.0039				-2.5 to 2.5	Pass				
40	3.85	-4.692	-0.0056				-2.5 to 2.5	Pass				
50	3.85	-4.349	-0.0052				-2.5 to 2.5	Pass				
16QAM	829	50	0	20	3.27	1.259	0.0015	-2.5 to 2.5	Pass			
					3.85	1.473	0.0018	-2.5 to 2.5	Pass			
					4.43	0.730	0.0009	-2.5 to 2.5	Pass			
				-30	3.85	2.317	0.0028	-2.5 to 2.5	Pass			
				-20	3.85	1.416	0.0017	-2.5 to 2.5	Pass			
				-10	3.85	0.629	0.0008	-2.5 to 2.5	Pass			
				0	3.85	0.916	0.0011	-2.5 to 2.5	Pass			
				10	3.85	3.076	0.0037	-2.5 to 2.5	Pass			
				30	3.85	1.130	0.0014	-2.5 to 2.5	Pass			
				40	3.85	0.858	0.0010	-2.5 to 2.5	Pass			
				50	3.85	0.930	0.0011	-2.5 to 2.5	Pass			
				836.5	50	0	20	3.27	0.787	0.0009	-2.5 to 2.5	Pass
								3.85	-1.945	-0.0023	-2.5 to 2.5	Pass
								4.43	-0.429	-0.0005	-2.5 to 2.5	Pass
	-30	3.85	-0.944				-0.0011	-2.5 to 2.5	Pass			
	-20	3.85	-0.544				-0.0007	-2.5 to 2.5	Pass			
	-10	3.85	0.343				0.0004	-2.5 to 2.5	Pass			
	0	3.85	1.917				0.0023	-2.5 to 2.5	Pass			
	10	3.85	-1.717				-0.0021	-2.5 to 2.5	Pass			
	30	3.85	-0.358				-0.0004	-2.5 to 2.5	Pass			
	40	3.85	-0.143				-0.0002	-2.5 to 2.5	Pass			
	50	3.85	-0.486				-0.0006	-2.5 to 2.5	Pass			
	844	50	0	20	3.27	-0.973	-0.0012	-2.5 to 2.5	Pass			
					3.85	-5.078	-0.0060	-2.5 to 2.5	Pass			
					4.43	-2.489	-0.0029	-2.5 to 2.5	Pass			
				-30	3.85	-3.519	-0.0042	-2.5 to 2.5	Pass			
	-20	3.85	-2.532	-0.0030	-2.5 to 2.5	Pass						

				-10	3.85	-1.330	-0.0016	-2.5 to 2.5	Pass
				0	3.85	-3.247	-0.0038	-2.5 to 2.5	Pass
				10	3.85	1.488	0.0018	-2.5 to 2.5	Pass
				30	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass
				40	3.85	0.072	0.0001	-2.5 to 2.5	Pass
				50	3.85	1.173	0.0014	-2.5 to 2.5	Pass



3. Modulation Characteristics

3.1 B26b_1.4MHz

3.1.1 Test Result

Band: 26b / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		?
16QAM	836.5	6	0	Refer To Test Graph		?

3.1.2 Test Graph





3.2 B26b_3MHz

3.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		?
16QAM	836.5	15	0	Refer To Test Graph		?

3.2.2 Test Graph





3.3 B26b_5MHz

3.3.1 Test Result

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		?
16QAM	836.5	25	0	Refer To Test Graph		?

3.3.2 Test Graph





3.4 B26b_10MHz

3.4.1 Test Result

Band: 26b / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		?
16QAM	836.5	50	0	Refer To Test Graph		?

3.4.2 Test Graph



4. 99% & 26dB Bandwidth


4.1 Band26b_OBW

4.1.1 Test Result


Band: 26b / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	824.7	6	0	1.119	Pass
		836.5	6	0	1.119	Pass
		848.3	6	0	1.114	Pass
	16QAM	824.7	6	0	1.103	Pass
		836.5	6	0	1.111	Pass
		848.3	6	0	1.116	Pass
3	QPSK	825.5	15	0	2.728	Pass
		836.5	15	0	2.742	Pass
		847.5	15	0	2.735	Pass
	16QAM	825.5	15	0	2.731	Pass
		836.5	15	0	2.733	Pass
		847.5	15	0	2.720	Pass
5	QPSK	826.5	25	0	4.558	Pass
		836.5	25	0	4.543	Pass
		846.5	25	0	4.555	Pass
	16QAM	826.5	25	0	4.543	Pass
		836.5	25	0	4.566	Pass
		846.5	25	0	4.553	Pass
10	QPSK	829	50	0	9.087	Pass
		836.5	50	0	9.083	Pass
		844	50	0	9.037	Pass
	16QAM	829	50	0	9.078	Pass
		836.5	50	0	9.065	Pass
		844	50	0	9.047	Pass

4.1.2 Test Graph


Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV
--




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




4.2 Band26b_XDB

4.2.1 Test Result


Band: 26b / NTV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	824.7	6	0	1.325	Pass
		836.5	6	0	1.321	Pass
		848.3	6	0	1.335	Pass
	16QAM	824.7	6	0	1.336	Pass
		836.5	6	0	1.300	Pass
		848.3	6	0	1.322	Pass
3	QPSK	825.5	15	0	3.026	Pass
		836.5	15	0	3.013	Pass
		847.5	15	0	3.035	Pass
	16QAM	825.5	15	0	3.041	Pass
		836.5	15	0	3.002	Pass
		847.5	15	0	3.017	Pass
5	QPSK	826.5	25	0	5.046	Pass
		836.5	25	0	5.041	Pass
		846.5	25	0	5.060	Pass
	16QAM	826.5	25	0	5.049	Pass
		836.5	25	0	5.060	Pass
		846.5	25	0	5.069	Pass
10	QPSK	829	50	0	10.039	Pass
		836.5	50	0	9.950	Pass
		844	50	0	9.950	Pass
	16QAM	829	50	0	9.954	Pass
		836.5	50	0	9.923	Pass
		844	50	0	9.943	Pass

4.2.2 Test Graph


Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTV




Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




5. Peak-Average Ratio



5.1 B26b_1.4MHz



5.1.1 Test Result


Band: 26b / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	4.10	<=13	Pass
	836.5	6	0	4.23	<=13	Pass
	848.3	6	0	4.26	<=13	Pass
16QAM	824.7	6	0	4.90	<=13	Pass
	836.5	6	0	5.06	<=13	Pass
	848.3	6	0	5.08	<=13	Pass

5.1.2 Test Graph












5.2 B26b_3MHz



5.2.1 Test Result


Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	8.39	<=13	Pass
	836.5	15	0	4.44	<=13	Pass
	847.5	15	0	4.45	<=13	Pass
16QAM	825.5	15	0	6.86	<=13	Pass
	836.5	15	0	5.27	<=13	Pass
	847.5	15	0	5.24	<=13	Pass

5.2.2 Test Graph












5.3 B26b_5MHz



5.3.1 Test Result


Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	4.85	<=13	Pass
	836.5	25	0	4.78	<=13	Pass
	846.5	25	0	4.83	<=13	Pass
16QAM	826.5	25	0	5.52	<=13	Pass
	836.5	25	0	5.51	<=13	Pass
	846.5	25	0	5.54	<=13	Pass

5.3.2 Test Graph












5.4 B26b_10MHz



5.4.1 Test Result


Band: 26b / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	4.86	<=13	Pass
	836.5	50	0	4.84	<=13	Pass
	844	50	0	4.87	<=13	Pass
16QAM	829	50	0	5.60	<=13	Pass
	836.5	50	0	5.63	<=13	Pass
	844	50	0	5.66	<=13	Pass

5.4.2 Test Graph










6. Spurious Emission


6.1 B26b_1.4MHz

6.1.1 Test Result


Band: 26b / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		848.3	1	0	Refer To Test Graph	
			6	0	Refer To Test Graph	
	16QAM	824.7	1	0	Refer To Test Graph	
6			0	Refer To Test Graph		Pass
836.5		1	0	Refer To Test Graph		Pass
		848.3	1	0	Refer To Test Graph	
			6	0	Refer To Test Graph	

6.1.2 Test Graph








Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	8.86	1	822.983	-31.66	-13	Pass
823	824	0.013	0	2	823.973	-25.92	-13	Pass
824	825.5	0.013	0	/	/	/	/	/


Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV






Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.003	0	/	/	/	/	/
849	850	0.003	0	1	849.000	-26.79	-13	Pass
850	850.5	0.1	15.23	2	850.196	-48.80	-13	Pass

Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.013	0	/	/	/	/	/
849	850	0.013	0	1	849.009	-27.36	-13	Pass
850	850.5	0.1	8.86	2	850.032	-33.58	-13	Pass


Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_0_NTNV



Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_1_5_NTNV



Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




6.2 B26b_3MHz

6.2.1 Test Result

Band: 26b / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass


6.2.2 Test Graph

Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	15.23	1	822.998	-43.35	-13	Pass
823	824	0.003	0	2	823.999	-26.32	-13	Pass
824	827	0.003	0	/	/	/	/	/

Band26b_3MHz_QPSK_LCH_825.5MHz_RB_1_0_NTNV




Marker:
1. 870.500 MHz
-42.97 dBm

Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	5.23	1	822.974	-24.62	-13	Pass
823	824	0.03	0	2	824.000	-26.10	-13	Pass
824	827	0.03	0	/	/	/	/	/


Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	0	/	/	/	/	/
849	850	0.003	0	1	849.000	-28.26	-13	Pass
850	852	0.1	15.23	2	850.006	-44.36	-13	Pass

Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	0	/	/	/	/	/
849	850	0.03	0	1	849.000	-28.10	-13	Pass
850	852	0.1	5.23	2	850.098	-26.95	-13	Pass

Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	15.23	1	822.989	-43.30	-13	Pass
823	824	0.003	0	2	824.000	-28.50	-13	Pass
824	827	0.003	0	/	/	/	/	/

Band26b_3MHz_16QAM_LCH_825.5MHz_RB_1_0_NTNV



Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	RBW Factor(dB)	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	5.23	1	822.740	-27.41	-13	Pass
823	824	0.03	0	2	823.952	-28.69	-13	Pass
824	827	0.03	0	/	/	/	/	/

Band26b_3MHz_16QAM_MCH_836.5MHz_RB_1_0_NTNV