

1. Effective (Isotropic) Radiated Power Output Data

1.1 B5_1.4MHz_ERP

1.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	824.7	1	0	22.71	-2.35	18.21	<=38.45	Pass		
			2	22.56	-2.35	18.06	<=38.45	Pass		
			5	22.57	-2.35	18.07	<=38.45	Pass		
		3	0	22.56	-2.35	18.06	<=38.45	Pass		
			2	22.54	-2.35	18.04	<=38.45	Pass		
			3	22.64	-2.35	18.14	<=38.45	Pass		
		6	0	21.65	-2.35	17.15	<=38.45	Pass		
		836.5	1	0	22.35	-2.35	17.85	<=38.45	Pass	
				2	22.52	-2.35	18.02	<=38.45	Pass	
	5			22.48	-2.35	17.98	<=38.45	Pass		
	3		0	22.42	-2.35	17.92	<=38.45	Pass		
			2	22.45	-2.35	17.95	<=38.45	Pass		
			3	22.53	-2.35	18.03	<=38.45	Pass		
	6		0	21.43	-2.35	16.93	<=38.45	Pass		
	848.3		1	0	22.38	-2.35	17.88	<=38.45	Pass	
				2	22.41	-2.35	17.91	<=38.45	Pass	
		5		22.41	-2.35	17.91	<=38.45	Pass		
		3	0	22.27	-2.35	17.77	<=38.45	Pass		
			2	22.32	-2.35	17.82	<=38.45	Pass		
			3	22.27	-2.35	17.77	<=38.45	Pass		
		6	0	21.39	-2.35	16.89	<=38.45	Pass		
		16QAM	824.7	1	0	21.11	-2.35	16.61	<=38.45	Pass
					2	21.05	-2.35	16.55	<=38.45	Pass
	5				21.11	-2.35	16.61	<=38.45	Pass	
3	0			21.37	-2.35	16.87	<=38.45	Pass		
	2			21.43	-2.35	16.93	<=38.45	Pass		
	3			21.40	-2.35	16.90	<=38.45	Pass		
6	0			20.69	-2.35	16.19	<=38.45	Pass		
836.5	1			0	20.92	-2.35	16.42	<=38.45	Pass	
				2	20.93	-2.35	16.43	<=38.45	Pass	
			5	20.89	-2.35	16.39	<=38.45	Pass		
	3		0	21.27	-2.35	16.77	<=38.45	Pass		
			2	21.29	-2.35	16.79	<=38.45	Pass		
			3	21.23	-2.35	16.73	<=38.45	Pass		
	6		0	20.51	-2.35	16.01	<=38.45	Pass		
	848.3		1	0	21.75	-2.35	17.25	<=38.45	Pass	
				2	21.93	-2.35	17.43	<=38.45	Pass	
5				22.07	-2.35	17.57	<=38.45	Pass		
3			0	21.24	-2.35	16.74	<=38.45	Pass		
			2	21.30	-2.35	16.80	<=38.45	Pass		
			3	21.31	-2.35	16.81	<=38.45	Pass		
6			0	20.58	-2.35	16.08	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.2 B5_3MHz_ERP

1.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	825.5	1	0	22.50	-2.35	18.00	<=38.45	Pass		
			7	22.66	-2.35	18.16	<=38.45	Pass		
			14	22.49	-2.35	17.99	<=38.45	Pass		
		8	0	21.65	-2.35	17.15	<=38.45	Pass		
			4	21.60	-2.35	17.10	<=38.45	Pass		
			7	21.56	-2.35	17.06	<=38.45	Pass		
		15	0	21.66	-2.35	17.16	<=38.45	Pass		
		836.5	1	0	22.53	-2.35	18.03	<=38.45	Pass	
				7	22.56	-2.35	18.06	<=38.45	Pass	
	14			22.54	-2.35	18.04	<=38.45	Pass		
	8		0	21.50	-2.35	17.00	<=38.45	Pass		
			4	21.51	-2.35	17.01	<=38.45	Pass		
			7	21.39	-2.35	16.89	<=38.45	Pass		
	15		0	21.42	-2.35	16.92	<=38.45	Pass		
	847.5		1	0	22.33	-2.35	17.83	<=38.45	Pass	
				7	22.30	-2.35	17.80	<=38.45	Pass	
		14		22.37	-2.35	17.87	<=38.45	Pass		
		8	0	21.37	-2.35	16.87	<=38.45	Pass		
			4	21.30	-2.35	16.80	<=38.45	Pass		
			7	21.35	-2.35	16.85	<=38.45	Pass		
		15	0	21.37	-2.35	16.87	<=38.45	Pass		
		16QAM	825.5	1	0	21.38	-2.35	16.88	<=38.45	Pass
					7	21.34	-2.35	16.84	<=38.45	Pass
	14				21.15	-2.35	16.65	<=38.45	Pass	
8	0			20.83	-2.35	16.33	<=38.45	Pass		
	4			20.82	-2.35	16.32	<=38.45	Pass		
	7			20.91	-2.35	16.41	<=38.45	Pass		
15	0			20.71	-2.35	16.21	<=38.45	Pass		
836.5	1			0	21.45	-2.35	16.95	<=38.45	Pass	
				7	21.53	-2.35	17.03	<=38.45	Pass	
			14	21.49	-2.35	16.99	<=38.45	Pass		
	8		0	20.46	-2.35	15.96	<=38.45	Pass		
			4	20.56	-2.35	16.06	<=38.45	Pass		
			7	20.54	-2.35	16.04	<=38.45	Pass		
	15		0	20.44	-2.35	15.94	<=38.45	Pass		
	847.5		1	0	21.53	-2.35	17.03	<=38.45	Pass	
				7	21.48	-2.35	16.98	<=38.45	Pass	
14				21.53	-2.35	17.03	<=38.45	Pass		
8			0	20.60	-2.35	16.10	<=38.45	Pass		
			4	20.54	-2.35	16.04	<=38.45	Pass		
			7	20.51	-2.35	16.01	<=38.45	Pass		
15			0	20.50	-2.35	16.00	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.3 B5_5MHz_ERP

1.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	826.5	1	0	22.56	-2.35	18.06	<=38.45	Pass		
			13	22.50	-2.35	18.00	<=38.45	Pass		
			24	22.47	-2.35	17.97	<=38.45	Pass		
		12	0	21.58	-2.35	17.08	<=38.45	Pass		
			6	21.50	-2.35	17.00	<=38.45	Pass		
			13	21.60	-2.35	17.10	<=38.45	Pass		
		25	0	21.59	-2.35	17.09	<=38.45	Pass		
		836.5	1	0	22.38	-2.35	17.88	<=38.45	Pass	
				13	22.34	-2.35	17.84	<=38.45	Pass	
	24			22.27	-2.35	17.77	<=38.45	Pass		
	12		0	21.36	-2.35	16.86	<=38.45	Pass		
			6	21.45	-2.35	16.95	<=38.45	Pass		
			13	21.36	-2.35	16.86	<=38.45	Pass		
	25		0	21.42	-2.35	16.92	<=38.45	Pass		
	846.5		1	0	22.35	-2.35	17.85	<=38.45	Pass	
				13	22.38	-2.35	17.88	<=38.45	Pass	
		24		22.24	-2.35	17.74	<=38.45	Pass		
		12	0	21.32	-2.35	16.82	<=38.45	Pass		
			6	21.32	-2.35	16.82	<=38.45	Pass		
			13	21.32	-2.35	16.82	<=38.45	Pass		
		25	0	21.36	-2.35	16.86	<=38.45	Pass		
		16QAM	826.5	1	0	21.57	-2.35	17.07	<=38.45	Pass
					13	21.73	-2.35	17.23	<=38.45	Pass
	24				21.74	-2.35	17.24	<=38.45	Pass	
12	0			20.61	-2.35	16.11	<=38.45	Pass		
	6			20.75	-2.35	16.25	<=38.45	Pass		
	13			20.61	-2.35	16.11	<=38.45	Pass		
25	0			20.70	-2.35	16.20	<=38.45	Pass		
836.5	1			0	20.51	-2.35	16.01	<=38.45	Pass	
				13	20.51	-2.35	16.01	<=38.45	Pass	
			24	20.51	-2.35	16.01	<=38.45	Pass		
	12		0	20.32	-2.35	15.82	<=38.45	Pass		
			6	20.41	-2.35	15.91	<=38.45	Pass		
			13	20.35	-2.35	15.85	<=38.45	Pass		
	25		0	20.52	-2.35	16.02	<=38.45	Pass		
	846.5		1	0	21.40	-2.35	16.90	<=38.45	Pass	
				13	21.36	-2.35	16.86	<=38.45	Pass	
24				21.39	-2.35	16.89	<=38.45	Pass		
12			0	20.41	-2.35	15.91	<=38.45	Pass		
			6	20.35	-2.35	15.85	<=38.45	Pass		
			13	20.38	-2.35	15.88	<=38.45	Pass		
25			0	20.47	-2.35	15.97	<=38.45	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.4 B5_10MHz_ERP

1.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.61	-2.35	18.11	<=38.45	Pass
			25	22.44	-2.35	17.94	<=38.45	Pass

		25	49	22.35	-2.35	17.85	<=38.45	Pass	
			0	21.50	-2.35	17.00	<=38.45	Pass	
			13	21.55	-2.35	17.05	<=38.45	Pass	
			25	21.48	-2.35	16.98	<=38.45	Pass	
		50	0	21.56	-2.35	17.06	<=38.45	Pass	
			1	0	22.40	-2.35	17.90	<=38.45	Pass
				25	22.41	-2.35	17.91	<=38.45	Pass
		25	49	22.37	-2.35	17.87	<=38.45	Pass	
			0	21.48	-2.35	16.98	<=38.45	Pass	
			13	21.48	-2.35	16.98	<=38.45	Pass	
	50	25	21.38	-2.35	16.88	<=38.45	Pass		
		0	21.36	-2.35	16.86	<=38.45	Pass		
		1	0	22.40	-2.35	17.90	<=38.45	Pass	
	25		22.31	-2.35	17.81	<=38.45	Pass		
	49		22.32	-2.35	17.82	<=38.45	Pass		
	25	0	21.27	-2.35	16.77	<=38.45	Pass		
		13	21.46	-2.35	16.96	<=38.45	Pass		
		25	21.43	-2.35	16.93	<=38.45	Pass		
	50	0	21.36	-2.35	16.86	<=38.45	Pass		
		1	0	21.10	-2.35	16.60	<=38.45	Pass	
			25	21.04	-2.35	16.54	<=38.45	Pass	
	49		20.97	-2.35	16.47	<=38.45	Pass		
	25	0	20.78	-2.35	16.28	<=38.45	Pass		
		13	20.78	-2.35	16.28	<=38.45	Pass		
		25	20.58	-2.35	16.08	<=38.45	Pass		
	50	0	20.63	-2.35	16.13	<=38.45	Pass		
		1	0	21.61	-2.35	17.11	<=38.45	Pass	
25			21.64	-2.35	17.14	<=38.45	Pass		
49	21.56		-2.35	17.06	<=38.45	Pass			
25	0	20.52	-2.35	16.02	<=38.45	Pass			
	13	20.61	-2.35	16.11	<=38.45	Pass			
	25	20.53	-2.35	16.03	<=38.45	Pass			
50	0	20.48	-2.35	15.98	<=38.45	Pass			
	1	0	21.51	-2.35	17.01	<=38.45	Pass		
		25	21.50	-2.35	17.00	<=38.45	Pass		
49		21.46	-2.35	16.96	<=38.45	Pass			
25	0	20.42	-2.35	15.92	<=38.45	Pass			
	13	20.36	-2.35	15.86	<=38.45	Pass			
	25	20.46	-2.35	15.96	<=38.45	Pass			
50	0	20.45	-2.35	15.95	<=38.45	Pass			

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 B5_1.4MHz

2.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	-1.345	-0.0016	-2.5 to 2.5	Pass
					3.85	4.120	0.0050	-2.5 to 2.5	Pass
					4.43	6.580	0.0080	-2.5 to 2.5	Pass

				-30	3.85	-6.309	-0.0077	-2.5 to 2.5	Pass			
				-20	3.85	3.133	0.0038	-2.5 to 2.5	Pass			
				-10	3.85	7.796	0.0095	-2.5 to 2.5	Pass			
				0	3.85	11.430	0.0139	-2.5 to 2.5	Pass			
				10	3.85	14.319	0.0174	-2.5 to 2.5	Pass			
				30	3.85	16.909	0.0205	-2.5 to 2.5	Pass			
				40	3.85	21.143	0.0256	-2.5 to 2.5	Pass			
	50	3.85	8.240	0.0100	-2.5 to 2.5	Pass						
	836.5	6	0	20	3.27	3.104	0.0037	-2.5 to 2.5	Pass			
					3.85	7.067	0.0084	-2.5 to 2.5	Pass			
					4.43	9.928	0.0119	-2.5 to 2.5	Pass			
				-30	3.85	9.756	0.0117	-2.5 to 2.5	Pass			
				-20	3.85	0.701	0.0008	-2.5 to 2.5	Pass			
				-10	3.85	4.163	0.0050	-2.5 to 2.5	Pass			
				0	3.85	6.680	0.0080	-2.5 to 2.5	Pass			
				10	3.85	8.883	0.0106	-2.5 to 2.5	Pass			
				30	3.85	10.071	0.0120	-2.5 to 2.5	Pass			
				40	3.85	11.630	0.0139	-2.5 to 2.5	Pass			
				50	3.85	12.646	0.0151	-2.5 to 2.5	Pass			
				848.3	6	0	20	3.27	0.930	0.0011	-2.5 to 2.5	Pass
								3.85	26.507	0.0312	-2.5 to 2.5	Pass
								4.43	21.787	0.0257	-2.5 to 2.5	Pass
	-30	3.85	7.768				0.0092	-2.5 to 2.5	Pass			
	-20	3.85	-0.844				-0.0010	-2.5 to 2.5	Pass			
	-10	3.85	-8.011				-0.0094	-2.5 to 2.5	Pass			
	0	3.85	-14.534				-0.0171	-2.5 to 2.5	Pass			
	10	3.85	-21.343				-0.0252	-2.5 to 2.5	Pass			
30	3.85	-27.137	-0.0320				-2.5 to 2.5	Pass				
40	3.85	-32.859	-0.0387				-2.5 to 2.5	Pass				
50	3.85	39.196	0.0462				-2.5 to 2.5	Pass				
16QAM	824.7	6	0	20	3.27	15.264	0.0185	-2.5 to 2.5	Pass			
					3.85	20.986	0.0254	-2.5 to 2.5	Pass			
					4.43	25.635	0.0311	-2.5 to 2.5	Pass			
				-30	3.85	30.456	0.0369	-2.5 to 2.5	Pass			
				-20	3.85	35.748	0.0433	-2.5 to 2.5	Pass			
				-10	3.85	40.455	0.0491	-2.5 to 2.5	Pass			
				0	3.85	-8.683	-0.0105	-2.5 to 2.5	Pass			
				10	3.85	-11.659	-0.0141	-2.5 to 2.5	Pass			
				30	3.85	-6.866	-0.0083	-2.5 to 2.5	Pass			
				40	3.85	-4.807	-0.0058	-2.5 to 2.5	Pass			
				50	3.85	34.947	0.0424	-2.5 to 2.5	Pass			
				836.5	6	0	20	3.27	4.807	0.0057	-2.5 to 2.5	Pass
								3.85	9.413	0.0113	-2.5 to 2.5	Pass
								4.43	13.847	0.0166	-2.5 to 2.5	Pass
	-30	3.85	17.138				0.0205	-2.5 to 2.5	Pass			
	-20	3.85	20.428				0.0244	-2.5 to 2.5	Pass			
	-10	3.85	23.217				0.0278	-2.5 to 2.5	Pass			
	0	3.85	19.784				0.0237	-2.5 to 2.5	Pass			
	10	3.85	23.060				0.0276	-2.5 to 2.5	Pass			
	30	3.85	24.719				0.0296	-2.5 to 2.5	Pass			
	40	3.85	24.776				0.0296	-2.5 to 2.5	Pass			
	50	3.85	20.027				0.0239	-2.5 to 2.5	Pass			
	848.3	6	0				20	3.27	36.063	0.0425	-2.5 to 2.5	Pass
								3.85	33.689	0.0397	-2.5 to 2.5	Pass
				4.43	34.046	0.0401		-2.5 to 2.5	Pass			
				-30	3.85	33.789	0.0398	-2.5 to 2.5	Pass			
	-20	3.85	33.717	0.0397	-2.5 to 2.5	Pass						

				-10	3.85	30.756	0.0363	-2.5 to 2.5	Pass
				0	3.85	19.641	0.0232	-2.5 to 2.5	Pass
				10	3.85	19.741	0.0233	-2.5 to 2.5	Pass
				30	3.85	8.354	0.0098	-2.5 to 2.5	Pass
				40	3.85	11.072	0.0131	-2.5 to 2.5	Pass
				50	3.85	12.259	0.0145	-2.5 to 2.5	Pass

2.2 B5_3MHz

2.2.1 Test Result

Band: 5 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	1.988	0.0024	-2.5 to 2.5	Pass
					3.85	1.516	0.0018	-2.5 to 2.5	Pass
					4.43	-4.334	-0.0053	-2.5 to 2.5	Pass
				-30	3.85	-10.285	-0.0125	-2.5 to 2.5	Pass
				-20	3.85	22.645	0.0274	-2.5 to 2.5	Pass
				-10	3.85	16.937	0.0205	-2.5 to 2.5	Pass
				0	3.85	13.518	0.0164	-2.5 to 2.5	Pass
				10	3.85	10.114	0.0123	-2.5 to 2.5	Pass
				30	3.85	7.510	0.0091	-2.5 to 2.5	Pass
				40	3.85	4.377	0.0053	-2.5 to 2.5	Pass
	50	3.85	-6.638	-0.0080	-2.5 to 2.5	Pass			
	836.5	15	0	20	3.27	-4.148	-0.0050	-2.5 to 2.5	Pass
					3.85	-1.945	-0.0023	-2.5 to 2.5	Pass
					4.43	-3.133	-0.0037	-2.5 to 2.5	Pass
				-30	3.85	-5.794	-0.0069	-2.5 to 2.5	Pass
				-20	3.85	-7.825	-0.0094	-2.5 to 2.5	Pass
				-10	3.85	30.613	0.0366	-2.5 to 2.5	Pass
				0	3.85	29.426	0.0352	-2.5 to 2.5	Pass
				10	3.85	28.439	0.0340	-2.5 to 2.5	Pass
				30	3.85	28.882	0.0345	-2.5 to 2.5	Pass
				40	3.85	27.437	0.0328	-2.5 to 2.5	Pass
	50	3.85	26.979	0.0323	-2.5 to 2.5	Pass			
	847.5	15	0	20	3.27	-15.950	-0.0188	-2.5 to 2.5	Pass
					3.85	-14.105	-0.0166	-2.5 to 2.5	Pass
					4.43	-19.569	-0.0231	-2.5 to 2.5	Pass
				-30	3.85	-30.527	-0.0360	-2.5 to 2.5	Pass
				-20	3.85	-14.606	-0.0172	-2.5 to 2.5	Pass
				-10	3.85	-30.985	-0.0366	-2.5 to 2.5	Pass
				0	3.85	1.874	0.0022	-2.5 to 2.5	Pass
				10	3.85	-1.259	-0.0015	-2.5 to 2.5	Pass
30				3.85	39.296	0.0464	-2.5 to 2.5	Pass	
40				3.85	19.341	0.0228	-2.5 to 2.5	Pass	
50	3.85	36.292	0.0428	-2.5 to 2.5	Pass				
16QAM	825.5	15	0	20	3.27	-12.789	-0.0155	-2.5 to 2.5	Pass
					3.85	-12.617	-0.0153	-2.5 to 2.5	Pass
					4.43	-10.772	-0.0130	-2.5 to 2.5	Pass
				-30	3.85	-10.128	-0.0123	-2.5 to 2.5	Pass
				-20	3.85	-8.755	-0.0106	-2.5 to 2.5	Pass
				-10	3.85	-7.839	-0.0095	-2.5 to 2.5	Pass
				0	3.85	-7.195	-0.0087	-2.5 to 2.5	Pass
10	3.85	22.416	0.0272	-2.5 to 2.5	Pass				

	836.5	15	0	30	3.85	17.524	0.0212	-2.5 to 2.5	Pass
				40	3.85	-11.888	-0.0144	-2.5 to 2.5	Pass
				50	3.85	10.128	0.0123	-2.5 to 2.5	Pass
				20	3.27	27.137	0.0324	-2.5 to 2.5	Pass
					3.85	17.467	0.0209	-2.5 to 2.5	Pass
					4.43	19.054	0.0228	-2.5 to 2.5	Pass
				-30	3.85	21.029	0.0251	-2.5 to 2.5	Pass
				-20	3.85	23.961	0.0286	-2.5 to 2.5	Pass
				-10	3.85	20.299	0.0243	-2.5 to 2.5	Pass
				0	3.85	23.632	0.0283	-2.5 to 2.5	Pass
				10	3.85	25.978	0.0311	-2.5 to 2.5	Pass
				30	3.85	19.641	0.0235	-2.5 to 2.5	Pass
	40	3.85	21.601	0.0258	-2.5 to 2.5	Pass			
	50	3.85	23.489	0.0281	-2.5 to 2.5	Pass			
	847.5	15	0	20	3.27	3.304	0.0039	-2.5 to 2.5	Pass
					3.85	16.122	0.0190	-2.5 to 2.5	Pass
					4.43	28.110	0.0332	-2.5 to 2.5	Pass
				-30	3.85	37.436	0.0442	-2.5 to 2.5	Pass
				-20	3.85	22.244	0.0262	-2.5 to 2.5	Pass
				-10	3.85	42.801	0.0505	-2.5 to 2.5	Pass
				0	3.85	6.251	0.0074	-2.5 to 2.5	Pass
				10	3.85	14.849	0.0175	-2.5 to 2.5	Pass
				30	3.85	22.316	0.0263	-2.5 to 2.5	Pass
				40	3.85	29.869	0.0352	-2.5 to 2.5	Pass
50				3.85	36.006	0.0425	-2.5 to 2.5	Pass	

2.3 B5_5MHz

2.3.1 Test Result

Band: 5 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	3.691	0.0045	-2.5 to 2.5	Pass
					3.85	-6.137	-0.0074	-2.5 to 2.5	Pass
					4.43	-8.211	-0.0099	-2.5 to 2.5	Pass
				-30	3.85	-12.217	-0.0148	-2.5 to 2.5	Pass
				-20	3.85	-30.112	-0.0364	-2.5 to 2.5	Pass
				-10	3.85	12.760	0.0154	-2.5 to 2.5	Pass
				0	3.85	11.759	0.0142	-2.5 to 2.5	Pass
				10	3.85	11.358	0.0137	-2.5 to 2.5	Pass
				30	3.85	9.742	0.0118	-2.5 to 2.5	Pass
				40	3.85	9.727	0.0118	-2.5 to 2.5	Pass
				50	3.85	9.255	0.0112	-2.5 to 2.5	Pass
				836.5	25	0	20	3.27	1.688
	3.85	1.187	0.0014					-2.5 to 2.5	Pass
	4.43	-0.730	-0.0009					-2.5 to 2.5	Pass
	-30	3.85	36.807				0.0440	-2.5 to 2.5	Pass
	-20	3.85	25.234				0.0302	-2.5 to 2.5	Pass
	-10	3.85	24.734				0.0296	-2.5 to 2.5	Pass
	0	3.85	12.145				0.0145	-2.5 to 2.5	Pass
	10	3.85	14.191				0.0170	-2.5 to 2.5	Pass
	30	3.85	14.377				0.0172	-2.5 to 2.5	Pass
	40	3.85	14.591				0.0174	-2.5 to 2.5	Pass
	50	3.85	14.462				0.0173	-2.5 to 2.5	Pass

	846.5	25	0	20	3.27	-3.247	-0.0038	-2.5 to 2.5	Pass
					3.85	-7.739	-0.0091	-2.5 to 2.5	Pass
					4.43	-7.868	-0.0093	-2.5 to 2.5	Pass
				-30	3.85	-9.198	-0.0109	-2.5 to 2.5	Pass
				-10	3.85	28.811	0.0340	-2.5 to 2.5	Pass
				10	3.85	29.869	0.0353	-2.5 to 2.5	Pass
				40	3.85	29.111	0.0344	-2.5 to 2.5	Pass
50	3.85	28.453	0.0336						
				16QAM	826.5	25	0	20	3.27
3.85	-1.016	-0.0012	-2.5 to 2.5						Pass
4.43	0.429	0.0005	-2.5 to 2.5						Pass
-30	3.85	-4.163	-0.0050					-2.5 to 2.5	Pass
-10	3.85	-0.758	-0.0009					-2.5 to 2.5	Pass
10	3.85	-5.937	-0.0072					-2.5 to 2.5	Pass
40	3.85	2.918	0.0035					-2.5 to 2.5	Pass
				50	3.85	4.420	0.0053		
	836.5	25	0					20	3.27
				3.85	3.834	0.0046	-2.5 to 2.5		Pass
				4.43	7.281	0.0087	-2.5 to 2.5		Pass
				-30	3.85	10.815	0.0129	-2.5 to 2.5	Pass
				-10	3.85	16.594	0.0198	-2.5 to 2.5	Pass
				10	3.85	9.613	0.0115	-2.5 to 2.5	Pass
				40	3.85	13.833	0.0165	-2.5 to 2.5	Pass
50	3.85	16.365	0.0196						
					846.5	25	0	20	3.27
3.85	9.971	0.0118	-2.5 to 2.5						Pass
4.43	14.219	0.0168	-2.5 to 2.5						Pass
-30	3.85	19.169	0.0226					-2.5 to 2.5	Pass
-10	3.85	25.020	0.0296					-2.5 to 2.5	Pass
10	3.85	18.139	0.0214					-2.5 to 2.5	Pass
40	3.85	18.482	0.0218					-2.5 to 2.5	Pass
				50	3.85	20.113	0.0238		

2.4 B5_10MHz

2.4.1 Test Result

Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.27	8.140	0.0098	-2.5 to 2.5	Pass
					3.85	-21.987	-0.0265	-2.5 to 2.5	Pass
					4.43	-15.450	-0.0186	-2.5 to 2.5	Pass

				-30	3.85	-23.961	-0.0289	-2.5 to 2.5	Pass			
				-20	3.85	-31.672	-0.0382	-2.5 to 2.5	Pass			
				-10	3.85	-36.778	-0.0444	-2.5 to 2.5	Pass			
				0	3.85	-42.129	-0.0508	-2.5 to 2.5	Pass			
				10	3.85	-10.085	-0.0122	-2.5 to 2.5	Pass			
				30	3.85	-21.243	-0.0256	-2.5 to 2.5	Pass			
				40	3.85	-27.981	-0.0338	-2.5 to 2.5	Pass			
	50	3.85	-29.955	-0.0361	-2.5 to 2.5	Pass						
	836.5	50	0	20	3.27	-4.578	-0.0055	-2.5 to 2.5	Pass			
					3.85	-3.490	-0.0042	-2.5 to 2.5	Pass			
					4.43	-12.245	-0.0146	-2.5 to 2.5	Pass			
				-30	3.85	21.257	0.0254	-2.5 to 2.5	Pass			
				-20	3.85	21.014	0.0251	-2.5 to 2.5	Pass			
				-10	3.85	21.586	0.0258	-2.5 to 2.5	Pass			
				0	3.85	20.914	0.0250	-2.5 to 2.5	Pass			
				10	3.85	19.813	0.0237	-2.5 to 2.5	Pass			
				30	3.85	8.798	0.0105	-2.5 to 2.5	Pass			
				40	3.85	41.456	0.0496	-2.5 to 2.5	Pass			
				50	3.85	43.001	0.0514	-2.5 to 2.5	Pass			
				844	50	0	20	3.27	0.057	0.0001	-2.5 to 2.5	Pass
								3.85	2.303	0.0027	-2.5 to 2.5	Pass
								4.43	1.917	0.0023	-2.5 to 2.5	Pass
	-30	3.85	0.858				0.0010	-2.5 to 2.5	Pass			
	-20	3.85	0.701				0.0008	-2.5 to 2.5	Pass			
	-10	3.85	32.430				0.0384	-2.5 to 2.5	Pass			
	0	3.85	32.816				0.0389	-2.5 to 2.5	Pass			
	10	3.85	29.440				0.0349	-2.5 to 2.5	Pass			
30	3.85	23.589	0.0279				-2.5 to 2.5	Pass				
40	3.85	24.719	0.0293				-2.5 to 2.5	Pass				
50	3.85	20.714	0.0245				-2.5 to 2.5	Pass				
16QAM	829	50	0	20	3.27	-30.012	-0.0362	-2.5 to 2.5	Pass			
					3.85	-28.753	-0.0347	-2.5 to 2.5	Pass			
					4.43	0.157	0.0002	-2.5 to 2.5	Pass			
				-30	3.85	2.861	0.0035	-2.5 to 2.5	Pass			
				-20	3.85	4.735	0.0057	-2.5 to 2.5	Pass			
				-10	3.85	-3.033	-0.0037	-2.5 to 2.5	Pass			
				0	3.85	-1.473	-0.0018	-2.5 to 2.5	Pass			
				10	3.85	-11.730	-0.0141	-2.5 to 2.5	Pass			
				30	3.85	-5.894	-0.0071	-2.5 to 2.5	Pass			
				40	3.85	-2.832	-0.0034	-2.5 to 2.5	Pass			
				50	3.85	-0.529	-0.0006	-2.5 to 2.5	Pass			
				836.5	50	0	20	3.27	-2.818	-0.0034	-2.5 to 2.5	Pass
								3.85	1.502	0.0018	-2.5 to 2.5	Pass
								4.43	6.609	0.0079	-2.5 to 2.5	Pass
	-30	3.85	6.437				0.0077	-2.5 to 2.5	Pass			
	-20	3.85	5.107				0.0061	-2.5 to 2.5	Pass			
	-10	3.85	-5.021				-0.0060	-2.5 to 2.5	Pass			
	0	3.85	2.003				0.0024	-2.5 to 2.5	Pass			
	10	3.85	6.351				0.0076	-2.5 to 2.5	Pass			
	30	3.85	9.713				0.0116	-2.5 to 2.5	Pass			
	40	3.85	12.889				0.0154	-2.5 to 2.5	Pass			
	50	3.85	14.734				0.0176	-2.5 to 2.5	Pass			
	844	50	0				20	3.27	9.785	0.0116	-2.5 to 2.5	Pass
								3.85	15.793	0.0187	-2.5 to 2.5	Pass
				4.43	20.814	0.0247		-2.5 to 2.5	Pass			
				-30	3.85	27.151	0.0322	-2.5 to 2.5	Pass			
	-20	3.85	30.985	0.0367	-2.5 to 2.5	Pass						

				-10	3.85	34.518	0.0409	-2.5 to 2.5	Pass
				0	3.85	37.022	0.0439	-2.5 to 2.5	Pass
				10	3.85	38.581	0.0457	-2.5 to 2.5	Pass
				30	3.85	26.379	0.0313	-2.5 to 2.5	Pass
				40	3.85	30.541	0.0362	-2.5 to 2.5	Pass
				50	3.85	34.804	0.0412	-2.5 to 2.5	Pass


3. Modulation Characteristics

3.1 B5_1.4MHz

3.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 B5_3MHz

3.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B5_5MHz

3.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.3.2 Test Graph




3.4 B5_10MHz

3.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass

3.4.2 Test Graph




4. 99% & 26dB Bandwidth

4.1 Band5_OBW


4.1.1 Test Result

Band: 5 / NTN						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	824.7	6	0	1.108	Pass
		836.5	6	0	1.114	Pass
		848.3	6	0	1.103	Pass
	16QAM	824.7	6	0	1.108	Pass
		836.5	6	0	1.113	Pass
		848.3	6	0	1.124	Pass
3	QPSK	825.5	15	0	2.762	Pass
		836.5	15	0	2.756	Pass
		847.5	15	0	2.757	Pass
	16QAM	825.5	15	0	2.761	Pass
		836.5	15	0	2.754	Pass
		847.5	15	0	2.776	Pass
5	QPSK	826.5	25	0	4.548	Pass
		836.5	25	0	4.561	Pass
		846.5	25	0	4.542	Pass
	16QAM	826.5	25	0	4.548	Pass
		836.5	25	0	4.574	Pass
		846.5	25	0	4.525	Pass
10	QPSK	829	50	0	9.063	Pass
		836.5	50	0	9.061	Pass
		844	50	0	9.054	Pass
	16QAM	829	50	0	9.060	Pass
		836.5	50	0	9.091	Pass
		844	50	0	9.052	Pass


4.1.2 Test Graph




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




4.2 Band5_XDB


4.2.1 Test Result

Band: 5 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	824.7	6	0	1.275	Pass
		836.5	6	0	1.271	Pass
		848.3	6	0	1.267	Pass
	16QAM	824.7	6	0	1.253	Pass
		836.5	6	0	1.272	Pass
		848.3	6	0	1.277	Pass
3	QPSK	825.5	15	0	3.100	Pass
		836.5	15	0	3.080	Pass
		847.5	15	0	3.090	Pass
	16QAM	825.5	15	0	3.114	Pass
		836.5	15	0	3.107	Pass
		847.5	15	0	3.102	Pass
5	QPSK	826.5	25	0	5.041	Pass
		836.5	25	0	5.069	Pass
		846.5	25	0	4.949	Pass
	16QAM	826.5	25	0	5.073	Pass
		836.5	25	0	5.066	Pass
		846.5	25	0	5.033	Pass
10	QPSK	829	50	0	10.049	Pass
		836.5	50	0	10.022	Pass
		844	50	0	10.047	Pass
	16QAM	829	50	0	10.088	Pass
		836.5	50	0	10.028	Pass
		844	50	0	9.742	Pass


4.2.2 Test Graph




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




5. Peak-Average Ratio

5.1 B5_1.4MHz


5.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	5.12	<=13	Pass
	836.5	6	0	5.41	<=13	Pass
	848.3	6	0	5.27	<=13	Pass
16QAM	824.7	6	0	5.86	<=13	Pass
	836.5	6	0	6.27	<=13	Pass
	848.3	6	0	6.03	<=13	Pass


5.1.2 Test Graph




Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Band5_1.4MHz_16QAM_LCH_824.7MHz_RB_6_0_NTNV



Band5_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV



Band5_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




5.2 B5_3MHz


5.2.1 Test Result

Band: 5 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	5.25	<=13	Pass
	836.5	15	0	5.45	<=13	Pass
	847.5	15	0	5.39	<=13	Pass
16QAM	825.5	15	0	6.06	<=13	Pass
	836.5	15	0	6.29	<=13	Pass
	847.5	15	0	6.20	<=13	Pass


5.2.2 Test Graph




Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV



Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV



Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV





5.3 B5_5MHz


5.3.1 Test Result

Band: 5 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	5.39	<=13	Pass
	836.5	25	0	5.60	<=13	Pass
	846.5	25	0	5.44	<=13	Pass
16QAM	826.5	25	0	6.13	<=13	Pass
	836.5	25	0	6.31	<=13	Pass
	846.5	25	0	6.16	<=13	Pass


5.3.2 Test Graph




Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV



Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV



Band5_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV





5.4 B5_10MHz


5.4.1 Test Result

Band: 5 / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.52	<=13	Pass
	836.5	50	0	5.58	<=13	Pass
	844	50	0	5.46	<=13	Pass
16QAM	829	50	0	6.25	<=13	Pass
	836.5	50	0	6.34	<=13	Pass
	844	50	0	6.23	<=13	Pass


5.4.2 Test Graph




Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band5_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV





6. Spurious Emission

6.1 B5_1.4MHz


6.1.1 Test Result

Band: 5 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
	5		Refer To Test Graph		Pass	
	6	0	Refer To Test Graph		Pass	

6.1.2 Test Graph




Band5_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	823	0.1	/	1	822.977	-44.90	-13	Pass
823	824	0.013	/	2	823.997	-37.64	-13	Pass
824	825.5	0.013	/	/	/	/	/	/


Band5_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV



Band5_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.015	-36.94	-13	Pass
850	850.5	0.1	/	2	850.002	-69.36	-13	Pass