

1. Effective (Isotropic) Radiated Power Output Data

1.1 B66_1.4MHz_EIRP

1.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1710.7	1	0	19.39	-0.42	18.97	<=30	Pass		
			2	19.52	-0.42	19.10	<=30	Pass		
			5	19.37	-0.42	18.95	<=30	Pass		
		3	0	19.45	-0.42	19.03	<=30	Pass		
			2	19.50	-0.42	19.08	<=30	Pass		
			3	19.42	-0.42	19.00	<=30	Pass		
		6	0	18.48	-0.42	18.06	<=30	Pass		
		1745	1	0	20.33	-0.42	19.91	<=30	Pass	
				2	20.51	-0.42	20.09	<=30	Pass	
	5			20.34	-0.42	19.92	<=30	Pass		
	3		0	20.37	-0.42	19.95	<=30	Pass		
			2	20.43	-0.42	20.01	<=30	Pass		
			3	20.43	-0.42	20.01	<=30	Pass		
	6		0	19.40	-0.42	18.98	<=30	Pass		
	1779.3		1	0	21.10	-0.42	20.68	<=30	Pass	
				2	20.84	-0.42	20.42	<=30	Pass	
		5		20.67	-0.42	20.25	<=30	Pass		
		3	0	20.83	-0.42	20.41	<=30	Pass		
			2	20.81	-0.42	20.39	<=30	Pass		
			3	20.81	-0.42	20.39	<=30	Pass		
		6	0	19.81	-0.42	19.39	<=30	Pass		
		16QAM	1710.7	1	0	18.65	-0.42	18.23	<=30	Pass
					2	18.77	-0.42	18.35	<=30	Pass
	5				18.64	-0.42	18.22	<=30	Pass	
3	0			18.59	-0.42	18.17	<=30	Pass		
	2			18.66	-0.42	18.24	<=30	Pass		
	3			18.54	-0.42	18.12	<=30	Pass		
6	0			17.47	-0.42	17.05	<=30	Pass		
1745	1			0	19.45	-0.42	19.03	<=30	Pass	
				2	19.60	-0.42	19.18	<=30	Pass	
			5	19.43	-0.42	19.01	<=30	Pass		
	3		0	19.51	-0.42	19.09	<=30	Pass		
			2	19.53	-0.42	19.11	<=30	Pass		
			3	19.50	-0.42	19.08	<=30	Pass		
	6		0	18.49	-0.42	18.07	<=30	Pass		
	1779.3		1	0	19.91	-0.42	19.49	<=30	Pass	
				2	20.13	-0.42	19.71	<=30	Pass	
5				19.90	-0.42	19.48	<=30	Pass		
3			0	19.93	-0.42	19.51	<=30	Pass		
			2	19.96	-0.42	19.54	<=30	Pass		
			3	19.93	-0.42	19.51	<=30	Pass		
6			0	18.75	-0.42	18.33	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.2 B66_3MHz_EIRP

1.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1711.5	1	0	19.53	-0.42	19.11	<=30	Pass		
			7	19.58	-0.42	19.16	<=30	Pass		
			14	19.50	-0.42	19.08	<=30	Pass		
		8	0	18.57	-0.42	18.15	<=30	Pass		
			4	18.62	-0.42	18.20	<=30	Pass		
			7	18.57	-0.42	18.15	<=30	Pass		
		15	0	18.56	-0.42	18.14	<=30	Pass		
		1745	1	0	20.45	-0.42	20.03	<=30	Pass	
				7	20.46	-0.42	20.04	<=30	Pass	
	14			20.53	-0.42	20.11	<=30	Pass		
	8		0	19.48	-0.42	19.06	<=30	Pass		
			4	19.52	-0.42	19.10	<=30	Pass		
			7	19.49	-0.42	19.07	<=30	Pass		
	15		0	19.48	-0.42	19.06	<=30	Pass		
	1778.5		1	0	20.83	-0.42	20.41	<=30	Pass	
				7	20.84	-0.42	20.42	<=30	Pass	
		14		20.79	-0.42	20.37	<=30	Pass		
		8	0	19.90	-0.42	19.48	<=30	Pass		
			4	19.94	-0.42	19.52	<=30	Pass		
			7	19.88	-0.42	19.46	<=30	Pass		
		15	0	19.86	-0.42	19.44	<=30	Pass		
		16QAM	1711.5	1	0	18.82	-0.42	18.40	<=30	Pass
					7	18.83	-0.42	18.41	<=30	Pass
	14				18.74	-0.42	18.32	<=30	Pass	
	8			0	17.60	-0.42	17.18	<=30	Pass	
				4	17.60	-0.42	17.18	<=30	Pass	
				7	17.61	-0.42	17.19	<=30	Pass	
15	0			17.57	-0.42	17.15	<=30	Pass		
1745	1			0	19.59	-0.42	19.17	<=30	Pass	
				7	19.57	-0.42	19.15	<=30	Pass	
			14	19.57	-0.42	19.15	<=30	Pass		
	8		0	18.64	-0.42	18.22	<=30	Pass		
			4	18.66	-0.42	18.24	<=30	Pass		
			7	18.68	-0.42	18.26	<=30	Pass		
	15		0	18.51	-0.42	18.09	<=30	Pass		
	1778.5		1	0	20.04	-0.42	19.62	<=30	Pass	
				7	20.07	-0.42	19.65	<=30	Pass	
14				20.06	-0.42	19.64	<=30	Pass		
8			0	19.05	-0.42	18.63	<=30	Pass		
			4	19.09	-0.42	18.67	<=30	Pass		
			7	19.07	-0.42	18.65	<=30	Pass		
15			0	18.91	-0.42	18.49	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.3 B66_5MHz_EIRP

1.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1712.5	1	0	19.47	-0.42	19.05	<=30	Pass		
			13	19.49	-0.42	19.07	<=30	Pass		
			24	19.39	-0.42	18.97	<=30	Pass		
		12	0	18.48	-0.42	18.06	<=30	Pass		
			6	18.52	-0.42	18.10	<=30	Pass		
			13	18.44	-0.42	18.02	<=30	Pass		
		25	0	18.51	-0.42	18.09	<=30	Pass		
		1745	1	0	20.28	-0.42	19.86	<=30	Pass	
				13	20.42	-0.42	20.00	<=30	Pass	
	24			20.37	-0.42	19.95	<=30	Pass		
	12		0	19.36	-0.42	18.94	<=30	Pass		
			6	19.45	-0.42	19.03	<=30	Pass		
			13	19.45	-0.42	19.03	<=30	Pass		
	25		0	19.41	-0.42	18.99	<=30	Pass		
	1777.5		1	0	20.71	-0.42	20.29	<=30	Pass	
				13	20.78	-0.42	20.36	<=30	Pass	
		24		20.64	-0.42	20.22	<=30	Pass		
		12	0	19.79	-0.42	19.37	<=30	Pass		
			6	19.84	-0.42	19.42	<=30	Pass		
			13	19.75	-0.42	19.33	<=30	Pass		
		25	0	19.83	-0.42	19.41	<=30	Pass		
		16QAM	1712.5	1	0	18.74	-0.42	18.32	<=30	Pass
					13	18.82	-0.42	18.40	<=30	Pass
	24				18.72	-0.42	18.30	<=30	Pass	
12	0			17.46	-0.42	17.04	<=30	Pass		
	6			17.50	-0.42	17.08	<=30	Pass		
	13			17.45	-0.42	17.03	<=30	Pass		
25	0			17.50	-0.42	17.08	<=30	Pass		
1745	1			0	19.51	-0.42	19.09	<=30	Pass	
				13	19.69	-0.42	19.27	<=30	Pass	
			24	19.60	-0.42	19.18	<=30	Pass		
	12		0	18.39	-0.42	17.97	<=30	Pass		
			6	18.47	-0.42	18.05	<=30	Pass		
			13	18.45	-0.42	18.03	<=30	Pass		
	25		0	18.44	-0.42	18.02	<=30	Pass		
	1777.5		1	0	19.97	-0.42	19.55	<=30	Pass	
				13	20.04	-0.42	19.62	<=30	Pass	
24				19.90	-0.42	19.48	<=30	Pass		
12			0	18.88	-0.42	18.46	<=30	Pass		
			6	18.89	-0.42	18.47	<=30	Pass		
			13	18.82	-0.42	18.40	<=30	Pass		
25			0	18.83	-0.42	18.41	<=30	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

1.4 B66_10MHz_EIRP

1.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1715	1	0	19.77	-0.42	19.35	<=30	Pass
			25	19.60	-0.42	19.18	<=30	Pass

	1745	25	49	19.55	-0.42	19.13	<=30	Pass			
			0	18.55	-0.42	18.13	<=30	Pass			
			13	18.57	-0.42	18.15	<=30	Pass			
			25	18.62	-0.42	18.20	<=30	Pass			
		50	0	18.58	-0.42	18.16	<=30	Pass			
			1	0	20.30	-0.42	19.88	<=30	Pass		
				25	20.60	-0.42	20.18	<=30	Pass		
				49	20.47	-0.42	20.05	<=30	Pass		
		25	0	19.47	-0.42	19.05	<=30	Pass			
			13	19.51	-0.42	19.09	<=30	Pass			
			25	19.52	-0.42	19.10	<=30	Pass			
		50	0	19.48	-0.42	19.06	<=30	Pass			
	1775		1	0	20.71	-0.42	20.29	<=30	Pass		
				25	20.97	-0.42	20.55	<=30	Pass		
				49	20.70	-0.42	20.28	<=30	Pass		
	25	0	0	19.96	-0.42	19.54	<=30	Pass			
			13	19.96	-0.42	19.54	<=30	Pass			
			25	19.89	-0.42	19.47	<=30	Pass			
	50	0	0	19.93	-0.42	19.51	<=30	Pass			
			16QAM	1715	1	0	18.71	-0.42	18.29	<=30	Pass
						25	18.86	-0.42	18.44	<=30	Pass
						49	18.82	-0.42	18.40	<=30	Pass
	25	0			17.55	-0.42	17.13	<=30	Pass		
		13			17.57	-0.42	17.15	<=30	Pass		
25		17.67			-0.42	17.25	<=30	Pass			
50	0	0		17.57	-0.42	17.15	<=30	Pass			
		1745		1	0	19.38	-0.42	18.96	<=30	Pass	
					25	19.64	-0.42	19.22	<=30	Pass	
					49	19.54	-0.42	19.12	<=30	Pass	
25	0			18.50	-0.42	18.08	<=30	Pass			
	13			18.54	-0.42	18.12	<=30	Pass			
	25		18.56	-0.42	18.14	<=30	Pass				
50	0	0	18.49	-0.42	18.07	<=30	Pass				
		1775	1	0	19.96	-0.42	19.54	<=30	Pass		
				25	20.20	-0.42	19.78	<=30	Pass		
				49	19.96	-0.42	19.54	<=30	Pass		
25	0		19.01	-0.42	18.59	<=30	Pass				
	13		18.97	-0.42	18.55	<=30	Pass				
	25		18.92	-0.42	18.50	<=30	Pass				
50	0	0	18.90	-0.42	18.48	<=30	Pass				

Note1: EIRP=Conducted Power+Antenna Gain

1.5 B66_15MHz_EIRP

1.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1717.5	1	0	19.72	-0.42	19.30	<=30	Pass
			38	19.55	-0.42	19.13	<=30	Pass
			74	19.63	-0.42	19.21	<=30	Pass
		36	0	18.45	-0.42	18.03	<=30	Pass
			18	18.58	-0.42	18.16	<=30	Pass
			39	18.73	-0.42	18.31	<=30	Pass

	1745	75	0	18.61	-0.42	18.19	<=30	Pass		
			1	0	20.14	-0.42	19.72	<=30	Pass	
				38	20.45	-0.42	20.03	<=30	Pass	
		74		20.38	-0.42	19.96	<=30	Pass		
		36	0	19.37	-0.42	18.95	<=30	Pass		
			18	19.42	-0.42	19.00	<=30	Pass		
			39	19.47	-0.42	19.05	<=30	Pass		
		75	0	19.49	-0.42	19.07	<=30	Pass		
		1772.5	1	0	20.61	-0.42	20.19	<=30	Pass	
	38			20.82	-0.42	20.40	<=30	Pass		
	74			20.55	-0.42	20.13	<=30	Pass		
	36		0	19.87	-0.42	19.45	<=30	Pass		
			18	19.89	-0.42	19.47	<=30	Pass		
			39	19.83	-0.42	19.41	<=30	Pass		
	75		0	19.87	-0.42	19.45	<=30	Pass		
	16QAM		1717.5	1	0	18.83	-0.42	18.41	<=30	Pass
					38	19.08	-0.42	18.66	<=30	Pass
		74			19.13	-0.42	18.71	<=30	Pass	
36		0		17.43	-0.42	17.01	<=30	Pass		
		18		17.53	-0.42	17.11	<=30	Pass		
		39		17.69	-0.42	17.27	<=30	Pass		
75		0		17.57	-0.42	17.15	<=30	Pass		
1745		1		0	19.24	-0.42	18.82	<=30	Pass	
				38	19.51	-0.42	19.09	<=30	Pass	
			74	19.44	-0.42	19.02	<=30	Pass		
		36	0	18.34	-0.42	17.92	<=30	Pass		
			18	18.44	-0.42	18.02	<=30	Pass		
			39	18.45	-0.42	18.03	<=30	Pass		
		75	0	18.43	-0.42	18.01	<=30	Pass		
		1772.5	1	0	19.87	-0.42	19.45	<=30	Pass	
				38	20.07	-0.42	19.65	<=30	Pass	
74				19.80	-0.42	19.38	<=30	Pass		
36			0	18.89	-0.42	18.47	<=30	Pass		
	18		18.90	-0.42	18.48	<=30	Pass			
	39		18.83	-0.42	18.41	<=30	Pass			
75	0		18.86	-0.42	18.44	<=30	Pass			

Note1: EIRP=Conducted Power+Antenna Gain

1.6 B66_20MHz_EIRP

1.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1720	1	0	19.49	-0.42	19.07	<=30	Pass
			50	19.82	-0.42	19.40	<=30	Pass
			99	19.73	-0.42	19.31	<=30	Pass
		50	0	18.43	-0.42	18.01	<=30	Pass
			25	18.67	-0.42	18.25	<=30	Pass
			50	18.93	-0.42	18.51	<=30	Pass
	100	0	18.70	-0.42	18.28	<=30	Pass	
	1745	1	0	19.86	-0.42	19.44	<=30	Pass
			50	20.44	-0.42	20.02	<=30	Pass
			99	20.18	-0.42	19.76	<=30	Pass

		50	0	19.39	-0.42	18.97	<=30	Pass		
			25	19.42	-0.42	19.00	<=30	Pass		
			50	19.58	-0.42	19.16	<=30	Pass		
		100	0	19.47	-0.42	19.05	<=30	Pass		
			1	0	20.39	-0.42	19.97	<=30	Pass	
				50	20.96	-0.42	20.54	<=30	Pass	
	99	20.46		-0.42	20.04	<=30	Pass			
	1770	50	0	19.87	-0.42	19.45	<=30	Pass		
			25	19.90	-0.42	19.48	<=30	Pass		
			50	19.80	-0.42	19.38	<=30	Pass		
		100	0	19.84	-0.42	19.42	<=30	Pass		
			1720	1	0	18.47	-0.42	18.05	<=30	Pass
					50	19.04	-0.42	18.62	<=30	Pass
	99	19.04			-0.42	18.62	<=30	Pass		
	1720	50	0	17.48	-0.42	17.06	<=30	Pass		
25			17.69	-0.42	17.27	<=30	Pass			
50			17.87	-0.42	17.45	<=30	Pass			
100		0	17.73	-0.42	17.31	<=30	Pass			
		1745	1	0	19.41	-0.42	18.99	<=30	Pass	
				50	19.95	-0.42	19.53	<=30	Pass	
99	19.70			-0.42	19.28	<=30	Pass			
1745	50	0	18.38	-0.42	17.96	<=30	Pass			
		25	18.45	-0.42	18.03	<=30	Pass			
		50	18.53	-0.42	18.11	<=30	Pass			
	100	0	18.45	-0.42	18.03	<=30	Pass			
		1770	1	0	19.65	-0.42	19.23	<=30	Pass	
				50	20.19	-0.42	19.77	<=30	Pass	
99	19.71			-0.42	19.29	<=30	Pass			
1770	50	0	18.87	-0.42	18.45	<=30	Pass			
		25	18.87	-0.42	18.45	<=30	Pass			
		50	18.78	-0.42	18.36	<=30	Pass			
	100	0	18.85	-0.42	18.43	<=30	Pass			

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 B66_1.4MHz

2.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1710.7	6	0	20	3.27	-8.368	-0.0049	-2.5 to 2.5	Pass	
					3.85	-5.965	-0.0035	-2.5 to 2.5	Pass	
					4.43	-10.629	-0.0062	-2.5 to 2.5	Pass	
				-30	3.85	-1.287	-0.0008	-2.5 to 2.5	Pass	
					-20	3.85	-1.373	-0.0008	-2.5 to 2.5	Pass
						3.85	-6.051	-0.0035	-2.5 to 2.5	Pass
				0	3.85	-3.276	-0.0019	-2.5 to 2.5	Pass	
					3.85	4.792	0.0028	-2.5 to 2.5	Pass	
				30	3.85	-3.033	-0.0018	-2.5 to 2.5	Pass	
				40	3.85	5.693	0.0033	-2.5 to 2.5	Pass	
				50	3.85	-4.148	-0.0024	-2.5 to 2.5	Pass	

	1745	6	0	20	3.27	-13.390	-0.0077	-2.5 to 2.5	Pass
					3.85	-7.195	-0.0041	-2.5 to 2.5	Pass
					4.43	-3.891	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-5.136	-0.0029	-2.5 to 2.5	Pass
				-20	3.85	-8.125	-0.0047	-2.5 to 2.5	Pass
				-10	3.85	-6.223	-0.0036	-2.5 to 2.5	Pass
				0	3.85	-1.473	-0.0008	-2.5 to 2.5	Pass
				10	3.85	-1.259	-0.0007	-2.5 to 2.5	Pass
				30	3.85	-3.748	-0.0021	-2.5 to 2.5	Pass
	40	3.85	-4.206	-0.0024	-2.5 to 2.5	Pass			
	50	3.85	-9.027	-0.0052	-2.5 to 2.5	Pass			
	1779.3	6	0	20	3.27	-10.386	-0.0058	-2.5 to 2.5	Pass
					3.85	-4.821	-0.0027	-2.5 to 2.5	Pass
					4.43	-7.796	-0.0044	-2.5 to 2.5	Pass
				-30	3.85	-3.748	-0.0021	-2.5 to 2.5	Pass
				-20	3.85	-6.251	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	-11.001	-0.0062	-2.5 to 2.5	Pass
				0	3.85	-4.692	-0.0026	-2.5 to 2.5	Pass
10				3.85	-7.024	-0.0039	-2.5 to 2.5	Pass	
30				3.85	-8.669	-0.0049	-2.5 to 2.5	Pass	
40	3.85	-6.895	-0.0039	-2.5 to 2.5	Pass				
50	3.85	-7.310	-0.0041	-2.5 to 2.5	Pass				
16QAM	1710.7	6	0	20	3.27	-7.854	-0.0046	-2.5 to 2.5	Pass
					3.85	-2.074	-0.0012	-2.5 to 2.5	Pass
					4.43	-7.639	-0.0045	-2.5 to 2.5	Pass
				-30	3.85	-5.465	-0.0032	-2.5 to 2.5	Pass
				-20	3.85	2.346	0.0014	-2.5 to 2.5	Pass
				-10	3.85	-6.251	-0.0037	-2.5 to 2.5	Pass
				0	3.85	-2.918	-0.0017	-2.5 to 2.5	Pass
				10	3.85	-3.362	-0.0020	-2.5 to 2.5	Pass
				30	3.85	-1.459	-0.0009	-2.5 to 2.5	Pass
	40	3.85	-12.760	-0.0075	-2.5 to 2.5	Pass			
	50	3.85	-5.093	-0.0030	-2.5 to 2.5	Pass			
	1745	6	0	20	3.27	0.830	0.0005	-2.5 to 2.5	Pass
					3.85	-4.320	-0.0025	-2.5 to 2.5	Pass
					4.43	-5.250	-0.0030	-2.5 to 2.5	Pass
				-30	3.85	-0.229	-0.0001	-2.5 to 2.5	Pass
				-20	3.85	-4.549	-0.0026	-2.5 to 2.5	Pass
				-10	3.85	-15.650	-0.0090	-2.5 to 2.5	Pass
				0	3.85	-8.926	-0.0051	-2.5 to 2.5	Pass
10				3.85	-2.975	-0.0017	-2.5 to 2.5	Pass	
30				3.85	-7.510	-0.0043	-2.5 to 2.5	Pass	
40	3.85	11.401	0.0065	-2.5 to 2.5	Pass				
50	3.85	-3.719	-0.0021	-2.5 to 2.5	Pass				
1779.3	6	0	20	3.27	-6.495	-0.0037	-2.5 to 2.5	Pass	
				3.85	-8.197	-0.0046	-2.5 to 2.5	Pass	
				4.43	-1.702	-0.0010	-2.5 to 2.5	Pass	
			-30	3.85	2.203	0.0012	-2.5 to 2.5	Pass	
			-20	3.85	4.048	0.0023	-2.5 to 2.5	Pass	
			-10	3.85	-2.260	-0.0013	-2.5 to 2.5	Pass	
			0	3.85	-0.958	-0.0005	-2.5 to 2.5	Pass	
			10	3.85	-3.562	-0.0020	-2.5 to 2.5	Pass	
			30	3.85	-4.663	-0.0026	-2.5 to 2.5	Pass	
40	3.85	-7.753	-0.0044	-2.5 to 2.5	Pass				
50	3.85	-5.307	-0.0030	-2.5 to 2.5	Pass				

2.2 B66_3MHz

2.2.1 Test Result

Band: 66 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1711.5	15	0	20	3.27	-8.669	-0.0051	-2.5 to 2.5	Pass
					3.85	-5.822	-0.0034	-2.5 to 2.5	Pass
					4.43	-1.030	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	0.644	0.0004	-2.5 to 2.5	Pass
				-20	3.85	-3.948	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	-1.130	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-4.363	-0.0025	-2.5 to 2.5	Pass
				10	3.85	-1.659	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-1.616	-0.0009	-2.5 to 2.5	Pass
				40	3.85	1.817	0.0011	-2.5 to 2.5	Pass
	50	3.85	-2.089	-0.0012	-2.5 to 2.5	Pass			
	1745	15	0	20	3.27	6.509	0.0037	-2.5 to 2.5	Pass
					3.85	-4.907	-0.0028	-2.5 to 2.5	Pass
					4.43	-1.216	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	2.131	0.0012	-2.5 to 2.5	Pass
				-20	3.85	-4.206	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	0.000	0.0000	-2.5 to 2.5	Pass
				0	3.85	0.730	0.0004	-2.5 to 2.5	Pass
				10	3.85	-4.334	-0.0025	-2.5 to 2.5	Pass
				30	3.85	-4.191	-0.0024	-2.5 to 2.5	Pass
				40	3.85	-3.576	-0.0020	-2.5 to 2.5	Pass
	50	3.85	-3.934	-0.0023	-2.5 to 2.5	Pass			
	1778.5	15	0	20	3.27	-10.114	-0.0057	-2.5 to 2.5	Pass
					3.85	-15.678	-0.0088	-2.5 to 2.5	Pass
					4.43	-11.630	-0.0065	-2.5 to 2.5	Pass
				-30	3.85	-2.561	-0.0014	-2.5 to 2.5	Pass
				-20	3.85	1.473	0.0008	-2.5 to 2.5	Pass
				-10	3.85	-9.184	-0.0052	-2.5 to 2.5	Pass
				0	3.85	-9.227	-0.0052	-2.5 to 2.5	Pass
				10	3.85	-1.860	-0.0010	-2.5 to 2.5	Pass
30				3.85	-3.734	-0.0021	-2.5 to 2.5	Pass	
40				3.85	5.894	0.0033	-2.5 to 2.5	Pass	
50	3.85	3.633	0.0020	-2.5 to 2.5	Pass				
16QAM	1711.5	15	0	20	3.27	-2.604	-0.0015	-2.5 to 2.5	Pass
					3.85	-1.059	-0.0006	-2.5 to 2.5	Pass
					4.43	0.157	0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.372	0.0002	-2.5 to 2.5	Pass
				-20	3.85	-4.091	-0.0024	-2.5 to 2.5	Pass
				-10	3.85	-4.892	-0.0029	-2.5 to 2.5	Pass
				0	3.85	-2.675	-0.0016	-2.5 to 2.5	Pass
				10	3.85	-4.220	-0.0025	-2.5 to 2.5	Pass
				30	3.85	-5.822	-0.0034	-2.5 to 2.5	Pass
				40	3.85	-2.189	-0.0013	-2.5 to 2.5	Pass
	50	3.85	-0.558	-0.0003	-2.5 to 2.5	Pass			
	1745	15	0	20	3.27	-0.386	-0.0002	-2.5 to 2.5	Pass
					3.85	-2.718	-0.0016	-2.5 to 2.5	Pass
					4.43	-21.629	-0.0124	-2.5 to 2.5	Pass
-30				3.85	-3.390	-0.0019	-2.5 to 2.5	Pass	
-20	3.85	-3.319	-0.0019	-2.5 to 2.5	Pass				

				-10	3.85	2.732	0.0016	-2.5 to 2.5	Pass
				0	3.85	-6.123	-0.0035	-2.5 to 2.5	Pass
				10	3.85	-8.354	-0.0048	-2.5 to 2.5	Pass
				30	3.85	-4.992	-0.0029	-2.5 to 2.5	Pass
				40	3.85	0.072	0.0000	-2.5 to 2.5	Pass
				50	3.85	-3.819	-0.0022	-2.5 to 2.5	Pass
	1778.5	15	0	20	3.27	-3.734	-0.0021	-2.5 to 2.5	Pass
					3.85	-3.204	-0.0018	-2.5 to 2.5	Pass
					4.43	-5.450	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	0.672	0.0004	-2.5 to 2.5	Pass
				-20	3.85	-6.323	-0.0036	-2.5 to 2.5	Pass
				-10	3.85	0.372	0.0002	-2.5 to 2.5	Pass
				0	3.85	-6.523	-0.0037	-2.5 to 2.5	Pass
				10	3.85	-8.340	-0.0047	-2.5 to 2.5	Pass
				30	3.85	-3.462	-0.0019	-2.5 to 2.5	Pass
				40	3.85	-6.094	-0.0034	-2.5 to 2.5	Pass
				50	3.85	-4.578	-0.0026	-2.5 to 2.5	Pass

2.3 B66_5MHz

2.3.1 Test Result

Band: 66 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1712.5	25	0	20	3.27	-2.847	-0.0017	-2.5 to 2.5	Pass
					3.85	-4.964	-0.0029	-2.5 to 2.5	Pass
					4.43	0.014	0.0000	-2.5 to 2.5	Pass
				-30	3.85	-3.405	-0.0020	-2.5 to 2.5	Pass
				-20	3.85	-4.592	-0.0027	-2.5 to 2.5	Pass
				-10	3.85	-2.875	-0.0017	-2.5 to 2.5	Pass
				0	3.85	-4.778	-0.0028	-2.5 to 2.5	Pass
				10	3.85	-0.257	-0.0002	-2.5 to 2.5	Pass
				30	3.85	1.616	0.0009	-2.5 to 2.5	Pass
				40	3.85	-1.287	-0.0008	-2.5 to 2.5	Pass
				50	3.85	3.219	0.0019	-2.5 to 2.5	Pass
				1745	25	0	20	3.27	-4.377
	3.85	-2.618	-0.0015					-2.5 to 2.5	Pass
	4.43	-0.014	0.0000					-2.5 to 2.5	Pass
	-30	3.85	-4.749				-0.0027	-2.5 to 2.5	Pass
	-20	3.85	1.845				0.0011	-2.5 to 2.5	Pass
	-10	3.85	-8.240				-0.0047	-2.5 to 2.5	Pass
	0	3.85	-8.812				-0.0050	-2.5 to 2.5	Pass
	10	3.85	-2.289				-0.0013	-2.5 to 2.5	Pass
	30	3.85	-3.648				-0.0021	-2.5 to 2.5	Pass
	40	3.85	-3.204				-0.0018	-2.5 to 2.5	Pass
	50	3.85	-1.988				-0.0011	-2.5 to 2.5	Pass
	1777.5	25	0				20	3.27	-10.943
				3.85	-3.347	-0.0019		-2.5 to 2.5	Pass
				4.43	-9.413	-0.0053		-2.5 to 2.5	Pass
				-30	3.85	-6.723	-0.0038	-2.5 to 2.5	Pass
				-20	3.85	-1.059	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-2.546	-0.0014	-2.5 to 2.5	Pass
				0	3.85	-7.052	-0.0040	-2.5 to 2.5	Pass
				10	3.85	-2.575	-0.0014	-2.5 to 2.5	Pass

				30	3.85	-0.186	-0.0001	-2.5 to 2.5	Pass
				40	3.85	-4.063	-0.0023	-2.5 to 2.5	Pass
				50	3.85	-2.174	-0.0012	-2.5 to 2.5	Pass
16QAM	1712.5	25	0	20	3.27	-0.744	-0.0004	-2.5 to 2.5	Pass
					3.85	-0.343	-0.0002	-2.5 to 2.5	Pass
					4.43	4.563	0.0027	-2.5 to 2.5	Pass
				-30	3.85	-0.558	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-2.131	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	-0.973	-0.0006	-2.5 to 2.5	Pass
				0	3.85	-3.977	-0.0023	-2.5 to 2.5	Pass
				10	3.85	-0.687	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-5.751	-0.0034	-2.5 to 2.5	Pass
	40	3.85	-6.495	-0.0038	-2.5 to 2.5	Pass			
	50	3.85	-3.333	-0.0019	-2.5 to 2.5	Pass			
	1745	25	0	20	3.27	2.217	0.0013	-2.5 to 2.5	Pass
					3.85	3.605	0.0021	-2.5 to 2.5	Pass
					4.43	-8.254	-0.0047	-2.5 to 2.5	Pass
				-30	3.85	-5.336	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	-6.723	-0.0039	-2.5 to 2.5	Pass
				-10	3.85	-2.747	-0.0016	-2.5 to 2.5	Pass
				0	3.85	-4.120	-0.0024	-2.5 to 2.5	Pass
				10	3.85	1.817	0.0010	-2.5 to 2.5	Pass
				30	3.85	-1.802	-0.0010	-2.5 to 2.5	Pass
	40	3.85	-0.386	-0.0002	-2.5 to 2.5	Pass			
	50	3.85	-0.472	-0.0003	-2.5 to 2.5	Pass			
	1777.5	25	0	20	3.27	-3.819	-0.0021	-2.5 to 2.5	Pass
					3.85	-5.336	-0.0030	-2.5 to 2.5	Pass
					4.43	-9.642	-0.0054	-2.5 to 2.5	Pass
				-30	3.85	-7.911	-0.0045	-2.5 to 2.5	Pass
				-20	3.85	-0.172	-0.0001	-2.5 to 2.5	Pass
-10				3.85	-6.251	-0.0035	-2.5 to 2.5	Pass	
0				3.85	-0.243	-0.0001	-2.5 to 2.5	Pass	
10				3.85	-3.519	-0.0020	-2.5 to 2.5	Pass	
30				3.85	3.605	0.0020	-2.5 to 2.5	Pass	
40	3.85	-5.765	-0.0032	-2.5 to 2.5	Pass				
50	3.85	-7.467	-0.0042	-2.5 to 2.5	Pass				

2.4 B66_10MHz

2.4.1 Test Result

Band: 66 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1715	50	0	20	3.27	-7.811	-0.0046	-2.5 to 2.5	Pass
					3.85	-7.768	-0.0045	-2.5 to 2.5	Pass
					4.43	-8.569	-0.0050	-2.5 to 2.5	Pass
				-30	3.85	-0.443	-0.0003	-2.5 to 2.5	Pass
				-20	3.85	-6.337	-0.0037	-2.5 to 2.5	Pass
				-10	3.85	-5.007	-0.0029	-2.5 to 2.5	Pass
				0	3.85	-3.963	-0.0023	-2.5 to 2.5	Pass
				10	3.85	-1.974	-0.0012	-2.5 to 2.5	Pass
				30	3.85	-5.779	-0.0034	-2.5 to 2.5	Pass
				40	3.85	-2.618	-0.0015	-2.5 to 2.5	Pass
				50	3.85	-9.141	-0.0053	-2.5 to 2.5	Pass

	1745	50	0	20	3.27	-6.294	-0.0036	-2.5 to 2.5	Pass
					3.85	-9.041	-0.0052	-2.5 to 2.5	Pass
					4.43	3.033	0.0017	-2.5 to 2.5	Pass
				-30	3.85	1.473	0.0008	-2.5 to 2.5	Pass
				-20	3.85	-0.987	-0.0006	-2.5 to 2.5	Pass
				-10	3.85	-2.303	-0.0013	-2.5 to 2.5	Pass
				0	3.85	-0.944	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-5.550	-0.0032	-2.5 to 2.5	Pass
				30	3.85	-3.362	-0.0019	-2.5 to 2.5	Pass
	40	3.85	0.043	0.0000	-2.5 to 2.5	Pass			
	50	3.85	-2.246	-0.0013	-2.5 to 2.5	Pass			
	1775	50	0	20	3.27	-6.166	-0.0035	-2.5 to 2.5	Pass
					3.85	5.293	0.0030	-2.5 to 2.5	Pass
					4.43	-1.674	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	1.116	0.0006	-2.5 to 2.5	Pass
				-20	3.85	-1.559	-0.0009	-2.5 to 2.5	Pass
				-10	3.85	-2.203	-0.0012	-2.5 to 2.5	Pass
				0	3.85	-1.273	-0.0007	-2.5 to 2.5	Pass
10				3.85	-1.302	-0.0007	-2.5 to 2.5	Pass	
30				3.85	3.176	0.0018	-2.5 to 2.5	Pass	
40	3.85	-6.394	-0.0036	-2.5 to 2.5	Pass				
50	3.85	-2.646	-0.0015	-2.5 to 2.5	Pass				
16QAM	1715	50	0	20	3.27	-2.375	-0.0014	-2.5 to 2.5	Pass
					3.85	-7.253	-0.0042	-2.5 to 2.5	Pass
					4.43	-10.929	-0.0064	-2.5 to 2.5	Pass
				-30	3.85	-4.921	-0.0029	-2.5 to 2.5	Pass
				-20	3.85	-8.197	-0.0048	-2.5 to 2.5	Pass
				-10	3.85	-10.457	-0.0061	-2.5 to 2.5	Pass
				0	3.85	-4.649	-0.0027	-2.5 to 2.5	Pass
				10	3.85	-4.492	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-9.956	-0.0058	-2.5 to 2.5	Pass
	40	3.85	-7.081	-0.0041	-2.5 to 2.5	Pass			
	50	3.85	-6.866	-0.0040	-2.5 to 2.5	Pass			
	1745	50	0	20	3.27	-5.350	-0.0031	-2.5 to 2.5	Pass
					3.85	0.057	0.0000	-2.5 to 2.5	Pass
					4.43	-0.758	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	-1.144	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	-6.967	-0.0040	-2.5 to 2.5	Pass
				-10	3.85	-2.246	-0.0013	-2.5 to 2.5	Pass
				0	3.85	-1.702	-0.0010	-2.5 to 2.5	Pass
10				3.85	-5.608	-0.0032	-2.5 to 2.5	Pass	
30				3.85	-0.558	-0.0003	-2.5 to 2.5	Pass	
40	3.85	1.616	0.0009	-2.5 to 2.5	Pass				
50	3.85	-3.633	-0.0021	-2.5 to 2.5	Pass				
1775	50	0	20	3.27	1.116	0.0006	-2.5 to 2.5	Pass	
				3.85	0.858	0.0005	-2.5 to 2.5	Pass	
				4.43	0.844	0.0005	-2.5 to 2.5	Pass	
			-30	3.85	-4.048	-0.0023	-2.5 to 2.5	Pass	
			-20	3.85	2.618	0.0015	-2.5 to 2.5	Pass	
			-10	3.85	1.845	0.0010	-2.5 to 2.5	Pass	
			0	3.85	-1.688	-0.0010	-2.5 to 2.5	Pass	
			10	3.85	-1.602	-0.0009	-2.5 to 2.5	Pass	
			30	3.85	0.916	0.0005	-2.5 to 2.5	Pass	
40	3.85	-4.234	-0.0024	-2.5 to 2.5	Pass				
50	3.85	-1.359	-0.0008	-2.5 to 2.5	Pass				

2.5 B66_15MHz

2.5.1 Test Result

Band: 66 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1717.5	75	0	20	3.27	-11.215	-0.0065	-2.5 to 2.5	Pass
					3.85	-6.766	-0.0039	-2.5 to 2.5	Pass
					4.43	-6.881	-0.0040	-2.5 to 2.5	Pass
				-30	3.85	-6.995	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	-1.202	-0.0007	-2.5 to 2.5	Pass
				-10	3.85	-4.992	-0.0029	-2.5 to 2.5	Pass
				0	3.85	-4.363	-0.0025	-2.5 to 2.5	Pass
				10	3.85	-4.077	-0.0024	-2.5 to 2.5	Pass
				30	3.85	-5.507	-0.0032	-2.5 to 2.5	Pass
				40	3.85	-8.268	-0.0048	-2.5 to 2.5	Pass
	50	3.85	-1.831	-0.0011	-2.5 to 2.5	Pass			
	1745	75	0	20	3.27	-6.437	-0.0037	-2.5 to 2.5	Pass
					3.85	-6.266	-0.0036	-2.5 to 2.5	Pass
					4.43	-0.529	-0.0003	-2.5 to 2.5	Pass
				-30	3.85	-4.420	-0.0025	-2.5 to 2.5	Pass
				-20	3.85	0.157	0.0001	-2.5 to 2.5	Pass
				-10	3.85	-7.067	-0.0040	-2.5 to 2.5	Pass
				0	3.85	-7.911	-0.0045	-2.5 to 2.5	Pass
				10	3.85	-4.692	-0.0027	-2.5 to 2.5	Pass
				30	3.85	-7.882	-0.0045	-2.5 to 2.5	Pass
				40	3.85	-4.377	-0.0025	-2.5 to 2.5	Pass
	50	3.85	-7.510	-0.0043	-2.5 to 2.5	Pass			
	1772.5	75	0	20	3.27	-3.133	-0.0018	-2.5 to 2.5	Pass
					3.85	-5.121	-0.0029	-2.5 to 2.5	Pass
					4.43	-7.510	-0.0042	-2.5 to 2.5	Pass
				-30	3.85	-2.604	-0.0015	-2.5 to 2.5	Pass
				-20	3.85	-1.931	-0.0011	-2.5 to 2.5	Pass
				-10	3.85	-2.360	-0.0013	-2.5 to 2.5	Pass
				0	3.85	0.787	0.0004	-2.5 to 2.5	Pass
				10	3.85	-1.917	-0.0011	-2.5 to 2.5	Pass
30				3.85	-3.204	-0.0018	-2.5 to 2.5	Pass	
40				3.85	-0.958	-0.0005	-2.5 to 2.5	Pass	
50	3.85	-2.947	-0.0017	-2.5 to 2.5	Pass				
16QAM	1717.5	75	0	20	3.27	-4.234	-0.0025	-2.5 to 2.5	Pass
					3.85	-6.409	-0.0037	-2.5 to 2.5	Pass
					4.43	-2.661	-0.0015	-2.5 to 2.5	Pass
				-30	3.85	-5.350	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	-6.723	-0.0039	-2.5 to 2.5	Pass
				-10	3.85	-0.701	-0.0004	-2.5 to 2.5	Pass
				0	3.85	-5.751	-0.0033	-2.5 to 2.5	Pass
				10	3.85	-4.549	-0.0026	-2.5 to 2.5	Pass
				30	3.85	-8.068	-0.0047	-2.5 to 2.5	Pass
				40	3.85	-8.426	-0.0049	-2.5 to 2.5	Pass
	50	3.85	-5.307	-0.0031	-2.5 to 2.5	Pass			
	1745	75	0	20	3.27	-2.561	-0.0015	-2.5 to 2.5	Pass
					3.85	-7.010	-0.0040	-2.5 to 2.5	Pass
					4.43	-0.100	-0.0001	-2.5 to 2.5	Pass
-30				3.85	-8.798	-0.0050	-2.5 to 2.5	Pass	
-20	3.85	-6.237	-0.0036	-2.5 to 2.5	Pass				

				-10	3.85	-7.324	-0.0042	-2.5 to 2.5	Pass
				0	3.85	-5.865	-0.0034	-2.5 to 2.5	Pass
				10	3.85	-3.705	-0.0021	-2.5 to 2.5	Pass
				30	3.85	-4.306	-0.0025	-2.5 to 2.5	Pass
				40	3.85	-2.031	-0.0012	-2.5 to 2.5	Pass
				50	3.85	-3.977	-0.0023	-2.5 to 2.5	Pass
	1772.5	75	0	20	3.27	-7.396	-0.0042	-2.5 to 2.5	Pass
					3.85	-4.778	-0.0027	-2.5 to 2.5	Pass
					4.43	-7.410	-0.0042	-2.5 to 2.5	Pass
				-30	3.85	-7.210	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	-2.875	-0.0016	-2.5 to 2.5	Pass
				-10	3.85	-6.537	-0.0037	-2.5 to 2.5	Pass
				0	3.85	-0.472	-0.0003	-2.5 to 2.5	Pass
				10	3.85	0.944	0.0005	-2.5 to 2.5	Pass
				30	3.85	1.030	0.0006	-2.5 to 2.5	Pass
				40	3.85	-6.194	-0.0035	-2.5 to 2.5	Pass
				50	3.85	-6.409	-0.0036	-2.5 to 2.5	Pass

2.6 B66_20MHz

2.6.1 Test Result

Band: 66 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1720	100	0	20	3.27	-12.274	-0.0071	-2.5 to 2.5	Pass
					3.85	-6.924	-0.0040	-2.5 to 2.5	Pass
					4.43	-7.081	-0.0041	-2.5 to 2.5	Pass
				-30	3.85	-6.695	-0.0039	-2.5 to 2.5	Pass
				-20	3.85	-10.829	-0.0063	-2.5 to 2.5	Pass
				-10	3.85	-4.878	-0.0028	-2.5 to 2.5	Pass
				0	3.85	-6.595	-0.0038	-2.5 to 2.5	Pass
				10	3.85	-3.462	-0.0020	-2.5 to 2.5	Pass
				30	3.85	-6.852	-0.0040	-2.5 to 2.5	Pass
				40	3.85	-7.281	-0.0042	-2.5 to 2.5	Pass
				50	3.85	-6.480	-0.0038	-2.5 to 2.5	Pass
				1745	100	0	20	3.27	-4.935
	3.85	-5.465	-0.0031					-2.5 to 2.5	Pass
	4.43	0.401	0.0002					-2.5 to 2.5	Pass
	-30	3.85	-9.685				-0.0056	-2.5 to 2.5	Pass
	-20	3.85	-3.819				-0.0022	-2.5 to 2.5	Pass
	-10	3.85	-2.918				-0.0017	-2.5 to 2.5	Pass
	0	3.85	-4.420				-0.0025	-2.5 to 2.5	Pass
	10	3.85	-8.354				-0.0048	-2.5 to 2.5	Pass
	30	3.85	-7.868				-0.0045	-2.5 to 2.5	Pass
	40	3.85	-5.779				-0.0033	-2.5 to 2.5	Pass
	50	3.85	-9.327				-0.0053	-2.5 to 2.5	Pass
	1770	100	0				20	3.27	-5.679
				3.85	-6.123	-0.0035		-2.5 to 2.5	Pass
				4.43	-12.403	-0.0070		-2.5 to 2.5	Pass
				-30	3.85	-4.020	-0.0023	-2.5 to 2.5	Pass
				-20	3.85	-5.178	-0.0029	-2.5 to 2.5	Pass
				-10	3.85	-8.368	-0.0047	-2.5 to 2.5	Pass
				0	3.85	-7.381	-0.0042	-2.5 to 2.5	Pass
				10	3.85	-5.107	-0.0029	-2.5 to 2.5	Pass

				30	3.85	-6.852	-0.0039	-2.5 to 2.5	Pass
				40	3.85	-4.263	-0.0024	-2.5 to 2.5	Pass
				50	3.85	-7.725	-0.0044	-2.5 to 2.5	Pass
16QAM	1720	100	0	20	3.27	-5.522	-0.0032	-2.5 to 2.5	Pass
					3.85	-10.171	-0.0059	-2.5 to 2.5	Pass
					4.43	-7.067	-0.0041	-2.5 to 2.5	Pass
				-30	3.85	-7.596	-0.0044	-2.5 to 2.5	Pass
				-20	3.85	-6.309	-0.0037	-2.5 to 2.5	Pass
				-10	3.85	-0.472	-0.0003	-2.5 to 2.5	Pass
				0	3.85	-3.276	-0.0019	-2.5 to 2.5	Pass
				10	3.85	-6.580	-0.0038	-2.5 to 2.5	Pass
				30	3.85	-6.008	-0.0035	-2.5 to 2.5	Pass
				40	3.85	-7.710	-0.0045	-2.5 to 2.5	Pass
	50	3.85	-9.513	-0.0055	-2.5 to 2.5	Pass			
	1745	100	0	20	3.27	-5.965	-0.0034	-2.5 to 2.5	Pass
					3.85	-2.818	-0.0016	-2.5 to 2.5	Pass
					4.43	-7.911	-0.0045	-2.5 to 2.5	Pass
				-30	3.85	-6.351	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	-5.064	-0.0029	-2.5 to 2.5	Pass
				-10	3.85	-6.051	-0.0035	-2.5 to 2.5	Pass
				0	3.85	-8.426	-0.0048	-2.5 to 2.5	Pass
				10	3.85	-6.351	-0.0036	-2.5 to 2.5	Pass
				30	3.85	-4.263	-0.0024	-2.5 to 2.5	Pass
				40	3.85	-8.869	-0.0051	-2.5 to 2.5	Pass
	50	3.85	-9.642	-0.0055	-2.5 to 2.5	Pass			
	1770	100	0	20	3.27	-8.025	-0.0045	-2.5 to 2.5	Pass
					3.85	-8.583	-0.0048	-2.5 to 2.5	Pass
					4.43	-6.423	-0.0036	-2.5 to 2.5	Pass
				-30	3.85	-5.794	-0.0033	-2.5 to 2.5	Pass
				-20	3.85	-8.311	-0.0047	-2.5 to 2.5	Pass
				-10	3.85	-2.775	-0.0016	-2.5 to 2.5	Pass
				0	3.85	-9.327	-0.0053	-2.5 to 2.5	Pass
				10	3.85	-7.310	-0.0041	-2.5 to 2.5	Pass
30				3.85	-7.625	-0.0043	-2.5 to 2.5	Pass	
40				3.85	-9.928	-0.0056	-2.5 to 2.5	Pass	
50	3.85	-5.050	-0.0029	-2.5 to 2.5	Pass				


3. Modulation Characteristics

3.1 B66_1.4MHz

3.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	6	0	Refer To Test Graph		Pass
16QAM	1745	6	0	Refer To Test Graph		Pass

3.1.2 Test Graph




3.2 B66_3MHz

3.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	15	0	Refer To Test Graph		Pass
16QAM	1745	15	0	Refer To Test Graph		Pass

3.2.2 Test Graph




3.3 B66_5MHz

3.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	25	0	Refer To Test Graph		Pass
16QAM	1745	25	0	Refer To Test Graph		Pass

3.3.2 Test Graph



3.4 B66_10MHz

3.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	50	0	Refer To Test Graph		Pass
16QAM	1745	50	0	Refer To Test Graph		Pass

3.4.2 Test Graph


Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV

CMW 500 V 3.7.160 - LTE Measurement - V3.7.70 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 41.00 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 0 / All

IQ Constellation



Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: QPSK
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation
RDY

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling
Run


Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV

CMW 500 V 3.7.160 - LTE Measurement - V3.7.70 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1745.0 MHz Ref. Level: 41.00 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 0 / All

IQ Constellation



Statistic Count: 20 / 20
 Out of Tolerance: 0.00 %
 Detected Modulation: 16-QAM
 Detected Channel Type: PUSCH
 View Filter Throughput: 100.0 %

PS: Connection Established
 RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation
RDY

RF Settings

Trigger

Display

Signaling Parameter


LTE Signaling
Run

3.5 B66_15MHz

3.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	75	0	Refer To Test Graph		Pass
16QAM	1745	75	0	Refer To Test Graph		Pass

3.5.2 Test Graph




3.6 B66_20MHz

3.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1745	100	0	Refer To Test Graph		Pass
16QAM	1745	100	0	Refer To Test Graph		Pass

3.6.2 Test Graph





4. 99% & 26dB Bandwidth

4.1 Band66_OBW


4.1.1 Test Result

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.115	/	Pass
		1745	6	0	1.099	/	Pass
		1779.3	6	0	1.115	/	Pass
	16QAM	1710.7	6	0	1.098	/	Pass
		1745	6	0	1.111	/	Pass
		1779.3	6	0	1.108	/	Pass
3	QPSK	1711.5	15	0	2.722	/	Pass
		1745	15	0	2.734	/	Pass
		1778.5	15	0	2.719	/	Pass
	16QAM	1711.5	15	0	2.713	/	Pass
		1745	15	0	2.721	/	Pass
		1778.5	15	0	2.719	/	Pass
5	QPSK	1712.5	25	0	4.564	/	Pass
		1745	25	0	4.568	/	Pass
		1777.5	25	0	4.574	/	Pass
	16QAM	1712.5	25	0	4.581	/	Pass
		1745	25	0	4.593	/	Pass
		1777.5	25	0	4.571	/	Pass
10	QPSK	1715	50	0	9.080	/	Pass
		1745	50	0	9.081	/	Pass
		1775	50	0	9.095	/	Pass
	16QAM	1715	50	0	9.091	/	Pass
		1745	50	0	9.081	/	Pass
		1775	50	0	9.081	/	Pass
15	QPSK	1717.5	75	0	13.627	/	Pass
		1745	75	0	13.604	/	Pass
		1772.5	75	0	13.665	/	Pass
	16QAM	1717.5	75	0	13.629	/	Pass
		1745	75	0	13.621	/	Pass
		1772.5	75	0	13.630	/	Pass
20	QPSK	1720	100	0	18.165	/	Pass
		1745	100	0	18.167	/	Pass
		1770	100	0	18.141	/	Pass
	16QAM	1720	100	0	18.137	/	Pass
		1745	100	0	18.159	/	Pass
		1770	100	0	18.206	/	Pass


4.1.2 Test Graph




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




4.2 Band66_XDB


4.2.1 Test Result

Band: 66 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1710.7	6	0	1.333	/	Pass
		1745	6	0	1.320	/	Pass
		1779.3	6	0	1.310	/	Pass
	16QAM	1710.7	6	0	1.293	/	Pass
		1745	6	0	1.321	/	Pass
		1779.3	6	0	1.322	/	Pass
3	QPSK	1711.5	15	0	2.992	/	Pass
		1745	15	0	2.992	/	Pass
		1778.5	15	0	3.001	/	Pass
	16QAM	1711.5	15	0	3.012	/	Pass
		1745	15	0	2.988	/	Pass
		1778.5	15	0	3.022	/	Pass
5	QPSK	1712.5	25	0	5.243	/	Pass
		1745	25	0	5.215	/	Pass
		1777.5	25	0	5.222	/	Pass
	16QAM	1712.5	25	0	5.251	/	Pass
		1745	25	0	5.349	/	Pass
		1777.5	25	0	5.243	/	Pass
10	QPSK	1715	50	0	10.321	/	Pass
		1745	50	0	10.209	/	Pass
		1775	50	0	10.492	/	Pass
	16QAM	1715	50	0	10.184	/	Pass
		1745	50	0	10.232	/	Pass
		1775	50	0	10.141	/	Pass
15	QPSK	1717.5	75	0	15.272	/	Pass
		1745	75	0	15.300	/	Pass
		1772.5	75	0	15.271	/	Pass
	16QAM	1717.5	75	0	15.398	/	Pass
		1745	75	0	15.342	/	Pass
		1772.5	75	0	15.264	/	Pass
20	QPSK	1720	100	0	20.336	/	Pass
		1745	100	0	20.210	/	Pass
		1770	100	0	20.005	/	Pass
	16QAM	1720	100	0	20.147	/	Pass
		1745	100	0	20.165	/	Pass
		1770	100	0	20.047	/	Pass


4.2.2 Test Graph




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_100_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




5. Peak-Average Ratio

5.1 B66_1.4MHz


5.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1710.7	6	0	5.37	<=13	Pass
	1745	6	0	5.33	<=13	Pass
	1779.3	6	0	5.12	<=13	Pass
16QAM	1710.7	6	0	6.19	<=13	Pass
	1745	6	0	6.20	<=13	Pass
	1779.3	6	0	5.92	<=13	Pass


5.1.2 Test Graph




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV



Band66_1.4MHz_16QAM_MCH_1745MHz_RB_6_0_NTNV



Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV




5.2 B66_3MHz


5.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	15	0	5.48	<=13	Pass
	1745	15	0	5.41	<=13	Pass
	1778.5	15	0	5.26	<=13	Pass
16QAM	1711.5	15	0	6.28	<=13	Pass
	1745	15	0	6.26	<=13	Pass
	1778.5	15	0	6.07	<=13	Pass


5.2.2 Test Graph




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV



Band66_3MHz_16QAM_MCH_1745MHz_RB_15_0_NTNV



Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV




5.3 B66_5MHz


5.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	25	0	5.64	<=13	Pass
	1745	25	0	5.63	<=13	Pass
	1777.5	25	0	5.51	<=13	Pass
16QAM	1712.5	25	0	6.37	<=13	Pass
	1745	25	0	6.32	<=13	Pass
	1777.5	25	0	6.19	<=13	Pass


5.3.2 Test Graph




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV



Band66_5MHz_16QAM_MCH_1745MHz_RB_25_0_NTNV



Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV




5.4 B66_10MHz


5.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	50	0	5.61	<=13	Pass
	1745	50	0	5.60	<=13	Pass
	1775	50	0	5.50	<=13	Pass
16QAM	1715	50	0	6.39	<=13	Pass
	1745	50	0	6.36	<=13	Pass
	1775	50	0	6.22	<=13	Pass


5.4.2 Test Graph




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV



Band66_10MHz_16QAM_MCH_1745MHz_RB_50_0_NTNV



Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV




5.5 B66_15MHz


5.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	75	0	4.90	<=13	Pass
	1745	75	0	4.89	<=13	Pass
	1772.5	75	0	4.95	<=13	Pass
16QAM	1717.5	75	0	6.32	<=13	Pass
	1745	75	0	6.20	<=13	Pass
	1772.5	75	0	6.25	<=13	Pass


5.5.2 Test Graph




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV



Band66_15MHz_16QAM_MCH_1745MHz_RB_75_0_NTNV



Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV




5.6 B66_20MHz


5.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	100	0	5.76	<=13	Pass
	1745	100	0	5.74	<=13	Pass
	1770	100	0	5.71	<=13	Pass
16QAM	1720	100	0	6.76	<=13	Pass
	1745	100	0	6.78	<=13	Pass
	1770	100	0	6.77	<=13	Pass


5.6.2 Test Graph




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_MCH_1745MHz_RB_100_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV




6. Spurious Emission

6.1 B66_1.4MHz


6.1.1 Test Result

Band: 66 / Bandwidth: 1.4MHz / NTN							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	1710.7	1	0	Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass	
	1779.3	1745	1	0	Refer To Test Graph		Pass
			1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass	
			0	Refer To Test Graph		Pass	
16QAM	1710.7	1	0	Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass	
	1779.3	1745	1	0	Refer To Test Graph		Pass
			1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass	
			0	Refer To Test Graph		Pass	


6.1.2 Test Graph




Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_LCH_1710.7MHz_RB_6_0_NTNV




Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV




Band66_1.4MHz_QPSK_HCH_1779.3MHz_RB_1_0_NTNV




Band66 1.4MHz QPSK_HCH_1779.3MHz_RB_1_5_NTNV




Band66 1.4MHz QPSK_HCH_1779.3MHz_RB_6_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV



Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_LCH_1710.7MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1708.5	1709	1	/	1	1708.998	-44.51	-13	Pass
1709	1710	0.013	/	2	1709.757	-26.80	-13	Pass
1710	1711.5	0.013	/	/	/	/	/	/


Band66_1.4MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_0_NTNV




Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_0_NTNV



Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_1_5_NTNV



Band66_1.4MHz_16QAM_HCH_1779.3MHz_RB_6_0_NTNV





6.2 B66_3MHz


6.2.1 Test Result

Band: 66 / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1711.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1778.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass


6.2.2 Test Graph




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_LCH_1711.5MHz_RB_15_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV



Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_QPSK_HCH_1778.5MHz_RB_1_14_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1777	1780	0.003	/	1	1780.000	-32.39	-13	Pass
1781	1783	1	CHP	2	1781.001	-35.33	-13	Pass


Band66_3MHz_QPSK_HCH_1778.5MHz_RB_15_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV



Band66_3MHz_16QAM_LCH_1711.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_LCH_1711.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1707	1709	1	CHP	1	1708.494	-23.51	-13	Pass
1709	1710	0.03	/	2	1709.988	-31.58	-13	Pass
1710	1713	0.03	/	/	/	/	/	/


Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV




Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_0_NTNV



Band66_3MHz_16QAM_HCH_1778.5MHz_RB_1_14_NTNV



Band66_3MHz_16QAM_HCH_1778.5MHz_RB_15_0_NTNV





6.3 B66_5MHz


6.3.1 Test Result

Band: 66 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	1712.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1777.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass


6.3.2 Test Graph



Band66_5MHz_QPSK_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_LCH_1712.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1705	1709	1	CHP	1	1708.490	-27.04	-13	Pass
1709	1710	0.056	/	2	1710.000	-25.42	-13	Pass
1710	1715	0.056	/	/	/	/	/	/


Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_1_24_NTNV




Band66_5MHz_QPSK_HCH_1777.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_LCH_1712.5MHz_RB_25_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_0_NTNV




Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_0_NTNV



Band66_5MHz_16QAM_HCH_1777.5MHz_RB_1_24_NTNV



Band66_5MHz_16QAM_HCH_1777.5MHz_RB_25_0_NTNV





6.4 B66_10MHz


6.4.1 Test Result

Band: 66 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1715	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	1775	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass


6.4.2 Test Graph




Band66_10MHz_QPSK_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_LCH_1715MHz_RB_50_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_1_49_NTNV




Band66_10MHz_QPSK_HCH_1775MHz_RB_50_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV



Band66_10MHz_16QAM_LCH_1715MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_LCH_1715MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1700	1709	1	CHP	1	1708.480	-18.83	-13	Pass
1709	1710	0.11	/	2	1709.200	-22.72	-13	Pass
1710	1720	0.11	/	/	/	/	/	/


Band66_10MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_1_0_NTNV




Band66_10MHz_16QAM_HCH_1775MHz_RB_1_0_NTNV



Band66_10MHz_16QAM_HCH_1775MHz_RB_1_49_NTNV



Band66_10MHz_16QAM_HCH_1775MHz_RB_50_0_NTNV





6.5 B66_15MHz


6.5.1 Test Result

Band: 66 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1772.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	1717.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	1745	1	0	Refer To Test Graph		Pass
	1772.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


6.5.2 Test Graph



Band66_15MHz_QPSK_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.470	-20.14	-13	Pass
1709	1710	0.16	/	2	1709.490	-23.95	-13	Pass
1710	1725	0.16	/	/	/	/	/	/


Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_1_74_NTNV




Band66_15MHz_QPSK_HCH_1772.5MHz_RB_75_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV



Band66_15MHz_16QAM_LCH_1717.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_LCH_1717.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1695	1709	1	CHP	1	1708.470	-23.45	-13	Pass
1709	1710	0.16	/	2	1709.850	-27.40	-13	Pass
1710	1725	0.16	/	/	/	/	/	/


Band66_15MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_0_NTNV




Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_0_NTNV



Band66_15MHz_16QAM_HCH_1772.5MHz_RB_1_74_NTNV



Band66_15MHz_16QAM_HCH_1772.5MHz_RB_75_0_NTNV





6.6 B66_20MHz


6.6.1 Test Result

Band: 66 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	1720	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	1770	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass


6.6.2 Test Graph



Band66_20MHz_QPSK_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1708.400	-25.69	-13	Pass
1709	1710	0.22	/	2	1710.000	-31.04	-13	Pass
1710	1730	0.22	/	/	/	/	/	/


Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_1_99_NTNV




Band66_20MHz_QPSK_HCH_1770MHz_RB_100_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV



Band66_20MHz_16QAM_LCH_1720MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_LCH_1720MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1690	1709	1	CHP	1	1707.800	-27.51	-13	Pass
1709	1710	0.22	/	2	1709.720	-31.14	-13	Pass
1710	1730	0.22	/	/	/	/	/	/


Band66_20MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_MCH_1745MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_1_0_NTNV




Band66_20MHz_16QAM_HCH_1770MHz_RB_1_0_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_1_99_NTNV



Band66_20MHz_16QAM_HCH_1770MHz_RB_100_0_NTNV



7. Form731

7.1 Form731_Power

7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.1288	0.0077	ppm	1M11G7D	27L	21.10
66	1.4	1710.7	1779.3	0.1030	0.0090	ppm	1M11W7D	27L	20.13
66	3	1711.5	1778.5	0.1213	0.0088	ppm	2M73G7D	27L	20.84
66	3	1711.5	1778.5	0.1016	0.0124	ppm	2M72W7D	27L	20.07
66	5	1712.5	1777.5	0.1197	0.0062	ppm	4M57G7D	27L	20.78
66	5	1712.5	1777.5	0.1009	0.0054	ppm	4M59W7D	27L	20.04
66	10	1715	1775	0.1250	0.0053	ppm	9M10G7D	27L	20.97
66	10	1715	1775	0.1047	0.0064	ppm	9M09W7D	27L	20.20
66	15	1717.5	1772.5	0.1208	0.0065	ppm	13M7G7D	27L	20.82
66	15	1717.5	1772.5	0.1016	0.0050	ppm	13M6W7D	27L	20.07
66	20	1720	1770	0.1247	0.0071	ppm	18M2G7D	27L	20.96
66	20	1720	1770	0.1045	0.0059	ppm	18M2W7D	27L	20.19

7.2 Form731_EIRP

7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
66	1.4	1710.7	1779.3	0.1169	0.0077	ppm	1M11G7D	27L	20.68
66	1.4	1710.7	1779.3	0.0935	0.0090	ppm	1M11W7D	27L	19.71
66	3	1711.5	1778.5	0.1102	0.0088	ppm	2M73G7D	27L	20.42
66	3	1711.5	1778.5	0.0923	0.0124	ppm	2M72W7D	27L	19.65
66	5	1712.5	1777.5	0.1086	0.0062	ppm	4M57G7D	27L	20.36
66	5	1712.5	1777.5	0.0916	0.0054	ppm	4M59W7D	27L	19.62
66	10	1715	1775	0.1135	0.0053	ppm	9M10G7D	27L	20.55
66	10	1715	1775	0.0951	0.0064	ppm	9M09W7D	27L	19.78
66	15	1717.5	1772.5	0.1096	0.0065	ppm	13M7G7D	27L	20.40
66	15	1717.5	1772.5	0.0923	0.0050	ppm	13M6W7D	27L	19.65
66	20	1720	1770	0.1132	0.0071	ppm	18M2G7D	27L	20.54
66	20	1720	1770	0.0948	0.0059	ppm	18M2W7D	27L	19.77