

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 B71\_5MHz\_ERP

### 1.1.1 Test Result

Band: 71 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	665.5	1	0	22.19	-2.08	17.96	<=34.77	Pass		
			13	22.32	-2.08	18.09	<=34.77	Pass		
			24	22.20	-2.08	17.97	<=34.77	Pass		
		12	0	20.80	-2.08	16.57	<=34.77	Pass		
			6	20.74	-2.08	16.51	<=34.77	Pass		
			13	20.73	-2.08	16.50	<=34.77	Pass		
		25	0	20.72	-2.08	16.49	<=34.77	Pass		
		680.5	1	0	21.58	-2.08	17.35	<=34.77	Pass	
				13	21.75	-2.08	17.52	<=34.77	Pass	
	24			21.69	-2.08	17.46	<=34.77	Pass		
	12		0	20.62	-2.08	16.39	<=34.77	Pass		
			6	20.67	-2.08	16.44	<=34.77	Pass		
			13	20.60	-2.08	16.37	<=34.77	Pass		
	25		0	20.66	-2.08	16.43	<=34.77	Pass		
	695.5		1	0	21.58	-2.08	17.35	<=34.77	Pass	
				13	21.74	-2.08	17.51	<=34.77	Pass	
		24		21.72	-2.08	17.49	<=34.77	Pass		
		12	0	20.56	-2.08	16.33	<=34.77	Pass		
			6	20.67	-2.08	16.44	<=34.77	Pass		
			13	20.64	-2.08	16.41	<=34.77	Pass		
		25	0	20.64	-2.08	16.41	<=34.77	Pass		
		16QAM	665.5	1	0	20.82	-2.08	16.59	<=34.77	Pass
					13	20.97	-2.08	16.74	<=34.77	Pass
	24				20.91	-2.08	16.68	<=34.77	Pass	
12	0			19.71	-2.08	15.48	<=34.77	Pass		
	6			19.86	-2.08	15.63	<=34.77	Pass		
	13			19.85	-2.08	15.62	<=34.77	Pass		
25	0			19.76	-2.08	15.53	<=34.77	Pass		
680.5	1			0	20.78	-2.08	16.55	<=34.77	Pass	
				13	20.97	-2.08	16.74	<=34.77	Pass	
			24	20.89	-2.08	16.66	<=34.77	Pass		
	12		0	19.58	-2.08	15.35	<=34.77	Pass		
			6	19.64	-2.08	15.41	<=34.77	Pass		
			13	19.54	-2.08	15.31	<=34.77	Pass		
	25		0	19.64	-2.08	15.41	<=34.77	Pass		
	695.5		1	0	20.74	-2.08	16.51	<=34.77	Pass	
				13	20.90	-2.08	16.67	<=34.77	Pass	
24				20.85	-2.08	16.62	<=34.77	Pass		
12			0	19.52	-2.08	15.29	<=34.77	Pass		
			6	19.65	-2.08	15.42	<=34.77	Pass		
			13	19.61	-2.08	15.38	<=34.77	Pass		
25			0	19.59	-2.08	15.36	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 1.2 B71\_10MHz\_ERP

### 1.2.1 Test Result

Band: 71 / Bandwidth: 10MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	668	1	0	22.23	-2.08	18.00	<=34.77	Pass		
			25	22.43	-2.08	18.20	<=34.77	Pass		
			49	21.98	-2.08	17.75	<=34.77	Pass		
		25	0	20.77	-2.08	16.54	<=34.77	Pass		
			13	20.88	-2.08	16.65	<=34.77	Pass		
			25	20.88	-2.08	16.65	<=34.77	Pass		
		50	0	20.79	-2.08	16.56	<=34.77	Pass		
		680.5	1	0	21.66	-2.08	17.43	<=34.77	Pass	
				25	21.96	-2.08	17.73	<=34.77	Pass	
	49			21.72	-2.08	17.49	<=34.77	Pass		
	25		0	20.73	-2.08	16.50	<=34.77	Pass		
			13	20.74	-2.08	16.51	<=34.77	Pass		
			25	20.67	-2.08	16.44	<=34.77	Pass		
	50		0	20.68	-2.08	16.45	<=34.77	Pass		
	693		1	0	21.58	-2.08	17.35	<=34.77	Pass	
				25	21.80	-2.08	17.57	<=34.77	Pass	
		49		21.73	-2.08	17.50	<=34.77	Pass		
		25	0	20.66	-2.08	16.43	<=34.77	Pass		
			13	20.74	-2.08	16.51	<=34.77	Pass		
			25	20.69	-2.08	16.46	<=34.77	Pass		
		50	0	20.66	-2.08	16.43	<=34.77	Pass		
		16QAM	668	1	0	20.87	-2.08	16.64	<=34.77	Pass
					25	21.16	-2.08	16.93	<=34.77	Pass
	49				20.93	-2.08	16.70	<=34.77	Pass	
25	0			19.81	-2.08	15.58	<=34.77	Pass		
	13			19.87	-2.08	15.64	<=34.77	Pass		
	25			19.84	-2.08	15.61	<=34.77	Pass		
50	0			19.80	-2.08	15.57	<=34.77	Pass		
680.5	1			0	20.68	-2.08	16.45	<=34.77	Pass	
				25	20.92	-2.08	16.69	<=34.77	Pass	
			49	20.71	-2.08	16.48	<=34.77	Pass		
	25		0	19.74	-2.08	15.51	<=34.77	Pass		
			13	19.75	-2.08	15.52	<=34.77	Pass		
			25	19.68	-2.08	15.45	<=34.77	Pass		
	50		0	19.66	-2.08	15.43	<=34.77	Pass		
	693		1	0	20.75	-2.08	16.52	<=34.77	Pass	
				25	20.96	-2.08	16.73	<=34.77	Pass	
49				20.90	-2.08	16.67	<=34.77	Pass		
25			0	19.68	-2.08	15.45	<=34.77	Pass		
			13	19.74	-2.08	15.51	<=34.77	Pass		
			25	19.73	-2.08	15.50	<=34.77	Pass		
50			0	19.66	-2.08	15.43	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

### 1.3 B71\_15MHz\_ERP

#### 1.3.1 Test Result

Band: 71 / Bandwidth: 15MHz / NTNV
------------------------------------

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	670.5	1	0	22.05	-2.08	17.82	<=34.77	Pass		
			38	22.24	-2.08	18.01	<=34.77	Pass		
			74	21.62	-2.08	17.39	<=34.77	Pass		
		36	0	20.75	-2.08	16.52	<=34.77	Pass		
			18	20.81	-2.08	16.58	<=34.77	Pass		
			39	20.86	-2.08	16.63	<=34.77	Pass		
		75	0	20.81	-2.08	16.58	<=34.77	Pass		
		680.5	1	0	21.63	-2.08	17.40	<=34.77	Pass	
				38	21.75	-2.08	17.52	<=34.77	Pass	
	74			21.55	-2.08	17.32	<=34.77	Pass		
	36		0	20.65	-2.08	16.42	<=34.77	Pass		
			18	20.71	-2.08	16.48	<=34.77	Pass		
			39	20.61	-2.08	16.38	<=34.77	Pass		
	75		0	20.60	-2.08	16.37	<=34.77	Pass		
	690.5		1	0	21.47	-2.08	17.24	<=34.77	Pass	
				38	21.64	-2.08	17.41	<=34.77	Pass	
		74		21.59	-2.08	17.36	<=34.77	Pass		
		36	0	20.63	-2.08	16.40	<=34.77	Pass		
			18	20.67	-2.08	16.44	<=34.77	Pass		
			39	20.70	-2.08	16.47	<=34.77	Pass		
		75	0	20.73	-2.08	16.50	<=34.77	Pass		
		16QAM	670.5	1	0	21.00	-2.08	16.77	<=34.77	Pass
					38	21.25	-2.08	17.02	<=34.77	Pass
	74				20.99	-2.08	16.76	<=34.77	Pass	
36	0			19.75	-2.08	15.52	<=34.77	Pass		
	18			19.76	-2.08	15.53	<=34.77	Pass		
	39			19.81	-2.08	15.58	<=34.77	Pass		
75	0			19.75	-2.08	15.52	<=34.77	Pass		
680.5	1			0	20.61	-2.08	16.38	<=34.77	Pass	
				38	20.76	-2.08	16.53	<=34.77	Pass	
			74	20.60	-2.08	16.37	<=34.77	Pass		
	36		0	19.62	-2.08	15.39	<=34.77	Pass		
			18	19.70	-2.08	15.47	<=34.77	Pass		
			39	19.59	-2.08	15.36	<=34.77	Pass		
	75		0	19.63	-2.08	15.40	<=34.77	Pass		
	690.5		1	0	20.64	-2.08	16.41	<=34.77	Pass	
				38	20.77	-2.08	16.54	<=34.77	Pass	
74				20.74	-2.08	16.51	<=34.77	Pass		
36			0	19.68	-2.08	15.45	<=34.77	Pass		
			18	19.66	-2.08	15.43	<=34.77	Pass		
			39	19.68	-2.08	15.45	<=34.77	Pass		
75			0	19.68	-2.08	15.45	<=34.77	Pass		

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 1.4 B71\_20MHz\_ERP

### 1.4.1 Test Result

Band: 71 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	673	1	0	21.93	-2.08	17.70	<=34.77	Pass
			50	22.44	-2.08	18.21	<=34.77	Pass

		50	99	21.88	-2.08	17.65	<=34.77	Pass		
			0	20.85	-2.08	16.62	<=34.77	Pass		
			25	20.76	-2.08	16.53	<=34.77	Pass		
			50	20.75	-2.08	16.52	<=34.77	Pass		
		100	0	20.73	-2.08	16.50	<=34.77	Pass		
		683	1	0	21.40	-2.08	17.17	<=34.77	Pass	
				50	21.88	-2.08	17.65	<=34.77	Pass	
				99	21.41	-2.08	17.18	<=34.77	Pass	
			50	0	20.69	-2.08	16.46	<=34.77	Pass	
	25			20.69	-2.08	16.46	<=34.77	Pass		
	50			20.69	-2.08	16.46	<=34.77	Pass		
	100		0	20.65	-2.08	16.42	<=34.77	Pass		
	688		1	0	21.81	-2.08	17.58	<=34.77	Pass	
				50	22.32	-2.08	18.09	<=34.77	Pass	
		99		21.92	-2.08	17.69	<=34.77	Pass		
		50	0	21.07	-2.08	16.84	<=34.77	Pass		
			25	20.65	-2.08	16.42	<=34.77	Pass		
			50	20.73	-2.08	16.50	<=34.77	Pass		
		100	0	20.72	-2.08	16.49	<=34.77	Pass		
		16QAM	673	1	0	20.56	-2.08	16.33	<=34.77	Pass
					50	21.10	-2.08	16.87	<=34.77	Pass
	99				20.60	-2.08	16.37	<=34.77	Pass	
	50			0	19.66	-2.08	15.43	<=34.77	Pass	
				25	19.76	-2.08	15.53	<=34.77	Pass	
				50	19.72	-2.08	15.49	<=34.77	Pass	
	100			0	19.70	-2.08	15.47	<=34.77	Pass	
	683			1	0	20.58	-2.08	16.35	<=34.77	Pass
50					21.04	-2.08	16.81	<=34.77	Pass	
99			20.56		-2.08	16.33	<=34.77	Pass		
50			0	19.67	-2.08	15.44	<=34.77	Pass		
			25	19.61	-2.08	15.38	<=34.77	Pass		
			50	19.66	-2.08	15.43	<=34.77	Pass		
100			0	19.68	-2.08	15.45	<=34.77	Pass		
688			1	0	20.48	-2.08	16.25	<=34.77	Pass	
				50	20.98	-2.08	16.75	<=34.77	Pass	
	99			20.57	-2.08	16.34	<=34.77	Pass		
	50		0	19.76	-2.08	15.53	<=34.77	Pass		
			25	19.63	-2.08	15.40	<=34.77	Pass		
			50	19.70	-2.08	15.47	<=34.77	Pass		
	100		0	19.73	-2.08	15.50	<=34.77	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15									

## 2. Frequency Stability

### 2.1 B71\_5MHz

#### 2.1.1 Test Result

Band: 71 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	665.5	25	0	20	3.27	-7.710	-0.0116	-2.5 to 2.5	Pass
					3.85	-6.809	-0.0102	-2.5 to 2.5	Pass
					4.43	-9.127	-0.0137	-2.5 to 2.5	Pass

				-30	3.85	-6.080	-0.0091	-2.5 to 2.5	Pass			
				-20	3.85	-3.691	-0.0055	-2.5 to 2.5	Pass			
				-10	3.85	-9.184	-0.0138	-2.5 to 2.5	Pass			
				0	3.85	-7.467	-0.0112	-2.5 to 2.5	Pass			
				10	3.85	-4.749	-0.0071	-2.5 to 2.5	Pass			
				30	3.85	-7.124	-0.0107	-2.5 to 2.5	Pass			
				40	3.85	-6.108	-0.0092	-2.5 to 2.5	Pass			
	50	3.85	-7.238	-0.0109	-2.5 to 2.5	Pass						
	680.5	25	0	20	3.27	-6.323	-0.0093	-2.5 to 2.5	Pass			
					3.85	-4.292	-0.0063	-2.5 to 2.5	Pass			
					4.43	-8.955	-0.0132	-2.5 to 2.5	Pass			
				-30	3.85	-4.835	-0.0071	-2.5 to 2.5	Pass			
				-20	3.85	-7.510	-0.0110	-2.5 to 2.5	Pass			
				-10	3.85	-9.284	-0.0136	-2.5 to 2.5	Pass			
				0	3.85	-9.699	-0.0143	-2.5 to 2.5	Pass			
				10	3.85	-5.436	-0.0080	-2.5 to 2.5	Pass			
				30	3.85	-9.141	-0.0134	-2.5 to 2.5	Pass			
				40	3.85	-5.951	-0.0087	-2.5 to 2.5	Pass			
				50	3.85	-5.651	-0.0083	-2.5 to 2.5	Pass			
				695.5	25	0	20	3.27	-8.411	-0.0121	-2.5 to 2.5	Pass
								3.85	-9.727	-0.0140	-2.5 to 2.5	Pass
								4.43	-9.999	-0.0144	-2.5 to 2.5	Pass
	-30	3.85	-10.901				-0.0157	-2.5 to 2.5	Pass			
	-20	3.85	-11.044				-0.0159	-2.5 to 2.5	Pass			
	-10	3.85	-7.367				-0.0106	-2.5 to 2.5	Pass			
	0	3.85	-5.879				-0.0085	-2.5 to 2.5	Pass			
	10	3.85	-6.180				-0.0089	-2.5 to 2.5	Pass			
30	3.85	-5.879	-0.0085				-2.5 to 2.5	Pass				
40	3.85	-2.589	-0.0037				-2.5 to 2.5	Pass				
50	3.85	-6.566	-0.0094				-2.5 to 2.5	Pass				
16QAM	665.5	25	0	20	3.27	-5.751	-0.0086	-2.5 to 2.5	Pass			
					3.85	-8.955	-0.0135	-2.5 to 2.5	Pass			
					4.43	-9.284	-0.0140	-2.5 to 2.5	Pass			
				-30	3.85	-9.685	-0.0146	-2.5 to 2.5	Pass			
				-20	3.85	-8.841	-0.0133	-2.5 to 2.5	Pass			
				-10	3.85	-10.457	-0.0157	-2.5 to 2.5	Pass			
				0	3.85	-6.123	-0.0092	-2.5 to 2.5	Pass			
				10	3.85	-8.426	-0.0127	-2.5 to 2.5	Pass			
				30	3.85	-5.579	-0.0084	-2.5 to 2.5	Pass			
				40	3.85	-6.466	-0.0097	-2.5 to 2.5	Pass			
				50	3.85	-10.557	-0.0159	-2.5 to 2.5	Pass			
				680.5	25	0	20	3.27	-4.249	-0.0062	-2.5 to 2.5	Pass
								3.85	-5.994	-0.0088	-2.5 to 2.5	Pass
								4.43	-9.398	-0.0138	-2.5 to 2.5	Pass
	-30	3.85	-8.583				-0.0126	-2.5 to 2.5	Pass			
	-20	3.85	-11.001				-0.0162	-2.5 to 2.5	Pass			
	-10	3.85	-5.021				-0.0074	-2.5 to 2.5	Pass			
	0	3.85	-5.064				-0.0074	-2.5 to 2.5	Pass			
	10	3.85	-4.120				-0.0061	-2.5 to 2.5	Pass			
	30	3.85	-6.595				-0.0097	-2.5 to 2.5	Pass			
	40	3.85	-3.219				-0.0047	-2.5 to 2.5	Pass			
	50	3.85	-4.950				-0.0073	-2.5 to 2.5	Pass			
	695.5	25	0	20	3.27	-7.353	-0.0106	-2.5 to 2.5	Pass			
					3.85	-8.783	-0.0126	-2.5 to 2.5	Pass			
					4.43	-9.227	-0.0133	-2.5 to 2.5	Pass			
				-30	3.85	-8.798	-0.0126	-2.5 to 2.5	Pass			
	-20	3.85	-11.902	-0.0171	-2.5 to 2.5	Pass						

				-10	3.85	-10.157	-0.0146	-2.5 to 2.5	Pass
				0	3.85	-7.682	-0.0110	-2.5 to 2.5	Pass
				10	3.85	-8.054	-0.0116	-2.5 to 2.5	Pass
				30	3.85	-6.452	-0.0093	-2.5 to 2.5	Pass
				40	3.85	-5.908	-0.0085	-2.5 to 2.5	Pass
				50	3.85	-10.400	-0.0150	-2.5 to 2.5	Pass

## 2.2 B71\_10MHz

### 2.2.1 Test Result

Band: 71 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	668	50	0	20	3.27	-7.610	-0.0114	-2.5 to 2.5	Pass
					3.85	-4.849	-0.0073	-2.5 to 2.5	Pass
					4.43	-6.680	-0.0100	-2.5 to 2.5	Pass
				-30	3.85	-4.649	-0.0070	-2.5 to 2.5	Pass
				-20	3.85	-7.167	-0.0107	-2.5 to 2.5	Pass
				-10	3.85	-7.267	-0.0109	-2.5 to 2.5	Pass
				0	3.85	-5.035	-0.0075	-2.5 to 2.5	Pass
				10	3.85	-6.108	-0.0091	-2.5 to 2.5	Pass
				30	3.85	-9.570	-0.0143	-2.5 to 2.5	Pass
				40	3.85	-6.294	-0.0094	-2.5 to 2.5	Pass
	50	3.85	-7.753	-0.0116	-2.5 to 2.5	Pass			
	680.5	50	0	20	3.27	-8.469	-0.0124	-2.5 to 2.5	Pass
					3.85	-8.612	-0.0127	-2.5 to 2.5	Pass
					4.43	-8.554	-0.0126	-2.5 to 2.5	Pass
				-30	3.85	-2.146	-0.0032	-2.5 to 2.5	Pass
				-20	3.85	-2.618	-0.0038	-2.5 to 2.5	Pass
				-10	3.85	-4.306	-0.0063	-2.5 to 2.5	Pass
				0	3.85	-5.250	-0.0077	-2.5 to 2.5	Pass
				10	3.85	-4.420	-0.0065	-2.5 to 2.5	Pass
				30	3.85	-7.839	-0.0115	-2.5 to 2.5	Pass
				40	3.85	-7.896	-0.0116	-2.5 to 2.5	Pass
	50	3.85	-8.111	-0.0119	-2.5 to 2.5	Pass			
	693	50	0	20	3.27	-2.589	-0.0037	-2.5 to 2.5	Pass
					3.85	-5.422	-0.0078	-2.5 to 2.5	Pass
					4.43	-10.800	-0.0156	-2.5 to 2.5	Pass
				-30	3.85	-5.980	-0.0086	-2.5 to 2.5	Pass
				-20	3.85	-10.457	-0.0151	-2.5 to 2.5	Pass
				-10	3.85	-8.254	-0.0119	-2.5 to 2.5	Pass
				0	3.85	-10.157	-0.0147	-2.5 to 2.5	Pass
				10	3.85	-3.576	-0.0052	-2.5 to 2.5	Pass
30				3.85	-9.227	-0.0133	-2.5 to 2.5	Pass	
40				3.85	-11.473	-0.0166	-2.5 to 2.5	Pass	
50	3.85	-6.108	-0.0088	-2.5 to 2.5	Pass				
16QAM	668	50	0	20	3.27	-6.537	-0.0098	-2.5 to 2.5	Pass
					3.85	-6.208	-0.0093	-2.5 to 2.5	Pass
					4.43	-6.323	-0.0095	-2.5 to 2.5	Pass
				-30	3.85	-5.422	-0.0081	-2.5 to 2.5	Pass
				-20	3.85	-5.951	-0.0089	-2.5 to 2.5	Pass
				-10	3.85	-7.668	-0.0115	-2.5 to 2.5	Pass
				0	3.85	-7.925	-0.0119	-2.5 to 2.5	Pass
10	3.85	-9.270	-0.0139	-2.5 to 2.5	Pass				

	680.5	50	0	30	3.85	-10.157	-0.0152	-2.5 to 2.5	Pass
				40	3.85	-4.506	-0.0067	-2.5 to 2.5	Pass
				50	3.85	-5.493	-0.0082	-2.5 to 2.5	Pass
				20	3.27	-6.595	-0.0097	-2.5 to 2.5	Pass
					3.85	-9.255	-0.0136	-2.5 to 2.5	Pass
					4.43	-1.974	-0.0029	-2.5 to 2.5	Pass
				-30	3.85	-8.740	-0.0128	-2.5 to 2.5	Pass
				-20	3.85	-6.809	-0.0100	-2.5 to 2.5	Pass
				-10	3.85	-7.081	-0.0104	-2.5 to 2.5	Pass
				0	3.85	-5.107	-0.0075	-2.5 to 2.5	Pass
	10	3.85	-5.050	-0.0074	-2.5 to 2.5	Pass			
	30	3.85	-3.934	-0.0058	-2.5 to 2.5	Pass			
	40	3.85	-4.807	-0.0071	-2.5 to 2.5	Pass			
	50	3.85	-11.988	-0.0176	-2.5 to 2.5	Pass			
	693	50	0	20	3.27	-8.655	-0.0125	-2.5 to 2.5	Pass
					3.85	-8.941	-0.0129	-2.5 to 2.5	Pass
					4.43	-7.353	-0.0106	-2.5 to 2.5	Pass
				-30	3.85	-8.655	-0.0125	-2.5 to 2.5	Pass
				-20	3.85	-12.074	-0.0174	-2.5 to 2.5	Pass
				-10	3.85	-6.981	-0.0101	-2.5 to 2.5	Pass
0				3.85	-9.184	-0.0133	-2.5 to 2.5	Pass	
10				3.85	-7.439	-0.0107	-2.5 to 2.5	Pass	
30				3.85	-6.423	-0.0093	-2.5 to 2.5	Pass	
40				3.85	-7.410	-0.0107	-2.5 to 2.5	Pass	
50	3.85	-7.281	-0.0105	-2.5 to 2.5	Pass				

## 2.3 B71\_15MHz

### 2.3.1 Test Result

Band: 71 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	670.5	75	0	20	3.27	-9.785	-0.0146	-2.5 to 2.5	Pass
					3.85	-8.154	-0.0122	-2.5 to 2.5	Pass
					4.43	-7.339	-0.0109	-2.5 to 2.5	Pass
				-30	3.85	-11.344	-0.0169	-2.5 to 2.5	Pass
				-20	3.85	-5.164	-0.0077	-2.5 to 2.5	Pass
				-10	3.85	-4.435	-0.0066	-2.5 to 2.5	Pass
				0	3.85	-11.745	-0.0175	-2.5 to 2.5	Pass
				10	3.85	-3.390	-0.0051	-2.5 to 2.5	Pass
				30	3.85	-8.283	-0.0124	-2.5 to 2.5	Pass
				40	3.85	-6.022	-0.0090	-2.5 to 2.5	Pass
	50	3.85	-4.706	-0.0070	-2.5 to 2.5	Pass			
	680.5	75	0	20	3.27	-7.424	-0.0109	-2.5 to 2.5	Pass
					3.85	-3.161	-0.0046	-2.5 to 2.5	Pass
					4.43	-4.849	-0.0071	-2.5 to 2.5	Pass
				-30	3.85	-8.841	-0.0130	-2.5 to 2.5	Pass
				-20	3.85	-6.723	-0.0099	-2.5 to 2.5	Pass
				-10	3.85	-7.095	-0.0104	-2.5 to 2.5	Pass
				0	3.85	-7.267	-0.0107	-2.5 to 2.5	Pass
				10	3.85	-8.955	-0.0132	-2.5 to 2.5	Pass
				30	3.85	-8.683	-0.0128	-2.5 to 2.5	Pass
40				3.85	-2.904	-0.0043	-2.5 to 2.5	Pass	
50	3.85	-4.563	-0.0067	-2.5 to 2.5	Pass				

	690.5	75	0	20	3.27	-6.924	-0.0100	-2.5 to 2.5	Pass
					3.85	-6.824	-0.0099	-2.5 to 2.5	Pass
					4.43	-4.249	-0.0062	-2.5 to 2.5	Pass
				-30	3.85	-2.747	-0.0040	-2.5 to 2.5	Pass
					-20	3.85	-3.791	-0.0055	-2.5 to 2.5
				-10	3.85	-5.221	-0.0076	-2.5 to 2.5	Pass
					0	3.85	-6.766	-0.0098	-2.5 to 2.5
				10	3.85	-5.937	-0.0086	-2.5 to 2.5	Pass
					30	3.85	-4.635	-0.0067	-2.5 to 2.5
				40	3.85	-6.495	-0.0094	-2.5 to 2.5	Pass
50	3.85	-8.640	-0.0125		-2.5 to 2.5	Pass			
16QAM	670.5	75	0	20	3.27	-8.669	-0.0129	-2.5 to 2.5	Pass
					3.85	-6.952	-0.0104	-2.5 to 2.5	Pass
					4.43	-7.925	-0.0118	-2.5 to 2.5	Pass
				-30	3.85	-4.206	-0.0063	-2.5 to 2.5	Pass
					-20	3.85	-5.965	-0.0089	-2.5 to 2.5
				-10	3.85	-8.998	-0.0134	-2.5 to 2.5	Pass
					0	3.85	-9.141	-0.0136	-2.5 to 2.5
				10	3.85	-5.322	-0.0079	-2.5 to 2.5	Pass
					30	3.85	-4.749	-0.0071	-2.5 to 2.5
	40	3.85	-5.794	-0.0086	-2.5 to 2.5	Pass			
		50	3.85	-6.208	-0.0093	-2.5 to 2.5	Pass		
	680.5	75	0	20	3.27	-3.905	-0.0057	-2.5 to 2.5	Pass
					3.85	-4.950	-0.0073	-2.5 to 2.5	Pass
					4.43	-5.765	-0.0085	-2.5 to 2.5	Pass
				-30	3.85	-6.723	-0.0099	-2.5 to 2.5	Pass
					-20	3.85	-7.424	-0.0109	-2.5 to 2.5
				-10	3.85	-8.097	-0.0119	-2.5 to 2.5	Pass
					0	3.85	-6.509	-0.0096	-2.5 to 2.5
10				3.85	-5.193	-0.0076	-2.5 to 2.5	Pass	
				30	3.85	-8.368	-0.0123	-2.5 to 2.5	Pass
40	3.85	-6.723	-0.0099	-2.5 to 2.5	Pass				
	50	3.85	-5.765	-0.0085	-2.5 to 2.5	Pass			
690.5	75	0	20	3.27	-9.370	-0.0136	-2.5 to 2.5	Pass	
				3.85	-5.164	-0.0075	-2.5 to 2.5	Pass	
				4.43	-2.961	-0.0043	-2.5 to 2.5	Pass	
			-30	3.85	-4.778	-0.0069	-2.5 to 2.5	Pass	
				-20	3.85	-6.952	-0.0101	-2.5 to 2.5	Pass
			-10	3.85	-5.794	-0.0084	-2.5 to 2.5	Pass	
				0	3.85	-5.035	-0.0073	-2.5 to 2.5	Pass
			10	3.85	-5.593	-0.0081	-2.5 to 2.5	Pass	
				30	3.85	-4.663	-0.0068	-2.5 to 2.5	Pass
40	3.85	-3.834	-0.0056	-2.5 to 2.5	Pass				
	50	3.85	-7.052	-0.0102	-2.5 to 2.5	Pass			

## 2.4 B71\_20MHz

### 2.4.1 Test Result

Band: 71 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	673	100	0	20	3.27	-7.067	-0.0105	-2.5 to 2.5	Pass
					3.85	-6.323	-0.0094	-2.5 to 2.5	Pass
					4.43	-4.678	-0.0070	-2.5 to 2.5	Pass



				-30	3.85	-9.413	-0.0140	-2.5 to 2.5	Pass			
				-20	3.85	-7.496	-0.0111	-2.5 to 2.5	Pass			
				-10	3.85	-4.420	-0.0066	-2.5 to 2.5	Pass			
				0	3.85	-9.942	-0.0148	-2.5 to 2.5	Pass			
				10	3.85	-5.522	-0.0082	-2.5 to 2.5	Pass			
				30	3.85	-5.507	-0.0082	-2.5 to 2.5	Pass			
				40	3.85	-8.011	-0.0119	-2.5 to 2.5	Pass			
	50	3.85	-5.336	-0.0079	-2.5 to 2.5	Pass						
	683	100	0	20	3.27	-5.150	-0.0075	-2.5 to 2.5	Pass			
					3.85	-7.210	-0.0106	-2.5 to 2.5	Pass			
					4.43	-8.955	-0.0131	-2.5 to 2.5	Pass			
				-30	3.85	-7.796	-0.0114	-2.5 to 2.5	Pass			
				-20	3.85	-5.050	-0.0074	-2.5 to 2.5	Pass			
				-10	3.85	-9.212	-0.0135	-2.5 to 2.5	Pass			
				0	3.85	-9.842	-0.0144	-2.5 to 2.5	Pass			
				10	3.85	-9.284	-0.0136	-2.5 to 2.5	Pass			
				30	3.85	-3.519	-0.0052	-2.5 to 2.5	Pass			
				40	3.85	-7.081	-0.0104	-2.5 to 2.5	Pass			
				50	3.85	-7.639	-0.0112	-2.5 to 2.5	Pass			
				688	100	0	20	3.27	-6.108	-0.0089	-2.5 to 2.5	Pass
								3.85	-9.770	-0.0142	-2.5 to 2.5	Pass
								4.43	-9.084	-0.0132	-2.5 to 2.5	Pass
	-30	3.85	-7.639				-0.0111	-2.5 to 2.5	Pass			
	-20	3.85	-7.811				-0.0114	-2.5 to 2.5	Pass			
	-10	3.85	-9.155				-0.0133	-2.5 to 2.5	Pass			
	0	3.85	-9.270				-0.0135	-2.5 to 2.5	Pass			
	10	3.85	-5.178				-0.0075	-2.5 to 2.5	Pass			
30	3.85	-7.625	-0.0111				-2.5 to 2.5	Pass				
40	3.85	-10.414	-0.0151				-2.5 to 2.5	Pass				
50	3.85	-9.499	-0.0138				-2.5 to 2.5	Pass				
16QAM	673	100	0	20	3.27	-6.151	-0.0091	-2.5 to 2.5	Pass			
					3.85	-7.153	-0.0106	-2.5 to 2.5	Pass			
					4.43	-3.877	-0.0058	-2.5 to 2.5	Pass			
				-30	3.85	-6.423	-0.0095	-2.5 to 2.5	Pass			
				-20	3.85	-6.022	-0.0089	-2.5 to 2.5	Pass			
				-10	3.85	-7.982	-0.0119	-2.5 to 2.5	Pass			
				0	3.85	-5.836	-0.0087	-2.5 to 2.5	Pass			
				10	3.85	-8.197	-0.0122	-2.5 to 2.5	Pass			
				30	3.85	-8.268	-0.0123	-2.5 to 2.5	Pass			
				40	3.85	-8.783	-0.0131	-2.5 to 2.5	Pass			
				50	3.85	-6.051	-0.0090	-2.5 to 2.5	Pass			
				683	100	0	20	3.27	-11.759	-0.0172	-2.5 to 2.5	Pass
								3.85	-3.662	-0.0054	-2.5 to 2.5	Pass
								4.43	-6.166	-0.0090	-2.5 to 2.5	Pass
	-30	3.85	-6.022				-0.0088	-2.5 to 2.5	Pass			
	-20	3.85	-4.091				-0.0060	-2.5 to 2.5	Pass			
	-10	3.85	-5.279				-0.0077	-2.5 to 2.5	Pass			
	0	3.85	-7.782				-0.0114	-2.5 to 2.5	Pass			
	10	3.85	-10.901				-0.0160	-2.5 to 2.5	Pass			
	30	3.85	-9.885				-0.0145	-2.5 to 2.5	Pass			
	40	3.85	-10.157				-0.0149	-2.5 to 2.5	Pass			
	50	3.85	-8.755				-0.0128	-2.5 to 2.5	Pass			
	688	100	0				20	3.27	-4.463	-0.0065	-2.5 to 2.5	Pass
								3.85	-8.354	-0.0121	-2.5 to 2.5	Pass
				4.43	-8.512	-0.0124		-2.5 to 2.5	Pass			
				-30	3.85	-8.669	-0.0126	-2.5 to 2.5	Pass			
	-20	3.85	-8.626	-0.0125	-2.5 to 2.5	Pass						

				-10	3.85	-8.168	-0.0119	-2.5 to 2.5	Pass
				0	3.85	-8.783	-0.0128	-2.5 to 2.5	Pass
				10	3.85	-8.483	-0.0123	-2.5 to 2.5	Pass
				30	3.85	-8.268	-0.0120	-2.5 to 2.5	Pass
				40	3.85	-7.496	-0.0109	-2.5 to 2.5	Pass
				50	3.85	-6.351	-0.0092	-2.5 to 2.5	Pass


### 3. Modulation Characteristics

#### 3.1 B71\_5MHz

##### 3.1.1 Test Result

Band: 71 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	25	0	Refer To Test Graph		Pass
16QAM	680.5	25	0	Refer To Test Graph		Pass

### 3.1.2 Test Graph



### 3.2 B71\_10MHz

#### 3.2.1 Test Result

Band: 71 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	50	0	Refer To Test Graph		Pass
16QAM	680.5	50	0	Refer To Test Graph		Pass

### 3.2.2 Test Graph


**Band71\_10MHz\_QPSK\_MCH\_680.5MHz\_RB\_50\_0\_NTNV**

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 680.5 MHz Ref. Level: 40.70 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 2 / All

**IQ Constellation**



Statistic Count: 20 / 20  
 Out of Tolerance: 0.00 %  
 Detected Modulation: QPSK  
 Detected Channel Type: PUSCH  
 View Filter Throughput: 100.0 %

PS: Connection Established  
 RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation **RDY**

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **Run**

---


**Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_50\_0\_NTNV**

CMW 500 V 3.7.22 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 680.5 MHz Ref. Level: 40.70 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 2 / All

**IQ Constellation**



Statistic Count: 20 / 20  
 Out of Tolerance: 0.00 %  
 Detected Modulation: 16-QAM  
 Detected Channel Type: PUSCH  
 View Filter Throughput: 100.0 %

PS: Connection Established  
 RRC State: Connected

Go To Local Show Remote Screen

LTE

Multi Evaluation **RDY**

RF Settings

Trigger

Display

Signaling Parameter


LTE Signaling **Run**

### 3.3 B71\_15MHz

#### 3.3.1 Test Result

Band: 71 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	75	0	Refer To Test Graph		Pass
16QAM	680.5	75	0	Refer To Test Graph		Pass

### 3.3.2 Test Graph




### 3.4 B71\_20MHz

#### 3.4.1 Test Result

Band: 71 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	683	100	0	Refer To Test Graph		Pass
16QAM	683	100	0	Refer To Test Graph		Pass



### 3.4.2 Test Graph




## 4. 99% & 26dB Bandwidth

### 4.1 Band71\_OBW


#### 4.1.1 Test Result

Band: 71 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	665.5	25	0	4.542	/	Pass
		680.5	25	0	4.562	/	Pass
		695.5	25	0	4.588	/	Pass
	16QAM	665.5	25	0	4.562	/	Pass
		680.5	25	0	4.588	/	Pass
		695.5	25	0	4.572	/	Pass
10	QPSK	668	50	0	9.084	/	Pass
		680.5	50	0	9.075	/	Pass
		693	50	0	9.053	/	Pass
	16QAM	668	50	0	9.026	/	Pass
		680.5	50	0	9.074	/	Pass
		693	50	0	9.049	/	Pass
15	QPSK	670.5	75	0	13.615	/	Pass
		680.5	75	0	13.565	/	Pass
		690.5	75	0	13.628	/	Pass
	16QAM	670.5	75	0	13.627	/	Pass
		680.5	75	0	13.531	/	Pass
		690.5	75	0	13.619	/	Pass
20	QPSK	673	100	0	18.117	/	Pass
		683	100	0	18.120	/	Pass
		688	100	0	18.160	/	Pass
	16QAM	673	100	0	18.143	/	Pass
		683	100	0	18.131	/	Pass
		688	100	0	18.179	/	Pass


### 4.1.2 Test Graph




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Band71\_10MHz\_QPSK\_LCH\_668MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_QPSK\_MCH\_680.5MHz\_RB\_50\_0\_NTNV



Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_50\_0\_NTNV






Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_50\_0\_NTNV







Band71\_15MHz\_QPSK\_LCH\_670.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_QPSK\_MCH\_680.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




Band71\_20MHz\_QPSK\_LCH\_673MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_QPSK\_MCH\_683MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_100\_0\_NTNV






Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_100\_0\_NTNV




## 4.2 Band71\_XDB

### 4.2.1 Test Result


Band: 71 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
5	QPSK	665.5	25	0	5.304	Pass
		680.5	25	0	5.363	Pass
		695.5	25	0	5.285	Pass
	16QAM	665.5	25	0	5.280	Pass
		680.5	25	0	5.395	Pass
		695.5	25	0	5.297	Pass
10	QPSK	668	50	0	10.325	Pass
		680.5	50	0	10.255	Pass
		693	50	0	10.419	Pass
	16QAM	668	50	0	10.285	Pass
		680.5	50	0	10.270	Pass
		693	50	0	10.204	Pass
15	QPSK	670.5	75	0	15.168	Pass
		680.5	75	0	15.408	Pass
		690.5	75	0	15.533	Pass
	16QAM	670.5	75	0	15.326	Pass
		680.5	75	0	15.310	Pass
		690.5	75	0	15.418	Pass
20	QPSK	673	100	0	20.006	Pass
		683	100	0	20.170	Pass
		688	100	0	20.319	Pass
	16QAM	673	100	0	20.141	Pass
		683	100	0	19.941	Pass
		688	100	0	20.080	Pass

### 4.2.2 Test Graph







Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Band71\_10MHz\_QPSK\_LCH\_668MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_QPSK\_MCH\_680.5MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_50\_0\_NTNV



Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_50\_0\_NTNV







Band71\_15MHz\_QPSK\_LCH\_670.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_QPSK\_MCH\_680.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_75\_0\_NTNV



Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_75\_0\_NTNV







Band71\_20MHz\_QPSK\_LCH\_673MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_QPSK\_MCH\_683MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_100\_0\_NTNV




## 5. Peak-Average Ratio

### 5.1 B71\_5MHz


#### 5.1.1 Test Result

Band: 71 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	25	0	4.71	<=13	Pass
	680.5	25	0	4.29	<=13	Pass
	695.5	25	0	4.38	<=13	Pass
16QAM	665.5	25	0	5.42	<=13	Pass
	680.5	25	0	5.06	<=13	Pass
	695.5	25	0	5.14	<=13	Pass


### 5.1.2 Test Graph




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_25\_0\_NTNV



Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_25\_0\_NTNV



Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_25\_0\_NTNV




## 5.2 B71\_10MHz

### 5.2.1 Test Result


Band: 71 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	668	50	0	5.01	<=13	Pass
	680.5	50	0	4.60	<=13	Pass
	693	50	0	4.87	<=13	Pass
16QAM	668	50	0	5.74	<=13	Pass
	680.5	50	0	5.34	<=13	Pass
	693	50	0	5.61	<=13	Pass




## 5.2.2 Test Graph




Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_50\_0\_NTNV



Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_50\_0\_NTNV



Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_50\_0\_NTNV




### 5.3 B71\_15MHz


#### 5.3.1 Test Result

Band: 71 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	670.5	75	0	5.09	<=13	Pass
	680.5	75	0	4.92	<=13	Pass
	690.5	75	0	4.87	<=13	Pass
16QAM	670.5	75	0	5.86	<=13	Pass
	680.5	75	0	5.67	<=13	Pass
	690.5	75	0	5.72	<=13	Pass


### 5.3.2 Test Graph




Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_75\_0\_NTNV



Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_75\_0\_NTNV



Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_75\_0\_NTNV





## 5.4 B71\_20MHz

### 5.4.1 Test Result


Band: 71 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	673	100	0	4.91	<=13	Pass
	683	100	0	5.12	<=13	Pass
	688	100	0	4.71	<=13	Pass
16QAM	673	100	0	5.67	<=13	Pass
	683	100	0	5.75	<=13	Pass
	688	100	0	5.51	<=13	Pass




### 5.4.2 Test Graph




Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_100\_0\_NTNV



Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_100\_0\_NTNV





## 6. Spurious Emission

### 6.1 B71\_5MHz


#### 6.1.1 Test Result

Band: 71 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	695.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	665.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	695.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass


### 6.1.2 Test Graph




Band71\_5MHz\_QPSK\_LCH\_665.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_LCH\_665.5MHz\_RB\_1\_0\_NTNV



Band71\_5MHz\_QPSK\_LCH\_665.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_LCH\_665.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	/	1	661.940	-41.27	-13	Pass
662	663	0.056	/	2	662.970	-28.64	-13	Pass
663	668	0.056	/	/	/	/	/	/



Band71\_5MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV







Band71\_5MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_1\_24\_NTNV




Band71\_5MHz\_QPSK\_HCH\_695.5MHz\_RB\_25\_0\_NTNV



Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_1\_0\_NTNV







Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_1\_0\_NTNV



Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_16QAM\_LCH\_665.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	/	1	661.820	-42.76	-13	Pass
662	663	0.056	/	2	662.990	-29.95	-13	Pass
663	668	0.056	/	/	/	/	/	/

Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_1\_0\_NTNV







Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_16QAM\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_1\_0\_NTNV




Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_1\_0\_NTNV



Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_1\_24\_NTV



Band71\_5MHz\_16QAM\_HCH\_695.5MHz\_RB\_25\_0\_NTV




## 6.2 B71\_10MHz

### 6.2.1 Test Result


Band: 71 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	668	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	693	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	668	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	693	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

### 6.2.2 Test Graph







Band71\_10MHz\_QPSK\_LCH\_668MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_QPSK\_LCH\_668MHz\_RB\_1\_0\_NTNV



Band71\_10MHz\_QPSK\_LCH\_668MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV







Band71\_10MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_1\_49\_NTNV




Band71\_10MHz\_QPSK\_HCH\_693MHz\_RB\_50\_0\_NTNV




Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_1\_0\_NTNV



Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_1\_0\_NTNV






Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_16QAM\_LCH\_668MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
653	662	0.1	/	1	661.880	-40.57	-13	Pass
662	663	0.102	/	2	663.000	-31.75	-13	Pass
663	673	0.102	/	/	/	/	/	/


Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_1\_0\_NTNV



Band71\_10MHz\_16QAM\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_1\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
688	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.109	-65.11	-13	Pass
699	708	0.1	/	2	706.270	-53.91	-13	Pass




Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_1\_0\_NTNV




Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_1\_0\_NTNV



Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_1\_49\_NTNV



Band71\_10MHz\_16QAM\_HCH\_693MHz\_RB\_50\_0\_NTNV




## 6.3 B71\_15MHz


### 6.3.1 Test Result

Band: 71 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	670.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	680.5	1	0	Refer To Test Graph		Pass
	690.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	670.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	680.5	1	0	Refer To Test Graph		Pass
	690.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass


### 6.3.2 Test Graph




Band71\_15MHz\_QPSK\_LCH\_670.5MHz\_RB\_1\_0\_NTNV




Band71\_15MHz\_QPSK\_LCH\_670.5MHz\_RB\_1\_0\_NTNV



Band71\_15MHz\_QPSK\_LCH\_670.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV







Band71\_15MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_15MHz\_QPSK\_MCH\_680.5MHz\_RB\_1\_0\_NTNV



Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_1\_0\_NTNV




Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_1\_0\_NTNV







Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_1\_0\_NTNV




Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_1\_74\_NTNV




Band71\_15MHz\_QPSK\_HCH\_690.5MHz\_RB\_75\_0\_NTNV




Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_1\_0\_NTNV




Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_1\_0\_NTNV




Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_1\_0\_NTNV



Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_1\_0\_NTNV




Band71\_15MHz\_16QAM\_LCH\_670.5MHz\_RB\_75\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
648	662	0.1	/	1	661.710	-40.50	-13	Pass
662	663	0.152	/	2	662.850	-35.77	-13	Pass
663	678	0.152	/	/	/	/	/	/

Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_1\_0\_NTNV






Band71\_15MHz\_16QAM\_MCH\_680.5MHz\_RB\_1\_0\_NTNV




Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_1\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.186	-66.54	-13	Pass
699	713	0.1	/	2	710.516	-54.96	-13	Pass


Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_1\_0\_NTNV




Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_1\_0\_NTNV



Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_1\_74\_NTNV



Band71\_15MHz\_16QAM\_HCH\_690.5MHz\_RB\_75\_0\_NTNV





6.4 B71\_20MHz




### 6.4.1 Test Result

Band: 71 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	673	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	688	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	673	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	688	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass


### 6.4.2 Test Graph




Band71\_20MHz\_QPSK\_LCH\_673MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_QPSK\_LCH\_673MHz\_RB\_1\_0\_NTNV



Band71\_20MHz\_QPSK\_LCH\_673MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_QPSK\_LCH\_673MHz\_RB\_100\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
643	662	0.1	/	1	661.960	-30.69	-13	Pass
662	663	0.2	/	2	662.920	-30.12	-13	Pass
663	683	0.2	/	/	/	/	/	/


Band71\_20MHz\_QPSK\_MCH\_683MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_QPSK\_MCH\_683MHz\_RB\_1\_0\_NTNV



Band71\_20MHz\_QPSK\_MCH\_683MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_QPSK\_MCH\_683MHz\_RB\_1\_0\_NTNV






Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_1\_0\_NTNV







Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_1\_99\_NTNV




Band71\_20MHz\_QPSK\_HCH\_688MHz\_RB\_100\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_1\_0\_NTNV



Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_16QAM\_LCH\_673MHz\_RB\_100\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
643	662	0.1	/	1	661.720	-34.29	-13	Pass
662	663	0.201	/	2	662.440	-34.28	-13	Pass
663	683	0.201	/	/	/	/	/	/




Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_1\_0\_NTNV



Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_16QAM\_MCH\_683MHz\_RB\_1\_0\_NTNV







Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_1\_0\_NTNV




Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_1\_0\_NTNV



Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_1\_99\_NTNV



Band71\_20MHz\_16QAM\_HCH\_688MHz\_RB\_100\_0\_NTNV



7. Form731

## 7.1 Form731\_Power

### 7.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
71	5	665.5	695.5	0.1706	0.0159	ppm	4M59G7D	27N	22.32
71	5	665.5	695.5	0.1250	0.0171	ppm	4M59W7D	27N	20.97
71	10	668	693	0.1750	0.0143	ppm	9M08G7D	27N	22.43
71	10	668	693	0.1306	0.0152	ppm	9M07W7D	27N	21.16
71	15	670.5	690.5	0.1675	0.0175	ppm	13M6G7D	27N	22.24
71	15	670.5	690.5	0.1334	0.0136	ppm	13M6W7D	27N	21.25
71	20	673	688	0.1754	0.0151	ppm	18M2G7D	27N	22.44
71	20	673	688	0.1288	0.0172	ppm	18M2W7D	27N	21.10

## 7.2 Form731\_ERP

### 7.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
71	5	665.5	695.5	0.0644	0.0159	ppm	4M59G7D	27N	18.09
71	5	665.5	695.5	0.0472	0.0171	ppm	4M59W7D	27N	16.74
71	10	668	693	0.0661	0.0143	ppm	9M08G7D	27N	18.20
71	10	668	693	0.0493	0.0152	ppm	9M07W7D	27N	16.93
71	15	670.5	690.5	0.0632	0.0175	ppm	13M6G7D	27N	18.01
71	15	670.5	690.5	0.0504	0.0136	ppm	13M6W7D	27N	17.02
71	20	673	688	0.0662	0.0151	ppm	18M2G7D	27N	18.21
71	20	673	688	0.0486	0.0172	ppm	18M2W7D	27N	16.87