

1 Conducted output power

| Band | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Power (dBm) | Verdict |
|------------|-----------------|------------|---------|-------------|------------|-------------|---------|
| LTE Band12 | 1.4 | 23017 | 1 | #0 | QPSK | 23.11 | PASS |
| LTE Band12 | 1.4 | 23017 | 1 | #Mid | QPSK | 23.38 | PASS |
| LTE Band12 | 1.4 | 23017 | 1 | #Max | QPSK | 23.43 | PASS |
| LTE Band12 | 1.4 | 23017 | 3 | #0 | QPSK | 23.27 | PASS |
| LTE Band12 | 1.4 | 23017 | 3 | #Mid | QPSK | 23.33 | PASS |
| LTE Band12 | 1.4 | 23017 | 3 | #Max | QPSK | 23.45 | PASS |
| LTE Band12 | 1.4 | 23017 | 6 | #0 | QPSK | 22.32 | PASS |
| LTE Band12 | 1.4 | 23017 | 1 | #0 | QAM16 | 22.06 | PASS |
| LTE Band12 | 1.4 | 23017 | 1 | #Mid | QAM16 | 22.29 | PASS |
| LTE Band12 | 1.4 | 23017 | 1 | #Max | QAM16 | 22.28 | PASS |
| LTE Band12 | 1.4 | 23017 | 3 | #0 | QAM16 | 22.40 | PASS |
| LTE Band12 | 1.4 | 23017 | 3 | #Mid | QAM16 | 22.44 | PASS |
| LTE Band12 | 1.4 | 23017 | 3 | #Max | QAM16 | 22.64 | PASS |
| LTE Band12 | 1.4 | 23017 | 6 | #0 | QAM16 | 21.49 | PASS |
| LTE Band12 | 1.4 | 23095 | 1 | #0 | QPSK | 23.36 | PASS |
| LTE Band12 | 1.4 | 23095 | 1 | #Mid | QPSK | 23.52 | PASS |
| LTE Band12 | 1.4 | 23095 | 1 | #Max | QPSK | 23.34 | PASS |
| LTE Band12 | 1.4 | 23095 | 3 | #0 | QPSK | 23.48 | PASS |
| LTE Band12 | 1.4 | 23095 | 3 | #Mid | QPSK | 23.49 | PASS |
| LTE Band12 | 1.4 | 23095 | 3 | #Max | QPSK | 23.44 | PASS |
| LTE Band12 | 1.4 | 23095 | 6 | #0 | QPSK | 22.34 | PASS |
| LTE Band12 | 1.4 | 23095 | 1 | #0 | QAM16 | 22.54 | PASS |
| LTE Band12 | 1.4 | 23095 | 1 | #Mid | QAM16 | 22.65 | PASS |
| LTE Band12 | 1.4 | 23095 | 1 | #Max | QAM16 | 22.51 | PASS |
| LTE Band12 | 1.4 | 23095 | 3 | #0 | QAM16 | 22.63 | PASS |
| LTE Band12 | 1.4 | 23095 | 3 | #Mid | QAM16 | 22.62 | PASS |
| LTE Band12 | 1.4 | 23095 | 3 | #Max | QAM16 | 22.58 | PASS |
| LTE Band12 | 1.4 | 23095 | 6 | #0 | QAM16 | 21.56 | PASS |
| LTE Band12 | 1.4 | 23173 | 1 | #0 | QPSK | 23.23 | PASS |
| LTE Band12 | 1.4 | 23173 | 1 | #Mid | QPSK | 23.34 | PASS |
| LTE Band12 | 1.4 | 23173 | 1 | #Max | QPSK | 23.23 | PASS |
| LTE Band12 | 1.4 | 23173 | 3 | #0 | QPSK | 23.33 | PASS |
| LTE Band12 | 1.4 | 23173 | 3 | #Mid | QPSK | 23.33 | PASS |
| LTE Band12 | 1.4 | 23173 | 3 | #Max | QPSK | 23.32 | PASS |
| LTE Band12 | 1.4 | 23173 | 6 | #0 | QPSK | 22.27 | PASS |
| LTE Band12 | 1.4 | 23173 | 1 | #0 | QAM16 | 22.41 | PASS |
| LTE Band12 | 1.4 | 23173 | 1 | #Mid | QAM16 | 22.46 | PASS |
| LTE Band12 | 1.4 | 23173 | 1 | #Max | QAM16 | 22.36 | PASS |
| LTE Band12 | 1.4 | 23173 | 3 | #0 | QAM16 | 22.42 | PASS |
| LTE Band12 | 1.4 | 23173 | 3 | #Mid | QAM16 | 22.48 | PASS |

| | | | | | | | |
|------------|-----|-------|----|------|-------|-------|------|
| LTE Band12 | 1.4 | 23173 | 3 | #Max | QAM16 | 22.48 | PASS |
| LTE Band12 | 1.4 | 23173 | 6 | #0 | QAM16 | 21.42 | PASS |
| LTE Band12 | 3 | 23025 | 1 | #0 | QPSK | 23.10 | PASS |
| LTE Band12 | 3 | 23025 | 1 | #Mid | QPSK | 23.74 | PASS |
| LTE Band12 | 3 | 23025 | 1 | #Max | QPSK | 23.48 | PASS |
| LTE Band12 | 3 | 23025 | 8 | #0 | QPSK | 22.33 | PASS |
| LTE Band12 | 3 | 23025 | 8 | #Mid | QPSK | 22.45 | PASS |
| LTE Band12 | 3 | 23025 | 8 | #Max | QPSK | 22.48 | PASS |
| LTE Band12 | 3 | 23025 | 15 | #0 | QPSK | 22.41 | PASS |
| LTE Band12 | 3 | 23025 | 1 | #0 | QAM16 | 22.32 | PASS |
| LTE Band12 | 3 | 23025 | 1 | #Mid | QAM16 | 23.01 | PASS |
| LTE Band12 | 3 | 23025 | 1 | #Max | QAM16 | 22.66 | PASS |
| LTE Band12 | 3 | 23025 | 8 | #0 | QAM16 | 21.36 | PASS |
| LTE Band12 | 3 | 23025 | 8 | #Mid | QAM16 | 21.52 | PASS |
| LTE Band12 | 3 | 23025 | 8 | #Max | QAM16 | 21.49 | PASS |
| LTE Band12 | 3 | 23025 | 15 | #0 | QAM16 | 21.41 | PASS |
| LTE Band12 | 3 | 23095 | 1 | #0 | QPSK | 23.45 | PASS |
| LTE Band12 | 3 | 23095 | 1 | #Mid | QPSK | 23.76 | PASS |
| LTE Band12 | 3 | 23095 | 1 | #Max | QPSK | 23.36 | PASS |
| LTE Band12 | 3 | 23095 | 8 | #0 | QPSK | 22.40 | PASS |
| LTE Band12 | 3 | 23095 | 8 | #Mid | QPSK | 22.40 | PASS |
| LTE Band12 | 3 | 23095 | 8 | #Max | QPSK | 22.34 | PASS |
| LTE Band12 | 3 | 23095 | 15 | #0 | QPSK | 22.38 | PASS |
| LTE Band12 | 3 | 23095 | 1 | #0 | QAM16 | 22.32 | PASS |
| LTE Band12 | 3 | 23095 | 1 | #Mid | QAM16 | 22.56 | PASS |
| LTE Band12 | 3 | 23095 | 1 | #Max | QAM16 | 22.18 | PASS |
| LTE Band12 | 3 | 23095 | 8 | #0 | QAM16 | 21.43 | PASS |
| LTE Band12 | 3 | 23095 | 8 | #Mid | QAM16 | 21.42 | PASS |
| LTE Band12 | 3 | 23095 | 8 | #Max | QAM16 | 21.36 | PASS |
| LTE Band12 | 3 | 23095 | 15 | #0 | QAM16 | 21.44 | PASS |
| LTE Band12 | 3 | 23165 | 1 | #0 | QPSK | 23.30 | PASS |
| LTE Band12 | 3 | 23165 | 1 | #Mid | QPSK | 23.57 | PASS |
| LTE Band12 | 3 | 23165 | 1 | #Max | QPSK | 23.20 | PASS |
| LTE Band12 | 3 | 23165 | 8 | #0 | QPSK | 22.29 | PASS |
| LTE Band12 | 3 | 23165 | 8 | #Mid | QPSK | 22.29 | PASS |
| LTE Band12 | 3 | 23165 | 8 | #Max | QPSK | 22.25 | PASS |
| LTE Band12 | 3 | 23165 | 15 | #0 | QPSK | 22.25 | PASS |
| LTE Band12 | 3 | 23165 | 1 | #0 | QAM16 | 22.72 | PASS |
| LTE Band12 | 3 | 23165 | 1 | #Mid | QAM16 | 22.91 | PASS |
| LTE Band12 | 3 | 23165 | 1 | #Max | QAM16 | 22.53 | PASS |
| LTE Band12 | 3 | 23165 | 8 | #0 | QAM16 | 21.37 | PASS |
| LTE Band12 | 3 | 23165 | 8 | #Mid | QAM16 | 21.34 | PASS |
| LTE Band12 | 3 | 23165 | 8 | #Max | QAM16 | 21.28 | PASS |
| LTE Band12 | 3 | 23165 | 15 | #0 | QAM16 | 21.31 | PASS |

| | | | | | | | |
|------------|----|-------|----|------|-------|-------|------|
| LTE Band12 | 5 | 23035 | 1 | #0 | QPSK | 23.08 | PASS |
| LTE Band12 | 5 | 23035 | 1 | #Mid | QPSK | 23.71 | PASS |
| LTE Band12 | 5 | 23035 | 1 | #Max | QPSK | 23.41 | PASS |
| LTE Band12 | 5 | 23035 | 12 | #0 | QPSK | 22.47 | PASS |
| LTE Band12 | 5 | 23035 | 12 | #Mid | QPSK | 22.56 | PASS |
| LTE Band12 | 5 | 23035 | 12 | #Max | QPSK | 22.48 | PASS |
| LTE Band12 | 5 | 23035 | 25 | #0 | QPSK | 22.50 | PASS |
| LTE Band12 | 5 | 23035 | 1 | #0 | QAM16 | 22.48 | PASS |
| LTE Band12 | 5 | 23035 | 1 | #Mid | QAM16 | 23.23 | PASS |
| LTE Band12 | 5 | 23035 | 1 | #Max | QAM16 | 22.75 | PASS |
| LTE Band12 | 5 | 23035 | 12 | #0 | QAM16 | 21.37 | PASS |
| LTE Band12 | 5 | 23035 | 12 | #Mid | QAM16 | 21.49 | PASS |
| LTE Band12 | 5 | 23035 | 12 | #Max | QAM16 | 21.44 | PASS |
| LTE Band12 | 5 | 23035 | 25 | #0 | QAM16 | 21.56 | PASS |
| LTE Band12 | 5 | 23095 | 1 | #0 | QPSK | 23.38 | PASS |
| LTE Band12 | 5 | 23095 | 1 | #Mid | QPSK | 23.64 | PASS |
| LTE Band12 | 5 | 23095 | 1 | #Max | QPSK | 23.23 | PASS |
| LTE Band12 | 5 | 23095 | 12 | #0 | QPSK | 22.41 | PASS |
| LTE Band12 | 5 | 23095 | 12 | #Mid | QPSK | 22.44 | PASS |
| LTE Band12 | 5 | 23095 | 12 | #Max | QPSK | 22.33 | PASS |
| LTE Band12 | 5 | 23095 | 25 | #0 | QPSK | 22.39 | PASS |
| LTE Band12 | 5 | 23095 | 1 | #0 | QAM16 | 22.69 | PASS |
| LTE Band12 | 5 | 23095 | 1 | #Mid | QAM16 | 23.07 | PASS |
| LTE Band12 | 5 | 23095 | 1 | #Max | QAM16 | 22.55 | PASS |
| LTE Band12 | 5 | 23095 | 12 | #0 | QAM16 | 21.39 | PASS |
| LTE Band12 | 5 | 23095 | 12 | #Mid | QAM16 | 21.47 | PASS |
| LTE Band12 | 5 | 23095 | 12 | #Max | QAM16 | 21.34 | PASS |
| LTE Band12 | 5 | 23095 | 25 | #0 | QAM16 | 21.36 | PASS |
| LTE Band12 | 5 | 23155 | 1 | #0 | QPSK | 23.21 | PASS |
| LTE Band12 | 5 | 23155 | 1 | #Mid | QPSK | 23.65 | PASS |
| LTE Band12 | 5 | 23155 | 1 | #Max | QPSK | 23.21 | PASS |
| LTE Band12 | 5 | 23155 | 12 | #0 | QPSK | 22.39 | PASS |
| LTE Band12 | 5 | 23155 | 12 | #Mid | QPSK | 22.37 | PASS |
| LTE Band12 | 5 | 23155 | 12 | #Max | QPSK | 22.21 | PASS |
| LTE Band12 | 5 | 23155 | 25 | #0 | QPSK | 22.33 | PASS |
| LTE Band12 | 5 | 23155 | 1 | #0 | QAM16 | 22.75 | PASS |
| LTE Band12 | 5 | 23155 | 1 | #Mid | QAM16 | 23.14 | PASS |
| LTE Band12 | 5 | 23155 | 1 | #Max | QAM16 | 22.65 | PASS |
| LTE Band12 | 5 | 23155 | 12 | #0 | QAM16 | 21.43 | PASS |
| LTE Band12 | 5 | 23155 | 12 | #Mid | QAM16 | 21.39 | PASS |
| LTE Band12 | 5 | 23155 | 12 | #Max | QAM16 | 21.21 | PASS |
| LTE Band12 | 5 | 23155 | 25 | #0 | QAM16 | 21.32 | PASS |
| LTE Band12 | 10 | 23060 | 1 | #0 | QPSK | 23.23 | PASS |
| LTE Band12 | 10 | 23060 | 1 | #Mid | QPSK | 23.59 | PASS |

| | | | | | | | |
|------------|----|-------|----|------|-------|-------|------|
| LTE Band12 | 10 | 23060 | 1 | #Max | QPSK | 23.37 | PASS |
| LTE Band12 | 10 | 23060 | 25 | #0 | QPSK | 22.48 | PASS |
| LTE Band12 | 10 | 23060 | 25 | #Mid | QPSK | 22.47 | PASS |
| LTE Band12 | 10 | 23060 | 25 | #Max | QPSK | 22.57 | PASS |
| LTE Band12 | 10 | 23060 | 50 | #0 | QPSK | 22.58 | PASS |
| LTE Band12 | 10 | 23060 | 1 | #0 | QAM16 | 22.45 | PASS |
| LTE Band12 | 10 | 23060 | 1 | #Mid | QAM16 | 22.78 | PASS |
| LTE Band12 | 10 | 23060 | 1 | #Max | QAM16 | 22.58 | PASS |
| LTE Band12 | 10 | 23060 | 25 | #0 | QAM16 | 21.56 | PASS |
| LTE Band12 | 10 | 23060 | 25 | #Mid | QAM16 | 21.51 | PASS |
| LTE Band12 | 10 | 23060 | 25 | #Max | QAM16 | 21.62 | PASS |
| LTE Band12 | 10 | 23060 | 50 | #0 | QAM16 | 21.61 | PASS |
| LTE Band12 | 10 | 23095 | 1 | #0 | QPSK | 23.41 | PASS |
| LTE Band12 | 10 | 23095 | 1 | #Mid | QPSK | 23.54 | PASS |
| LTE Band12 | 10 | 23095 | 1 | #Max | QPSK | 23.33 | PASS |
| LTE Band12 | 10 | 23095 | 25 | #0 | QPSK | 22.44 | PASS |
| LTE Band12 | 10 | 23095 | 25 | #Mid | QPSK | 22.45 | PASS |
| LTE Band12 | 10 | 23095 | 25 | #Max | QPSK | 22.39 | PASS |
| LTE Band12 | 10 | 23095 | 50 | #0 | QPSK | 22.43 | PASS |
| LTE Band12 | 10 | 23095 | 1 | #0 | QAM16 | 22.33 | PASS |
| LTE Band12 | 10 | 23095 | 1 | #Mid | QAM16 | 22.38 | PASS |
| LTE Band12 | 10 | 23095 | 1 | #Max | QAM16 | 22.19 | PASS |
| LTE Band12 | 10 | 23095 | 25 | #0 | QAM16 | 21.46 | PASS |
| LTE Band12 | 10 | 23095 | 25 | #Mid | QAM16 | 21.45 | PASS |
| LTE Band12 | 10 | 23095 | 25 | #Max | QAM16 | 21.39 | PASS |
| LTE Band12 | 10 | 23095 | 50 | #0 | QAM16 | 21.40 | PASS |
| LTE Band12 | 10 | 23130 | 1 | #0 | QPSK | 23.39 | PASS |
| LTE Band12 | 10 | 23130 | 1 | #Mid | QPSK | 23.44 | PASS |
| LTE Band12 | 10 | 23130 | 1 | #Max | QPSK | 23.22 | PASS |
| LTE Band12 | 10 | 23130 | 25 | #0 | QPSK | 22.43 | PASS |
| LTE Band12 | 10 | 23130 | 25 | #Mid | QPSK | 22.40 | PASS |
| LTE Band12 | 10 | 23130 | 25 | #Max | QPSK | 22.37 | PASS |
| LTE Band12 | 10 | 23130 | 50 | #0 | QPSK | 22.44 | PASS |
| LTE Band12 | 10 | 23130 | 1 | #0 | QAM16 | 22.83 | PASS |
| LTE Band12 | 10 | 23130 | 1 | #Mid | QAM16 | 22.85 | PASS |
| LTE Band12 | 10 | 23130 | 1 | #Max | QAM16 | 22.60 | PASS |
| LTE Band12 | 10 | 23130 | 25 | #0 | QAM16 | 21.45 | PASS |
| LTE Band12 | 10 | 23130 | 25 | #Mid | QAM16 | 21.45 | PASS |
| LTE Band12 | 10 | 23130 | 25 | #Max | QAM16 | 21.41 | PASS |
| LTE Band12 | 10 | 23130 | 50 | #0 | QAM16 | 21.44 | PASS |
| LTE Band17 | 5 | 23755 | 1 | #0 | QPSK | 23.45 | PASS |
| LTE Band17 | 5 | 23755 | 1 | #Mid | QPSK | 23.86 | PASS |
| LTE Band17 | 5 | 23755 | 1 | #Max | QPSK | 23.36 | PASS |
| LTE Band17 | 5 | 23755 | 12 | #0 | QPSK | 22.48 | PASS |

| | | | | | | | |
|------------|----|-------|----|------|-------|-------|------|
| LTE Band17 | 5 | 23755 | 12 | #Mid | QPSK | 22.50 | PASS |
| LTE Band17 | 5 | 23755 | 12 | #Max | QPSK | 22.46 | PASS |
| LTE Band17 | 5 | 23755 | 25 | #0 | QPSK | 22.53 | PASS |
| LTE Band17 | 5 | 23755 | 1 | #0 | QAM16 | 22.97 | PASS |
| LTE Band17 | 5 | 23755 | 1 | #Mid | QAM16 | 23.50 | PASS |
| LTE Band17 | 5 | 23755 | 1 | #Max | QAM16 | 22.90 | PASS |
| LTE Band17 | 5 | 23755 | 12 | #0 | QAM16 | 21.49 | PASS |
| LTE Band17 | 5 | 23755 | 12 | #Mid | QAM16 | 21.54 | PASS |
| LTE Band17 | 5 | 23755 | 12 | #Max | QAM16 | 21.46 | PASS |
| LTE Band17 | 5 | 23755 | 25 | #0 | QAM16 | 21.48 | PASS |
| LTE Band17 | 5 | 23790 | 1 | #0 | QPSK | 23.36 | PASS |
| LTE Band17 | 5 | 23790 | 1 | #Mid | QPSK | 23.76 | PASS |
| LTE Band17 | 5 | 23790 | 1 | #Max | QPSK | 23.28 | PASS |
| LTE Band17 | 5 | 23790 | 12 | #0 | QPSK | 22.50 | PASS |
| LTE Band17 | 5 | 23790 | 12 | #Mid | QPSK | 22.48 | PASS |
| LTE Band17 | 5 | 23790 | 12 | #Max | QPSK | 22.35 | PASS |
| LTE Band17 | 5 | 23790 | 25 | #0 | QPSK | 22.43 | PASS |
| LTE Band17 | 5 | 23790 | 1 | #0 | QAM16 | 22.71 | PASS |
| LTE Band17 | 5 | 23790 | 1 | #Mid | QAM16 | 23.06 | PASS |
| LTE Band17 | 5 | 23790 | 1 | #Max | QAM16 | 22.59 | PASS |
| LTE Band17 | 5 | 23790 | 12 | #0 | QAM16 | 21.43 | PASS |
| LTE Band17 | 5 | 23790 | 12 | #Mid | QAM16 | 21.43 | PASS |
| LTE Band17 | 5 | 23790 | 12 | #Max | QAM16 | 21.34 | PASS |
| LTE Band17 | 5 | 23790 | 25 | #0 | QAM16 | 21.49 | PASS |
| LTE Band17 | 5 | 23825 | 1 | #0 | QPSK | 23.25 | PASS |
| LTE Band17 | 5 | 23825 | 1 | #Mid | QPSK | 23.57 | PASS |
| LTE Band17 | 5 | 23825 | 1 | #Max | QPSK | 23.18 | PASS |
| LTE Band17 | 5 | 23825 | 12 | #0 | QPSK | 22.42 | PASS |
| LTE Band17 | 5 | 23825 | 12 | #Mid | QPSK | 22.48 | PASS |
| LTE Band17 | 5 | 23825 | 12 | #Max | QPSK | 22.27 | PASS |
| LTE Band17 | 5 | 23825 | 25 | #0 | QPSK | 22.44 | PASS |
| LTE Band17 | 5 | 23825 | 1 | #0 | QAM16 | 22.69 | PASS |
| LTE Band17 | 5 | 23825 | 1 | #Mid | QAM16 | 22.89 | PASS |
| LTE Band17 | 5 | 23825 | 1 | #Max | QAM16 | 22.50 | PASS |
| LTE Band17 | 5 | 23825 | 12 | #0 | QAM16 | 21.49 | PASS |
| LTE Band17 | 5 | 23825 | 12 | #Mid | QAM16 | 21.48 | PASS |
| LTE Band17 | 5 | 23825 | 12 | #Max | QAM16 | 21.35 | PASS |
| LTE Band17 | 5 | 23825 | 25 | #0 | QAM16 | 21.40 | PASS |
| LTE Band17 | 10 | 23780 | 1 | #0 | QPSK | 23.53 | PASS |
| LTE Band17 | 10 | 23780 | 1 | #Mid | QPSK | 23.49 | PASS |
| LTE Band17 | 10 | 23780 | 1 | #Max | QPSK | 23.30 | PASS |
| LTE Band17 | 10 | 23780 | 25 | #0 | QPSK | 22.53 | PASS |
| LTE Band17 | 10 | 23780 | 25 | #Mid | QPSK | 22.49 | PASS |
| LTE Band17 | 10 | 23780 | 25 | #Max | QPSK | 22.44 | PASS |

| | | | | | | | |
|------------|-----|-------|----|------|-------|-------|------|
| LTE Band17 | 10 | 23780 | 50 | #0 | QPSK | 22.50 | PASS |
| LTE Band17 | 10 | 23780 | 1 | #0 | QAM16 | 22.73 | PASS |
| LTE Band17 | 10 | 23780 | 1 | #Mid | QAM16 | 22.79 | PASS |
| LTE Band17 | 10 | 23780 | 1 | #Max | QAM16 | 22.53 | PASS |
| LTE Band17 | 10 | 23780 | 25 | #0 | QAM16 | 21.52 | PASS |
| LTE Band17 | 10 | 23780 | 25 | #Mid | QAM16 | 21.57 | PASS |
| LTE Band17 | 10 | 23780 | 25 | #Max | QAM16 | 21.45 | PASS |
| LTE Band17 | 10 | 23780 | 50 | #0 | QAM16 | 21.56 | PASS |
| LTE Band17 | 10 | 23790 | 1 | #0 | QPSK | 23.49 | PASS |
| LTE Band17 | 10 | 23790 | 1 | #Mid | QPSK | 23.56 | PASS |
| LTE Band17 | 10 | 23790 | 1 | #Max | QPSK | 23.34 | PASS |
| LTE Band17 | 10 | 23790 | 25 | #0 | QPSK | 22.51 | PASS |
| LTE Band17 | 10 | 23790 | 25 | #Mid | QPSK | 22.45 | PASS |
| LTE Band17 | 10 | 23790 | 25 | #Max | QPSK | 22.43 | PASS |
| LTE Band17 | 10 | 23790 | 50 | #0 | QPSK | 22.51 | PASS |
| LTE Band17 | 10 | 23790 | 1 | #0 | QAM16 | 22.36 | PASS |
| LTE Band17 | 10 | 23790 | 1 | #Mid | QAM16 | 22.44 | PASS |
| LTE Band17 | 10 | 23790 | 1 | #Max | QAM16 | 22.22 | PASS |
| LTE Band17 | 10 | 23790 | 25 | #0 | QAM16 | 21.53 | PASS |
| LTE Band17 | 10 | 23790 | 25 | #Mid | QAM16 | 21.51 | PASS |
| LTE Band17 | 10 | 23790 | 25 | #Max | QAM16 | 21.44 | PASS |
| LTE Band17 | 10 | 23790 | 50 | #0 | QAM16 | 21.50 | PASS |
| LTE Band17 | 10 | 23800 | 1 | #0 | QPSK | 23.46 | PASS |
| LTE Band17 | 10 | 23800 | 1 | #Mid | QPSK | 23.49 | PASS |
| LTE Band17 | 10 | 23800 | 1 | #Max | QPSK | 23.27 | PASS |
| LTE Band17 | 10 | 23800 | 25 | #0 | QPSK | 22.57 | PASS |
| LTE Band17 | 10 | 23800 | 25 | #Mid | QPSK | 22.48 | PASS |
| LTE Band17 | 10 | 23800 | 25 | #Max | QPSK | 22.43 | PASS |
| LTE Band17 | 10 | 23800 | 50 | #0 | QPSK | 22.50 | PASS |
| LTE Band17 | 10 | 23800 | 1 | #0 | QAM16 | 22.89 | PASS |
| LTE Band17 | 10 | 23800 | 1 | #Mid | QAM16 | 22.94 | PASS |
| LTE Band17 | 10 | 23800 | 1 | #Max | QAM16 | 22.71 | PASS |
| LTE Band17 | 10 | 23800 | 25 | #0 | QAM16 | 21.59 | PASS |
| LTE Band17 | 10 | 23800 | 25 | #Mid | QAM16 | 21.51 | PASS |
| LTE Band17 | 10 | 23800 | 25 | #Max | QAM16 | 21.49 | PASS |
| LTE Band17 | 10 | 23800 | 50 | #0 | QAM16 | 21.52 | PASS |
| LTE Band2 | 1.4 | 18607 | 1 | #0 | QPSK | 24.18 | PASS |
| LTE Band2 | 1.4 | 18607 | 1 | #Mid | QPSK | 24.29 | PASS |
| LTE Band2 | 1.4 | 18607 | 1 | #Max | QPSK | 24.15 | PASS |
| LTE Band2 | 1.4 | 18607 | 3 | #0 | QPSK | 24.33 | PASS |
| LTE Band2 | 1.4 | 18607 | 3 | #Mid | QPSK | 24.30 | PASS |
| LTE Band2 | 1.4 | 18607 | 3 | #Max | QPSK | 24.26 | PASS |
| LTE Band2 | 1.4 | 18607 | 6 | #0 | QPSK | 23.21 | PASS |
| LTE Band2 | 1.4 | 18607 | 1 | #0 | QAM16 | 23.42 | PASS |

| | | | | | | | |
|-----------|-----|-------|----|------|-------|-------|------|
| LTE Band2 | 1.4 | 18607 | 1 | #Mid | QAM16 | 23.53 | PASS |
| LTE Band2 | 1.4 | 18607 | 1 | #Max | QAM16 | 23.40 | PASS |
| LTE Band2 | 1.4 | 18607 | 3 | #0 | QAM16 | 23.57 | PASS |
| LTE Band2 | 1.4 | 18607 | 3 | #Mid | QAM16 | 23.56 | PASS |
| LTE Band2 | 1.4 | 18607 | 3 | #Max | QAM16 | 23.58 | PASS |
| LTE Band2 | 1.4 | 18607 | 6 | #0 | QAM16 | 22.44 | PASS |
| LTE Band2 | 1.4 | 18900 | 1 | #0 | QPSK | 24.16 | PASS |
| LTE Band2 | 1.4 | 18900 | 1 | #Mid | QPSK | 24.33 | PASS |
| LTE Band2 | 1.4 | 18900 | 1 | #Max | QPSK | 24.20 | PASS |
| LTE Band2 | 1.4 | 18900 | 3 | #0 | QPSK | 24.28 | PASS |
| LTE Band2 | 1.4 | 18900 | 3 | #Mid | QPSK | 24.29 | PASS |
| LTE Band2 | 1.4 | 18900 | 3 | #Max | QPSK | 24.23 | PASS |
| LTE Band2 | 1.4 | 18900 | 6 | #0 | QPSK | 23.20 | PASS |
| LTE Band2 | 1.4 | 18900 | 1 | #0 | QAM16 | 23.08 | PASS |
| LTE Band2 | 1.4 | 18900 | 1 | #Mid | QAM16 | 23.22 | PASS |
| LTE Band2 | 1.4 | 18900 | 1 | #Max | QAM16 | 23.08 | PASS |
| LTE Band2 | 1.4 | 18900 | 3 | #0 | QAM16 | 23.47 | PASS |
| LTE Band2 | 1.4 | 18900 | 3 | #Mid | QAM16 | 23.43 | PASS |
| LTE Band2 | 1.4 | 18900 | 3 | #Max | QAM16 | 23.45 | PASS |
| LTE Band2 | 1.4 | 18900 | 6 | #0 | QAM16 | 22.48 | PASS |
| LTE Band2 | 1.4 | 19193 | 1 | #0 | QPSK | 24.14 | PASS |
| LTE Band2 | 1.4 | 19193 | 1 | #Mid | QPSK | 24.33 | PASS |
| LTE Band2 | 1.4 | 19193 | 1 | #Max | QPSK | 24.11 | PASS |
| LTE Band2 | 1.4 | 19193 | 3 | #0 | QPSK | 24.19 | PASS |
| LTE Band2 | 1.4 | 19193 | 3 | #Mid | QPSK | 24.23 | PASS |
| LTE Band2 | 1.4 | 19193 | 3 | #Max | QPSK | 24.18 | PASS |
| LTE Band2 | 1.4 | 19193 | 6 | #0 | QPSK | 23.09 | PASS |
| LTE Band2 | 1.4 | 19193 | 1 | #0 | QAM16 | 23.23 | PASS |
| LTE Band2 | 1.4 | 19193 | 1 | #Mid | QAM16 | 23.32 | PASS |
| LTE Band2 | 1.4 | 19193 | 1 | #Max | QAM16 | 23.20 | PASS |
| LTE Band2 | 1.4 | 19193 | 3 | #0 | QAM16 | 23.31 | PASS |
| LTE Band2 | 1.4 | 19193 | 3 | #Mid | QAM16 | 23.29 | PASS |
| LTE Band2 | 1.4 | 19193 | 3 | #Max | QAM16 | 23.27 | PASS |
| LTE Band2 | 1.4 | 19193 | 6 | #0 | QAM16 | 22.34 | PASS |
| LTE Band2 | 3 | 18615 | 1 | #0 | QPSK | 24.24 | PASS |
| LTE Band2 | 3 | 18615 | 1 | #Mid | QPSK | 24.60 | PASS |
| LTE Band2 | 3 | 18615 | 1 | #Max | QPSK | 24.20 | PASS |
| LTE Band2 | 3 | 18615 | 8 | #0 | QPSK | 23.24 | PASS |
| LTE Band2 | 3 | 18615 | 8 | #Mid | QPSK | 23.24 | PASS |
| LTE Band2 | 3 | 18615 | 8 | #Max | QPSK | 23.23 | PASS |
| LTE Band2 | 3 | 18615 | 15 | #0 | QPSK | 23.21 | PASS |
| LTE Band2 | 3 | 18615 | 1 | #0 | QAM16 | 23.41 | PASS |
| LTE Band2 | 3 | 18615 | 1 | #Mid | QAM16 | 23.83 | PASS |
| LTE Band2 | 3 | 18615 | 1 | #Max | QAM16 | 23.47 | PASS |

| | | | | | | | |
|-----------|---|-------|----|------|-------|-------|------|
| LTE Band2 | 3 | 18615 | 8 | #0 | QAM16 | 22.34 | PASS |
| LTE Band2 | 3 | 18615 | 8 | #Mid | QAM16 | 22.34 | PASS |
| LTE Band2 | 3 | 18615 | 8 | #Max | QAM16 | 22.32 | PASS |
| LTE Band2 | 3 | 18615 | 15 | #0 | QAM16 | 22.23 | PASS |
| LTE Band2 | 3 | 18900 | 1 | #0 | QPSK | 24.26 | PASS |
| LTE Band2 | 3 | 18900 | 1 | #Mid | QPSK | 24.67 | PASS |
| LTE Band2 | 3 | 18900 | 1 | #Max | QPSK | 24.27 | PASS |
| LTE Band2 | 3 | 18900 | 8 | #0 | QPSK | 23.20 | PASS |
| LTE Band2 | 3 | 18900 | 8 | #Mid | QPSK | 23.23 | PASS |
| LTE Band2 | 3 | 18900 | 8 | #Max | QPSK | 23.21 | PASS |
| LTE Band2 | 3 | 18900 | 15 | #0 | QPSK | 23.15 | PASS |
| LTE Band2 | 3 | 18900 | 1 | #0 | QAM16 | 23.15 | PASS |
| LTE Band2 | 3 | 18900 | 1 | #Mid | QAM16 | 23.44 | PASS |
| LTE Band2 | 3 | 18900 | 1 | #Max | QAM16 | 23.13 | PASS |
| LTE Band2 | 3 | 18900 | 8 | #0 | QAM16 | 22.31 | PASS |
| LTE Band2 | 3 | 18900 | 8 | #Mid | QAM16 | 22.32 | PASS |
| LTE Band2 | 3 | 18900 | 8 | #Max | QAM16 | 22.29 | PASS |
| LTE Band2 | 3 | 18900 | 15 | #0 | QAM16 | 22.35 | PASS |
| LTE Band2 | 3 | 19185 | 1 | #0 | QPSK | 24.12 | PASS |
| LTE Band2 | 3 | 19185 | 1 | #Mid | QPSK | 24.39 | PASS |
| LTE Band2 | 3 | 19185 | 1 | #Max | QPSK | 24.05 | PASS |
| LTE Band2 | 3 | 19185 | 8 | #0 | QPSK | 23.12 | PASS |
| LTE Band2 | 3 | 19185 | 8 | #Mid | QPSK | 23.16 | PASS |
| LTE Band2 | 3 | 19185 | 8 | #Max | QPSK | 23.11 | PASS |
| LTE Band2 | 3 | 19185 | 15 | #0 | QPSK | 23.08 | PASS |
| LTE Band2 | 3 | 19185 | 1 | #0 | QAM16 | 23.46 | PASS |
| LTE Band2 | 3 | 19185 | 1 | #Mid | QAM16 | 23.69 | PASS |
| LTE Band2 | 3 | 19185 | 1 | #Max | QAM16 | 23.47 | PASS |
| LTE Band2 | 3 | 19185 | 8 | #0 | QAM16 | 22.17 | PASS |
| LTE Band2 | 3 | 19185 | 8 | #Mid | QAM16 | 22.21 | PASS |
| LTE Band2 | 3 | 19185 | 8 | #Max | QAM16 | 22.15 | PASS |
| LTE Band2 | 3 | 19185 | 15 | #0 | QAM16 | 22.16 | PASS |
| LTE Band2 | 5 | 18625 | 1 | #0 | QPSK | 24.10 | PASS |
| LTE Band2 | 5 | 18625 | 1 | #Mid | QPSK | 24.52 | PASS |
| LTE Band2 | 5 | 18625 | 1 | #Max | QPSK | 24.11 | PASS |
| LTE Band2 | 5 | 18625 | 12 | #0 | QPSK | 23.26 | PASS |
| LTE Band2 | 5 | 18625 | 12 | #Mid | QPSK | 23.27 | PASS |
| LTE Band2 | 5 | 18625 | 12 | #Max | QPSK | 23.22 | PASS |
| LTE Band2 | 5 | 18625 | 25 | #0 | QPSK | 23.26 | PASS |
| LTE Band2 | 5 | 18625 | 1 | #0 | QAM16 | 23.54 | PASS |
| LTE Band2 | 5 | 18625 | 1 | #Mid | QAM16 | 23.98 | PASS |
| LTE Band2 | 5 | 18625 | 1 | #Max | QAM16 | 23.53 | PASS |
| LTE Band2 | 5 | 18625 | 12 | #0 | QAM16 | 22.27 | PASS |
| LTE Band2 | 5 | 18625 | 12 | #Mid | QAM16 | 22.30 | PASS |

| | | | | | | | |
|-----------|----|-------|----|------|-------|-------|------|
| LTE Band2 | 5 | 18625 | 12 | #Max | QAM16 | 22.19 | PASS |
| LTE Band2 | 5 | 18625 | 25 | #0 | QAM16 | 22.34 | PASS |
| LTE Band2 | 5 | 18900 | 1 | #0 | QPSK | 24.16 | PASS |
| LTE Band2 | 5 | 18900 | 1 | #Mid | QPSK | 24.47 | PASS |
| LTE Band2 | 5 | 18900 | 1 | #Max | QPSK | 24.07 | PASS |
| LTE Band2 | 5 | 18900 | 12 | #0 | QPSK | 23.16 | PASS |
| LTE Band2 | 5 | 18900 | 12 | #Mid | QPSK | 23.25 | PASS |
| LTE Band2 | 5 | 18900 | 12 | #Max | QPSK | 23.23 | PASS |
| LTE Band2 | 5 | 18900 | 25 | #0 | QPSK | 23.26 | PASS |
| LTE Band2 | 5 | 18900 | 1 | #0 | QAM16 | 23.45 | PASS |
| LTE Band2 | 5 | 18900 | 1 | #Mid | QAM16 | 23.87 | PASS |
| LTE Band2 | 5 | 18900 | 1 | #Max | QAM16 | 23.44 | PASS |
| LTE Band2 | 5 | 18900 | 12 | #0 | QAM16 | 22.31 | PASS |
| LTE Band2 | 5 | 18900 | 12 | #Mid | QAM16 | 22.34 | PASS |
| LTE Band2 | 5 | 18900 | 12 | #Max | QAM16 | 22.34 | PASS |
| LTE Band2 | 5 | 18900 | 25 | #0 | QAM16 | 22.27 | PASS |
| LTE Band2 | 5 | 19175 | 1 | #0 | QPSK | 24.05 | PASS |
| LTE Band2 | 5 | 19175 | 1 | #Mid | QPSK | 24.42 | PASS |
| LTE Band2 | 5 | 19175 | 1 | #Max | QPSK | 24.04 | PASS |
| LTE Band2 | 5 | 19175 | 12 | #0 | QPSK | 23.05 | PASS |
| LTE Band2 | 5 | 19175 | 12 | #Mid | QPSK | 23.16 | PASS |
| LTE Band2 | 5 | 19175 | 12 | #Max | QPSK | 23.10 | PASS |
| LTE Band2 | 5 | 19175 | 25 | #0 | QPSK | 23.12 | PASS |
| LTE Band2 | 5 | 19175 | 1 | #0 | QAM16 | 23.54 | PASS |
| LTE Band2 | 5 | 19175 | 1 | #Mid | QAM16 | 23.93 | PASS |
| LTE Band2 | 5 | 19175 | 1 | #Max | QAM16 | 23.53 | PASS |
| LTE Band2 | 5 | 19175 | 12 | #0 | QAM16 | 22.09 | PASS |
| LTE Band2 | 5 | 19175 | 12 | #Mid | QAM16 | 22.23 | PASS |
| LTE Band2 | 5 | 19175 | 12 | #Max | QAM16 | 22.15 | PASS |
| LTE Band2 | 5 | 19175 | 25 | #0 | QAM16 | 22.14 | PASS |
| LTE Band2 | 10 | 18650 | 1 | #0 | QPSK | 24.29 | PASS |
| LTE Band2 | 10 | 18650 | 1 | #Mid | QPSK | 24.31 | PASS |
| LTE Band2 | 10 | 18650 | 1 | #Max | QPSK | 24.22 | PASS |
| LTE Band2 | 10 | 18650 | 25 | #0 | QPSK | 23.33 | PASS |
| LTE Band2 | 10 | 18650 | 25 | #Mid | QPSK | 23.22 | PASS |
| LTE Band2 | 10 | 18650 | 25 | #Max | QPSK | 23.26 | PASS |
| LTE Band2 | 10 | 18650 | 50 | #0 | QPSK | 23.31 | PASS |
| LTE Band2 | 10 | 18650 | 1 | #0 | QAM16 | 23.12 | PASS |
| LTE Band2 | 10 | 18650 | 1 | #Mid | QAM16 | 23.23 | PASS |
| LTE Band2 | 10 | 18650 | 1 | #Max | QAM16 | 23.13 | PASS |
| LTE Band2 | 10 | 18650 | 25 | #0 | QAM16 | 22.40 | PASS |
| LTE Band2 | 10 | 18650 | 25 | #Mid | QAM16 | 22.31 | PASS |
| LTE Band2 | 10 | 18650 | 25 | #Max | QAM16 | 22.31 | PASS |
| LTE Band2 | 10 | 18650 | 50 | #0 | QAM16 | 22.32 | PASS |

| | | | | | | | |
|-----------|----|-------|----|------|-------|-------|------|
| LTE Band2 | 10 | 18900 | 1 | #0 | QPSK | 24.21 | PASS |
| LTE Band2 | 10 | 18900 | 1 | #Mid | QPSK | 24.32 | PASS |
| LTE Band2 | 10 | 18900 | 1 | #Max | QPSK | 24.17 | PASS |
| LTE Band2 | 10 | 18900 | 25 | #0 | QPSK | 23.25 | PASS |
| LTE Band2 | 10 | 18900 | 25 | #Mid | QPSK | 23.26 | PASS |
| LTE Band2 | 10 | 18900 | 25 | #Max | QPSK | 23.30 | PASS |
| LTE Band2 | 10 | 18900 | 50 | #0 | QPSK | 23.25 | PASS |
| LTE Band2 | 10 | 18900 | 1 | #0 | QAM16 | 23.66 | PASS |
| LTE Band2 | 10 | 18900 | 1 | #Mid | QAM16 | 23.78 | PASS |
| LTE Band2 | 10 | 18900 | 1 | #Max | QAM16 | 23.61 | PASS |
| LTE Band2 | 10 | 18900 | 25 | #0 | QAM16 | 22.33 | PASS |
| LTE Band2 | 10 | 18900 | 25 | #Mid | QAM16 | 22.35 | PASS |
| LTE Band2 | 10 | 18900 | 25 | #Max | QAM16 | 22.38 | PASS |
| LTE Band2 | 10 | 18900 | 50 | #0 | QAM16 | 22.36 | PASS |
| LTE Band2 | 10 | 19150 | 1 | #0 | QPSK | 24.11 | PASS |
| LTE Band2 | 10 | 19150 | 1 | #Mid | QPSK | 24.24 | PASS |
| LTE Band2 | 10 | 19150 | 1 | #Max | QPSK | 24.10 | PASS |
| LTE Band2 | 10 | 19150 | 25 | #0 | QPSK | 23.20 | PASS |
| LTE Band2 | 10 | 19150 | 25 | #Mid | QPSK | 23.12 | PASS |
| LTE Band2 | 10 | 19150 | 25 | #Max | QPSK | 23.17 | PASS |
| LTE Band2 | 10 | 19150 | 50 | #0 | QPSK | 23.19 | PASS |
| LTE Band2 | 10 | 19150 | 1 | #0 | QAM16 | 23.32 | PASS |
| LTE Band2 | 10 | 19150 | 1 | #Mid | QAM16 | 23.36 | PASS |
| LTE Band2 | 10 | 19150 | 1 | #Max | QAM16 | 23.26 | PASS |
| LTE Band2 | 10 | 19150 | 25 | #0 | QAM16 | 22.26 | PASS |
| LTE Band2 | 10 | 19150 | 25 | #Mid | QAM16 | 22.23 | PASS |
| LTE Band2 | 10 | 19150 | 25 | #Max | QAM16 | 22.25 | PASS |
| LTE Band2 | 10 | 19150 | 50 | #0 | QAM16 | 22.30 | PASS |
| LTE Band2 | 15 | 18675 | 1 | #0 | QPSK | 24.12 | PASS |
| LTE Band2 | 15 | 18675 | 1 | #Mid | QPSK | 24.46 | PASS |
| LTE Band2 | 15 | 18675 | 1 | #Max | QPSK | 24.04 | PASS |
| LTE Band2 | 15 | 18675 | 36 | #0 | QPSK | 23.40 | PASS |
| LTE Band2 | 15 | 18675 | 36 | #Mid | QPSK | 23.29 | PASS |
| LTE Band2 | 15 | 18675 | 36 | #Max | QPSK | 23.23 | PASS |
| LTE Band2 | 15 | 18675 | 75 | #0 | QPSK | 23.31 | PASS |
| LTE Band2 | 15 | 18675 | 1 | #0 | QAM16 | 23.64 | PASS |
| LTE Band2 | 15 | 18675 | 1 | #Mid | QAM16 | 23.98 | PASS |
| LTE Band2 | 15 | 18675 | 1 | #Max | QAM16 | 23.57 | PASS |
| LTE Band2 | 15 | 18675 | 36 | #0 | QAM16 | 22.36 | PASS |
| LTE Band2 | 15 | 18675 | 36 | #Mid | QAM16 | 22.34 | PASS |
| LTE Band2 | 15 | 18675 | 36 | #Max | QAM16 | 22.28 | PASS |
| LTE Band2 | 15 | 18675 | 75 | #0 | QAM16 | 22.31 | PASS |
| LTE Band2 | 15 | 18900 | 1 | #0 | QPSK | 24.18 | PASS |
| LTE Band2 | 15 | 18900 | 1 | #Mid | QPSK | 24.58 | PASS |

| | | | | | | | |
|-----------|----|-------|-----|------|-------|-------|------|
| LTE Band2 | 15 | 18900 | 1 | #Max | QPSK | 24.08 | PASS |
| LTE Band2 | 15 | 18900 | 36 | #0 | QPSK | 23.22 | PASS |
| LTE Band2 | 15 | 18900 | 36 | #Mid | QPSK | 23.28 | PASS |
| LTE Band2 | 15 | 18900 | 36 | #Max | QPSK | 23.23 | PASS |
| LTE Band2 | 15 | 18900 | 75 | #0 | QPSK | 23.27 | PASS |
| LTE Band2 | 15 | 18900 | 1 | #0 | QAM16 | 23.37 | PASS |
| LTE Band2 | 15 | 18900 | 1 | #Mid | QAM16 | 23.71 | PASS |
| LTE Band2 | 15 | 18900 | 1 | #Max | QAM16 | 23.32 | PASS |
| LTE Band2 | 15 | 18900 | 36 | #0 | QAM16 | 22.31 | PASS |
| LTE Band2 | 15 | 18900 | 36 | #Mid | QAM16 | 22.36 | PASS |
| LTE Band2 | 15 | 18900 | 36 | #Max | QAM16 | 22.35 | PASS |
| LTE Band2 | 15 | 18900 | 75 | #0 | QAM16 | 22.27 | PASS |
| LTE Band2 | 15 | 19125 | 1 | #0 | QPSK | 24.03 | PASS |
| LTE Band2 | 15 | 19125 | 1 | #Mid | QPSK | 24.30 | PASS |
| LTE Band2 | 15 | 19125 | 1 | #Max | QPSK | 23.98 | PASS |
| LTE Band2 | 15 | 19125 | 36 | #0 | QPSK | 23.27 | PASS |
| LTE Band2 | 15 | 19125 | 36 | #Mid | QPSK | 23.22 | PASS |
| LTE Band2 | 15 | 19125 | 36 | #Max | QPSK | 23.25 | PASS |
| LTE Band2 | 15 | 19125 | 75 | #0 | QPSK | 23.26 | PASS |
| LTE Band2 | 15 | 19125 | 1 | #0 | QAM16 | 23.20 | PASS |
| LTE Band2 | 15 | 19125 | 1 | #Mid | QAM16 | 23.51 | PASS |
| LTE Band2 | 15 | 19125 | 1 | #Max | QAM16 | 23.12 | PASS |
| LTE Band2 | 15 | 19125 | 36 | #0 | QAM16 | 22.20 | PASS |
| LTE Band2 | 15 | 19125 | 36 | #Mid | QAM16 | 22.20 | PASS |
| LTE Band2 | 15 | 19125 | 36 | #Max | QAM16 | 22.21 | PASS |
| LTE Band2 | 15 | 19125 | 75 | #0 | QAM16 | 22.32 | PASS |
| LTE Band2 | 20 | 18700 | 1 | #0 | QPSK | 24.02 | PASS |
| LTE Band2 | 20 | 18700 | 1 | #Mid | QPSK | 24.27 | PASS |
| LTE Band2 | 20 | 18700 | 1 | #Max | QPSK | 23.97 | PASS |
| LTE Band2 | 20 | 18700 | 50 | #0 | QPSK | 23.35 | PASS |
| LTE Band2 | 20 | 18700 | 50 | #Mid | QPSK | 23.29 | PASS |
| LTE Band2 | 20 | 18700 | 50 | #Max | QPSK | 23.17 | PASS |
| LTE Band2 | 20 | 18700 | 100 | #0 | QPSK | 23.26 | PASS |
| LTE Band2 | 20 | 18700 | 1 | #0 | QAM16 | 23.36 | PASS |
| LTE Band2 | 20 | 18700 | 1 | #Mid | QAM16 | 23.60 | PASS |
| LTE Band2 | 20 | 18700 | 1 | #Max | QAM16 | 23.31 | PASS |
| LTE Band2 | 20 | 18700 | 50 | #0 | QAM16 | 22.39 | PASS |
| LTE Band2 | 20 | 18700 | 50 | #Mid | QAM16 | 22.34 | PASS |
| LTE Band2 | 20 | 18700 | 50 | #Max | QAM16 | 22.22 | PASS |
| LTE Band2 | 20 | 18700 | 100 | #0 | QAM16 | 22.28 | PASS |
| LTE Band2 | 20 | 18900 | 1 | #0 | QPSK | 24.00 | PASS |
| LTE Band2 | 20 | 18900 | 1 | #Mid | QPSK | 24.34 | PASS |
| LTE Band2 | 20 | 18900 | 1 | #Max | QPSK | 23.90 | PASS |
| LTE Band2 | 20 | 18900 | 50 | #0 | QPSK | 23.15 | PASS |

| | | | | | | | |
|-----------|-----|-------|-----|------|-------|-------|------|
| LTE Band2 | 20 | 18900 | 50 | #Mid | QPSK | 23.25 | PASS |
| LTE Band2 | 20 | 18900 | 50 | #Max | QPSK | 23.22 | PASS |
| LTE Band2 | 20 | 18900 | 100 | #0 | QPSK | 23.23 | PASS |
| LTE Band2 | 20 | 18900 | 1 | #0 | QAM16 | 23.33 | PASS |
| LTE Band2 | 20 | 18900 | 1 | #Mid | QAM16 | 23.64 | PASS |
| LTE Band2 | 20 | 18900 | 1 | #Max | QAM16 | 23.24 | PASS |
| LTE Band2 | 20 | 18900 | 50 | #0 | QAM16 | 22.30 | PASS |
| LTE Band2 | 20 | 18900 | 50 | #Mid | QAM16 | 22.42 | PASS |
| LTE Band2 | 20 | 18900 | 50 | #Max | QAM16 | 22.35 | PASS |
| LTE Band2 | 20 | 18900 | 100 | #0 | QAM16 | 22.33 | PASS |
| LTE Band2 | 20 | 19100 | 1 | #0 | QPSK | 23.94 | PASS |
| LTE Band2 | 20 | 19100 | 1 | #Mid | QPSK | 24.26 | PASS |
| LTE Band2 | 20 | 19100 | 1 | #Max | QPSK | 23.84 | PASS |
| LTE Band2 | 20 | 19100 | 50 | #0 | QPSK | 23.30 | PASS |
| LTE Band2 | 20 | 19100 | 50 | #Mid | QPSK | 23.20 | PASS |
| LTE Band2 | 20 | 19100 | 50 | #Max | QPSK | 23.22 | PASS |
| LTE Band2 | 20 | 19100 | 100 | #0 | QPSK | 23.29 | PASS |
| LTE Band2 | 20 | 19100 | 1 | #0 | QAM16 | 23.29 | PASS |
| LTE Band2 | 20 | 19100 | 1 | #Mid | QAM16 | 23.58 | PASS |
| LTE Band2 | 20 | 19100 | 1 | #Max | QAM16 | 23.16 | PASS |
| LTE Band2 | 20 | 19100 | 50 | #0 | QAM16 | 22.46 | PASS |
| LTE Band2 | 20 | 19100 | 50 | #Mid | QAM16 | 22.32 | PASS |
| LTE Band2 | 20 | 19100 | 50 | #Max | QAM16 | 22.35 | PASS |
| LTE Band2 | 20 | 19100 | 100 | #0 | QAM16 | 22.38 | PASS |
| LTE Band4 | 1.4 | 19957 | 1 | #0 | QPSK | 23.74 | PASS |
| LTE Band4 | 1.4 | 19957 | 1 | #Mid | QPSK | 23.85 | PASS |
| LTE Band4 | 1.4 | 19957 | 1 | #Max | QPSK | 23.77 | PASS |
| LTE Band4 | 1.4 | 19957 | 3 | #0 | QPSK | 23.87 | PASS |
| LTE Band4 | 1.4 | 19957 | 3 | #Mid | QPSK | 23.86 | PASS |
| LTE Band4 | 1.4 | 19957 | 3 | #Max | QPSK | 23.83 | PASS |
| LTE Band4 | 1.4 | 19957 | 6 | #0 | QPSK | 22.76 | PASS |
| LTE Band4 | 1.4 | 19957 | 1 | #0 | QAM16 | 22.61 | PASS |
| LTE Band4 | 1.4 | 19957 | 1 | #Mid | QAM16 | 22.78 | PASS |
| LTE Band4 | 1.4 | 19957 | 1 | #Max | QAM16 | 22.62 | PASS |
| LTE Band4 | 1.4 | 19957 | 3 | #0 | QAM16 | 23.00 | PASS |
| LTE Band4 | 1.4 | 19957 | 3 | #Mid | QAM16 | 23.00 | PASS |
| LTE Band4 | 1.4 | 19957 | 3 | #Max | QAM16 | 23.08 | PASS |
| LTE Band4 | 1.4 | 19957 | 6 | #0 | QAM16 | 22.02 | PASS |
| LTE Band4 | 1.4 | 20175 | 1 | #0 | QPSK | 23.78 | PASS |
| LTE Band4 | 1.4 | 20175 | 1 | #Mid | QPSK | 23.94 | PASS |
| LTE Band4 | 1.4 | 20175 | 1 | #Max | QPSK | 23.77 | PASS |
| LTE Band4 | 1.4 | 20175 | 3 | #0 | QPSK | 23.76 | PASS |
| LTE Band4 | 1.4 | 20175 | 3 | #Mid | QPSK | 23.79 | PASS |
| LTE Band4 | 1.4 | 20175 | 3 | #Max | QPSK | 23.82 | PASS |

| | | | | | | | |
|-----------|-----|-------|----|------|-------|-------|------|
| LTE Band4 | 1.4 | 20175 | 6 | #0 | QPSK | 22.76 | PASS |
| LTE Band4 | 1.4 | 20175 | 1 | #0 | QAM16 | 22.72 | PASS |
| LTE Band4 | 1.4 | 20175 | 1 | #Mid | QAM16 | 22.85 | PASS |
| LTE Band4 | 1.4 | 20175 | 1 | #Max | QAM16 | 22.71 | PASS |
| LTE Band4 | 1.4 | 20175 | 3 | #0 | QAM16 | 22.83 | PASS |
| LTE Band4 | 1.4 | 20175 | 3 | #Mid | QAM16 | 22.87 | PASS |
| LTE Band4 | 1.4 | 20175 | 3 | #Max | QAM16 | 22.83 | PASS |
| LTE Band4 | 1.4 | 20175 | 6 | #0 | QAM16 | 21.88 | PASS |
| LTE Band4 | 1.4 | 20393 | 1 | #0 | QPSK | 23.75 | PASS |
| LTE Band4 | 1.4 | 20393 | 1 | #Mid | QPSK | 23.89 | PASS |
| LTE Band4 | 1.4 | 20393 | 1 | #Max | QPSK | 23.72 | PASS |
| LTE Band4 | 1.4 | 20393 | 3 | #0 | QPSK | 23.78 | PASS |
| LTE Band4 | 1.4 | 20393 | 3 | #Mid | QPSK | 23.79 | PASS |
| LTE Band4 | 1.4 | 20393 | 3 | #Max | QPSK | 23.85 | PASS |
| LTE Band4 | 1.4 | 20393 | 6 | #0 | QPSK | 22.78 | PASS |
| LTE Band4 | 1.4 | 20393 | 1 | #0 | QAM16 | 22.83 | PASS |
| LTE Band4 | 1.4 | 20393 | 1 | #Mid | QAM16 | 22.94 | PASS |
| LTE Band4 | 1.4 | 20393 | 1 | #Max | QAM16 | 22.83 | PASS |
| LTE Band4 | 1.4 | 20393 | 3 | #0 | QAM16 | 22.89 | PASS |
| LTE Band4 | 1.4 | 20393 | 3 | #Mid | QAM16 | 22.94 | PASS |
| LTE Band4 | 1.4 | 20393 | 3 | #Max | QAM16 | 22.93 | PASS |
| LTE Band4 | 1.4 | 20393 | 6 | #0 | QAM16 | 21.89 | PASS |
| LTE Band4 | 3 | 19965 | 1 | #0 | QPSK | 23.73 | PASS |
| LTE Band4 | 3 | 19965 | 1 | #Mid | QPSK | 23.99 | PASS |
| LTE Band4 | 3 | 19965 | 1 | #Max | QPSK | 23.79 | PASS |
| LTE Band4 | 3 | 19965 | 8 | #0 | QPSK | 22.73 | PASS |
| LTE Band4 | 3 | 19965 | 8 | #Mid | QPSK | 22.79 | PASS |
| LTE Band4 | 3 | 19965 | 8 | #Max | QPSK | 22.79 | PASS |
| LTE Band4 | 3 | 19965 | 15 | #0 | QPSK | 22.78 | PASS |
| LTE Band4 | 3 | 19965 | 1 | #0 | QAM16 | 22.97 | PASS |
| LTE Band4 | 3 | 19965 | 1 | #Mid | QAM16 | 23.30 | PASS |
| LTE Band4 | 3 | 19965 | 1 | #Max | QAM16 | 22.96 | PASS |
| LTE Band4 | 3 | 19965 | 8 | #0 | QAM16 | 21.85 | PASS |
| LTE Band4 | 3 | 19965 | 8 | #Mid | QAM16 | 21.90 | PASS |
| LTE Band4 | 3 | 19965 | 8 | #Max | QAM16 | 21.84 | PASS |
| LTE Band4 | 3 | 19965 | 15 | #0 | QAM16 | 21.86 | PASS |
| LTE Band4 | 3 | 20175 | 1 | #0 | QPSK | 23.76 | PASS |
| LTE Band4 | 3 | 20175 | 1 | #Mid | QPSK | 24.00 | PASS |
| LTE Band4 | 3 | 20175 | 1 | #Max | QPSK | 23.77 | PASS |
| LTE Band4 | 3 | 20175 | 8 | #0 | QPSK | 22.79 | PASS |
| LTE Band4 | 3 | 20175 | 8 | #Mid | QPSK | 22.80 | PASS |
| LTE Band4 | 3 | 20175 | 8 | #Max | QPSK | 22.73 | PASS |
| LTE Band4 | 3 | 20175 | 15 | #0 | QPSK | 22.72 | PASS |
| LTE Band4 | 3 | 20175 | 1 | #0 | QAM16 | 22.56 | PASS |

| | | | | | | | |
|-----------|---|-------|----|------|-------|-------|------|
| LTE Band4 | 3 | 20175 | 1 | #Mid | QAM16 | 22.78 | PASS |
| LTE Band4 | 3 | 20175 | 1 | #Max | QAM16 | 22.52 | PASS |
| LTE Band4 | 3 | 20175 | 8 | #0 | QAM16 | 21.77 | PASS |
| LTE Band4 | 3 | 20175 | 8 | #Mid | QAM16 | 21.77 | PASS |
| LTE Band4 | 3 | 20175 | 8 | #Max | QAM16 | 21.78 | PASS |
| LTE Band4 | 3 | 20175 | 15 | #0 | QAM16 | 21.83 | PASS |
| LTE Band4 | 3 | 20385 | 1 | #0 | QPSK | 23.79 | PASS |
| LTE Band4 | 3 | 20385 | 1 | #Mid | QPSK | 24.00 | PASS |
| LTE Band4 | 3 | 20385 | 1 | #Max | QPSK | 23.75 | PASS |
| LTE Band4 | 3 | 20385 | 8 | #0 | QPSK | 22.78 | PASS |
| LTE Band4 | 3 | 20385 | 8 | #Mid | QPSK | 22.79 | PASS |
| LTE Band4 | 3 | 20385 | 8 | #Max | QPSK | 22.76 | PASS |
| LTE Band4 | 3 | 20385 | 15 | #0 | QPSK | 22.75 | PASS |
| LTE Band4 | 3 | 20385 | 1 | #0 | QAM16 | 23.11 | PASS |
| LTE Band4 | 3 | 20385 | 1 | #Mid | QAM16 | 23.27 | PASS |
| LTE Band4 | 3 | 20385 | 1 | #Max | QAM16 | 23.02 | PASS |
| LTE Band4 | 3 | 20385 | 8 | #0 | QAM16 | 21.85 | PASS |
| LTE Band4 | 3 | 20385 | 8 | #Mid | QAM16 | 21.84 | PASS |
| LTE Band4 | 3 | 20385 | 8 | #Max | QAM16 | 21.81 | PASS |
| LTE Band4 | 3 | 20385 | 15 | #0 | QAM16 | 21.85 | PASS |
| LTE Band4 | 5 | 19975 | 1 | #0 | QPSK | 23.70 | PASS |
| LTE Band4 | 5 | 19975 | 1 | #Mid | QPSK | 24.00 | PASS |
| LTE Band4 | 5 | 19975 | 1 | #Max | QPSK | 23.70 | PASS |
| LTE Band4 | 5 | 19975 | 12 | #0 | QPSK | 22.79 | PASS |
| LTE Band4 | 5 | 19975 | 12 | #Mid | QPSK | 22.84 | PASS |
| LTE Band4 | 5 | 19975 | 12 | #Max | QPSK | 22.82 | PASS |
| LTE Band4 | 5 | 19975 | 25 | #0 | QPSK | 22.83 | PASS |
| LTE Band4 | 5 | 19975 | 1 | #0 | QAM16 | 23.25 | PASS |
| LTE Band4 | 5 | 19975 | 1 | #Mid | QAM16 | 23.59 | PASS |
| LTE Band4 | 5 | 19975 | 1 | #Max | QAM16 | 23.28 | PASS |
| LTE Band4 | 5 | 19975 | 12 | #0 | QAM16 | 21.88 | PASS |
| LTE Band4 | 5 | 19975 | 12 | #Mid | QAM16 | 21.95 | PASS |
| LTE Band4 | 5 | 19975 | 12 | #Max | QAM16 | 21.94 | PASS |
| LTE Band4 | 5 | 19975 | 25 | #0 | QAM16 | 21.88 | PASS |
| LTE Band4 | 5 | 20175 | 1 | #0 | QPSK | 23.69 | PASS |
| LTE Band4 | 5 | 20175 | 1 | #Mid | QPSK | 23.91 | PASS |
| LTE Band4 | 5 | 20175 | 1 | #Max | QPSK | 23.69 | PASS |
| LTE Band4 | 5 | 20175 | 12 | #0 | QPSK | 22.74 | PASS |
| LTE Band4 | 5 | 20175 | 12 | #Mid | QPSK | 22.81 | PASS |
| LTE Band4 | 5 | 20175 | 12 | #Max | QPSK | 22.72 | PASS |
| LTE Band4 | 5 | 20175 | 25 | #0 | QPSK | 22.74 | PASS |
| LTE Band4 | 5 | 20175 | 1 | #0 | QAM16 | 22.89 | PASS |
| LTE Band4 | 5 | 20175 | 1 | #Mid | QAM16 | 23.13 | PASS |
| LTE Band4 | 5 | 20175 | 1 | #Max | QAM16 | 22.87 | PASS |

| | | | | | | | |
|-----------|----|-------|----|------|-------|-------|------|
| LTE Band4 | 5 | 20175 | 12 | #0 | QAM16 | 21.76 | PASS |
| LTE Band4 | 5 | 20175 | 12 | #Mid | QAM16 | 21.77 | PASS |
| LTE Band4 | 5 | 20175 | 12 | #Max | QAM16 | 21.72 | PASS |
| LTE Band4 | 5 | 20175 | 25 | #0 | QAM16 | 21.83 | PASS |
| LTE Band4 | 5 | 20375 | 1 | #0 | QPSK | 23.68 | PASS |
| LTE Band4 | 5 | 20375 | 1 | #Mid | QPSK | 23.93 | PASS |
| LTE Band4 | 5 | 20375 | 1 | #Max | QPSK | 23.72 | PASS |
| LTE Band4 | 5 | 20375 | 12 | #0 | QPSK | 22.84 | PASS |
| LTE Band4 | 5 | 20375 | 12 | #Mid | QPSK | 22.83 | PASS |
| LTE Band4 | 5 | 20375 | 12 | #Max | QPSK | 22.72 | PASS |
| LTE Band4 | 5 | 20375 | 25 | #0 | QPSK | 22.76 | PASS |
| LTE Band4 | 5 | 20375 | 1 | #0 | QAM16 | 22.94 | PASS |
| LTE Band4 | 5 | 20375 | 1 | #Mid | QAM16 | 23.13 | PASS |
| LTE Band4 | 5 | 20375 | 1 | #Max | QAM16 | 22.88 | PASS |
| LTE Band4 | 5 | 20375 | 12 | #0 | QAM16 | 21.89 | PASS |
| LTE Band4 | 5 | 20375 | 12 | #Mid | QAM16 | 21.89 | PASS |
| LTE Band4 | 5 | 20375 | 12 | #Max | QAM16 | 21.78 | PASS |
| LTE Band4 | 5 | 20375 | 25 | #0 | QAM16 | 21.80 | PASS |
| LTE Band4 | 10 | 20000 | 1 | #0 | QPSK | 23.81 | PASS |
| LTE Band4 | 10 | 20000 | 1 | #Mid | QPSK | 23.97 | PASS |
| LTE Band4 | 10 | 20000 | 1 | #Max | QPSK | 23.79 | PASS |
| LTE Band4 | 10 | 20000 | 25 | #0 | QPSK | 22.85 | PASS |
| LTE Band4 | 10 | 20000 | 25 | #Mid | QPSK | 22.89 | PASS |
| LTE Band4 | 10 | 20000 | 25 | #Max | QPSK | 22.82 | PASS |
| LTE Band4 | 10 | 20000 | 50 | #0 | QPSK | 22.89 | PASS |
| LTE Band4 | 10 | 20000 | 1 | #0 | QAM16 | 23.20 | PASS |
| LTE Band4 | 10 | 20000 | 1 | #Mid | QAM16 | 23.36 | PASS |
| LTE Band4 | 10 | 20000 | 1 | #Max | QAM16 | 23.18 | PASS |
| LTE Band4 | 10 | 20000 | 25 | #0 | QAM16 | 21.96 | PASS |
| LTE Band4 | 10 | 20000 | 25 | #Mid | QAM16 | 22.02 | PASS |
| LTE Band4 | 10 | 20000 | 25 | #Max | QAM16 | 21.93 | PASS |
| LTE Band4 | 10 | 20000 | 50 | #0 | QAM16 | 22.00 | PASS |
| LTE Band4 | 10 | 20175 | 1 | #0 | QPSK | 23.75 | PASS |
| LTE Band4 | 10 | 20175 | 1 | #Mid | QPSK | 23.89 | PASS |
| LTE Band4 | 10 | 20175 | 1 | #Max | QPSK | 23.75 | PASS |
| LTE Band4 | 10 | 20175 | 25 | #0 | QPSK | 22.85 | PASS |
| LTE Band4 | 10 | 20175 | 25 | #Mid | QPSK | 22.79 | PASS |
| LTE Band4 | 10 | 20175 | 25 | #Max | QPSK | 22.82 | PASS |
| LTE Band4 | 10 | 20175 | 50 | #0 | QPSK | 22.86 | PASS |
| LTE Band4 | 10 | 20175 | 1 | #0 | QAM16 | 22.84 | PASS |
| LTE Band4 | 10 | 20175 | 1 | #Mid | QAM16 | 22.94 | PASS |
| LTE Band4 | 10 | 20175 | 1 | #Max | QAM16 | 22.83 | PASS |
| LTE Band4 | 10 | 20175 | 25 | #0 | QAM16 | 21.92 | PASS |
| LTE Band4 | 10 | 20175 | 25 | #Mid | QAM16 | 21.84 | PASS |

| | | | | | | | |
|-----------|----|-------|----|------|-------|-------|------|
| LTE Band4 | 10 | 20175 | 25 | #Max | QAM16 | 21.87 | PASS |
| LTE Band4 | 10 | 20175 | 50 | #0 | QAM16 | 21.92 | PASS |
| LTE Band4 | 10 | 20350 | 1 | #0 | QPSK | 23.76 | PASS |
| LTE Band4 | 10 | 20350 | 1 | #Mid | QPSK | 23.95 | PASS |
| LTE Band4 | 10 | 20350 | 1 | #Max | QPSK | 23.78 | PASS |
| LTE Band4 | 10 | 20350 | 25 | #0 | QPSK | 22.86 | PASS |
| LTE Band4 | 10 | 20350 | 25 | #Mid | QPSK | 22.81 | PASS |
| LTE Band4 | 10 | 20350 | 25 | #Max | QPSK | 22.73 | PASS |
| LTE Band4 | 10 | 20350 | 50 | #0 | QPSK | 22.79 | PASS |
| LTE Band4 | 10 | 20350 | 1 | #0 | QAM16 | 22.58 | PASS |
| LTE Band4 | 10 | 20350 | 1 | #Mid | QAM16 | 22.73 | PASS |
| LTE Band4 | 10 | 20350 | 1 | #Max | QAM16 | 22.53 | PASS |
| LTE Band4 | 10 | 20350 | 25 | #0 | QAM16 | 21.93 | PASS |
| LTE Band4 | 10 | 20350 | 25 | #Mid | QAM16 | 21.88 | PASS |
| LTE Band4 | 10 | 20350 | 25 | #Max | QAM16 | 21.80 | PASS |
| LTE Band4 | 10 | 20350 | 50 | #0 | QAM16 | 21.89 | PASS |
| LTE Band4 | 15 | 20025 | 1 | #0 | QPSK | 23.71 | PASS |
| LTE Band4 | 15 | 20025 | 1 | #Mid | QPSK | 24.00 | PASS |
| LTE Band4 | 15 | 20025 | 1 | #Max | QPSK | 23.71 | PASS |
| LTE Band4 | 15 | 20025 | 36 | #0 | QPSK | 22.96 | PASS |
| LTE Band4 | 15 | 20025 | 36 | #Mid | QPSK | 22.94 | PASS |
| LTE Band4 | 15 | 20025 | 36 | #Max | QPSK | 22.83 | PASS |
| LTE Band4 | 15 | 20025 | 75 | #0 | QPSK | 22.93 | PASS |
| LTE Band4 | 15 | 20025 | 1 | #0 | QAM16 | 22.93 | PASS |
| LTE Band4 | 15 | 20025 | 1 | #Mid | QAM16 | 23.39 | PASS |
| LTE Band4 | 15 | 20025 | 1 | #Max | QAM16 | 22.84 | PASS |
| LTE Band4 | 15 | 20025 | 36 | #0 | QAM16 | 22.04 | PASS |
| LTE Band4 | 15 | 20025 | 36 | #Mid | QAM16 | 22.04 | PASS |
| LTE Band4 | 15 | 20025 | 36 | #Max | QAM16 | 21.91 | PASS |
| LTE Band4 | 15 | 20025 | 75 | #0 | QAM16 | 21.95 | PASS |
| LTE Band4 | 15 | 20175 | 1 | #0 | QPSK | 23.67 | PASS |
| LTE Band4 | 15 | 20175 | 1 | #Mid | QPSK | 23.70 | PASS |
| LTE Band4 | 15 | 20175 | 1 | #Max | QPSK | 23.69 | PASS |
| LTE Band4 | 15 | 20175 | 36 | #0 | QPSK | 23.00 | PASS |
| LTE Band4 | 15 | 20175 | 36 | #Mid | QPSK | 22.95 | PASS |
| LTE Band4 | 15 | 20175 | 36 | #Max | QPSK | 22.92 | PASS |
| LTE Band4 | 15 | 20175 | 75 | #0 | QPSK | 22.97 | PASS |
| LTE Band4 | 15 | 20175 | 1 | #0 | QAM16 | 22.82 | PASS |
| LTE Band4 | 15 | 20175 | 1 | #Mid | QAM16 | 23.03 | PASS |
| LTE Band4 | 15 | 20175 | 1 | #Max | QAM16 | 22.72 | PASS |
| LTE Band4 | 15 | 20175 | 36 | #0 | QAM16 | 21.92 | PASS |
| LTE Band4 | 15 | 20175 | 36 | #Mid | QAM16 | 21.85 | PASS |
| LTE Band4 | 15 | 20175 | 36 | #Max | QAM16 | 21.86 | PASS |
| LTE Band4 | 15 | 20175 | 75 | #0 | QAM16 | 22.00 | PASS |

| | | | | | | | |
|-----------|----|-------|-----|------|-------|-------|------|
| LTE Band4 | 15 | 20325 | 1 | #0 | QPSK | 23.69 | PASS |
| LTE Band4 | 15 | 20325 | 1 | #Mid | QPSK | 23.81 | PASS |
| LTE Band4 | 15 | 20325 | 1 | #Max | QPSK | 23.60 | PASS |
| LTE Band4 | 15 | 20325 | 36 | #0 | QPSK | 22.90 | PASS |
| LTE Band4 | 15 | 20325 | 36 | #Mid | QPSK | 22.95 | PASS |
| LTE Band4 | 15 | 20325 | 36 | #Max | QPSK | 22.86 | PASS |
| LTE Band4 | 15 | 20325 | 75 | #0 | QPSK | 22.87 | PASS |
| LTE Band4 | 15 | 20325 | 1 | #0 | QAM16 | 23.01 | PASS |
| LTE Band4 | 15 | 20325 | 1 | #Mid | QAM16 | 23.34 | PASS |
| LTE Band4 | 15 | 20325 | 1 | #Max | QAM16 | 22.94 | PASS |
| LTE Band4 | 15 | 20325 | 36 | #0 | QAM16 | 21.89 | PASS |
| LTE Band4 | 15 | 20325 | 36 | #Mid | QAM16 | 21.96 | PASS |
| LTE Band4 | 15 | 20325 | 36 | #Max | QAM16 | 21.85 | PASS |
| LTE Band4 | 15 | 20325 | 75 | #0 | QAM16 | 21.91 | PASS |
| LTE Band4 | 20 | 20050 | 1 | #0 | QPSK | 23.53 | PASS |
| LTE Band4 | 20 | 20050 | 1 | #Mid | QPSK | 23.97 | PASS |
| LTE Band4 | 20 | 20050 | 1 | #Max | QPSK | 23.59 | PASS |
| LTE Band4 | 20 | 20050 | 50 | #0 | QPSK | 23.00 | PASS |
| LTE Band4 | 20 | 20050 | 50 | #Mid | QPSK | 22.91 | PASS |
| LTE Band4 | 20 | 20050 | 50 | #Max | QPSK | 22.62 | PASS |
| LTE Band4 | 20 | 20050 | 100 | #0 | QPSK | 22.84 | PASS |
| LTE Band4 | 20 | 20050 | 1 | #0 | QAM16 | 22.84 | PASS |
| LTE Band4 | 20 | 20050 | 1 | #Mid | QAM16 | 23.17 | PASS |
| LTE Band4 | 20 | 20050 | 1 | #Max | QAM16 | 22.67 | PASS |
| LTE Band4 | 20 | 20050 | 50 | #0 | QAM16 | 22.18 | PASS |
| LTE Band4 | 20 | 20050 | 50 | #Mid | QAM16 | 22.08 | PASS |
| LTE Band4 | 20 | 20050 | 50 | #Max | QAM16 | 21.74 | PASS |
| LTE Band4 | 20 | 20050 | 100 | #0 | QAM16 | 21.99 | PASS |
| LTE Band4 | 20 | 20175 | 1 | #0 | QPSK | 23.60 | PASS |
| LTE Band4 | 20 | 20175 | 1 | #Mid | QPSK | 23.59 | PASS |
| LTE Band4 | 20 | 20175 | 1 | #Max | QPSK | 23.60 | PASS |
| LTE Band4 | 20 | 20175 | 50 | #0 | QPSK | 22.95 | PASS |
| LTE Band4 | 20 | 20175 | 50 | #Mid | QPSK | 22.83 | PASS |
| LTE Band4 | 20 | 20175 | 50 | #Max | QPSK | 22.84 | PASS |
| LTE Band4 | 20 | 20175 | 100 | #0 | QPSK | 22.90 | PASS |
| LTE Band4 | 20 | 20175 | 1 | #0 | QAM16 | 22.87 | PASS |
| LTE Band4 | 20 | 20175 | 1 | #Mid | QAM16 | 23.10 | PASS |
| LTE Band4 | 20 | 20175 | 1 | #Max | QAM16 | 22.80 | PASS |
| LTE Band4 | 20 | 20175 | 50 | #0 | QAM16 | 22.05 | PASS |
| LTE Band4 | 20 | 20175 | 50 | #Mid | QAM16 | 21.90 | PASS |
| LTE Band4 | 20 | 20175 | 50 | #Max | QAM16 | 21.93 | PASS |
| LTE Band4 | 20 | 20175 | 100 | #0 | QAM16 | 21.95 | PASS |
| LTE Band4 | 20 | 20300 | 1 | #0 | QPSK | 23.51 | PASS |
| LTE Band4 | 20 | 20300 | 1 | #Mid | QPSK | 23.67 | PASS |

| | | | | | | | |
|-----------|-----|-------|-----|------|-------|-------|------|
| LTE Band4 | 20 | 20300 | 1 | #Max | QPSK | 23.42 | PASS |
| LTE Band4 | 20 | 20300 | 50 | #0 | QPSK | 22.73 | PASS |
| LTE Band4 | 20 | 20300 | 50 | #Mid | QPSK | 22.83 | PASS |
| LTE Band4 | 20 | 20300 | 50 | #Max | QPSK | 22.71 | PASS |
| LTE Band4 | 20 | 20300 | 100 | #0 | QPSK | 22.67 | PASS |
| LTE Band4 | 20 | 20300 | 1 | #0 | QAM16 | 22.64 | PASS |
| LTE Band4 | 20 | 20300 | 1 | #Mid | QAM16 | 23.08 | PASS |
| LTE Band4 | 20 | 20300 | 1 | #Max | QAM16 | 22.68 | PASS |
| LTE Band4 | 20 | 20300 | 50 | #0 | QAM16 | 21.78 | PASS |
| LTE Band4 | 20 | 20300 | 50 | #Mid | QAM16 | 21.88 | PASS |
| LTE Band4 | 20 | 20300 | 50 | #Max | QAM16 | 21.78 | PASS |
| LTE Band4 | 20 | 20300 | 100 | #0 | QAM16 | 21.78 | PASS |
| LTE Band5 | 1.4 | 20407 | 1 | #0 | QPSK | 23.30 | PASS |
| LTE Band5 | 1.4 | 20407 | 1 | #Mid | QPSK | 23.43 | PASS |
| LTE Band5 | 1.4 | 20407 | 1 | #Max | QPSK | 23.25 | PASS |
| LTE Band5 | 1.4 | 20407 | 3 | #0 | QPSK | 23.40 | PASS |
| LTE Band5 | 1.4 | 20407 | 3 | #Mid | QPSK | 23.34 | PASS |
| LTE Band5 | 1.4 | 20407 | 3 | #Max | QPSK | 23.39 | PASS |
| LTE Band5 | 1.4 | 20407 | 6 | #0 | QPSK | 22.32 | PASS |
| LTE Band5 | 1.4 | 20407 | 1 | #0 | QAM16 | 22.51 | PASS |
| LTE Band5 | 1.4 | 20407 | 1 | #Mid | QAM16 | 22.61 | PASS |
| LTE Band5 | 1.4 | 20407 | 1 | #Max | QAM16 | 22.49 | PASS |
| LTE Band5 | 1.4 | 20407 | 3 | #0 | QAM16 | 22.56 | PASS |
| LTE Band5 | 1.4 | 20407 | 3 | #Mid | QAM16 | 22.61 | PASS |
| LTE Band5 | 1.4 | 20407 | 3 | #Max | QAM16 | 22.54 | PASS |
| LTE Band5 | 1.4 | 20407 | 6 | #0 | QAM16 | 21.54 | PASS |
| LTE Band5 | 1.4 | 20525 | 1 | #0 | QPSK | 23.42 | PASS |
| LTE Band5 | 1.4 | 20525 | 1 | #Mid | QPSK | 23.56 | PASS |
| LTE Band5 | 1.4 | 20525 | 1 | #Max | QPSK | 23.46 | PASS |
| LTE Band5 | 1.4 | 20525 | 3 | #0 | QPSK | 23.52 | PASS |
| LTE Band5 | 1.4 | 20525 | 3 | #Mid | QPSK | 23.47 | PASS |
| LTE Band5 | 1.4 | 20525 | 3 | #Max | QPSK | 23.46 | PASS |
| LTE Band5 | 1.4 | 20525 | 6 | #0 | QPSK | 22.45 | PASS |
| LTE Band5 | 1.4 | 20525 | 1 | #0 | QAM16 | 22.32 | PASS |
| LTE Band5 | 1.4 | 20525 | 1 | #Mid | QAM16 | 22.45 | PASS |
| LTE Band5 | 1.4 | 20525 | 1 | #Max | QAM16 | 22.29 | PASS |
| LTE Band5 | 1.4 | 20525 | 3 | #0 | QAM16 | 22.61 | PASS |
| LTE Band5 | 1.4 | 20525 | 3 | #Mid | QAM16 | 22.62 | PASS |
| LTE Band5 | 1.4 | 20525 | 3 | #Max | QAM16 | 22.64 | PASS |
| LTE Band5 | 1.4 | 20525 | 6 | #0 | QAM16 | 21.68 | PASS |
| LTE Band5 | 1.4 | 20643 | 1 | #0 | QPSK | 23.34 | PASS |
| LTE Band5 | 1.4 | 20643 | 1 | #Mid | QPSK | 23.50 | PASS |
| LTE Band5 | 1.4 | 20643 | 1 | #Max | QPSK | 23.30 | PASS |
| LTE Band5 | 1.4 | 20643 | 3 | #0 | QPSK | 23.42 | PASS |

| | | | | | | | |
|-----------|-----|-------|----|------|-------|-------|------|
| LTE Band5 | 1.4 | 20643 | 3 | #Mid | QPSK | 23.42 | PASS |
| LTE Band5 | 1.4 | 20643 | 3 | #Max | QPSK | 23.42 | PASS |
| LTE Band5 | 1.4 | 20643 | 6 | #0 | QPSK | 22.31 | PASS |
| LTE Band5 | 1.4 | 20643 | 1 | #0 | QAM16 | 22.47 | PASS |
| LTE Band5 | 1.4 | 20643 | 1 | #Mid | QAM16 | 22.62 | PASS |
| LTE Band5 | 1.4 | 20643 | 1 | #Max | QAM16 | 22.48 | PASS |
| LTE Band5 | 1.4 | 20643 | 3 | #0 | QAM16 | 22.55 | PASS |
| LTE Band5 | 1.4 | 20643 | 3 | #Mid | QAM16 | 22.56 | PASS |
| LTE Band5 | 1.4 | 20643 | 3 | #Max | QAM16 | 22.53 | PASS |
| LTE Band5 | 1.4 | 20643 | 6 | #0 | QAM16 | 21.57 | PASS |
| LTE Band5 | 3 | 20415 | 1 | #0 | QPSK | 23.37 | PASS |
| LTE Band5 | 3 | 20415 | 1 | #Mid | QPSK | 23.60 | PASS |
| LTE Band5 | 3 | 20415 | 1 | #Max | QPSK | 23.35 | PASS |
| LTE Band5 | 3 | 20415 | 8 | #0 | QPSK | 22.31 | PASS |
| LTE Band5 | 3 | 20415 | 8 | #Mid | QPSK | 22.31 | PASS |
| LTE Band5 | 3 | 20415 | 8 | #Max | QPSK | 22.30 | PASS |
| LTE Band5 | 3 | 20415 | 15 | #0 | QPSK | 22.29 | PASS |
| LTE Band5 | 3 | 20415 | 1 | #0 | QAM16 | 22.81 | PASS |
| LTE Band5 | 3 | 20415 | 1 | #Mid | QAM16 | 23.01 | PASS |
| LTE Band5 | 3 | 20415 | 1 | #Max | QAM16 | 22.77 | PASS |
| LTE Band5 | 3 | 20415 | 8 | #0 | QAM16 | 21.39 | PASS |
| LTE Band5 | 3 | 20415 | 8 | #Mid | QAM16 | 21.42 | PASS |
| LTE Band5 | 3 | 20415 | 8 | #Max | QAM16 | 21.36 | PASS |
| LTE Band5 | 3 | 20415 | 15 | #0 | QAM16 | 21.35 | PASS |
| LTE Band5 | 3 | 20525 | 1 | #0 | QPSK | 23.38 | PASS |
| LTE Band5 | 3 | 20525 | 1 | #Mid | QPSK | 23.84 | PASS |
| LTE Band5 | 3 | 20525 | 1 | #Max | QPSK | 23.42 | PASS |
| LTE Band5 | 3 | 20525 | 8 | #0 | QPSK | 22.42 | PASS |
| LTE Band5 | 3 | 20525 | 8 | #Mid | QPSK | 22.44 | PASS |
| LTE Band5 | 3 | 20525 | 8 | #Max | QPSK | 22.40 | PASS |
| LTE Band5 | 3 | 20525 | 15 | #0 | QPSK | 22.40 | PASS |
| LTE Band5 | 3 | 20525 | 1 | #0 | QAM16 | 22.63 | PASS |
| LTE Band5 | 3 | 20525 | 1 | #Mid | QAM16 | 22.99 | PASS |
| LTE Band5 | 3 | 20525 | 1 | #Max | QAM16 | 22.58 | PASS |
| LTE Band5 | 3 | 20525 | 8 | #0 | QAM16 | 21.49 | PASS |
| LTE Band5 | 3 | 20525 | 8 | #Mid | QAM16 | 21.51 | PASS |
| LTE Band5 | 3 | 20525 | 8 | #Max | QAM16 | 21.43 | PASS |
| LTE Band5 | 3 | 20525 | 15 | #0 | QAM16 | 21.42 | PASS |
| LTE Band5 | 3 | 20635 | 1 | #0 | QPSK | 23.40 | PASS |
| LTE Band5 | 3 | 20635 | 1 | #Mid | QPSK | 23.57 | PASS |
| LTE Band5 | 3 | 20635 | 1 | #Max | QPSK | 23.39 | PASS |
| LTE Band5 | 3 | 20635 | 8 | #0 | QPSK | 22.33 | PASS |
| LTE Band5 | 3 | 20635 | 8 | #Mid | QPSK | 22.37 | PASS |
| LTE Band5 | 3 | 20635 | 8 | #Max | QPSK | 22.30 | PASS |

| | | | | | | | |
|-----------|---|-------|----|------|-------|-------|------|
| LTE Band5 | 3 | 20635 | 15 | #0 | QPSK | 22.31 | PASS |
| LTE Band5 | 3 | 20635 | 1 | #0 | QAM16 | 22.27 | PASS |
| LTE Band5 | 3 | 20635 | 1 | #Mid | QAM16 | 22.55 | PASS |
| LTE Band5 | 3 | 20635 | 1 | #Max | QAM16 | 22.23 | PASS |
| LTE Band5 | 3 | 20635 | 8 | #0 | QAM16 | 21.42 | PASS |
| LTE Band5 | 3 | 20635 | 8 | #Mid | QAM16 | 21.41 | PASS |
| LTE Band5 | 3 | 20635 | 8 | #Max | QAM16 | 21.35 | PASS |
| LTE Band5 | 3 | 20635 | 15 | #0 | QAM16 | 21.46 | PASS |
| LTE Band5 | 5 | 20425 | 1 | #0 | QPSK | 23.25 | PASS |
| LTE Band5 | 5 | 20425 | 1 | #Mid | QPSK | 23.65 | PASS |
| LTE Band5 | 5 | 20425 | 1 | #Max | QPSK | 23.31 | PASS |
| LTE Band5 | 5 | 20425 | 12 | #0 | QPSK | 22.26 | PASS |
| LTE Band5 | 5 | 20425 | 12 | #Mid | QPSK | 22.34 | PASS |
| LTE Band5 | 5 | 20425 | 12 | #Max | QPSK | 22.33 | PASS |
| LTE Band5 | 5 | 20425 | 25 | #0 | QPSK | 22.32 | PASS |
| LTE Band5 | 5 | 20425 | 1 | #0 | QAM16 | 22.73 | PASS |
| LTE Band5 | 5 | 20425 | 1 | #Mid | QAM16 | 23.09 | PASS |
| LTE Band5 | 5 | 20425 | 1 | #Max | QAM16 | 22.83 | PASS |
| LTE Band5 | 5 | 20425 | 12 | #0 | QAM16 | 21.30 | PASS |
| LTE Band5 | 5 | 20425 | 12 | #Mid | QAM16 | 21.37 | PASS |
| LTE Band5 | 5 | 20425 | 12 | #Max | QAM16 | 21.38 | PASS |
| LTE Band5 | 5 | 20425 | 25 | #0 | QAM16 | 21.34 | PASS |
| LTE Band5 | 5 | 20525 | 1 | #0 | QPSK | 23.40 | PASS |
| LTE Band5 | 5 | 20525 | 1 | #Mid | QPSK | 23.72 | PASS |
| LTE Band5 | 5 | 20525 | 1 | #Max | QPSK | 23.33 | PASS |
| LTE Band5 | 5 | 20525 | 12 | #0 | QPSK | 22.45 | PASS |
| LTE Band5 | 5 | 20525 | 12 | #Mid | QPSK | 22.45 | PASS |
| LTE Band5 | 5 | 20525 | 12 | #Max | QPSK | 22.38 | PASS |
| LTE Band5 | 5 | 20525 | 25 | #0 | QPSK | 22.43 | PASS |
| LTE Band5 | 5 | 20525 | 1 | #0 | QAM16 | 22.68 | PASS |
| LTE Band5 | 5 | 20525 | 1 | #Mid | QAM16 | 23.15 | PASS |
| LTE Band5 | 5 | 20525 | 1 | #Max | QAM16 | 22.66 | PASS |
| LTE Band5 | 5 | 20525 | 12 | #0 | QAM16 | 21.42 | PASS |
| LTE Band5 | 5 | 20525 | 12 | #Mid | QAM16 | 21.47 | PASS |
| LTE Band5 | 5 | 20525 | 12 | #Max | QAM16 | 21.36 | PASS |
| LTE Band5 | 5 | 20525 | 25 | #0 | QAM16 | 21.49 | PASS |
| LTE Band5 | 5 | 20625 | 1 | #0 | QPSK | 23.28 | PASS |
| LTE Band5 | 5 | 20625 | 1 | #Mid | QPSK | 23.74 | PASS |
| LTE Band5 | 5 | 20625 | 1 | #Max | QPSK | 23.24 | PASS |
| LTE Band5 | 5 | 20625 | 12 | #0 | QPSK | 22.45 | PASS |
| LTE Band5 | 5 | 20625 | 12 | #Mid | QPSK | 22.40 | PASS |
| LTE Band5 | 5 | 20625 | 12 | #Max | QPSK | 22.21 | PASS |
| LTE Band5 | 5 | 20625 | 25 | #0 | QPSK | 22.37 | PASS |
| LTE Band5 | 5 | 20625 | 1 | #0 | QAM16 | 22.63 | PASS |

| | | | | | | | |
|-----------|----|-------|----|------|-------|-------|------|
| LTE Band5 | 5 | 20625 | 1 | #Mid | QAM16 | 22.96 | PASS |
| LTE Band5 | 5 | 20625 | 1 | #Max | QAM16 | 22.59 | PASS |
| LTE Band5 | 5 | 20625 | 12 | #0 | QAM16 | 21.49 | PASS |
| LTE Band5 | 5 | 20625 | 12 | #Mid | QAM16 | 21.48 | PASS |
| LTE Band5 | 5 | 20625 | 12 | #Max | QAM16 | 21.32 | PASS |
| LTE Band5 | 5 | 20625 | 25 | #0 | QAM16 | 21.43 | PASS |
| LTE Band5 | 10 | 20450 | 1 | #0 | QPSK | 23.36 | PASS |
| LTE Band5 | 10 | 20450 | 1 | #Mid | QPSK | 23.51 | PASS |
| LTE Band5 | 10 | 20450 | 1 | #Max | QPSK | 23.45 | PASS |
| LTE Band5 | 10 | 20450 | 25 | #0 | QPSK | 22.37 | PASS |
| LTE Band5 | 10 | 20450 | 25 | #Mid | QPSK | 22.36 | PASS |
| LTE Band5 | 10 | 20450 | 25 | #Max | QPSK | 22.42 | PASS |
| LTE Band5 | 10 | 20450 | 50 | #0 | QPSK | 22.37 | PASS |
| LTE Band5 | 10 | 20450 | 1 | #0 | QAM16 | 22.75 | PASS |
| LTE Band5 | 10 | 20450 | 1 | #Mid | QAM16 | 22.93 | PASS |
| LTE Band5 | 10 | 20450 | 1 | #Max | QAM16 | 22.86 | PASS |
| LTE Band5 | 10 | 20450 | 25 | #0 | QAM16 | 21.46 | PASS |
| LTE Band5 | 10 | 20450 | 25 | #Mid | QAM16 | 21.45 | PASS |
| LTE Band5 | 10 | 20450 | 25 | #Max | QAM16 | 21.49 | PASS |
| LTE Band5 | 10 | 20450 | 50 | #0 | QAM16 | 21.42 | PASS |
| LTE Band5 | 10 | 20525 | 1 | #0 | QPSK | 23.38 | PASS |
| LTE Band5 | 10 | 20525 | 1 | #Mid | QPSK | 23.53 | PASS |
| LTE Band5 | 10 | 20525 | 1 | #Max | QPSK | 23.41 | PASS |
| LTE Band5 | 10 | 20525 | 25 | #0 | QPSK | 22.51 | PASS |
| LTE Band5 | 10 | 20525 | 25 | #Mid | QPSK | 22.45 | PASS |
| LTE Band5 | 10 | 20525 | 25 | #Max | QPSK | 22.42 | PASS |
| LTE Band5 | 10 | 20525 | 50 | #0 | QPSK | 22.47 | PASS |
| LTE Band5 | 10 | 20525 | 1 | #0 | QAM16 | 22.61 | PASS |
| LTE Band5 | 10 | 20525 | 1 | #Mid | QAM16 | 22.71 | PASS |
| LTE Band5 | 10 | 20525 | 1 | #Max | QAM16 | 22.63 | PASS |
| LTE Band5 | 10 | 20525 | 25 | #0 | QAM16 | 21.55 | PASS |
| LTE Band5 | 10 | 20525 | 25 | #Mid | QAM16 | 21.52 | PASS |
| LTE Band5 | 10 | 20525 | 25 | #Max | QAM16 | 21.47 | PASS |
| LTE Band5 | 10 | 20525 | 50 | #0 | QAM16 | 21.54 | PASS |
| LTE Band5 | 10 | 20600 | 1 | #0 | QPSK | 23.38 | PASS |
| LTE Band5 | 10 | 20600 | 1 | #Mid | QPSK | 23.51 | PASS |
| LTE Band5 | 10 | 20600 | 1 | #Max | QPSK | 23.35 | PASS |
| LTE Band5 | 10 | 20600 | 25 | #0 | QPSK | 22.46 | PASS |
| LTE Band5 | 10 | 20600 | 25 | #Mid | QPSK | 22.43 | PASS |
| LTE Band5 | 10 | 20600 | 25 | #Max | QPSK | 22.20 | PASS |
| LTE Band5 | 10 | 20600 | 50 | #0 | QPSK | 22.34 | PASS |
| LTE Band5 | 10 | 20600 | 1 | #0 | QAM16 | 22.30 | PASS |
| LTE Band5 | 10 | 20600 | 1 | #Mid | QAM16 | 22.39 | PASS |
| LTE Band5 | 10 | 20600 | 1 | #Max | QAM16 | 22.26 | PASS |

| | | | | | | | |
|-----------|----|-------|----|------|-------|-------|------|
| LTE Band5 | 10 | 20600 | 25 | #0 | QAM16 | 21.52 | PASS |
| LTE Band5 | 10 | 20600 | 25 | #Mid | QAM16 | 21.50 | PASS |
| LTE Band5 | 10 | 20600 | 25 | #Max | QAM16 | 21.31 | PASS |
| LTE Band5 | 10 | 20600 | 50 | #0 | QAM16 | 21.38 | PASS |
| LTE Band7 | 5 | 20775 | 1 | #0 | QPSK | 24.55 | PASS |
| LTE Band7 | 5 | 20775 | 1 | #Mid | QPSK | 24.83 | PASS |
| LTE Band7 | 5 | 20775 | 1 | #Max | QPSK | 24.56 | PASS |
| LTE Band7 | 5 | 20775 | 12 | #0 | QPSK | 23.65 | PASS |
| LTE Band7 | 5 | 20775 | 12 | #Mid | QPSK | 23.75 | PASS |
| LTE Band7 | 5 | 20775 | 12 | #Max | QPSK | 23.71 | PASS |
| LTE Band7 | 5 | 20775 | 25 | #0 | QPSK | 23.71 | PASS |
| LTE Band7 | 5 | 20775 | 1 | #0 | QAM16 | 23.90 | PASS |
| LTE Band7 | 5 | 20775 | 1 | #Mid | QAM16 | 24.36 | PASS |
| LTE Band7 | 5 | 20775 | 1 | #Max | QAM16 | 23.95 | PASS |
| LTE Band7 | 5 | 20775 | 12 | #0 | QAM16 | 22.58 | PASS |
| LTE Band7 | 5 | 20775 | 12 | #Mid | QAM16 | 22.71 | PASS |
| LTE Band7 | 5 | 20775 | 12 | #Max | QAM16 | 22.66 | PASS |
| LTE Band7 | 5 | 20775 | 25 | #0 | QAM16 | 22.77 | PASS |
| LTE Band7 | 5 | 21100 | 1 | #0 | QPSK | 24.61 | PASS |
| LTE Band7 | 5 | 21100 | 1 | #Mid | QPSK | 25.00 | PASS |
| LTE Band7 | 5 | 21100 | 1 | #Max | QPSK | 24.59 | PASS |
| LTE Band7 | 5 | 21100 | 12 | #0 | QPSK | 23.77 | PASS |
| LTE Band7 | 5 | 21100 | 12 | #Mid | QPSK | 23.80 | PASS |
| LTE Band7 | 5 | 21100 | 12 | #Max | QPSK | 23.71 | PASS |
| LTE Band7 | 5 | 21100 | 25 | #0 | QPSK | 23.79 | PASS |
| LTE Band7 | 5 | 21100 | 1 | #0 | QAM16 | 23.90 | PASS |
| LTE Band7 | 5 | 21100 | 1 | #Mid | QAM16 | 24.26 | PASS |
| LTE Band7 | 5 | 21100 | 1 | #Max | QAM16 | 23.98 | PASS |
| LTE Band7 | 5 | 21100 | 12 | #0 | QAM16 | 22.81 | PASS |
| LTE Band7 | 5 | 21100 | 12 | #Mid | QAM16 | 22.83 | PASS |
| LTE Band7 | 5 | 21100 | 12 | #Max | QAM16 | 22.71 | PASS |
| LTE Band7 | 5 | 21100 | 25 | #0 | QAM16 | 22.76 | PASS |
| LTE Band7 | 5 | 21425 | 1 | #0 | QPSK | 24.44 | PASS |
| LTE Band7 | 5 | 21425 | 1 | #Mid | QPSK | 24.85 | PASS |
| LTE Band7 | 5 | 21425 | 1 | #Max | QPSK | 24.42 | PASS |
| LTE Band7 | 5 | 21425 | 12 | #0 | QPSK | 23.65 | PASS |
| LTE Band7 | 5 | 21425 | 12 | #Mid | QPSK | 23.64 | PASS |
| LTE Band7 | 5 | 21425 | 12 | #Max | QPSK | 23.53 | PASS |
| LTE Band7 | 5 | 21425 | 25 | #0 | QPSK | 23.62 | PASS |
| LTE Band7 | 5 | 21425 | 1 | #0 | QAM16 | 23.95 | PASS |
| LTE Band7 | 5 | 21425 | 1 | #Mid | QAM16 | 24.34 | PASS |
| LTE Band7 | 5 | 21425 | 1 | #Max | QAM16 | 23.94 | PASS |
| LTE Band7 | 5 | 21425 | 12 | #0 | QAM16 | 22.62 | PASS |
| LTE Band7 | 5 | 21425 | 12 | #Mid | QAM16 | 22.66 | PASS |

| | | | | | | | |
|-----------|----|-------|----|------|-------|-------|------|
| LTE Band7 | 5 | 21425 | 12 | #Max | QAM16 | 22.56 | PASS |
| LTE Band7 | 5 | 21425 | 25 | #0 | QAM16 | 22.60 | PASS |
| LTE Band7 | 10 | 20800 | 1 | #0 | QPSK | 24.60 | PASS |
| LTE Band7 | 10 | 20800 | 1 | #Mid | QPSK | 24.78 | PASS |
| LTE Band7 | 10 | 20800 | 1 | #Max | QPSK | 24.72 | PASS |
| LTE Band7 | 10 | 20800 | 25 | #0 | QPSK | 23.73 | PASS |
| LTE Band7 | 10 | 20800 | 25 | #Mid | QPSK | 23.74 | PASS |
| LTE Band7 | 10 | 20800 | 25 | #Max | QPSK | 23.86 | PASS |
| LTE Band7 | 10 | 20800 | 50 | #0 | QPSK | 23.81 | PASS |
| LTE Band7 | 10 | 20800 | 1 | #0 | QAM16 | 23.54 | PASS |
| LTE Band7 | 10 | 20800 | 1 | #Mid | QAM16 | 23.68 | PASS |
| LTE Band7 | 10 | 20800 | 1 | #Max | QAM16 | 23.68 | PASS |
| LTE Band7 | 10 | 20800 | 25 | #0 | QAM16 | 22.75 | PASS |
| LTE Band7 | 10 | 20800 | 25 | #Mid | QAM16 | 22.74 | PASS |
| LTE Band7 | 10 | 20800 | 25 | #Max | QAM16 | 22.85 | PASS |
| LTE Band7 | 10 | 20800 | 50 | #0 | QAM16 | 22.79 | PASS |
| LTE Band7 | 10 | 21100 | 1 | #0 | QPSK | 24.67 | PASS |
| LTE Band7 | 10 | 21100 | 1 | #Mid | QPSK | 24.76 | PASS |
| LTE Band7 | 10 | 21100 | 1 | #Max | QPSK | 24.71 | PASS |
| LTE Band7 | 10 | 21100 | 25 | #0 | QPSK | 23.83 | PASS |
| LTE Band7 | 10 | 21100 | 25 | #Mid | QPSK | 23.78 | PASS |
| LTE Band7 | 10 | 21100 | 25 | #Max | QPSK | 23.82 | PASS |
| LTE Band7 | 10 | 21100 | 50 | #0 | QPSK | 23.83 | PASS |
| LTE Band7 | 10 | 21100 | 1 | #0 | QAM16 | 24.09 | PASS |
| LTE Band7 | 10 | 21100 | 1 | #Mid | QAM16 | 24.14 | PASS |
| LTE Band7 | 10 | 21100 | 1 | #Max | QAM16 | 24.19 | PASS |
| LTE Band7 | 10 | 21100 | 25 | #0 | QAM16 | 22.87 | PASS |
| LTE Band7 | 10 | 21100 | 25 | #Mid | QAM16 | 22.82 | PASS |
| LTE Band7 | 10 | 21100 | 25 | #Max | QAM16 | 22.80 | PASS |
| LTE Band7 | 10 | 21100 | 50 | #0 | QAM16 | 22.84 | PASS |
| LTE Band7 | 10 | 21400 | 1 | #0 | QPSK | 24.57 | PASS |
| LTE Band7 | 10 | 21400 | 1 | #Mid | QPSK | 24.61 | PASS |
| LTE Band7 | 10 | 21400 | 1 | #Max | QPSK | 24.38 | PASS |
| LTE Band7 | 10 | 21400 | 25 | #0 | QPSK | 23.69 | PASS |
| LTE Band7 | 10 | 21400 | 25 | #Mid | QPSK | 23.58 | PASS |
| LTE Band7 | 10 | 21400 | 25 | #Max | QPSK | 23.49 | PASS |
| LTE Band7 | 10 | 21400 | 50 | #0 | QPSK | 23.60 | PASS |
| LTE Band7 | 10 | 21400 | 1 | #0 | QAM16 | 23.68 | PASS |
| LTE Band7 | 10 | 21400 | 1 | #Mid | QAM16 | 23.80 | PASS |
| LTE Band7 | 10 | 21400 | 1 | #Max | QAM16 | 23.77 | PASS |
| LTE Band7 | 10 | 21400 | 25 | #0 | QAM16 | 22.69 | PASS |
| LTE Band7 | 10 | 21400 | 25 | #Mid | QAM16 | 22.61 | PASS |
| LTE Band7 | 10 | 21400 | 25 | #Max | QAM16 | 22.54 | PASS |
| LTE Band7 | 10 | 21400 | 50 | #0 | QAM16 | 22.63 | PASS |

| | | | | | | | |
|-----------|----|-------|----|------|-------|-------|------|
| LTE Band7 | 15 | 20825 | 1 | #0 | QPSK | 24.49 | PASS |
| LTE Band7 | 15 | 20825 | 1 | #Mid | QPSK | 24.89 | PASS |
| LTE Band7 | 15 | 20825 | 1 | #Max | QPSK | 24.54 | PASS |
| LTE Band7 | 15 | 20825 | 36 | #0 | QPSK | 23.75 | PASS |
| LTE Band7 | 15 | 20825 | 36 | #Mid | QPSK | 23.81 | PASS |
| LTE Band7 | 15 | 20825 | 36 | #Max | QPSK | 23.84 | PASS |
| LTE Band7 | 15 | 20825 | 75 | #0 | QPSK | 23.88 | PASS |
| LTE Band7 | 15 | 20825 | 1 | #0 | QAM16 | 23.71 | PASS |
| LTE Band7 | 15 | 20825 | 1 | #Mid | QAM16 | 24.12 | PASS |
| LTE Band7 | 15 | 20825 | 1 | #Max | QAM16 | 23.73 | PASS |
| LTE Band7 | 15 | 20825 | 36 | #0 | QAM16 | 22.67 | PASS |
| LTE Band7 | 15 | 20825 | 36 | #Mid | QAM16 | 22.75 | PASS |
| LTE Band7 | 15 | 20825 | 36 | #Max | QAM16 | 22.80 | PASS |
| LTE Band7 | 15 | 20825 | 75 | #0 | QAM16 | 22.87 | PASS |
| LTE Band7 | 15 | 21100 | 1 | #0 | QPSK | 24.64 | PASS |
| LTE Band7 | 15 | 21100 | 1 | #Mid | QPSK | 24.95 | PASS |
| LTE Band7 | 15 | 21100 | 1 | #Max | QPSK | 24.64 | PASS |
| LTE Band7 | 15 | 21100 | 36 | #0 | QPSK | 23.90 | PASS |
| LTE Band7 | 15 | 21100 | 36 | #Mid | QPSK | 23.90 | PASS |
| LTE Band7 | 15 | 21100 | 36 | #Max | QPSK | 23.82 | PASS |
| LTE Band7 | 15 | 21100 | 75 | #0 | QPSK | 23.90 | PASS |
| LTE Band7 | 15 | 21100 | 1 | #0 | QAM16 | 24.03 | PASS |
| LTE Band7 | 15 | 21100 | 1 | #Mid | QAM16 | 24.46 | PASS |
| LTE Band7 | 15 | 21100 | 1 | #Max | QAM16 | 24.12 | PASS |
| LTE Band7 | 15 | 21100 | 36 | #0 | QAM16 | 22.86 | PASS |
| LTE Band7 | 15 | 21100 | 36 | #Mid | QAM16 | 22.86 | PASS |
| LTE Band7 | 15 | 21100 | 36 | #Max | QAM16 | 22.83 | PASS |
| LTE Band7 | 15 | 21100 | 75 | #0 | QAM16 | 22.83 | PASS |
| LTE Band7 | 15 | 21375 | 1 | #0 | QPSK | 24.55 | PASS |
| LTE Band7 | 15 | 21375 | 1 | #Mid | QPSK | 24.79 | PASS |
| LTE Band7 | 15 | 21375 | 1 | #Max | QPSK | 24.40 | PASS |
| LTE Band7 | 15 | 21375 | 36 | #0 | QPSK | 23.78 | PASS |
| LTE Band7 | 15 | 21375 | 36 | #Mid | QPSK | 23.72 | PASS |
| LTE Band7 | 15 | 21375 | 36 | #Max | QPSK | 23.59 | PASS |
| LTE Band7 | 15 | 21375 | 75 | #0 | QPSK | 23.69 | PASS |
| LTE Band7 | 15 | 21375 | 1 | #0 | QAM16 | 23.73 | PASS |
| LTE Band7 | 15 | 21375 | 1 | #Mid | QAM16 | 24.03 | PASS |
| LTE Band7 | 15 | 21375 | 1 | #Max | QAM16 | 23.67 | PASS |
| LTE Band7 | 15 | 21375 | 36 | #0 | QAM16 | 22.72 | PASS |
| LTE Band7 | 15 | 21375 | 36 | #Mid | QAM16 | 22.71 | PASS |
| LTE Band7 | 15 | 21375 | 36 | #Max | QAM16 | 22.55 | PASS |
| LTE Band7 | 15 | 21375 | 75 | #0 | QAM16 | 22.62 | PASS |
| LTE Band7 | 20 | 20850 | 1 | #0 | QPSK | 24.40 | PASS |
| LTE Band7 | 20 | 20850 | 1 | #Mid | QPSK | 24.84 | PASS |


| | | | | | | | |
|-----------|----|-------|-----|------|-------|-------|------|
| LTE Band7 | 20 | 20850 | 1 | #Max | QPSK | 24.46 | PASS |
| LTE Band7 | 20 | 20850 | 50 | #0 | QPSK | 23.70 | PASS |
| LTE Band7 | 20 | 20850 | 50 | #Mid | QPSK | 23.77 | PASS |
| LTE Band7 | 20 | 20850 | 50 | #Max | QPSK | 23.86 | PASS |
| LTE Band7 | 20 | 20850 | 100 | #0 | QPSK | 23.81 | PASS |
| LTE Band7 | 20 | 20850 | 1 | #0 | QAM16 | 23.77 | PASS |
| LTE Band7 | 20 | 20850 | 1 | #Mid | QAM16 | 24.15 | PASS |
| LTE Band7 | 20 | 20850 | 1 | #Max | QAM16 | 23.81 | PASS |
| LTE Band7 | 20 | 20850 | 50 | #0 | QAM16 | 22.78 | PASS |
| LTE Band7 | 20 | 20850 | 50 | #Mid | QAM16 | 22.91 | PASS |
| LTE Band7 | 20 | 20850 | 50 | #Max | QAM16 | 22.95 | PASS |
| LTE Band7 | 20 | 20850 | 100 | #0 | QAM16 | 22.87 | PASS |
| LTE Band7 | 20 | 21100 | 1 | #0 | QPSK | 24.50 | PASS |
| LTE Band7 | 20 | 21100 | 1 | #Mid | QPSK | 24.88 | PASS |
| LTE Band7 | 20 | 21100 | 1 | #Max | QPSK | 24.47 | PASS |
| LTE Band7 | 20 | 21100 | 50 | #0 | QPSK | 23.81 | PASS |
| LTE Band7 | 20 | 21100 | 50 | #Mid | QPSK | 23.83 | PASS |
| LTE Band7 | 20 | 21100 | 50 | #Max | QPSK | 23.77 | PASS |
| LTE Band7 | 20 | 21100 | 100 | #0 | QPSK | 23.79 | PASS |
| LTE Band7 | 20 | 21100 | 1 | #0 | QAM16 | 23.71 | PASS |
| LTE Band7 | 20 | 21100 | 1 | #Mid | QAM16 | 24.09 | PASS |
| LTE Band7 | 20 | 21100 | 1 | #Max | QAM16 | 23.80 | PASS |
| LTE Band7 | 20 | 21100 | 50 | #0 | QAM16 | 22.86 | PASS |
| LTE Band7 | 20 | 21100 | 50 | #Mid | QAM16 | 22.83 | PASS |
| LTE Band7 | 20 | 21100 | 50 | #Max | QAM16 | 22.75 | PASS |
| LTE Band7 | 20 | 21100 | 100 | #0 | QAM16 | 22.80 | PASS |
| LTE Band7 | 20 | 21350 | 1 | #0 | QPSK | 24.44 | PASS |
| LTE Band7 | 20 | 21350 | 1 | #Mid | QPSK | 24.77 | PASS |
| LTE Band7 | 20 | 21350 | 1 | #Max | QPSK | 24.29 | PASS |
| LTE Band7 | 20 | 21350 | 50 | #0 | QPSK | 23.57 | PASS |
| LTE Band7 | 20 | 21350 | 50 | #Mid | QPSK | 23.57 | PASS |
| LTE Band7 | 20 | 21350 | 50 | #Max | QPSK | 23.36 | PASS |
| LTE Band7 | 20 | 21350 | 100 | #0 | QPSK | 23.51 | PASS |
| LTE Band7 | 20 | 21350 | 1 | #0 | QAM16 | 23.71 | PASS |
| LTE Band7 | 20 | 21350 | 1 | #Mid | QAM16 | 23.87 | PASS |
| LTE Band7 | 20 | 21350 | 1 | #Max | QAM16 | 23.62 | PASS |
| LTE Band7 | 20 | 21350 | 50 | #0 | QAM16 | 22.60 | PASS |
| LTE Band7 | 20 | 21350 | 50 | #Mid | QAM16 | 22.63 | PASS |
| LTE Band7 | 20 | 21350 | 50 | #Max | QAM16 | 22.42 | PASS |
| LTE Band7 | 20 | 21350 | 100 | #0 | QAM16 | 22.51 | PASS |

2 Peak-to-Average Ratio


| Band | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Result (dB) | high Limit (dB) | Verdict |
|------------|-----------------|------------|---------|-------------|------------|-------------|-----------------|---------|
| LTE Band12 | 1.4 | 23095 | 1 | #0 | QPSK | 4.62 | 13 | PASS |
| LTE Band12 | 1.4 | 23095 | 1 | #0 | QAM16 | 5.36 | 13 | PASS |
| LTE Band12 | 3 | 23095 | 1 | #0 | QPSK | 4.50 | 13 | PASS |
| LTE Band12 | 3 | 23095 | 1 | #0 | QAM16 | 5.28 | 13 | PASS |
| LTE Band12 | 5 | 23095 | 1 | #0 | QPSK | 4.56 | 13 | PASS |
| LTE Band12 | 5 | 23095 | 1 | #0 | QAM16 | 5.38 | 13 | PASS |
| LTE Band12 | 10 | 23095 | 1 | #0 | QPSK | 4.57 | 13 | PASS |
| LTE Band12 | 10 | 23095 | 1 | #0 | QAM16 | 5.48 | 13 | PASS |
| LTE Band17 | 5 | 23790 | 1 | #0 | QPSK | 4.43 | 13 | PASS |
| LTE Band17 | 5 | 23790 | 1 | #0 | QAM16 | 5.03 | 13 | PASS |
| LTE Band17 | 10 | 23790 | 1 | #0 | QPSK | 4.28 | 13 | PASS |
| LTE Band17 | 10 | 23790 | 1 | #0 | QAM16 | 5.20 | 13 | PASS |
| LTE Band2 | 1.4 | 18900 | 1 | #0 | QPSK | 5.29 | 13 | PASS |
| LTE Band2 | 1.4 | 18900 | 1 | #0 | QAM16 | 6.12 | 13 | PASS |
| LTE Band2 | 3 | 18900 | 1 | #0 | QPSK | 4.90 | 13 | PASS |
| LTE Band2 | 3 | 18900 | 1 | #0 | QAM16 | 5.69 | 13 | PASS |
| LTE Band2 | 5 | 18900 | 1 | #0 | QPSK | 5.35 | 13 | PASS |
| LTE Band2 | 5 | 18900 | 1 | #0 | QAM16 | 5.99 | 13 | PASS |
| LTE Band2 | 10 | 18900 | 1 | #0 | QPSK | 5.28 | 13 | PASS |
| LTE Band2 | 10 | 18900 | 1 | #0 | QAM16 | 6.24 | 13 | PASS |
| LTE Band2 | 15 | 18900 | 1 | #0 | QPSK | 5.26 | 13 | PASS |
| LTE Band2 | 15 | 18900 | 1 | #0 | QAM16 | 6.06 | 13 | PASS |
| LTE Band2 | 20 | 18900 | 1 | #0 | QPSK | 5.42 | 13 | PASS |
| LTE Band2 | 20 | 18900 | 1 | #0 | QAM16 | 6.56 | 13 | PASS |
| LTE Band4 | 1.4 | 20175 | 1 | #0 | QPSK | 3.23 | 13 | PASS |
| LTE Band4 | 1.4 | 20175 | 1 | #0 | QAM16 | 4.06 | 13 | PASS |
| LTE Band4 | 3 | 20175 | 1 | #0 | QPSK | 3.19 | 13 | PASS |
| LTE Band4 | 3 | 20175 | 1 | #0 | QAM16 | 4.02 | 13 | PASS |
| LTE Band4 | 5 | 20175 | 1 | #0 | QPSK | 3.11 | 13 | PASS |
| LTE Band4 | 5 | 20175 | 1 | #0 | QAM16 | 3.90 | 13 | PASS |
| LTE Band4 | 10 | 20175 | 1 | #0 | QPSK | 2.99 | 13 | PASS |
| LTE Band4 | 10 | 20175 | 1 | #0 | QAM16 | 3.96 | 13 | PASS |
| LTE Band4 | 15 | 20175 | 1 | #0 | QPSK | 3.12 | 13 | PASS |
| LTE Band4 | 15 | 20175 | 1 | #0 | QAM16 | 4.04 | 13 | PASS |
| LTE Band4 | 20 | 20175 | 1 | #0 | QPSK | 3.60 | 13 | PASS |
| LTE Band4 | 20 | 20175 | 1 | #0 | QAM16 | 4.61 | 13 | PASS |
| LTE Band5 | 1.4 | 20525 | 1 | #0 | QPSK | 5.07 | 13 | PASS |
| LTE Band5 | 1.4 | 20525 | 1 | #0 | QAM16 | 5.60 | 13 | PASS |
| LTE Band5 | 3 | 20525 | 1 | #0 | QPSK | 5.19 | 13 | PASS |
| LTE Band5 | 3 | 20525 | 1 | #0 | QAM16 | 6.19 | 13 | PASS |
| LTE Band5 | 5 | 20525 | 1 | #0 | QPSK | 5.17 | 13 | PASS |

| | | | | | | | | |
|-----------|----|-------|---|----|-------|------|----|------|
| LTE Band5 | 5 | 20525 | 1 | #0 | QAM16 | 5.90 | 13 | PASS |
| LTE Band5 | 10 | 20525 | 1 | #0 | QPSK | 4.96 | 13 | PASS |
| LTE Band5 | 10 | 20525 | 1 | #0 | QAM16 | 5.89 | 13 | PASS |
| LTE Band7 | 5 | 21100 | 1 | #0 | QPSK | 3.93 | 13 | PASS |
| LTE Band7 | 5 | 21100 | 1 | #0 | QAM16 | 4.70 | 13 | PASS |
| LTE Band7 | 10 | 21100 | 1 | #0 | QPSK | 3.45 | 13 | PASS |
| LTE Band7 | 10 | 21100 | 1 | #0 | QAM16 | 4.29 | 13 | PASS |
| LTE Band7 | 15 | 21100 | 1 | #0 | QPSK | 3.53 | 13 | PASS |
| LTE Band7 | 15 | 21100 | 1 | #0 | QAM16 | 4.37 | 13 | PASS |
| LTE Band7 | 20 | 21100 | 1 | #0 | QPSK | 3.59 | 13 | PASS |
| LTE Band7 | 20 | 21100 | 1 | #0 | QAM16 | 4.46 | 13 | PASS |


LTE Band12 QPSK BW=1.4MHz Channel=23095 RB Size=1 Position=#0




LTE Band12 QAM16 BW=1.4MHz Channel=23095 RB Size=1 Position=#0




LTE Band12 QPSK BW=3MHz Channel=23095 RB Size=1 Position=#0




LTE Band12 QAM16 BW=3MHz Channel=23095 RB Size=1 Position=#0




LTE Band12 QPSK BW=5MHz Channel=23095 RB Size=1 Position=#0




LTE Band12 QAM16 BW=5MHz Channel=23095 RB Size=1 Position=#0




LTE Band12 QPSK BW=10MHz Channel=23095 RB Size=1 Position=#0




LTE Band12 QAM16 BW=10MHz Channel=23095 RB Size=1 Position=#0




LTE Band17 QPSK BW=5MHz Channel=23790 RB Size=1 Position=#0




LTE Band17 QAM16 BW=5MHz Channel=23790 RB Size=1 Position=#0




LTE Band17 QAM16 BW=10MHz Channel=23790 RB Size=1 Position=#0




LTE Band17 QPSK BW=10MHz Channel=23790 RB Size=1 Position=#0




LTE Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0




LTE Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0



LTE Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0




LTE Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0




LTE Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0




LTE Band2 QAM16 BW=5MHz Channel=18900 RB Size=1 Position=#0




LTE Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0




LTE Band2 QAM16 BW=10MHz Channel=18900 RB Size=1 Position=#0




LTE Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0




LTE Band2 QAM16 BW=15MHz Channel=18900 RB Size=1 Position=#0




LTE Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0




LTE Band2 QAM16 BW=20MHz Channel=18900 RB Size=1 Position=#0




LTE Band4 QPSK BW=1.4MHz Channel=20175 RB Size=1 Position=#0




LTE Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=1 Position=#0




LTE Band4 QPSK BW=3MHz Channel=20175 RB Size=1 Position=#0




LTE Band4 QAM16 BW=3MHz Channel=20175 RB Size=1 Position=#0




LTE Band4 QPSK BW=5MHz Channel=20175 RB Size=1 Position=#0




LTE Band4 QAM16 BW=5MHz Channel=20175 RB Size=1 Position=#0




LTE Band4 QPSK BW=10MHz Channel=20175 RB Size=1 Position=#0




LTE Band4 QAM16 BW=10MHz Channel=20175 RB Size=1 Position=#0




LTE Band4 QPSK BW=15MHz Channel=20175 RB Size=1 Position=#0




LTE Band4 QAM16 BW=15MHz Channel=20175 RB Size=1 Position=#0




LTE Band4 QPSK BW=20MHz Channel=20175 RB Size=1 Position=#0




LTE Band4 QAM16 BW=20MHz Channel=20175 RB Size=1 Position=#0




LTE Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




LTE Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=1 Position=#0




LTE Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




LTE Band5 QAM16 BW=3MHz Channel=20525 RB Size=1 Position=#0




LTE Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0




LTE Band5 QAM16 BW=5MHz Channel=20525 RB Size=1 Position=#0




LTE Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0




LTE Band5 QAM16 BW=10MHz Channel=20525 RB Size=1 Position=#0




LTE Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0




LTE Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0



LTE Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




LTE Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0




LTE Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




LTE Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0



LTE Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0



LTE Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0




3 Occupied bandwidth


| Band | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | 99% OBW (MHz) | -26dB EBW (MHz) | Verdict |
|------------|-----------------|------------|---------|-------------|------------|---------------|-----------------|---------|
| LTE Band12 | 1.4 | 23095 | 6 | #0 | QPSK | 1.094 | 1.275 | PASS |
| LTE Band12 | 1.4 | 23095 | 6 | #0 | QAM16 | 1.096 | 1.317 | PASS |
| LTE Band12 | 3 | 23095 | 15 | #0 | QPSK | 2.693 | 2.930 | PASS |
| LTE Band12 | 3 | 23095 | 15 | #0 | QAM16 | 2.682 | 2.947 | PASS |
| LTE Band12 | 5 | 23095 | 25 | #0 | QPSK | 4.519 | 5.073 | PASS |
| LTE Band12 | 5 | 23095 | 25 | #0 | QAM16 | 4.515 | 5.136 | PASS |
| LTE Band12 | 10 | 23095 | 50 | #0 | QPSK | 8.978 | 9.927 | PASS |
| LTE Band12 | 10 | 23095 | 50 | #0 | QAM16 | 8.979 | 9.966 | PASS |
| LTE Band17 | 5 | 23790 | 25 | #0 | QPSK | 4.522 | 5.067 | PASS |
| LTE Band17 | 5 | 23790 | 25 | #0 | QAM16 | 4.523 | 5.189 | PASS |
| LTE Band17 | 10 | 23790 | 50 | #0 | QPSK | 9.014 | 10.012 | PASS |
| LTE Band17 | 10 | 23790 | 50 | #0 | QAM16 | 9.019 | 10.058 | PASS |
| LTE Band2 | 1.4 | 18900 | 6 | #0 | QPSK | 1.094 | 1.288 | PASS |
| LTE Band2 | 1.4 | 18900 | 6 | #0 | QAM16 | 1.097 | 1.289 | PASS |
| LTE Band2 | 3 | 18900 | 15 | #0 | QPSK | 2.683 | 2.894 | PASS |
| LTE Band2 | 3 | 18900 | 15 | #0 | QAM16 | 2.685 | 2.923 | PASS |
| LTE Band2 | 5 | 18900 | 25 | #0 | QPSK | 4.515 | 4.867 | PASS |
| LTE Band2 | 5 | 18900 | 25 | #0 | QAM16 | 4.520 | 4.923 | PASS |
| LTE Band2 | 10 | 18900 | 50 | #0 | QPSK | 8.977 | 9.645 | PASS |
| LTE Band2 | 10 | 18900 | 50 | #0 | QAM16 | 8.975 | 9.655 | PASS |
| LTE Band2 | 15 | 18900 | 75 | #0 | QPSK | 13.451 | 14.477 | PASS |
| LTE Band2 | 15 | 18900 | 75 | #0 | QAM16 | 13.469 | 14.524 | PASS |
| LTE Band2 | 20 | 18900 | 100 | #0 | QPSK | 17.965 | 19.478 | PASS |
| LTE Band2 | 20 | 18900 | 100 | #0 | QAM16 | 17.975 | 19.291 | PASS |
| LTE Band4 | 1.4 | 20175 | 6 | #0 | QPSK | 1.092 | 1.279 | PASS |
| LTE Band4 | 1.4 | 20175 | 6 | #0 | QAM16 | 1.089 | 1.281 | PASS |
| LTE Band4 | 3 | 20175 | 15 | #0 | QPSK | 2.692 | 2.923 | PASS |
| LTE Band4 | 3 | 20175 | 15 | #0 | QAM16 | 2.691 | 2.924 | PASS |
| LTE Band4 | 5 | 20175 | 25 | #0 | QPSK | 4.502 | 4.886 | PASS |
| LTE Band4 | 5 | 20175 | 25 | #0 | QAM16 | 4.515 | 4.939 | PASS |
| LTE Band4 | 10 | 20175 | 50 | #0 | QPSK | 9.013 | 9.649 | PASS |
| LTE Band4 | 10 | 20175 | 50 | #0 | QAM16 | 8.998 | 9.682 | PASS |
| LTE Band4 | 15 | 20175 | 75 | #0 | QPSK | 13.497 | 14.669 | PASS |
| LTE Band4 | 15 | 20175 | 75 | #0 | QAM16 | 13.490 | 14.604 | PASS |
| LTE Band4 | 20 | 20175 | 100 | #0 | QPSK | 17.957 | 19.304 | PASS |
| LTE Band4 | 20 | 20175 | 100 | #0 | QAM16 | 18.006 | 19.313 | PASS |
| LTE Band5 | 1.4 | 20525 | 6 | #0 | QPSK | 1.105 | 1.275 | PASS |
| LTE Band5 | 1.4 | 20525 | 6 | #0 | QAM16 | 1.097 | 1.279 | PASS |
| LTE Band5 | 3 | 20525 | 15 | #0 | QPSK | 2.688 | 2.902 | PASS |
| LTE Band5 | 3 | 20525 | 15 | #0 | QAM16 | 2.685 | 2.918 | PASS |

| | | | | | | | | |
|-----------|----|-------|-----|----|-------|--------|--------|------|
| LTE Band5 | 5 | 20525 | 25 | #0 | QPSK | 4.504 | 4.867 | PASS |
| LTE Band5 | 5 | 20525 | 25 | #0 | QAM16 | 4.502 | 4.892 | PASS |
| LTE Band5 | 10 | 20525 | 50 | #0 | QPSK | 8.997 | 9.653 | PASS |
| LTE Band5 | 10 | 20525 | 50 | #0 | QAM16 | 8.990 | 9.650 | PASS |
| LTE Band7 | 5 | 21100 | 25 | #0 | QPSK | 4.526 | 4.964 | PASS |
| LTE Band7 | 5 | 21100 | 25 | #0 | QAM16 | 4.507 | 4.886 | PASS |
| LTE Band7 | 10 | 21100 | 50 | #0 | QPSK | 8.977 | 10.182 | PASS |
| LTE Band7 | 10 | 21100 | 50 | #0 | QAM16 | 8.984 | 9.577 | PASS |
| LTE Band7 | 15 | 21100 | 75 | #0 | QPSK | 13.506 | 14.653 | PASS |
| LTE Band7 | 15 | 21100 | 75 | #0 | QAM16 | 13.488 | 14.457 | PASS |
| LTE Band7 | 20 | 21100 | 100 | #0 | QPSK | 17.946 | 19.282 | PASS |
| LTE Band7 | 20 | 21100 | 100 | #0 | QAM16 | 17.967 | 19.273 | PASS |


LTE Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




LTE Band12 QAM16 BW=1.4MHz Channel=23095 RB Size=6 Position=#0




LTE Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




LTE Band12 QAM16 BW=3MHz Channel=23095 RB Size=15 Position=#0




LTE Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0




LTE Band12 QAM16 BW=5MHz Channel=23095 RB Size=25 Position=#0




LTE Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0




LTE Band12 QAM16 BW=10MHz Channel=23095 RB Size=50 Position=#0




LTE Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




LTE Band17 QAM16 BW=5MHz Channel=23790 RB Size=25 Position=#0




LTE Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0




LTE Band17 QAM16 BW=10MHz Channel=23790 RB Size=50 Position=#0




LTE Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




LTE Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0




LTE Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




LTE Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




LTE Band2 QAM16 BW=3MHz Channel=18900 RB Size=15 Position=#0




LTE Band2 QAM16 BW=5MHz Channel=18900 RB Size=25 Position=#0




LTE Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




LTE Band2 QAM16 BW=10MHz Channel=18900 RB Size=50 Position=#0




LTE Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




LTE Band2 QAM16 BW=15MHz Channel=18900 RB Size=75 Position=#0




LTE Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




LTE Band2 QAM16 BW=20MHz Channel=18900 RB Size=100 Position=#0




LTE Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




LTE Band4 QAM16 BW=1.4MHz Channel=20175 RB Size=6 Position=#0




LTE Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0




LTE Band4 QAM16 BW=3MHz Channel=20175 RB Size=15 Position=#0




LTE Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0




LTE Band4 QAM16 BW=5MHz Channel=20175 RB Size=25 Position=#0




LTE Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




LTE Band4 QAM16 BW=10MHz Channel=20175 RB Size=50 Position=#0




LTE Band4 QAM16 BW=15MHz Channel=20175 RB Size=75 Position=#0




LTE Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




LTE Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0




LTE Band4 QAM16 BW=20MHz Channel=20175 RB Size=100 Position=#0




LTE Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




LTE Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=6 Position=#0




LTE Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




LTE Band5 QAM16 BW=3MHz Channel=20525 RB Size=15 Position=#0




LTE Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




LTE Band5 QAM16 BW=5MHz Channel=20525 RB Size=25 Position=#0




LTE Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




LTE Band5 QAM16 BW=10MHz Channel=20525 RB Size=50 Position=#0




LTE Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




LTE Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




LTE Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




LTE Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




LTE Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




LTE Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0



LTE Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



LTE Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0



4 Band edge

| Band | Bandwidth (MHz) | UL Channel | RB Size | RB Position | Modulation | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) | Verdict |
|------------|-----------------|------------|---------|-------------|------------|-----------------|------------------|-------------|---------|
| LTE Band12 | 1.4 | 23017 | 1 | #0 | QPSK | 699.00 | -18.05 | -13 | PASS |
| LTE Band12 | 1.4 | 23017 | 1 | #Max | QPSK | 698.34 | -23.44 | -13 | PASS |
| LTE Band12 | 1.4 | 23017 | 6 | #0 | QPSK | 699.00 | -26.00 | -13 | PASS |
| LTE Band12 | 1.4 | 23017 | 1 | #0 | QAM16 | 699.00 | -19.09 | -13 | PASS |
| LTE Band12 | 1.4 | 23017 | 1 | #Max | QAM16 | 698.35 | -24.64 | -13 | PASS |
| LTE Band12 | 1.4 | 23017 | 6 | #0 | QAM16 | 699.00 | -25.85 | -13 | PASS |
| LTE Band12 | 1.4 | 23173 | 1 | #0 | QPSK | 716.67 | -26.02 | -13 | PASS |
| LTE Band12 | 1.4 | 23173 | 1 | #Max | QPSK | 716.00 | -16.66 | -13 | PASS |
| LTE Band12 | 1.4 | 23173 | 6 | #0 | QPSK | 716.00 | -26.73 | -13 | PASS |
| LTE Band12 | 1.4 | 23173 | 1 | #0 | QAM16 | 716.66 | -26.68 | -13 | PASS |
| LTE Band12 | 1.4 | 23173 | 1 | #Max | QAM16 | 716.00 | -18.11 | -13 | PASS |
| LTE Band12 | 1.4 | 23173 | 6 | #0 | QAM16 | 716.00 | -26.53 | -13 | PASS |
| LTE Band12 | 3 | 23025 | 1 | #0 | QPSK | 699.00 | -17.02 | -13 | PASS |
| LTE Band12 | 3 | 23025 | 1 | #Max | QPSK | 696.73 | -23.49 | -13 | PASS |
| LTE Band12 | 3 | 23025 | 15 | #0 | QPSK | 699.00 | -29.02 | -13 | PASS |
| LTE Band12 | 3 | 23025 | 1 | #0 | QAM16 | 699.00 | -18.04 | -13 | PASS |
| LTE Band12 | 3 | 23025 | 1 | #Max | QAM16 | 696.74 | -24.68 | -13 | PASS |
| LTE Band12 | 3 | 23025 | 15 | #0 | QAM16 | 699.00 | -29.80 | -13 | PASS |
| LTE Band12 | 3 | 23165 | 1 | #0 | QPSK | 718.26 | -27.40 | -13 | PASS |
| LTE Band12 | 3 | 23165 | 1 | #Max | QPSK | 716.00 | -14.95 | -13 | PASS |
| LTE Band12 | 3 | 23165 | 15 | #0 | QPSK | 716.00 | -29.78 | -13 | PASS |
| LTE Band12 | 3 | 23165 | 1 | #0 | QAM16 | 718.32 | -27.84 | -13 | PASS |
| LTE Band12 | 3 | 23165 | 1 | #Max | QAM16 | 716.00 | -16.47 | -13 | PASS |
| LTE Band12 | 3 | 23165 | 15 | #0 | QAM16 | 716.00 | -31.15 | -13 | PASS |
| LTE Band12 | 5 | 23035 | 1 | #0 | QPSK | 698.99 | -16.21 | -13 | PASS |
| LTE Band12 | 5 | 23035 | 1 | #Max | QPSK | 695.00 | -24.20 | -13 | PASS |
| LTE Band12 | 5 | 23035 | 25 | #0 | QPSK | 699.00 | -29.94 | -13 | PASS |
| LTE Band12 | 5 | 23035 | 1 | #0 | QAM16 | 699.00 | -16.71 | -13 | PASS |
| LTE Band12 | 5 | 23035 | 1 | #Max | QAM16 | 694.97 | -25.03 | -13 | PASS |
| LTE Band12 | 5 | 23035 | 25 | #0 | QAM16 | 699.00 | -29.53 | -13 | PASS |
| LTE Band12 | 5 | 23155 | 1 | #0 | QPSK | 720.03 | -28.98 | -13 | PASS |
| LTE Band12 | 5 | 23155 | 1 | #Max | QPSK | 716.00 | -15.77 | -13 | PASS |
| LTE Band12 | 5 | 23155 | 25 | #0 | QPSK | 716.00 | -29.92 | -13 | PASS |
| LTE Band12 | 5 | 23155 | 1 | #0 | QAM16 | 719.99 | -29.10 | -13 | PASS |
| LTE Band12 | 5 | 23155 | 1 | #Max | QAM16 | 716.04 | -18.01 | -13 | PASS |
| LTE Band12 | 5 | 23155 | 25 | #0 | QAM16 | 716.00 | -30.32 | -13 | PASS |
| LTE Band12 | 10 | 23060 | 1 | #0 | QPSK | 699.00 | -22.45 | -13 | PASS |
| LTE Band12 | 10 | 23060 | 1 | #Max | QPSK | 690.76 | -30.92 | -13 | PASS |
| LTE Band12 | 10 | 23060 | 50 | #0 | QPSK | 699.00 | -35.46 | -13 | PASS |
| LTE Band12 | 10 | 23060 | 1 | #0 | QAM16 | 699.00 | -21.85 | -13 | PASS |
| LTE Band12 | 10 | 23060 | 1 | #Max | QAM16 | 690.74 | -31.93 | -13 | PASS |

| | | | | | | | | | |
|------------|-----|-------|----|------|-------|---------|--------|-----|------|
| LTE Band12 | 10 | 23060 | 50 | #0 | QAM16 | 699.00 | -36.46 | -13 | PASS |
| LTE Band12 | 10 | 23130 | 1 | #0 | QPSK | 716.04 | -53.39 | -13 | PASS |
| LTE Band12 | 10 | 23130 | 1 | #Max | QPSK | 716.04 | -22.24 | -13 | PASS |
| LTE Band12 | 10 | 23130 | 50 | #0 | QPSK | 716.00 | -36.36 | -13 | PASS |
| LTE Band12 | 10 | 23130 | 1 | #0 | QAM16 | 716.10 | -53.20 | -13 | PASS |
| LTE Band12 | 10 | 23130 | 1 | #Max | QAM16 | 716.00 | -26.07 | -13 | PASS |
| LTE Band12 | 10 | 23130 | 50 | #0 | QAM16 | 716.06 | -36.78 | -13 | PASS |
| LTE Band17 | 5 | 23755 | 1 | #0 | QPSK | 704.00 | -14.90 | -13 | PASS |
| LTE Band17 | 5 | 23755 | 1 | #Max | QPSK | 700.07 | -25.01 | -13 | PASS |
| LTE Band17 | 5 | 23755 | 25 | #0 | QPSK | 704.00 | -29.24 | -13 | PASS |
| LTE Band17 | 5 | 23755 | 1 | #0 | QAM16 | 704.00 | -18.04 | -13 | PASS |
| LTE Band17 | 5 | 23755 | 1 | #Max | QAM16 | 699.95 | -25.54 | -13 | PASS |
| LTE Band17 | 5 | 23755 | 25 | #0 | QAM16 | 704.00 | -28.32 | -13 | PASS |
| LTE Band17 | 5 | 23825 | 1 | #0 | QPSK | 719.98 | -28.59 | -13 | PASS |
| LTE Band17 | 5 | 23825 | 1 | #Max | QPSK | 716.00 | -17.09 | -13 | PASS |
| LTE Band17 | 5 | 23825 | 25 | #0 | QPSK | 716.05 | -32.70 | -13 | PASS |
| LTE Band17 | 5 | 23825 | 1 | #0 | QAM16 | 719.98 | -28.36 | -13 | PASS |
| LTE Band17 | 5 | 23825 | 1 | #Max | QAM16 | 716.00 | -17.27 | -13 | PASS |
| LTE Band17 | 5 | 23825 | 25 | #0 | QAM16 | 716.02 | -30.76 | -13 | PASS |
| LTE Band17 | 10 | 23780 | 1 | #0 | QPSK | 704.00 | -20.07 | -13 | PASS |
| LTE Band17 | 10 | 23780 | 1 | #Max | QPSK | 695.78 | -24.19 | -13 | PASS |
| LTE Band17 | 10 | 23780 | 50 | #0 | QPSK | 704.00 | -34.66 | -13 | PASS |
| LTE Band17 | 10 | 23780 | 1 | #0 | QAM16 | 703.96 | -23.04 | -13 | PASS |
| LTE Band17 | 10 | 23780 | 1 | #Max | QAM16 | 695.76 | -24.10 | -13 | PASS |
| LTE Band17 | 10 | 23780 | 50 | #0 | QAM16 | 704.00 | -37.20 | -13 | PASS |
| LTE Band17 | 10 | 23800 | 1 | #0 | QPSK | 716.04 | -53.41 | -13 | PASS |
| LTE Band17 | 10 | 23800 | 1 | #Max | QPSK | 716.04 | -23.30 | -13 | PASS |
| LTE Band17 | 10 | 23800 | 50 | #0 | QPSK | 716.02 | -36.59 | -13 | PASS |
| LTE Band17 | 10 | 23800 | 1 | #0 | QAM16 | 716.12 | -53.35 | -13 | PASS |
| LTE Band17 | 10 | 23800 | 1 | #Max | QAM16 | 716.00 | -23.25 | -13 | PASS |
| LTE Band17 | 10 | 23800 | 50 | #0 | QAM16 | 716.00 | -37.83 | -13 | PASS |
| LTE Band2 | 1.4 | 18607 | 1 | #0 | QPSK | 1850.00 | -22.85 | -13 | PASS |
| LTE Band2 | 1.4 | 18607 | 1 | #Max | QPSK | 1849.33 | -34.04 | -13 | PASS |
| LTE Band2 | 1.4 | 18607 | 6 | #0 | QPSK | 1849.99 | -31.45 | -13 | PASS |
| LTE Band2 | 1.4 | 18607 | 1 | #0 | QAM16 | 1850.00 | -25.71 | -13 | PASS |
| LTE Band2 | 1.4 | 18607 | 1 | #Max | QAM16 | 1849.40 | -35.23 | -13 | PASS |
| LTE Band2 | 1.4 | 18607 | 6 | #0 | QAM16 | 1850.00 | -30.91 | -13 | PASS |
| LTE Band2 | 1.4 | 19193 | 1 | #0 | QPSK | 1910.65 | -36.54 | -13 | PASS |
| LTE Band2 | 1.4 | 19193 | 1 | #Max | QPSK | 1910.00 | -21.84 | -13 | PASS |
| LTE Band2 | 1.4 | 19193 | 6 | #0 | QPSK | 1910.00 | -28.25 | -13 | PASS |
| LTE Band2 | 1.4 | 19193 | 1 | #0 | QAM16 | 1910.63 | -37.87 | -13 | PASS |
| LTE Band2 | 1.4 | 19193 | 1 | #Max | QAM16 | 1910.00 | -24.13 | -13 | PASS |
| LTE Band2 | 1.4 | 19193 | 6 | #0 | QAM16 | 1910.00 | -29.27 | -13 | PASS |
| LTE Band2 | 3 | 18615 | 1 | #0 | QPSK | 1850.00 | -21.14 | -13 | PASS |

| | | | | | | | | | |
|-----------|----|-------|----|------|-------|---------|--------|-----|------|
| LTE Band2 | 3 | 18615 | 1 | #Max | QPSK | 1847.76 | -30.06 | -13 | PASS |
| LTE Band2 | 3 | 18615 | 15 | #0 | QPSK | 1850.00 | -31.24 | -13 | PASS |
| LTE Band2 | 3 | 18615 | 1 | #0 | QAM16 | 1850.00 | -20.53 | -13 | PASS |
| LTE Band2 | 3 | 18615 | 1 | #Max | QAM16 | 1847.74 | -31.51 | -13 | PASS |
| LTE Band2 | 3 | 18615 | 15 | #0 | QAM16 | 1849.99 | -32.83 | -13 | PASS |
| LTE Band2 | 3 | 19185 | 1 | #0 | QPSK | 1912.26 | -33.98 | -13 | PASS |
| LTE Band2 | 3 | 19185 | 1 | #Max | QPSK | 1910.00 | -18.38 | -13 | PASS |
| LTE Band2 | 3 | 19185 | 15 | #0 | QPSK | 1910.00 | -28.91 | -13 | PASS |
| LTE Band2 | 3 | 19185 | 1 | #0 | QAM16 | 1912.30 | -34.66 | -13 | PASS |
| LTE Band2 | 3 | 19185 | 1 | #Max | QAM16 | 1910.00 | -21.46 | -13 | PASS |
| LTE Band2 | 3 | 19185 | 15 | #0 | QAM16 | 1910.00 | -30.55 | -13 | PASS |
| LTE Band2 | 5 | 18625 | 1 | #0 | QPSK | 1850.00 | -19.27 | -13 | PASS |
| LTE Band2 | 5 | 18625 | 1 | #Max | QPSK | 1845.98 | -27.69 | -13 | PASS |
| LTE Band2 | 5 | 18625 | 25 | #0 | QPSK | 1849.99 | -31.24 | -13 | PASS |
| LTE Band2 | 5 | 18625 | 1 | #0 | QAM16 | 1850.00 | -18.05 | -13 | PASS |
| LTE Band2 | 5 | 18625 | 1 | #Max | QAM16 | 1846.04 | -29.03 | -13 | PASS |
| LTE Band2 | 5 | 18625 | 25 | #0 | QAM16 | 1849.96 | -32.12 | -13 | PASS |
| LTE Band2 | 5 | 19175 | 1 | #0 | QPSK | 1913.97 | -32.96 | -13 | PASS |
| LTE Band2 | 5 | 19175 | 1 | #Max | QPSK | 1910.00 | -19.45 | -13 | PASS |
| LTE Band2 | 5 | 19175 | 25 | #0 | QPSK | 1910.00 | -29.22 | -13 | PASS |
| LTE Band2 | 5 | 19175 | 1 | #0 | QAM16 | 1913.97 | -33.93 | -13 | PASS |
| LTE Band2 | 5 | 19175 | 1 | #Max | QAM16 | 1910.00 | -19.00 | -13 | PASS |
| LTE Band2 | 5 | 19175 | 25 | #0 | QAM16 | 1910.00 | -28.90 | -13 | PASS |
| LTE Band2 | 10 | 18650 | 1 | #0 | QPSK | 1849.96 | -23.29 | -13 | PASS |
| LTE Band2 | 10 | 18650 | 1 | #Max | QPSK | 1841.82 | -26.74 | -13 | PASS |
| LTE Band2 | 10 | 18650 | 50 | #0 | QPSK | 1849.98 | -33.98 | -13 | PASS |
| LTE Band2 | 10 | 18650 | 1 | #0 | QAM16 | 1850.00 | -20.96 | -13 | PASS |
| LTE Band2 | 10 | 18650 | 1 | #Max | QAM16 | 1841.80 | -27.81 | -13 | PASS |
| LTE Band2 | 10 | 18650 | 50 | #0 | QAM16 | 1849.94 | -34.72 | -13 | PASS |
| LTE Band2 | 10 | 19150 | 1 | #0 | QPSK | 1918.20 | -34.06 | -13 | PASS |
| LTE Band2 | 10 | 19150 | 1 | #Max | QPSK | 1910.02 | -20.94 | -13 | PASS |
| LTE Band2 | 10 | 19150 | 50 | #0 | QPSK | 1910.02 | -30.11 | -13 | PASS |
| LTE Band2 | 10 | 19150 | 1 | #0 | QAM16 | 1918.20 | -35.08 | -13 | PASS |
| LTE Band2 | 10 | 19150 | 1 | #Max | QAM16 | 1910.00 | -19.54 | -13 | PASS |
| LTE Band2 | 10 | 19150 | 50 | #0 | QAM16 | 1911.08 | -31.43 | -13 | PASS |
| LTE Band2 | 15 | 18675 | 1 | #0 | QPSK | 1849.94 | -25.46 | -13 | PASS |
| LTE Band2 | 15 | 18675 | 1 | #Max | QPSK | 1837.52 | -23.68 | -13 | PASS |
| LTE Band2 | 15 | 18675 | 75 | #0 | QPSK | 1848.95 | -34.18 | -13 | PASS |
| LTE Band2 | 15 | 18675 | 1 | #0 | QAM16 | 1850.00 | -21.87 | -13 | PASS |
| LTE Band2 | 15 | 18675 | 1 | #Max | QAM16 | 1837.55 | -26.32 | -13 | PASS |
| LTE Band2 | 15 | 18675 | 75 | #0 | QAM16 | 1850.00 | -33.99 | -13 | PASS |
| LTE Band2 | 15 | 19125 | 1 | #0 | QPSK | 1918.88 | -44.54 | -13 | PASS |
| LTE Band2 | 15 | 19125 | 1 | #Max | QPSK | 1910.03 | -20.77 | -13 | PASS |
| LTE Band2 | 15 | 19125 | 75 | #0 | QPSK | 1911.23 | -28.44 | -13 | PASS |

| | | | | | | | | | |
|-----------|-----|-------|-----|------|-------|---------|--------|-----|------|
| LTE Band2 | 15 | 19125 | 1 | #0 | QAM16 | 1918.88 | -45.17 | -13 | PASS |
| LTE Band2 | 15 | 19125 | 1 | #Max | QAM16 | 1910.03 | -23.84 | -13 | PASS |
| LTE Band2 | 15 | 19125 | 75 | #0 | QAM16 | 1912.79 | -30.28 | -13 | PASS |
| LTE Band2 | 20 | 18700 | 1 | #0 | QPSK | 1849.92 | -25.84 | -13 | PASS |
| LTE Band2 | 20 | 18700 | 1 | #Max | QPSK | 1833.24 | -31.84 | -13 | PASS |
| LTE Band2 | 20 | 18700 | 100 | #0 | QPSK | 1850.00 | -36.03 | -13 | PASS |
| LTE Band2 | 20 | 18700 | 1 | #0 | QAM16 | 1850.00 | -25.98 | -13 | PASS |
| LTE Band2 | 20 | 18700 | 1 | #Max | QAM16 | 1833.28 | -33.86 | -13 | PASS |
| LTE Band2 | 20 | 18700 | 100 | #0 | QAM16 | 1849.80 | -35.61 | -13 | PASS |
| LTE Band2 | 20 | 19100 | 1 | #0 | QPSK | 1910.08 | -47.26 | -13 | PASS |
| LTE Band2 | 20 | 19100 | 1 | #Max | QPSK | 1910.00 | -25.96 | -13 | PASS |
| LTE Band2 | 20 | 19100 | 100 | #0 | QPSK | 1910.24 | -30.23 | -13 | PASS |
| LTE Band2 | 20 | 19100 | 1 | #0 | QAM16 | 1910.20 | -47.03 | -13 | PASS |
| LTE Band2 | 20 | 19100 | 1 | #Max | QAM16 | 1910.00 | -23.85 | -13 | PASS |
| LTE Band2 | 20 | 19100 | 100 | #0 | QAM16 | 1910.60 | -31.82 | -13 | PASS |
| LTE Band4 | 1.4 | 19957 | 1 | #0 | QPSK | 1710.00 | -21.54 | -13 | PASS |
| LTE Band4 | 1.4 | 19957 | 1 | #Max | QPSK | 1709.45 | -34.85 | -13 | PASS |
| LTE Band4 | 1.4 | 19957 | 6 | #0 | QPSK | 1710.00 | -27.28 | -13 | PASS |
| LTE Band4 | 1.4 | 19957 | 1 | #0 | QAM16 | 1710.00 | -23.96 | -13 | PASS |
| LTE Band4 | 1.4 | 19957 | 1 | #Max | QAM16 | 1709.34 | -35.22 | -13 | PASS |
| LTE Band4 | 1.4 | 19957 | 6 | #0 | QAM16 | 1710.00 | -27.65 | -13 | PASS |
| LTE Band4 | 1.4 | 20393 | 1 | #0 | QPSK | 1755.66 | -33.81 | -13 | PASS |
| LTE Band4 | 1.4 | 20393 | 1 | #Max | QPSK | 1755.00 | -20.88 | -13 | PASS |
| LTE Band4 | 1.4 | 20393 | 6 | #0 | QPSK | 1755.00 | -27.72 | -13 | PASS |
| LTE Band4 | 1.4 | 20393 | 1 | #0 | QAM16 | 1755.63 | -34.67 | -13 | PASS |
| LTE Band4 | 1.4 | 20393 | 1 | #Max | QAM16 | 1755.00 | -23.51 | -13 | PASS |
| LTE Band4 | 1.4 | 20393 | 6 | #0 | QAM16 | 1755.01 | -29.75 | -13 | PASS |
| LTE Band4 | 3 | 19965 | 1 | #0 | QPSK | 1710.00 | -19.17 | -13 | PASS |
| LTE Band4 | 3 | 19965 | 1 | #Max | QPSK | 1707.74 | -31.36 | -13 | PASS |
| LTE Band4 | 3 | 19965 | 15 | #0 | QPSK | 1710.00 | -29.29 | -13 | PASS |
| LTE Band4 | 3 | 19965 | 1 | #0 | QAM16 | 1710.00 | -21.52 | -13 | PASS |
| LTE Band4 | 3 | 19965 | 1 | #Max | QAM16 | 1707.70 | -33.22 | -13 | PASS |
| LTE Band4 | 3 | 19965 | 15 | #0 | QAM16 | 1710.00 | -29.23 | -13 | PASS |
| LTE Band4 | 3 | 20385 | 1 | #0 | QPSK | 1757.26 | -33.95 | -13 | PASS |
| LTE Band4 | 3 | 20385 | 1 | #Max | QPSK | 1755.00 | -18.28 | -13 | PASS |
| LTE Band4 | 3 | 20385 | 15 | #0 | QPSK | 1755.00 | -28.84 | -13 | PASS |
| LTE Band4 | 3 | 20385 | 1 | #0 | QAM16 | 1757.28 | -34.33 | -13 | PASS |
| LTE Band4 | 3 | 20385 | 1 | #Max | QAM16 | 1755.01 | -20.76 | -13 | PASS |
| LTE Band4 | 3 | 20385 | 15 | #0 | QAM16 | 1755.03 | -30.96 | -13 | PASS |
| LTE Band4 | 5 | 19975 | 1 | #0 | QPSK | 1709.99 | -18.76 | -13 | PASS |
| LTE Band4 | 5 | 19975 | 1 | #Max | QPSK | 1706.02 | -32.59 | -13 | PASS |
| LTE Band4 | 5 | 19975 | 25 | #0 | QPSK | 1709.97 | -29.23 | -13 | PASS |
| LTE Band4 | 5 | 19975 | 1 | #0 | QAM16 | 1710.00 | -19.32 | -13 | PASS |
| LTE Band4 | 5 | 19975 | 1 | #Max | QAM16 | 1706.07 | -33.76 | -13 | PASS |


| | | | | | | | | | |
|-----------|-----|-------|-----|------|-------|---------|--------|-----|------|
| LTE Band4 | 5 | 19975 | 25 | #0 | QAM16 | 1709.98 | -29.45 | -13 | PASS |
| LTE Band4 | 5 | 20375 | 1 | #0 | QPSK | 1758.95 | -33.78 | -13 | PASS |
| LTE Band4 | 5 | 20375 | 1 | #Max | QPSK | 1755.00 | -19.22 | -13 | PASS |
| LTE Band4 | 5 | 20375 | 25 | #0 | QPSK | 1755.00 | -28.71 | -13 | PASS |
| LTE Band4 | 5 | 20375 | 1 | #0 | QAM16 | 1758.99 | -34.34 | -13 | PASS |
| LTE Band4 | 5 | 20375 | 1 | #Max | QAM16 | 1755.00 | -17.60 | -13 | PASS |
| LTE Band4 | 5 | 20375 | 25 | #0 | QAM16 | 1755.00 | -30.04 | -13 | PASS |
| LTE Band4 | 10 | 20000 | 1 | #0 | QPSK | 1709.98 | -20.94 | -13 | PASS |
| LTE Band4 | 10 | 20000 | 1 | #Max | QPSK | 1701.76 | -29.95 | -13 | PASS |
| LTE Band4 | 10 | 20000 | 50 | #0 | QPSK | 1709.10 | -32.21 | -13 | PASS |
| LTE Band4 | 10 | 20000 | 1 | #0 | QAM16 | 1710.00 | -23.30 | -13 | PASS |
| LTE Band4 | 10 | 20000 | 1 | #Max | QAM16 | 1701.82 | -31.53 | -13 | PASS |
| LTE Band4 | 10 | 20000 | 50 | #0 | QAM16 | 1709.62 | -30.82 | -13 | PASS |
| LTE Band4 | 10 | 20350 | 1 | #0 | QPSK | 1763.24 | -31.06 | -13 | PASS |
| LTE Band4 | 10 | 20350 | 1 | #Max | QPSK | 1755.00 | -20.53 | -13 | PASS |
| LTE Band4 | 10 | 20350 | 50 | #0 | QPSK | 1755.02 | -29.93 | -13 | PASS |
| LTE Band4 | 10 | 20350 | 1 | #0 | QAM16 | 1763.20 | -31.59 | -13 | PASS |
| LTE Band4 | 10 | 20350 | 1 | #Max | QAM16 | 1755.00 | -21.69 | -13 | PASS |
| LTE Band4 | 10 | 20350 | 50 | #0 | QAM16 | 1755.10 | -31.32 | -13 | PASS |
| LTE Band4 | 15 | 20025 | 1 | #0 | QPSK | 1710.00 | -19.62 | -13 | PASS |
| LTE Band4 | 15 | 20025 | 1 | #Max | QPSK | 1697.49 | -29.29 | -13 | PASS |
| LTE Band4 | 15 | 20025 | 75 | #0 | QPSK | 1709.82 | -31.64 | -13 | PASS |
| LTE Band4 | 15 | 20025 | 1 | #0 | QAM16 | 1710.00 | -22.91 | -13 | PASS |
| LTE Band4 | 15 | 20025 | 1 | #Max | QAM16 | 1697.58 | -29.94 | -13 | PASS |
| LTE Band4 | 15 | 20025 | 75 | #0 | QAM16 | 1708.44 | -31.26 | -13 | PASS |
| LTE Band4 | 15 | 20325 | 1 | #0 | QPSK | 1767.51 | -28.52 | -13 | PASS |
| LTE Band4 | 15 | 20325 | 1 | #Max | QPSK | 1755.03 | -21.07 | -13 | PASS |
| LTE Band4 | 15 | 20325 | 75 | #0 | QPSK | 1755.42 | -28.58 | -13 | PASS |
| LTE Band4 | 15 | 20325 | 1 | #0 | QAM16 | 1767.45 | -29.67 | -13 | PASS |
| LTE Band4 | 15 | 20325 | 1 | #Max | QAM16 | 1755.03 | -24.30 | -13 | PASS |
| LTE Band4 | 15 | 20325 | 75 | #0 | QAM16 | 1755.54 | -30.31 | -13 | PASS |
| LTE Band4 | 20 | 20050 | 1 | #0 | QPSK | 1710.00 | -30.83 | -13 | PASS |
| LTE Band4 | 20 | 20050 | 1 | #Max | QPSK | 1693.32 | -31.09 | -13 | PASS |
| LTE Band4 | 20 | 20050 | 100 | #0 | QPSK | 1709.20 | -33.50 | -13 | PASS |
| LTE Band4 | 20 | 20050 | 1 | #0 | QAM16 | 1709.96 | -23.70 | -13 | PASS |
| LTE Band4 | 20 | 20050 | 1 | #Max | QAM16 | 1693.24 | -33.57 | -13 | PASS |
| LTE Band4 | 20 | 20050 | 100 | #0 | QAM16 | 1709.96 | -32.23 | -13 | PASS |
| LTE Band4 | 20 | 20300 | 1 | #0 | QPSK | 1771.76 | -32.31 | -13 | PASS |
| LTE Band4 | 20 | 20300 | 1 | #Max | QPSK | 1755.08 | -25.23 | -13 | PASS |
| LTE Band4 | 20 | 20300 | 100 | #0 | QPSK | 1755.48 | -30.11 | -13 | PASS |
| LTE Band4 | 20 | 20300 | 1 | #0 | QAM16 | 1771.72 | -34.89 | -13 | PASS |
| LTE Band4 | 20 | 20300 | 1 | #Max | QAM16 | 1755.00 | -27.39 | -13 | PASS |
| LTE Band4 | 20 | 20300 | 100 | #0 | QAM16 | 1755.12 | -31.05 | -13 | PASS |
| LTE Band5 | 1.4 | 20407 | 1 | #0 | QPSK | 824.00 | -24.36 | -13 | PASS |

| | | | | | | | | | |
|-----------|-----|-------|----|------|-------|--------|--------|-----|------|
| LTE Band5 | 1.4 | 20407 | 1 | #Max | QPSK | 823.32 | -27.99 | -13 | PASS |
| LTE Band5 | 1.4 | 20407 | 6 | #0 | QPSK | 824.00 | -31.77 | -13 | PASS |
| LTE Band5 | 1.4 | 20407 | 1 | #0 | QAM16 | 824.00 | -25.74 | -13 | PASS |
| LTE Band5 | 1.4 | 20407 | 1 | #Max | QAM16 | 823.40 | -28.54 | -13 | PASS |
| LTE Band5 | 1.4 | 20407 | 6 | #0 | QAM16 | 824.00 | -33.05 | -13 | PASS |
| LTE Band5 | 1.4 | 20643 | 1 | #0 | QPSK | 849.72 | -27.51 | -13 | PASS |
| LTE Band5 | 1.4 | 20643 | 1 | #Max | QPSK | 849.00 | -24.27 | -13 | PASS |
| LTE Band5 | 1.4 | 20643 | 6 | #0 | QPSK | 849.00 | -32.00 | -13 | PASS |
| LTE Band5 | 1.4 | 20643 | 1 | #0 | QAM16 | 849.65 | -28.70 | -13 | PASS |
| LTE Band5 | 1.4 | 20643 | 1 | #Max | QAM16 | 849.00 | -26.92 | -13 | PASS |
| LTE Band5 | 1.4 | 20643 | 6 | #0 | QAM16 | 849.00 | -32.87 | -13 | PASS |
| LTE Band5 | 3 | 20415 | 1 | #0 | QPSK | 824.00 | -23.48 | -13 | PASS |
| LTE Band5 | 3 | 20415 | 1 | #Max | QPSK | 821.73 | -25.42 | -13 | PASS |
| LTE Band5 | 3 | 20415 | 15 | #0 | QPSK | 824.00 | -32.88 | -13 | PASS |
| LTE Band5 | 3 | 20415 | 1 | #0 | QAM16 | 824.00 | -23.69 | -13 | PASS |
| LTE Band5 | 3 | 20415 | 1 | #Max | QAM16 | 821.71 | -26.80 | -13 | PASS |
| LTE Band5 | 3 | 20415 | 15 | #0 | QAM16 | 824.00 | -35.16 | -13 | PASS |
| LTE Band5 | 3 | 20635 | 1 | #0 | QPSK | 851.24 | -25.95 | -13 | PASS |
| LTE Band5 | 3 | 20635 | 1 | #Max | QPSK | 849.00 | -23.61 | -13 | PASS |
| LTE Band5 | 3 | 20635 | 15 | #0 | QPSK | 849.00 | -33.89 | -13 | PASS |
| LTE Band5 | 3 | 20635 | 1 | #0 | QAM16 | 851.27 | -26.64 | -13 | PASS |
| LTE Band5 | 3 | 20635 | 1 | #Max | QAM16 | 849.00 | -25.23 | -13 | PASS |
| LTE Band5 | 3 | 20635 | 15 | #0 | QAM16 | 849.00 | -35.78 | -13 | PASS |
| LTE Band5 | 5 | 20425 | 1 | #0 | QPSK | 824.00 | -19.29 | -13 | PASS |
| LTE Band5 | 5 | 20425 | 1 | #Max | QPSK | 820.03 | -23.73 | -13 | PASS |
| LTE Band5 | 5 | 20425 | 25 | #0 | QPSK | 823.96 | -33.81 | -13 | PASS |
| LTE Band5 | 5 | 20425 | 1 | #0 | QAM16 | 824.00 | -20.94 | -13 | PASS |
| LTE Band5 | 5 | 20425 | 1 | #Max | QAM16 | 820.01 | -25.46 | -13 | PASS |
| LTE Band5 | 5 | 20425 | 25 | #0 | QAM16 | 824.00 | -33.09 | -13 | PASS |
| LTE Band5 | 5 | 20625 | 1 | #0 | QPSK | 853.00 | -24.93 | -13 | PASS |
| LTE Band5 | 5 | 20625 | 1 | #Max | QPSK | 849.00 | -18.68 | -13 | PASS |
| LTE Band5 | 5 | 20625 | 25 | #0 | QPSK | 849.00 | -33.56 | -13 | PASS |
| LTE Band5 | 5 | 20625 | 1 | #0 | QAM16 | 852.96 | -25.34 | -13 | PASS |
| LTE Band5 | 5 | 20625 | 1 | #Max | QAM16 | 849.00 | -21.82 | -13 | PASS |
| LTE Band5 | 5 | 20625 | 25 | #0 | QAM16 | 849.00 | -33.75 | -13 | PASS |
| LTE Band5 | 10 | 20450 | 1 | #0 | QPSK | 824.00 | -21.64 | -13 | PASS |
| LTE Band5 | 10 | 20450 | 1 | #Max | QPSK | 815.72 | -24.21 | -13 | PASS |
| LTE Band5 | 10 | 20450 | 50 | #0 | QPSK | 823.98 | -35.71 | -13 | PASS |
| LTE Band5 | 10 | 20450 | 1 | #0 | QAM16 | 823.98 | -22.29 | -13 | PASS |
| LTE Band5 | 10 | 20450 | 1 | #Max | QAM16 | 815.78 | -24.84 | -13 | PASS |
| LTE Band5 | 10 | 20450 | 50 | #0 | QAM16 | 824.00 | -37.06 | -13 | PASS |
| LTE Band5 | 10 | 20600 | 1 | #0 | QPSK | 857.18 | -28.38 | -13 | PASS |
| LTE Band5 | 10 | 20600 | 1 | #Max | QPSK | 849.00 | -22.26 | -13 | PASS |
| LTE Band5 | 10 | 20600 | 50 | #0 | QPSK | 849.06 | -36.67 | -13 | PASS |


| | | | | | | | | | |
|-----------|----|-------|-----|------|-------|---------|--------|-----|------|
| LTE Band5 | 10 | 20600 | 1 | #0 | QAM16 | 857.26 | -29.38 | -13 | PASS |
| LTE Band5 | 10 | 20600 | 1 | #Max | QAM16 | 849.10 | -24.89 | -13 | PASS |
| LTE Band5 | 10 | 20600 | 50 | #0 | QAM16 | 849.00 | -38.42 | -13 | PASS |
| LTE Band7 | 5 | 20775 | 1 | #0 | QPSK | 2499.00 | -14.39 | -10 | PASS |
| LTE Band7 | 5 | 20775 | 1 | #Max | QPSK | 2490.20 | -41.98 | -25 | PASS |
| LTE Band7 | 5 | 20775 | 25 | #0 | QPSK | 2490.31 | -41.89 | -25 | PASS |
| LTE Band7 | 5 | 20775 | 1 | #0 | QAM16 | 2499.00 | -15.00 | -10 | PASS |
| LTE Band7 | 5 | 20775 | 1 | #Max | QAM16 | 2490.31 | -41.98 | -25 | PASS |
| LTE Band7 | 5 | 20775 | 25 | #0 | QAM16 | 2490.25 | -41.96 | -25 | PASS |
| LTE Band7 | 5 | 21425 | 1 | #0 | QPSK | 2579.60 | -41.70 | -25 | PASS |
| LTE Band7 | 5 | 21425 | 1 | #Max | QPSK | 2571.00 | -15.52 | -10 | PASS |
| LTE Band7 | 5 | 21425 | 25 | #0 | QPSK | 2577.51 | -41.40 | -25 | PASS |
| LTE Band7 | 5 | 21425 | 1 | #0 | QAM16 | 2576.73 | -41.73 | -25 | PASS |
| LTE Band7 | 5 | 21425 | 1 | #Max | QAM16 | 2571.00 | -15.58 | -10 | PASS |
| LTE Band7 | 5 | 21425 | 25 | #0 | QAM16 | 2576.38 | -41.52 | -25 | PASS |
| LTE Band7 | 10 | 20800 | 1 | #0 | QPSK | 2499.00 | -24.77 | -10 | PASS |
| LTE Band7 | 10 | 20800 | 1 | #Max | QPSK | 2487.99 | -41.91 | -25 | PASS |
| LTE Band7 | 10 | 20800 | 50 | #0 | QPSK | 2489.68 | -41.46 | -25 | PASS |
| LTE Band7 | 10 | 20800 | 1 | #0 | QAM16 | 2499.00 | -25.65 | -10 | PASS |
| LTE Band7 | 10 | 20800 | 1 | #Max | QAM16 | 2488.78 | -41.93 | -25 | PASS |
| LTE Band7 | 10 | 20800 | 50 | #0 | QAM16 | 2489.74 | -41.67 | -25 | PASS |
| LTE Band7 | 10 | 21400 | 1 | #0 | QPSK | 2581.51 | -41.65 | -25 | PASS |
| LTE Band7 | 10 | 21400 | 1 | #Max | QPSK | 2571.00 | -25.76 | -10 | PASS |
| LTE Band7 | 10 | 21400 | 50 | #0 | QPSK | 2580.81 | -41.46 | -25 | PASS |
| LTE Band7 | 10 | 21400 | 1 | #0 | QAM16 | 2581.95 | -41.69 | -25 | PASS |
| LTE Band7 | 10 | 21400 | 1 | #Max | QAM16 | 2571.00 | -26.27 | -10 | PASS |
| LTE Band7 | 10 | 21400 | 50 | #0 | QAM16 | 2580.68 | -41.52 | -25 | PASS |
| LTE Band7 | 15 | 20825 | 1 | #0 | QPSK | 2484.57 | -42.00 | -25 | PASS |
| LTE Band7 | 15 | 20825 | 1 | #Max | QPSK | 2484.89 | -42.02 | -25 | PASS |
| LTE Band7 | 15 | 20825 | 75 | #0 | QPSK | 2484.76 | -41.72 | -25 | PASS |
| LTE Band7 | 15 | 20825 | 1 | #0 | QAM16 | 2483.88 | -41.98 | -25 | PASS |
| LTE Band7 | 15 | 20825 | 1 | #Max | QAM16 | 2481.95 | -42.05 | -25 | PASS |
| LTE Band7 | 15 | 20825 | 75 | #0 | QAM16 | 2483.82 | -41.90 | -25 | PASS |
| LTE Band7 | 15 | 21375 | 1 | #0 | QPSK | 2585.50 | -41.71 | -25 | PASS |
| LTE Band7 | 15 | 21375 | 1 | #Max | QPSK | 2588.13 | -41.70 | -25 | PASS |
| LTE Band7 | 15 | 21375 | 75 | #0 | QPSK | 2585.54 | -41.65 | -25 | PASS |
| LTE Band7 | 15 | 21375 | 1 | #0 | QAM16 | 2586.22 | -41.64 | -25 | PASS |
| LTE Band7 | 15 | 21375 | 1 | #Max | QAM16 | 2585.10 | -41.69 | -25 | PASS |
| LTE Band7 | 15 | 21375 | 75 | #0 | QAM16 | 2586.01 | -41.66 | -25 | PASS |
| LTE Band7 | 20 | 20850 | 1 | #0 | QPSK | 2475.40 | -42.08 | -25 | PASS |
| LTE Band7 | 20 | 20850 | 1 | #Max | QPSK | 2476.21 | -42.07 | -25 | PASS |
| LTE Band7 | 20 | 20850 | 100 | #0 | QPSK | 2478.68 | -42.05 | -25 | PASS |
| LTE Band7 | 20 | 20850 | 1 | #0 | QAM16 | 2476.74 | -42.02 | -25 | PASS |
| LTE Band7 | 20 | 20850 | 1 | #Max | QAM16 | 2475.34 | -42.01 | -25 | PASS |

| | | | | | | | | | |
|-----------|----|-------|-----|------|-------|---------|--------|-----|------|
| LTE Band7 | 20 | 20850 | 100 | #0 | QAM16 | 2479.27 | -42.04 | -25 | PASS |
| LTE Band7 | 20 | 21350 | 1 | #0 | QPSK | 2594.17 | -41.59 | -25 | PASS |
| LTE Band7 | 20 | 21350 | 1 | #Max | QPSK | 2594.18 | -41.62 | -25 | PASS |
| LTE Band7 | 20 | 21350 | 100 | #0 | QPSK | 2594.28 | -41.62 | -25 | PASS |
| LTE Band7 | 20 | 21350 | 1 | #0 | QAM16 | 2593.30 | -41.64 | -25 | PASS |
| LTE Band7 | 20 | 21350 | 1 | #Max | QAM16 | 2593.83 | -41.64 | -25 | PASS |
| LTE Band7 | 20 | 21350 | 100 | #0 | QAM16 | 2593.43 | -41.59 | -25 | PASS |


LTE Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#Max




LTE Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0




LTE Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




LTE Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=1 Position=#0




LTE Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=1 Position=#Max




LTE Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#0




LTE Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=6 Position=#0




LTE Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#Max




LTE Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0



LTE Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=1 Position=#0




LTE Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=1 Position=#Max




LTE Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=6 Position=#0




LTE Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#0




LTE Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#Max




LTE Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




LTE Band12 QAM16 BW=3MHz Channel=23025 RB Size=1 Position=#0




LTE Band12 QAM16 BW=3MHz Channel=23025 RB Size=15 Position=#0




LTE Band12 QAM16 BW=3MHz Channel=23025 RB Size=1 Position=#Max




LTE Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#0



LTE Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#Max



LTE Band12 QAM16 BW=3MHz Channel=23165 RB Size=1 Position=#0



LTE Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0



LTE Band12 QAM16 BW=3MHz Channel=23165 RB Size=1 Position=#Max

