

Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-30.86	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.85	-13	Pass	2986
30	500	0.1	Peak	461.9	-42.62	-13	Pass	4701
500	1000	0.1	Peak	824.2	33.72	-13	N/A	5001
1000	10000	1	Peak	1649	-38.2	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-32.08	-13	Pass	401
0.15	30	0.01	Peak	0.16	-31.86	-13	Pass	2986
30	500	0.1	Peak	490.9	-42.9	-13	Pass	4701
500	1000	0.1	Peak	836.5	34.02	-13	N/A	5001
1000	10000	1	Peak	4183	-38.5	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.43	-13	Pass	401
0.15	30	0.01	Peak	0.16	-32.16	-13	Pass	2986
30	500	0.1	Peak	431.1	-42.79	-13	Pass	4701
500	1000	0.1	Peak	848.9	34.18	-13	N/A	5001
1000	10000	1	Peak	7356	-39.38	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.95	-13	Pass	401
0.15	30	0.01	Peak	0.15	-35.67	-13	Pass	2986
30	1000	0.1	Peak	935.8	-46.95	-13	Pass	9701
1000	3000	1	Peak	1851	30.9	-13	N/A	2001
3000	20000	1	Peak	19979	-39.39	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.09	-13	Pass	2986
30	1000	0.1	Peak	883.6	-46.3	-13	Pass	9701
1000	3000	1	Peak	1879	26.87	-13	N/A	2001
3000	20000	1	Peak	19785	-39.04	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.88	-13	Pass	401
0.15	30	0.01	Peak	0.16	-37.72	-13	Pass	2986
30	1000	0.1	Peak	814.7	-46.8	-13	Pass	9701
1000	3000	1	Peak	1910	30.95	-13	N/A	2001
3000	20000	1	Peak	19750	-38.93	-13	Pass	17001




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-33.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.66	-13	Pass	2986
30	500	0.1	Peak	392.9	-43.01	-13	Pass	4701
500	1000	0.1	Peak	824.2	28.72	-13	N/A	5001
1000	10000	1	Peak	7715	-40.08	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-31.76	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.81	-13	Pass	2986
30	500	0.1	Peak	389.7	-42.85	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.73	-13	N/A	5001
1000	10000	1	Peak	9541	-40.23	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-31.17	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.85	-13	Pass	2986
30	500	0.1	Peak	416.6	-42.7	-13	Pass	4701
500	1000	0.1	Peak	848.9	27.66	-13	N/A	5001
1000	10000	1	Peak	9529	-40.19	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.98	-13	Pass	401
0.15	30	0.01	Peak	0.17	-37.69	-13	Pass	2986
30	1000	0.1	Peak	856.5	-46.53	-13	Pass	9701
1000	3000	1	Peak	1851	28.48	-13	N/A	2001
3000	20000	1	Peak	20000	-39.13	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.6	-13	Pass	2986
30	1000	0.1	Peak	952.1	-46.83	-13	Pass	9701
1000	3000	1	Peak	1880	28.91	-13	N/A	2001
3000	20000	1	Peak	19826	-38.7	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.2	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.66	-13	Pass	2986
30	1000	0.1	Peak	868.6	-47.04	-13	Pass	9701
1000	3000	1	Peak	1909	24.69	-13	N/A	2001
3000	20000	1	Peak	19977	-38.96	-13	Pass	17001




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.77	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.93	-13	Pass	2986
30	1000	0.1	Peak	972	-51.32	-13	Pass	9701
1000	3000	1	Peak	1854	24.71	-13	N/A	2001
3000	20000	1	Peak	19996	-25.61	-13	Pass	17001




5.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.33	-13	Pass	2986
30	1000	0.1	Peak	757.2	-50.99	-13	Pass	9701
1000	3000	1	Peak	1881	24.61	-13	N/A	2001
3000	20000	1	Peak	19892	-25.77	-13	Pass	17001



5.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.92	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.55	-13	Pass	2986
30	1000	0.1	Peak	947	-50.89	-13	Pass	9701
1000	3000	1	Peak	1909	24.69	-13	N/A	2001
3000	20000	1	Peak	19952	-25.9	-13	Pass	17001



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.86	-13	Pass	2986
30	1000	0.1	Peak	945.9	-51.35	-13	Pass	9701
1000	3000	1	Peak	1714	25.08	-13	N/A	2001
3000	20000	1	Peak	19965	-25.81	-13	Pass	17001




6.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.44	-13	Pass	2986
30	1000	0.1	Peak	913	-50.91	-13	Pass	9701
1000	3000	1	Peak	1734	24.48	-13	N/A	2001
3000	20000	1	Peak	19760	-25.08	-13	Pass	17001



6.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.39	-13	Pass	401
0.15	30	0.01	Peak	0.17	-41.15	-13	Pass	2986
30	1000	0.1	Peak	768.8	-51.41	-13	Pass	9701
1000	3000	1	Peak	1754	24.43	-13	N/A	2001
3000	20000	1	Peak	19351	-25.8	-13	Pass	17001



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.27	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.14	-13	Pass	2986
30	500	0.1	Peak	392.4	-52.72	-13	Pass	4701
500	1000	0.1	Peak	827.6	18.94	-13	N/A	5001
1000	10000	1	Peak	7766	-31.05	-13	Pass	9001




7.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44	-13	Pass	401
0.15	30	0.01	Peak	0.17	-42.16	-13	Pass	2986
30	500	0.1	Peak	489.3	-53.21	-13	Pass	4701
500	1000	0.1	Peak	835.7	18.81	-13	N/A	5001
1000	10000	1	Peak	8217	-30.64	-13	Pass	9001



7.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-43.62	-13	Pass	401
0.15	30	0.01	Peak	0.16	-41.7	-13	Pass	2986
30	500	0.1	Peak	418.9	-53.06	-13	Pass	4701
500	1000	0.1	Peak	847.2	18.84	-13	N/A	5001
1000	10000	1	Peak	9527	-30.53	-13	Pass	9001




LTE

8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.18	-13	Pass	2986
30	1000	0.1	RMS	935.1	-61.99	-13	Pass	9701
1000	1840	1	RMS	1840	-49.93	-13	Pass	841
1840	1920	1	RMS	1850.2	24.25	60	Pass	401
1920	3000	1	RMS	2650	-46.47	-13	Pass	1081
3000	12000	1	RMS	11847	-40	-13	Pass	9001
12000	20000	1	RMS	19999	-27.62	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.89	-13	Pass	2986
30	1000	0.1	RMS	936.7	-62.05	-13	Pass	9701
1000	1840	1	RMS	1840	-50.01	-13	Pass	841
1840	1920	1	RMS	1850.2	23.26	60	Pass	401
1920	3000	1	RMS	2641	-46.5	-13	Pass	1081
3000	12000	1	RMS	11975	-40.01	-13	Pass	9001
12000	20000	1	RMS	19997	-27.62	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.91	-13	Pass	2986
30	1000	0.1	RMS	922.3	-62.04	-13	Pass	9701
1000	1840	1	RMS	1838	-50.37	-13	Pass	841
1840	1920	1	RMS	1879.6	24.2	60	Pass	401
1920	3000	1	RMS	2650	-46.49	-13	Pass	1081
3000	12000	1	RMS	11859	-40.01	-13	Pass	9001
12000	20000	1	RMS	19994	-27.59	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.63	-13	Pass	2986
30	1000	0.1	RMS	922	-61.94	-13	Pass	9701
1000	1840	1	RMS	1840	-50.46	-13	Pass	841
1840	1920	1	RMS	1879.6	23.19	60	Pass	401
1920	3000	1	RMS	2650	-46.48	-13	Pass	1081
3000	12000	1	RMS	11925	-40.03	-13	Pass	9001
12000	20000	1	RMS	19995	-27.6	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.62	-13	Pass	2986
30	1000	0.1	RMS	893.5	-61.91	-13	Pass	9701
1000	1840	1	RMS	1834	-50.37	-13	Pass	841
1840	1920	1	RMS	1908.8	24.45	60	Pass	401
1920	3000	1	RMS	2650	-46.53	-13	Pass	1081
3000	12000	1	RMS	3818	-37.45	-13	Pass	9001
12000	20000	1	RMS	19996	-27.69	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.59	-13	Pass	2986
30	1000	0.1	RMS	923.7	-62.08	-13	Pass	9701
1000	1840	1	RMS	1834	-50.39	-13	Pass	841
1840	1920	1	RMS	1908.8	23.24	60	Pass	401
1920	3000	1	RMS	2647	-46.47	-13	Pass	1081
3000	12000	1	RMS	11945	-40.04	-13	Pass	9001
12000	20000	1	RMS	19999	-27.73	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.67	-13	Pass	2986
30	1000	0.1	RMS	927.5	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-49.78	-13	Pass	841
1840	1920	1	RMS	1850.2	24.14	60	Pass	401
1920	3000	1	RMS	2659	-46.48	-13	Pass	1081
3000	12000	1	RMS	11946	-40.03	-13	Pass	9001
12000	20000	1	RMS	20000	-27.65	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.82	-13	Pass	2986
30	1000	0.1	RMS	942.5	-62.08	-13	Pass	9701
1000	1840	1	RMS	1840	-49.81	-13	Pass	841
1840	1920	1	RMS	1850.2	23.29	60	Pass	401
1920	3000	1	RMS	2651	-46.51	-13	Pass	1081
3000	12000	1	RMS	11969	-40.08	-13	Pass	9001
12000	20000	1	RMS	19997	-27.64	-13	Pass	8001




8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.74	-13	Pass	2986
30	1000	0.1	RMS	951.3	-62.17	-13	Pass	9701
1000	1840	1	RMS	1836	-50.43	-13	Pass	841
1840	1920	1	RMS	1878.8	24.14	60	Pass	401
1920	3000	1	RMS	2650	-46.45	-13	Pass	1081
3000	12000	1	RMS	7515	-39.95	-13	Pass	9001
12000	20000	1	RMS	19998	-27.6	-13	Pass	8001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.28	-13	Pass	2986
30	1000	0.1	RMS	936.9	-61.96	-13	Pass	9701
1000	1840	1	RMS	1839	-50.54	-13	Pass	841
1840	1920	1	RMS	1878.8	23.15	60	Pass	401
1920	3000	1	RMS	2645	-46.5	-13	Pass	1081
3000	12000	1	RMS	11842	-40.05	-13	Pass	9001
12000	20000	1	RMS	20000	-27.63	-13	Pass	8001




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.56	-13	Pass	2986
30	1000	0.1	RMS	939.5	-62.1	-13	Pass	9701
1000	1840	1	RMS	1834	-50.43	-13	Pass	841
1840	1920	1	RMS	1907.2	24.24	60	Pass	401
1920	3000	1	RMS	2651	-46.42	-13	Pass	1081
3000	12000	1	RMS	11937	-39.99	-13	Pass	9001
12000	20000	1	RMS	19999	-27.66	-13	Pass	8001




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.39	-13	Pass	2986
30	1000	0.1	RMS	924.6	-62.04	-13	Pass	9701
1000	1840	1	RMS	1838	-50.4	-13	Pass	841
1840	1920	1	RMS	1907.2	23.27	60	Pass	401
1920	3000	1	RMS	2651	-46.51	-13	Pass	1081
3000	12000	1	RMS	11933	-40.03	-13	Pass	9001
12000	20000	1	RMS	19998	-27.52	-13	Pass	8001




8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.18	-13	Pass	2986
30	1000	0.1	RMS	955.2	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-49.93	-13	Pass	841
1840	1920	1	RMS	1850.4	24.37	60	Pass	401
1920	3000	1	RMS	2654	-46.52	-13	Pass	1081
3000	12000	1	RMS	11940	-40.05	-13	Pass	9001
12000	20000	1	RMS	19999	-27.62	-13	Pass	8001




8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.23	-13	Pass	2986
30	1000	0.1	RMS	936.6	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-50.06	-13	Pass	841
1840	1920	1	RMS	1850.4	23.41	60	Pass	401
1920	3000	1	RMS	2655	-46.58	-13	Pass	1081
3000	12000	1	RMS	11963	-40.08	-13	Pass	9001
12000	20000	1	RMS	19998	-27.69	-13	Pass	8001




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.56	-13	Pass	2986
30	1000	0.1	RMS	951.1	-62.1	-13	Pass	9701
1000	1840	1	RMS	1838	-50.44	-13	Pass	841
1840	1920	1	RMS	1877.8	24.38	60	Pass	401
1920	3000	1	RMS	2649	-46.57	-13	Pass	1081
3000	12000	1	RMS	11954	-39.95	-13	Pass	9001
12000	20000	1	RMS	19997	-27.68	-13	Pass	8001




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.09	-13	Pass	2986
30	1000	0.1	RMS	932.1	-62.1	-13	Pass	9701
1000	1840	1	RMS	1840	-50.39	-13	Pass	841
1840	1920	1	RMS	1877.8	23.54	60	Pass	401
1920	3000	1	RMS	2642	-46.56	-13	Pass	1081
3000	12000	1	RMS	11855	-40.03	-13	Pass	9001
12000	20000	1	RMS	19995	-27.55	-13	Pass	8001




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.99	-13	Pass	2986
30	1000	0.1	RMS	939.5	-62.23	-13	Pass	9701
1000	1840	1	RMS	1839	-50.47	-13	Pass	841
1840	1920	1	RMS	1905.4	24.37	60	Pass	401
1920	3000	1	RMS	2657	-46.49	-13	Pass	1081
3000	12000	1	RMS	11928	-39.96	-13	Pass	9001
12000	20000	1	RMS	19998	-27.56	-13	Pass	8001




8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.3	-13	Pass	2986
30	1000	0.1	RMS	908.8	-61.99	-13	Pass	9701
1000	1840	1	RMS	1840	-50.36	-13	Pass	841
1840	1920	1	RMS	1905.4	23.56	60	Pass	401
1920	3000	1	RMS	2655	-46.53	-13	Pass	1081
3000	12000	1	RMS	11855	-40.06	-13	Pass	9001
12000	20000	1	RMS	19996	-27.66	-13	Pass	8001




8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.84	-13	Pass	2986
30	1000	0.1	RMS	924.1	-62	-13	Pass	9701
1000	1840	1	RMS	1840	-45.65	-13	Pass	841
1840	1920	1	RMS	1850.6	24.52	60	Pass	401
1920	3000	1	RMS	2656	-46.53	-13	Pass	1081
3000	12000	1	RMS	11844	-39.99	-13	Pass	9001
12000	20000	1	RMS	19998	-27.63	-13	Pass	8001




8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.47	-13	Pass	2986
30	1000	0.1	RMS	950.9	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-46.05	-13	Pass	841
1840	1920	1	RMS	1850.6	23.64	60	Pass	401
1920	3000	1	RMS	2651	-46.58	-13	Pass	1081
3000	12000	1	RMS	11943	-40.17	-13	Pass	9001
12000	20000	1	RMS	20000	-27.78	-13	Pass	8001




8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.62	-13	Pass	2986
30	1000	0.1	RMS	957.7	-62.12	-13	Pass	9701
1000	1840	1	RMS	1840	-50.06	-13	Pass	841
1840	1920	1	RMS	1875.6	24.44	60	Pass	401
1920	3000	1	RMS	2655	-46.52	-13	Pass	1081
3000	12000	1	RMS	11845	-40.11	-13	Pass	9001
12000	20000	1	RMS	20000	-27.79	-13	Pass	8001




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.6	-13	Pass	2986
30	1000	0.1	RMS	950.1	-62.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.33	-13	Pass	841
1840	1920	1	RMS	1875.6	23.43	60	Pass	401
1920	3000	1	RMS	2657	-46.56	-13	Pass	1081
3000	12000	1	RMS	11953	-40.13	-13	Pass	9001
12000	20000	1	RMS	19997	-27.84	-13	Pass	8001




8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.37	-13	Pass	2986
30	1000	0.1	RMS	903.6	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.45	-13	Pass	841
1840	1920	1	RMS	1900.6	24.49	60	Pass	401
1920	3000	1	RMS	2654	-46.58	-13	Pass	1081
3000	12000	1	RMS	11951	-40.14	-13	Pass	9001
12000	20000	1	RMS	19995	-27.78	-13	Pass	8001




8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.39	-13	Pass	2986
30	1000	0.1	RMS	968.5	-61.98	-13	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	Pass	841
1840	1920	1	RMS	1900.6	23.48	60	Pass	401
1920	3000	1	RMS	2649	-46.57	-13	Pass	1081
3000	12000	1	RMS	11941	-40.13	-13	Pass	9001
12000	20000	1	RMS	19998	-27.71	-13	Pass	8001




8.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.29	-13	Pass	2986
30	1000	0.1	RMS	947.7	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-39.18	-13	Pass	841
1840	1920	1	RMS	1850.8	24.38	60	Pass	401
1920	3000	1	RMS	2657	-46.58	-13	Pass	1081
3000	12000	1	RMS	11938	-40.15	-13	Pass	9001
12000	20000	1	RMS	19995	-27.81	-13	Pass	8001




8.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.38	-13	Pass	2986
30	1000	0.1	RMS	902.6	-62.06	-13	Pass	9701
1000	1840	1	RMS	1840	-40.88	-13	Pass	841
1840	1920	1	RMS	1850.8	23.52	60	Pass	401
1920	3000	1	RMS	2655	-46.58	-13	Pass	1081
3000	12000	1	RMS	11940	-40.16	-13	Pass	9001
12000	20000	1	RMS	20000	-27.7	-13	Pass	8001




8.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.45	-13	Pass	2986
30	1000	0.1	RMS	919.4	-62.09	-13	Pass	9701
1000	1840	1	RMS	1839	-50.37	-13	Pass	841
1840	1920	1	RMS	1873.4	24.36	60	Pass	401
1920	3000	1	RMS	2649	-46.57	-13	Pass	1081
3000	12000	1	RMS	11930	-40.18	-13	Pass	9001
12000	20000	1	RMS	20000	-27.77	-13	Pass	8001




8.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.64	-13	Pass	2986
30	1000	0.1	RMS	895.4	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.45	-13	Pass	841
1840	1920	1	RMS	1873.4	23.31	60	Pass	401
1920	3000	1	RMS	2650	-46.58	-13	Pass	1081
3000	12000	1	RMS	11935	-40.08	-13	Pass	9001
12000	20000	1	RMS	19998	-27.77	-13	Pass	8001




8.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.22	-13	Pass	2986
30	1000	0.1	RMS	936.7	-62.12	-13	Pass	9701
1000	1840	1	RMS	1837	-50.55	-13	Pass	841
1840	1920	1	RMS	1895.8	24.32	60	Pass	401
1920	3000	1	RMS	2647	-46.57	-13	Pass	1081
3000	12000	1	RMS	11945	-40.15	-13	Pass	9001
12000	20000	1	RMS	19999	-27.72	-13	Pass	8001




8.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.15	-13	Pass	2986
30	1000	0.1	RMS	789.5	-62.14	-13	Pass	9701
1000	1840	1	RMS	1839	-50.49	-13	Pass	841
1840	1920	1	RMS	1895.8	23.42	60	Pass	401
1920	3000	1	RMS	2659	-46.53	-13	Pass	1081
3000	12000	1	RMS	11859	-40.15	-13	Pass	9001
12000	20000	1	RMS	19999	-27.72	-13	Pass	8001




8.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.16	-13	Pass	2986
30	1000	0.1	RMS	942.7	-62.11	-13	Pass	9701
1000	1840	1	RMS	1840	-40.53	-13	Pass	841
1840	1920	1	RMS	1851	24.24	60	Pass	401
1920	3000	1	RMS	2649	-46.57	-13	Pass	1081
3000	12000	1	RMS	11930	-40.12	-13	Pass	9001
12000	20000	1	RMS	19998	-27.78	-13	Pass	8001




8.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.46	-13	Pass	2986
30	1000	0.1	RMS	908.6	-62.06	-13	Pass	9701
1000	1840	1	RMS	1839	-42.16	-13	Pass	841
1840	1920	1	RMS	1851	23.39	60	Pass	401
1920	3000	1	RMS	2657	-46.59	-13	Pass	1081
3000	12000	1	RMS	11941	-40.19	-13	Pass	9001
12000	20000	1	RMS	19998	-27.76	-13	Pass	8001




8.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.7	-13	Pass	2986
30	1000	0.1	RMS	926.5	-62.1	-13	Pass	9701
1000	1840	1	RMS	1835	-39.94	-13	Pass	841
1840	1920	1	RMS	1871	24.28	60	Pass	401
1920	3000	1	RMS	2653	-46.58	-13	Pass	1081
3000	12000	1	RMS	11966	-40.13	-13	Pass	9001
12000	20000	1	RMS	19998	-27.77	-13	Pass	8001




8.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.66	-13	Pass	2986
30	1000	0.1	RMS	935.3	-62.17	-13	Pass	9701
1000	1840	1	RMS	1835	-42.05	-13	Pass	841
1840	1920	1	RMS	1871	23.2	60	Pass	401
1920	3000	1	RMS	2645	-46.62	-13	Pass	1081
3000	12000	1	RMS	11848	-40.09	-13	Pass	9001
12000	20000	1	RMS	20000	-27.74	-13	Pass	8001




8.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.42	-13	Pass	2986
30	1000	0.1	RMS	928.6	-62.05	-13	Pass	9701
1000	1840	1	RMS	1840	-50.49	-13	Pass	841
1840	1920	1	RMS	1891	24.25	60	Pass	401
1920	3000	1	RMS	2650	-46.57	-13	Pass	1081
3000	12000	1	RMS	11950	-40.17	-13	Pass	9001
12000	20000	1	RMS	19997	-27.7	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.11	-13	Pass	2986
30	1000	0.1	RMS	936.3	-62.18	-13	Pass	9701
1000	1840	1	RMS	1837	-50.56	-13	Pass	841
1840	1920	1	RMS	1891	23.23	60	Pass	401
1920	3000	1	RMS	2643	-46.62	-13	Pass	1081
3000	12000	1	RMS	11847	-40.12	-13	Pass	9001
12000	20000	1	RMS	19996	-27.74	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.99	-13	Pass	2986
30	1000	0.1	RMS	915.6	-62.12	-13	Pass	9701
1000	1700	1	RMS	1700	-50.86	-13	Pass	701
1700	1765	1	RMS	1710.238	24.14	60	Pass	401
1765	3000	1	RMS	2657	-46.56	-13	Pass	1236
3000	12000	1	RMS	11876	-40.16	-13	Pass	9001
12000	20000	1	RMS	19998	-27.79	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.47	-13	Pass	2986
30	1000	0.1	RMS	919	-62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.97	-13	Pass	701
1700	1765	1	RMS	1710.238	23.16	60	Pass	401
1765	3000	1	RMS	2659	-46.56	-13	Pass	1236
3000	12000	1	RMS	11943	-40.13	-13	Pass	9001
12000	20000	1	RMS	19991	-27.76	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-45.56	-13	Pass	2986
30	1000	0.1	RMS	939.9	-62.15	-13	Pass	9701
1000	1700	1	RMS	1699	-51.13	-13	Pass	701
1700	1765	1	RMS	1732.013	24.11	60	Pass	401
1765	3000	1	RMS	2649	-46.47	-13	Pass	1236
3000	12000	1	RMS	11945	-40.16	-13	Pass	9001
12000	20000	1	RMS	19995	-27.8	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.87	-13	Pass	2986
30	1000	0.1	RMS	927	-62.11	-13	Pass	9701
1000	1700	1	RMS	1580	-51.17	-13	Pass	701
1700	1765	1	RMS	1732.013	23.16	60	Pass	401
1765	3000	1	RMS	2651	-46.52	-13	Pass	1236
3000	12000	1	RMS	11950	-40.11	-13	Pass	9001
12000	20000	1	RMS	20000	-27.69	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.77	-13	Pass	2986
30	1000	0.1	RMS	924	-62.01	-13	Pass	9701
1000	1700	1	RMS	1691	-51.14	-13	Pass	701
1700	1765	1	RMS	1753.788	24.05	60	Pass	401
1765	3000	1	RMS	2647	-46.61	-13	Pass	1236
3000	12000	1	RMS	11846	-40.13	-13	Pass	9001
12000	20000	1	RMS	19998	-27.72	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.47	-13	Pass	2986
30	1000	0.1	RMS	949.9	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-51.13	-13	Pass	701
1700	1765	1	RMS	1753.788	23.14	60	Pass	401
1765	3000	1	RMS	2655	-46.61	-13	Pass	1236
3000	12000	1	RMS	11973	-40.15	-13	Pass	9001
12000	20000	1	RMS	20000	-27.82	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.75	-13	Pass	2986
30	1000	0.1	RMS	925.9	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1765	1	RMS	1710.238	24.04	60	Pass	401
1765	3000	1	RMS	2652	-46.52	-13	Pass	1236
3000	12000	1	RMS	11843	-40.16	-13	Pass	9001
12000	20000	1	RMS	20000	-27.76	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-46.94	-13	Pass	2986
30	1000	0.1	RMS	920.7	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	Pass	701
1700	1765	1	RMS	1710.238	23.14	60	Pass	401
1765	3000	1	RMS	2653	-46.57	-13	Pass	1236
3000	12000	1	RMS	11966	-40.14	-13	Pass	9001
12000	20000	1	RMS	19995	-27.71	-13	Pass	8001




9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.4	-13	Pass	2986
30	1000	0.1	RMS	917	-61.96	-13	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	Pass	701
1700	1765	1	RMS	1731.2	23.98	60	Pass	401
1765	3000	1	RMS	2646	-46.54	-13	Pass	1236
3000	12000	1	RMS	11936	-40.11	-13	Pass	9001
12000	20000	1	RMS	19999	-27.77	-13	Pass	8001




9.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.32	-13	Pass	2986
30	1000	0.1	RMS	928.8	-62.12	-13	Pass	9701
1000	1700	1	RMS	1610	-51.13	-13	Pass	701
1700	1765	1	RMS	1731.2	23.01	60	Pass	401
1765	3000	1	RMS	2652	-46.58	-13	Pass	1236
3000	12000	1	RMS	11934	-40.17	-13	Pass	9001
12000	20000	1	RMS	19997	-27.79	-13	Pass	8001




9.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.86	-13	Pass	2986
30	1000	0.1	RMS	921.3	-61.93	-13	Pass	9701
1000	1700	1	RMS	1596	-51.14	-13	Pass	701
1700	1765	1	RMS	1752.325	23.89	60	Pass	401
1765	3000	1	RMS	2650	-46.57	-13	Pass	1236
3000	12000	1	RMS	11936	-40.15	-13	Pass	9001
12000	20000	1	RMS	19995	-27.81	-13	Pass	8001




9.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.79	-13	Pass	2986
30	1000	0.1	RMS	922.2	-62.15	-13	Pass	9701
1000	1700	1	RMS	1675	-51.16	-13	Pass	701
1700	1765	1	RMS	1752.325	22.99	60	Pass	401
1765	3000	1	RMS	2648	-46.57	-13	Pass	1236
3000	12000	1	RMS	11959	-40.12	-13	Pass	9001
12000	20000	1	RMS	19998	-27.78	-13	Pass	8001




9.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.27	-13	Pass	2986
30	1000	0.1	RMS	918.2	-61.91	-13	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	Pass	701
1700	1765	1	RMS	1710.4	24.16	60	Pass	401
1765	3000	1	RMS	2649	-46.54	-13	Pass	1236
3000	12000	1	RMS	11819	-40.21	-13	Pass	9001
12000	20000	1	RMS	20000	-27.75	-13	Pass	8001




9.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.72	-13	Pass	2986
30	1000	0.1	RMS	929.8	-61.85	-13	Pass	9701
1000	1700	1	RMS	1700	-50.9	-13	Pass	701
1700	1765	1	RMS	1710.4	23.24	60	Pass	401
1765	3000	1	RMS	2655	-46.54	-13	Pass	1236
3000	12000	1	RMS	11973	-40.14	-13	Pass	9001
12000	20000	1	RMS	20000	-27.72	-13	Pass	8001




9.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.19	-13	Pass	2986
30	1000	0.1	RMS	932.7	-62.1	-13	Pass	9701
1000	1700	1	RMS	1699	-51.06	-13	Pass	701
1700	1765	1	RMS	1730.388	24.21	60	Pass	401
1765	3000	1	RMS	2657	-46.57	-13	Pass	1236
3000	12000	1	RMS	11967	-40.1	-13	Pass	9001
12000	20000	1	RMS	19999	-27.74	-13	Pass	8001




9.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-48.04	-13	Pass	2986
30	1000	0.1	RMS	912.8	-62.14	-13	Pass	9701
1000	1700	1	RMS	1695	-51.14	-13	Pass	701
1700	1765	1	RMS	1730.388	23.36	60	Pass	401
1765	3000	1	RMS	2653	-46.55	-13	Pass	1236
3000	12000	1	RMS	11931	-40.17	-13	Pass	9001
12000	20000	1	RMS	19998	-27.77	-13	Pass	8001




9.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.07	-13	Pass	2986
30	1000	0.1	RMS	896.4	-62.14	-13	Pass	9701
1000	1700	1	RMS	1698	-51.03	-13	Pass	701
1700	1765	1	RMS	1750.375	24.29	60	Pass	401
1765	3000	1	RMS	2657	-46.49	-13	Pass	1236
3000	12000	1	RMS	11934	-40.05	-13	Pass	9001
12000	20000	1	RMS	19997	-27.66	-13	Pass	8001




9.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.02	-13	Pass	2986
30	1000	0.1	RMS	922.1	-62.03	-13	Pass	9701
1000	1700	1	RMS	1686	-51.02	-13	Pass	701
1700	1765	1	RMS	1750.375	23.52	60	Pass	401
1765	3000	1	RMS	2655	-46.45	-13	Pass	1236
3000	12000	1	RMS	11952	-39.94	-13	Pass	9001
12000	20000	1	RMS	19994	-27.67	-13	Pass	8001




9.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.33	-13	Pass	2986
30	1000	0.1	RMS	911.3	-62.14	-13	Pass	9701
1000	1700	1	RMS	1693	-46.24	-13	Pass	701
1700	1765	1	RMS	1710.563	24.42	60	Pass	401
1765	3000	1	RMS	2647	-46.44	-13	Pass	1236
3000	12000	1	RMS	11937	-40.04	-13	Pass	9001
12000	20000	1	RMS	19999	-27.6	-13	Pass	8001




9.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.2	-13	Pass	2986
30	1000	0.1	RMS	908.3	-62.13	-13	Pass	9701
1000	1700	1	RMS	1693	-47.28	-13	Pass	701
1700	1765	1	RMS	1710.563	23.55	60	Pass	401
1765	3000	1	RMS	2649	-46.39	-13	Pass	1236
3000	12000	1	RMS	11939	-40.03	-13	Pass	9001
12000	20000	1	RMS	19999	-27.55	-13	Pass	8001




9.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.18	-13	Pass	2986
30	1000	0.1	RMS	909.8	-62.08	-13	Pass	9701
1000	1700	1	RMS	1693	-50.91	-13	Pass	701
1700	1765	1	RMS	1728.113	24.47	60	Pass	401
1765	3000	1	RMS	2654	-46.43	-13	Pass	1236
3000	12000	1	RMS	11853	-39.97	-13	Pass	9001
12000	20000	1	RMS	20000	-27.58	-13	Pass	8001




9.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.38	-13	Pass	2986
30	1000	0.1	RMS	933.3	-62.08	-13	Pass	9701
1000	1700	1	RMS	1697	-51	-13	Pass	701
1700	1765	1	RMS	1728.113	23.46	60	Pass	401
1765	3000	1	RMS	2659	-46.47	-13	Pass	1236
3000	12000	1	RMS	11949	-40.02	-13	Pass	9001
12000	20000	1	RMS	20000	-27.63	-13	Pass	8001




9.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.34	-13	Pass	2986
30	1000	0.1	RMS	995.8	-62.07	-13	Pass	9701
1000	1700	1	RMS	1693	-50.98	-13	Pass	701
1700	1765	1	RMS	1745.663	24.39	60	Pass	401
1765	3000	1	RMS	2658	-46.43	-13	Pass	1236
3000	12000	1	RMS	11845	-40.03	-13	Pass	9001
12000	20000	1	RMS	19998	-27.64	-13	Pass	8001




9.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-47.5	-13	Pass	2986
30	1000	0.1	RMS	927.5	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1765	1	RMS	1745.5	23.46	60	Pass	401
1765	3000	1	RMS	2642	-46.47	-13	Pass	1236
3000	12000	1	RMS	11971	-40.08	-13	Pass	9001
12000	20000	1	RMS	20000	-27.6	-13	Pass	8001




9.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.6	-13	Pass	2986
30	1000	0.1	RMS	929.1	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-40.72	-13	Pass	701
1700	1765	1	RMS	1710.888	24.34	60	Pass	401
1765	3000	1	RMS	2648	-46.4	-13	Pass	1236
3000	12000	1	RMS	11955	-40.03	-13	Pass	9001
12000	20000	1	RMS	20000	-27.66	-13	Pass	8001




9.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.14	-13	Pass	2986
30	1000	0.1	RMS	903.3	-62.05	-13	Pass	9701
1000	1700	1	RMS	1700	-42.71	-13	Pass	701
1700	1765	1	RMS	1710.888	23.48	60	Pass	401
1765	3000	1	RMS	2656	-46.44	-13	Pass	1236
3000	12000	1	RMS	11890	-40.08	-13	Pass	9001
12000	20000	1	RMS	19999	-27.62	-13	Pass	8001




9.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.6	-13	Pass	2986
30	1000	0.1	RMS	889.8	-62.09	-13	Pass	9701
1000	1700	1	RMS	1699	-41.35	-13	Pass	701
1700	1765	1	RMS	1725.838	24.4	60	Pass	401
1765	3000	1	RMS	2653	-46.46	-13	Pass	1236
3000	12000	1	RMS	11924	-40.06	-13	Pass	9001
12000	20000	1	RMS	19999	-27.62	-13	Pass	8001




9.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.81	-13	Pass	2986
30	1000	0.1	RMS	937.6	-62	-13	Pass	9701
1000	1700	1	RMS	1699	-42.94	-13	Pass	701
1700	1765	1	RMS	1725.838	23.43	60	Pass	401
1765	3000	1	RMS	2644	-46.45	-13	Pass	1236
3000	12000	1	RMS	11974	-40.07	-13	Pass	9001
12000	20000	1	RMS	19998	-27.6	-13	Pass	8001




9.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.97	-13	Pass	2986
30	1000	0.1	RMS	918.8	-62.1	-13	Pass	9701
1000	1700	1	RMS	1688	-50.92	-13	Pass	701
1700	1765	1	RMS	1740.788	24.37	60	Pass	401
1765	3000	1	RMS	1767	-29.71	-13	Pass	1236
3000	12000	1	RMS	11964	-40.03	-13	Pass	9001
12000	20000	1	RMS	19999	-27.6	-13	Pass	8001




9.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.64	-13	Pass	2986
30	1000	0.1	RMS	914.7	-61.98	-13	Pass	9701
1000	1700	1	RMS	1687	-51	-13	Pass	701
1700	1765	1	RMS	1740.788	23.5	60	Pass	401
1765	3000	1	RMS	1767	-30.65	-13	Pass	1236
3000	12000	1	RMS	11850	-40.07	-13	Pass	9001
12000	20000	1	RMS	19999	-27.63	-13	Pass	8001




9.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.61	-13	Pass	2986
30	1000	0.1	RMS	952.1	-61.88	-13	Pass	9701
1000	1700	1	RMS	1700	-41.56	-13	Pass	701
1700	1765	1	RMS	1711.05	24.27	60	Pass	401
1765	3000	1	RMS	2647	-46.44	-13	Pass	1236
3000	12000	1	RMS	11945	-40.09	-13	Pass	9001
12000	20000	1	RMS	19995	-27.65	-13	Pass	8001




9.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.08	-13	Pass	2986
30	1000	0.1	RMS	931.4	-62.07	-13	Pass	9701
1000	1700	1	RMS	1700	-43.7	-13	Pass	701
1700	1765	1	RMS	1711.05	23.38	60	Pass	401
1765	3000	1	RMS	2655	-46.4	-13	Pass	1236
3000	12000	1	RMS	11922	-40.06	-13	Pass	9001
12000	20000	1	RMS	20000	-27.65	-13	Pass	8001




9.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.74	-13	Pass	2986
30	1000	0.1	RMS	904.8	-62.05	-13	Pass	9701
1000	1700	1	RMS	1688	-43.6	-13	Pass	701
1700	1765	1	RMS	1723.563	24.32	60	Pass	401
1765	3000	1	RMS	2657	-46.44	-13	Pass	1236
3000	12000	1	RMS	11838	-40.04	-13	Pass	9001
12000	20000	1	RMS	20000	-27.59	-13	Pass	8001




9.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.87	-13	Pass	2986
30	1000	0.1	RMS	929.2	-62.04	-13	Pass	9701
1000	1700	1	RMS	1688	-44.82	-13	Pass	701
1700	1765	1	RMS	1723.563	23.36	60	Pass	401
1765	3000	1	RMS	2655	-46.4	-13	Pass	1236
3000	12000	1	RMS	11950	-40.02	-13	Pass	9001
12000	20000	1	RMS	19998	-27.65	-13	Pass	8001




9.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.76	-13	Pass	2986
30	1000	0.1	RMS	887.5	-62.08	-13	Pass	9701
1000	1700	1	RMS	1700	-42.08	-13	Pass	701
1700	1765	1	RMS	1736.075	24.31	60	Pass	401
1765	3000	1	RMS	1772	-28.08	-13	Pass	1236
3000	12000	1	RMS	11946	-40.06	-13	Pass	9001
12000	20000	1	RMS	20000	-27.6	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.56	-13	Pass	2986
30	1000	0.1	RMS	948.3	-62.01	-13	Pass	9701
1000	1700	1	RMS	1700	-43.33	-13	Pass	701
1700	1765	1	RMS	1736.075	23.28	60	Pass	401
1765	3000	1	RMS	1772	-28.98	-13	Pass	1236
3000	12000	1	RMS	11922	-40.07	-13	Pass	9001
12000	20000	1	RMS	20000	-27.55	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.17	-13	Pass	2986
30	814	0.1	RMS	813	-62.05	-13	Pass	7841
814	860	0.1	RMS	824.2	21.08	60	Pass	461
860	1000	0.1	RMS	939	-62.3	-13	Pass	1401
1000	3000	1	RMS	2649	-46.78	-13	Pass	2001
3000	10000	1	RMS	9541	-42.19	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.24	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.12	-13	Pass	7841
814	860	0.1	RMS	824.3	20.04	60	Pass	461
860	1000	0.1	RMS	927.5	-62.31	-13	Pass	1401
1000	3000	1	RMS	2651	-46.81	-13	Pass	2001
3000	10000	1	RMS	7743	-42.19	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.09	-13	Pass	2986
30	814	0.1	RMS	813	-62.25	-13	Pass	7841
814	860	0.1	RMS	836.1	21.25	60	Pass	461
860	1000	0.1	RMS	948	-62.16	-13	Pass	1401
1000	3000	1	RMS	1672	-46.24	-13	Pass	2001
3000	10000	1	RMS	7737	-42.21	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.34	-13	Pass	2986
30	814	0.1	RMS	798.8	-62.3	-13	Pass	7841
814	860	0.1	RMS	836.1	20.12	60	Pass	461
860	1000	0.1	RMS	929.3	-62.45	-13	Pass	1401
1000	3000	1	RMS	2649	-46.75	-13	Pass	2001
3000	10000	1	RMS	7747	-42.24	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.79	-13	Pass	2986
30	814	0.1	RMS	809	-62.41	-13	Pass	7841
814	860	0.1	RMS	847.8	21.2	60	Pass	461
860	1000	0.1	RMS	925.8	-62.45	-13	Pass	1401
1000	3000	1	RMS	1696	-46.3	-13	Pass	2001
3000	10000	1	RMS	9548	-42.21	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.13	-13	Pass	2986
30	814	0.1	RMS	812.7	-62.35	-13	Pass	7841
814	860	0.1	RMS	847.9	20.2	60	Pass	461
860	1000	0.1	RMS	929.6	-62.39	-13	Pass	1401
1000	3000	1	RMS	2651	-46.81	-13	Pass	2001
3000	10000	1	RMS	7732	-42.21	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.75	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.4	-13	Pass	7841
814	860	0.1	RMS	824.2	21.14	60	Pass	461
860	1000	0.1	RMS	920.5	-62.42	-13	Pass	1401
1000	3000	1	RMS	2654	-46.78	-13	Pass	2001
3000	10000	1	RMS	7731	-42.28	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.32	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.36	-13	Pass	7841
814	860	0.1	RMS	824.2	20.18	60	Pass	461
860	1000	0.1	RMS	937.7	-62.45	-13	Pass	1401
1000	3000	1	RMS	2639	-46.76	-13	Pass	2001
3000	10000	1	RMS	7743	-42.21	-13	Pass	7001




10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.91	-13	Pass	2986
30	814	0.1	RMS	808.8	-62.28	-13	Pass	7841
814	860	0.1	RMS	835.2	21.21	60	Pass	461
860	1000	0.1	RMS	920.2	-62.47	-13	Pass	1401
1000	3000	1	RMS	2650	-46.77	-13	Pass	2001
3000	10000	1	RMS	9548	-42.23	-13	Pass	7001




10.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.12	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.21	-13	Pass	7841
814	860	0.1	RMS	835.2	20.17	60	Pass	461
860	1000	0.1	RMS	909.9	-62.35	-13	Pass	1401
1000	3000	1	RMS	2651	-46.77	-13	Pass	2001
3000	10000	1	RMS	7740	-42.26	-13	Pass	7001




10.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.71	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.39	-13	Pass	7841
814	860	0.1	RMS	846.2	21.23	60	Pass	461
860	1000	0.1	RMS	938.7	-62.4	-13	Pass	1401
1000	3000	1	RMS	2651	-46.78	-13	Pass	2001
3000	10000	1	RMS	7744	-42.25	-13	Pass	7001




10.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.38	-13	Pass	2986
30	814	0.1	RMS	810.1	-62.47	-13	Pass	7841
814	860	0.1	RMS	846.2	20.22	60	Pass	461
860	1000	0.1	RMS	943.3	-62.53	-13	Pass	1401
1000	3000	1	RMS	2652	-46.8	-13	Pass	2001
3000	10000	1	RMS	7745	-42.27	-13	Pass	7001




10.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.87	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.04	-13	Pass	7841
814	860	0.1	RMS	824.3	21.52	60	Pass	461
860	1000	0.1	RMS	973.3	-62.34	-13	Pass	1401
1000	3000	1	RMS	1649	-46.71	-13	Pass	2001
3000	10000	1	RMS	7730	-42.25	-13	Pass	7001




10.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.67	-13	Pass	2986
30	814	0.1	RMS	812.1	-62.28	-13	Pass	7841
814	860	0.1	RMS	824.3	20.29	60	Pass	461
860	1000	0.1	RMS	929.4	-62.4	-13	Pass	1401
1000	3000	1	RMS	2655	-46.76	-13	Pass	2001
3000	10000	1	RMS	7736	-42.23	-13	Pass	7001




10.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.59	-13	Pass	2986
30	814	0.1	RMS	809.4	-62.25	-13	Pass	7841
814	860	0.1	RMS	834.3	21.53	60	Pass	461
860	1000	0.1	RMS	930.8	-62.33	-13	Pass	1401
1000	3000	1	RMS	1669	-46.48	-13	Pass	2001
3000	10000	1	RMS	7750	-42.18	-13	Pass	7001




10.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.52	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.41	-13	Pass	7841
814	860	0.1	RMS	834.3	20.73	60	Pass	461
860	1000	0.1	RMS	928.7	-62.43	-13	Pass	1401
1000	3000	1	RMS	2653	-46.79	-13	Pass	2001
3000	10000	1	RMS	7732	-42.24	-13	Pass	7001




10.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.85	-13	Pass	2986
30	814	0.1	RMS	788.7	-62.36	-13	Pass	7841
814	860	0.1	RMS	844.3	21.57	60	Pass	461
860	1000	0.1	RMS	950.9	-62.37	-13	Pass	1401
1000	3000	1	RMS	2651	-46.8	-13	Pass	2001
3000	10000	1	RMS	7728	-42.24	-13	Pass	7001




10.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.66	-13	Pass	2986
30	814	0.1	RMS	796.4	-62.46	-13	Pass	7841
814	860	0.1	RMS	844.3	20.63	60	Pass	461
860	1000	0.1	RMS	913.5	-62.49	-13	Pass	1401
1000	3000	1	RMS	2653	-46.73	-13	Pass	2001
3000	10000	1	RMS	9546	-42.25	-13	Pass	7001




10.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.42	-13	Pass	2986
30	814	0.1	RMS	814	-50.75	-13	Pass	7841
814	860	0.1	RMS	824.6	22.01	60	Pass	461
860	1000	0.1	RMS	946.4	-62.39	-13	Pass	1401
1000	3000	1	RMS	1649	-46.15	-13	Pass	2001
3000	10000	1	RMS	7735	-42.23	-13	Pass	7001




10.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.12	-13	Pass	2986
30	814	0.1	RMS	814	-51.34	-13	Pass	7841
814	860	0.1	RMS	824.6	20.97	60	Pass	461
860	1000	0.1	RMS	923.4	-62.38	-13	Pass	1401
1000	3000	1	RMS	2648	-46.8	-13	Pass	2001
3000	10000	1	RMS	7750	-42.18	-13	Pass	7001




10.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.39	-13	Pass	2986
30	814	0.1	RMS	814	-61.63	-13	Pass	7841
814	860	0.1	RMS	832.1	22.03	60	Pass	461
860	1000	0.1	RMS	916.3	-62.41	-13	Pass	1401
1000	3000	1	RMS	1664	-45.69	-13	Pass	2001
3000	10000	1	RMS	9545	-42.23	-13	Pass	7001




10.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.45	-13	Pass	2986
30	814	0.1	RMS	814	-61.96	-13	Pass	7841
814	860	0.1	RMS	832.1	20.93	60	Pass	461
860	1000	0.1	RMS	927.9	-62.4	-13	Pass	1401
1000	3000	1	RMS	1664	-46.74	-13	Pass	2001
3000	10000	1	RMS	7730	-42.15	-13	Pass	7001




10.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.42	-13	Pass	2986
30	814	0.1	RMS	776.5	-62.35	-13	Pass	7841
814	860	0.1	RMS	839.6	21.98	60	Pass	461
860	1000	0.1	RMS	893.3	-62.31	-13	Pass	1401
1000	3000	1	RMS	1679	-46.33	-13	Pass	2001
3000	10000	1	RMS	7737	-42.22	-13	Pass	7001



10.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.79	-13	Pass	2986
30	814	0.1	RMS	782.9	-62.42	-13	Pass	7841
814	860	0.1	RMS	839.6	21.03	60	Pass	461
860	1000	0.1	RMS	923.7	-62.36	-13	Pass	1401
1000	3000	1	RMS	2652	-46.77	-13	Pass	2001
3000	10000	1	RMS	7730	-42.23	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.41	-25	Pass	2986
30	1000	0.1	RMS	931.1	-62.02	-25	Pass	9701
1000	2490	1	RMS	2490	-47.37	-25	Pass	1491
2490	2580	1	RMS	2500.35	24.29	60	Pass	401
2580	3000	1	RMS	2651	-46.45	-25	Pass	421
3000	12000	1	RMS	7501	-58.97	-25	Pass	9001
12000	26000	1	RMS	25013	-45.4	-25	Pass	14001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.64	-25	Pass	2986
30	1000	0.1	RMS	929	-61.98	-25	Pass	9701
1000	2490	1	RMS	2490	-47.51	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.11	60	Pass	401
2580	3000	1	RMS	2650	-46.51	-25	Pass	421
3000	12000	1	RMS	7501	-61.01	-25	Pass	9001
12000	26000	1	RMS	25011	-40.7	-25	Pass	14001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.29	-25	Pass	2986
30	1000	0.1	RMS	948.8	-62.03	-25	Pass	9701
1000	2490	1	RMS	2489	-47.78	-25	Pass	1491
2490	2580	1	RMS	2532.75	24.16	60	Pass	401
2580	3000	1	RMS	2648	-46.51	-25	Pass	421
3000	12000	1	RMS	10131	-62.68	-25	Pass	9001
12000	26000	1	RMS	25003	-40.8	-25	Pass	14001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.95	-25	Pass	2986
30	1000	0.1	RMS	911	-61.88	-25	Pass	9701
1000	2490	1	RMS	2484	-47.78	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.17	60	Pass	401
2580	3000	1	RMS	2651	-46.51	-25	Pass	421
3000	12000	1	RMS	10131	-62.9	-25	Pass	9001
12000	26000	1	RMS	25014	-40.73	-25	Pass	14001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.05	-25	Pass	2986
30	1000	0.1	RMS	944.2	-62.13	-25	Pass	9701
1000	2490	1	RMS	2490	-47.74	-25	Pass	1491
2490	2580	1	RMS	2565.375	24.23	60	Pass	401
2580	3000	1	RMS	2658	-46.47	-25	Pass	421
3000	12000	1	RMS	7696	-58.53	-25	Pass	9001
12000	26000	1	RMS	25011	-40.74	-25	Pass	14001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.36	-25	Pass	2986
30	1000	0.1	RMS	943.8	-62.1	-25	Pass	9701
1000	2490	1	RMS	2489	-47.73	-25	Pass	1491
2490	2580	1	RMS	2565.375	23.39	60	Pass	401
2580	3000	1	RMS	2659	-46.53	-25	Pass	421
3000	12000	1	RMS	7696	-61.17	-25	Pass	9001
12000	26000	1	RMS	25012	-40.64	-25	Pass	14001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.05	-25	Pass	2986
30	1000	0.1	RMS	876.7	-62.01	-25	Pass	9701
1000	2490	1	RMS	2490	-44.15	-25	Pass	1491
2490	2580	1	RMS	2500.575	24.3	60	Pass	401
2580	3000	1	RMS	2651	-46.49	-25	Pass	421
3000	12000	1	RMS	7502	-58.94	-25	Pass	9001
12000	26000	1	RMS	25012	-40.78	-25	Pass	14001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.84	-25	Pass	2986
30	1000	0.1	RMS	943.5	-61.76	-25	Pass	9701
1000	2490	1	RMS	2490	-44.73	-25	Pass	1491
2490	2580	1	RMS	2500.575	23.42	60	Pass	401
2580	3000	1	RMS	2657	-46.54	-25	Pass	421
3000	12000	1	RMS	7502	-60.34	-25	Pass	9001
12000	26000	1	RMS	25017	-40.73	-25	Pass	14001




11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.5	-25	Pass	2986
30	1000	0.1	RMS	931.7	-61.96	-25	Pass	9701
1000	2490	1	RMS	2490	-47.7	-25	Pass	1491
2490	2580	1	RMS	2530.5	24.23	60	Pass	401
2580	3000	1	RMS	2651	-46.49	-25	Pass	421
3000	12000	1	RMS	7592	-60.26	-25	Pass	9001
12000	26000	1	RMS	25012	-40.75	-25	Pass	14001




11.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.31	-25	Pass	2986
30	1000	0.1	RMS	927.5	-61.87	-25	Pass	9701
1000	2490	1	RMS	2488	-47.73	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.24	60	Pass	401
2580	3000	1	RMS	2652	-46.48	-25	Pass	421
3000	12000	1	RMS	7592	-61.23	-25	Pass	9001
12000	26000	1	RMS	25012	-40.68	-25	Pass	14001




11.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.39	-25	Pass	2986
30	1000	0.1	RMS	892.7	-62.03	-25	Pass	9701
1000	2490	1	RMS	2485	-47.78	-25	Pass	1491
2490	2580	1	RMS	2560.65	24.4	60	Pass	401
2580	3000	1	RMS	2580	-46.03	-25	Pass	421
3000	12000	1	RMS	5121	-59.78	-25	Pass	9001
12000	26000	1	RMS	25013	-40.7	-25	Pass	14001




11.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-49.95	-25	Pass	2986
30	1000	0.1	RMS	944.8	-61.91	-25	Pass	9701
1000	2490	1	RMS	2490	-47.7	-25	Pass	1491
2490	2580	1	RMS	2560.65	23.31	60	Pass	401
2580	3000	1	RMS	2580	-46.04	-25	Pass	421
3000	12000	1	RMS	5121	-61.37	-25	Pass	9001
12000	26000	1	RMS	25011	-40.79	-25	Pass	14001




11.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.7	-25	Pass	2986
30	1000	0.1	RMS	915.5	-62.12	-25	Pass	9701
1000	2490	1	RMS	2490	-36.36	-25	Pass	1491
2490	2580	1	RMS	2500.8	24.31	60	Pass	401
2580	3000	1	RMS	2651	-46.47	-25	Pass	421
3000	12000	1	RMS	7503	-60.26	-25	Pass	9001
12000	26000	1	RMS	25011	-40.77	-25	Pass	14001




11.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.55	-25	Pass	2986
30	1000	0.1	RMS	928.2	-61.87	-25	Pass	9701
1000	2490	1	RMS	2490	-39.06	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.26	60	Pass	401
2580	3000	1	RMS	2654	-46.51	-25	Pass	421
3000	12000	1	RMS	7502	-61.94	-25	Pass	9001
12000	26000	1	RMS	25014	-40.67	-25	Pass	14001




11.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.84	-25	Pass	2986
30	1000	0.1	RMS	936.5	-61.96	-25	Pass	9701
1000	2490	1	RMS	2487	-47.71	-25	Pass	1491
2490	2580	1	RMS	2528.25	24.21	60	Pass	401
2580	3000	1	RMS	2649	-46.5	-25	Pass	421
3000	12000	1	RMS	7585	-59.3	-25	Pass	9001
12000	26000	1	RMS	25014	-40.69	-25	Pass	14001




11.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.55	-25	Pass	2986
30	1000	0.1	RMS	915.1	-61.98	-25	Pass	9701
1000	2490	1	RMS	2487	-47.69	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.16	60	Pass	401
2580	3000	1	RMS	2648	-46.52	-25	Pass	421
3000	12000	1	RMS	7585	-60.49	-25	Pass	9001
12000	26000	1	RMS	25011	-40.66	-25	Pass	14001




11.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.1	-25	Pass	2986
30	1000	0.1	RMS	952.2	-62.1	-25	Pass	9701
1000	2490	1	RMS	2488	-47.69	-25	Pass	1491
2490	2595	1	RMS	2555.888	24.21	60	Pass	401
2595	3000	1	RMS	2650	-46.48	-25	Pass	406
3000	12000	1	RMS	5112	-60.61	-25	Pass	9001
12000	26000	1	RMS	25011	-40.65	-25	Pass	14001




11.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.37	-25	Pass	2986
30	1000	0.1	RMS	919.6	-61.99	-25	Pass	9701
1000	2490	1	RMS	2488	-47.74	-25	Pass	1491
2490	2595	1	RMS	2555.888	23.23	60	Pass	401
2595	3000	1	RMS	2648	-46.53	-25	Pass	406
3000	12000	1	RMS	7668	-61.28	-25	Pass	9001
12000	26000	1	RMS	25015	-40.77	-25	Pass	14001




11.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.64	-25	Pass	2986
30	1000	0.1	RMS	936.7	-62.05	-25	Pass	9701
1000	2490	1	RMS	2489	-37.5	-25	Pass	1491
2490	2580	1	RMS	2501.025	24.21	60	Pass	401
2580	3000	1	RMS	2648	-46.5	-25	Pass	421
3000	12000	1	RMS	7503	-59.83	-25	Pass	9001
12000	26000	1	RMS	25014	-40.72	-25	Pass	14001




11.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.54	-25	Pass	2986
30	1000	0.1	RMS	916.5	-61.98	-25	Pass	9701
1000	2490	1	RMS	2490	-39.9	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.31	60	Pass	401
2580	3000	1	RMS	2647	-46.51	-25	Pass	421
3000	12000	1	RMS	7503	-61.4	-25	Pass	9001
12000	26000	1	RMS	25014	-40.78	-25	Pass	14001




11.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.17	-25	Pass	2986
30	1000	0.1	RMS	940.6	-62.06	-25	Pass	9701
1000	2490	1	RMS	2490	-44.76	-25	Pass	1491
2490	2580	1	RMS	2526	24.02	60	Pass	401
2580	3000	1	RMS	2651	-46.48	-25	Pass	421
3000	12000	1	RMS	7578	-59.16	-25	Pass	9001
12000	26000	1	RMS	25012	-40.78	-25	Pass	14001




11.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.38	-25	Pass	2986
30	1000	0.1	RMS	918.9	-62.05	-25	Pass	9701
1000	2490	1	RMS	2490	-45.86	-25	Pass	1491
2490	2580	1	RMS	2526	23.15	60	Pass	401
2580	3000	1	RMS	2662	-46.49	-25	Pass	421
3000	12000	1	RMS	7578	-60.33	-25	Pass	9001
12000	26000	1	RMS	25009	-40.78	-25	Pass	14001




11.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.55	-25	Pass	2986
30	1000	0.1	RMS	937.8	-62.04	-25	Pass	9701
1000	2490	1	RMS	2489	-47.71	-25	Pass	1491
2490	2595	1	RMS	2551.163	24.18	60	Pass	401
2595	3000	1	RMS	2652	-46.51	-25	Pass	406
3000	12000	1	RMS	7653	-58.95	-25	Pass	9001
12000	26000	1	RMS	25017	-40.77	-25	Pass	14001



11.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50	-25	Pass	2986
30	1000	0.1	RMS	919.4	-62.06	-25	Pass	9701
1000	2490	1	RMS	2486	-47.77	-25	Pass	1491
2490	2595	1	RMS	2551.163	23.08	60	Pass	401
2595	3000	1	RMS	2651	-46.5	-25	Pass	406
3000	12000	1	RMS	7653	-60.31	-25	Pass	9001
12000	26000	1	RMS	25010	-40.66	-25	Pass	14001



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.9	-13	Pass	2986
30	689	0.1	RMS	500.7	-63.3	-13	Pass	6591
689	726	0.1	RMS	699.268	21.75	60	Pass	401
726	1000	0.1	RMS	923.6	-61.98	-13	Pass	2741
1000	3000	1	RMS	1398	-46.65	-13	Pass	2001
3000	10000	1	RMS	7750	-42.19	-13	Pass	7001




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.54	-13	Pass	2986
30	689	0.1	RMS	688.4	-63.39	-13	Pass	6591
689	726	0.1	RMS	699.268	20.67	60	Pass	401
726	1000	0.1	RMS	888.5	-62.16	-13	Pass	2741
1000	3000	1	RMS	2653	-46.78	-13	Pass	2001
3000	10000	1	RMS	7743	-42.19	-13	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.05	-13	Pass	2986
30	689	0.1	RMS	683.5	-63.18	-13	Pass	6591
689	726	0.1	RMS	707.038	21.77	60	Pass	401
726	1000	0.1	RMS	920.2	-62.14	-13	Pass	2741
1000	3000	1	RMS	1414	-45.23	-13	Pass	2001
3000	10000	1	RMS	7740	-42.18	-13	Pass	7001




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.59	-13	Pass	2986
30	689	0.1	RMS	672.4	-63.37	-13	Pass	6591
689	726	0.1	RMS	707.038	20.69	60	Pass	401
726	1000	0.1	RMS	902.3	-62.12	-13	Pass	2741
1000	3000	1	RMS	1414	-46.55	-13	Pass	2001
3000	10000	1	RMS	7732	-42.21	-13	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.01	-13	Pass	2986
30	689	0.1	RMS	512	-63.29	-13	Pass	6591
689	726	0.1	RMS	714.808	21.2	60	Pass	401
726	1000	0.1	RMS	933.9	-62.01	-13	Pass	2741
1000	3000	1	RMS	2649	-46.72	-13	Pass	2001
3000	10000	1	RMS	7736	-42.27	-13	Pass	7001




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.36	-13	Pass	2986
30	689	0.1	RMS	680.4	-63.32	-13	Pass	6591
689	726	0.1	RMS	714.808	20.17	60	Pass	401
726	1000	0.1	RMS	876.7	-62.12	-13	Pass	2741
1000	3000	1	RMS	2649	-46.76	-13	Pass	2001
3000	10000	1	RMS	7740	-42.17	-13	Pass	7001




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.29	-13	Pass	2986
30	689	0.1	RMS	512	-63.35	-13	Pass	6591
689	726	0.1	RMS	699.268	21.49	60	Pass	401
726	1000	0.1	RMS	938.5	-62.24	-13	Pass	2741
1000	3000	1	RMS	2659	-46.69	-13	Pass	2001
3000	10000	1	RMS	7729	-42.22	-13	Pass	7001




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.96	-13	Pass	401
0.15	30	0.01	RMS	15.86	-47.12	-13	Pass	2986
30	689	0.1	RMS	686.3	-63.42	-13	Pass	6591
689	726	0.1	RMS	699.268	20.59	60	Pass	401
726	1000	0.1	RMS	906.9	-62.16	-13	Pass	2741
1000	3000	1	RMS	2653	-46.72	-13	Pass	2001
3000	10000	1	RMS	7742	-42.27	-13	Pass	7001




12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.23	-13	Pass	2986
30	689	0.1	RMS	505.7	-63.26	-13	Pass	6591
689	726	0.1	RMS	706.205	21.27	60	Pass	401
726	1000	0.1	RMS	954.8	-62.03	-13	Pass	2741
1000	3000	1	RMS	2652	-46.74	-13	Pass	2001
3000	10000	1	RMS	7739	-42.19	-13	Pass	7001




12.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.47	-13	Pass	2986
30	689	0.1	RMS	688.4	-63.36	-13	Pass	6591
689	726	0.1	RMS	706.205	20.29	60	Pass	401
726	1000	0.1	RMS	917.5	-62.01	-13	Pass	2741
1000	3000	1	RMS	2649	-46.75	-13	Pass	2001
3000	10000	1	RMS	9550	-42.24	-13	Pass	7001




12.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.19	-13	Pass	2986
30	689	0.1	RMS	526.9	-63.28	-13	Pass	6591
689	726	0.1	RMS	713.235	21.72	60	Pass	401
726	1000	0.1	RMS	916.1	-61.96	-13	Pass	2741
1000	3000	1	RMS	1426	-45.68	-13	Pass	2001
3000	10000	1	RMS	7740	-42.21	-13	Pass	7001




12.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.56	-13	Pass	2986
30	689	0.1	RMS	518.3	-63.35	-13	Pass	6591
689	726	0.1	RMS	713.235	20.73	60	Pass	401
726	1000	0.1	RMS	911.2	-62	-13	Pass	2741
1000	3000	1	RMS	1426	-46.61	-13	Pass	2001
3000	10000	1	RMS	7737	-42.24	-13	Pass	7001




12.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.23	-13	Pass	2986
30	689	0.1	RMS	688.2	-63.25	-13	Pass	6591
689	726	0.1	RMS	699.36	21.58	60	Pass	401
726	1000	0.1	RMS	898.9	-62.15	-13	Pass	2741
1000	3000	1	RMS	1399	-45.59	-13	Pass	2001
3000	10000	1	RMS	7734	-42.18	-13	Pass	7001




12.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.27	-13	Pass	2986
30	689	0.1	RMS	497.8	-63.42	-13	Pass	6591
689	726	0.1	RMS	699.36	20.88	60	Pass	401
726	1000	0.1	RMS	869.6	-62.22	-13	Pass	2741
1000	3000	1	RMS	1399	-46.74	-13	Pass	2001
3000	10000	1	RMS	7741	-42.24	-13	Pass	7001




12.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.44	-13	Pass	2986
30	689	0.1	RMS	511.3	-63.27	-13	Pass	6591
689	726	0.1	RMS	705.373	21.55	60	Pass	401
726	1000	0.1	RMS	942.5	-61.98	-13	Pass	2741
1000	3000	1	RMS	1411	-45.43	-13	Pass	2001
3000	10000	1	RMS	7728	-42.2	-13	Pass	7001




12.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.15	-13	Pass	2986
30	689	0.1	RMS	673.2	-63.39	-13	Pass	6591
689	726	0.1	RMS	705.373	20.68	60	Pass	401
726	1000	0.1	RMS	936.2	-62.21	-13	Pass	2741
1000	3000	1	RMS	2647	-46.76	-13	Pass	2001
3000	10000	1	RMS	7744	-42.25	-13	Pass	7001




12.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.94	-13	Pass	2986
30	689	0.1	RMS	515.1	-63.25	-13	Pass	6591
689	726	0.1	RMS	711.293	21.34	60	Pass	401
726	1000	0.1	RMS	923	-62.01	-13	Pass	2741
1000	3000	1	RMS	2649	-46.75	-13	Pass	2001
3000	10000	1	RMS	7736	-42.24	-13	Pass	7001




12.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.73	-13	Pass	2986
30	689	0.1	RMS	677.3	-63.39	-13	Pass	6591
689	726	0.1	RMS	711.385	20.49	60	Pass	401
726	1000	0.1	RMS	922.8	-62.17	-13	Pass	2741
1000	3000	1	RMS	2648	-46.79	-13	Pass	2001
3000	10000	1	RMS	7742	-42.22	-13	Pass	7001



12.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.32	-13	Pass	2986
30	689	0.1	RMS	687.8	-63.19	-13	Pass	6591
689	726	0.1	RMS	699.545	21.41	60	Pass	401
726	1000	0.1	RMS	925.9	-62.05	-13	Pass	2741
1000	3000	1	RMS	1399	-44.51	-13	Pass	2001
3000	10000	1	RMS	7735	-42.14	-13	Pass	7001



12.20. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.27	-13	Pass	2986
30	689	0.1	RMS	684	-63.32	-13	Pass	6591
689	726	0.1	RMS	699.545	20.51	60	Pass	401
726	1000	0.1	RMS	890.6	-62.11	-13	Pass	2741
1000	3000	1	RMS	1399	-45.5	-13	Pass	2001
3000	10000	1	RMS	7739	-42.18	-13	Pass	7001




12.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48	-13	Pass	2986
30	689	0.1	RMS	675.3	-63.25	-13	Pass	6591
689	726	0.1	RMS	703.06	21.69	60	Pass	401
726	1000	0.1	RMS	909.3	-62.03	-13	Pass	2741
1000	3000	1	RMS	1406	-44.34	-13	Pass	2001
3000	10000	1	RMS	7744	-42.23	-13	Pass	7001




12.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.18	-13	Pass	2986
30	689	0.1	RMS	514.7	-63.42	-13	Pass	6591
689	726	0.1	RMS	703.06	20.71	60	Pass	401
726	1000	0.1	RMS	921.5	-62.05	-13	Pass	2741
1000	3000	1	RMS	1406	-45.28	-13	Pass	2001
3000	10000	1	RMS	7735	-42.23	-13	Pass	7001




12.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.37	-13	Pass	2986
30	689	0.1	RMS	514.2	-63.22	-13	Pass	6591
689	726	0.1	RMS	706.575	21.9	60	Pass	401
726	1000	0.1	RMS	905.6	-62.12	-13	Pass	2741
1000	3000	1	RMS	1413	-45.64	-13	Pass	2001
3000	10000	1	RMS	9549	-42.22	-13	Pass	7001



12.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.54	-13	Pass	2986
30	689	0.1	RMS	526.1	-63.39	-13	Pass	6591
689	726	0.1	RMS	706.575	20.96	60	Pass	401
726	1000	0.1	RMS	919.2	-61.98	-13	Pass	2741
1000	3000	1	RMS	1413	-46.71	-13	Pass	2001
3000	10000	1	RMS	7735	-42.15	-13	Pass	7001



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.34	-13	Pass	2986
30	694	0.1	RMS	693.6	-63.05	-13	Pass	6641
694	726	0.1	RMS	704.32	21.83	60	Pass	401
726	1000	0.1	RMS	914.8	-62.09	-13	Pass	2741
1000	3000	1	RMS	1409	-45.41	-13	Pass	2001
3000	10000	1	RMS	7740	-42.25	-13	Pass	7001




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.07	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.16	-13	Pass	6641
694	726	0.1	RMS	704.32	20.9	60	Pass	401
726	1000	0.1	RMS	905.2	-62.19	-13	Pass	2741
1000	3000	1	RMS	1409	-46.37	-13	Pass	2001
3000	10000	1	RMS	7729	-42.2	-13	Pass	7001




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.83	-13	Pass	2986
30	694	0.1	RMS	500.8	-63.24	-13	Pass	6641
694	726	0.1	RMS	707.84	21.95	60	Pass	401
726	1000	0.1	RMS	923.8	-62.06	-13	Pass	2741
1000	3000	1	RMS	1416	-43.83	-13	Pass	2001
3000	10000	1	RMS	7732	-42.12	-13	Pass	7001




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.15	-13	Pass	2986
30	694	0.1	RMS	693.5	-63.36	-13	Pass	6641
694	726	0.1	RMS	707.84	21.15	60	Pass	401
726	1000	0.1	RMS	920.6	-62.08	-13	Pass	2741
1000	3000	1	RMS	1416	-44.9	-13	Pass	2001
3000	10000	1	RMS	7743	-42.22	-13	Pass	7001




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.92	-13	Pass	2986
30	694	0.1	RMS	511.2	-63.26	-13	Pass	6641
694	726	0.1	RMS	711.36	21.68	60	Pass	401
726	1000	0.1	RMS	940	-62.13	-13	Pass	2741
1000	3000	1	RMS	2653	-46.73	-13	Pass	2001
3000	10000	1	RMS	7740	-42.25	-13	Pass	7001




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50	-13	Pass	401
0.15	30	0.01	RMS	0.15	-47.52	-13	Pass	2986
30	694	0.1	RMS	690.6	-63.35	-13	Pass	6641
694	726	0.1	RMS	711.36	21.08	60	Pass	401
726	1000	0.1	RMS	912.2	-62.21	-13	Pass	2741
1000	3000	1	RMS	2647	-46.77	-13	Pass	2001
3000	10000	1	RMS	7741	-42.22	-13	Pass	7001




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48	-13	Pass	2986
30	694	0.1	RMS	694	-53.54	-13	Pass	6641
694	726	0.1	RMS	704.56	21.81	60	Pass	401
726	1000	0.1	RMS	923.3	-61.93	-13	Pass	2741
1000	3000	1	RMS	1409	-45.11	-13	Pass	2001
3000	10000	1	RMS	7740	-42.2	-13	Pass	7001




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.35	-13	Pass	2986
30	694	0.1	RMS	694	-54.03	-13	Pass	6641
694	726	0.1	RMS	704.56	20.94	60	Pass	401
726	1000	0.1	RMS	931.9	-62.18	-13	Pass	2741
1000	3000	1	RMS	1409	-45.78	-13	Pass	2001
3000	10000	1	RMS	7738	-42.19	-13	Pass	7001




13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.63	-13	Pass	2986
30	694	0.1	RMS	694	-62.41	-13	Pass	6641
694	726	0.1	RMS	705.6	22.06	60	Pass	401
726	1000	0.1	RMS	933.1	-62.21	-13	Pass	2741
1000	3000	1	RMS	1411	-43.35	-13	Pass	2001
3000	10000	1	RMS	7722	-42.25	-13	Pass	7001




13.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.24	-13	Pass	2986
30	694	0.1	RMS	694	-62.62	-13	Pass	6641
694	726	0.1	RMS	705.6	21.04	60	Pass	401
726	1000	0.1	RMS	916.6	-62.27	-13	Pass	2741
1000	3000	1	RMS	1411	-44.5	-13	Pass	2001
3000	10000	1	RMS	7743	-42.27	-13	Pass	7001



13.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.35	-13	Pass	2986
30	694	0.1	RMS	693.4	-63.07	-13	Pass	6641
694	726	0.1	RMS	706.56	21.8	60	Pass	401
726	1000	0.1	RMS	931.4	-62.05	-13	Pass	2741
1000	3000	1	RMS	1413	-45.56	-13	Pass	2001
3000	10000	1	RMS	7736	-42.25	-13	Pass	7001



13.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-46.99	-13	Pass	2986
30	694	0.1	RMS	693.9	-63.12	-13	Pass	6641
694	726	0.1	RMS	706.56	20.83	60	Pass	401
726	1000	0.1	RMS	917.9	-62.06	-13	Pass	2741
1000	3000	1	RMS	1413	-46.66	-13	Pass	2001
3000	10000	1	RMS	7741	-42.19	-13	Pass	7001

