


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-32.77	-13	Pass	401
0.15	30	0.01	Peak	0.16	-31.05	-13	Pass	2986
30	500	0.1	Peak	369.4	-43.13	-13	Pass	4701
500	1000	0.1	Peak	824.2	32.77	-13	N/A	5001
1000	10000	1	Peak	7727	-39.6	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.98	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.15	-13	Pass	2986
30	500	0.1	Peak	395.6	-41.97	-13	Pass	4701
500	1000	0.1	Peak	836.7	33.19	-13	N/A	5001
1000	10000	1	Peak	7710	-40.33	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-31.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-31.38	-13	Pass	2986
30	500	0.1	Peak	484.2	-42.76	-13	Pass	4701
500	1000	0.1	Peak	848.9	33.23	-13	N/A	5001
1000	10000	1	Peak	9529	-39.65	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.12	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.04	-13	Pass	2986
30	1000	0.1	Peak	874.9	-46.73	-13	Pass	9701
1000	3000	1	Peak	1850	30.69	-13	N/A	2001
3000	20000	1	Peak	19982	-39.2	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.32	-13	Pass	2986
30	1000	0.1	Peak	837.5	-46.87	-13	Pass	9701
1000	3000	1	Peak	1880	30.44	-13	N/A	2001
3000	20000	1	Peak	19993	-39.53	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.2	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.8	-13	Pass	2986
30	1000	0.1	Peak	875.3	-46.63	-13	Pass	9701
1000	3000	1	Peak	1909	25.72	-13	N/A	2001
3000	20000	1	Peak	19999	-39.13	-13	Pass	17001




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-30.38	-13	Pass	2986
30	500	0.1	Peak	393.1	-42.71	-13	Pass	4701
500	1000	0.1	Peak	824.2	27.44	-13	N/A	5001
1000	10000	1	Peak	9518	-40.25	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.22	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.72	-13	Pass	2986
30	500	0.1	Peak	412.5	-42.68	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.45	-13	N/A	5001
1000	10000	1	Peak	7722	-39.27	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-32.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.7	-13	Pass	2986
30	500	0.1	Peak	382.7	-42.12	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.27	-13	N/A	5001
1000	10000	1	Peak	9605	-40.16	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.29	-13	Pass	401
0.15	30	0.01	Peak	0.16	-38.36	-13	Pass	2986
30	1000	0.1	Peak	920.5	-46.93	-13	Pass	9701
1000	3000	1	Peak	1850	29.73	-13	N/A	2001
3000	20000	1	Peak	19996	-38.9	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.68	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.29	-13	Pass	2986
30	1000	0.1	Peak	808	-46.7	-13	Pass	9701
1000	3000	1	Peak	1880	27.16	-13	N/A	2001
3000	20000	1	Peak	19949	-39.58	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.22	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.91	-13	Pass	2986
30	1000	0.1	Peak	834.7	-47.27	-13	Pass	9701
1000	3000	1	Peak	1910	25.54	-13	N/A	2001
3000	20000	1	Peak	19992	-39.01	-13	Pass	17001




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.38	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.44	-13	Pass	2986
30	1000	0.1	Peak	942.5	-50.8	-13	Pass	9701
1000	3000	1	Peak	1851	23.45	-13	N/A	2001
3000	20000	1	Peak	19991	-25.15	-13	Pass	17001




5.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.69	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.48	-13	Pass	2986
30	1000	0.1	Peak	951.2	-51.18	-13	Pass	9701
1000	3000	1	Peak	1879	23.46	-13	N/A	2001
3000	20000	1	Peak	19383	-25.45	-13	Pass	17001



5.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.3	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.35	-13	Pass	2986
30	1000	0.1	Peak	997.5	-50.87	-13	Pass	9701
1000	3000	1	Peak	1906	23.59	-13	N/A	2001
3000	20000	1	Peak	19743	-25.53	-13	Pass	17001



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.01	-13	Pass	2986
30	1000	0.1	Peak	969.8	-51.35	-13	Pass	9701
1000	3000	1	Peak	1714	23.3	-13	N/A	2001
3000	20000	1	Peak	19766	-25.59	-13	Pass	17001




6.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.61	-13	Pass	401
0.15	30	0.01	Peak	0.16	-43.05	-13	Pass	2986
30	1000	0.1	Peak	906.9	-50.88	-13	Pass	9701
1000	3000	1	Peak	1731	23.31	-13	N/A	2001
3000	20000	1	Peak	19734	-24.84	-13	Pass	17001



6.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.56	-13	Pass	401
0.15	30	0.01	Peak	0.16	-40.16	-13	Pass	2986
30	1000	0.1	Peak	843.4	-50.01	-13	Pass	9701
1000	3000	1	Peak	1754	23.44	-13	N/A	2001
3000	20000	1	Peak	19985	-25.24	-13	Pass	17001



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.16	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.84	-13	Pass	2986
30	500	0.1	Peak	433.5	-53.27	-13	Pass	4701
500	1000	0.1	Peak	826.4	17.4	-13	N/A	5001
1000	10000	1	Peak	7798	-29.87	-13	Pass	9001




7.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.69	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.74	-13	Pass	2986
30	500	0.1	Peak	388	-53.48	-13	Pass	4701
500	1000	0.1	Peak	837.1	18.24	-13	N/A	5001
1000	10000	1	Peak	7785	-30.35	-13	Pass	9001



7.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.95	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.88	-13	Pass	2986
30	500	0.1	Peak	405.4	-52.94	-13	Pass	4701
500	1000	0.1	Peak	847.3	18.57	-13	N/A	5001
1000	10000	1	Peak	7732	-30.49	-13	Pass	9001




LTE

8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.72	-13	Pass	401
0.15	30	0.01	RMS	29.79	-68.4	-13	Pass	2986
30	1000	0.1	RMS	488.6	-59.12	-13	Pass	9701
1000	1840	1	RMS	1840	-47.52	-13	Pass	841
1840	1920	1	RMS	1850.2	25.47	60	Pass	401
1920	3000	1	RMS	2957	-45.84	-13	Pass	1081
3000	12000	1	RMS	7256	-30.37	-13	Pass	9002
12000	20000	1	RMS	19755	-21.17	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-70.75	-13	Pass	401
0.15	30	0.01	RMS	0.27	-67.75	-13	Pass	2986
30	1000	0.1	RMS	974.983	-59.21	-13	Pass	9701
1000	1840	1	RMS	1840	-47.5	-13	Pass	841
1840	1920	1	RMS	1850.2	25.21	60	Pass	401
1920	3000	1	RMS	2978	-45.8	-13	Pass	1081
3000	12000	1	RMS	11852	-36.42	-13	Pass	9002
12000	20000	1	RMS	19793	-28.96	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-70.85	-13	Pass	401
0.15	30	0.01	RMS	26.99	-67.47	-13	Pass	2986
30	1000	0.1	RMS	883.423	-59.13	-13	Pass	9701
1000	1840	1	RMS	1821	-48.62	-13	Pass	841
1840	1920	1	RMS	1879.4	25.43	60	Pass	401
1920	3000	1	RMS	2967	-45.86	-13	Pass	1081
3000	12000	1	RMS	11476	-36.42	-13	Pass	9002
12000	20000	1	RMS	19801	-28.91	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.113	-70.91	-13	Pass	401
0.15	30	0.01	RMS	24.54	-67.88	-13	Pass	2986
30	1000	0.1	RMS	885.624	-59.26	-13	Pass	9701
1000	1840	1	RMS	1787	-48.71	-13	Pass	841
1840	1920	1	RMS	1879.4	24.8	60	Pass	401
1920	3000	1	RMS	2999	-45.88	-13	Pass	1081
3000	12000	1	RMS	11497	-36.44	-13	Pass	9002
12000	20000	1	RMS	19806	-29.04	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.71	-13	Pass	401
0.15	30	0.01	RMS	5.66	-68.67	-13	Pass	2986
30	1000	0.1	RMS	832.6	-59.06	-13	Pass	9701
1000	1840	1	RMS	1838	-48.54	-13	Pass	841
1840	1920	1	RMS	1908.8	25.76	60	Pass	401
1920	3000	1	RMS	2967	-45.7	-13	Pass	1081
3000	12000	1	RMS	3818	-35.86	-13	Pass	9002
12000	20000	1	RMS	19802	-28.92	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.76	-13	Pass	401
0.15	30	0.01	RMS	1.8	-68.29	-13	Pass	2986
30	1000	0.1	RMS	910.241	-58.99	-13	Pass	9701
1000	1840	1	RMS	1809	-48.59	-13	Pass	841
1840	1920	1	RMS	1908.8	24.38	60	Pass	401
1920	3000	1	RMS	2961	-45.85	-13	Pass	1081
3000	12000	1	RMS	11457	-36.36	-13	Pass	9002
12000	20000	1	RMS	19801	-28.92	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.04	-13	Pass	401
0.15	30	0.01	RMS	2.94	-68.31	-13	Pass	2986
30	1000	0.1	RMS	868.813	-59.34	-13	Pass	9701
1000	1840	1	RMS	1840	-46.47	-13	Pass	841
1840	1920	1	RMS	1850.2	25.42	60	Pass	401
1920	3000	1	RMS	2963	-45.55	-13	Pass	1081
3000	12000	1	RMS	7233	-29.75	-13	Pass	9002
12000	20000	1	RMS	19741	-22.34	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.62	-13	Pass	401
0.15	30	0.01	RMS	19.57	-68.2	-13	Pass	2986
30	1000	0.1	RMS	933.456	-59.29	-13	Pass	9701
1000	1840	1	RMS	1840	-46.92	-13	Pass	841
1840	1920	1	RMS	1850.2	24.41	60	Pass	401
1920	3000	1	RMS	2957	-45.77	-13	Pass	1081
3000	12000	1	RMS	11445	-36.33	-13	Pass	9002
12000	20000	1	RMS	19793	-28.89	-13	Pass	8001




8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.64	-13	Pass	401
0.15	30	0.01	RMS	26.19	-68.31	-13	Pass	2986
30	1000	0.1	RMS	931.154	-59.2	-13	Pass	9701
1000	1840	1	RMS	1840	-48.51	-13	Pass	841
1840	1920	1	RMS	1878.6	25.44	60	Pass	401
1920	3000	1	RMS	2964	-45.76	-13	Pass	1081
3000	12000	1	RMS	11511	-36.22	-13	Pass	9002
12000	20000	1	RMS	19803	-28.8	-13	Pass	8001




8.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.42	-13	Pass	401
0.15	30	0.01	RMS	26.45	-68.19	-13	Pass	2986
30	1000	0.1	RMS	924.85	-59.26	-13	Pass	9701
1000	1840	1	RMS	1806	-48.64	-13	Pass	841
1840	1920	1	RMS	1878.6	24.75	60	Pass	401
1920	3000	1	RMS	2957	-45.83	-13	Pass	1081
3000	12000	1	RMS	11498	-36.47	-13	Pass	9002
12000	20000	1	RMS	19802	-29.07	-13	Pass	8001




8.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.54	-13	Pass	401
0.15	30	0.01	RMS	20.15	-68.2	-13	Pass	2986
30	1000	0.1	RMS	858.706	-59.05	-13	Pass	9701
1000	1840	1	RMS	1821	-48.46	-13	Pass	841
1840	1920	1	RMS	1907.2	25.7	60	Pass	401
1920	3000	1	RMS	2979	-45.75	-13	Pass	1081
3000	12000	1	RMS	11865	-36.36	-13	Pass	9002
12000	20000	1	RMS	19812	-28.87	-13	Pass	8001




8.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.04	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.24	-13	Pass	2986
30	1000	0.1	RMS	941.461	-59.26	-13	Pass	9701
1000	1840	1	RMS	1795	-48.64	-13	Pass	841
1840	1920	1	RMS	1907.2	24.37	60	Pass	401
1920	3000	1	RMS	2996	-45.73	-13	Pass	1081
3000	12000	1	RMS	11868	-36.38	-13	Pass	9002
12000	20000	1	RMS	19779	-28.87	-13	Pass	8001




8.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.39	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.46	-13	Pass	2986
30	1000	0.1	RMS	888.226	-59.12	-13	Pass	9701
1000	1840	1	RMS	1840	-46.49	-13	Pass	841
1840	1920	1	RMS	1850.2	25.44	60	Pass	401
1920	3000	1	RMS	2962	-45.7	-13	Pass	1081
3000	12000	1	RMS	7232	-30.02	-13	Pass	9002
12000	20000	1	RMS	19742	-22.43	-13	Pass	8001




8.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-71.08	-13	Pass	401
0.15	30	0.01	RMS	17.23	-68.9	-13	Pass	2986
30	1000	0.1	RMS	902.535	-59.07	-13	Pass	9701
1000	1840	1	RMS	1840	-47.01	-13	Pass	841
1840	1920	1	RMS	1850.2	24.06	60	Pass	401
1920	3000	1	RMS	2955	-45.61	-13	Pass	1081
3000	12000	1	RMS	11452	-36.39	-13	Pass	9002
12000	20000	1	RMS	19798	-28.82	-13	Pass	8001




8.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-71.02	-13	Pass	401
0.15	30	0.01	RMS	6.6	-68.94	-13	Pass	2986
30	1000	0.1	RMS	987.091	-59.11	-13	Pass	9701
1000	1840	1	RMS	1808	-48.62	-13	Pass	841
1840	1920	1	RMS	1877.8	25.61	60	Pass	401
1920	3000	1	RMS	2974	-45.87	-13	Pass	1081
3000	12000	1	RMS	11481	-36.49	-13	Pass	9002
12000	20000	1	RMS	19808	-29.07	-13	Pass	8001




8.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.113	-71.3	-13	Pass	401
0.15	30	0.01	RMS	0.68	-68.77	-13	Pass	2986
30	1000	0.1	RMS	860.908	-59.15	-13	Pass	9701
1000	1840	1	RMS	1803	-48.54	-13	Pass	841
1840	1920	1	RMS	1877.8	24.42	60	Pass	401
1920	3000	1	RMS	2957	-45.63	-13	Pass	1081
3000	12000	1	RMS	11475	-36.35	-13	Pass	9002
12000	20000	1	RMS	19802	-28.8	-13	Pass	8001




8.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-71.61	-13	Pass	401
0.15	30	0.01	RMS	21.84	-68.55	-13	Pass	2986
30	1000	0.1	RMS	898.633	-59.11	-13	Pass	9701
1000	1840	1	RMS	1804	-48.5	-13	Pass	841
1840	1920	1	RMS	1905.2	25.44	60	Pass	401
1920	3000	1	RMS	2970	-45.77	-13	Pass	1081
3000	12000	1	RMS	11850	-36.28	-13	Pass	9002
12000	20000	1	RMS	19796	-28.82	-13	Pass	8001




8.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.69	-13	Pass	2986
30	1000	0.1	RMS	927.352	-58.95	-13	Pass	9701
1000	1840	1	RMS	1816	-48.63	-13	Pass	841
1840	1920	1	RMS	1905.2	24.96	60	Pass	401
1920	3000	1	RMS	2979	-45.84	-13	Pass	1081
3000	12000	1	RMS	11484	-36.41	-13	Pass	9002
12000	20000	1	RMS	19794	-28.84	-13	Pass	8001




8.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.107	-70.97	-13	Pass	401
0.15	30	0.01	RMS	0.37	-68.23	-13	Pass	2986
30	1000	0.1	RMS	857.305	-59.33	-13	Pass	9701
1000	1840	1	RMS	1833	-39.67	-13	Pass	841
1840	1920	1	RMS	1850.4	25.47	60	Pass	401
1920	3000	1	RMS	2965	-45.69	-13	Pass	1081
3000	12000	1	RMS	7229	-29.49	-13	Pass	9002
12000	20000	1	RMS	19735	-21.53	-13	Pass	8001




8.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.15	-13	Pass	401
0.15	30	0.01	RMS	27.25	-68.15	-13	Pass	2986
30	1000	0.1	RMS	900.434	-58.73	-13	Pass	9701
1000	1840	1	RMS	1833	-40.47	-13	Pass	841
1840	1920	1	RMS	1850.4	24.58	60	Pass	401
1920	3000	1	RMS	2930	-45.77	-13	Pass	1081
3000	12000	1	RMS	11850	-36.5	-13	Pass	9002
12000	20000	1	RMS	19777	-29.04	-13	Pass	8001




8.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.7	-13	Pass	401
0.15	30	0.01	RMS	29.75	-68.59	-13	Pass	2986
30	1000	0.1	RMS	910.341	-59.05	-13	Pass	9701
1000	1840	1	RMS	1840	-48.55	-13	Pass	841
1840	1920	1	RMS	1875.4	25.39	60	Pass	401
1920	3000	1	RMS	2949	-45.83	-13	Pass	1081
3000	12000	1	RMS	11501	-36.36	-13	Pass	9002
12000	20000	1	RMS	19810	-29.14	-13	Pass	8001




8.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.15	-72.24	-13	Pass	401
0.15	30	0.01	RMS	19.37	-68.55	-13	Pass	2986
30	1000	0.1	RMS	894.13	-59.45	-13	Pass	9701
1000	1840	1	RMS	1815	-48.7	-13	Pass	841
1840	1920	1	RMS	1875.4	25.01	60	Pass	401
1920	3000	1	RMS	2961	-45.87	-13	Pass	1081
3000	12000	1	RMS	11463	-36.46	-13	Pass	9002
12000	20000	1	RMS	19813	-28.92	-13	Pass	8001




8.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.059	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.33	-13	Pass	2986
30	1000	0.1	RMS	906.938	-59.39	-13	Pass	9701
1000	1840	1	RMS	1838	-48.64	-13	Pass	841
1840	1920	1	RMS	1900.4	25.43	60	Pass	401
1920	3000	1	RMS	2961	-45.82	-13	Pass	1081
3000	12000	1	RMS	11848	-36.52	-13	Pass	9002
12000	20000	1	RMS	19781	-29.04	-13	Pass	8001




8.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-72.06	-13	Pass	401
0.15	30	0.01	RMS	0.96	-68.27	-13	Pass	2986
30	1000	0.1	RMS	904.537	-59.46	-13	Pass	9701
1000	1840	1	RMS	1795	-48.64	-13	Pass	841
1840	1920	1	RMS	1900.4	24.46	60	Pass	401
1920	3000	1	RMS	2959	-45.72	-13	Pass	1081
3000	12000	1	RMS	11853	-36.42	-13	Pass	9002
12000	20000	1	RMS	19807	-28.7	-13	Pass	8001




8.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.57	-13	Pass	2986
30	1000	0.1	RMS	908.639	-59.39	-13	Pass	9701
1000	1840	1	RMS	1838	-37.66	-13	Pass	841
1840	1920	1	RMS	1850.8	25.47	60	Pass	401
1920	3000	1	RMS	2960	-45.64	-13	Pass	1081
3000	12000	1	RMS	7228	-30.54	-13	Pass	9002
12000	20000	1	RMS	19737	-22.06	-13	Pass	8001




8.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.62	-13	Pass	401
0.15	30	0.01	RMS	0.36	-68.33	-13	Pass	2986
30	1000	0.1	RMS	885.224	-59.55	-13	Pass	9701
1000	1840	1	RMS	1838	-39.14	-13	Pass	841
1840	1920	1	RMS	1850.8	24.52	60	Pass	401
1920	3000	1	RMS	2977	-45.89	-13	Pass	1081
3000	12000	1	RMS	11855	-36.57	-13	Pass	9002
12000	20000	1	RMS	19767	-29.07	-13	Pass	8001




8.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.07	-13	Pass	401
0.15	30	0.01	RMS	12.16	-68.38	-13	Pass	2986
30	1000	0.1	RMS	862.909	-59.25	-13	Pass	9701
1000	1840	1	RMS	1800	-48.81	-13	Pass	841
1840	1920	1	RMS	1873.2	25.52	60	Pass	401
1920	3000	1	RMS	2937	-45.9	-13	Pass	1081
3000	12000	1	RMS	11497	-36.47	-13	Pass	9002
12000	20000	1	RMS	19797	-29.02	-13	Pass	8001




8.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.91	-13	Pass	401
0.15	30	0.01	RMS	24.27	-68.22	-13	Pass	2986
30	1000	0.1	RMS	896.631	-59.58	-13	Pass	9701
1000	1840	1	RMS	1840	-48.47	-13	Pass	841
1840	1920	1	RMS	1873.2	25.1	60	Pass	401
1920	3000	1	RMS	2951	-45.69	-13	Pass	1081
3000	12000	1	RMS	11862	-36.36	-13	Pass	9002
12000	20000	1	RMS	19805	-29.03	-13	Pass	8001




8.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.28	-13	Pass	401
0.15	30	0.01	RMS	22.99	-68.48	-13	Pass	2986
30	1000	0.1	RMS	915.144	-59.52	-13	Pass	9701
1000	1840	1	RMS	1834	-47.98	-13	Pass	841
1840	1920	1	RMS	1895.8	25.18	60	Pass	401
1920	3000	1	RMS	2977	-45.75	-13	Pass	1081
3000	12000	1	RMS	11481	-36.37	-13	Pass	9002
12000	20000	1	RMS	19800	-28.81	-13	Pass	8001




8.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.72	-13	Pass	401
0.15	30	0.01	RMS	26.43	-68.72	-13	Pass	2986
30	1000	0.1	RMS	958.873	-59.52	-13	Pass	9701
1000	1840	1	RMS	1834	-48.28	-13	Pass	841
1840	1920	1	RMS	1895.8	24.34	60	Pass	401
1920	3000	1	RMS	2967	-45.75	-13	Pass	1081
3000	12000	1	RMS	11840	-36.49	-13	Pass	9002
12000	20000	1	RMS	19792	-28.86	-13	Pass	8001




8.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.35	-13	Pass	401
0.15	30	0.01	RMS	26.44	-68.84	-13	Pass	2986
30	1000	0.1	RMS	896.331	-59.45	-13	Pass	9701
1000	1840	1	RMS	1833	-35.11	-13	Pass	841
1840	1920	1	RMS	1851	25.69	60	Pass	401
1920	3000	1	RMS	2921	-45.86	-13	Pass	1081
3000	12000	1	RMS	7233	-29.45	-13	Pass	9002
12000	20000	1	RMS	19747	-21.12	-13	Pass	8001




8.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.39	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.61	-13	Pass	2986
30	1000	0.1	RMS	893.529	-59.35	-13	Pass	9701
1000	1840	1	RMS	1833	-38.38	-13	Pass	841
1840	1920	1	RMS	1851	24.49	60	Pass	401
1920	3000	1	RMS	2972	-45.74	-13	Pass	1081
3000	12000	1	RMS	11499	-36.21	-13	Pass	9002
12000	20000	1	RMS	19798	-28.86	-13	Pass	8001




8.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.24	-13	Pass	401
0.15	30	0.01	RMS	1.33	-68.63	-13	Pass	2986
30	1000	0.1	RMS	844.4	-59.26	-13	Pass	9701
1000	1840	1	RMS	1835	-42.94	-13	Pass	841
1840	1920	1	RMS	1871	25.55	60	Pass	401
1920	3000	1	RMS	2971	-45.92	-13	Pass	1081
3000	12000	1	RMS	11468	-36.39	-13	Pass	9002
12000	20000	1	RMS	19776	-28.97	-13	Pass	8001




8.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.2	-13	Pass	401
0.15	30	0.01	RMS	5.56	-68.45	-13	Pass	2986
30	1000	0.1	RMS	897.332	-59.41	-13	Pass	9701
1000	1840	1	RMS	1835	-43.71	-13	Pass	841
1840	1920	1	RMS	1871	24.52	60	Pass	401
1920	3000	1	RMS	2963	-45.85	-13	Pass	1081
3000	12000	1	RMS	11849	-36.43	-13	Pass	9002
12000	20000	1	RMS	19803	-28.95	-13	Pass	8001




8.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-71.94	-13	Pass	401
0.15	30	0.01	RMS	17.73	-68.26	-13	Pass	2986
30	1000	0.1	RMS	886.625	-59.44	-13	Pass	9701
1000	1840	1	RMS	1830	-47.89	-13	Pass	841
1840	1920	1	RMS	1891	25.61	60	Pass	401
1920	3000	1	RMS	2972	-45.79	-13	Pass	1081
3000	12000	1	RMS	3782	-36.13	-13	Pass	9002
12000	20000	1	RMS	19800	-28.91	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.32	-67.55	-13	Pass	2986
30	1000	0.1	RMS	982.989	-59.25	-13	Pass	9701
1000	1840	1	RMS	1830	-48.08	-13	Pass	841
1840	1920	1	RMS	1891	24.69	60	Pass	401
1920	3000	1	RMS	2958	-45.76	-13	Pass	1081
3000	12000	1	RMS	11845	-36.39	-13	Pass	9002
12000	20000	1	RMS	19795	-28.95	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.68	-13	Pass	401
0.15	30	0.01	RMS	14.14	-68.57	-13	Pass	2986
30	1000	0.1	RMS	900.534	-59.06	-13	Pass	9701
1000	1700	1	RMS	1700	-48.18	-13	Pass	701
1700	1765	1	RMS	1710.238	24.01	60	Pass	401
1765	3000	1	RMS	2969	-45.79	-13	Pass	1236
3000	12000	1	RMS	7223	-30.29	-13	Pass	9002
12000	20000	1	RMS	19740	-21.82	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.12	-13	Pass	401
0.15	30	0.01	RMS	28.73	-68.47	-13	Pass	2986
30	1000	0.1	RMS	907.439	-59.45	-13	Pass	9701
1000	1700	1	RMS	1700	-48.08	-13	Pass	701
1700	1765	1	RMS	1710.075	23.61	60	Pass	401
1765	3000	1	RMS	2964	-45.86	-13	Pass	1236
3000	12000	1	RMS	11483	-36.42	-13	Pass	9002
12000	20000	1	RMS	19778	-29.07	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-71.68	-13	Pass	401
0.15	30	0.01	RMS	3.04	-68.45	-13	Pass	2986
30	1000	0.1	RMS	902.235	-59.38	-13	Pass	9701
1000	1700	1	RMS	1692	-48.97	-13	Pass	701
1700	1765	1	RMS	1732.013	24.22	60	Pass	401
1765	3000	1	RMS	2963	-45.89	-13	Pass	1236
3000	12000	1	RMS	11487	-36.5	-13	Pass	9002
12000	20000	1	RMS	19803	-28.99	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.55	-13	Pass	401
0.15	30	0.01	RMS	1.33	-68.37	-13	Pass	2986
30	1000	0.1	RMS	905.137	-59.26	-13	Pass	9701
1000	1700	1	RMS	1698	-48.96	-13	Pass	701
1700	1765	1	RMS	1732.013	23.71	60	Pass	401
1765	3000	1	RMS	2956	-45.61	-13	Pass	1236
3000	12000	1	RMS	11858	-36.35	-13	Pass	9002
12000	20000	1	RMS	19805	-28.77	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.55	-13	Pass	401
0.15	30	0.01	RMS	0.54	-68.3	-13	Pass	2986
30	1000	0.1	RMS	472.3	-59.4	-13	Pass	9701
1000	1700	1	RMS	1694	-49.03	-13	Pass	701
1700	1765	1	RMS	1753.788	24.66	60	Pass	401
1765	3000	1	RMS	2980	-45.87	-13	Pass	1236
3000	12000	1	RMS	11497	-36.39	-13	Pass	9002
12000	20000	1	RMS	19789	-28.93	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-71.26	-13	Pass	401
0.15	30	0.01	RMS	1.87	-68.09	-13	Pass	2986
30	1000	0.1	RMS	927.652	-59.38	-13	Pass	9701
1000	1700	1	RMS	1698	-49.06	-13	Pass	701
1700	1765	1	RMS	1753.788	23.93	60	Pass	401
1765	3000	1	RMS	2999	-45.89	-13	Pass	1236
3000	12000	1	RMS	11845	-36.45	-13	Pass	9002
12000	20000	1	RMS	19806	-28.84	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.53	-13	Pass	401
0.15	30	0.01	RMS	1.2	-68.29	-13	Pass	2986
30	1000	0.1	RMS	827.4	-59.3	-13	Pass	9701
1000	1700	1	RMS	1700	-47.35	-13	Pass	701
1700	1765	1	RMS	1710.238	23.86	60	Pass	401
1765	3000	1	RMS	2956	-45.7	-13	Pass	1236
3000	12000	1	RMS	7225	-29.54	-13	Pass	9002
12000	20000	1	RMS	19736	-22.15	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.14	-13	Pass	401
0.15	30	0.01	RMS	15.4	-68.76	-13	Pass	2986
30	1000	0.1	RMS	870.214	-59.16	-13	Pass	9701
1000	1700	1	RMS	1700	-47.24	-13	Pass	701
1700	1765	1	RMS	1710.238	23.47	60	Pass	401
1765	3000	1	RMS	2998	-45.72	-13	Pass	1236
3000	12000	1	RMS	11495	-36.36	-13	Pass	9002
12000	20000	1	RMS	19788	-28.76	-13	Pass	8001




9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.01	-13	Pass	401
0.15	30	0.01	RMS	1.97	-67.89	-13	Pass	2986
30	1000	0.1	RMS	912.542	-59.36	-13	Pass	9701
1000	1700	1	RMS	1685	-49.04	-13	Pass	701
1700	1765	1	RMS	1731.2	24.26	60	Pass	401
1765	3000	1	RMS	2968	-45.88	-13	Pass	1236
3000	12000	1	RMS	11490	-36.36	-13	Pass	9002
12000	20000	1	RMS	19796	-28.87	-13	Pass	8001




9.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.88	-13	Pass	2986
30	1000	0.1	RMS	862.109	-59.45	-13	Pass	9701
1000	1700	1	RMS	1696	-48.9	-13	Pass	701
1700	1765	1	RMS	1731.2	23.75	60	Pass	401
1765	3000	1	RMS	2975	-45.7	-13	Pass	1236
3000	12000	1	RMS	11468	-36.32	-13	Pass	9002
12000	20000	1	RMS	19800	-29.03	-13	Pass	8001




9.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.49	-13	Pass	2986
30	1000	0.1	RMS	473	-59.43	-13	Pass	9701
1000	1700	1	RMS	1698	-48.86	-13	Pass	701
1700	1765	1	RMS	1752.163	24.58	60	Pass	401
1765	3000	1	RMS	2943	-45.71	-13	Pass	1236
3000	12000	1	RMS	11848	-36.42	-13	Pass	9002
12000	20000	1	RMS	19793	-28.85	-13	Pass	8001




9.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.52	-13	Pass	401
0.15	30	0.01	RMS	0.77	-67.72	-13	Pass	2986
30	1000	0.1	RMS	870.014	-59.37	-13	Pass	9701
1000	1700	1	RMS	1677	-49.12	-13	Pass	701
1700	1765	1	RMS	1752.163	23.81	60	Pass	401
1765	3000	1	RMS	2958	-45.73	-13	Pass	1236
3000	12000	1	RMS	11473	-36.32	-13	Pass	9002
12000	20000	1	RMS	19797	-28.84	-13	Pass	8001




9.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-71.59	-13	Pass	401
0.15	30	0.01	RMS	21.78	-68.23	-13	Pass	2986
30	1000	0.1	RMS	873.716	-59.23	-13	Pass	9701
1000	1700	1	RMS	1700	-47.29	-13	Pass	701
1700	1765	1	RMS	1710.238	23.9	60	Pass	401
1765	3000	1	RMS	2962	-45.71	-13	Pass	1236
3000	12000	1	RMS	7243	-29.73	-13	Pass	9002
12000	20000	1	RMS	19749	-22	-13	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.73	-13	Pass	401
0.15	30	0.01	RMS	29.14	-68.41	-13	Pass	2986
30	1000	0.1	RMS	894.73	-59.22	-13	Pass	9701
1000	1700	1	RMS	1700	-47.26	-13	Pass	701
1700	1765	1	RMS	1710.238	23.1	60	Pass	401
1765	3000	1	RMS	2995	-45.68	-13	Pass	1236
3000	12000	1	RMS	11493	-36.28	-13	Pass	9002
12000	20000	1	RMS	19783	-28.8	-13	Pass	8001




9.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.23	-13	Pass	401
0.15	30	0.01	RMS	26.51	-68.32	-13	Pass	2986
30	1000	0.1	RMS	895.131	-59.22	-13	Pass	9701
1000	1700	1	RMS	1700	-48.67	-13	Pass	701
1700	1765	1	RMS	1730.225	24.34	60	Pass	401
1765	3000	1	RMS	2976	-45.67	-13	Pass	1236
3000	12000	1	RMS	11853	-36.39	-13	Pass	9002
12000	20000	1	RMS	19776	-28.92	-13	Pass	8001




9.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.059	-71.31	-13	Pass	401
0.15	30	0.01	RMS	16.65	-68.5	-13	Pass	2986
30	1000	0.1	RMS	976.084	-59.6	-13	Pass	9701
1000	1700	1	RMS	1681	-48.93	-13	Pass	701
1700	1765	1	RMS	1730.225	23.59	60	Pass	401
1765	3000	1	RMS	2948	-45.75	-13	Pass	1236
3000	12000	1	RMS	11456	-36.48	-13	Pass	9002
12000	20000	1	RMS	19784	-28.94	-13	Pass	8001




9.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.86	-13	Pass	401
0.15	30	0.01	RMS	8.38	-68.45	-13	Pass	2986
30	1000	0.1	RMS	923.049	-59.07	-13	Pass	9701
1000	1700	1	RMS	1694	-49.04	-13	Pass	701
1700	1765	1	RMS	1750.213	24.12	60	Pass	401
1765	3000	1	RMS	2961	-45.62	-13	Pass	1236
3000	12000	1	RMS	11854	-36.4	-13	Pass	9002
12000	20000	1	RMS	19799	-28.96	-13	Pass	8001




9.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.49	-13	Pass	401
0.15	30	0.01	RMS	27.35	-68.32	-13	Pass	2986
30	1000	0.1	RMS	979.887	-59.42	-13	Pass	9701
1000	1700	1	RMS	1691	-49.02	-13	Pass	701
1700	1765	1	RMS	1750.213	24.03	60	Pass	401
1765	3000	1	RMS	2929	-45.71	-13	Pass	1236
3000	12000	1	RMS	11467	-36.35	-13	Pass	9002
12000	20000	1	RMS	19784	-28.83	-13	Pass	8001




9.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.67	-13	Pass	401
0.15	30	0.01	RMS	16.71	-68.27	-13	Pass	2986
30	1000	0.1	RMS	977.285	-59.5	-13	Pass	9701
1000	1700	1	RMS	1693	-38.46	-13	Pass	701
1700	1765	1	RMS	1710.563	23.92	60	Pass	401
1765	3000	1	RMS	2966	-45.73	-13	Pass	1236
3000	12000	1	RMS	7223	-30.88	-13	Pass	9002
12000	20000	1	RMS	19729	-20.74	-13	Pass	8001




9.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-71.65	-13	Pass	401
0.15	30	0.01	RMS	28.13	-68.3	-13	Pass	2986
30	1000	0.1	RMS	909.24	-59.33	-13	Pass	9701
1000	1700	1	RMS	1693	-38.83	-13	Pass	701
1700	1765	1	RMS	1710.563	23.66	60	Pass	401
1765	3000	1	RMS	2948	-45.64	-13	Pass	1236
3000	12000	1	RMS	11491	-36.34	-13	Pass	9002
12000	20000	1	RMS	19797	-28.99	-13	Pass	8001




9.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-71.64	-13	Pass	401
0.15	30	0.01	RMS	1.14	-68.39	-13	Pass	2986
30	1000	0.1	RMS	908.84	-59.26	-13	Pass	9701
1000	1700	1	RMS	1699	-48.72	-13	Pass	701
1700	1765	1	RMS	1727.95	24.11	60	Pass	401
1765	3000	1	RMS	2964	-45.62	-13	Pass	1236
3000	12000	1	RMS	11849	-36.45	-13	Pass	9002
12000	20000	1	RMS	19798	-28.87	-13	Pass	8001




9.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.11	-13	Pass	401
0.15	30	0.01	RMS	26.11	-68.7	-13	Pass	2986
30	1000	0.1	RMS	902.135	-59.14	-13	Pass	9701
1000	1700	1	RMS	1696	-48.81	-13	Pass	701
1700	1765	1	RMS	1727.95	24.19	60	Pass	401
1765	3000	1	RMS	2966	-45.6	-13	Pass	1236
3000	12000	1	RMS	11846	-36.3	-13	Pass	9002
12000	20000	1	RMS	19803	-28.79	-13	Pass	8001




9.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.15	-13	Pass	401
0.15	30	0.01	RMS	0.29	-67.9	-13	Pass	2986
30	1000	0.1	RMS	847.5	-59.32	-13	Pass	9701
1000	1700	1	RMS	1693	-48.88	-13	Pass	701
1700	1765	1	RMS	1745.5	24.43	60	Pass	401
1765	3000	1	RMS	2982	-45.61	-13	Pass	1236
3000	12000	1	RMS	11499	-36.17	-13	Pass	9002
12000	20000	1	RMS	19780	-28.86	-13	Pass	8001




9.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.98	-13	Pass	2986
30	1000	0.1	RMS	985.691	-59.2	-13	Pass	9701
1000	1700	1	RMS	1693	-49	-13	Pass	701
1700	1765	1	RMS	1745.5	23.81	60	Pass	401
1765	3000	1	RMS	2932	-45.85	-13	Pass	1236
3000	12000	1	RMS	11495	-36.44	-13	Pass	9002
12000	20000	1	RMS	19801	-28.75	-13	Pass	8001




9.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.96	-13	Pass	401
0.15	30	0.01	RMS	21.01	-68.28	-13	Pass	2986
30	1000	0.1	RMS	913.643	-59.19	-13	Pass	9701
1000	1700	1	RMS	1697	-38.88	-13	Pass	701
1700	1765	1	RMS	1710.725	24.04	60	Pass	401
1765	3000	1	RMS	2949	-45.75	-13	Pass	1236
3000	12000	1	RMS	7238	-29.77	-13	Pass	9002
12000	20000	1	RMS	19747	-21.76	-13	Pass	8001




9.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.18	-13	Pass	401
0.15	30	0.01	RMS	18.5	-68.77	-13	Pass	2986
30	1000	0.1	RMS	854.604	-59.24	-13	Pass	9701
1000	1700	1	RMS	1698	-38.59	-13	Pass	701
1700	1765	1	RMS	1710.725	23.55	60	Pass	401
1765	3000	1	RMS	2959	-45.67	-13	Pass	1236
3000	12000	1	RMS	11493	-36.49	-13	Pass	9002
12000	20000	1	RMS	19815	-28.94	-13	Pass	8001




9.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.65	-13	Pass	401
0.15	30	0.01	RMS	0.45	-68.18	-13	Pass	2986
30	1000	0.1	RMS	889.427	-59.22	-13	Pass	9701
1000	1700	1	RMS	1699	-37.91	-13	Pass	701
1700	1765	1	RMS	1725.838	24.1	60	Pass	401
1765	3000	1	RMS	2936	-45.75	-13	Pass	1236
3000	12000	1	RMS	11856	-36.5	-13	Pass	9002
12000	20000	1	RMS	19764	-29	-13	Pass	8001




9.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.73	-13	Pass	401
0.15	30	0.01	RMS	26.08	-68.15	-13	Pass	2986
30	1000	0.1	RMS	925.551	-59.21	-13	Pass	9701
1000	1700	1	RMS	1699	-37.68	-13	Pass	701
1700	1765	1	RMS	1725.675	24.18	60	Pass	401
1765	3000	1	RMS	2958	-45.72	-13	Pass	1236
3000	12000	1	RMS	11849	-36.5	-13	Pass	9002
12000	20000	1	RMS	19788	-29.06	-13	Pass	8001




9.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.1	-13	Pass	401
0.15	30	0.01	RMS	22.74	-68.4	-13	Pass	2986
30	1000	0.1	RMS	906.738	-59.1	-13	Pass	9701
1000	1700	1	RMS	1688	-49.09	-13	Pass	701
1700	1765	1	RMS	1740.788	24.25	60	Pass	401
1765	3000	1	RMS	1767	-34.25	-13	Pass	1236
3000	12000	1	RMS	11484	-36.44	-13	Pass	9002
12000	20000	1	RMS	19777	-29.14	-13	Pass	8001




9.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-71.49	-13	Pass	401
0.15	30	0.01	RMS	24.09	-67.95	-13	Pass	2986
30	1000	0.1	RMS	893.229	-59.32	-13	Pass	9701
1000	1700	1	RMS	1699	-48.95	-13	Pass	701
1700	1765	1	RMS	1740.788	23.75	60	Pass	401
1765	3000	1	RMS	1767	-34.53	-13	Pass	1236
3000	12000	1	RMS	11847	-36.43	-13	Pass	9002
12000	20000	1	RMS	19797	-28.81	-13	Pass	8001




9.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-71	-13	Pass	401
0.15	30	0.01	RMS	29.82	-68.61	-13	Pass	2986
30	1000	0.1	RMS	891.628	-59.34	-13	Pass	9701
1000	1700	1	RMS	1693	-36.88	-13	Pass	701
1700	1765	1	RMS	1711.05	24.21	60	Pass	401
1765	3000	1	RMS	1773	-42.03	-13	Pass	1236
3000	12000	1	RMS	7217	-30.73	-13	Pass	9002
12000	20000	1	RMS	19729	-21.68	-13	Pass	8001




9.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.15	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.63	-13	Pass	2986
30	1000	0.1	RMS	929.553	-59.27	-13	Pass	9701
1000	1700	1	RMS	1693	-36.65	-13	Pass	701
1700	1765	1	RMS	1711.05	23.74	60	Pass	401
1765	3000	1	RMS	1773	-42.44	-13	Pass	1236
3000	12000	1	RMS	11477	-36.31	-13	Pass	9002
12000	20000	1	RMS	19788	-28.89	-13	Pass	8001




9.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.88	-13	Pass	401
0.15	30	0.01	RMS	25.82	-68.16	-13	Pass	2986
30	1000	0.1	RMS	977.485	-59.1	-13	Pass	9701
1000	1700	1	RMS	1688	-47.55	-13	Pass	701
1700	1765	1	RMS	1723.4	24.15	60	Pass	401
1765	3000	1	RMS	1785	-41.3	-13	Pass	1236
3000	12000	1	RMS	11456	-36.35	-13	Pass	9002
12000	20000	1	RMS	19801	-28.62	-13	Pass	8001




9.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-71.4	-13	Pass	401
0.15	30	0.01	RMS	20.86	-68.01	-13	Pass	2986
30	1000	0.1	RMS	861.808	-58.97	-13	Pass	9701
1000	1700	1	RMS	1688	-48.11	-13	Pass	701
1700	1765	1	RMS	1723.563	23.54	60	Pass	401
1765	3000	1	RMS	1785	-41.61	-13	Pass	1236
3000	12000	1	RMS	11857	-36.48	-13	Pass	9002
12000	20000	1	RMS	19779	-28.93	-13	Pass	8001




9.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.46	-13	Pass	401
0.15	30	0.01	RMS	29.22	-68.3	-13	Pass	2986
30	1000	0.1	RMS	979.586	-59.33	-13	Pass	9701
1000	1700	1	RMS	1700	-41.1	-13	Pass	701
1700	1765	1	RMS	1736.075	24.14	60	Pass	401
1765	3000	1	RMS	1772	-36.22	-13	Pass	1236
3000	12000	1	RMS	11501	-36.22	-13	Pass	9002
12000	20000	1	RMS	19794	-28.79	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-71.76	-13	Pass	401
0.15	30	0.01	RMS	1.42	-68.63	-13	Pass	2986
30	1000	0.1	RMS	912.942	-59.14	-13	Pass	9701
1000	1700	1	RMS	1700	-41.63	-13	Pass	701
1700	1765	1	RMS	1736.075	23.91	60	Pass	401
1765	3000	1	RMS	1772	-36.99	-13	Pass	1236
3000	12000	1	RMS	11466	-36.26	-13	Pass	9002
12000	20000	1	RMS	19803	-28.84	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.41	-13	Pass	401
0.15	30	0.01	RMS	24.84	-68.1	-13	Pass	2986
30	814	0.1	RMS	813.5	-59.28	-13	Pass	7841
814	860	0.1	RMS	824.2	20.8	60	Pass	461
860	1000	0.1	RMS	904.8	-59.28	-13	Pass	1401
1000	3000	1	RMS	2947	-45.84	-13	Pass	2001
3000	10000	1	RMS	7107	-28.14	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.1	-71.82	-13	Pass	401
0.15	30	0.01	RMS	16.55	-68.4	-13	Pass	2986
30	814	0.1	RMS	716.5	-59.57	-13	Pass	7841
814	860	0.1	RMS	824.3	20.94	60	Pass	461
860	1000	0.1	RMS	885	-59.48	-13	Pass	1401
1000	3000	1	RMS	2950	-45.88	-13	Pass	2001
3000	10000	1	RMS	7085	-37.04	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.42	-13	Pass	401
0.15	30	0.01	RMS	20.77	-68.37	-13	Pass	2986
30	814	0.1	RMS	810.3	-59.24	-13	Pass	7841
814	860	0.1	RMS	836.1	20.92	60	Pass	461
860	1000	0.1	RMS	898.4	-59.33	-13	Pass	1401
1000	3000	1	RMS	1672	-44.35	-13	Pass	2001
3000	10000	1	RMS	7100	-36.86	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.98	-13	Pass	401
0.15	30	0.01	RMS	27.11	-68.62	-13	Pass	2986
30	814	0.1	RMS	725.4	-59.6	-13	Pass	7841
814	860	0.1	RMS	836	20.26	60	Pass	461
860	1000	0.1	RMS	894.7	-59.44	-13	Pass	1401
1000	3000	1	RMS	1672	-44.89	-13	Pass	2001
3000	10000	1	RMS	7098	-36.81	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-71.08	-13	Pass	401
0.15	30	0.01	RMS	21.89	-68.42	-13	Pass	2986
30	814	0.1	RMS	722.4	-59.65	-13	Pass	7841
814	860	0.1	RMS	847.9	20.96	60	Pass	461
860	1000	0.1	RMS	888	-59.39	-13	Pass	1401
1000	3000	1	RMS	1695	-43.36	-13	Pass	2001
3000	10000	1	RMS	7096	-36.77	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.09	-13	Pass	401
0.15	30	0.01	RMS	21.07	-67.94	-13	Pass	2986
30	814	0.1	RMS	616.7	-59.83	-13	Pass	7841
814	860	0.1	RMS	847.9	20.03	60	Pass	461
860	1000	0.1	RMS	994.6	-59.23	-13	Pass	1401
1000	3000	1	RMS	1695	-44.21	-13	Pass	2001
3000	10000	1	RMS	7105	-36.99	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.143	-71.78	-13	Pass	401
0.15	30	0.01	RMS	29.09	-68.26	-13	Pass	2986
30	814	0.1	RMS	813.5	-58.4	-13	Pass	7841
814	860	0.1	RMS	824.2	20.98	60	Pass	461
860	1000	0.1	RMS	917.4	-59.31	-13	Pass	1401
1000	3000	1	RMS	2954	-45.75	-13	Pass	2001
3000	10000	1	RMS	7100	-29.02	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.37	-13	Pass	401
0.15	30	0.01	RMS	7.37	-68.32	-13	Pass	2986
30	814	0.1	RMS	813.5	-59.25	-13	Pass	7841
814	860	0.1	RMS	824.2	20.41	60	Pass	461
860	1000	0.1	RMS	886.5	-59.14	-13	Pass	1401
1000	3000	1	RMS	2956	-45.88	-13	Pass	2001
3000	10000	1	RMS	7087	-36.87	-13	Pass	7001




10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.058	-71.68	-13	Pass	401
0.15	30	0.01	RMS	19.73	-68.42	-13	Pass	2986
30	814	0.1	RMS	649.6	-59.71	-13	Pass	7841
814	860	0.1	RMS	835.2	21.24	60	Pass	461
860	1000	0.1	RMS	903.2	-59.42	-13	Pass	1401
1000	3000	1	RMS	1670	-43.59	-13	Pass	2001
3000	10000	1	RMS	7102	-36.76	-13	Pass	7001




10.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.57	-13	Pass	401
0.15	30	0.01	RMS	22.31	-68.13	-13	Pass	2986
30	814	0.1	RMS	813.6	-59.43	-13	Pass	7841
814	860	0.1	RMS	835.2	21.27	60	Pass	461
860	1000	0.1	RMS	903.1	-59.4	-13	Pass	1401
1000	3000	1	RMS	1670	-43.35	-13	Pass	2001
3000	10000	1	RMS	7099	-36.8	-13	Pass	7001




10.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.092	-70.95	-13	Pass	401
0.15	30	0.01	RMS	17.7	-68.17	-13	Pass	2986
30	814	0.1	RMS	492.5	-59.72	-13	Pass	7841
814	860	0.1	RMS	846.2	21.32	60	Pass	461
860	1000	0.1	RMS	904.9	-59.18	-13	Pass	1401
1000	3000	1	RMS	1692	-42.86	-13	Pass	2001
3000	10000	1	RMS	7099	-36.88	-13	Pass	7001




10.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.7	-13	Pass	401
0.15	30	0.01	RMS	5.03	-68.72	-13	Pass	2986
30	814	0.1	RMS	797.5	-59.66	-13	Pass	7841
814	860	0.1	RMS	846.2	20.46	60	Pass	461
860	1000	0.1	RMS	890.5	-59.21	-13	Pass	1401
1000	3000	1	RMS	1692	-43.91	-13	Pass	2001
3000	10000	1	RMS	7101	-36.86	-13	Pass	7001




10.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.55	-13	Pass	401
0.15	30	0.01	RMS	20.95	-68.47	-13	Pass	2986
30	814	0.1	RMS	813.7	-58.86	-13	Pass	7841
814	860	0.1	RMS	824.3	21.04	60	Pass	461
860	1000	0.1	RMS	889.5	-59.09	-13	Pass	1401
1000	3000	1	RMS	2978	-45.78	-13	Pass	2001
3000	10000	1	RMS	7103	-27.81	-13	Pass	7001




10.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.48	-13	Pass	401
0.15	30	0.01	RMS	2.14	-68.16	-13	Pass	2986
30	814	0.1	RMS	813.4	-58.9	-13	Pass	7841
814	860	0.1	RMS	824.3	19.99	60	Pass	461
860	1000	0.1	RMS	892.8	-59.21	-13	Pass	1401
1000	3000	1	RMS	2976	-45.88	-13	Pass	2001
3000	10000	1	RMS	7110	-37.12	-13	Pass	7001




10.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.53	-13	Pass	401
0.15	30	0.01	RMS	26.34	-67.99	-13	Pass	2986
30	814	0.1	RMS	466.8	-59.68	-13	Pass	7841
814	860	0.1	RMS	834.3	21.23	60	Pass	461
860	1000	0.1	RMS	905.4	-58.9	-13	Pass	1401
1000	3000	1	RMS	1668	-43.95	-13	Pass	2001
3000	10000	1	RMS	7101	-36.92	-13	Pass	7001




10.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.76	-13	Pass	401
0.15	30	0.01	RMS	21.68	-68.23	-13	Pass	2986
30	814	0.1	RMS	486.5	-59.76	-13	Pass	7841
814	860	0.1	RMS	834.3	20.61	60	Pass	461
860	1000	0.1	RMS	916	-59.39	-13	Pass	1401
1000	3000	1	RMS	1668	-44.59	-13	Pass	2001
3000	10000	1	RMS	7097	-36.75	-13	Pass	7001




10.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.6	-13	Pass	401
0.15	30	0.01	RMS	0.42	-68.33	-13	Pass	2986
30	814	0.1	RMS	811.8	-59.62	-13	Pass	7841
814	860	0.1	RMS	844.3	21.07	60	Pass	461
860	1000	0.1	RMS	925.4	-59.3	-13	Pass	1401
1000	3000	1	RMS	1688	-45.65	-13	Pass	2001
3000	10000	1	RMS	7100	-36.94	-13	Pass	7001




10.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.24	-13	Pass	401
0.15	30	0.01	RMS	2.91	-67.72	-13	Pass	2986
30	814	0.1	RMS	765	-59.6	-13	Pass	7841
814	860	0.1	RMS	844.3	20.75	60	Pass	461
860	1000	0.1	RMS	914.9	-59.2	-13	Pass	1401
1000	3000	1	RMS	1688	-45.75	-13	Pass	2001
3000	10000	1	RMS	7097	-36.98	-13	Pass	7001




10.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.02	-13	Pass	401
0.15	30	0.01	RMS	1.83	-67.71	-13	Pass	2986
30	814	0.1	RMS	813.9	-58.76	-13	Pass	7841
814	860	0.1	RMS	824.6	21.42	60	Pass	461
860	1000	0.1	RMS	878.4	-59.42	-13	Pass	1401
1000	3000	1	RMS	2961	-45.85	-13	Pass	2001
3000	10000	1	RMS	7100	-28.11	-13	Pass	7001




10.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.089	-71.17	-13	Pass	401
0.15	30	0.01	RMS	27.56	-68.33	-13	Pass	2986
30	814	0.1	RMS	813.9	-58.49	-13	Pass	7841
814	860	0.1	RMS	824.6	20.97	60	Pass	461
860	1000	0.1	RMS	886.7	-59.33	-13	Pass	1401
1000	3000	1	RMS	2970	-45.8	-13	Pass	2001
3000	10000	1	RMS	7103	-36.84	-13	Pass	7001




10.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-71.23	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.98	-13	Pass	2986
30	814	0.1	RMS	814	-58.66	-13	Pass	7841
814	860	0.1	RMS	832.1	21.64	60	Pass	461
860	1000	0.1	RMS	871.9	-59.43	-13	Pass	1401
1000	3000	1	RMS	1664	-44.55	-13	Pass	2001
3000	10000	1	RMS	7107	-36.7	-13	Pass	7001




10.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.052	-71.56	-13	Pass	401
0.15	30	0.01	RMS	4.37	-68.36	-13	Pass	2986
30	814	0.1	RMS	814	-58.58	-13	Pass	7841
814	860	0.1	RMS	832.1	21.71	60	Pass	461
860	1000	0.1	RMS	932.5	-59.19	-13	Pass	1401
1000	3000	1	RMS	1664	-44.28	-13	Pass	2001
3000	10000	1	RMS	7103	-36.61	-13	Pass	7001




10.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.48	-13	Pass	401
0.15	30	0.01	RMS	2.06	-68.24	-13	Pass	2986
30	814	0.1	RMS	726.5	-59.63	-13	Pass	7841
814	860	0.1	RMS	839.6	21.45	60	Pass	461
860	1000	0.1	RMS	863.9	-59.56	-13	Pass	1401
1000	3000	1	RMS	2963	-45.87	-13	Pass	2001
3000	10000	1	RMS	7105	-37.06	-13	Pass	7001



10.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.52	-13	Pass	401
0.15	30	0.01	RMS	5.26	-68.64	-13	Pass	2986
30	814	0.1	RMS	748.1	-59.61	-13	Pass	7841
814	860	0.1	RMS	839.6	20.98	60	Pass	461
860	1000	0.1	RMS	980.1	-59.46	-13	Pass	1401
1000	3000	1	RMS	2947	-45.78	-13	Pass	2001
3000	10000	1	RMS	7094	-36.78	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.71	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.19	-25	Pass	2986
30	1000	0.1	RMS	913.543	-59.22	-25	Pass	9701
1000	2490	1	RMS	2490	-46.04	-25	Pass	1491
2490	2580	1	RMS	2500.125	24.57	60	Pass	401
2580	3000	1	RMS	2986	-45.89	-25	Pass	421
3000	12000	1	RMS	7239	-49.63	-25	Pass	9002
12000	26000	1	RMS	20153	-41.3	-25	Pass	14002




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-69.98	-25	Pass	401
0.15	30	0.01	RMS	0.56	-68.42	-25	Pass	2986
30	1000	0.1	RMS	896.131	-58.94	-25	Pass	9701
1000	2490	1	RMS	2490	-45.9	-25	Pass	1491
2490	2580	1	RMS	2500.125	23.75	60	Pass	401
2580	3000	1	RMS	2961	-45.81	-25	Pass	421
3000	12000	1	RMS	11859	-56.2	-25	Pass	9002
12000	26000	1	RMS	25099	-44.57	-25	Pass	14002




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.06	-72.19	-25	Pass	401
0.15	30	0.01	RMS	2.37	-68.21	-25	Pass	2986
30	1000	0.1	RMS	876.518	-59.24	-25	Pass	9701
1000	2490	1	RMS	2490	-47.05	-25	Pass	1491
2490	2580	1	RMS	2532.75	24.94	60	Pass	401
2580	3000	1	RMS	2981	-45.71	-25	Pass	421
3000	12000	1	RMS	11849	-56.17	-25	Pass	9002
12000	26000	1	RMS	25104	-44.47	-25	Pass	14002




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.05	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.01	-25	Pass	2986
30	1000	0.1	RMS	872.716	-59.06	-25	Pass	9701
1000	2490	1	RMS	2489	-46.9	-25	Pass	1491
2490	2580	1	RMS	2532.75	24.02	60	Pass	401
2580	3000	1	RMS	2960	-45.73	-25	Pass	421
3000	12000	1	RMS	11501	-56.3	-25	Pass	9002
12000	26000	1	RMS	25092	-44.45	-25	Pass	14002




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.46	-25	Pass	401
0.15	30	0.01	RMS	1.2	-68.75	-25	Pass	2986
30	1000	0.1	RMS	906.638	-59.16	-25	Pass	9701
1000	2490	1	RMS	2489	-46.83	-25	Pass	1491
2490	2580	1	RMS	2565.15	24.57	60	Pass	401
2580	3000	1	RMS	2978	-45.81	-25	Pass	421
3000	12000	1	RMS	11452	-56.2	-25	Pass	9002
12000	26000	1	RMS	25106	-44.53	-25	Pass	14002




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.41	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.09	-25	Pass	2986
30	1000	0.1	RMS	900.034	-59.34	-25	Pass	9701
1000	2490	1	RMS	2481	-47.04	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.98	60	Pass	401
2580	3000	1	RMS	2956	-45.87	-25	Pass	421
3000	12000	1	RMS	11811	-49.06	-25	Pass	9002
12000	26000	1	RMS	25099	-44.67	-25	Pass	14002




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.32	-25	Pass	401
0.15	30	0.01	RMS	28.1	-68.33	-25	Pass	2986
30	1000	0.1	RMS	881.021	-59.33	-25	Pass	9701
1000	2490	1	RMS	2483	-43.61	-25	Pass	1491
2490	2580	1	RMS	2500.575	24.66	60	Pass	401
2580	3000	1	RMS	2965	-45.8	-25	Pass	421
3000	12000	1	RMS	3628	-54.1	-25	Pass	9002
12000	26000	1	RMS	20138	-41.57	-25	Pass	14002




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.127	-71.6	-25	Pass	401
0.15	30	0.01	RMS	29.68	-68.44	-25	Pass	2986
30	1000	0.1	RMS	906.438	-59.01	-25	Pass	9701
1000	2490	1	RMS	2483	-43.91	-25	Pass	1491
2490	2580	1	RMS	2500.575	24.07	60	Pass	401
2580	3000	1	RMS	2959	-45.77	-25	Pass	421
3000	12000	1	RMS	11864	-56.22	-25	Pass	9002
12000	26000	1	RMS	25097	-44.45	-25	Pass	14002




11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.07	-71.18	-25	Pass	401
0.15	30	0.01	RMS	12.74	-68.39	-25	Pass	2986
30	1000	0.1	RMS	796.8	-59.2	-25	Pass	9701
1000	2490	1	RMS	2487	-46.86	-25	Pass	1491
2490	2580	1	RMS	2530.5	24.81	60	Pass	401
2580	3000	1	RMS	2960	-45.8	-25	Pass	421
3000	12000	1	RMS	11870	-56.32	-25	Pass	9002
12000	26000	1	RMS	25094	-44.62	-25	Pass	14002




11.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.127	-71.88	-25	Pass	401
0.15	30	0.01	RMS	12.88	-68.1	-25	Pass	2986
30	1000	0.1	RMS	849	-59.22	-25	Pass	9701
1000	2490	1	RMS	2489	-47.16	-25	Pass	1491
2490	2580	1	RMS	2530.5	25.01	60	Pass	401
2580	3000	1	RMS	2960	-45.85	-25	Pass	421
3000	12000	1	RMS	11838	-56.44	-25	Pass	9002
12000	26000	1	RMS	25771	-44.61	-25	Pass	14002




11.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.078	-71.37	-25	Pass	401
0.15	30	0.01	RMS	13.04	-67.9	-25	Pass	2986
30	1000	0.1	RMS	865.711	-59.09	-25	Pass	9701
1000	2490	1	RMS	2487	-46.99	-25	Pass	1491
2490	2580	1	RMS	2560.425	24.6	60	Pass	401
2580	3000	1	RMS	2960	-45.86	-25	Pass	421
3000	12000	1	RMS	11461	-56.19	-25	Pass	9002
12000	26000	1	RMS	25949	-44.67	-25	Pass	14002




11.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.099	-71.06	-25	Pass	401
0.15	30	0.01	RMS	1.01	-67.71	-25	Pass	2986
30	1000	0.1	RMS	994.997	-59.07	-25	Pass	9701
1000	2490	1	RMS	2489	-47	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.63	60	Pass	401
2580	3000	1	RMS	2962	-45.81	-25	Pass	421
3000	12000	1	RMS	7233	-48.75	-25	Pass	9002
12000	26000	1	RMS	25834	-44.5	-25	Pass	14002




11.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.61	-25	Pass	401
0.15	30	0.01	RMS	0.33	-68.48	-25	Pass	2986
30	1000	0.1	RMS	907.639	-59.05	-25	Pass	9701
1000	2490	1	RMS	2488	-37.56	-25	Pass	1491
2490	2580	1	RMS	2500.8	24.61	60	Pass	401
2580	3000	1	RMS	2961	-45.8	-25	Pass	421
3000	12000	1	RMS	3647	-52.98	-25	Pass	9002
12000	26000	1	RMS	20171	-40.6	-25	Pass	14002




11.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.09	-25	Pass	401
0.15	30	0.01	RMS	17.37	-68.5	-25	Pass	2986
30	1000	0.1	RMS	869.514	-59.25	-25	Pass	9701
1000	2490	1	RMS	2488	-37.5	-25	Pass	1491
2490	2580	1	RMS	2500.8	24.23	60	Pass	401
2580	3000	1	RMS	2969	-45.89	-25	Pass	421
3000	12000	1	RMS	11869	-56.29	-25	Pass	9002
12000	26000	1	RMS	25075	-44.52	-25	Pass	14002




11.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.53	-25	Pass	401
0.15	30	0.01	RMS	29.26	-68.02	-25	Pass	2986
30	1000	0.1	RMS	885.724	-59.17	-25	Pass	9701
1000	2490	1	RMS	2489	-46.98	-25	Pass	1491
2490	2580	1	RMS	2528.25	24.77	60	Pass	401
2580	3000	1	RMS	2984	-45.82	-25	Pass	421
3000	12000	1	RMS	11854	-56.08	-25	Pass	9002
12000	26000	1	RMS	25854	-44.65	-25	Pass	14002




11.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.75	-25	Pass	401
0.15	30	0.01	RMS	4.91	-68.11	-25	Pass	2986
30	1000	0.1	RMS	993.996	-59.5	-25	Pass	9701
1000	2490	1	RMS	2488	-47.06	-25	Pass	1491
2490	2580	1	RMS	2528.25	24.96	60	Pass	401
2580	3000	1	RMS	2970	-45.87	-25	Pass	421
3000	12000	1	RMS	11855	-56.21	-25	Pass	9002
12000	26000	1	RMS	25099	-44.58	-25	Pass	14002




11.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.19	-25	Pass	401
0.15	30	0.01	RMS	1.34	-68.2	-25	Pass	2986
30	1000	0.1	RMS	907.539	-58.99	-25	Pass	9701
1000	2490	1	RMS	2489	-47.02	-25	Pass	1491
2490	2595	1	RMS	2555.625	24.4	60	Pass	401
2595	3000	1	RMS	2962	-45.84	-25	Pass	406
3000	12000	1	RMS	11818	-48.72	-25	Pass	9002
12000	26000	1	RMS	25899	-44.75	-25	Pass	14002




11.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.02	-25	Pass	401
0.15	30	0.01	RMS	25.83	-68.24	-25	Pass	2986
30	1000	0.1	RMS	997.198	-59.06	-25	Pass	9701
1000	2490	1	RMS	2488	-46.88	-25	Pass	1491
2490	2595	1	RMS	2555.625	24.14	60	Pass	401
2595	3000	1	RMS	2961	-45.85	-25	Pass	406
3000	12000	1	RMS	11852	-56.03	-25	Pass	9002
12000	26000	1	RMS	25425	-44.5	-25	Pass	14002




11.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.51	-25	Pass	401
0.15	30	0.01	RMS	23.36	-68.12	-25	Pass	2986
30	1000	0.1	RMS	867.712	-59.25	-25	Pass	9701
1000	2490	1	RMS	2483	-38.74	-25	Pass	1491
2490	2580	1	RMS	2501.025	24.71	60	Pass	401
2580	3000	1	RMS	2961	-45.87	-25	Pass	421
3000	12000	1	RMS	3633	-54.58	-25	Pass	9002
12000	26000	1	RMS	20136	-40.13	-25	Pass	14002




11.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.101	-71.34	-25	Pass	401
0.15	30	0.01	RMS	0.67	-68.04	-25	Pass	2986
30	1000	0.1	RMS	935.357	-59.12	-25	Pass	9701
1000	2490	1	RMS	2483	-40.34	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.96	60	Pass	401
2580	3000	1	RMS	2964	-45.87	-25	Pass	421
3000	12000	1	RMS	11500	-56.46	-25	Pass	9002
12000	26000	1	RMS	25109	-44.5	-25	Pass	14002




11.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.37	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.27	-25	Pass	2986
30	1000	0.1	RMS	862.009	-59.29	-25	Pass	9701
1000	2490	1	RMS	2490	-43.4	-25	Pass	1491
2490	2580	1	RMS	2526	24.76	60	Pass	401
2580	3000	1	RMS	2963	-45.73	-25	Pass	421
3000	12000	1	RMS	11872	-56.24	-25	Pass	9002
12000	26000	1	RMS	25108	-44.42	-25	Pass	14002




11.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.5	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.92	-25	Pass	2986
30	1000	0.1	RMS	914.443	-59.33	-25	Pass	9701
1000	2490	1	RMS	2490	-42.95	-25	Pass	1491
2490	2580	1	RMS	2526	24.67	60	Pass	401
2580	3000	1	RMS	2977	-45.77	-25	Pass	421
3000	12000	1	RMS	11853	-56.2	-25	Pass	9002
12000	26000	1	RMS	25749	-44.7	-25	Pass	14002




11.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.35	-25	Pass	401
0.15	30	0.01	RMS	24.4	-68.1	-25	Pass	2986
30	1000	0.1	RMS	862.309	-59.18	-25	Pass	9701
1000	2490	1	RMS	2482	-46.82	-25	Pass	1491
2490	2580	1	RMS	2550.975	24.76	60	Pass	401
2580	3000	1	RMS	2586	-37.64	-25	Pass	421
3000	12000	1	RMS	7232	-49.37	-25	Pass	9002
12000	26000	1	RMS	25101	-44.57	-25	Pass	14002



11.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.37	-25	Pass	401
0.15	30	0.01	RMS	23.33	-68.52	-25	Pass	2986
30	1000	0.1	RMS	904.437	-59.18	-25	Pass	9701
1000	2490	1	RMS	2486	-47.05	-25	Pass	1491
2490	2580	1	RMS	2550.975	24.48	60	Pass	401
2580	3000	1	RMS	2586	-38.26	-25	Pass	421
3000	12000	1	RMS	11501	-56.28	-25	Pass	9002
12000	26000	1	RMS	25089	-44.6	-25	Pass	14002



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.26	-13	Pass	401
0.15	30	0.01	RMS	6.78	-68.73	-13	Pass	2986
30	689	0.1	RMS	492	-59.96	-13	Pass	6591
689	726	0.1	RMS	699.268	21.05	60	Pass	401
726	1000	0.1	RMS	994.2	-59.07	-13	Pass	2741
1000	3000	1	RMS	2936	-45.84	-13	Pass	2001
3000	10000	1	RMS	7110	-28.88	-13	Pass	7001




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-71.3	-13	Pass	401
0.15	30	0.01	RMS	16.1	-68.51	-13	Pass	2986
30	689	0.1	RMS	490.8	-59.8	-13	Pass	6591
689	726	0.1	RMS	699.268	20.13	60	Pass	401
726	1000	0.1	RMS	979.3	-58.85	-13	Pass	2741
1000	3000	1	RMS	2983	-45.92	-13	Pass	2001
3000	10000	1	RMS	7100	-36.88	-13	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.124	-71.93	-13	Pass	401
0.15	30	0.01	RMS	22.23	-68.23	-13	Pass	2986
30	689	0.1	RMS	493.3	-59.72	-13	Pass	6591
689	726	0.1	RMS	707.038	21.16	60	Pass	401
726	1000	0.1	RMS	895.1	-58.82	-13	Pass	2741
1000	3000	1	RMS	2953	-45.66	-13	Pass	2001
3000	10000	1	RMS	7085	-36.77	-13	Pass	7001




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-70.79	-13	Pass	401
0.15	30	0.01	RMS	26.58	-68.34	-13	Pass	2986
30	689	0.1	RMS	496.2	-59.63	-13	Pass	6591
689	726	0.1	RMS	707.038	20.03	60	Pass	401
726	1000	0.1	RMS	910.1	-59.05	-13	Pass	2741
1000	3000	1	RMS	2955	-45.87	-13	Pass	2001
3000	10000	1	RMS	7110	-37.02	-13	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.137	-71.38	-13	Pass	401
0.15	30	0.01	RMS	26.17	-68.3	-13	Pass	2986
30	689	0.1	RMS	493.7	-59.88	-13	Pass	6591
689	726	0.1	RMS	714.808	20.81	60	Pass	401
726	1000	0.1	RMS	909.7	-58.95	-13	Pass	2741
1000	3000	1	RMS	2982	-45.86	-13	Pass	2001
3000	10000	1	RMS	7100	-36.7	-13	Pass	7001




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-70.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.67	-13	Pass	2986
30	689	0.1	RMS	491	-59.97	-13	Pass	6591
689	726	0.1	RMS	714.808	19.1	60	Pass	401
726	1000	0.1	RMS	906.1	-58.91	-13	Pass	2741
1000	3000	1	RMS	2959	-45.93	-13	Pass	2001
3000	10000	1	RMS	7096	-36.9	-13	Pass	7001




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.58	-13	Pass	401
0.15	30	0.01	RMS	18.11	-68.04	-13	Pass	2986
30	689	0.1	RMS	473.7	-59.79	-13	Pass	6591
689	726	0.1	RMS	699.268	20.83	60	Pass	401
726	1000	0.1	RMS	845.9	-59.13	-13	Pass	2741
1000	3000	1	RMS	2957	-45.77	-13	Pass	2001
3000	10000	1	RMS	7107	-28.17	-13	Pass	7001




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.55	-13	Pass	401
0.15	30	0.01	RMS	17.74	-68.68	-13	Pass	2986
30	689	0.1	RMS	493.9	-59.86	-13	Pass	6591
689	726	0.1	RMS	699.268	19.65	60	Pass	401
726	1000	0.1	RMS	917.4	-58.97	-13	Pass	2741
1000	3000	1	RMS	2958	-45.73	-13	Pass	2001
3000	10000	1	RMS	7105	-36.56	-13	Pass	7001




12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.05	-13	Pass	401
0.15	30	0.01	RMS	28.11	-67.77	-13	Pass	2986
30	689	0.1	RMS	655.4	-59.55	-13	Pass	6591
689	726	0.1	RMS	706.205	20.84	60	Pass	401
726	1000	0.1	RMS	979.3	-58.94	-13	Pass	2741
1000	3000	1	RMS	2948	-45.84	-13	Pass	2001
3000	10000	1	RMS	7103	-36.61	-13	Pass	7001




12.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.4	-13	Pass	401
0.15	30	0.01	RMS	4.08	-68.34	-13	Pass	2986
30	689	0.1	RMS	460.4	-59.88	-13	Pass	6591
689	726	0.1	RMS	706.205	20.28	60	Pass	401
726	1000	0.1	RMS	889.7	-59.2	-13	Pass	2741
1000	3000	1	RMS	2954	-45.81	-13	Pass	2001
3000	10000	1	RMS	7088	-36.94	-13	Pass	7001




12.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.35	-13	Pass	401
0.15	30	0.01	RMS	18.2	-68.74	-13	Pass	2986
30	689	0.1	RMS	489.8	-59.72	-13	Pass	6591
689	726	0.1	RMS	713.235	21.25	60	Pass	401
726	1000	0.1	RMS	849.2	-59.03	-13	Pass	2741
1000	3000	1	RMS	2950	-45.68	-13	Pass	2001
3000	10000	1	RMS	7101	-36.61	-13	Pass	7001




12.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.5	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.19	-13	Pass	2986
30	689	0.1	RMS	659.8	-59.86	-13	Pass	6591
689	726	0.1	RMS	713.235	19.93	60	Pass	401
726	1000	0.1	RMS	878.9	-59.02	-13	Pass	2741
1000	3000	1	RMS	2960	-45.75	-13	Pass	2001
3000	10000	1	RMS	7096	-36.87	-13	Pass	7001




12.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.88	-13	Pass	401
0.15	30	0.01	RMS	0.33	-68.23	-13	Pass	2986
30	689	0.1	RMS	478	-59.7	-13	Pass	6591
689	726	0.1	RMS	699.36	20.8	60	Pass	401
726	1000	0.1	RMS	976.9	-59.07	-13	Pass	2741
1000	3000	1	RMS	2797	-45.7	-13	Pass	2001
3000	10000	1	RMS	7091	-29.3	-13	Pass	7001




12.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.01	-13	Pass	2986
30	689	0.1	RMS	488.2	-59.78	-13	Pass	6591
689	726	0.1	RMS	699.36	19.63	60	Pass	401
726	1000	0.1	RMS	899.8	-58.96	-13	Pass	2741
1000	3000	1	RMS	2957	-45.69	-13	Pass	2001
3000	10000	1	RMS	7107	-36.69	-13	Pass	7001




12.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.03	-13	Pass	2986
30	689	0.1	RMS	481.6	-59.8	-13	Pass	6591
689	726	0.1	RMS	705.373	20.8	60	Pass	401
726	1000	0.1	RMS	881.4	-59.01	-13	Pass	2741
1000	3000	1	RMS	2936	-45.82	-13	Pass	2001
3000	10000	1	RMS	7102	-36.63	-13	Pass	7001




12.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.32	-68.06	-13	Pass	2986
30	689	0.1	RMS	485.3	-59.9	-13	Pass	6591
689	726	0.1	RMS	705.373	19.32	60	Pass	401
726	1000	0.1	RMS	880.4	-58.89	-13	Pass	2741
1000	3000	1	RMS	2974	-45.83	-13	Pass	2001
3000	10000	1	RMS	7112	-36.93	-13	Pass	7001




12.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.96	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.22	-13	Pass	2986
30	689	0.1	RMS	481.5	-59.87	-13	Pass	6591
689	726	0.1	RMS	711.293	20.41	60	Pass	401
726	1000	0.1	RMS	867.6	-59.31	-13	Pass	2741
1000	3000	1	RMS	2971	-45.86	-13	Pass	2001
3000	10000	1	RMS	7111	-36.85	-13	Pass	7001




12.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-71.22	-13	Pass	401
0.15	30	0.01	RMS	0.69	-67.75	-13	Pass	2986
30	689	0.1	RMS	478.2	-59.89	-13	Pass	6591
689	726	0.1	RMS	711.385	19.82	60	Pass	401
726	1000	0.1	RMS	906.2	-58.71	-13	Pass	2741
1000	3000	1	RMS	2964	-45.76	-13	Pass	2001
3000	10000	1	RMS	7111	-36.96	-13	Pass	7001




12.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-71.45	-13	Pass	401
0.15	30	0.01	RMS	19.08	-68.26	-13	Pass	2986
30	689	0.1	RMS	499.3	-59.85	-13	Pass	6591
689	726	0.1	RMS	699.545	20.61	60	Pass	401
726	1000	0.1	RMS	894.1	-58.82	-13	Pass	2741
1000	3000	1	RMS	2798	-45.77	-13	Pass	2001
3000	10000	1	RMS	7099	-27.8	-13	Pass	7001




12.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.055	-71.42	-13	Pass	401
0.15	30	0.01	RMS	25.14	-68.38	-13	Pass	2986
30	689	0.1	RMS	638.6	-59.95	-13	Pass	6591
689	726	0.1	RMS	699.638	19.54	60	Pass	401
726	1000	0.1	RMS	909	-59.08	-13	Pass	2741
1000	3000	1	RMS	2946	-45.9	-13	Pass	2001
3000	10000	1	RMS	7101	-36.68	-13	Pass	7001




12.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.84	-13	Pass	401
0.15	30	0.01	RMS	3.13	-68.34	-13	Pass	2986
30	689	0.1	RMS	471.3	-59.87	-13	Pass	6591
689	726	0.1	RMS	703.06	20.92	60	Pass	401
726	1000	0.1	RMS	900.8	-58.92	-13	Pass	2741
1000	3000	1	RMS	2960	-45.78	-13	Pass	2001
3000	10000	1	RMS	7100	-36.73	-13	Pass	7001




12.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.69	-13	Pass	401
0.15	30	0.01	RMS	0.21	-67.99	-13	Pass	2986
30	689	0.1	RMS	640.1	-59.77	-13	Pass	6591
689	726	0.1	RMS	703.06	20.56	60	Pass	401
726	1000	0.1	RMS	883	-58.8	-13	Pass	2741
1000	3000	1	RMS	2979	-45.85	-13	Pass	2001
3000	10000	1	RMS	7094	-36.69	-13	Pass	7001




12.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.67	-13	Pass	401
0.15	30	0.01	RMS	0.29	-68.26	-13	Pass	2986
30	689	0.1	RMS	501.5	-59.92	-13	Pass	6591
689	726	0.1	RMS	706.575	21.04	60	Pass	401
726	1000	0.1	RMS	862.6	-59.23	-13	Pass	2741
1000	3000	1	RMS	2963	-45.71	-13	Pass	2001
3000	10000	1	RMS	7100	-36.63	-13	Pass	7001



12.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.099	-71.39	-13	Pass	401
0.15	30	0.01	RMS	22.97	-68.68	-13	Pass	2986
30	689	0.1	RMS	456.6	-60	-13	Pass	6591
689	726	0.1	RMS	706.575	19.8	60	Pass	401
726	1000	0.1	RMS	895.4	-59.18	-13	Pass	2741
1000	3000	1	RMS	2979	-45.68	-13	Pass	2001
3000	10000	1	RMS	7102	-36.95	-13	Pass	7001



13. LTE_Band17


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.06	-13	Pass	2986
30	694	0.1	RMS	635	-59.86	-13	Pass	6641
694	726	0.1	RMS	704.32	20.83	60	Pass	401
726	1000	0.1	RMS	996.8	-58.89	-13	Pass	2741
1000	3000	1	RMS	2970	-45.86	-13	Pass	2001
3000	10000	1	RMS	7098	-28.07	-13	Pass	7001




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-71.86	-13	Pass	401
0.15	30	0.01	RMS	20.47	-68.28	-13	Pass	2986
30	694	0.1	RMS	482.2	-59.91	-13	Pass	6641
694	726	0.1	RMS	704.32	19.49	60	Pass	401
726	1000	0.1	RMS	890.3	-59.19	-13	Pass	2741
1000	3000	1	RMS	2934	-45.93	-13	Pass	2001
3000	10000	1	RMS	7092	-37.06	-13	Pass	7001




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.5	-13	Pass	401
0.15	30	0.01	RMS	1.25	-68.09	-13	Pass	2986
30	694	0.1	RMS	646.4	-59.89	-13	Pass	6641
694	726	0.1	RMS	707.84	21.13	60	Pass	401
726	1000	0.1	RMS	737.7	-59.02	-13	Pass	2741
1000	3000	1	RMS	2831	-45.7	-13	Pass	2001
3000	10000	1	RMS	7090	-36.7	-13	Pass	7001




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.45	-13	Pass	401
0.15	30	0.01	RMS	2.98	-68.37	-13	Pass	2986
30	694	0.1	RMS	490.4	-59.92	-13	Pass	6641
694	726	0.1	RMS	707.84	19.8	60	Pass	401
726	1000	0.1	RMS	900.1	-58.94	-13	Pass	2741
1000	3000	1	RMS	2962	-45.76	-13	Pass	2001
3000	10000	1	RMS	7104	-36.74	-13	Pass	7001




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-70.75	-13	Pass	401
0.15	30	0.01	RMS	17.95	-68.34	-13	Pass	2986
30	694	0.1	RMS	496.3	-59.8	-13	Pass	6641
694	726	0.1	RMS	711.36	20.86	60	Pass	401
726	1000	0.1	RMS	862.4	-58.97	-13	Pass	2741
1000	3000	1	RMS	2978	-45.76	-13	Pass	2001
3000	10000	1	RMS	7100	-36.69	-13	Pass	7001




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.48	-13	Pass	401
0.15	30	0.01	RMS	16.8	-68.3	-13	Pass	2986
30	694	0.1	RMS	474.6	-59.83	-13	Pass	6641
694	726	0.1	RMS	711.36	19.88	60	Pass	401
726	1000	0.1	RMS	881.9	-59.02	-13	Pass	2741
1000	3000	1	RMS	2963	-45.85	-13	Pass	2001
3000	10000	1	RMS	7110	-36.81	-13	Pass	7001




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-70.57	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.06	-13	Pass	2986
30	694	0.1	RMS	489.4	-59.93	-13	Pass	6641
694	726	0.1	RMS	704.56	20.88	60	Pass	401
726	1000	0.1	RMS	897.9	-59.3	-13	Pass	2741
1000	3000	1	RMS	2955	-45.72	-13	Pass	2001
3000	10000	1	RMS	7099	-28.99	-13	Pass	7001




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-71.05	-13	Pass	401
0.15	30	0.01	RMS	12.28	-68.55	-13	Pass	2986
30	694	0.1	RMS	480.8	-59.7	-13	Pass	6641
694	726	0.1	RMS	704.56	19.65	60	Pass	401
726	1000	0.1	RMS	894.6	-59.06	-13	Pass	2741
1000	3000	1	RMS	2956	-45.72	-13	Pass	2001
3000	10000	1	RMS	7098	-36.94	-13	Pass	7001




13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.083	-71.44	-13	Pass	401
0.15	30	0.01	RMS	15.31	-68.75	-13	Pass	2986
30	694	0.1	RMS	626.6	-59.92	-13	Pass	6641
694	726	0.1	RMS	705.6	21.22	60	Pass	401
726	1000	0.1	RMS	751.4	-59.28	-13	Pass	2741
1000	3000	1	RMS	2956	-45.83	-13	Pass	2001
3000	10000	1	RMS	7105	-36.64	-13	Pass	7001




13.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.77	-13	Pass	401
0.15	30	0.01	RMS	0.43	-68.41	-13	Pass	2986
30	694	0.1	RMS	476.2	-59.93	-13	Pass	6641
694	726	0.1	RMS	705.6	20.77	60	Pass	401
726	1000	0.1	RMS	875.1	-58.58	-13	Pass	2741
1000	3000	1	RMS	2959	-45.77	-13	Pass	2001
3000	10000	1	RMS	7097	-36.79	-13	Pass	7001




13.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.2	-13	Pass	401
0.15	30	0.01	RMS	11.86	-69.11	-13	Pass	2986
30	694	0.1	RMS	489.3	-59.25	-13	Pass	6641
694	726	0.1	RMS	706.56	20.83	60	Pass	401
726	1000	0.1	RMS	894.6	-58.86	-13	Pass	2741
1000	3000	1	RMS	2960	-45.65	-13	Pass	2001
3000	10000	1	RMS	7104	-36.78	-13	Pass	7001



13.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.075	-71.6	-13	Pass	401
0.15	30	0.01	RMS	24.4	-67.43	-13	Pass	2986
30	694	0.1	RMS	477.2	-59.45	-13	Pass	6641
694	726	0.1	RMS	706.56	19.7	60	Pass	401
726	1000	0.1	RMS	927.6	-58.67	-13	Pass	2741
1000	3000	1	RMS	2963	-45.77	-13	Pass	2001
3000	10000	1	RMS	7083	-36.98	-13	Pass	7001



14. LTE_Band26(part22)


14.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-70.93	-13	Pass	401
0.15	30	0.01	RMS	9.09	-67.56	-13	Pass	2986
30	814	0.1	RMS	813.6	-59.52	-13	Pass	7841
814	860	0.1	RMS	824.2	20.87	60	Pass	461
860	1000	0.1	RMS	967.9	-59.64	-13	Pass	1401
1000	3000	1	RMS	2968	-45.75	-13	Pass	2001
3000	10000	1	RMS	7103	-28.42	-13	Pass	7001




14.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.73	-13	Pass	401
0.15	30	0.01	RMS	28.02	-67.91	-13	Pass	2986
30	814	0.1	RMS	492.8	-59.68	-13	Pass	7841
814	860	0.1	RMS	824.3	20.46	60	Pass	461
860	1000	0.1	RMS	998.2	-59.53	-13	Pass	1401
1000	3000	1	RMS	2956	-45.75	-13	Pass	2001
3000	10000	1	RMS	7096	-36.75	-13	Pass	7001




14.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-70.92	-13	Pass	401
0.15	30	0.01	RMS	25.57	-67.73	-13	Pass	2986
30	814	0.1	RMS	696.9	-59.89	-13	Pass	7841
814	860	0.1	RMS	836.1	21.08	60	Pass	461
860	1000	0.1	RMS	904.4	-59.35	-13	Pass	1401
1000	3000	1	RMS	1672	-44.57	-13	Pass	2001
3000	10000	1	RMS	7101	-36.78	-13	Pass	7001




14.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.26	-13	Pass	2986
30	814	0.1	RMS	494.8	-59.91	-13	Pass	7841
814	860	0.1	RMS	836.1	21.01	60	Pass	461
860	1000	0.1	RMS	898.3	-59.55	-13	Pass	1401
1000	3000	1	RMS	1672	-44.18	-13	Pass	2001
3000	10000	1	RMS	7102	-37.02	-13	Pass	7001




14.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.51	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.08	-13	Pass	2986
30	814	0.1	RMS	791.2	-60	-13	Pass	7841
814	860	0.1	RMS	847.9	21	60	Pass	461
860	1000	0.1	RMS	987.4	-59.46	-13	Pass	1401
1000	3000	1	RMS	1695	-43.46	-13	Pass	2001
3000	10000	1	RMS	7100	-36.76	-13	Pass	7001




14.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.94	-13	Pass	401
0.15	30	0.01	RMS	26.68	-68.25	-13	Pass	2986
30	814	0.1	RMS	488.6	-59.67	-13	Pass	7841
814	860	0.1	RMS	847.9	20.09	60	Pass	461
860	1000	0.1	RMS	900.9	-59.27	-13	Pass	1401
1000	3000	1	RMS	1695	-44.11	-13	Pass	2001
3000	10000	1	RMS	7103	-37	-13	Pass	7001




14.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.05	-13	Pass	401
0.15	30	0.01	RMS	0.4	-68.09	-13	Pass	2986
30	814	0.1	RMS	813.8	-58.51	-13	Pass	7841
814	860	0.1	RMS	824.2	21.15	60	Pass	461
860	1000	0.1	RMS	925	-59.39	-13	Pass	1401
1000	3000	1	RMS	2961	-45.73	-13	Pass	2001
3000	10000	1	RMS	7089	-29.19	-13	Pass	7001




14.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.98	-13	Pass	401
0.15	30	0.01	RMS	24.84	-68.48	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.37	-13	Pass	7841
814	860	0.1	RMS	824.2	20.56	60	Pass	461
860	1000	0.1	RMS	872.5	-59.37	-13	Pass	1401
1000	3000	1	RMS	2961	-45.61	-13	Pass	2001
3000	10000	1	RMS	7101	-36.71	-13	Pass	7001




14.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.17	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.28	-13	Pass	2986
30	814	0.1	RMS	475.1	-59.49	-13	Pass	7841
814	860	0.1	RMS	835.2	21.19	60	Pass	461
860	1000	0.1	RMS	891.2	-59.19	-13	Pass	1401
1000	3000	1	RMS	1670	-43.51	-13	Pass	2001
3000	10000	1	RMS	7103	-36.64	-13	Pass	7001




14.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.37	-13	Pass	401
0.15	30	0.01	RMS	23.03	-68.53	-13	Pass	2986
30	814	0.1	RMS	656.4	-59.43	-13	Pass	7841
814	860	0.1	RMS	835.2	20.59	60	Pass	461
860	1000	0.1	RMS	874.2	-59.21	-13	Pass	1401
1000	3000	1	RMS	1670	-43.99	-13	Pass	2001
3000	10000	1	RMS	7095	-36.84	-13	Pass	7001




14.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.42	-68.15	-13	Pass	2986
30	814	0.1	RMS	484.2	-59.48	-13	Pass	7841
814	860	0.1	RMS	846.2	21.38	60	Pass	461
860	1000	0.1	RMS	911.6	-58.76	-13	Pass	1401
1000	3000	1	RMS	1692	-42.91	-13	Pass	2001
3000	10000	1	RMS	7101	-36.7	-13	Pass	7001




14.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.33	-13	Pass	2986
30	814	0.1	RMS	746	-59.67	-13	Pass	7841
814	860	0.1	RMS	846.2	20.25	60	Pass	461
860	1000	0.1	RMS	919.1	-59.33	-13	Pass	1401
1000	3000	1	RMS	1692	-43.94	-13	Pass	2001
3000	10000	1	RMS	7094	-37.03	-13	Pass	7001




14.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.06	-13	Pass	401
0.15	30	0.01	RMS	26.76	-68.36	-13	Pass	2986
30	814	0.1	RMS	812.6	-58.98	-13	Pass	7841
814	860	0.1	RMS	824.3	21.04	60	Pass	461
860	1000	0.1	RMS	994.4	-59.31	-13	Pass	1401
1000	3000	1	RMS	2930	-45.88	-13	Pass	2001
3000	10000	1	RMS	7099	-29.78	-13	Pass	7001




14.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.087	-71.42	-13	Pass	401
0.15	30	0.01	RMS	24.25	-68.44	-13	Pass	2986
30	814	0.1	RMS	813.6	-58.96	-13	Pass	7841
814	860	0.1	RMS	824.3	19.96	60	Pass	461
860	1000	0.1	RMS	875.2	-59.02	-13	Pass	1401
1000	3000	1	RMS	2956	-45.77	-13	Pass	2001
3000	10000	1	RMS	7101	-36.7	-13	Pass	7001




14.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-71.14	-13	Pass	401
0.15	30	0.01	RMS	0.41	-68.11	-13	Pass	2986
30	814	0.1	RMS	808.4	-59.55	-13	Pass	7841
814	860	0.1	RMS	834.3	21.16	60	Pass	461
860	1000	0.1	RMS	883.5	-59.31	-13	Pass	1401
1000	3000	1	RMS	1668	-43.98	-13	Pass	2001
3000	10000	1	RMS	7102	-36.71	-13	Pass	7001




14.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.03	-13	Pass	401
0.15	30	0.01	RMS	14.44	-68.4	-13	Pass	2986
30	814	0.1	RMS	708.4	-59.69	-13	Pass	7841
814	860	0.1	RMS	834.3	20.54	60	Pass	461
860	1000	0.1	RMS	908.4	-59.06	-13	Pass	1401
1000	3000	1	RMS	1668	-44.63	-13	Pass	2001
3000	10000	1	RMS	7102	-36.98	-13	Pass	7001




14.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-71.16	-13	Pass	401
0.15	30	0.01	RMS	14.06	-67.93	-13	Pass	2986
30	814	0.1	RMS	496.2	-59.41	-13	Pass	7841
814	860	0.1	RMS	844.3	21.03	60	Pass	461
860	1000	0.1	RMS	915.1	-59.19	-13	Pass	1401
1000	3000	1	RMS	2957	-45.65	-13	Pass	2001
3000	10000	1	RMS	7102	-36.63	-13	Pass	7001




14.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70	-13	Pass	401
0.15	30	0.01	RMS	28.85	-68.29	-13	Pass	2986
30	814	0.1	RMS	646.1	-59.56	-13	Pass	7841
814	860	0.1	RMS	844.3	20.82	60	Pass	461
860	1000	0.1	RMS	900.3	-59.31	-13	Pass	1401
1000	3000	1	RMS	2962	-45.62	-13	Pass	2001
3000	10000	1	RMS	7101	-36.65	-13	Pass	7001




14.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.057	-71.39	-13	Pass	401
0.15	30	0.01	RMS	11.84	-68.4	-13	Pass	2986
30	814	0.1	RMS	814	-58.6	-13	Pass	7841
814	860	0.1	RMS	824.6	21.57	60	Pass	461
860	1000	0.1	RMS	911	-58.92	-13	Pass	1401
1000	3000	1	RMS	2982	-45.88	-13	Pass	2001
3000	10000	1	RMS	7083	-28.32	-13	Pass	7001




14.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-70.61	-13	Pass	401
0.15	30	0.01	RMS	29.3	-67.64	-13	Pass	2986
30	814	0.1	RMS	813.9	-57.6	-13	Pass	7841
814	860	0.1	RMS	824.6	21.06	60	Pass	461
860	1000	0.1	RMS	901.1	-59.27	-13	Pass	1401
1000	3000	1	RMS	2960	-45.81	-13	Pass	2001
3000	10000	1	RMS	7101	-36.83	-13	Pass	7001




14.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-70.6	-13	Pass	401
0.15	30	0.01	RMS	3.42	-68.35	-13	Pass	2986
30	814	0.1	RMS	814	-58.6	-13	Pass	7841
814	860	0.1	RMS	832.1	21.57	60	Pass	461
860	1000	0.1	RMS	869.4	-59.09	-13	Pass	1401
1000	3000	1	RMS	1664	-44.64	-13	Pass	2001
3000	10000	1	RMS	7099	-36.75	-13	Pass	7001




14.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.05	-71.04	-13	Pass	401
0.15	30	0.01	RMS	28.63	-67.79	-13	Pass	2986
30	814	0.1	RMS	814	-58.95	-13	Pass	7841
814	860	0.1	RMS	832.1	21.6	60	Pass	461
860	1000	0.1	RMS	918.9	-59.39	-13	Pass	1401
1000	3000	1	RMS	1664	-44.39	-13	Pass	2001
3000	10000	1	RMS	7095	-37	-13	Pass	7001




14.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.56	-13	Pass	401
0.15	30	0.01	RMS	5.79	-68.31	-13	Pass	2986
30	814	0.1	RMS	723.6	-59.72	-13	Pass	7841
814	860	0.1	RMS	839.6	21.33	60	Pass	461
860	1000	0.1	RMS	878.6	-59.2	-13	Pass	1401
1000	3000	1	RMS	2958	-45.8	-13	Pass	2001
3000	10000	1	RMS	7095	-36.81	-13	Pass	7001




14.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.54	-13	Pass	401
0.15	30	0.01	RMS	21.68	-67.66	-13	Pass	2986
30	814	0.1	RMS	725	-59.62	-13	Pass	7841
814	860	0.1	RMS	839.6	21.04	60	Pass	461
860	1000	0.1	RMS	991.9	-59.31	-13	Pass	1401
1000	3000	1	RMS	2929	-45.88	-13	Pass	2001
3000	10000	1	RMS	7103	-36.93	-13	Pass	7001




14.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.43	-13	Pass	401
0.15	30	0.01	RMS	25.8	-68.65	-13	Pass	2986
30	814	0.1	RMS	811.5	-47.45	-13	Pass	7841
814	860	0.1	RMS	824.8	21.02	60	Pass	461
860	1000	0.1	RMS	921.9	-59.03	-13	Pass	1401
1000	3000	1	RMS	2962	-45.82	-13	Pass	2001
3000	10000	1	RMS	7097	-28.96	-13	Pass	7001




14.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.15	-13	Pass	401
0.15	30	0.01	RMS	17.06	-68.08	-13	Pass	2986
30	814	0.1	RMS	811.5	-47.36	-13	Pass	7841
814	860	0.1	RMS	824.8	20.51	60	Pass	461
860	1000	0.1	RMS	901	-59.18	-13	Pass	1401
1000	3000	1	RMS	2937	-45.85	-13	Pass	2001
3000	10000	1	RMS	7100	-36.77	-13	Pass	7001




14.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.054	-71.58	-13	Pass	401
0.15	30	0.01	RMS	26.35	-68.16	-13	Pass	2986
30	814	0.1	RMS	811	-59.49	-13	Pass	7841
814	860	0.1	RMS	829.8	21.21	60	Pass	461
860	1000	0.1	RMS	906	-59.48	-13	Pass	1401
1000	3000	1	RMS	1659	-45.6	-13	Pass	2001
3000	10000	1	RMS	7095	-36.97	-13	Pass	7001




14.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.24	-13	Pass	401
0.15	30	0.01	RMS	0.53	-68.12	-13	Pass	2986
30	814	0.1	RMS	814	-59.28	-13	Pass	7841
814	860	0.1	RMS	829.8	21.21	60	Pass	461
860	1000	0.1	RMS	867.1	-59.32	-13	Pass	1401
1000	3000	1	RMS	1659	-45.31	-13	Pass	2001
3000	10000	1	RMS	7100	-36.86	-13	Pass	7001




14.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.95	-13	Pass	401
0.15	30	0.01	RMS	28.33	-68.19	-13	Pass	2986
30	814	0.1	RMS	808.3	-56.28	-13	Pass	7841
814	860	0.1	RMS	834.8	20.82	60	Pass	461
860	1000	0.1	RMS	882.1	-59.19	-13	Pass	1401
1000	3000	1	RMS	1669	-44.17	-13	Pass	2001
3000	10000	1	RMS	7102	-36.95	-13	Pass	7001



14.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-72.02	-13	Pass	401
0.15	30	0.01	RMS	0.19	-67.42	-13	Pass	2986
30	814	0.1	RMS	808.3	-55.79	-13	Pass	7841
814	860	0.1	RMS	834.8	20.53	60	Pass	461
860	1000	0.1	RMS	994.3	-59.32	-13	Pass	1401
1000	3000	1	RMS	1669	-44.41	-13	Pass	2001
3000	10000	1	RMS	7097	-37.06	-13	Pass	7001



15. LTE_Band26(part90)


15.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.108	-65.18	-13	Pass	401
0.15	30	0.01	Peak	19.57	-60.47	-13	Pass	2986
30	809	0.1	Peak	766.8	-47.74	-13	Pass	7791
809	829	0.1	Peak	814.25	26.5	60	Pass	401
829	1000	0.1	Peak	954.4	-47.27	-13	Pass	1711
1000	3000	1	Peak	2749	-32.02	-13	Pass	2001
3000	10000	1	Peak	7038	-22.19	-13	Pass	7001




15.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.02	-13	Pass	401
0.15	30	0.01	Peak	22.41	-60.29	-13	Pass	2986
30	809	0.1	Peak	475.3	-47.58	-13	Pass	7791
809	829	0.1	Peak	814.3	27.2	60	Pass	401
829	1000	0.1	Peak	973.2	-47.08	-13	Pass	1711
1000	3000	1	Peak	2531	-32.34	-13	Pass	2001
3000	10000	1	Peak	7059	-23.23	-13	Pass	7001




15.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-64.18	-13	Pass	401
0.15	30	0.01	Peak	13.92	-59.95	-13	Pass	2986
30	809	0.1	Peak	702.3	-47.95	-13	Pass	7791
809	829	0.1	Peak	818.5	26.8	60	Pass	401
829	1000	0.1	Peak	966.4	-46.1	-13	Pass	1711
1000	3000	1	Peak	2212	-31.76	-13	Pass	2001
3000	10000	1	Peak	7502	-22.71	-13	Pass	7001




15.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.63	-13	Pass	401
0.15	30	0.01	Peak	4.83	-59.23	-13	Pass	2986
30	809	0.1	Peak	778.1	-47.38	-13	Pass	7791
809	829	0.1	Peak	818.6	27.42	60	Pass	401
829	1000	0.1	Peak	838.2	-45.71	-13	Pass	1711
1000	3000	1	Peak	2954	-31.85	-13	Pass	2001
3000	10000	1	Peak	7705	-23.11	-13	Pass	7001




15.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.071	-65.74	-13	Pass	401
0.15	30	0.01	Peak	3.06	-60.02	-13	Pass	2986
30	809	0.1	Peak	483.5	-48	-13	Pass	7791
809	829	0.1	Peak	822.85	26.41	60	Pass	401
829	1000	0.1	Peak	877.7	-47.19	-13	Pass	1711
1000	3000	1	Peak	2785	-31.64	-13	Pass	2001
3000	10000	1	Peak	9985	-23.21	-13	Pass	7001




15.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.22	-13	Pass	401
0.15	30	0.01	Peak	0.55	-59.47	-13	Pass	2986
30	809	0.1	Peak	720	-47.89	-13	Pass	7791
809	829	0.1	Peak	822.85	26.89	60	Pass	401
829	1000	0.1	Peak	952.6	-47.1	-13	Pass	1711
1000	3000	1	Peak	2931	-32.15	-13	Pass	2001
3000	10000	1	Peak	8377	-23.27	-13	Pass	7001




15.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.4	-13	Pass	401
0.15	30	0.01	Peak	29.87	-59.83	-13	Pass	2986
30	809	0.1	Peak	809	-37.41	-13	Pass	7791
809	829	0.1	Peak	814.2	26.31	60	Pass	401
829	1000	0.1	Peak	829.9	-45.6	-13	Pass	1711
1000	3000	1	Peak	2837	-31.98	-13	Pass	2001
3000	10000	1	Peak	7066	-22.95	-13	Pass	7001




15.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.07	-13	Pass	401
0.15	30	0.01	Peak	0.39	-60.42	-13	Pass	2986
30	809	0.1	Peak	809	-33.66	-13	Pass	7791
809	829	0.1	Peak	814.2	26.8	60	Pass	401
829	1000	0.1	Peak	830.9	-41.23	-13	Pass	1711
1000	3000	1	Peak	2910	-31.83	-13	Pass	2001
3000	10000	1	Peak	7117	-22.79	-13	Pass	7001




15.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-63.15	-13	Pass	401
0.15	30	0.01	Peak	15.72	-60.03	-13	Pass	2986
30	809	0.1	Peak	663.6	-47.07	-13	Pass	7791
809	829	0.1	Peak	817.75	26.69	60	Pass	401
829	1000	0.1	Peak	967.5	-47.28	-13	Pass	1711
1000	3000	1	Peak	2971	-31.8	-13	Pass	2001
3000	10000	1	Peak	7442	-23.02	-13	Pass	7001




15.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-64.25	-13	Pass	401
0.15	30	0.01	Peak	28.78	-59.72	-13	Pass	2986
30	809	0.1	Peak	800.5	-47.01	-13	Pass	7791
809	829	0.1	Peak	817.75	27.02	60	Pass	401
829	1000	0.1	Peak	888.4	-46.98	-13	Pass	1711
1000	3000	1	Peak	2846	-31.28	-13	Pass	2001
3000	10000	1	Peak	9786	-22.52	-13	Pass	7001




**15.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.072	-65.16	-13	Pass	401
0.15	30	0.01	Peak	23.47	-59.5	-13	Pass	2986
30	809	0.1	Peak	731.4	-47.05	-13	Pass	7791
809	829	0.1	Peak	821.2	26.53	60	Pass	401
829	1000	0.1	Peak	927.3	-47.02	-13	Pass	1711
1000	3000	1	Peak	2972	-31.86	-13	Pass	2001
3000	10000	1	Peak	7795	-22.93	-13	Pass	7001




15.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.59	-13	Pass	401
0.15	30	0.01	Peak	20.95	-60.09	-13	Pass	2986
30	809	0.1	Peak	542.7	-47.04	-13	Pass	7791
809	829	0.1	Peak	821.25	26.95	60	Pass	401
829	1000	0.1	Peak	829.6	-46.95	-13	Pass	1711
1000	3000	1	Peak	2787	-32.3	-13	Pass	2001
3000	10000	1	Peak	9992	-22.89	-13	Pass	7001




15.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.79	-13	Pass	401
0.15	30	0.01	Peak	14.51	-60.29	-13	Pass	2986
30	809	0.1	Peak	254.9	-47.28	-13	Pass	7791
809	829	0.1	Peak	814.35	26.69	60	Pass	401
829	1000	0.1	Peak	835.7	-46.72	-13	Pass	1711
1000	3000	1	Peak	2764	-31.73	-13	Pass	2001
3000	10000	1	Peak	9730	-22.94	-13	Pass	7001




15.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.6	-13	Pass	401
0.15	30	0.01	Peak	28.19	-59.66	-13	Pass	2986
30	809	0.1	Peak	622.8	-47.35	-13	Pass	7791
809	829	0.1	Peak	814.3	26.91	60	Pass	401
829	1000	0.1	Peak	830.4	-44.98	-13	Pass	1711
1000	3000	1	Peak	2833	-31.97	-13	Pass	2001
3000	10000	1	Peak	7573	-23.3	-13	Pass	7001




15.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.93	-13	Pass	401
0.15	30	0.01	Peak	2.65	-59.85	-13	Pass	2986
30	809	0.1	Peak	808.3	-41.02	-13	Pass	7791
809	829	0.1	Peak	816.85	26.66	60	Pass	401
829	1000	0.1	Peak	829.9	-46.38	-13	Pass	1711
1000	3000	1	Peak	2927	-31.93	-13	Pass	2001
3000	10000	1	Peak	7781	-22.45	-13	Pass	7001




15.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-64.5	-13	Pass	401
0.15	30	0.01	Peak	17.26	-60.16	-13	Pass	2986
30	809	0.1	Peak	808.3	-42.87	-13	Pass	7791
809	829	0.1	Peak	816.8	26.93	60	Pass	401
829	1000	0.1	Peak	830.6	-41.8	-13	Pass	1711
1000	3000	1	Peak	2960	-32.2	-13	Pass	2001
3000	10000	1	Peak	7914	-22.28	-13	Pass	7001




**15.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.047	-64.17	-13	Pass	401
0.15	30	0.01	Peak	28.67	-59.93	-13	Pass	2986
30	809	0.1	Peak	457.4	-47.76	-13	Pass	7791
809	829	0.1	Peak	819.3	26.26	60	Pass	401
829	1000	0.1	Peak	874	-46.86	-13	Pass	1711
1000	3000	1	Peak	2890	-31.65	-13	Pass	2001
3000	10000	1	Peak	7597	-22.8	-13	Pass	7001




15.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.078	-65.84	-13	Pass	401
0.15	30	0.01	Peak	0.97	-59.28	-13	Pass	2986
30	809	0.1	Peak	585.1	-48.07	-13	Pass	7791
809	829	0.1	Peak	819.3	26.98	60	Pass	401
829	1000	0.1	Peak	990.9	-46.12	-13	Pass	1711
1000	3000	1	Peak	2987	-32.03	-13	Pass	2001
3000	10000	1	Peak	7813	-22.76	-13	Pass	7001




15.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.044	-65.51	-13	Pass	401
0.15	30	0.01	Peak	16.29	-58.78	-13	Pass	2986
30	809	0.1	Peak	809	-43.97	-13	Pass	7791
809	829	0.1	Peak	814.6	26.55	60	Pass	401
829	1000	0.1	Peak	832.2	-20.04	-13	Pass	1711
1000	3000	1	Peak	2981	-31.85	-13	Pass	2001
3000	10000	1	Peak	7814	-22.23	-13	Pass	7001



15.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.05	-13	Pass	401
0.15	30	0.01	Peak	20.55	-60.24	-13	Pass	2986
30	809	0.1	Peak	808.8	-40.9	-13	Pass	7791
809	829	0.1	Peak	814.55	26.82	60	Pass	401
829	1000	0.1	Peak	832.3	-17.39	-13	Pass	1711
1000	3000	1	Peak	2986	-30.99	-13	Pass	2001
3000	10000	1	Peak	7099	-22.09	-13	Pass	7001



16. LTE_Band66


16.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.17	-13	Pass	401
0.15	30	0.01	RMS	13.32	-68.45	-13	Pass	2986
30	1000	0.1	RMS	901.134	-59.2	-13	Pass	9701
1000	1700	1	RMS	1700	-48	-13	Pass	701
1700	1790	1	RMS	1710.125	24.66	60	Pass	401
1790	3000	1	RMS	2967	-45.92	-13	Pass	1211
3000	12000	1	RMS	7221	-29.8	-13	Pass	9002
12000	20000	1	RMS	19732	-21.62	-13	Pass	8001




16.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-70.93	-13	Pass	401
0.15	30	0.01	RMS	13.42	-68.77	-13	Pass	2986
30	1000	0.1	RMS	972.982	-59.52	-13	Pass	9701
1000	1700	1	RMS	1700	-47.96	-13	Pass	701
1700	1790	1	RMS	1710.125	23.67	60	Pass	401
1790	3000	1	RMS	2963	-45.65	-13	Pass	1211
3000	12000	1	RMS	11848	-36.55	-13	Pass	9002
12000	20000	1	RMS	19808	-28.92	-13	Pass	8001




16.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.09	-71.46	-13	Pass	401
0.15	30	0.01	RMS	23.34	-67.98	-13	Pass	2986
30	1000	0.1	RMS	892.629	-59.4	-13	Pass	9701
1000	1700	1	RMS	1664	-49.18	-13	Pass	701
1700	1790	1	RMS	1744.55	24.7	60	Pass	401
1790	3000	1	RMS	2977	-45.71	-13	Pass	1211
3000	12000	1	RMS	11858	-36.56	-13	Pass	9002
12000	20000	1	RMS	19793	-28.93	-13	Pass	8001




16.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.12	-13	Pass	401
0.15	30	0.01	RMS	6.34	-68.54	-13	Pass	2986
30	1000	0.1	RMS	979.687	-59.31	-13	Pass	9701
1000	1700	1	RMS	1672	-49.12	-13	Pass	701
1700	1790	1	RMS	1744.55	23.99	60	Pass	401
1790	3000	1	RMS	2980	-45.76	-13	Pass	1211
3000	12000	1	RMS	11502	-36.52	-13	Pass	9002
12000	20000	1	RMS	19806	-28.87	-13	Pass	8001




16.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.78	-13	Pass	401
0.15	30	0.01	RMS	0.56	-68.26	-13	Pass	2986
30	1000	0.1	RMS	881.622	-59.11	-13	Pass	9701
1000	1700	1	RMS	1686	-48.91	-13	Pass	701
1700	1790	1	RMS	1778.75	25.11	60	Pass	401
1790	3000	1	RMS	2963	-45.66	-13	Pass	1211
3000	12000	1	RMS	11484	-36.27	-13	Pass	9002
12000	20000	1	RMS	19782	-28.79	-13	Pass	8001




16.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.56	-13	Pass	401
0.15	30	0.01	RMS	0.42	-67.76	-13	Pass	2986
30	1000	0.1	RMS	732.2	-59.51	-13	Pass	9701
1000	1700	1	RMS	1686	-49.08	-13	Pass	701
1700	1790	1	RMS	1778.75	23.74	60	Pass	401
1790	3000	1	RMS	2929	-45.83	-13	Pass	1211
3000	12000	1	RMS	11469	-36.45	-13	Pass	9002
12000	20000	1	RMS	19797	-29.05	-13	Pass	8001




16.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.98	-13	Pass	401
0.15	30	0.01	RMS	27.4	-68.75	-13	Pass	2986
30	1000	0.1	RMS	899.633	-59.29	-13	Pass	9701
1000	1700	1	RMS	1700	-47.33	-13	Pass	701
1700	1790	1	RMS	1710.125	24.56	60	Pass	401
1790	3000	1	RMS	2966	-45.76	-13	Pass	1211
3000	12000	1	RMS	7221	-29.25	-13	Pass	9002
12000	20000	1	RMS	19731	-20.97	-13	Pass	8001




16.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.18	-13	Pass	401
0.15	30	0.01	RMS	0.21	-67.86	-13	Pass	2986
30	1000	0.1	RMS	472.9	-59.44	-13	Pass	9701
1000	1700	1	RMS	1700	-47.56	-13	Pass	701
1700	1790	1	RMS	1710.125	23.58	60	Pass	401
1790	3000	1	RMS	2994	-45.79	-13	Pass	1211
3000	12000	1	RMS	11513	-36.42	-13	Pass	9002
12000	20000	1	RMS	19801	-28.86	-13	Pass	8001




16.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-70.99	-13	Pass	401
0.15	30	0.01	RMS	4.89	-68.37	-13	Pass	2986
30	1000	0.1	RMS	906.038	-59.39	-13	Pass	9701
1000	1700	1	RMS	1697	-49.04	-13	Pass	701
1700	1790	1	RMS	1743.65	24.88	60	Pass	401
1790	3000	1	RMS	2963	-45.64	-13	Pass	1211
3000	12000	1	RMS	11848	-36.38	-13	Pass	9002
12000	20000	1	RMS	19807	-28.9	-13	Pass	8001




16.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.3	-13	Pass	401
0.15	30	0.01	RMS	28.29	-68.19	-13	Pass	2986
30	1000	0.1	RMS	917.545	-59.22	-13	Pass	9701
1000	1700	1	RMS	1693	-48.95	-13	Pass	701
1700	1790	1	RMS	1743.65	24.07	60	Pass	401
1790	3000	1	RMS	2930	-45.66	-13	Pass	1211
3000	12000	1	RMS	11485	-36.29	-13	Pass	9002
12000	20000	1	RMS	19806	-28.95	-13	Pass	8001




16.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.21	-13	Pass	401
0.15	30	0.01	RMS	25.15	-68.25	-13	Pass	2986
30	1000	0.1	RMS	887.325	-59.42	-13	Pass	9701
1000	1700	1	RMS	1699	-48.9	-13	Pass	701
1700	1790	1	RMS	1777.175	25.04	60	Pass	401
1790	3000	1	RMS	2958	-45.77	-13	Pass	1211
3000	12000	1	RMS	7109	-36.4	-13	Pass	9002
12000	20000	1	RMS	19783	-28.95	-13	Pass	8001




16.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.77	-13	Pass	401
0.15	30	0.01	RMS	21.78	-68.1	-13	Pass	2986
30	1000	0.1	RMS	846.1	-59.37	-13	Pass	9701
1000	1700	1	RMS	1687	-48.9	-13	Pass	701
1700	1790	1	RMS	1777.175	23.59	60	Pass	401
1790	3000	1	RMS	2963	-45.79	-13	Pass	1211
3000	12000	1	RMS	11461	-36.26	-13	Pass	9002
12000	20000	1	RMS	19792	-28.85	-13	Pass	8001




16.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-71.22	-13	Pass	401
0.15	30	0.01	RMS	26.12	-68.33	-13	Pass	2986
30	1000	0.1	RMS	879.72	-59.47	-13	Pass	9701
1000	1700	1	RMS	1700	-46.79	-13	Pass	701
1700	1790	1	RMS	1710.125	24.4	60	Pass	401
1790	3000	1	RMS	2949	-45.82	-13	Pass	1211
3000	12000	1	RMS	7238	-29.51	-13	Pass	9002
12000	20000	1	RMS	19748	-21.29	-13	Pass	8001




16.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-71.46	-13	Pass	401
0.15	30	0.01	RMS	29.81	-68.45	-13	Pass	2986
30	1000	0.1	RMS	982.689	-59.43	-13	Pass	9701
1000	1700	1	RMS	1700	-47.03	-13	Pass	701
1700	1790	1	RMS	1710.125	23.1	60	Pass	401
1790	3000	1	RMS	2959	-45.7	-13	Pass	1211
3000	12000	1	RMS	11870	-36.34	-13	Pass	9002
12000	20000	1	RMS	19791	-28.79	-13	Pass	8001




16.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.111	-71.57	-13	Pass	401
0.15	30	0.01	RMS	16.79	-68.35	-13	Pass	2986
30	1000	0.1	RMS	873.916	-59.23	-13	Pass	9701
1000	1700	1	RMS	1668	-49.16	-13	Pass	701
1700	1790	1	RMS	1742.75	24.97	60	Pass	401
1790	3000	1	RMS	2982	-45.73	-13	Pass	1211
3000	12000	1	RMS	11463	-36.36	-13	Pass	9002
12000	20000	1	RMS	19796	-28.84	-13	Pass	8001




16.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-70.88	-13	Pass	401
0.15	30	0.01	RMS	25.51	-68.38	-13	Pass	2986
30	1000	0.1	RMS	981.488	-59.53	-13	Pass	9701
1000	1700	1	RMS	1700	-48.92	-13	Pass	701
1700	1790	1	RMS	1742.75	23.76	60	Pass	401
1790	3000	1	RMS	2967	-45.61	-13	Pass	1211
3000	12000	1	RMS	11490	-36.21	-13	Pass	9002
12000	20000	1	RMS	19788	-28.74	-13	Pass	8001




16.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.114	-71.67	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.6	-13	Pass	2986
30	1000	0.1	RMS	887.626	-59.11	-13	Pass	9701
1000	1700	1	RMS	1692	-49.06	-13	Pass	701
1700	1790	1	RMS	1775.15	24.88	60	Pass	401
1790	3000	1	RMS	2955	-45.82	-13	Pass	1211
3000	12000	1	RMS	11492	-36.35	-13	Pass	9002
12000	20000	1	RMS	19792	-28.85	-13	Pass	8001




16.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.64	-13	Pass	2986
30	1000	0.1	RMS	901.935	-58.93	-13	Pass	9701
1000	1700	1	RMS	1698	-48.92	-13	Pass	701
1700	1790	1	RMS	1775.15	24.39	60	Pass	401
1790	3000	1	RMS	2943	-45.79	-13	Pass	1211
3000	12000	1	RMS	11847	-36.42	-13	Pass	9002
12000	20000	1	RMS	12544	-28.75	-13	Pass	8001




16.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-71.6	-13	Pass	401
0.15	30	0.01	RMS	1.78	-68.02	-13	Pass	2986
30	1000	0.1	RMS	884.223	-59.12	-13	Pass	9701
1000	1700	1	RMS	1693	-35.7	-13	Pass	701
1700	1790	1	RMS	1710.575	24.52	60	Pass	401
1790	3000	1	RMS	2958	-45.77	-13	Pass	1211
3000	12000	1	RMS	3626	-34.4	-13	Pass	9002
12000	20000	1	RMS	19732	-21.16	-13	Pass	8001




16.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.63	-13	Pass	401
0.15	30	0.01	RMS	2.17	-68.39	-13	Pass	2986
30	1000	0.1	RMS	892.729	-59.2	-13	Pass	9701
1000	1700	1	RMS	1693	-37.22	-13	Pass	701
1700	1790	1	RMS	1710.575	23.52	60	Pass	401
1790	3000	1	RMS	2961	-45.8	-13	Pass	1211
3000	12000	1	RMS	11869	-36.59	-13	Pass	9002
12000	20000	1	RMS	19788	-28.93	-13	Pass	8001




16.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.06	-13	Pass	401
0.15	30	0.01	RMS	22.48	-67.88	-13	Pass	2986
30	1000	0.1	RMS	463.1	-59.45	-13	Pass	9701
1000	1700	1	RMS	1691	-48.84	-13	Pass	701
1700	1790	1	RMS	1740.5	24.79	60	Pass	401
1790	3000	1	RMS	2980	-45.66	-13	Pass	1211
3000	12000	1	RMS	11843	-36.48	-13	Pass	9002
12000	20000	1	RMS	19746	-28.99	-13	Pass	8001




16.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.35	-13	Pass	401
0.15	30	0.01	RMS	24.73	-69.08	-13	Pass	2986
30	1000	0.1	RMS	901.034	-59.32	-13	Pass	9701
1000	1700	1	RMS	1700	-48.98	-13	Pass	701
1700	1790	1	RMS	1740.5	24.4	60	Pass	401
1790	3000	1	RMS	2955	-45.62	-13	Pass	1211
3000	12000	1	RMS	11457	-36.37	-13	Pass	9002
12000	20000	1	RMS	19779	-28.84	-13	Pass	8001




16.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.6	-68.38	-13	Pass	2986
30	1000	0.1	RMS	864.21	-59.4	-13	Pass	9701
1000	1700	1	RMS	1667	-48.99	-13	Pass	701
1700	1790	1	RMS	1770.425	24.99	60	Pass	401
1790	3000	1	RMS	2922	-45.81	-13	Pass	1211
3000	12000	1	RMS	11466	-36.21	-13	Pass	9002
12000	20000	1	RMS	19798	-28.93	-13	Pass	8001




16.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.068	-71.51	-13	Pass	401
0.15	30	0.01	RMS	0.29	-68.2	-13	Pass	2986
30	1000	0.1	RMS	498.7	-59.14	-13	Pass	9701
1000	1700	1	RMS	1666	-49.16	-13	Pass	701
1700	1790	1	RMS	1770.425	24.08	60	Pass	401
1790	3000	1	RMS	2964	-45.76	-13	Pass	1211
3000	12000	1	RMS	7236	-29.29	-13	Pass	9002
12000	20000	1	RMS	19803	-28.9	-13	Pass	8001




16.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.76	-13	Pass	401
0.15	30	0.01	RMS	2.28	-68.5	-13	Pass	2986
30	1000	0.1	RMS	883.123	-59.23	-13	Pass	9701
1000	1700	1	RMS	1698	-36.95	-13	Pass	701
1700	1790	1	RMS	1710.8	24.52	60	Pass	401
1790	3000	1	RMS	2960	-45.59	-13	Pass	1211
3000	12000	1	RMS	3634	-33.8	-13	Pass	9002
12000	20000	1	RMS	19746	-21.63	-13	Pass	8001




16.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.2	-13	Pass	401
0.15	30	0.01	RMS	23.45	-67.99	-13	Pass	2986
30	1000	0.1	RMS	865.411	-59.22	-13	Pass	9701
1000	1700	1	RMS	1698	-37.91	-13	Pass	701
1700	1790	1	RMS	1710.8	23.65	60	Pass	401
1790	3000	1	RMS	2962	-45.74	-13	Pass	1211
3000	12000	1	RMS	11842	-36.55	-13	Pass	9002
12000	20000	1	RMS	19784	-28.95	-13	Pass	8001




16.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.63	-13	Pass	401
0.15	30	0.01	RMS	28.46	-67.99	-13	Pass	2986
30	1000	0.1	RMS	901.835	-59.11	-13	Pass	9701
1000	1700	1	RMS	1672	-48.99	-13	Pass	701
1700	1790	1	RMS	1738.25	24.78	60	Pass	401
1790	3000	1	RMS	2957	-45.63	-13	Pass	1211
3000	12000	1	RMS	11498	-36.2	-13	Pass	9002
12000	20000	1	RMS	19803	-28.84	-13	Pass	8001




16.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.076	-71.5	-13	Pass	401
0.15	30	0.01	RMS	20.64	-68.39	-13	Pass	2986
30	1000	0.1	RMS	844.8	-59.39	-13	Pass	9701
1000	1700	1	RMS	1696	-49.03	-13	Pass	701
1700	1790	1	RMS	1738.25	23.77	60	Pass	401
1790	3000	1	RMS	2976	-45.77	-13	Pass	1211
3000	12000	1	RMS	11494	-36.36	-13	Pass	9002
12000	20000	1	RMS	19800	-28.91	-13	Pass	8001




16.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-71.2	-13	Pass	401
0.15	30	0.01	RMS	27.85	-67.92	-13	Pass	2986
30	1000	0.1	RMS	981.488	-59.1	-13	Pass	9701
1000	1700	1	RMS	1694	-48.97	-13	Pass	701
1700	1790	1	RMS	1765.7	24.92	60	Pass	401
1790	3000	1	RMS	1792	-32.09	-13	Pass	1211
3000	12000	1	RMS	11821	-28.67	-13	Pass	9002
12000	20000	1	RMS	19781	-29.07	-13	Pass	8001




16.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.033	-71.97	-13	Pass	401
0.15	30	0.01	RMS	3.47	-68.52	-13	Pass	2986
30	1000	0.1	RMS	895.531	-59.32	-13	Pass	9701
1000	1700	1	RMS	1682	-48.99	-13	Pass	701
1700	1790	1	RMS	1765.7	24.55	60	Pass	401
1790	3000	1	RMS	1792	-32.56	-13	Pass	1211
3000	12000	1	RMS	11500	-36.35	-13	Pass	9002
12000	20000	1	RMS	19753	-29.09	-13	Pass	8001




16.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.051	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.86	-13	Pass	2986
30	1000	0.1	RMS	914.243	-59.23	-13	Pass	9701
1000	1700	1	RMS	1693	-34.28	-13	Pass	701
1700	1790	1	RMS	1711.025	24.7	60	Pass	401
1790	3000	1	RMS	2928	-45.76	-13	Pass	1211
3000	12000	1	RMS	3632	-34.06	-13	Pass	9002
12000	20000	1	RMS	19739	-20.72	-13	Pass	8001




16.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.079	-71.67	-13	Pass	401
0.15	30	0.01	RMS	3.79	-68.18	-13	Pass	2986
30	1000	0.1	RMS	897.332	-59.22	-13	Pass	9701
1000	1700	1	RMS	1693	-38.11	-13	Pass	701
1700	1790	1	RMS	1711.025	23.63	60	Pass	401
1790	3000	1	RMS	2972	-45.74	-13	Pass	1211
3000	12000	1	RMS	11482	-36.2	-13	Pass	9002
12000	20000	1	RMS	19799	-28.73	-13	Pass	8001




16.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.89	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.51	-13	Pass	2986
30	1000	0.1	RMS	884.523	-59.06	-13	Pass	9701
1000	1700	1	RMS	1700	-39.04	-13	Pass	701
1700	1790	1	RMS	1736	24.66	60	Pass	401
1790	3000	1	RMS	2948	-45.7	-13	Pass	1211
3000	12000	1	RMS	11859	-36.34	-13	Pass	9002
12000	20000	1	RMS	19798	-28.86	-13	Pass	8001




16.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.73	-13	Pass	401
0.15	30	0.01	RMS	26.36	-68.14	-13	Pass	2986
30	1000	0.1	RMS	927.052	-59.16	-13	Pass	9701
1000	1700	1	RMS	1700	-39.87	-13	Pass	701
1700	1790	1	RMS	1736	23.97	60	Pass	401
1790	3000	1	RMS	2960	-45.6	-13	Pass	1211
3000	12000	1	RMS	11443	-36.36	-13	Pass	9002
12000	20000	1	RMS	19788	-28.82	-13	Pass	8001




16.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.82	-13	Pass	401
0.15	30	0.01	RMS	2.72	-68.41	-13	Pass	2986
30	1000	0.1	RMS	915.544	-59.41	-13	Pass	9701
1000	1700	1	RMS	1700	-44.76	-13	Pass	701
1700	1790	1	RMS	1760.975	25.09	60	Pass	401
1790	3000	1	RMS	1797	-34.66	-13	Pass	1211
3000	12000	1	RMS	7220	-30.64	-13	Pass	9002
12000	20000	1	RMS	19784	-28.86	-13	Pass	8001



16.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.135	-71.85	-13	Pass	401
0.15	30	0.01	RMS	20.18	-68.16	-13	Pass	2986
30	1000	0.1	RMS	960.574	-59.1	-13	Pass	9701
1000	1700	1	RMS	1700	-46.09	-13	Pass	701
1700	1790	1	RMS	1760.975	24.06	60	Pass	401
1790	3000	1	RMS	1797	-35.74	-13	Pass	1211
3000	12000	1	RMS	11861	-36.52	-13	Pass	9002
12000	20000	1	RMS	19798	-28.96	-13	Pass	8001



--BLANK BELOW--