


# Annex C. LTE Transmitter Spurious Emissions

# 1. LTE\_Band7


## 1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.81	-25	Pass	2985
30	1000	0.1	RMS	993.899	-55.75	-25	Pass	9700
1000	2490	1	RMS	2422.955	-41.83	-25	Pass	1490
2490	2580	1	RMS	2500.35	7.65	60	Pass	601
2580	3000	1	RMS	2659.8	-40.5	-25	Pass	601
3000	12000	1	RMS	11916.991	-49.04	-25	Pass	9000
12000	26000	1	RMS	25950.997	-30.86	-25	Pass	14000




**1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.61	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.48	-25	Pass	2985
30	1000	0.1	RMS	874.987	-55.84	-25	Pass	9700
1000	2490	1	RMS	2419.953	-41.96	-25	Pass	1490
2490	2580	1	RMS	2504.7	7.02	60	Pass	601
2580	3000	1	RMS	2659.8	-40.64	-25	Pass	601
3000	12000	1	RMS	11923.992	-48.95	-25	Pass	9000
12000	26000	1	RMS	25948.996	-30.86	-25	Pass	14000




**1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.37	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.9	-25	Pass	2985
30	1000	0.1	RMS	893.789	-56	-25	Pass	9700
1000	2490	1	RMS	2431.961	-41.92	-25	Pass	1490
2490	2580	1	RMS	2500.35	6.43	60	Pass	601
2580	3000	1	RMS	2660.5	-40.65	-25	Pass	601
3000	12000	1	RMS	11990.999	-48.99	-25	Pass	9000
12000	26000	1	RMS	25926.995	-30.9	-25	Pass	14000




**1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.82	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.52	-25	Pass	2985
30	1000	0.1	RMS	994.099	-56.17	-25	Pass	9700
1000	2490	1	RMS	2452.975	-41.93	-25	Pass	1490
2490	2580	1	RMS	2504.7	5.98	60	Pass	601
2580	3000	1	RMS	2659.1	-40.66	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.92	-25	Pass	9000
12000	26000	1	RMS	25952.997	-30.88	-25	Pass	14000



**1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.34	-25	Pass	2985
30	1000	0.1	RMS	912.891	-55.82	-25	Pass	9700
1000	2490	1	RMS	2426.958	-41.97	-25	Pass	1490
2490	2580	1	RMS	2532.9	8.84	60	Pass	601
2580	3000	1	RMS	2659.8	-40.64	-25	Pass	601
3000	12000	1	RMS	11907.99	-48.97	-25	Pass	9000




**1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
12000	26000	1	RMS	25954.997	-24.92	-25	Fail	14000



**1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.27	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.86	-25	Pass	2985
30	1000	0.1	RMS	965.896	-55.78	-25	Pass	9700
1000	2490	1	RMS	2419.953	-41.95	-25	Pass	1490
2490	2580	1	RMS	2537.1	8.72	60	Pass	601
2580	3000	1	RMS	2658.4	-40.67	-25	Pass	601
3000	12000	1	RMS	11921.991	-48.99	-25	Pass	9000
12000	26000	1	RMS	25956.997	-30.79	-25	Pass	14000






**1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.57	-25	Pass	2985
30	1000	0.1	RMS	981.398	-56.04	-25	Pass	9700
1000	2490	1	RMS	2429.96	-41.96	-25	Pass	1490
2490	2580	1	RMS	2532.9	7.57	60	Pass	601
2580	3000	1	RMS	2659.1	-40.68	-25	Pass	601
3000	12000	1	RMS	11898.989	-48.97	-25	Pass	9000
12000	26000	1	RMS	25932.995	-30.85	-25	Pass	14000




**1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.87	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.31	-25	Pass	2985
30	1000	0.1	RMS	895.089	-56.01	-25	Pass	9700
1000	2490	1	RMS	2428.959	-41.94	-25	Pass	1490
2490	2580	1	RMS	2537.25	7.41	60	Pass	601
2580	3000	1	RMS	2659.8	-40.67	-25	Pass	601
3000	12000	1	RMS	11911.99	-48.93	-25	Pass	9000
12000	26000	1	RMS	25937.996	-30.81	-25	Pass	14000




**1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.41	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.97	-25	Pass	2985
30	1000	0.1	RMS	982.598	-55.95	-25	Pass	9700
1000	2490	1	RMS	2444.97	-41.97	-25	Pass	1490
2490	2580	1	RMS	2565.3	8.63	60	Pass	601
2580	3000	1	RMS	2659.1	-40.67	-25	Pass	601
3000	12000	1	RMS	11916.991	-48.87	-25	Pass	9000
12000	26000	1	RMS	25916.994	-30.83	-25	Pass	14000




**1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.92	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.31	-25	Pass	2985
30	1000	0.1	RMS	935.793	-55.97	-25	Pass	9700
1000	2490	1	RMS	2419.953	-41.93	-25	Pass	1490
2490	2580	1	RMS	2569.65	8.63	60	Pass	601
2580	3000	1	RMS	2659.8	-40.61	-25	Pass	601
3000	12000	1	RMS	11910.99	-48.93	-25	Pass	9000
12000	26000	1	RMS	25979.999	-30.79	-25	Pass	14000




**1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.99	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.91	-25	Pass	2985
30	1000	0.1	RMS	922.492	-55.85	-25	Pass	9700
1000	2490	1	RMS	2427.958	-41.86	-25	Pass	1490
2490	2580	1	RMS	2565.3	7.6	60	Pass	601
2580	3000	1	RMS	2659.8	-40.53	-25	Pass	601
3000	12000	1	RMS	11911.99	-48.92	-25	Pass	9000
12000	26000	1	RMS	25928.995	-30.91	-25	Pass	14000




**1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-25	Pass	601
0.15	30	0.01	RMS	0.16	-52.82	-25	Pass	2985
30	1000	0.1	RMS	969.497	-55.94	-25	Pass	9700
1000	2490	1	RMS	2450.974	-41.84	-25	Pass	1490
2490	2580	1	RMS	2569.65	7.55	60	Pass	601
2580	3000	1	RMS	2659.1	-40.54	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.88	-25	Pass	9000
12000	26000	1	RMS	25984.999	-30.81	-25	Pass	14000




**1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.01	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.49	-25	Pass	2985
30	1000	0.1	RMS	990.799	-56.03	-25	Pass	9700
1000	2490	1	RMS	2482.995	-41.24	-25	Pass	1490
2490	2580	1	RMS	2500.65	7.57	60	Pass	601
2580	3000	1	RMS	2659.8	-40.56	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.74	-25	Pass	9000
12000	26000	1	RMS	25991.999	-30.82	-25	Pass	14000



**1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.61	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.02	-25	Pass	2985
30	1000	0.1	RMS	939.394	-55.96	-25	Pass	9700
1000	2490	1	RMS	2454.976	-41.77	-25	Pass	1490
2490	2580	1	RMS	2509.35	7.07	60	Pass	601
2580	3000	1	RMS	2659.8	-40.5	-25	Pass	601
3000	12000	1	RMS	11910.99	-48.84	-25	Pass	9000
12000	26000	1	RMS	25961.997	-30.76	-25	Pass	14000






**1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.61	-25	Pass	2985
30	1000	0.1	RMS	927.192	-55.88	-25	Pass	9700
1000	2490	1	RMS	2482.995	-41.77	-25	Pass	1490
2490	2580	1	RMS	2500.65	6.57	60	Pass	601
2580	3000	1	RMS	2659.8	-40.53	-25	Pass	601
3000	12000	1	RMS	11898.989	-48.9	-25	Pass	9000
12000	26000	1	RMS	25941.996	-30.75	-25	Pass	14000




**1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.89	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.99	-25	Pass	2985
30	1000	0.1	RMS	892.689	-56	-25	Pass	9700
1000	2490	1	RMS	2425.957	-41.8	-25	Pass	1490
2490	2580	1	RMS	2509.35	6.12	60	Pass	601
2580	3000	1	RMS	2659.1	-40.53	-25	Pass	601
3000	12000	1	RMS	11924.992	-48.84	-25	Pass	9000
12000	26000	1	RMS	25957.997	-30.77	-25	Pass	14000




**1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.97	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.99	-25	Pass	2985
30	1000	0.1	RMS	870.487	-56.02	-25	Pass	9700
1000	2490	1	RMS	2424.956	-41.82	-25	Pass	1490
2490	2580	1	RMS	2530.65	8.85	60	Pass	601
2580	3000	1	RMS	2659.1	-40.55	-25	Pass	601
3000	12000	1	RMS	11918.991	-48.88	-25	Pass	9000
12000	26000	1	RMS	25956.997	-30.72	-25	Pass	14000




**1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.99	-25	Pass	601
0.15	30	0.01	RMS	0.16	-53.17	-25	Pass	2985
30	1000	0.1	RMS	920.492	-55.95	-25	Pass	9700




**1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2580	1	RMS	2539.35	8.52	60	Pass	601
2580	3000	1	RMS	2659.8	-40.49	-25	Pass	601
3000	12000	1	RMS	11910.99	-48.89	-25	Pass	9000
12000	26000	1	RMS	25940.996	-30.78	-25	Pass	14000




**1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.75	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.03	-25	Pass	2985
30	1000	0.1	RMS	928.993	-55.83	-25	Pass	9700
1000	2490	1	RMS	2421.954	-41.78	-25	Pass	1490
2490	2580	1	RMS	2530.65	7.64	60	Pass	601
2580	3000	1	RMS	2659.8	-40.9	-25	Pass	601
3000	12000	1	RMS	11917.991	-48.86	-25	Pass	9000
12000	26000	1	RMS	25921.994	-30.72	-25	Pass	14000




**1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.99	-25	Pass	601
0.15	30	0.01	RMS	0.16	-52.48	-25	Pass	2985
30	1000	0.1	RMS	889.489	-55.84	-25	Pass	9700
1000	2490	1	RMS	2451.974	-41.76	-25	Pass	1490
2490	2580	1	RMS	2539.35	7.42	60	Pass	601
2580	3000	1	RMS	2660.5	-40.9	-25	Pass	601
3000	12000	1	RMS	11983.998	-48.94	-25	Pass	9000
12000	26000	1	RMS	25961.997	-30.69	-25	Pass	14000



**1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.06	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.39	-25	Pass	2985
30	1000	0.1	RMS	964.896	-55.97	-25	Pass	9700
1000	2490	1	RMS	2430.96	-41.78	-25	Pass	1490
2490	2580	1	RMS	2560.65	9.35	60	Pass	601
2580	3000	1	RMS	2660.5	-40.89	-25	Pass	601
3000	12000	1	RMS	11915.991	-48.86	-25	Pass	9000
12000	26000	1	RMS	25961.997	-30.76	-25	Pass	14000






**1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.91	-25	Pass	601
0.15	30	0.01	RMS	0.16	-53.34	-25	Pass	2985
30	1000	0.1	RMS	980.298	-55.79	-25	Pass	9700
1000	2490	1	RMS	2420.954	-41.83	-25	Pass	1490
2490	2580	1	RMS	2569.35	8.76	60	Pass	601
2580	3000	1	RMS	2587	-39.68	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.75	-25	Pass	9000
12000	26000	1	RMS	25946.996	-30.75	-25	Pass	14000




**1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.15	-25	Pass	2985
30	1000	0.1	RMS	898.89	-55.9	-25	Pass	9700
1000	2490	1	RMS	2455.977	-41.78	-25	Pass	1490
2490	2580	1	RMS	2560.65	8.08	60	Pass	601
2580	3000	1	RMS	2658.4	-40.9	-25	Pass	601
3000	12000	1	RMS	11926.992	-48.79	-25	Pass	9000
12000	26000	1	RMS	25964.998	-30.69	-25	Pass	14000




**1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.51	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.02	-25	Pass	2985
30	1000	0.1	RMS	897.689	-55.81	-25	Pass	9700
1000	2490	1	RMS	2448.972	-41.72	-25	Pass	1490
2490	2580	1	RMS	2569.35	7.48	60	Pass	601
2580	3000	1	RMS	2660.5	-40.9	-25	Pass	601
3000	12000	1	RMS	11910.99	-48.84	-25	Pass	9000
12000	26000	1	RMS	25975.998	-30.75	-25	Pass	14000




**1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.94	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.82	-25	Pass	2985
30	1000	0.1	RMS	951.395	-55.95	-25	Pass	9700
1000	2490	1	RMS	2487.999	-41.74	-25	Pass	1490
2490	2580	1	RMS	2500.8	7.64	60	Pass	601
2580	3000	1	RMS	2659.1	-40.86	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.89	-25	Pass	9000
12000	26000	1	RMS	25952.997	-30.75	-25	Pass	14000




**1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.94	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.27	-25	Pass	2985
30	1000	0.1	RMS	988.399	-55.85	-25	Pass	9700
1000	2490	1	RMS	2487.999	-40.42	-25	Pass	1490
2490	2580	1	RMS	2514.15	7.99	60	Pass	601
2580	3000	1	RMS	2659.8	-40.87	-25	Pass	601
3000	12000	1	RMS	11918.991	-48.9	-25	Pass	9000
12000	26000	1	RMS	25945.996	-30.73	-25	Pass	14000




**1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.19	-25	Pass	2985
30	1000	0.1	RMS	884.088	-55.62	-25	Pass	9700
1000	2490	1	RMS	2423.956	-41.79	-25	Pass	1490
2490	2580	1	RMS	2500.8	6.6	60	Pass	601
2580	3000	1	RMS	2659.8	-40.84	-25	Pass	601
3000	12000	1	RMS	11909.99	-48.81	-25	Pass	9000
12000	26000	1	RMS	25927.995	-30.76	-25	Pass	14000




**1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.98	-25	Pass	2985
30	1000	0.1	RMS	892.089	-55.96	-25	Pass	9700
1000	2490	1	RMS	2487.999	-40.81	-25	Pass	1490
2490	2580	1	RMS	2514.15	6.96	60	Pass	601
2580	3000	1	RMS	2659.8	-40.89	-25	Pass	601
3000	12000	1	RMS	11913.99	-48.83	-25	Pass	9000
12000	26000	1	RMS	25969.998	-30.75	-25	Pass	14000



**1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.84	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.91	-25	Pass	2985
30	1000	0.1	RMS	915.891	-55.92	-25	Pass	9700
1000	2490	1	RMS	2427.958	-41.74	-25	Pass	1490
2490	2580	1	RMS	2528.4	8.84	60	Pass	601
2580	3000	1	RMS	2658.4	-40.9	-25	Pass	601
3000	12000	1	RMS	11911.99	-48.86	-25	Pass	9000
12000	26000	1	RMS	25948.996	-30.76	-25	Pass	14000





**1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.92	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.54	-25	Pass	2985
30	1000	0.1	RMS	969.597	-55.98	-25	Pass	9700
1000	2490	1	RMS	2448.972	-41.78	-25	Pass	1490
2490	2580	1	RMS	2541.6	8.33	60	Pass	601
2580	3000	1	RMS	2659.1	-40.87	-25	Pass	601
3000	12000	1	RMS	11906.99	-48.89	-25	Pass	9000




**1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
12000	26000	1	RMS	25952.997	-24.67	-25	Fail	14000




**1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.21	-25	Pass	601
0.15	30	0.01	RMS	0.16	-51.86	-25	Pass	2985
30	1000	0.1	RMS	986.099	-56.02	-25	Pass	9700
1000	2490	1	RMS	2453.976	-41.75	-25	Pass	1490
2490	2580	1	RMS	2528.4	7.58	60	Pass	601
2580	3000	1	RMS	2659.1	-40.88	-25	Pass	601
3000	12000	1	RMS	11911.99	-48.8	-25	Pass	9000
12000	26000	1	RMS	25977.998	-30.75	-25	Pass	14000




**1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.74	-25	Pass	601
0.15	30	0.01	RMS	0.16	-52.55	-25	Pass	2985
30	1000	0.1	RMS	986.899	-55.86	-25	Pass	9700
1000	2490	1	RMS	2418.952	-41.78	-25	Pass	1490
2490	2580	1	RMS	2541.6	7.15	60	Pass	601
2580	3000	1	RMS	2659.1	-40.91	-25	Pass	601
3000	12000	1	RMS	11927.992	-48.91	-25	Pass	9000
12000	26000	1	RMS	25952.997	-30.66	-25	Pass	14000




**1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.15	-25	Pass	601
0.15	30	0.01	RMS	0.16	-52.75	-25	Pass	2985
30	1000	0.1	RMS	902.59	-55.77	-25	Pass	9700
1000	2490	1	RMS	2450.974	-41.78	-25	Pass	1490
2490	2580	1	RMS	2555.85	8.97	60	Pass	601
2580	3000	1	RMS	2582.8	-38.59	-25	Pass	601
3000	12000	1	RMS	11907.99	-48.88	-25	Pass	9000
12000	26000	1	RMS	25987.999	-30.77	-25	Pass	14000




**1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.34	-25	Pass	601
0.15	30	0.01	RMS	0.16	-53.24	-25	Pass	2985
30	1000	0.1	RMS	892.489	-55.75	-25	Pass	9700
1000	2490	1	RMS	2434.963	-41.82	-25	Pass	1490
2490	2580	1	RMS	2569.2	8.84	60	Pass	601
2580	3000	1	RMS	2660.5	-40.87	-25	Pass	601
3000	12000	1	RMS	11934.993	-48.86	-25	Pass	9000
12000	26000	1	RMS	25925.995	-30.75	-25	Pass	14000




**1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.73	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.54	-25	Pass	2985
30	1000	0.1	RMS	921.392	-56.01	-25	Pass	9700
1000	2490	1	RMS	2459.98	-41.8	-25	Pass	1490
2490	2580	1	RMS	2555.85	7.69	60	Pass	601
2580	3000	1	RMS	2582.8	-40.01	-25	Pass	601
3000	12000	1	RMS	11898.989	-48.9	-25	Pass	9000
12000	26000	1	RMS	25993	-30.79	-25	Pass	14000



**1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.9	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.75	-25	Pass	2985
30	1000	0.1	RMS	902.29	-55.93	-25	Pass	9700
1000	2490	1	RMS	2426.958	-41.77	-25	Pass	1490
2490	2580	1	RMS	2569.2	7.54	60	Pass	601
2580	3000	1	RMS	2659.8	-40.92	-25	Pass	601
3000	12000	1	RMS	11907.99	-48.92	-25	Pass	9000
12000	26000	1	RMS	25951.997	-30.79	-25	Pass	14000






**1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.05	-25	Pass	2985
30	1000	0.1	RMS	910.791	-55.95	-25	Pass	9700
1000	2490	1	RMS	2421.954	-41.94	-25	Pass	1490
2490	2580	1	RMS	2501.1	7.53	60	Pass	601
2580	3000	1	RMS	2660.5	-40.63	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.76	-25	Pass	9000
12000	26000	1	RMS	25962.997	-30.66	-25	Pass	14000




**1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.22	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.98	-25	Pass	2985
30	1000	0.1	RMS	884.388	-56.1	-25	Pass	9700
1000	2490	1	RMS	2482.995	-40.85	-25	Pass	1490
2490	2580	1	RMS	2518.95	7.42	60	Pass	601
2580	3000	1	RMS	2659.1	-40.63	-25	Pass	601
3000	12000	1	RMS	11912.99	-48.83	-25	Pass	9000
12000	26000	1	RMS	25953.997	-30.63	-25	Pass	14000




**1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.95	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.01	-25	Pass	2985
30	1000	0.1	RMS	888.188	-55.95	-25	Pass	9700
1000	2490	1	RMS	2453.976	-41.96	-25	Pass	1490
2490	2580	1	RMS	2501.1	6.54	60	Pass	601
2580	3000	1	RMS	2657	-40.66	-25	Pass	601
3000	12000	1	RMS	11917.991	-48.85	-25	Pass	9000
12000	26000	1	RMS	25970.998	-30.58	-25	Pass	14000




**1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.36	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.08	-25	Pass	2985
30	1000	0.1	RMS	895.489	-56.14	-25	Pass	9700
1000	2490	1	RMS	2482.995	-41.53	-25	Pass	1490
2490	2580	1	RMS	2518.95	6.32	60	Pass	601
2580	3000	1	RMS	2659.8	-40.59	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.93	-25	Pass	9000
12000	26000	1	RMS	25986.999	-30.47	-25	Pass	14000




**1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.35	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.93	-25	Pass	2985
30	1000	0.1	RMS	886.988	-56.06	-25	Pass	9700
1000	2490	1	RMS	2490	-40.2	-25	Pass	1490
2490	2580	1	RMS	2526.15	8.51	60	Pass	601
2580	3000	1	RMS	2659.8	-40.64	-25	Pass	601
3000	12000	1	RMS	11898.989	-48.9	-25	Pass	9000
12000	26000	1	RMS	25983.999	-30.7	-25	Pass	14000




**1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.82	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.6	-25	Pass	2985
30	1000	0.1	RMS	923.392	-55.9	-25	Pass	9700
1000	2490	1	RMS	2425.957	-41.95	-25	Pass	1490
2490	2580	1	RMS	2543.85	8.2	60	Pass	601
2580	3000	1	RMS	2580	-40.37	-25	Pass	601
3000	12000	1	RMS	11905.99	-48.84	-25	Pass	9000
12000	26000	1	RMS	25967.998	-30.67	-25	Pass	14000




**1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.27	-25	Pass	601
0.15	30	0.01	RMS	0.16	-52.31	-25	Pass	2985
30	1000	0.1	RMS	899.09	-55.74	-25	Pass	9700



**1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2580	1	RMS	2526.15	7.26	60	Pass	601
2580	3000	1	RMS	2659.8	-40.65	-25	Pass	601
3000	12000	1	RMS	11932.993	-48.8	-25	Pass	9000
12000	26000	1	RMS	25970.998	-30.66	-25	Pass	14000






**1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.89	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.88	-25	Pass	2985
30	1000	0.1	RMS	918.592	-56.01	-25	Pass	9700
1000	2490	1	RMS	2456.978	-41.95	-25	Pass	1490
2490	2580	1	RMS	2543.85	7.08	60	Pass	601
2580	3000	1	RMS	2659.8	-40.62	-25	Pass	601
3000	12000	1	RMS	11917.991	-48.86	-25	Pass	9000
12000	26000	1	RMS	25948.996	-30.66	-25	Pass	14000




**1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.95	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.67	-25	Pass	2985
30	1000	0.1	RMS	972.197	-55.87	-25	Pass	9700
1000	2490	1	RMS	2450.974	-41.92	-25	Pass	1490
2490	2580	1	RMS	2551.05	8.49	60	Pass	601
2580	3000	1	RMS	2587	-40.1	-25	Pass	601
3000	12000	1	RMS	11928.992	-48.83	-25	Pass	9000
12000	26000	1	RMS	25950.997	-30.71	-25	Pass	14000




**1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.4	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.76	-25	Pass	2985
30	1000	0.1	RMS	906.39	-55.92	-25	Pass	9700
1000	2490	1	RMS	2448.972	-41.95	-25	Pass	1490
2490	2580	1	RMS	2568.9	8.71	60	Pass	601
2580	3000	1	RMS	2658.4	-40.64	-25	Pass	601
3000	12000	1	RMS	11916.991	-48.81	-25	Pass	9000
12000	26000	1	RMS	25953.997	-30.61	-25	Pass	14000




**1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.82	-25	Pass	601
0.15	30	0.01	RMS	0.15	-53.1	-25	Pass	2985
30	1000	0.1	RMS	897.989	-56.22	-25	Pass	9700
1000	2490	1	RMS	2420.954	-41.92	-25	Pass	1490
2490	2580	1	RMS	2551.05	7.17	60	Pass	601
2580	3000	1	RMS	2659.1	-40.63	-25	Pass	601
3000	12000	1	RMS	11897.989	-48.88	-25	Pass	9000
12000	26000	1	RMS	25980.999	-30.74	-25	Pass	14000



**1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.11	-25	Pass	2985
30	1000	0.1	RMS	929.893	-56.04	-25	Pass	9700
1000	2490	1	RMS	2450.974	-41.93	-25	Pass	1490
2490	2580	1	RMS	2568.9	7.38	60	Pass	601
2580	3000	1	RMS	2659.1	-40.67	-25	Pass	601
3000	12000	1	RMS	11915.991	-48.88	-25	Pass	9000
12000	26000	1	RMS	25970.998	-30.75	-25	Pass	14000



END