

# **TEST REPORT**

Report No.: BCTC2110230473-2E

Applicant: Shenzhen Snapper Technology Co., Ltd.

Product Name: Universal Power Charger

Model/Type Ref.: PS-B003W

Tested Date: 2021-10-23 to 2021-11-04

Issued Date: 2021-11-04





No.: BCTC/RF-EMC-005 Page 1 of 19 / / Edition:/A.



## FCC ID:2AP6DPS-B003W

Product Name: Universal Power Charger

Trademark: Powerseed

Model/Type Ref.: PS-B003W PS-B003

Prepared For: Shenzhen Snapper Technology Co., Ltd.

Address: F4,Bldg E,#1 Tengfeng Road,Fenghuang 3rd industrial area,Fuyong, Baoan,

Shenzhen, Guangdong, China

Manufacturer: Shenzhen Snapper Technology Co., Ltd.

Address: F4,Bldg E,#1 Tengfeng Road,Fenghuang 3rd industrial area,Fuyong, Baoan,

Shenzhen, Guangdong, China

Prepared By: Shenzhen BCTC Testing Co., Ltd.

Address: 1-2/F., Building B, Pengzhou Industrial Park, No.158, Fuyuan 1st Road, Tangwei,

Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

Sample Received Date: 2021-10-23

Sample tested Date: 2021-10-23 to 2021-11-04

Issue Date: 2021-11-04

Report No.: BCTC2110230473-2E

Test Standards: FCC CFR 47 part1, 1.1307(b), 1.1310

Test Results: PASS

Tested by:

kelsey Ton

Kelsey Tan/ Project Handler

Approved by:

Zero Zhou/Reviewer

The test report is effective only with both signature and specialized stamp. This result(s) shown in this report refer only to the sample(s) tested. Without written approval of Shenzhen BCTC Testing Co., Ltd, this report can't be reproduced except in full. The tested sample(s) and the sample information are provided by the client.



## **Table Of Content**


Test F	Report Declaration	Page
1. V	ersion	4
2. P	roduct Information	5
2.1	Product Information	5
2.2	Support Equipment	5
2.3	Test Mode	5
3. Te	est Facility And Test Instrument Used	6
3.1	Test Facility	6
3.2	Test Instrument Used	6
4. M	ethod Of Measurement	7
4.1	Applicable Standard	7
	Block Diagram Of Test Setup	
4.3	-	
4.4	Test Procedure	8
4.5	Equipment Approval Considerations	9
4.6	E And H Field Strength	
	hotographs Of Test Set-Up	
	•	

(Note: N/A Means Not Applicable)



## 1. Version

Report No.	Issue Date	Description	Approved
BCTC2110230473-2E 2021-11-04		Original	Valid



No.: BCTC/RF-EMC-005 Page 4 of 19 Edition: A.4



#### 2. Product Information

#### 2.1 Product Information

Model/Type Ref.: PS-B003W

PS-B003

Model differences: All the model are the same circuit and RF module, except model names.

Product Description: Universal Power Charger

Operation Frequency: 115kHz-205kHz
Antenna installation: loop coil antenna

AC Input:AC100-240V 50/60Hz 0.3A(Max) Type-c Input:DC 5V-12V PD:18W Max

Ratings: Type-c Output:DC 5V-12V PD:20W Max

USB-A Output:DC 5V 4.5A/DC 9V 2A/DC 12V 1.5A 22.5W Max

Wireless output:15W Max

#### Cable of Product

No.	Cable Type	Quantity	Provider	Length (m)	Shielded	Note
1			Applicant		Yes/No	With a ferrite ring in mid Detachable
2			встс		Yes/No	

### 2.2 Support Equipment

No.	Device Type	Brand	Model	Series No.		Note		
1.	Adapter	UGREEN	CD122	📉				

#### Notes:

- 1. All the equipment/cables were placed in the worst-case configuration to maximize the emission during the test.
- 2. Grounding was established in accordance with the manufacturer's requirements and conditions for the intended use.

#### 2.3 Test Mode

Test Modes 1	Wireless charging (5W)
Test Modes 2	Wireless charging (7.5W)
Test Modes 3	Wireless charging (10W)
Test Modes 4	Wireless charging (15W)



## 3. Test Facility And Test Instrument Used

## 3.1 Test Facility

All measurement facilities used to collect the measurement data are located at Shenzhen BCTC Testing Co., Ltd. Address:1-2/F., Building B, Pengzhou Industrial Park, No.158, Fuyuan 1st Road, Tangwei, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China. The site and apparatus are constructed in conformance with the requirements of ANSI C63.4 and CISPR 16-1-1 other equivalent standards.

FCC Test Firm Registration Number: 712850

IC Registered No.: 23583

## 3.2 Test Instrument Used

Equipment	Manufacturer	Model No.	Serial No.	Last Cal.	Next Cal.
Electromagnetic radiation tester	Wavecontrol	SMP160	19SN0980	Aug. 30, 2021	Aug. 29, 2022
Electromagnetic field probe	Wavecontrol	WP400-3	20WP120082	Aug. 30, 2021	Aug. 29, 2022
843 Chamber	ETS	843	84301	Aug. 27, 2020	Aug. 26, 2023

No.: BCTC/RF-EMC-005 Page 6 of 19 Edition: A.4




#### 4. Method Of Measurement

### 4.1 Applicable Standard

According to §1.1307(b)(1), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines. According to §1.1310 and §2.1093 RF exposure is calculated. According KDB680106 D01v03: RF Exposure Wireless Charging Apps v02.

## 4.2 Block Diagram Of Test Setup



Note: Measurements should be made from all sides and the top of the primary/client pair, with the 15 cm measured from the center of the probe(s) to the edge of the device

No.: BCTC/RF-EMC-005 Page 7 of 19 Edition. A.4



#### 4.3 Limit

Limits for Occupational / Controlled Exposure								
Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/ cm²)	Averaging Time  E ², H ² or S (minutes)				
0.3-3.0	614	1.63	(100)*	6				
3.0-30	1842 / f	4.89 / f	(900 / f)*	6				
30-300	61.4	0.163	1.0	6				
300-1500			F/300	6				
1500-100,000			5	6				

Limits for General Population / Uncontrolled Exposure									
Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/ cm²)	Averaging Time  E ², H ² or S (minutes)					
0.3-1.34	614	1.63	(100)*	30					
1.34-30	824/f	2.19/f	(180 / f)*	30					
30-300	27.5	0.073	0.2	30					
300-1500			F/1500	30					
1500-100,000			1	30					

#### 4.4 Test Procedure

- a) The RF exposure test was performed on 360 degree turn table in anechoic chamber.
- b) The measurement probe was placed at test distance (15cm) which is between the edge of the charger and the geometric centre of probe.
- c) The turn table was rotated 360d degree to search of highest strength:
- d) The highest emission level was recorded and compared with limit as soon as measurement of each points (A, B, C, D, E) were completed.
- e) The EUT were measured according to the dictates of KDB 680106D01v03.

No.: BCTC/RF-EMC-005 Page 8 of 19 Edition: A.4



#### 4.5 Equipment Approval Considerations

The EUT does comply with item 5(b) of KDB 680106 D01v03

- Power transfer frequency is less than 1MHz
   Yes, the device operate in the frequency range from 115-205KHz
- 2) Output power from each primary coil is less than or equal to 10 watts.

Yes, the maximum output power of the primary coil is 15W.

3) The transfer system includes only single primary and secondary coils. This includes charging systems that may have multiple primary coils and clients that able to detect and allow coupling only between individual pair of coils.

Yes, the transfer system includes only single primary and secondary coils.

4) Client device is inserted in or placed directly in contact with the transmitter.

Yes, client device is placed directly in contact with the transmitter.

5) Mobile exposure conditions only (portable exposure conditions are not covered by this exclusion).

No, the EUT is a Portable wireless charge power bank.

6) The aggregate H-field strengths at 15 cm surrounding the device and 20 cm above the top surface from all simultaneous transmitting coils are demonstrated to be less than 50% of the MPE limit.

Yes, the EUT field strength levels are 10% x MPE limit.

No.: BCTC/RF-EMC-005 Page 9 of 19 Edition: A.4



## 4.6 E And H Field Strength

(The worst data)
E-Field Strength at 15 cm surrounding the EUT and 20cm above the top surface of the EUT

Battery level	Frequency Range (MHz)	Test Position A	Test Position B	Test Position C	Test Position D	Test Position E	10% Limits Test (A/m)	Limits Test (A/m)
1%	0.115-0.205	0.54	0.22	0.34	0.26	0.31	61.4	614
50%	0.115-0.205	0.57	0.27	0.35	0.40	0.41	61.4	614
99%	0.115-0.205	0.63	0.30	0.47	0.42	0.48	61.4	614

H-Field Strength at 15 cm surrounding the EUT and 20cm above the top surface of the EUT

Battery level	Frequency Range (MHz)	Test Position A	Test Position B	Test Position C	Test Position D	Test Position E	10% Limits Test	Limits Test (A/m)
1%	0.115-0.205	0.011	0.018	0.024	0.015	0.018	(A/m) 0.163	1.63
50%	0.115-0.205	0.013	0.019	0.024	0.017	0.019	0.163	1.63
99%	0.115-0.205	0.014	0.020	0.026	0.018	0.021	0.163	1.63





### (The worst data is test mode 4)

E-Field Strength at 0 cm surrounding the EUT and 0cm above the top surface of the EUT

2 Carongar at 0 on carrounding are 201 and com above are top carract of are 201										
Battery	Frequency	Test	Test	Test	Test	Test	10%	Limits		
level	Range (MHz)	Position	Position	Position	Position	Position	Limits	Test		
		Α	В	С	D	E	Test	(V/m)		
							(V/m)	, ,		
1%	0.115-0.205	0.86	0.83	0.85	0.85	0.79	61.4	614		
50%	0.115-0.205	0.88	0.83	0.90	0.90	0.84	61.4	614		
99%	0.115-0.205	0.88	0.84	0.90	0.92	0.86	61.4	614		
	Battery level  1% 50%	Battery   Frequency   Range (MHz)	Battery level         Frequency Range (MHz)         Test Position A           1%         0.115-0.205         0.86           50%         0.115-0.205         0.88	Battery level         Frequency Range (MHz)         Test Position A         Test Position Position B           1%         0.115-0.205         0.86         0.83           50%         0.115-0.205         0.88         0.83	Battery level         Frequency Range (MHz)         Test Position A         Test Position Position B         Test Position Position C           1%         0.115-0.205         0.86         0.83         0.85           50%         0.115-0.205         0.88         0.83         0.90	Battery level         Frequency Range (MHz)         Test Position A         Test Position B         Test Position C         Test Position D           1%         0.115-0.205         0.86         0.83         0.85         0.85           50%         0.115-0.205         0.88         0.83         0.90         0.90	level         Range (MHz)         Position A         Position B         Position C         Position D         Position D           1%         0.115-0.205         0.86         0.83         0.85         0.85         0.79           50%         0.115-0.205         0.88         0.83         0.90         0.90         0.84	Battery level         Frequency Range (MHz)         Test Position A         Test Position B         Test Position C         Test Position Position D         Test Position Position D         Test Position Position D         Test (V/m)           1%         0.115-0.205         0.86         0.83         0.85         0.85         0.79         61.4           50%         0.115-0.205         0.88         0.83         0.90         0.90         0.84         61.4		

H-Field Strength at 0 cm surrounding the EUT and 0cm above the top surface of the EUT

Battery level	Frequency Range (MHz)	Test Position A	Test Position B	Test Position C	Test Position D	Test Position E	10% Limits Test	Limits Test (A/m)
							(A/m)	
1%	0.115-0.205	0.086	0.073	0.050	0.053	0.075	0.163	1.63
50%	0.115-0.205	0.088	0.074	0.052	0.055	0.076	0.163	1.63
99%	0.115-0.205	0.090	0.079	0.053	0.058	0.082	0.163	1.63

#### (The worst data is test mode 4)

E-Field Strength at 2 cm surrounding the EUT and 2cm above the top surface of the EUT

,10	Ouchgui	at Z Cili Sulloullu	ing the LOT	and Zum ab	ove the top	surface of th	CLUI		
	Battery	Frequency	Test	Test	Test	Test	Test	10%	Limits
	level	Range (MHz)	Position	Position	Position	Position	Position	Limits	Test
			Α	В	С	D	Ē	Test	(V/m)
								(V/m)	
	1%	0.115-0.205	0.78	0.78	0.76	0.75	0.73	61.4	614
	50%	0.115-0.205	0.83	0.79	0.77	0.80	0.74	61.4	614
	99%	0.115-0.205	0.83	0.80	0.81	0.85	0.75	61.4	614

H-Field Strength at 2 cm surrounding the EUT and 2cm above the top surface of the EUT

Battery	Frequency	Test	Test	Test	Test	Test	10%	Limits
level	Range (MHz)	Position	Position	Position	Position	Position	Limits	Test
		Α	В	С	D.	E	Test	(A/m)
				*****			(A/m)	
1%	0.115-0.205	0.051	0.073	0.042	0.051	0.070	0.163	1.63
50%	0.115-0.205	0.052	0.074	0.049	0.052	0.072	0.163	1.63
99%	0.115-0.205	0.055	0.076	0.051	0.056	0.078	0.163	1.63

No.: BCTC/RF-EMC-005 Page 11 of 19 / Edition: /A.4



### (The worst data is test mode 4)

E-Field Strength at 4 cm surrounding the EUT and 4cm above the top surface of the EUT

z ou ongun	at i oili oalloallal	ing the Ee i	ana rom ab	ovo ino iop i	barrace or ar	<u> </u>		
Battery	Frequency	Test	Test	Test	Test	Test	10%	Limits
level	Range (MHz)	Position	Position	Position	Position	Position	Limits	Test
		Α	В	С	D	E	Test	(V/m)
							(V/m)	, ,
1%	0.115-0.205	0.78	0.70	0.68	0.73	0.63	61.4	614
50%	0.115-0.205	0.78	0.77	0.72	0.74	0.65	61.4	614
99%	0.115-0.205	0.78	0.77	0.72	0.74	0.71	61.4	614
	Battery level  1% 50%	Battery   Frequency   Range (MHz)   1%   0.115-0.205   50%   0.115-0.205	Battery level         Frequency Range (MHz)         Test Position A           1%         0.115-0.205         0.78           50%         0.115-0.205         0.78	Battery level         Frequency Range (MHz)         Test Position A         Test Position B           1%         0.115-0.205         0.78         0.70           50%         0.115-0.205         0.78         0.77	Battery level         Frequency Range (MHz)         Test Position A         Test Position Position B         Test Position Position C           1%         0.115-0.205         0.78         0.70         0.68           50%         0.115-0.205         0.78         0.77         0.72	Battery level         Frequency Range (MHz)         Test Position A         Test Position B         Test Position C         Test Position D           1%         0.115-0.205         0.78         0.70         0.68         0.73           50%         0.115-0.205         0.78         0.77         0.72         0.74	level         Range (MHz)         Position A         Position B         Position C         Position D         Position E           1%         0.115-0.205         0.78         0.70         0.68         0.73         0.63           50%         0.115-0.205         0.78         0.77         0.72         0.74         0.65	Battery level         Frequency Range (MHz)         Test Position A         Test Position B         Test Position C         Test Position Position D         Test Position Position D         Test Position Position D         Test (V/m)           1%         0.115-0.205         0.78         0.70         0.68         0.73         0.63         61.4           50%         0.115-0.205         0.78         0.77         0.72         0.74         0.65         61.4

H-Field Strength at 4 cm surrounding the EUT and 4cm above the top surface of the EUT

	Battery	Frequency	Test	Test	Test	Test	Test	10%	Limits
	level	Range (MHz)	Position	Position	Position	Position	Position	Limits	Test
			Α	В	С	D	E	Test	(A/m)
ļ								(A/m)	
	1%	0.115-0.205	0.043	0.039	0.038	0.050	0.071	0.163	1.63
t	50%	0.115-0.205	0.045	0.040	0.041	0.051	0.073	0.163	1.63
	30 70	0.110-0.200	0.043	0.040	0.041	0.001	0.073	0.100	1.00
	99%	0.115-0.205	0.049	0.042	0.042	0.055	0.077	0.163	1.63

#### (The worst data is test mode 4)

E-Field Strength at 6 cm surrounding the EUT and 6cm above the top surface of the EUT

 	at o oni oanoana	= = - :		u top				
Battery	Frequency	Test	Test	Test	Test	Test	10%	Limits
level	Range (MHz)	Position	Position	Position	Position	Position	Limits	Test
		Α	В	С	D	E	Test	(V/m)
							(V/m)	
1%	0.115-0.205	0.70	0.64	0.64	0.68	0.59	61.4	614
50%	0.115-0.205	0.73	0.64	0.64	0.69	0.61	61.4	614
99%	0.115-0.205	0.77	0.70	0.64	0.70	0.63	61.4	614

H-Field Strength at 6 cm surrounding the EUT and 6cm above the top surface of the EUT

<u> </u>	Outerigui	at o cili sulloullu	ing the Lot	ana com ab	ove the top	Juliace of th	CLOI		
	Battery	Frequency	Test	Test	Test	Test	Test	10%	Limits
	level	Range (MHz)	Position	Position	Position	Position	Position	Limits	Test
			Α	В	С	D	E	Test	(A/m)
					**.			(A/m)	
	1%	0.115-0.205	0.042	0.033	0.038	0.045	0.060	0.163	1.63
-									
	50%	0.115-0.205	0.043	0.034	0.039	0.048	0.062	0.163	1.63
	99%	0.115-0.205	0.045	0.036	0.040	0.054	0.065	0.163	1.63
					***************************************				1411

No.: BCTC/RF-EMC-005 Page 12 of 19 / Edition: /A.4



### (The worst data is test mode 4)

E-Field Strength at 8 cm surrounding the EUT and 8cm above the top surface of the EUT

٠.,	z ou ongun	at o oni odnodna	ing the Ee i	ana oom ab	ovo ino iop i	barrace or ar	<u> </u>		
	Battery	Frequency	Test	Test	Test	Test	Test	10%	Limits
	level	Range (MHz)	Position	Position	Position	Position	Position	Limits	Test
			Α	В	С	D	E	Test	(V/m)
								(V/m)	
Ī	1%	0.115-0.205	0.69	0.51	0.60	0.61	0.54	61.4	614
	50%	0.115-0.205	0.69	0.59	0.62	0.61	0.57	61.4	614
	99%	0.115-0.205	0.69	0.62	0.63	0.62	0.59	61.4	614

H-Field Strength at 8 cm surrounding the EUT and 8cm above the top surface of the EUT

	Battery	Frequency	Test	Test	Test	Test	Test	10%	Limits
	level	Range (MHz)	Position	Position	Position	Position	Position	Limits	Test
			A	В	С	D	E	Test	(A/m)
								(A/m)	
	1%	0.115-0.205	0.037	0.028	0.033	0.036	0.057	0.163	1.63
ł	F00/	0.445.0.005	0.000	0.000	0.004	0.000	0.050	0.400	4.00
	50%	0.115-0.205	0.039	0.029	0.034	0.038	0.058	0.163	1.63
	99%	0.115-0.205	0.040	0.031	0.040	0.040	0.061	0.163	1.63

### (The worst data is test mode 4)

E-Field Strength at 10 cm surrounding the EUT and 10cm above the top surface of the EUT

٠.٠	Cabingara	at 10 oni banoan	aning and Eo	i dila room	above the te	p danado di	110 201		
	Battery	Frequency	Test	Test	Test	Test	Test	10%	Limits
	level	Range (MHz)	Position	Position	Position	Position	Position	Limits	Test
			Α	В	С	D	E	Test	(V/m)
								(V/m)	
	1%	0.115-0.205	0.63	0.39	0.47	0.53	0.49	61.4	614
	50%	0.115-0.205	0.66	0.42	0.48	0.57	0.50	61.4	614
	99%	0.115-0.205	0.66	0.48	0.58	0.57	0.52	61.4	614


H-Field Strength at 10 cm surrounding the EUT and 10cm above the top surface of the EUT

٠١.	a Calorigan	at 10 on sunoun	aning and EU	ana room	abovo ino io	p dantado or	1110 E 0 1		
	Battery	Frequency	Test	Test	Test	Test	Test	10%	Limits
	level	Range (MHz)	Position	Position	Position	Position	Position	Limits	Test
			Α	В	C	D	E	Test	(A/m)
								(A/m)	
	1%	0.115-0.205	0.032	0.018	0.028	0.024	0.032	0.163	1.63
ŀ									
	50%	0.115-0.205	0.034	0.020	0.031	0.029	0.035	0.163	1.63
Ī	99%	0.115-0.205	0.035	0.021	0.032	0.030	0.041	0.163	1.63
Į	0070	0.1.10 0.200	0.000	0.02	0.002				1.00

No.: BCTC/RF-EMC-005 Page 13 of 19 / Edition: /A.4




## 5. Photographs Of Test Set-Up





No.: BCTC/RF-EMC-005 Page 14 of 19 / Edition: A.4







No.: BCTC/RF-EMC-005 Page 15 of 19 Edition: A.4








No.: BCTC/RF-EMC-005 Page 16 of 19 Edition: A.4







No.: BCTC/RF-EMC-005 Page 17 of 19 Edition: A.4







No.: BCTC/RF-EMC-005 Page 18 of 19 Edition: A.4



## **STATEMENT**

1. The equipment lists are traceable to the national reference standards.

2.The test report can not be partially copied unless prior written approval is issued from our

lab.

3. The test report is invalid without stamp of laboratory.

4. The test report is invalid without signature of person(s) testing and authorizing.

5. The test process and test result is only related to the Unit Under Test.

6. The quality system of our laboratory is in accordance with ISO/IEC17025.

7.If there is any objection to report, the client should inform issuing laboratory within 15 days from the date of receiving test report.

#### Address:

1-2/F., Building B, Pengzhou Industrial Park, No.158, Fuyuan 1st Road, Tangwei, Fuhai Subdistrict, Bao'an District, Shenzhen, Guangdong, China

TEL: 400-788-9558

P.C.: 518103

FAX: 0755-33229357

Website: http://www.chnbctc.com

E-Mail: bctc@bctc-lab.com.cn

\*\*\*\* END \*\*\*\*

No.: BCTC/RF-EMC-005 Page 19 of 19 / Edition: A.4