



Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0




Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0




Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0




Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0




Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0



Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0




Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0



Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0




Band41 16QAM BW=10MHz Channel=39700 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2483.5	2486	1000	2485.5975	-33.16	-25
2	2486	2495	1000	2494.892	-23.01	-13
3	2495	2496	100	2495.882	-33.1	-13

Band41 16QAM BW=10MHz Channel=41540 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	200	2690.021	-30.38	-10
2	2691	2695	1000	2691.884	-27.17	-10
3	2695	2700	1000	2695.285	-28.75	-13
4	2700	2702.5	1000	2700.6075	-33.4	-25

Band41 16QAM BW=15MHz Channel=39725 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2477.25	2481	1000	2480.16	-35.69	-25
2	2481	2495	1000	2494.356	-25.76	-13
3	2495	2496	150	2495.923	-31.42	-13

Band41 16QAM BW=15MHz Channel=41515 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	300	2690.002	-27.2	-10
2	2691	2695	1000	2691.16	-25.15	-10
3	2695	2705	1000	2695.04	-29.04	-13
4	2705	2708.75	1000	2706.09875	-34.62	-25

Band41 16QAM BW=20MHz Channel=39750 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2471	2476	1000	2475.395	-38.03	-25
2	2476	2495	1000	2494.658	-29.83	-13
3	2495	2496	200	2495.828	-33.19	-13


Band41 16QAM BW=20MHz Channel=41490 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	430	2690.2	-25.48	-10
2	2691	2695	1000	2692.872	-25.82	-10
3	2695	2710	1000	2697.25	-28.48	-13
4	2710	2715	1000	2710.455	-34.95	-25


Band41 16QAM BW=5MHz Channel=39675 RB Size=25 Position=#0






Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2486	2490	1000	2489.024	-29.77	-25
2	2490	2495	1000	2494.955	-16.87	-13
3	2495	2496	51	2496	-31.24	-13

Band41 16QAM BW=5MHz Channel=41565 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	100	2690.004	-28.36	-10
2	2691	2695	1000	2691.016	-17.5	-10
3	2695	2696	1000	2695.083	-29.4	-13
4	2696	2700	1000	2696.424	-32.63	-25

Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2483.5	2486	1000	2485.975	-30.63	-25
2	2486	2495	1000	2494.748	-19.85	-13
3	2495	2496	100	2495.986	-29.44	-13

Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	200	2690.029	-26.1	-10
2	2691	2695	1000	2691.456	-19.49	-10
3	2695	2700	1000	2695.125	-25.29	-13
4	2700	2702.5	1000	2700.3425	-30.69	-25

Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2477.25	2481	1000	2479.9275	-36.5	-25
2	2481	2495	1000	2494.216	-24.9	-13
3	2495	2496	150	2495.975	-32.3	-13

Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	300	2690.038	-25.53	-10
2	2691	2695	1000	2693.172	-24.01	-10
3	2695	2705	1000	2696.41	-27.3	-13
4	2705	2708.75	1000	2707.74875	-33.03	-25

Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2471	2476	1000	2475.635	-38.1	-25
2	2476	2495	1000	2492.416	-27.65	-13
3	2495	2496	200	2495.666	-32.74	-13

Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	430	2690.07	-28.81	-10
2	2691	2695	1000	2691.776	-26.01	-10
3	2695	2710	1000	2705.59	-28.64	-13
4	2710	2715	1000	2710.14	-34.74	-25

Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2486	2490	1000	2489.96	-28.42	-25
2	2490	2495	1000	2495	-16.68	-13
3	2495	2496	51	2495.995	-32.53	-13

Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	100	2690.021	-28.2	-10
2	2691	2695	1000	2691.012	-15.44	-10
3	2695	2696	1000	2695.07	-28.98	-13
4	2696	2700	1000	2696.632	-31.43	-25


Band5 16QAM BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 16QAM BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 16QAM BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 16QAM BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 16QAM BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 16QAM BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 16QAM BW=5MHz Channel=20425 RB Size=25 Position=#0






Band5 16QAM BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 16QAM BW=10MHz Channel=132022 RB Size=50 Position=#0



Band66 16QAM BW=10MHz Channel=132622 RB Size=50 Position=#0



Band66 16QAM BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0



Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0






Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0



Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0



Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0



Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0



Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0







Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band71 16QAM BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 16QAM BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 16QAM BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 16QAM BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 16QAM BW=5MHz Channel=133147 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133447 RB Size=25 Position=#0




Band71 QPSK BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 QPSK BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133397 RB Size=75 Position=#0



Band71 QPSK BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0





Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0



06 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band12	1.4	23017	6	#0	QPSK	26453.46	-34.30	-13	PASS
Band12	1.4	23017	6	#0	16QAM	26380.79	-35.17	-13	PASS
Band12	1.4	23095	6	#0	QPSK	26385.89	-35.27	-13	PASS
Band12	1.4	23095	6	#0	16QAM	25119.18	-34.47	-13	PASS
Band12	1.4	23173	6	#0	QPSK	24428.13	-35.22	-13	PASS
Band12	1.4	23173	6	#0	16QAM	24456.18	-34.87	-13	PASS
Band12	3	23025	15	#0	QPSK	25080.93	-35.07	-13	PASS
Band12	3	23025	15	#0	16QAM	26168.50	-34.76	-13	PASS
Band12	3	23095	15	#0	QPSK	26244.36	-35.22	-13	PASS
Band12	3	23095	15	#0	16QAM	26086.26	-34.51	-13	PASS
Band12	3	23165	15	#0	QPSK	25997.65	-35.11	-13	PASS
Band12	3	23165	15	#0	16QAM	25050.96	-34.23	-13	PASS
Band12	5	23035	25	#0	QPSK	24546.70	-34.56	-13	PASS
Band12	5	23035	25	#0	16QAM	25497.21	-35.13	-13	PASS
Band12	5	23095	25	#0	QPSK	25066.26	-35.09	-13	PASS
Band12	5	23095	25	#0	16QAM	25034.39	-35.40	-13	PASS
Band12	5	23155	25	#0	QPSK	25048.41	-35.52	-13	PASS
Band12	5	23155	25	#0	16QAM	25094.95	-35.53	-13	PASS
Band12	10	23060	50	#0	QPSK	25938.36	-34.46	-13	PASS
Band12	10	23060	50	#0	16QAM	25364.61	-34.73	-13	PASS
Band12	10	23095	50	#0	QPSK	25029.93	-34.96	-13	PASS
Band12	10	23095	50	#0	16QAM	25974.06	-35.39	-13	PASS
Band12	10	23130	50	#0	QPSK	26432.43	-35.06	-13	PASS
Band12	10	23130	50	#0	16QAM	25095.59	-35.07	-13	PASS
Band13	5	23205	25	#0	QPSK	26335.53	-34.14	-13	PASS
Band13	5	23205	25	#0	16QAM	25129.38	-35.65	-13	PASS
Band13	5	23230	25	#0	QPSK	26130.89	-35.55	-13	PASS
Band13	5	23230	25	#0	16QAM	26166.59	-35.56	-13	PASS
Band13	5	23255	25	#0	QPSK	25545.66	-34.92	-13	PASS
Band13	5	23255	25	#0	16QAM	25576.90	-34.49	-13	PASS
Band13	10	23230	50	#0	QPSK	25067.54	-35.06	-13	PASS
Band13	10	23230	50	#0	16QAM	25538.65	-35.43	-13	PASS
Band2	10	18650	50	#0	QPSK	24438.96	-33.14	-13	PASS
Band2	10	18650	50	#0	16QAM	24328.04	-33.84	-13	PASS
Band2	10	18900	50	#0	QPSK	26307.48	-33.63	-13	PASS
Band2	10	18900	50	#0	16QAM	25129.38	-33.58	-13	PASS
Band2	10	19150	50	#0	QPSK	24485.50	-33.73	-13	PASS
Band2	10	19150	50	#0	16QAM	25017.18	-32.08	-13	PASS
Band2	15	18675	75	#0	QPSK	24461.91	-34.17	-13	PASS
Band2	15	18675	75	#0	16QAM	24394.34	-34.66	-13	PASS
Band2	15	18900	75	#0	QPSK	24532.68	-33.60	-13	PASS
Band2	15	18900	75	#0	16QAM	25894.38	-33.92	-13	PASS

Band2	15	19125	75	#0	QPSK	24539.69	-34.12	-13	PASS
Band2	15	19125	75	#0	16QAM	25891.19	-34.64	-13	PASS
Band2	20	18700	100	#0	QPSK	25068.18	-34.14	-13	PASS
Band2	20	18700	100	#0	16QAM	25111.53	-34.28	-13	PASS
Band2	20	18900	100	#0	QPSK	25064.35	-32.81	-13	PASS
Band2	20	18900	100	#0	16QAM	25072.00	-33.15	-13	PASS
Band2	20	19100	100	#0	QPSK	25015.90	-32.58	-13	PASS
Band2	20	19100	100	#0	16QAM	26342.54	-34.40	-13	PASS
Band25	1.4	26047	6	#0	QPSK	25068.18	-33.90	-13	PASS
Band25	1.4	26047	6	#0	16QAM	25545.03	-34.35	-13	PASS
Band25	1.4	26365	6	#0	QPSK	24467.01	-34.08	-13	PASS
Band25	1.4	26365	6	#0	16QAM	25046.50	-33.51	-13	PASS
Band25	1.4	26683	6	#0	QPSK	25108.98	-33.98	-13	PASS
Band25	1.4	26683	6	#0	16QAM	24578.58	-32.95	-13	PASS
Band25	3	26055	15	#0	QPSK	25019.09	-34.22	-13	PASS
Band25	3	26055	15	#0	16QAM	24340.79	-33.67	-13	PASS
Band25	3	26365	15	#0	QPSK	25926.89	-33.89	-13	PASS
Band25	3	26365	15	#0	16QAM	25049.05	-34.30	-13	PASS
Band25	3	26675	15	#0	QPSK	25563.51	-33.42	-13	PASS
Band25	3	26675	15	#0	16QAM	25132.56	-33.58	-13	PASS
Band25	5	26065	25	#0	QPSK	26440.08	-33.65	-13	PASS
Band25	5	26065	25	#0	16QAM	26398.64	-33.03	-13	PASS
Band25	5	26365	25	#0	QPSK	25098.14	-34.38	-13	PASS
Band25	5	26365	25	#0	16QAM	25133.20	-34.10	-13	PASS
Band25	5	26665	25	#0	QPSK	26154.48	-33.55	-13	PASS
Band25	5	26665	25	#0	16QAM	25562.24	-34.59	-13	PASS
Band25	10	26090	50	#0	QPSK	25547.58	-33.82	-13	PASS
Band25	10	26090	50	#0	16QAM	25024.83	-33.05	-13	PASS
Band25	10	26365	50	#0	QPSK	24493.15	-34.23	-13	PASS
Band25	10	26365	50	#0	16QAM	24312.74	-34.15	-13	PASS
Band25	10	26640	50	#0	QPSK	24412.19	-34.48	-13	PASS
Band25	10	26640	50	#0	16QAM	26325.33	-33.87	-13	PASS
Band25	15	26115	75	#0	QPSK	24494.43	-33.92	-13	PASS
Band25	15	26115	75	#0	16QAM	25438.56	-33.99	-13	PASS
Band25	15	26365	75	#0	QPSK	26156.39	-34.21	-13	PASS
Band25	15	26365	75	#0	16QAM	24564.55	-34.10	-13	PASS
Band25	15	26615	75	#0	QPSK	24539.05	-34.03	-13	PASS
Band25	15	26615	75	#0	16QAM	25050.33	-34.05	-13	PASS
Band25	20	26140	100	#0	QPSK	25050.33	-33.87	-13	PASS
Band25	20	26140	100	#0	16QAM	24994.23	-33.02	-13	PASS
Band25	20	26365	100	#0	QPSK	25585.19	-33.91	-13	PASS
Band25	20	26365	100	#0	16QAM	24488.05	-34.31	-13	PASS
Band25	20	26590	100	#0	QPSK	26373.14	-33.45	-13	PASS
Band25	20	26590	100	#0	16QAM	24410.91	-34.35	-13	PASS

Band26(814-824)	1.4	26697	6	#0	QPSK	25035.66	-35.46	-13	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	25916.69	-35.59	-13	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	25137.03	-35.13	-13	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	25128.10	-34.90	-13	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	25121.09	-35.06	-13	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	25074.55	-35.27	-13	PASS
Band26(814-824)	3	26705	15	#0	QPSK	25145.95	-34.18	-13	PASS
Band26(814-824)	3	26705	15	#0	16QAM	24996.78	-35.19	-13	PASS
Band26(814-824)	3	26740	15	#0	QPSK	24988.49	-35.36	-13	PASS
Band26(814-824)	3	26740	15	#0	16QAM	24989.13	-35.06	-13	PASS
Band26(814-824)	3	26775	15	#0	QPSK	24590.05	-35.29	-13	PASS
Band26(814-824)	3	26775	15	#0	16QAM	25108.98	-35.17	-13	PASS
Band26(814-824)	5	26715	25	#0	QPSK	25032.48	-34.42	-13	PASS
Band26(814-824)	5	26715	25	#0	16QAM	25872.70	-34.85	-13	PASS
Band26(814-824)	5	26740	25	#0	QPSK	26090.09	-35.32	-13	PASS
Band26(814-824)	5	26740	25	#0	16QAM	26018.69	-35.51	-13	PASS
Band26(814-824)	5	26765	25	#0	QPSK	24455.54	-34.66	-13	PASS
Band26(814-824)	5	26765	25	#0	16QAM	25508.69	-35.05	-13	PASS
Band26(814-824)	10	26740	50	#0	QPSK	24958.53	-35.35	-13	PASS
Band26(814-824)	10	26740	50	#0	16QAM	25045.23	-35.01	-13	PASS
Band26(824-849)	1.4	26797	6	#0	QPSK	25892.46	-35.62	-13	PASS
Band26(824-849)	1.4	26797	6	#0	16QAM	24528.85	-34.82	-13	PASS
Band26(824-849)	1.4	26915	6	#0	QPSK	24506.54	-35.20	-13	PASS
Band26(824-849)	1.4	26915	6	#0	16QAM	25103.24	-34.59	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	25038.21	-35.03	-13	PASS
Band26(824-849)	1.4	27033	6	#0	16QAM	25013.35	-35.17	-13	PASS
Band26(824-849)	3	26805	15	#0	QPSK	25093.04	-35.05	-13	PASS
Band26(824-849)	3	26805	15	#0	16QAM	25071.36	-34.84	-13	PASS
Band26(824-849)	3	26915	15	#0	QPSK	25968.96	-34.23	-13	PASS
Band26(824-849)	3	26915	15	#0	16QAM	25070.73	-35.30	-13	PASS
Band26(824-849)	3	27025	15	#0	QPSK	24451.71	-33.39	-13	PASS
Band26(824-849)	3	27025	15	#0	16QAM	25012.71	-34.60	-13	PASS
Band26(824-849)	5	26815	25	#0	QPSK	25919.24	-35.31	-13	PASS
Band26(824-849)	5	26815	25	#0	16QAM	24970.64	-35.51	-13	PASS
Band26(824-849)	5	26915	25	#0	QPSK	25068.81	-34.82	-13	PASS
Band26(824-849)	5	26915	25	#0	16QAM	25625.35	-35.08	-13	PASS
Band26(824-849)	5	27015	25	#0	QPSK	25006.98	-34.56	-13	PASS
Band26(824-849)	5	27015	25	#0	16QAM	25075.83	-34.80	-13	PASS
Band26(824-849)	10	26840	50	#0	QPSK	24411.55	-35.15	-13	PASS
Band26(824-849)	10	26840	50	#0	16QAM	24519.93	-34.81	-13	PASS
Band26(824-849)	10	26915	50	#0	QPSK	25945.38	-35.00	-13	PASS
Band26(824-849)	10	26915	50	#0	16QAM	25099.41	-35.05	-13	PASS
Band26(824-849)	10	26990	50	#0	QPSK	25574.35	-34.76	-13	PASS
Band26(824-849)	10	26990	50	#0	16QAM	24439.60	-34.57	-13	PASS


Band26(824-849)	15	26865	75	#0	QPSK	25005.70	-35.65	-13	PASS
Band26(824-849)	15	26865	75	#0	16QAM	25008.89	-35.07	-13	PASS
Band26(824-849)	15	26915	75	#0	QPSK	26171.05	-34.78	-13	PASS
Band26(824-849)	15	26915	75	#0	16QAM	25031.20	-33.87	-13	PASS
Band26(824-849)	15	26965	75	#0	QPSK	25613.88	-35.10	-13	PASS
Band26(824-849)	15	26965	75	#0	16QAM	24185.24	-35.24	-13	PASS
Band4	1.4	19957	6	#0	QPSK	24461.28	-33.62	-13	PASS
Band4	1.4	19957	6	#0	16QAM	25164.44	-34.14	-13	PASS
Band4	1.4	20175	6	#0	QPSK	24400.71	-34.16	-13	PASS
Band4	1.4	20175	6	#0	16QAM	26204.20	-34.81	-13	PASS
Band4	1.4	20393	6	#0	QPSK	25040.76	-34.42	-13	PASS
Band4	1.4	20393	6	#0	16QAM	24910.71	-34.08	-13	PASS
Band4	3	19965	15	#0	QPSK	24488.69	-34.20	-13	PASS
Band4	3	19965	15	#0	16QAM	26403.74	-33.77	-13	PASS
Band4	3	20175	15	#0	QPSK	24972.55	-34.32	-13	PASS
Band4	3	20175	15	#0	16QAM	26354.65	-34.42	-13	PASS
Band4	3	20385	15	#0	QPSK	24360.55	-34.31	-13	PASS
Band4	3	20385	15	#0	16QAM	25036.94	-34.18	-13	PASS
Band4	5	19975	25	#0	QPSK	25078.38	-33.39	-13	PASS
Band4	5	19975	25	#0	16QAM	25096.86	-33.97	-13	PASS
Band4	5	20175	25	#0	QPSK	26489.80	-33.93	-13	PASS
Band4	5	20175	25	#0	16QAM	25025.46	-34.16	-13	PASS
Band4	5	20375	25	#0	QPSK	24503.99	-33.75	-13	PASS
Band4	5	20375	25	#0	16QAM	25077.10	-34.43	-13	PASS
Band4	10	20000	50	#0	QPSK	24386.05	-33.90	-13	PASS
Band4	10	20000	50	#0	16QAM	24462.55	-33.25	-13	PASS
Band4	10	20175	50	#0	QPSK	25054.79	-32.95	-13	PASS
Band4	10	20175	50	#0	16QAM	24549.25	-34.93	-13	PASS
Band4	10	20350	50	#0	QPSK	25087.94	-33.55	-13	PASS
Band4	10	20350	50	#0	16QAM	25087.94	-33.51	-13	PASS
Band4	15	20025	75	#0	QPSK	26173.60	-33.94	-13	PASS
Band4	15	20025	75	#0	16QAM	26041.00	-34.62	-13	PASS
Band4	15	20175	75	#0	QPSK	25629.18	-33.92	-13	PASS
Band4	15	20175	75	#0	16QAM	25188.03	-34.00	-13	PASS
Band4	15	20325	75	#0	QPSK	25033.11	-33.62	-13	PASS
Band4	15	20325	75	#0	16QAM	25026.74	-33.58	-13	PASS
Band4	20	20050	100	#0	QPSK	25028.65	-33.48	-13	PASS
Band4	20	20050	100	#0	16QAM	26338.71	-34.23	-13	PASS
Band4	20	20175	100	#0	QPSK	25048.41	-34.57	-13	PASS
Band4	20	20175	100	#0	16QAM	23900.91	-34.19	-13	PASS
Band4	20	20300	100	#0	QPSK	26087.54	-34.32	-13	PASS
Band4	20	20300	100	#0	16QAM	25024.83	-33.48	-13	PASS
Band41	5	39675	25	#0	QPSK	25104.51	-33.49	-25	PASS
Band41	5	39675	25	#0	16QAM	25979.16	-34.23	-25	PASS

Band41	5	40620	25	#0	QPSK	24502.08	-33.43	-25	PASS
Band41	5	40620	25	#0	16QAM	25916.05	-33.89	-25	PASS
Band41	5	41565	25	#0	QPSK	26067.14	-33.15	-25	PASS
Band41	5	41565	25	#0	16QAM	25161.89	-33.65	-25	PASS
Band41	10	39700	50	#0	QPSK	24598.34	-33.96	-25	PASS
Band41	10	39700	50	#0	16QAM	25084.75	-33.69	-25	PASS
Band41	10	40620	50	#0	QPSK	24503.35	-33.25	-25	PASS
Band41	10	40620	50	#0	16QAM	25083.48	-33.58	-25	PASS
Band41	10	41540	50	#0	QPSK	25467.25	-33.68	-25	PASS
Band41	10	41540	50	#0	16QAM	24468.93	-33.84	-25	PASS
Band41	15	39725	75	#0	QPSK	25060.53	-33.73	-25	PASS
Band41	15	39725	75	#0	16QAM	25016.54	-33.56	-25	PASS
Band41	15	40620	75	#0	QPSK	25030.56	-33.71	-25	PASS
Band41	15	40620	75	#0	16QAM	25082.20	-33.64	-25	PASS
Band41	15	41515	75	#0	QPSK	24280.23	-33.74	-25	PASS
Band41	15	41515	75	#0	16QAM	25033.11	-32.61	-25	PASS
Band41	20	39750	100	#0	QPSK	25636.19	-33.32	-25	PASS
Band41	20	39750	100	#0	16QAM	24957.25	-33.98	-25	PASS
Band41	20	40620	100	#0	QPSK	25476.81	-33.52	-25	PASS
Band41	20	40620	100	#0	16QAM	25038.85	-33.88	-25	PASS
Band41	20	41490	100	#0	QPSK	25050.96	-32.07	-25	PASS
Band41	20	41490	100	#0	16QAM	25068.81	-33.06	-25	PASS
Band5	1.4	20407	6	#0	QPSK	25072.64	-35.48	-13	PASS
Band5	1.4	20407	6	#0	16QAM	24489.96	-35.46	-13	PASS
Band5	1.4	20525	6	#0	QPSK	25068.81	-35.15	-13	PASS
Band5	1.4	20525	6	#0	16QAM	25029.93	-35.02	-13	PASS
Band5	1.4	20643	6	#0	QPSK	24572.84	-35.00	-13	PASS
Band5	1.4	20643	6	#0	16QAM	25017.81	-35.29	-13	PASS
Band5	3	20415	15	#0	QPSK	24421.75	-35.04	-13	PASS
Band5	3	20415	15	#0	16QAM	25924.98	-35.48	-13	PASS
Band5	3	20525	15	#0	QPSK	26046.74	-35.68	-13	PASS
Band5	3	20525	15	#0	16QAM	26349.55	-34.93	-13	PASS
Band5	3	20635	15	#0	QPSK	24445.98	-35.26	-13	PASS
Band5	3	20635	15	#0	16QAM	24483.59	-35.52	-13	PASS
Band5	5	20425	25	#0	QPSK	25014.63	-35.09	-13	PASS
Band5	5	20425	25	#0	16QAM	25100.05	-34.87	-13	PASS
Band5	5	20525	25	#0	QPSK	26362.30	-34.99	-13	PASS
Band5	5	20525	25	#0	16QAM	26326.60	-35.04	-13	PASS
Band5	5	20625	25	#0	QPSK	24472.11	-34.35	-13	PASS
Band5	5	20625	25	#0	16QAM	24505.26	-34.86	-13	PASS
Band5	10	20450	50	#0	QPSK	26454.74	-33.25	-13	PASS
Band5	10	20450	50	#0	16QAM	25018.45	-34.83	-13	PASS
Band5	10	20525	50	#0	QPSK	26445.18	-34.94	-13	PASS
Band5	10	20525	50	#0	16QAM	25151.05	-35.31	-13	PASS

Band5	10	20600	50	#0	QPSK	24736.04	-35.32	-13	PASS
Band5	10	20600	50	#0	16QAM	24544.15	-35.55	-13	PASS
Band66	1.4	131979	6	#0	QPSK	25458.33	-34.14	-13	PASS
Band66	1.4	131979	6	#0	16QAM	26371.86	-34.29	-13	PASS
Band66	1.4	132322	6	#0	QPSK	24985.30	-33.97	-13	PASS
Band66	1.4	132322	6	#0	16QAM	25549.49	-34.58	-13	PASS
Band66	1.4	132665	6	#0	QPSK	24502.08	-32.95	-13	PASS
Band66	1.4	132665	6	#0	16QAM	25042.68	-34.54	-13	PASS
Band66	3	131987	15	#0	QPSK	25043.95	-34.43	-13	PASS
Band66	3	131987	15	#0	16QAM	24498.89	-34.25	-13	PASS
Band66	3	132322	15	#0	QPSK	25035.66	-33.14	-13	PASS
Band66	3	132322	15	#0	16QAM	25047.14	-33.97	-13	PASS
Band66	3	132657	15	#0	QPSK	26286.44	-34.19	-13	PASS
Band66	3	132657	15	#0	16QAM	25990.64	-33.73	-13	PASS
Band66	5	131997	25	#0	QPSK	26225.88	-34.17	-13	PASS
Band66	5	131997	25	#0	16QAM	26378.88	-34.34	-13	PASS
Band66	5	132322	25	#0	QPSK	25046.50	-32.71	-13	PASS
Band66	5	132322	25	#0	16QAM	25070.09	-33.43	-13	PASS
Band66	5	132647	25	#0	QPSK	24489.33	-35.00	-13	PASS
Band66	5	132647	25	#0	16QAM	25156.79	-34.35	-13	PASS
Band66	10	132022	50	#0	QPSK	26390.35	-33.24	-13	PASS
Band66	10	132022	50	#0	16QAM	24417.93	-32.89	-13	PASS
Band66	10	132322	50	#0	QPSK	26097.10	-34.32	-13	PASS
Band66	10	132322	50	#0	16QAM	25515.70	-33.92	-13	PASS
Band66	10	132622	50	#0	QPSK	25060.53	-33.87	-13	PASS
Band66	10	132622	50	#0	16QAM	24484.86	-34.18	-13	PASS
Band66	15	132047	75	#0	QPSK	24998.69	-34.20	-13	PASS
Band66	15	132047	75	#0	16QAM	24503.35	-34.40	-13	PASS
Band66	15	132322	75	#0	QPSK	25555.86	-34.30	-13	PASS
Band66	15	132322	75	#0	16QAM	25446.21	-33.81	-13	PASS
Band66	15	132597	75	#0	QPSK	24978.29	-34.38	-13	PASS
Band66	15	132597	75	#0	16QAM	25029.29	-34.00	-13	PASS
Band66	20	132072	100	#0	QPSK	24946.41	-34.45	-13	PASS
Band66	20	132072	100	#0	16QAM	23878.60	-33.89	-13	PASS
Band66	20	132322	100	#0	QPSK	25553.31	-34.32	-13	PASS
Band66	20	132322	100	#0	16QAM	26310.03	-34.25	-13	PASS
Band66	20	132572	100	#0	QPSK	26019.33	-34.22	-13	PASS
Band66	20	132572	100	#0	16QAM	24519.29	-34.32	-13	PASS
Band71	5	133147	25	#0	QPSK	25070.73	-35.15	-13	PASS
Band71	5	133147	25	#0	16QAM	25177.19	-35.51	-13	PASS
Band71	5	133297	25	#0	QPSK	25063.71	-34.80	-13	PASS
Band71	5	133297	25	#0	16QAM	24466.38	-35.58	-13	PASS
Band71	5	133447	25	#0	QPSK	25098.14	-34.54	-13	PASS
Band71	5	133447	25	#0	16QAM	24996.14	-35.08	-13	PASS

Band71	10	133172	50	#0	QPSK	24973.19	-34.97	-13	PASS
Band71	10	133172	50	#0	16QAM	24988.49	-34.48	-13	PASS
Band71	10	133297	50	#0	QPSK	25040.76	-35.15	-13	PASS
Band71	10	133297	50	#0	16QAM	25051.60	-35.12	-13	PASS
Band71	10	133422	50	#0	QPSK	26045.46	-35.32	-13	PASS
Band71	10	133422	50	#0	16QAM	24452.35	-35.52	-13	PASS
Band71	15	133197	75	#0	QPSK	25073.91	-35.90	-13	PASS
Band71	15	133197	75	#0	16QAM	26470.68	-35.75	-13	PASS
Band71	15	133297	75	#0	QPSK	23950.64	-35.54	-13	PASS
Band71	15	133297	75	#0	16QAM	26323.41	-34.72	-13	PASS
Band71	15	133397	75	#0	QPSK	26364.21	-35.03	-13	PASS
Band71	15	133397	75	#0	16QAM	26401.83	-35.57	-13	PASS
Band71	20	133222	100	#0	QPSK	26057.58	-33.96	-13	PASS
Band71	20	133222	100	#0	16QAM	24973.83	-34.79	-13	PASS
Band71	20	133297	100	#0	QPSK	24404.54	-35.65	-13	PASS
Band71	20	133297	100	#0	16QAM	25046.50	-35.17	-13	PASS
Band71	20	133372	100	#0	QPSK	24387.96	-35.56	-13	PASS
Band71	20	133372	100	#0	16QAM	25919.24	-35.05	-13	PASS


Band12 16QAM BW=1.4MHz Channel=23017 RB Size=6 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110868	-51.21	-13
2	0.15	30	10	0.16268625	-55.3	-13
3	30	1000	100	786.57575	-56.42	-13
4	1000	26500	1000	26380.7875	-35.17	-13


Band12 16QAM BW=1.4MHz Channel=23095 RB Size=6 Position=#0






Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010667325	-50.06	-13
2	0.15	30	10	0.18208875	-54.69	-13
3	30	1000	100	493.82975	-56.35	-13
4	1000	26500	1000	25119.175	-34.47	-13

Band12 16QAM BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009257325	-53.48	-13
2	0.15	30	10	0.16865625	-55.37	-13
3	30	1000	100	467.1305	-57.34	-13
4	1000	26500	1000	24456.175	-34.87	-13

Band12 16QAM BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010202025	-53.3	-13
2	0.15	30	10	0.15074625	-51.24	-13
3	30	1000	100	475.715	-56.83	-13
4	1000	26500	1000	25364.6125	-34.73	-13

Band12 16QAM BW=10MHz Channel=23095 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-52.3	-13
2	0.15	30	10	0.1544775	-52.49	-13
3	30	1000	100	905.69175	-56.85	-13
4	1000	26500	1000	25974.0625	-35.39	-13

Band12 16QAM BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099306	-51.85	-13
2	0.15	30	10	0.15	-53.01	-13
3	30	1000	100	883.67275	-57.08	-13
4	1000	26500	1000	25095.5875	-35.07	-13

Band12 16QAM BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100434	-52.68	-13
2	0.15	30	10	0.15820875	-53.6	-13
3	30	1000	100	857.41	-56.24	-13
4	1000	26500	1000	26168.5	-34.76	-13

Band12 16QAM BW=3MHz Channel=23095 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009482925	-51.77	-13
2	0.15	30	10	0.17462625	-54.18	-13
3	30	1000	100	451.4165	-56.7	-13
4	1000	26500	1000	26086.2625	-34.51	-13

Band12 16QAM BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-52.22	-13
2	0.15	30	10	0.1514925	-50.97	-13
3	30	1000	100	530.714	-56.84	-13
4	1000	26500	1000	25050.9625	-34.23	-13

Band12 16QAM BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009588675	-53.24	-13
2	0.15	30	10	0.15	-54.78	-13
3	30	1000	100	900.3325	-57.23	-13
4	1000	26500	1000	25497.2125	-35.13	-13

Band12 16QAM BW=5MHz Channel=23095 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012486225	-51.65	-13
2	0.15	30	10	0.1514925	-53.15	-13
3	30	1000	100	409.0275	-56.45	-13
4	1000	26500	1000	25034.3875	-35.4	-13

Band12 16QAM BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010928175	-51.19	-13
2	0.15	30	10	0.15	-53.21	-13
3	30	1000	100	922.86075	-56.63	-13
4	1000	26500	1000	25094.95	-35.53	-13

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01051575	-52.88	-13
2	0.15	30	10	0.1664175	-53	-13
3	30	1000	100	782.50175	-56.17	-13
4	1000	26500	1000	26453.4625	-34.3	-13

Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0103254	-47.89	-13
2	0.15	30	10	0.1664175	-52.99	-13
3	30	1000	100	897.64075	-56.97	-13
4	1000	26500	1000	26385.8875	-35.27	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0150066	-52.76	-13
2	0.15	30	10	0.15	-52.82	-13
3	30	1000	100	524.62725	-56.44	-13
4	1000	26500	1000	24428.125	-35.22	-13

Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0143157	-53.06	-13
2	0.15	30	10	0.1514925	-54.51	-13
3	30	1000	100	783.0595	-57.13	-13
4	1000	26500	1000	25938.3625	-34.46	-13


Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0129198	-52.78	-13
2	0.15	30	10	0.16268625	-54	-13
3	30	1000	100	865.04875	-56.3	-13
4	1000	26500	1000	25029.925	-34.96	-13


Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0






Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00906345	-52.29	-13
2	0.15	30	10	0.164925	-53.54	-13
3	30	1000	100	876.7615	-56.57	-13
4	1000	26500	1000	26432.425	-35.06	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094512	-51.14	-13
2	0.15	30	10	0.15	-51.04	-13
3	30	1000	100	834.1785	-56.97	-13
4	1000	26500	1000	25080.925	-35.07	-13

Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010131525	-52.22	-13
2	0.15	30	10	0.15	-52.87	-13
3	30	1000	100	907.4135	-56.44	-13
4	1000	26500	1000	26244.3625	-35.22	-13

Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010737825	-50.78	-13
2	0.15	30	10	0.16417875	-52.87	-13
3	30	1000	100	923.4185	-56.9	-13
4	1000	26500	1000	25997.65	-35.11	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011189025	-52.27	-13
2	0.15	30	10	0.15	-54.88	-13
3	30	1000	100	390.161	-57.07	-13
4	1000	26500	1000	24546.7	-34.56	-13

Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099306	-52.74	-13
2	0.15	30	10	0.182835	-53.36	-13
3	30	1000	100	507.3855	-57.02	-13
4	1000	26500	1000	25066.2625	-35.09	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094935	-51.48	-13
2	0.15	30	10	0.15	-53.25	-13
3	30	1000	100	818.901	-56.17	-13
4	1000	26500	1000	25048.4125	-35.52	-13

Band13 16QAM BW=10MHz Channel=23230 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010850625	-50.96	-13
2	0.15	30	10	0.15597	-53.02	-13
3	30	1000	100	954.8465	-56.47	-13
4	1000	26500	1000	25538.65	-35.43	-13

Band13 16QAM BW=5MHz Channel=23205 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00995175	-51.13	-13
2	0.15	30	10	0.15223875	-52.44	-13
3	30	1000	100	453.47775	-57.5	-13
4	1000	26500	1000	25129.375	-35.65	-13

Band13 16QAM BW=5MHz Channel=23230 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-53.21	-13
2	0.15	30	10	0.15522375	-52.81	-13
3	30	1000	100	526.32475	-56.94	-13
4	1000	26500	1000	26166.5875	-35.56	-13

Band13 16QAM BW=5MHz Channel=23255 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009243225	-50.99	-13
2	0.15	30	10	0.1604475	-54.54	-13
3	30	1000	100	932.488	-57.12	-13
4	1000	26500	1000	25576.9	-34.49	-13

Band13 QPSK BW=10MHz Channel=23230 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009934125	-51.79	-13
2	0.15	30	10	0.15	-53.19	-13
3	30	1000	100	995.61075	-56.84	-13
4	1000	26500	1000	25067.5375	-35.06	-13

Band13 QPSK BW=5MHz Channel=23205 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-53.46	-13
2	0.15	30	10	0.15373125	-54.37	-13
3	30	1000	100	738.003	-57	-13
4	1000	26500	1000	26335.525	-34.14	-13

Band13 QPSK BW=5MHz Channel=23230 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-51.9	-13
2	0.15	30	10	0.1514925	-52.6	-13
3	30	1000	100	662.80375	-56.32	-13
4	1000	26500	1000	26130.8875	-35.55	-13

Band13 QPSK BW=5MHz Channel=23255 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01869375	-53.68	-13
2	0.15	30	10	0.15820875	-54.6	-13
3	30	1000	100	840.823	-56.75	-13
4	1000	26500	1000	25545.6625	-34.92	-13


Band2 16QAM BW=10MHz Channel=18650 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097896	-50.62	-13
2	0.15	30	10	0.15970125	-53.7	-13
3	30	1000	100	105.175	-55.97	-13
4	1000	26500	1000	24328.0375	-33.84	-13


Band2 16QAM BW=10MHz Channel=18900 RB Size=50 Position=#0






Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009842475	-51.11	-13
2	0.15	30	10	0.15	-49.64	-13
3	30	1000	100	940.75725	-56.36	-13
4	1000	26500	1000	25129.375	-33.58	-13

Band2 16QAM BW=10MHz Channel=19150 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009045825	-50.36	-13
2	0.15	30	10	0.15	-50.85	-13
3	30	1000	100	895.16725	-56.18	-13
4	1000	26500	1000	25017.175	-32.08	-13

Band2 16QAM BW=15MHz Channel=18675 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0142029	-50.54	-13
2	0.15	30	10	0.1634325	-53.25	-13
3	30	1000	100	992.26425	-55.34	-13
4	1000	26500	1000	24394.3375	-34.66	-13

Band2 16QAM BW=15MHz Channel=18900 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099165	-49.61	-13
2	0.15	30	10	0.158955	-49.96	-13
3	30	1000	100	892.524	-56.62	-13
4	1000	26500	1000	25894.375	-33.92	-13

Band2 16QAM BW=15MHz Channel=19125 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012704775	-50.21	-13
2	0.15	30	10	0.16417875	-51.98	-13
3	30	1000	100	691.2975	-55.68	-13
4	1000	26500	1000	25891.1875	-34.64	-13

Band2 16QAM BW=20MHz Channel=18700 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009828375	-51	-13
2	0.15	30	10	0.18059625	-53.16	-13
3	30	1000	100	863.39975	-55.82	-13
4	1000	26500	1000	25111.525	-34.28	-13

Band2 16QAM BW=20MHz Channel=18900 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010794225	-51.14	-13
2	0.15	30	10	0.15522375	-51.73	-13
3	30	1000	100	754.396	-56.16	-13
4	1000	26500	1000	25072	-33.15	-13

Band2 16QAM BW=20MHz Channel=19100 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009602775	-51.61	-13
2	0.15	30	10	0.15522375	-52.62	-13
3	30	1000	100	454.084	-55.67	-13
4	1000	26500	1000	26342.5375	-34.4	-13

Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01110795	-49.43	-13
2	0.15	30	10	0.16268625	-53.07	-13
3	30	1000	100	804.739	-56.14	-13
4	1000	26500	1000	24438.9625	-33.14	-13

Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009630975	-51.82	-13
2	0.15	30	10	0.1514925	-52.67	-13
3	30	1000	100	887.89225	-56.61	-13
4	1000	26500	1000	26307.475	-33.63	-13

Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011534475	-50.28	-13
2	0.15	30	10	0.16865625	-51.89	-13
3	30	1000	100	913.16075	-56.25	-13
4	1000	26500	1000	24485.5	-33.73	-13

Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0129621	-51.28	-13
2	0.15	30	10	0.1544775	-52.34	-13
3	30	1000	100	643.719	-55.74	-13
4	1000	26500	1000	24461.9125	-34.17	-13

Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01017735	-50.91	-13
2	0.15	30	10	0.16194	-54.42	-13
3	30	1000	100	922.5465	-56.41	-13
4	1000	26500	1000	24532.675	-33.6	-13

Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0093384	-50.55	-13
2	0.15	30	10	0.15597	-51.5	-13
3	30	1000	100	762.56825	-56.14	-13
4	1000	26500	1000	24539.6875	-34.12	-13

Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009250275	-50.24	-13
2	0.15	30	10	0.176865	-52.9	-13
3	30	1000	100	188.498	-55.21	-13
4	1000	26500	1000	25068.175	-34.14	-13


Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094794	-51.04	-13
2	0.15	30	10	0.15223875	-52	-13
3	30	1000	100	995.2955	-56	-13
4	1000	26500	1000	25064.35	-32.81	-13


Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0






Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009282	-49.38	-13
2	0.15	30	10	0.15223875	-51.63	-13
3	30	1000	100	427.53025	-56.42	-13
4	1000	26500	1000	25015.9	-32.58	-13

Band25 16QAM BW=1.4MHz Channel=26047 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.015270975	-51.9	-13
2	0.15	30	10	0.15223875	-53.44	-13
3	30	1000	100	810.7045	-55.7	-13
4	1000	26500	1000	25545.025	-34.35	-13

Band25 16QAM BW=1.4MHz Channel=26365 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01060035	-51.06	-13
2	0.15	30	10	0.16194	-53.75	-13
3	30	1000	100	780.586	-56.36	-13
4	1000	26500	1000	25046.5	-33.51	-13

Band25 16QAM BW=1.4MHz Channel=26683 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01038885	-49.48	-13
2	0.15	30	10	0.16716375	-53.49	-13
3	30	1000	100	852.657	-56.58	-13
4	1000	26500	1000	24578.575	-32.95	-13

Band25 16QAM BW=10MHz Channel=26090 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01694535	-51.7	-13
2	0.15	30	10	0.15	-50.8	-13
3	30	1000	100	778.064	-55.55	-13
4	1000	26500	1000	25024.825	-33.05	-13

Band25 16QAM BW=10MHz Channel=26365 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009081075	-51.21	-13
2	0.15	30	10	0.164925	-51.52	-13
3	30	1000	100	852.8995	-56.3	-13
4	1000	26500	1000	24312.7375	-34.15	-13

Band25 16QAM BW=10MHz Channel=26640 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0117072	-49.64	-13
2	0.15	30	10	0.152985	-52.77	-13
3	30	1000	100	388.58475	-55.51	-13
4	1000	26500	1000	26325.325	-33.87	-13

Band25 16QAM BW=15MHz Channel=26115 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01082595	-49.13	-13
2	0.15	30	10	0.16194	-53.73	-13
3	30	1000	100	913.01525	-55.96	-13
4	1000	26500	1000	25438.5625	-33.99	-13

Band25 16QAM BW=15MHz Channel=26365 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-50.27	-13
2	0.15	30	10	0.15	-50.87	-13
3	30	1000	100	968.93575	-55.87	-13
4	1000	26500	1000	24564.55	-34.1	-13

Band25 16QAM BW=15MHz Channel=26615 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009638025	-51.23	-13
2	0.15	30	10	0.15074625	-50.43	-13
3	30	1000	100	425.92975	-56.3	-13
4	1000	26500	1000	25050.325	-34.05	-13

Band25 16QAM BW=20MHz Channel=26140 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.012147825	-49.51	-13
2	0.15	30	10	0.15970125	-50.3	-13
3	30	1000	100	868.39525	-54.79	-13
4	1000	26500	1000	24994.225	-33.02	-13

Band25 16QAM BW=20MHz Channel=26365 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0097755	-49.07	-13
2	0.15	30	10	0.170895	-52.85	-13
3	30	1000	100	864.75775	-56.07	-13
4	1000	26500	1000	24488.05	-34.31	-13

Band25 16QAM BW=20MHz Channel=26590 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-50.86	-13
2	0.15	30	10	0.15	-51.68	-13
3	30	1000	100	891.7965	-56.28	-13
4	1000	26500	1000	24410.9125	-34.35	-13

Band25 16QAM BW=3MHz Channel=26055 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-50.49	-13
2	0.15	30	10	0.15	-51.49	-13
3	30	1000	100	787.98225	-56.13	-13
4	1000	26500	1000	24340.7875	-33.67	-13

Band25 16QAM BW=3MHz Channel=26365 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-51.48	-13
2	0.15	30	10	0.15223875	-51.62	-13
3	30	1000	100	930.23275	-55.67	-13
4	1000	26500	1000	25049.05	-34.3	-13


Band25 16QAM BW=3MHz Channel=26675 RB Size=15 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010279575	-50.26	-13
2	0.15	30	10	0.158955	-53.44	-13
3	30	1000	100	456.8485	-56.19	-13
4	1000	26500	1000	25132.5625	-33.58	-13


Band25 16QAM BW=5MHz Channel=26065 RB Size=25 Position=#0






Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0131595	-50.84	-13
2	0.15	30	10	0.1574625	-52.21	-13
3	30	1000	100	701.24	-55.33	-13
4	1000	26500	1000	26398.6375	-33.03	-13

Band25 16QAM BW=5MHz Channel=26365 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009891825	-51.51	-13
2	0.15	30	10	0.16567125	-52.93	-13
3	30	1000	100	873.221	-56.58	-13
4	1000	26500	1000	25133.2	-34.1	-13

Band25 16QAM BW=5MHz Channel=26665 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010476975	-50.25	-13
2	0.15	30	10	0.15	-52.85	-13
3	30	1000	100	752.6015	-54.46	-13
4	1000	26500	1000	25562.2375	-34.59	-13

Band25 QPSK BW=1.4MHz Channel=26047 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009348975	-51.4	-13
2	0.15	30	10	0.15597	-53.08	-13
3	30	1000	100	750.49175	-55.82	-13
4	1000	26500	1000	25068.175	-33.9	-13

Band25 QPSK BW=1.4MHz Channel=26365 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.014093625	-51.84	-13
2	0.15	30	10	0.16417875	-53.85	-13
3	30	1000	100	863.64225	-55.95	-13
4	1000	26500	1000	24467.0125	-34.08	-13

Band25 QPSK BW=1.4MHz Channel=26683 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49.92	-13
2	0.15	30	10	0.15	-52.53	-13
3	30	1000	100	840.4835	-55.52	-13
4	1000	26500	1000	25108.975	-33.98	-13

Band25 QPSK BW=10MHz Channel=26090 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011365275	-51.05	-13
2	0.15	30	10	0.15671625	-51.75	-13
3	30	1000	100	912.48175	-55.33	-13
4	1000	26500	1000	25547.575	-33.82	-13

Band25 QPSK BW=10MHz Channel=26365 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009539325	-50.52	-13
2	0.15	30	10	0.1634325	-51.68	-13
3	30	1000	100	848.26775	-55.98	-13
4	1000	26500	1000	24493.15	-34.23	-13

Band25 QPSK BW=10MHz Channel=26640 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091269	-49.94	-13
2	0.15	30	10	0.15074625	-52.66	-13
3	30	1000	100	418.582	-55.27	-13
4	1000	26500	1000	24412.1875	-34.48	-13

Band25 QPSK BW=15MHz Channel=26115 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01185525	-51.93	-13
2	0.15	30	10	0.16194	-51.57	-13
3	30	1000	100	851.3475	-55.44	-13
4	1000	26500	1000	24494.425	-33.92	-13

Band25 QPSK BW=15MHz Channel=26365 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096627	-50	-13
2	0.15	30	10	0.15	-50.7	-13
3	30	1000	100	882.533	-55.31	-13
4	1000	26500	1000	26156.3875	-34.21	-13

Band25 QPSK BW=15MHz Channel=26615 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0124827	-49.89	-13
2	0.15	30	10	0.15373125	-51.86	-13
3	30	1000	100	846.95825	-56.47	-13
4	1000	26500	1000	24539.05	-34.03	-13

Band25 QPSK BW=20MHz Channel=26140 RB Size=100 Position=#0