

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Test Result

### 1.1.1 B26b\_1.4MHz\_ERP

Band: 26b / Bandwidth: 1.4MHz / NTN										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	824.7	1	0	22.96	2.69	23.50	<=38.45	Pass		
			2	23.00	2.69	23.54	<=38.45	Pass		
			5	23.04	2.69	23.58	<=38.45	Pass		
		3	0	22.93	2.69	23.47	<=38.45	Pass		
			2	23.00	2.69	23.54	<=38.45	Pass		
			3	23.03	2.69	23.57	<=38.45	Pass		
		6	0	22.03	2.69	22.57	<=38.45	Pass		
		836.5	1	0	23.37	2.69	23.91	<=38.45	Pass	
				2	23.34	2.69	23.88	<=38.45	Pass	
	5			23.32	2.69	23.86	<=38.45	Pass		
	3		0	23.32	2.69	23.86	<=38.45	Pass		
			2	23.29	2.69	23.83	<=38.45	Pass		
			3	23.33	2.69	23.87	<=38.45	Pass		
	6		0	22.29	2.69	22.83	<=38.45	Pass		
	848.3		1	0	23.25	2.69	23.79	<=38.45	Pass	
				2	23.22	2.69	23.76	<=38.45	Pass	
		5		23.19	2.69	23.73	<=38.45	Pass		
		3	0	23.23	2.69	23.77	<=38.45	Pass		
			2	23.20	2.69	23.74	<=38.45	Pass		
			3	23.18	2.69	23.72	<=38.45	Pass		
		6	0	22.22	2.69	22.76	<=38.45	Pass		
		16QAM	824.7	1	0	22.06	2.69	22.60	<=38.45	Pass
					2	22.17	2.69	22.71	<=38.45	Pass
	5				22.13	2.69	22.67	<=38.45	Pass	
3	0			22.06	2.69	22.60	<=38.45	Pass		
	2			22.02	2.69	22.56	<=38.45	Pass		
	3			22.07	2.69	22.61	<=38.45	Pass		
6	0			21.11	2.69	21.65	<=38.45	Pass		
836.5	1			0	22.52	2.69	23.06	<=38.45	Pass	
				2	22.45	2.69	22.99	<=38.45	Pass	
			5	22.50	2.69	23.04	<=38.45	Pass		
	3		0	22.36	2.69	22.90	<=38.45	Pass		
			2	22.34	2.69	22.88	<=38.45	Pass		
			3	22.34	2.69	22.88	<=38.45	Pass		
	6		0	21.22	2.69	21.76	<=38.45	Pass		
	848.3		1	0	22.35	2.69	22.89	<=38.45	Pass	
				2	22.43	2.69	22.97	<=38.45	Pass	
5				22.32	2.69	22.86	<=38.45	Pass		
3			0	22.28	2.69	22.82	<=38.45	Pass		
			2	22.28	2.69	22.82	<=38.45	Pass		
			3	22.25	2.69	22.79	<=38.45	Pass		
6			0	21.26	2.69	21.80	<=38.45	Pass		
64QAM			824.7	1	0	21.06	2.69	21.60	<=38.45	Pass
					2	21.20	2.69	21.74	<=38.45	Pass
	5				21.18	2.69	21.72	<=38.45	Pass	
	3	0		20.98	2.69	21.52	<=38.45	Pass		
		2		21.04	2.69	21.58	<=38.45	Pass		
		3		21.10	2.69	21.64	<=38.45	Pass		
	6	0		20.02	2.69	20.56	<=38.45	Pass		

	836.5	1	0	21.57	2.69	22.11	<=38.45	Pass
			2	21.53	2.69	22.07	<=38.45	Pass
			5	21.55	2.69	22.09	<=38.45	Pass
		3	0	21.39	2.69	21.93	<=38.45	Pass
			2	21.33	2.69	21.87	<=38.45	Pass
			3	21.41	2.69	21.95	<=38.45	Pass
	6	0	20.38	2.69	20.92	<=38.45	Pass	
	848.3	1	0	21.37	2.69	21.91	<=38.45	Pass
			2	21.49	2.69	22.03	<=38.45	Pass
			5	21.41	2.69	21.95	<=38.45	Pass
		3	0	21.35	2.69	21.89	<=38.45	Pass
			2	21.23	2.69	21.77	<=38.45	Pass
			3	21.29	2.69	21.83	<=38.45	Pass
		6	0	20.30	2.69	20.84	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

### 1.1.2 B26b\_3MHz\_ERP

Band: 26b / Bandwidth: 3MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	825.5	1	0	22.96	2.69	23.50	<=38.45	Pass		
			7	23.02	2.69	23.56	<=38.45	Pass		
			14	22.99	2.69	23.53	<=38.45	Pass		
		8	0	21.99	2.69	22.53	<=38.45	Pass		
			4	22.04	2.69	22.58	<=38.45	Pass		
			7	22.07	2.69	22.61	<=38.45	Pass		
		15	0	22.08	2.69	22.62	<=38.45	Pass		
		836.5	1	0	23.27	2.69	23.81	<=38.45	Pass	
				7	23.35	2.69	23.89	<=38.45	Pass	
	14			23.34	2.69	23.88	<=38.45	Pass		
	8		0	22.29	2.69	22.83	<=38.45	Pass		
			4	22.38	2.69	22.92	<=38.45	Pass		
			7	22.41	2.69	22.95	<=38.45	Pass		
	15		0	22.40	2.69	22.94	<=38.45	Pass		
	847.5		1	0	23.26	2.69	23.80	<=38.45	Pass	
				7	23.25	2.69	23.79	<=38.45	Pass	
		14		23.16	2.69	23.70	<=38.45	Pass		
		8	0	22.29	2.69	22.83	<=38.45	Pass		
			4	22.28	2.69	22.82	<=38.45	Pass		
			7	22.27	2.69	22.81	<=38.45	Pass		
		15	0	22.30	2.69	22.84	<=38.45	Pass		
		16QAM	825.5	1	0	22.12	2.69	22.66	<=38.45	Pass
					7	22.25	2.69	22.79	<=38.45	Pass
	14				22.17	2.69	22.71	<=38.45	Pass	
8	0			21.01	2.69	21.55	<=38.45	Pass		
	4			21.15	2.69	21.69	<=38.45	Pass		
	7			21.08	2.69	21.62	<=38.45	Pass		
15	0		21.10	2.69	21.64	<=38.45	Pass			
836.5	1		0	22.36	2.69	22.90	<=38.45	Pass		
			7	22.51	2.69	23.05	<=38.45	Pass		
			14	22.45	2.69	22.99	<=38.45	Pass		
	8		0	21.35	2.69	21.89	<=38.45	Pass		
			4	21.37	2.69	21.91	<=38.45	Pass		
			7	21.37	2.69	21.91	<=38.45	Pass		
15	0		21.38	2.69	21.92	<=38.45	Pass			
847.5	1		0	22.41	2.69	22.95	<=38.45	Pass		

64QAM	825.5	7	7	22.53	2.69	23.07	<=38.45	Pass	
			14	22.33	2.69	22.87	<=38.45	Pass	
		8	0	21.29	2.69	21.83	<=38.45	Pass	
			4	21.35	2.69	21.89	<=38.45	Pass	
			7	21.33	2.69	21.87	<=38.45	Pass	
		15	0	21.33	2.69	21.87	<=38.45	Pass	
	836.5	1	0	21.22	2.69	21.76	<=38.45	Pass	
			7	21.22	2.69	21.76	<=38.45	Pass	
			14	21.18	2.69	21.72	<=38.45	Pass	
		8	0	20.03	2.69	20.57	<=38.45	Pass	
			4	19.95	2.69	20.49	<=38.45	Pass	
			7	20.06	2.69	20.60	<=38.45	Pass	
		15	0	20.10	2.69	20.64	<=38.45	Pass	
		847.5	1	0	21.55	2.69	22.09	<=38.45	Pass
				7	21.68	2.69	22.22	<=38.45	Pass
14				21.41	2.69	21.95	<=38.45	Pass	
8			0	20.39	2.69	20.93	<=38.45	Pass	
			4	20.50	2.69	21.04	<=38.45	Pass	
	7		20.39	2.69	20.93	<=38.45	Pass		
15	0		20.42	2.69	20.96	<=38.45	Pass		
847.5	1		0	21.47	2.69	22.01	<=38.45	Pass	
			7	21.56	2.69	22.10	<=38.45	Pass	
		14	21.34	2.69	21.88	<=38.45	Pass		
	8	0	20.27	2.69	20.81	<=38.45	Pass		
		4	20.39	2.69	20.93	<=38.45	Pass		
		7	20.46	2.69	21.00	<=38.45	Pass		
15	0	20.38	2.69	20.92	<=38.45	Pass			
Note1: ERP=Conducted Power+Antenna Gain-2.15									

### 1.1.3 B26b\_5MHz\_ERP

Band: 26b / Bandwidth: 5MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	826.5	1	0	23.03	2.69	23.57	<=38.45	Pass	
			13	23.12	2.69	23.66	<=38.45	Pass	
			24	23.10	2.69	23.64	<=38.45	Pass	
		12	0	22.05	2.69	22.59	<=38.45	Pass	
			6	22.14	2.69	22.68	<=38.45	Pass	
			13	22.15	2.69	22.69	<=38.45	Pass	
		25	0	22.13	2.69	22.67	<=38.45	Pass	
		836.5	1	0	23.29	2.69	23.83	<=38.45	Pass
				13	23.42	2.69	23.96	<=38.45	Pass
	24			23.34	2.69	23.88	<=38.45	Pass	
	12		0	22.32	2.69	22.86	<=38.45	Pass	
			6	22.44	2.69	22.98	<=38.45	Pass	
			13	22.39	2.69	22.93	<=38.45	Pass	
	25		0	22.39	2.69	22.93	<=38.45	Pass	
	846.5		1	0	23.35	2.69	23.89	<=38.45	Pass
				13	23.35	2.69	23.89	<=38.45	Pass
		24		23.19	2.69	23.73	<=38.45	Pass	
		12	0	22.34	2.69	22.88	<=38.45	Pass	
			6	22.38	2.69	22.92	<=38.45	Pass	
			13	22.29	2.69	22.83	<=38.45	Pass	
	25	0	22.36	2.69	22.90	<=38.45	Pass		
	16QAM	826.5	1	0	22.10	2.69	22.64	<=38.45	Pass
				13	22.31	2.69	22.85	<=38.45	Pass

64QAM	836.5	12	24	22.22	2.69	22.76	<=38.45	Pass	
			0	21.03	2.69	21.57	<=38.45	Pass	
			6	21.16	2.69	21.70	<=38.45	Pass	
			13	21.26	2.69	21.80	<=38.45	Pass	
		25	0	21.15	2.69	21.69	<=38.45	Pass	
		1	0	22.43	2.69	22.97	<=38.45	Pass	
			13	22.72	2.69	23.26	<=38.45	Pass	
			24	22.49	2.69	23.03	<=38.45	Pass	
			0	21.37	2.69	21.91	<=38.45	Pass	
		12	6	21.43	2.69	21.97	<=38.45	Pass	
			13	21.36	2.69	21.90	<=38.45	Pass	
			25	0	21.39	2.69	21.93	<=38.45	Pass
	1		0	22.58	2.69	23.12	<=38.45	Pass	
		13	22.59	2.69	23.13	<=38.45	Pass		
		24	22.38	2.69	22.92	<=38.45	Pass		
		12	0	21.33	2.69	21.87	<=38.45	Pass	
	6		21.35	2.69	21.89	<=38.45	Pass		
	13		21.24	2.69	21.78	<=38.45	Pass		
	25		0	21.38	2.69	21.92	<=38.45	Pass	
	64QAM	826.5	1	0	21.13	2.69	21.67	<=38.45	Pass
				13	21.29	2.69	21.83	<=38.45	Pass
				24	21.20	2.69	21.74	<=38.45	Pass
				12	0	20.05	2.69	20.59	<=38.45
			6		20.16	2.69	20.70	<=38.45	Pass
13			20.15		2.69	20.69	<=38.45	Pass	
25			0		20.13	2.69	20.67	<=38.45	Pass
1			0	21.36	2.69	21.90	<=38.45	Pass	
			13	21.55	2.69	22.09	<=38.45	Pass	
			24	21.45	2.69	21.99	<=38.45	Pass	
			12	0	20.30	2.69	20.84	<=38.45	Pass
6				20.44	2.69	20.98	<=38.45	Pass	
13		20.39		2.69	20.93	<=38.45	Pass		
25		0		20.40	2.69	20.94	<=38.45	Pass	
846.5		1	0	21.49	2.69	22.03	<=38.45	Pass	
			13	21.56	2.69	22.10	<=38.45	Pass	
			24	21.29	2.69	21.83	<=38.45	Pass	
			12	0	20.32	2.69	20.86	<=38.45	Pass
		6		20.41	2.69	20.95	<=38.45	Pass	
		13		20.33	2.69	20.87	<=38.45	Pass	
		25		0	20.35	2.69	20.89	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

#### 1.1.4 B26b\_10MHz\_ERP

Band: 26b / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	22.93	2.69	23.47	<=38.45	Pass
			25	23.13	2.69	23.67	<=38.45	Pass
			49	23.12	2.69	23.66	<=38.45	Pass
		25	0	22.17	2.69	22.71	<=38.45	Pass
			13	22.28	2.69	22.82	<=38.45	Pass
			25	22.26	2.69	22.80	<=38.45	Pass
		50	0	22.23	2.69	22.77	<=38.45	Pass
		836.5	1	0	23.30	2.69	23.84	<=38.45
	25			23.35	2.69	23.89	<=38.45	Pass
	49			23.38	2.69	23.92	<=38.45	Pass

	844	25	0	22.33	2.69	22.87	<=38.45	Pass		
			13	22.46	2.69	23.00	<=38.45	Pass		
			25	22.41	2.69	22.95	<=38.45	Pass		
		50	0	22.40	2.69	22.94	<=38.45	Pass		
			1	0	23.40	2.69	23.94	<=38.45	Pass	
				25	23.43	2.69	23.97	<=38.45	Pass	
	49	23.19		2.69	23.73	<=38.45	Pass			
	25	0	22.41	2.69	22.95	<=38.45	Pass			
		13	22.38	2.69	22.92	<=38.45	Pass			
		25	22.40	2.69	22.94	<=38.45	Pass			
	50	0	22.38	2.69	22.92	<=38.45	Pass			
	16QAM	829	1	0	22.14	2.69	22.68	<=38.45	Pass	
25				22.40	2.69	22.94	<=38.45	Pass		
49				22.28	2.69	22.82	<=38.45	Pass		
25			0	21.14	2.69	21.68	<=38.45	Pass		
			13	21.24	2.69	21.78	<=38.45	Pass		
			25	21.29	2.69	21.83	<=38.45	Pass		
50			0	21.25	2.69	21.79	<=38.45	Pass		
836.5			1	0	22.41	2.69	22.95	<=38.45	Pass	
				25	22.54	2.69	23.08	<=38.45	Pass	
		49		22.57	2.69	23.11	<=38.45	Pass		
		25	0	21.32	2.69	21.86	<=38.45	Pass		
			13	21.47	2.69	22.01	<=38.45	Pass		
			25	21.45	2.69	21.99	<=38.45	Pass		
		50	0	21.42	2.69	21.96	<=38.45	Pass		
		844	1	0	22.58	2.69	23.12	<=38.45	Pass	
				25	22.66	2.69	23.20	<=38.45	Pass	
49				22.34	2.69	22.88	<=38.45	Pass		
25			0	21.48	2.69	22.02	<=38.45	Pass		
			13	21.42	2.69	21.96	<=38.45	Pass		
			25	21.41	2.69	21.95	<=38.45	Pass		
50			0	21.39	2.69	21.93	<=38.45	Pass		
64QAM			829	1	0	21.11	2.69	21.65	<=38.45	Pass
					25	21.33	2.69	21.87	<=38.45	Pass
		49			21.44	2.69	21.98	<=38.45	Pass	
	25	0		20.14	2.69	20.68	<=38.45	Pass		
		13		20.25	2.69	20.79	<=38.45	Pass		
		25		20.29	2.69	20.83	<=38.45	Pass		
	50	0		20.26	2.69	20.80	<=38.45	Pass		
	836.5	1		0	21.57	2.69	22.11	<=38.45	Pass	
				25	21.56	2.69	22.10	<=38.45	Pass	
			49	21.52	2.69	22.06	<=38.45	Pass		
		25	0	20.34	2.69	20.88	<=38.45	Pass		
			13	20.47	2.69	21.01	<=38.45	Pass		
			25	20.45	2.69	20.99	<=38.45	Pass		
		50	0	20.46	2.69	21.00	<=38.45	Pass		
		844	1	0	21.61	2.69	22.15	<=38.45	Pass	
				25	21.65	2.69	22.19	<=38.45	Pass	
	49			21.49	2.69	22.03	<=38.45	Pass		
	25		0	20.46	2.69	21.00	<=38.45	Pass		
			13	20.40	2.69	20.94	<=38.45	Pass		
			25	20.40	2.69	20.94	<=38.45	Pass		
	50		0	20.41	2.69	20.95	<=38.45	Pass		
	Note1: ERP=Conducted Power+Antenna Gain-2.15									

### 1.1.5 B26b\_15MHz\_ERP

Band: 26b / Bandwidth: 15MHz / NTV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	831.5	1	0	22.93	2.69	23.47	<=38.45	Pass		
			38	23.18	2.69	23.72	<=38.45	Pass		
			74	23.26	2.69	23.80	<=38.45	Pass		
		36	0	22.14	2.69	22.68	<=38.45	Pass		
			18	22.20	2.69	22.74	<=38.45	Pass		
			39	22.25	2.69	22.79	<=38.45	Pass		
		75	0	22.18	2.69	22.72	<=38.45	Pass		
		836.5	1	0	23.11	2.69	23.65	<=38.45	Pass	
				38	23.30	2.69	23.84	<=38.45	Pass	
	74			23.36	2.69	23.90	<=38.45	Pass		
	36		0	22.25	2.69	22.79	<=38.45	Pass		
			18	22.36	2.69	22.90	<=38.45	Pass		
			39	22.33	2.69	22.87	<=38.45	Pass		
	75		0	22.35	2.69	22.89	<=38.45	Pass		
	841.5		1	0	23.27	2.69	23.81	<=38.45	Pass	
				38	23.35	2.69	23.89	<=38.45	Pass	
		74		23.12	2.69	23.66	<=38.45	Pass		
		36	0	22.34	2.69	22.88	<=38.45	Pass		
			18	22.33	2.69	22.87	<=38.45	Pass		
			39	22.28	2.69	22.82	<=38.45	Pass		
		75	0	22.32	2.69	22.86	<=38.45	Pass		
		16QAM	831.5	1	0	22.10	2.69	22.64	<=38.45	Pass
					38	22.46	2.69	23.00	<=38.45	Pass
	74				22.38	2.69	22.92	<=38.45	Pass	
36	0			21.17	2.69	21.71	<=38.45	Pass		
	18			21.19	2.69	21.73	<=38.45	Pass		
	39			21.31	2.69	21.85	<=38.45	Pass		
75	0			21.23	2.69	21.77	<=38.45	Pass		
836.5	1			0	22.37	2.69	22.91	<=38.45	Pass	
				38	22.46	2.69	23.00	<=38.45	Pass	
			74	22.46	2.69	23.00	<=38.45	Pass		
	36		0	21.26	2.69	21.80	<=38.45	Pass		
			18	21.38	2.69	21.92	<=38.45	Pass		
			39	21.35	2.69	21.89	<=38.45	Pass		
	75		0	21.35	2.69	21.89	<=38.45	Pass		
	841.5		1	0	22.45	2.69	22.99	<=38.45	Pass	
				38	22.53	2.69	23.07	<=38.45	Pass	
74				22.27	2.69	22.81	<=38.45	Pass		
36			0	21.35	2.69	21.89	<=38.45	Pass		
			18	21.36	2.69	21.90	<=38.45	Pass		
			39	21.33	2.69	21.87	<=38.45	Pass		
75			0	21.31	2.69	21.85	<=38.45	Pass		
64QAM			831.5	1	0	21.01	2.69	21.55	<=38.45	Pass
					38	21.38	2.69	21.92	<=38.45	Pass
	74				21.35	2.69	21.89	<=38.45	Pass	
	36	0		20.13	2.69	20.67	<=38.45	Pass		
		18		20.22	2.69	20.76	<=38.45	Pass		
		39		20.29	2.69	20.83	<=38.45	Pass		
	75	0		20.19	2.69	20.73	<=38.45	Pass		
	836.5	1		0	21.36	2.69	21.90	<=38.45	Pass	
				38	21.52	2.69	22.06	<=38.45	Pass	
			74	21.59	2.69	22.13	<=38.45	Pass		
		36	0	20.26	2.69	20.80	<=38.45	Pass		
			18	20.37	2.69	20.91	<=38.45	Pass		
			39	20.38	2.69	20.92	<=38.45	Pass		
	75	0	20.38	2.69	20.92	<=38.45	Pass			

	841.5	1	0	21.43	2.69	21.97	<=38.45	Pass
			38	21.50	2.69	22.04	<=38.45	Pass
			74	21.32	2.69	21.86	<=38.45	Pass
		36	0	20.36	2.69	20.90	<=38.45	Pass
			18	20.35	2.69	20.89	<=38.45	Pass
			39	20.32	2.69	20.86	<=38.45	Pass
		75	0	20.32	2.69	20.86	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 B26b\_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.27	13.322	0.0162	-2.5 to 2.5	Pass
					3.85	13.672	0.0166	-2.5 to 2.5	Pass
					4.43	7.639	0.0093	-2.5 to 2.5	Pass
				-30	3.85	3.973	0.0048	-2.5 to 2.5	Pass
				-20	3.85	1.555	0.0019	-2.5 to 2.5	Pass
				-10	3.85	1.379	0.0017	-2.5 to 2.5	Pass
				0	3.85	-0.305	-0.0004	-2.5 to 2.5	Pass
				10	3.85	-0.277	-0.0003	-2.5 to 2.5	Pass
				30	3.85	0.469	0.0006	-2.5 to 2.5	Pass
				40	3.85	0.346	0.0004	-2.5 to 2.5	Pass
	50	3.85	0.522	0.0006	-2.5 to 2.5	Pass			
	836.5	6	0	20	3.27	4.319	0.0052	-2.5 to 2.5	Pass
					3.85	3.153	0.0038	-2.5 to 2.5	Pass
					4.43	1.204	0.0014	-2.5 to 2.5	Pass
				-30	3.85	1.843	0.0022	-2.5 to 2.5	Pass
				-20	3.85	0.413	0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.146	0.0002	-2.5 to 2.5	Pass
				0	3.85	-0.417	-0.0005	-2.5 to 2.5	Pass
				10	3.85	-0.839	-0.0010	-2.5 to 2.5	Pass
				30	3.85	0.326	0.0004	-2.5 to 2.5	Pass
				40	3.85	0.382	0.0005	-2.5 to 2.5	Pass
	50	3.85	-0.653	-0.0008	-2.5 to 2.5	Pass			
	848.3	6	0	20	3.27	14.310	0.0169	-2.5 to 2.5	Pass
					3.85	10.926	0.0129	-2.5 to 2.5	Pass
					4.43	5.897	0.0070	-2.5 to 2.5	Pass
				-30	3.85	2.608	0.0031	-2.5 to 2.5	Pass
				-20	3.85	1.059	0.0012	-2.5 to 2.5	Pass
				-10	3.85	-0.461	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.282	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.180	-0.0002	-2.5 to 2.5	Pass
30				3.85	-0.409	-0.0005	-2.5 to 2.5	Pass	
40				3.85	-0.634	-0.0007	-2.5 to 2.5	Pass	
50	3.85	-0.008	0.0000	-2.5 to 2.5	Pass				
16QAM	824.7	6	0	20	3.27	-16.397	-0.0199	-2.5 to 2.5	Pass
					3.85	-16.210	-0.0197	-2.5 to 2.5	Pass
					4.43	-8.617	-0.0104	-2.5 to 2.5	Pass
				-30	3.85	-3.554	-0.0043	-2.5 to 2.5	Pass
				-20	3.85	-2.708	-0.0033	-2.5 to 2.5	Pass

				-10	3.85	-0.563	-0.0007	-2.5 to 2.5	Pass		
				0	3.85	-1.826	-0.0022	-2.5 to 2.5	Pass		
				10	3.85	-0.890	-0.0011	-2.5 to 2.5	Pass		
				30	3.85	-0.043	-0.0001	-2.5 to 2.5	Pass		
				40	3.85	0.022	0.0000	-2.5 to 2.5	Pass		
				50	3.85	-0.666	-0.0008	-2.5 to 2.5	Pass		
	836.5	6	0	20	3.27	-8.137	-0.0097	-2.5 to 2.5	Pass		
					3.85	-19.965	-0.0239	-2.5 to 2.5	Pass		
					4.43	-16.139	-0.0193	-2.5 to 2.5	Pass		
				-30	3.85	-8.550	-0.0102	-2.5 to 2.5	Pass		
				-20	3.85	-2.395	-0.0029	-2.5 to 2.5	Pass		
				-10	3.85	-2.476	-0.0030	-2.5 to 2.5	Pass		
		848.3	6	0	20	3.85	-1.380	-0.0016	-2.5 to 2.5	Pass	
						10	3.85	-0.807	-0.0010	-2.5 to 2.5	Pass
						30	3.85	-1.443	-0.0017	-2.5 to 2.5	Pass
					40	3.85	-0.199	-0.0002	-2.5 to 2.5	Pass	
					50	3.85	-0.539	-0.0006	-2.5 to 2.5	Pass	
					3.27	1.969	0.0023	-2.5 to 2.5	Pass		
	824.7		6	0	20	3.85	2.932	0.0035	-2.5 to 2.5	Pass	
						4.43	2.411	0.0028	-2.5 to 2.5	Pass	
						-30	3.85	0.392	0.0005	-2.5 to 2.5	Pass
					-20	3.85	-0.527	-0.0006	-2.5 to 2.5	Pass	
					-10	3.85	-0.527	-0.0006	-2.5 to 2.5	Pass	
					0	3.85	-0.152	-0.0002	-2.5 to 2.5	Pass	
		836.5	6	0	20	10	3.85	-0.400	-0.0005	-2.5 to 2.5	Pass
						30	3.85	-0.068	-0.0001	-2.5 to 2.5	Pass
						40	3.85	-0.901	-0.0011	-2.5 to 2.5	Pass
					50	3.85	0.382	0.0005	-2.5 to 2.5	Pass	
					3.27	14.453	0.0175	-2.5 to 2.5	Pass		
					848.3	6	0	20	3.85	12.030	0.0146
4.43	7.151		0.0087	-2.5 to 2.5					Pass		
-30	3.85		2.772	0.0034					-2.5 to 2.5	Pass	
-20	3.85		2.129	0.0026				-2.5 to 2.5	Pass		
-10	3.85		-0.474	-0.0006				-2.5 to 2.5	Pass		
0	3.85		0.756	0.0009				-2.5 to 2.5	Pass		
836.5	6		0	20		10	3.85	-0.488	-0.0006	-2.5 to 2.5	Pass
		30				3.85	-0.259	-0.0003	-2.5 to 2.5	Pass	
		40				3.85	-1.111	-0.0013	-2.5 to 2.5	Pass	
		50		3.85		-0.271	-0.0003	-2.5 to 2.5	Pass		
		3.27		12.723		0.0152	-2.5 to 2.5	Pass			
		848.3		6		0	20	3.85	12.947	0.0155	-2.5 to 2.5
	4.43		7.920		0.0095			-2.5 to 2.5	Pass		
	-30		3.85		5.439			0.0065	-2.5 to 2.5	Pass	
	-20		3.85		2.289		0.0027	-2.5 to 2.5	Pass		
	-10		3.85		0.447		0.0005	-2.5 to 2.5	Pass		
	0		3.85		-0.423		-0.0005	-2.5 to 2.5	Pass		
	848.3		6	0	20	10	3.85	0.669	0.0008	-2.5 to 2.5	Pass
30						3.85	-0.233	-0.0003	-2.5 to 2.5	Pass	
40						3.85	-0.575	-0.0007	-2.5 to 2.5	Pass	
50					3.85	-1.042	-0.0012	-2.5 to 2.5	Pass		
3.27					-13.567	-0.0160	-2.5 to 2.5	Pass			
848.3					6	0	20	3.85	-17.767	-0.0209	-2.5 to 2.5
		4.43	-9.592	-0.0113				-2.5 to 2.5	Pass		
		-30	3.85	-3.852				-0.0045	-2.5 to 2.5	Pass	
		-20	3.85	-0.717			-0.0008	-2.5 to 2.5	Pass		
		-10	3.85	-0.467			-0.0006	-2.5 to 2.5	Pass		
		0	3.85	-0.559			-0.0007	-2.5 to 2.5	Pass		
64QAM		836.5	6	0	10	3.85	-0.806	-0.0010	-2.5 to 2.5	Pass	
	30				3.85	0.000	0.0000	-2.5 to 2.5	Pass		



				40	3.85	-0.078	-0.0001	-2.5 to 2.5	Pass
				50	3.85	-0.836	-0.0010	-2.5 to 2.5	Pass

### 2.1.2 B26b\_3MHz

Band: 26b / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.27	2.895	0.0035	-2.5 to 2.5	Pass
					3.85	1.132	0.0014	-2.5 to 2.5	Pass
					4.43	3.112	0.0038	-2.5 to 2.5	Pass
				-30	3.85	1.571	0.0019	-2.5 to 2.5	Pass
				-20	3.85	1.999	0.0024	-2.5 to 2.5	Pass
				-10	3.85	2.192	0.0027	-2.5 to 2.5	Pass
				0	3.85	1.921	0.0023	-2.5 to 2.5	Pass
				10	3.85	1.056	0.0013	-2.5 to 2.5	Pass
				30	3.85	1.451	0.0018	-2.5 to 2.5	Pass
				40	3.85	1.976	0.0024	-2.5 to 2.5	Pass
	50	3.85	1.930	0.0023	-2.5 to 2.5	Pass			
	836.5	15	0	20	3.27	-0.868	-0.0010	-2.5 to 2.5	Pass
					3.85	-0.870	-0.0010	-2.5 to 2.5	Pass
					4.43	-0.649	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-0.966	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	-0.447	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-2.014	-0.0024	-2.5 to 2.5	Pass
				0	3.85	-1.275	-0.0015	-2.5 to 2.5	Pass
				10	3.85	0.367	0.0004	-2.5 to 2.5	Pass
				30	3.85	-0.623	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-1.011	-0.0012	-2.5 to 2.5	Pass
	50	3.85	-0.104	-0.0001	-2.5 to 2.5	Pass			
	847.5	15	0	20	3.27	-1.401	-0.0017	-2.5 to 2.5	Pass
					3.85	0.229	0.0003	-2.5 to 2.5	Pass
					4.43	-0.314	-0.0004	-2.5 to 2.5	Pass
				-30	3.85	0.238	0.0003	-2.5 to 2.5	Pass
				-20	3.85	-0.849	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-1.657	-0.0020	-2.5 to 2.5	Pass
				0	3.85	-0.275	-0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.899	-0.0011	-2.5 to 2.5	Pass
30				3.85	-1.090	-0.0013	-2.5 to 2.5	Pass	
40				3.85	-0.450	-0.0005	-2.5 to 2.5	Pass	
50	3.85	0.290	0.0003	-2.5 to 2.5	Pass				
16QAM	825.5	15	0	20	3.27	0.105	0.0001	-2.5 to 2.5	Pass
					3.85	0.620	0.0008	-2.5 to 2.5	Pass
					4.43	0.587	0.0007	-2.5 to 2.5	Pass
				-30	3.85	0.662	0.0008	-2.5 to 2.5	Pass
				-20	3.85	0.754	0.0009	-2.5 to 2.5	Pass
				-10	3.85	0.506	0.0006	-2.5 to 2.5	Pass
				0	3.85	0.244	0.0003	-2.5 to 2.5	Pass
				10	3.85	-0.146	-0.0002	-2.5 to 2.5	Pass
				30	3.85	0.087	0.0001	-2.5 to 2.5	Pass
				40	3.85	0.138	0.0002	-2.5 to 2.5	Pass
	50	3.85	1.423	0.0017	-2.5 to 2.5	Pass			
	836.5	15	0	20	3.27	-0.420	-0.0005	-2.5 to 2.5	Pass
					3.85	0.316	0.0004	-2.5 to 2.5	Pass
					4.43	-0.341	-0.0004	-2.5 to 2.5	Pass
-30				3.85	0.884	0.0011	-2.5 to 2.5	Pass	
-20	3.85	0.422	0.0005	-2.5 to 2.5	Pass				

				-10	3.85	-0.584	-0.0007	-2.5 to 2.5	Pass			
				0	3.85	0.748	0.0009	-2.5 to 2.5	Pass			
				10	3.85	-0.077	-0.0001	-2.5 to 2.5	Pass			
				30	3.85	0.111	0.0001	-2.5 to 2.5	Pass			
				40	3.85	0.276	0.0003	-2.5 to 2.5	Pass			
				50	3.85	0.679	0.0008	-2.5 to 2.5	Pass			
	847.5	15	0	20	3.27	-0.687	-0.0008	-2.5 to 2.5	Pass			
					3.85	-0.849	-0.0010	-2.5 to 2.5	Pass			
					4.43	-0.235	-0.0003	-2.5 to 2.5	Pass			
				-30	3.85	-0.296	-0.0003	-2.5 to 2.5	Pass			
				-20	3.85	0.428	0.0005	-2.5 to 2.5	Pass			
				-10	3.85	-0.341	-0.0004	-2.5 to 2.5	Pass			
				0	3.85	0.607	0.0007	-2.5 to 2.5	Pass			
				10	3.85	-0.081	-0.0001	-2.5 to 2.5	Pass			
				30	3.85	0.650	0.0008	-2.5 to 2.5	Pass			
				40	3.85	-1.327	-0.0016	-2.5 to 2.5	Pass			
				50	3.85	-0.411	-0.0005	-2.5 to 2.5	Pass			
				64QAM	825.5	15	0	20	3.27	0.613	0.0007	-2.5 to 2.5
3.85	0.482	0.0006	-2.5 to 2.5						Pass			
4.43	0.938	0.0011	-2.5 to 2.5						Pass			
-30	3.85	0.596	0.0007					-2.5 to 2.5	Pass			
-20	3.85	0.620	0.0008					-2.5 to 2.5	Pass			
-10	3.85	0.168	0.0002					-2.5 to 2.5	Pass			
0	3.85	0.784	0.0009					-2.5 to 2.5	Pass			
10	3.85	0.895	0.0011					-2.5 to 2.5	Pass			
30	3.85	0.622	0.0008					-2.5 to 2.5	Pass			
40	3.85	0.009	0.0000					-2.5 to 2.5	Pass			
50	3.85	0.773	0.0009					-2.5 to 2.5	Pass			
836.5	15	0	20					3.27	0.515	0.0006	-2.5 to 2.5	Pass
					3.85	0.684	0.0008	-2.5 to 2.5	Pass			
					4.43	1.013	0.0012	-2.5 to 2.5	Pass			
			-30		3.85	0.526	0.0006	-2.5 to 2.5	Pass			
			-20		3.85	-0.233	-0.0003	-2.5 to 2.5	Pass			
			-10		3.85	-0.174	-0.0002	-2.5 to 2.5	Pass			
			0		3.85	-0.641	-0.0008	-2.5 to 2.5	Pass			
			10		3.85	0.127	0.0002	-2.5 to 2.5	Pass			
			30		3.85	0.442	0.0005	-2.5 to 2.5	Pass			
			40		3.85	-0.825	-0.0010	-2.5 to 2.5	Pass			
			50		3.85	0.513	0.0006	-2.5 to 2.5	Pass			
			847.5		15	0	20	3.27	0.693	0.0008	-2.5 to 2.5	Pass
								3.85	1.355	0.0016	-2.5 to 2.5	Pass
								4.43	0.283	0.0003	-2.5 to 2.5	Pass
							-30	3.85	0.223	0.0003	-2.5 to 2.5	Pass
							-20	3.85	-0.103	-0.0001	-2.5 to 2.5	Pass
							-10	3.85	0.589	0.0007	-2.5 to 2.5	Pass
							0	3.85	-1.008	-0.0012	-2.5 to 2.5	Pass
10	3.85	0.595					0.0007	-2.5 to 2.5	Pass			
30	3.85	0.298		0.0004			-2.5 to 2.5	Pass				
40	3.85	0.663		0.0008			-2.5 to 2.5	Pass				
50	3.85	0.913		0.0011			-2.5 to 2.5	Pass				

### 2.1.3 B26b\_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.27	0.106	0.0001	-2.5 to 2.5	Pass

					3.85	0.259	0.0003	-2.5 to 2.5	Pass			
					4.43	1.025	0.0012	-2.5 to 2.5	Pass			
					-30	3.85	0.751	0.0009	-2.5 to 2.5	Pass		
					-20	3.85	1.590	0.0019	-2.5 to 2.5	Pass		
					-10	3.85	2.036	0.0025	-2.5 to 2.5	Pass		
					0	3.85	2.007	0.0024	-2.5 to 2.5	Pass		
					10	3.85	0.841	0.0010	-2.5 to 2.5	Pass		
					30	3.85	2.164	0.0026	-2.5 to 2.5	Pass		
					40	3.85	0.733	0.0009	-2.5 to 2.5	Pass		
	50	3.85	1.102	0.0013	-2.5 to 2.5	Pass						
	836.5	25	0			20	3.27	1.555	0.0019	-2.5 to 2.5	Pass	
						3.85	-1.074	-0.0013	-2.5 to 2.5	Pass		
						4.43	-1.556	-0.0019	-2.5 to 2.5	Pass		
						-30	3.85	-0.834	-0.0010	-2.5 to 2.5	Pass	
						-20	3.85	-1.307	-0.0016	-2.5 to 2.5	Pass	
						-10	3.85	-1.534	-0.0018	-2.5 to 2.5	Pass	
						0	3.85	-1.187	-0.0014	-2.5 to 2.5	Pass	
						10	3.85	-1.303	-0.0016	-2.5 to 2.5	Pass	
						30	3.85	0.599	0.0007	-2.5 to 2.5	Pass	
	40	3.85	-1.293	-0.0015	-2.5 to 2.5	Pass						
	50	3.85	-0.955	-0.0011	-2.5 to 2.5	Pass						
	846.5	25	0			20	3.27	-0.433	-0.0005	-2.5 to 2.5	Pass	
						3.85	0.035	0.0000	-2.5 to 2.5	Pass		
						4.43	-0.723	-0.0009	-2.5 to 2.5	Pass		
						-30	3.85	0.689	0.0008	-2.5 to 2.5	Pass	
						-20	3.85	-0.632	-0.0007	-2.5 to 2.5	Pass	
						-10	3.85	-0.873	-0.0010	-2.5 to 2.5	Pass	
						0	3.85	0.130	0.0002	-2.5 to 2.5	Pass	
10						3.85	-0.531	-0.0006	-2.5 to 2.5	Pass		
30						3.85	-0.331	-0.0004	-2.5 to 2.5	Pass		
40	3.85	0.296	0.0003	-2.5 to 2.5	Pass							
50	3.85	0.274	0.0003	-2.5 to 2.5	Pass							
16QAM	826.5	25	0			20	3.27	1.336	0.0016	-2.5 to 2.5	Pass	
						3.85	2.072	0.0025	-2.5 to 2.5	Pass		
						4.43	1.600	0.0019	-2.5 to 2.5	Pass		
						-30	3.85	0.557	0.0007	-2.5 to 2.5	Pass	
						-20	3.85	0.773	0.0009	-2.5 to 2.5	Pass	
						-10	3.85	1.487	0.0018	-2.5 to 2.5	Pass	
						0	3.85	1.838	0.0022	-2.5 to 2.5	Pass	
						10	3.85	0.903	0.0011	-2.5 to 2.5	Pass	
						30	3.85	1.347	0.0016	-2.5 to 2.5	Pass	
	40	3.85	0.697	0.0008	-2.5 to 2.5	Pass						
	50	3.85	1.455	0.0018	-2.5 to 2.5	Pass						
	836.5	25	0				20	3.27	-0.412	-0.0005	-2.5 to 2.5	Pass
							3.85	-0.943	-0.0011	-2.5 to 2.5	Pass	
							4.43	-1.211	-0.0014	-2.5 to 2.5	Pass	
							-30	3.85	-0.953	-0.0011	-2.5 to 2.5	Pass
							-20	3.85	-1.498	-0.0018	-2.5 to 2.5	Pass
							-10	3.85	-0.374	-0.0004	-2.5 to 2.5	Pass
							0	3.85	-1.954	-0.0023	-2.5 to 2.5	Pass
							10	3.85	-0.535	-0.0006	-2.5 to 2.5	Pass
							30	3.85	-1.323	-0.0016	-2.5 to 2.5	Pass
	40	3.85	-0.982	-0.0012	-2.5 to 2.5	Pass						
	50	3.85	-1.818	-0.0022	-2.5 to 2.5	Pass						
	846.5	25	0				20	3.27	0.458	0.0005	-2.5 to 2.5	Pass
							3.85	0.440	0.0005	-2.5 to 2.5	Pass	
							4.43	-1.008	-0.0012	-2.5 to 2.5	Pass	
							-30	3.85	0.302	0.0004	-2.5 to 2.5	Pass
							-20	3.85	0.054	0.0001	-2.5 to 2.5	Pass

				-10	3.85	-0.704	-0.0008	-2.5 to 2.5	Pass
				0	3.85	0.758	0.0009	-2.5 to 2.5	Pass
				10	3.85	-0.667	-0.0008	-2.5 to 2.5	Pass
				30	3.85	0.117	0.0001	-2.5 to 2.5	Pass
				40	3.85	0.075	0.0001	-2.5 to 2.5	Pass
				50	3.85	0.310	0.0004	-2.5 to 2.5	Pass
64QAM	826.5	25	0	20	3.27	0.065	0.0001	-2.5 to 2.5	Pass
					3.85	0.968	0.0012	-2.5 to 2.5	Pass
					4.43	1.319	0.0016	-2.5 to 2.5	Pass
				-30	3.85	-0.021	0.0000	-2.5 to 2.5	Pass
				-20	3.85	0.725	0.0009	-2.5 to 2.5	Pass
				-10	3.85	0.299	0.0004	-2.5 to 2.5	Pass
				0	3.85	2.613	0.0032	-2.5 to 2.5	Pass
				10	3.85	2.523	0.0031	-2.5 to 2.5	Pass
				30	3.85	1.027	0.0012	-2.5 to 2.5	Pass
				40	3.85	0.909	0.0011	-2.5 to 2.5	Pass
	50	3.85	1.470	0.0018	-2.5 to 2.5	Pass			
	836.5	25	0	20	3.27	-1.795	-0.0021	-2.5 to 2.5	Pass
					3.85	-0.297	-0.0004	-2.5 to 2.5	Pass
					4.43	-2.378	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	-1.129	-0.0013	-2.5 to 2.5	Pass
				-20	3.85	-1.164	-0.0014	-2.5 to 2.5	Pass
				-10	3.85	-1.400	-0.0017	-2.5 to 2.5	Pass
				0	3.85	-0.601	-0.0007	-2.5 to 2.5	Pass
				10	3.85	-1.044	-0.0012	-2.5 to 2.5	Pass
				30	3.85	0.225	0.0003	-2.5 to 2.5	Pass
				40	3.85	-0.070	-0.0001	-2.5 to 2.5	Pass
	50	3.85	-0.317	-0.0004	-2.5 to 2.5	Pass			
	846.5	25	0	20	3.27	0.083	0.0001	-2.5 to 2.5	Pass
					3.85	-0.456	-0.0005	-2.5 to 2.5	Pass
					4.43	0.046	0.0001	-2.5 to 2.5	Pass
				-30	3.85	0.516	0.0006	-2.5 to 2.5	Pass
				-20	3.85	0.234	0.0003	-2.5 to 2.5	Pass
				-10	3.85	0.361	0.0004	-2.5 to 2.5	Pass
				0	3.85	0.523	0.0006	-2.5 to 2.5	Pass
				10	3.85	0.582	0.0007	-2.5 to 2.5	Pass
30				3.85	-0.358	-0.0004	-2.5 to 2.5	Pass	
40				3.85	0.221	0.0003	-2.5 to 2.5	Pass	
50	3.85	-0.409	-0.0005	-2.5 to 2.5	Pass				

#### 2.1.4 B26b\_10MHz

Band: 26b / Bandwidth: 10MHz												
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict			
		Size	Offset				Result	Limit				
QPSK	829	50	0	20	3.27	-1.440	-0.0017	-2.5 to 2.5	Pass			
					3.85	-2.260	-0.0027	-2.5 to 2.5	Pass			
					4.43	-2.204	-0.0027	-2.5 to 2.5	Pass			
				-30	3.85	-2.298	-0.0028	-2.5 to 2.5	Pass			
				-20	3.85	-1.762	-0.0021	-2.5 to 2.5	Pass			
				-10	3.85	-1.553	-0.0019	-2.5 to 2.5	Pass			
				0	3.85	-2.096	-0.0025	-2.5 to 2.5	Pass			
				10	3.85	-0.696	-0.0008	-2.5 to 2.5	Pass			
				30	3.85	-1.111	-0.0013	-2.5 to 2.5	Pass			
				40	3.85	-0.841	-0.0010	-2.5 to 2.5	Pass			
				50	3.85	-1.132	-0.0014	-2.5 to 2.5	Pass			
				836.5	50	0	20	3.27	-1.189	-0.0014	-2.5 to 2.5	Pass



	836.5	50	0	-10	3.85	-0.980	-0.0012	-2.5 to 2.5	Pass			
				0	3.85	-1.042	-0.0013	-2.5 to 2.5	Pass			
				10	3.85	-0.600	-0.0007	-2.5 to 2.5	Pass			
				30	3.85	-0.687	-0.0008	-2.5 to 2.5	Pass			
				40	3.85	-0.526	-0.0006	-2.5 to 2.5	Pass			
				50	3.85	-0.029	0.0000	-2.5 to 2.5	Pass			
	844	50	0	20	3.27	-1.950	-0.0023	-2.5 to 2.5	Pass			
					3.85	-0.466	-0.0006	-2.5 to 2.5	Pass			
					4.43	-0.786	-0.0009	-2.5 to 2.5	Pass			
				-30	3.85	-1.326	-0.0016	-2.5 to 2.5	Pass			
				-20	3.85	-1.092	-0.0013	-2.5 to 2.5	Pass			
				-10	3.85	-1.181	-0.0014	-2.5 to 2.5	Pass			
				0	3.85	-0.984	-0.0012	-2.5 to 2.5	Pass			
				10	3.85	-2.209	-0.0026	-2.5 to 2.5	Pass			
				30	3.85	-2.020	-0.0024	-2.5 to 2.5	Pass			
				40	3.85	-1.537	-0.0018	-2.5 to 2.5	Pass			
				50	3.85	-1.224	-0.0015	-2.5 to 2.5	Pass			
				844	50	0	20	3.27	-1.194	-0.0014	-2.5 to 2.5	Pass
								3.85	-0.780	-0.0009	-2.5 to 2.5	Pass
								4.43	-0.223	-0.0003	-2.5 to 2.5	Pass
							-30	3.85	-0.391	-0.0005	-2.5 to 2.5	Pass
	-20	3.85	-0.432				-0.0005	-2.5 to 2.5	Pass			
	-10	3.85	-1.443				-0.0017	-2.5 to 2.5	Pass			
	0	3.85	0.610				0.0007	-2.5 to 2.5	Pass			
	10	3.85	-0.431				-0.0005	-2.5 to 2.5	Pass			
	30	3.85	0.453				0.0005	-2.5 to 2.5	Pass			
	40	3.85	0.070	0.0001	-2.5 to 2.5	Pass						
50	3.85	0.226	0.0003	-2.5 to 2.5	Pass							

## 2.1.5 B26b\_15MHz

Band: 26b / Bandwidth: 15MHz												
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict			
		Size	Offset				Result	Limit				
QPSK	831.5	75	0	20	3.27	-0.027	0.0000	-2.5 to 2.5	Pass			
					3.85	-0.052	-0.0001	-2.5 to 2.5	Pass			
					4.43	1.240	0.0015	-2.5 to 2.5	Pass			
				-30	3.85	-0.427	-0.0005	-2.5 to 2.5	Pass			
				-20	3.85	0.535	0.0006	-2.5 to 2.5	Pass			
				-10	3.85	1.373	0.0017	-2.5 to 2.5	Pass			
				0	3.85	0.777	0.0009	-2.5 to 2.5	Pass			
				10	3.85	-0.324	-0.0004	-2.5 to 2.5	Pass			
				30	3.85	-0.503	-0.0006	-2.5 to 2.5	Pass			
				40	3.85	0.970	0.0012	-2.5 to 2.5	Pass			
				50	3.85	-0.379	-0.0005	-2.5 to 2.5	Pass			
				836.5	75	0	20	3.27	-1.547	-0.0018	-2.5 to 2.5	Pass
								3.85	-1.355	-0.0016	-2.5 to 2.5	Pass
								4.43	-1.694	-0.0020	-2.5 to 2.5	Pass
							-30	3.85	-1.670	-0.0020	-2.5 to 2.5	Pass
	-20	3.85	-1.595				-0.0019	-2.5 to 2.5	Pass			
	-10	3.85	-0.260				-0.0003	-2.5 to 2.5	Pass			
	0	3.85	-2.135				-0.0026	-2.5 to 2.5	Pass			
	10	3.85	-0.882				-0.0011	-2.5 to 2.5	Pass			
	30	3.85	-1.454				-0.0017	-2.5 to 2.5	Pass			
	40	3.85	-1.679	-0.0020	-2.5 to 2.5	Pass						
	50	3.85	-1.196	-0.0014	-2.5 to 2.5	Pass						
	841.5	75	0	20	3.27	0.112	0.0001	-2.5 to 2.5	Pass			

					3.85	-0.403	-0.0005	-2.5 to 2.5	Pass	
					4.43	-1.223	-0.0015	-2.5 to 2.5	Pass	
					-30	3.85	-0.550	-0.0007	-2.5 to 2.5	Pass
					-20	3.85	-1.476	-0.0018	-2.5 to 2.5	Pass
					-10	3.85	-0.925	-0.0011	-2.5 to 2.5	Pass
					0	3.85	-0.695	-0.0008	-2.5 to 2.5	Pass
					10	3.85	-0.579	-0.0007	-2.5 to 2.5	Pass
					30	3.85	-0.797	-0.0009	-2.5 to 2.5	Pass
					40	3.85	-1.398	-0.0017	-2.5 to 2.5	Pass
50	3.85	-1.195	-0.0014	-2.5 to 2.5	Pass					
16QAM	831.5	75	0	20	3.27	-0.014	0.0000	-2.5 to 2.5	Pass	
					3.85	0.727	0.0009	-2.5 to 2.5	Pass	
					4.43	1.347	0.0016	-2.5 to 2.5	Pass	
				-30	3.85	0.076	0.0001	-2.5 to 2.5	Pass	
				-20	3.85	0.951	0.0011	-2.5 to 2.5	Pass	
				-10	3.85	0.976	0.0012	-2.5 to 2.5	Pass	
				0	3.85	-0.971	-0.0012	-2.5 to 2.5	Pass	
				10	3.85	0.091	0.0001	-2.5 to 2.5	Pass	
				30	3.85	0.554	0.0007	-2.5 to 2.5	Pass	
	40	3.85	-0.414	-0.0005	-2.5 to 2.5	Pass				
	50	3.85	0.060	0.0001	-2.5 to 2.5	Pass				
	836.5	75	0	20	3.27	-1.034	-0.0012	-2.5 to 2.5	Pass	
					3.85	-1.510	-0.0018	-2.5 to 2.5	Pass	
					4.43	-0.771	-0.0009	-2.5 to 2.5	Pass	
				-30	3.85	-1.112	-0.0013	-2.5 to 2.5	Pass	
				-20	3.85	-0.793	-0.0009	-2.5 to 2.5	Pass	
				-10	3.85	-0.874	-0.0010	-2.5 to 2.5	Pass	
				0	3.85	-2.043	-0.0024	-2.5 to 2.5	Pass	
				10	3.85	-1.323	-0.0016	-2.5 to 2.5	Pass	
				30	3.85	0.197	0.0002	-2.5 to 2.5	Pass	
	40	3.85	-0.484	-0.0006	-2.5 to 2.5	Pass				
	50	3.85	-1.031	-0.0012	-2.5 to 2.5	Pass				
	841.5	75	0	20	3.27	-1.706	-0.0020	-2.5 to 2.5	Pass	
					3.85	-2.216	-0.0026	-2.5 to 2.5	Pass	
					4.43	0.365	0.0004	-2.5 to 2.5	Pass	
				-30	3.85	-0.206	-0.0002	-2.5 to 2.5	Pass	
				-20	3.85	-0.210	-0.0002	-2.5 to 2.5	Pass	
-10				3.85	-0.370	-0.0004	-2.5 to 2.5	Pass		
0				3.85	-1.235	-0.0015	-2.5 to 2.5	Pass		
10				3.85	-0.139	-0.0002	-2.5 to 2.5	Pass		
30				3.85	-0.653	-0.0008	-2.5 to 2.5	Pass		
40	3.85	-0.179	-0.0002	-2.5 to 2.5	Pass					
50	3.85	-0.256	-0.0003	-2.5 to 2.5	Pass					
64QAM	831.5	75	0	20	3.27	-0.305	-0.0004	-2.5 to 2.5	Pass	
					3.85	-0.161	-0.0002	-2.5 to 2.5	Pass	
					4.43	0.158	0.0002	-2.5 to 2.5	Pass	
				-30	3.85	0.143	0.0002	-2.5 to 2.5	Pass	
				-20	3.85	0.596	0.0007	-2.5 to 2.5	Pass	
				-10	3.85	0.323	0.0004	-2.5 to 2.5	Pass	
				0	3.85	0.490	0.0006	-2.5 to 2.5	Pass	
				10	3.85	0.418	0.0005	-2.5 to 2.5	Pass	
				30	3.85	-0.051	-0.0001	-2.5 to 2.5	Pass	
	40	3.85	0.091	0.0001	-2.5 to 2.5	Pass				
	50	3.85	0.330	0.0004	-2.5 to 2.5	Pass				
	836.5	75	0	20	3.27	-1.412	-0.0017	-2.5 to 2.5	Pass	
					3.85	-1.648	-0.0020	-2.5 to 2.5	Pass	
					4.43	-0.725	-0.0009	-2.5 to 2.5	Pass	
				-30	3.85	-0.249	-0.0003	-2.5 to 2.5	Pass	
				-20	3.85	-0.728	-0.0009	-2.5 to 2.5	Pass	

				-10	3.85	0.426	0.0005	-2.5 to 2.5	Pass
				0	3.85	-0.970	-0.0012	-2.5 to 2.5	Pass
				10	3.85	-0.724	-0.0009	-2.5 to 2.5	Pass
				30	3.85	-1.153	-0.0014	-2.5 to 2.5	Pass
				40	3.85	-0.795	-0.0010	-2.5 to 2.5	Pass
				50	3.85	-0.399	-0.0005	-2.5 to 2.5	Pass
	841.5	75	0	20	3.27	-0.860	-0.0010	-2.5 to 2.5	Pass
					3.85	1.212	0.0014	-2.5 to 2.5	Pass
					4.43	-0.730	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	0.622	0.0007	-2.5 to 2.5	Pass
				-20	3.85	-0.263	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-0.593	-0.0007	-2.5 to 2.5	Pass
				0	3.85	-2.005	-0.0024	-2.5 to 2.5	Pass
				10	3.85	-0.804	-0.0010	-2.5 to 2.5	Pass
				30	3.85	-0.948	-0.0011	-2.5 to 2.5	Pass
				40	3.85	-0.858	-0.0010	-2.5 to 2.5	Pass
				50	3.85	0.030	0.0000	-2.5 to 2.5	Pass

### 3. Modulation Characteristics

#### 3.1 Test Result

##### 3.1.1 B26b\_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass
64QAM	836.5	6	0	Refer To Test Graph		Pass

##### 3.1.2 B26b\_3MHz

Band: 26b / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass
64QAM	836.5	15	0	Refer To Test Graph		Pass

##### 3.1.3 B26b\_5MHz

Band: 26b / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass
64QAM	836.5	25	0	Refer To Test Graph		Pass

##### 3.1.4 B26b\_10MHz




Band: 26b / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	50	0	Refer To Test Graph		Pass
64QAM	836.5	50	0	Refer To Test Graph		Pass

### 3.1.5 B26b\_15MHz

Band: 26b / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	Refer To Test Graph		Pass
16QAM	836.5	75	0	Refer To Test Graph		Pass
64QAM	836.5	75	0	Refer To Test Graph		Pass

## 3.2 Test Graph

### 3.2.1 B26b\_1.4MHz




Band26b\_1.4MHz\_64QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV

CMW 500 V 3.8.13 - LTE Measurement - V3.8.10 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 836.5 MHz Ref. Level: 35.00 dBm BW: 1.4 MHz CP: Normal Meas Subfr/Slot: 0 / All

IQ



PS: Connection Established  
RRC State: Connected

Go To Local Show Remote Screen

- RESET
- INFO
- SAVE
- SETUP
- PRINT
- HELP
- SYSTEM
- DEVICE
- WIZARD
- BLOCK VIEW
- MEASURE
- SIGNAL GEN
- ON OFF
- RESTART STOP
- TASKS

### 3.2.2 B26b\_3MHz

**Band26b\_3MHz\_QPSK\_MCH\_836.5MHz\_RB\_15\_0\_NTNV**

CMW 500 V 3.8.13 - LTE Measurement - V3.8.10 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 836.5 MHz Ref. Level: 35.00 dBm BW: 3.0 MHz CP: Normal Meas Subfr/Slot: 0 / All

IQ

PS: Connection Established  
RRC State: Connected

Go To Local Show Remote Screen

RESET INFO SAVE SETUP PRINT HELP SYSTEM DEVICE WIZARD BLOCK VIEW MEASURE SIGNAL GEN ON OFF RESTART STOP TASKS

---

**Band26b\_3MHz\_16QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV**

CMW 500 V 3.8.13 - LTE Measurement - V3.8.10 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 836.5 MHz Ref. Level: 35.00 dBm BW: 3.0 MHz CP: Normal Meas Subfr/Slot: 0 / All

IQ

PS: Connection Established  
RRC State: Connected

Go To Local Show Remote Screen

RESET INFO SAVE SETUP PRINT HELP SYSTEM DEVICE WIZARD BLOCK VIEW MEASURE SIGNAL GEN ON OFF RESTART STOP TASKS


Band26b\_3MHz\_64QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV

CMW 500 V 3.8.13 - LTE Measurement - V3.8.10 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 836.5 MHz Ref. Level: 35.00 dBm BW: 3.0 MHz CP: Normal Meas Subfr/Slot: 0 / All

IQ




PS: Connection Established  
RRC State: Connected

Go To Local Show Remote Screen

- RESET
- INFO
- SAVE
- SETUP
- PRINT
- HELP
- SYSTEM
- DEVICE
- WIZARD
- BLOCK VIEW
- MEASURE
- SIGNAL GEN
- ON OFF
- RESTART STOP
- TASKS

### 3.2.3 B26b\_5MHz




Band26b\_5MHz\_64QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV

CMW 500 V 3.8.13 - LTE Measurement - V3.8.10 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 836.5 MHz Ref. Level: 35.00 dBm BW: 5.0 MHz CP: Normal Meas Subfr/Slot: 0 / All

IQ



PS: Connection Established  
RRC State: Connected

Go To Local Show Remote Screen

- RESET
- INFO
- SAVE
- SETUP
- PRINT
- HELP
- SYSTEM
- DEVICE
- WIZARD
- BLOCK VIEW
- MEASURE
- SIGNAL GEN
- ON OFF
- RESTART STOP
- TASKS

### 3.2.4 B26b\_10MHz


**Band26b\_10MHz\_QPSK\_MCH\_836.5MHz\_RB\_50\_0\_NTNV**

CMW 500 V 3.8.13 - LTE Measurement - V3.8.10 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 836.5 MHz Ref. Level: 35.00 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 0 / All

IQ



PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

RESET INFO SAVE SETUP PRINT HELP SYSTEM DEVICE WIZARD BLOCK VIEW MEASURE SIGNAL GEN ON OFF RESTART STOP TASKS


**Band26b\_10MHz\_16QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV**

CMW 500 V 3.8.13 - LTE Measurement - V3.8.10 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 836.5 MHz Ref. Level: 35.00 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 0 / All

IQ



PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

RESET INFO SAVE SETUP PRINT HELP SYSTEM DEVICE WIZARD BLOCK VIEW MEASURE SIGNAL GEN ON OFF RESTART STOP TASKS




Band26b\_10MHz\_64QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV

CMW 500 V3.8.13 - LTE Measurement - V3.8.10 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 836.5 MHz Ref. Level: 35.00 dBm BW: 10.0 MHz CP: Normal Meas Subfr/Slot: 0 / All

IQ



PS: Connection Established  
RRC State: Connected

Go To Local Show Remote Screen

- RESET
- INFO
- SAVE
- SETUP
- PRINT
- HELP
- SYSTEM
- DEVICE
- WIZARD
- BLOCK VIEW
- MEASURE
- SIGNAL GEN
- ON OFF
- RESTART STOP
- TASKS

### 3.2.5 B26b\_15MHz


**Band26b\_15MHz\_QPSK\_MCH\_836.5MHz\_RB\_75\_0\_NTNV**

CMW 500 V 3.8.13 - LTE Measurement - V3.8.10 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 836.5 MHz Ref. Level: 35.00 dBm BW: 15.0 MHz CP: Normal Meas Subfr/Slot: 0 / All

IQ



PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

- RESET
- INFO
- SAVE
- SETUP
- PRINT
- HELP
- SYSTEM
- DEVICE
- WIZARD
- BLOCK VIEW
- MEASURE
- SIGNAL GEN
- ON OFF
- RESTART STOP
- TASKS


**Band26b\_15MHz\_16QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV**

CMW 500 V 3.8.13 - LTE Measurement - V3.8.10 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 836.5 MHz Ref. Level: 35.00 dBm BW: 15.0 MHz CP: Normal Meas Subfr/Slot: 0 / All

IQ



PS: Connection Established RRC State: Connected

Go To Local Show Remote Screen

- RESET
- INFO
- SAVE
- SETUP
- PRINT
- HELP
- SYSTEM
- DEVICE
- WIZARD
- BLOCK VIEW
- MEASURE
- SIGNAL GEN
- ON OFF
- RESTART STOP
- TASKS


Band26b\_15MHz\_64QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV

CMW 500 V3.8.13 - LTE Measurement - V3.8.10 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 836.5 MHz Ref. Level: 35.00 dBm BW: 15.0 MHz CP: Normal Meas Subfr/Slot: 0 / All

IQ



PS: Connection Established  
RRC State: Connected

Go To Local Show Remote Screen

- RESET
- INFO
- SAVE
- SETUP
- PRINT
- HELP
- SYSTEM
- DEVICE
- WIZARD
- BLOCK VIEW
- MEASURE
- SIGNAL GEN
- ON OFF
- RESTART STOP
- TASKS

## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band26b\_OBW


Band: 26b / NTV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.114	/	Pass
		836.5	6	0	1.126	/	Pass
		848.3	6	0	1.124	/	Pass
	16QAM	824.7	6	0	1.122	/	Pass
		836.5	6	0	1.116	/	Pass
		848.3	6	0	1.116	/	Pass
	64QAM	824.7	6	0	1.128	/	Pass
		836.5	6	0	1.120	/	Pass
		848.3	6	0	1.116	/	Pass
3	QPSK	825.5	15	0	2.765	/	Pass
		836.5	15	0	2.751	/	Pass
		847.5	15	0	2.755	/	Pass
	16QAM	825.5	15	0	2.753	/	Pass
		836.5	15	0	2.743	/	Pass
		847.5	15	0	2.755	/	Pass
	64QAM	825.5	15	0	2.746	/	Pass
		836.5	15	0	2.742	/	Pass
		847.5	15	0	2.754	/	Pass
5	QPSK	826.5	25	0	4.576	/	Pass
		836.5	25	0	4.579	/	Pass
		846.5	25	0	4.586	/	Pass
	16QAM	826.5	25	0	4.566	/	Pass
		836.5	25	0	4.577	/	Pass
		846.5	25	0	4.571	/	Pass
	64QAM	826.5	25	0	4.555	/	Pass
		836.5	25	0	4.566	/	Pass
		846.5	25	0	4.549	/	Pass
10	QPSK	829	50	0	9.110	/	Pass
		836.5	50	0	9.082	/	Pass
		844	50	0	9.059	/	Pass
	16QAM	829	50	0	9.096	/	Pass
		836.5	50	0	9.102	/	Pass
		844	50	0	9.074	/	Pass
	64QAM	829	50	0	9.098	/	Pass
		836.5	50	0	9.096	/	Pass
		844	50	0	9.078	/	Pass
15	QPSK	831.5	75	0	13.603	/	Pass
		836.5	75	0	13.614	/	Pass
		841.5	75	0	13.614	/	Pass
	16QAM	831.5	75	0	13.597	/	Pass
		836.5	75	0	13.637	/	Pass
		841.5	75	0	13.629	/	Pass
	64QAM	831.5	75	0	13.645	/	Pass
		836.5	75	0	13.635	/	Pass
		841.5	75	0	13.602	/	Pass

### 4.1.2 Band26b\_XDB


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.415	/	Pass
		836.5	6	0	1.373	/	Pass
		848.3	6	0	1.432	/	Pass
	16QAM	824.7	6	0	1.379	/	Pass
		836.5	6	0	1.406	/	Pass
		848.3	6	0	1.381	/	Pass
	64QAM	824.7	6	0	1.428	/	Pass
		836.5	6	0	1.416	/	Pass
		848.3	6	0	1.414	/	Pass
3	QPSK	825.5	15	0	3.127	/	Pass
		836.5	15	0	3.122	/	Pass
		847.5	15	0	3.135	/	Pass
	16QAM	825.5	15	0	3.107	/	Pass
		836.5	15	0	3.134	/	Pass
		847.5	15	0	3.130	/	Pass
	64QAM	825.5	15	0	3.135	/	Pass
		836.5	15	0	3.105	/	Pass
		847.5	15	0	3.132	/	Pass
5	QPSK	826.5	25	0	5.278	/	Pass
		836.5	25	0	5.268	/	Pass
		846.5	25	0	5.212	/	Pass
	16QAM	826.5	25	0	5.259	/	Pass
		836.5	25	0	5.237	/	Pass
		846.5	25	0	5.241	/	Pass
	64QAM	826.5	25	0	5.236	/	Pass
		836.5	25	0	5.274	/	Pass
		846.5	25	0	5.042	/	Pass
10	QPSK	829	50	0	10.255	/	Pass
		836.5	50	0	10.134	/	Pass
		844	50	0	10.131	/	Pass
	16QAM	829	50	0	10.182	/	Pass
		836.5	50	0	10.156	/	Pass
		844	50	0	10.283	/	Pass
	64QAM	829	50	0	10.297	/	Pass
		836.5	50	0	10.144	/	Pass
		844	50	0	10.108	/	Pass
15	QPSK	831.5	75	0	15.304	/	Pass
		836.5	75	0	15.275	/	Pass
		841.5	75	0	15.056	/	Pass
	16QAM	831.5	75	0	15.273	/	Pass
		836.5	75	0	15.062	/	Pass
		841.5	75	0	15.151	/	Pass
	64QAM	831.5	75	0	15.148	/	Pass
		836.5	75	0	15.056	/	Pass
		841.5	75	0	15.207	/	Pass

## 4.2 Test Graph


### 4.2.1 Band26b\_OBW




Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV



Band26b\_1.4MHz\_16QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV







Band26b\_1.4MHz\_64QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_3MHz\_QPSK\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_5MHz\_QPSK\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_MCH\_836.5MHz\_RB\_25\_0\_NTNV



Band26b\_5MHz\_QPSK\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV







Band26b\_5MHz\_16QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_10MHz\_QPSK\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_QPSK\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_QPSK\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV



Band26b\_15MHz\_QPSK\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_QPSK\_MCH\_836.5MHz\_RB\_75\_0\_NTNV







Band26b\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




## 4.2.2 Band26b\_XDB




Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV



Band26b\_1.4MHz\_64QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV







Band26b\_1.4MHz\_64QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_3MHz\_QPSK\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_5MHz\_QPSK\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV



Band26b\_5MHz\_16QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV







Band26b\_5MHz\_64QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_10MHz\_QPSK\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_QPSK\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_QPSK\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_15MHz\_QPSK\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_QPSK\_MCH\_836.5MHz\_RB\_75\_0\_NTNV



Band26b\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV







Band26b\_15MHz\_16QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV



Band26b\_15MHz\_64QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV



Band26b\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV



## 5. Peak-Average Ratio

### 5.1 Test Result

#### 5.1.1 B26b\_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	5.45	<=13	Pass
	836.5	6	0	5.21	<=13	Pass
	848.3	6	0	5.25	<=13	Pass
16QAM	824.7	6	0	6.20	<=13	Pass
	836.5	6	0	6.02	<=13	Pass
	848.3	6	0	6.11	<=13	Pass
64QAM	824.7	6	0	6.75	<=13	Pass
	836.5	6	0	12.59	<=13	Pass
	848.3	6	0	6.68	<=13	Pass

#### 5.1.2 B26b\_3MHz

Band: 26b / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	5.23	<=13	Pass
	836.5	15	0	5.16	<=13	Pass
	847.5	15	0	5.16	<=13	Pass
16QAM	825.5	15	0	6.06	<=13	Pass
	836.5	15	0	6.00	<=13	Pass
	847.5	15	0	6.00	<=13	Pass
64QAM	825.5	15	0	6.70	<=13	Pass
	836.5	15	0	6.65	<=13	Pass
	847.5	15	0	6.65	<=13	Pass

#### 5.1.3 B26b\_5MHz

Band: 26b / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	5.34	<=13	Pass
	836.5	25	0	5.29	<=13	Pass
	846.5	25	0	5.29	<=13	Pass
16QAM	826.5	25	0	6.09	<=13	Pass
	836.5	25	0	6.03	<=13	Pass
	846.5	25	0	6.03	<=13	Pass
64QAM	826.5	25	0	6.67	<=13	Pass
	836.5	25	0	6.62	<=13	Pass
	846.5	25	0	6.63	<=13	Pass

#### 5.1.4 B26b\_10MHz


Band: 26b / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.27	<=13	Pass
	836.5	50	0	5.22	<=13	Pass
	844	50	0	5.25	<=13	Pass
16QAM	829	50	0	6.04	<=13	Pass
	836.5	50	0	6.03	<=13	Pass
	844	50	0	6.01	<=13	Pass
64QAM	829	50	0	6.61	<=13	Pass
	836.5	50	0	6.58	<=13	Pass
	844	50	0	6.63	<=13	Pass

### 5.1.5 B26b\_15MHz


Band: 26b / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	5.46	<=13	Pass
	836.5	75	0	5.46	<=13	Pass
	841.5	75	0	5.46	<=13	Pass
16QAM	831.5	75	0	6.12	<=13	Pass
	836.5	75	0	6.12	<=13	Pass
	841.5	75	0	6.11	<=13	Pass
64QAM	831.5	75	0	6.59	<=13	Pass
	836.5	75	0	6.61	<=13	Pass
	841.5	75	0	6.63	<=13	Pass

## 5.2 Test Graph


### 5.2.1 B26b\_1.4MHz




Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV



Band26b\_1.4MHz\_16QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV







Band26b\_1.4MHz\_64QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV



Band26b\_1.4MHz\_64QAM\_MCH\_836.5MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTV




### 5.2.2 B26b\_3MHz


Band26b\_3MHz\_QPSK\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV



Band26b\_3MHz\_64QAM\_MCH\_836.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




### 5.2.3 B26b\_5MHz

Band26b\_5MHz\_QPSK\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_MCH\_836.5MHz\_RB\_25\_0\_NTNV







Band26b\_5MHz\_QPSK\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV



Band26b\_5MHz\_64QAM\_MCH\_836.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




### 5.2.4 B26b\_10MHz


Band26b\_10MHz\_QPSK\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_QPSK\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_QPSK\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV



Band26b\_10MHz\_64QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_MCH\_836.5MHz\_RB\_50\_0\_NTNV








Band26b\_10MHz\_64QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV




### 5.2.5 B26b\_15MHz




Band26b\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV



Band26b\_15MHz\_64QAM\_MCH\_836.5MHz\_RB\_75\_0\_NTNV



Band26b\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV



## 6. Spurious Emission

### 6.1 Test Result

#### 6.1.1 B26b\_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
64QAM	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

#### 6.1.2 B26b\_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
64QAM	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

### 6.1.3 B26b\_5MHz

Band: 26b / Bandwidth: 5MHz / NTV							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	826.5	1	0	Refer To Test Graph		Pass	
		25	0	Refer To Test Graph		Pass	
	836.5	1	0	Refer To Test Graph		Pass	
		846.5	1	0	Refer To Test Graph		Pass
				24	Refer To Test Graph		Pass
	25	0	Refer To Test Graph		Pass		
16QAM	826.5	1	0	Refer To Test Graph		Pass	
		25	0	Refer To Test Graph		Pass	
	836.5	1	0	Refer To Test Graph		Pass	
		846.5	1	0	Refer To Test Graph		Pass
				24	Refer To Test Graph		Pass
	25	0	Refer To Test Graph		Pass		
64QAM	826.5	1	0	Refer To Test Graph		Pass	
		25	0	Refer To Test Graph		Pass	
	836.5	1	0	Refer To Test Graph		Pass	
		846.5	1	0	Refer To Test Graph		Pass
				24	Refer To Test Graph		Pass
	25	0	Refer To Test Graph		Pass		

### 6.1.4 B26b\_10MHz

Band: 26b / Bandwidth: 10MHz / NTV							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	829	1	0	Refer To Test Graph		Pass	
		50	0	Refer To Test Graph		Pass	
	836.5	1	0	Refer To Test Graph		Pass	
		844	1	0	Refer To Test Graph		Pass
				49	Refer To Test Graph		Pass
	50	0	Refer To Test Graph		Pass		
16QAM	829	1	0	Refer To Test Graph		Pass	
		50	0	Refer To Test Graph		Pass	
	836.5	1	0	Refer To Test Graph		Pass	
		844	1	0	Refer To Test Graph		Pass
				49	Refer To Test Graph		Pass
	50	0	Refer To Test Graph		Pass		
64QAM	829	1	0	Refer To Test Graph		Pass	
		50	0	Refer To Test Graph		Pass	
	836.5	1	0	Refer To Test Graph		Pass	
		844	1	0	Refer To Test Graph		Pass
				49	Refer To Test Graph		Pass
	50	0	Refer To Test Graph		Pass		

### 6.1.5 B26b\_15MHz


Band: 26b / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass




	836.5	1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
		75	74	Refer To Test Graph	Pass
16QAM	831.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
64QAM	831.5	1	0	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass
	836.5	1	0	Refer To Test Graph	Pass
	841.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

## 6.2 Test Graph


### 6.2.1 B26b\_1.4MHz




Band26b\_1.4MHz\_QPSK\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_QPSK\_MCH\_836.5MHz\_RB\_1\_0\_NTNV




Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_1\_0\_NTNV




Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_1\_5\_NTNV




Band26b\_1.4MHz\_QPSK\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_1\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_1\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_MCH\_836.5MHz\_RB\_1\_0\_NTNV




Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_1\_0\_NTNV



Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_1\_5\_NTNV




Band26b\_1.4MHz\_16QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV







Band26b\_1.4MHz\_64QAM\_LCH\_824.7MHz\_RB\_1\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_LCH\_824.7MHz\_RB\_1\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_LCH\_824.7MHz\_RB\_6\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_MCH\_836.5MHz\_RB\_1\_0\_NTNV



Band26b\_1.4MHz\_64QAM\_HCH\_848.3MHz\_RB\_1\_0\_NTNV




Band26b\_1.4MHz\_64QAM\_HCH\_848.3MHz\_RB\_1\_5\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
847.5	849	0.003	/	/	849.010	-45.03	-13	Pass
849	850	0.003	/	1	849.010	-45.03	-13	Pass
850	850.5	0.1	CHP	2	850.052	-52.97	-13	Pass

Band26b\_1.4MHz\_64QAM\_HCH\_848.3MHz\_RB\_6\_0\_NTNV




### 6.2.2 B26b\_3MHz


Band26b\_3MHz\_QPSK\_LCH\_825.5MHz\_RB\_1\_0\_NTNV




Band26b\_3MHz\_QPSK\_LCH\_825.5MHz\_RB\_1\_0\_NTNV




Band26b\_3MHz\_QPSK\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_QPSK\_MCH\_836.5MHz\_RB\_1\_0\_NTNV



Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_1\_0\_NTNV




Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_1\_14\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	1	849.000	-29.21	-13	Pass
849	850	0.003	/	2	850.052	-51.18	-13	Pass

Band26b\_3MHz\_QPSK\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_16QAM\_LCH\_825.5MHz\_RB\_1\_0\_NTNV






Band26b\_3MHz\_16QAM\_LCH\_825.5MHz\_RB\_1\_0\_NTNV




Band26b\_3MHz\_16QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHIP	1	822.896	-40.45	-13	Pass
823	824	0.033	/	2	823.994	-29.99	-13	Pass
824	827	0.033	/	/	/	/	/	/


Band26b\_3MHz\_16QAM\_MCH\_836.5MHz\_RB\_1\_0\_NTNV




Band26b\_3MHz\_16QAM\_HCH\_847.5MHz\_RB\_1\_0\_NTNV




Band26b\_3MHz\_16QAM\_HCH\_847.5MHz\_RB\_1\_14\_NTNV




Band26b\_3MHz\_16QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_LCH\_825.5MHz\_RB\_1\_0\_NTNV




Band26b\_3MHz\_64QAM\_LCH\_825.5MHz\_RB\_1\_0\_NTNV




Band26b\_3MHz\_64QAM\_LCH\_825.5MHz\_RB\_15\_0\_NTNV




Band26b\_3MHz\_64QAM\_MCH\_836.5MHz\_RB\_1\_0\_NTNV



Band26b\_3MHz\_64QAM\_HCH\_847.5MHz\_RB\_1\_0\_NTNV




Band26b\_3MHz\_64QAM\_HCH\_847.5MHz\_RB\_1\_14\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	1	849.003	-33.02	-13	Pass
849	850	0.003	/	2	850.052	-52.75	-13	Pass


Band26b\_3MHz\_64QAM\_HCH\_847.5MHz\_RB\_15\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.033	/	1	849.000	-28.31	-13	Pass
849	850	0.033	/	1	849.000	-28.31	-13	Pass
850	852	0.1	CHP	2	850.086	-38.64	-13	Pass

### 6.2.3 B26b\_5MHz

Band26b\_5MHz\_QPSK\_LCH\_826.5MHz\_RB\_1\_0\_NTNV




Band26b\_5MHz\_QPSK\_LCH\_826.5MHz\_RB\_1\_0\_NTNV







Band26b\_5MHz\_QPSK\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_QPSK\_MCH\_836.5MHz\_RB\_1\_0\_NTNV




Band26b\_5MHz\_QPSK\_HCH\_846.5MHz\_RB\_1\_0\_NTNV




Band26b\_5MHz\_QPSK\_HCH\_846.5MHz\_RB\_1\_24\_NTNV




Band26b\_5MHz\_QPSK\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_16QAM\_LCH\_826.5MHz\_RB\_1\_0\_NTNV



Band26b\_5MHz\_16QAM\_LCH\_826.5MHz\_RB\_1\_0\_NTNV




Band26b\_5MHz\_16QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.860	-40.64	-13	Pass
823	824	0.056	/	2	823.990	-34.04	-13	Pass
824	829	0.056	/	/	/	/	/	/


Band26b\_5MHz\_16QAM\_MCH\_836.5MHz\_RB\_1\_0\_NTNV




Band26b\_5MHz\_16QAM\_HCH\_846.5MHz\_RB\_1\_0\_NTNV




Band26b\_5MHz\_16QAM\_HCH\_846.5MHz\_RB\_1\_24\_NTNV




Band26b\_5MHz\_16QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_LCH\_826.5MHz\_RB\_1\_0\_NTNV




Band26b\_5MHz\_64QAM\_LCH\_826.5MHz\_RB\_1\_0\_NTNV



Band26b\_5MHz\_64QAM\_LCH\_826.5MHz\_RB\_25\_0\_NTNV




Band26b\_5MHz\_64QAM\_MCH\_836.5MHz\_RB\_1\_0\_NTNV






Band26b\_5MHz\_64QAM\_HCH\_846.5MHz\_RB\_1\_0\_NTNV




Band26b\_5MHz\_64QAM\_HCH\_846.5MHz\_RB\_1\_24\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	1	849.001	-38.14	-13	Pass
849	850	0.003	/	2	850.050	-53.41	-13	Pass
850	854	0.1	CHP					


Band26b\_5MHz\_64QAM\_HCH\_846.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	/	1	849.000	-32.60	-13	Pass
849	850	0.051	/	1	849.000	-32.60	-13	Pass
850	854	0.1	CHP	2	850.070	-40.19	-13	Pass

### 6.2.4 B26b\_10MHz


Band26b\_10MHz\_QPSK\_LCH\_829MHz\_RB\_1\_0\_NTNV




Band26b\_10MHz\_QPSK\_LCH\_829MHz\_RB\_1\_0\_NTNV




Band26b\_10MHz\_QPSK\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_QPSK\_MCH\_836.5MHz\_RB\_1\_0\_NTNV




Band26b\_10MHz\_QPSK\_HCH\_844MHz\_RB\_1\_0\_NTNV




Band26b\_10MHz\_QPSK\_HCH\_844MHz\_RB\_1\_49\_NTNV




Band26b\_10MHz\_QPSK\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_16QAM\_LCH\_829MHz\_RB\_1\_0\_NTNV



Band26b\_10MHz\_16QAM\_LCH\_829MHz\_RB\_1\_0\_NTNV




Band26b\_10MHz\_16QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	/	1	822.880	-42.60	-13	Pass
823	824	0.102	/	2	824.000	-37.10	-13	Pass
824	834	0.102	/	/	/	/	/	/

Band26b\_10MHz\_16QAM\_MCH\_836.5MHz\_RB\_1\_0\_NTNV




Band26b\_10MHz\_16QAM\_HCH\_844MHz\_RB\_1\_0\_NTNV







Band26b\_10MHz\_16QAM\_HCH\_844MHz\_RB\_1\_49\_NTNV




Band26b\_10MHz\_16QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_LCH\_829MHz\_RB\_1\_0\_NTV




Band26b\_10MHz\_64QAM\_LCH\_829MHz\_RB\_1\_0\_NTV




Band26b\_10MHz\_64QAM\_LCH\_829MHz\_RB\_50\_0\_NTNV




Band26b\_10MHz\_64QAM\_MCH\_836.5MHz\_RB\_1\_0\_NTNV




Band26b\_10MHz\_64QAM\_HCH\_844MHz\_RB\_1\_0\_NTNV



Band26b\_10MHz\_64QAM\_HCH\_844MHz\_RB\_1\_49\_NTNV




Band26b\_10MHz\_64QAM\_HCH\_844MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.101	/	/	/	/	/	/
849	850	0.101	/	1	849.000	-36.97	-13	Pass
850	859	0.1	/	2	850.080	-41.00	-13	Pass

### 6.2.5 B26b\_15MHz


Band26b\_15MHz\_QPSK\_LCH\_831.5MHz\_RB\_1\_0\_NTNV




Band26b\_15MHz\_QPSK\_LCH\_831.5MHz\_RB\_1\_0\_NTNV




Band26b\_15MHz\_QPSK\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_QPSK\_MCH\_836.5MHz\_RB\_1\_0\_NTNV



Band26b\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_1\_0\_NTNV




Band26b\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_1\_74\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	1	849.005	-49.99	-13	Pass
849	850	0.003	/	2	850.052	-54.80	-13	Pass
850	864	0.1	CHP					




Band26b\_15MHz\_QPSK\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_16QAM\_LCH\_831.5MHz\_RB\_1\_0\_NTNV



Band26b\_15MHz\_16QAM\_LCH\_831.5MHz\_RB\_1\_0\_NTNV




Band26b\_15MHz\_16QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	822.740	-42.27	-13	Pass
823	824	0.153	/	2	823.970	-39.76	-13	Pass
824	839	0.153	/	/	/	/	/	/


Band26b\_15MHz\_16QAM\_MCH\_836.5MHz\_RB\_1\_0\_NTNV




Band26b\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_1\_0\_NTNV




Band26b\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_1\_74\_NTNV




Band26b\_15MHz\_16QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_LCH\_831.5MHz\_RB\_1\_0\_NTNV




Band26b\_15MHz\_64QAM\_LCH\_831.5MHz\_RB\_1\_0\_NTNV




Band26b\_15MHz\_64QAM\_LCH\_831.5MHz\_RB\_75\_0\_NTNV




Band26b\_15MHz\_64QAM\_MCH\_836.5MHz\_RB\_1\_0\_NTNV



Band26b\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_1\_0\_NTNV




Band26b\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_1\_74\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-51.05	-13	Pass
850	864	0.1	CHP	2	850.061	-55.99	-13	Pass

Band26b\_15MHz\_64QAM\_HCH\_841.5MHz\_RB\_75\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.152	/	/	/	/	/	/
849	850	0.152	/	1	849.630	-41.26	-13	Pass
850	864	0.1	/	2	850.020	-42.73	-13	Pass