


16.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.46	-25	Pass	2986
30	1000	0.1	RMS	933.7	-58.16	-25	Pass	9701
1000	2486	1	RMS	2483	-43.83	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.44	60	Pass	401
2700	3000	1	RMS	2700.75	-42.54	-25	Pass	401
3000	12000	1	RMS	11847	-59.88	-25	Pass	9001
12000	27000	1	RMS	25013	-37.51	-25	Pass	15001



16.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.06	-25	Pass	2986
30	1000	0.1	RMS	935.9	-58.24	-25	Pass	9701
1000	2486	1	RMS	2484	-43.84	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.6	60	Pass	401
2700	3000	1	RMS	2996.25	-42.53	-25	Pass	401
3000	12000	1	RMS	11859	-59.91	-25	Pass	9001
12000	27000	1	RMS	25011	-37.55	-25	Pass	15001



16.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.67	-25	Pass	2986
30	1000	0.1	RMS	922.4	-58.13	-25	Pass	9701
1000	2486	1	RMS	2486	-41.57	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.63	60	Pass	401
2700	3000	1	RMS	2996.25	-42.58	-25	Pass	401
3000	12000	1	RMS	11848	-59.86	-25	Pass	9001
12000	27000	1	RMS	25011	-37.57	-25	Pass	15001



16.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.84	-25	Pass	2986
30	1000	0.1	RMS	938.8	-58.33	-25	Pass	9701
1000	2486	1	RMS	2485	-40.96	-25	Pass	1487
2486	2700	1	RMS	2496.7	21.64	60	Pass	401
2700	3000	1	RMS	3000	-42.54	-25	Pass	401
3000	12000	1	RMS	11852	-59.82	-25	Pass	9001
12000	27000	1	RMS	25009	-37.6	-25	Pass	15001



16.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-42.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.35	-25	Pass	2986
30	1000	0.1	RMS	910.4	-58.22	-25	Pass	9701
1000	2486	1	RMS	2484	-43.86	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.7	60	Pass	401
2700	3000	1	RMS	2999.25	-42.53	-25	Pass	401
3000	12000	1	RMS	11852	-59.89	-25	Pass	9001
12000	27000	1	RMS	25010	-37.58	-25	Pass	15001



16.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.72	-25	Pass	2986
30	1000	0.1	RMS	936.4	-58.26	-25	Pass	9701
1000	2486	1	RMS	2484	-43.88	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.27	60	Pass	401
2700	3000	1	RMS	2999.25	-42.55	-25	Pass	401
3000	12000	1	RMS	11851	-59.84	-25	Pass	9001
12000	27000	1	RMS	25012	-37.52	-25	Pass	15001



16.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.68	-25	Pass	2986
30	1000	0.1	RMS	952.2	-58.12	-25	Pass	9701
1000	2486	1	RMS	2484	-43.92	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.39	60	Pass	401
2700	3000	1	RMS	2702.25	-42.33	-25	Pass	401
3000	12000	1	RMS	11858	-59.85	-25	Pass	9001
12000	27000	1	RMS	25011	-37.47	-25	Pass	15001



16.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-42.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.12	-25	Pass	2986
30	1000	0.1	RMS	937.7	-58.32	-25	Pass	9701
1000	2486	1	RMS	2486	-43.82	-25	Pass	1487
2486	2700	1	RMS	2675.925	20.68	60	Pass	401
2700	3000	1	RMS	2702.25	-42.21	-25	Pass	401
3000	12000	1	RMS	11850	-59.83	-25	Pass	9001
12000	27000	1	RMS	25014	-37.57	-25	Pass	15001



16.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.35	-25	Pass	2986
30	1000	0.1	RMS	911.8	-58.11	-25	Pass	9701
1000	2486	1	RMS	2484	-41.76	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.78	60	Pass	401
2700	3000	1	RMS	3000	-42.53	-25	Pass	401
3000	12000	1	RMS	11860	-59.82	-25	Pass	9001
12000	27000	1	RMS	25012	-37.52	-25	Pass	15001



16.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.37	-25	Pass	2986
30	1000	0.1	RMS	926.1	-58.37	-25	Pass	9701
1000	2486	1	RMS	2486	-41.2	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.8	60	Pass	401
2700	3000	1	RMS	3000	-42.56	-25	Pass	401
3000	12000	1	RMS	11853	-59.87	-25	Pass	9001
12000	27000	1	RMS	25014	-37.51	-25	Pass	15001



16.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-41.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-33.91	-25	Pass	2986
30	1000	0.1	RMS	912	-58.31	-25	Pass	9701
1000	2486	1	RMS	2486	-43.86	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.39	60	Pass	401
2700	3000	1	RMS	2997.75	-42.54	-25	Pass	401
3000	12000	1	RMS	11851	-59.81	-25	Pass	9001
12000	27000	1	RMS	25014	-37.57	-25	Pass	15001



16.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-35.14	-25	Pass	2986
30	1000	0.1	RMS	940.7	-58.14	-25	Pass	9701
1000	2486	1	RMS	2484	-43.86	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.65	60	Pass	401
2700	3000	1	RMS	3000	-42.5	-25	Pass	401
3000	12000	1	RMS	11857	-59.86	-25	Pass	9001
12000	27000	1	RMS	25012	-37.45	-25	Pass	15001



16.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-42.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.48	-25	Pass	2986
30	1000	0.1	RMS	934.8	-58.2	-25	Pass	9701
1000	2486	1	RMS	2479	-43.88	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.33	60	Pass	401
2700	3000	1	RMS	2706.75	-42.21	-25	Pass	401
3000	12000	1	RMS	11842	-59.9	-25	Pass	9001
12000	27000	1	RMS	25012	-37.53	-25	Pass	15001



16.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-34.91	-25	Pass	2986
30	1000	0.1	RMS	912.8	-58.25	-25	Pass	9701
1000	2486	1	RMS	2485	-43.88	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.48	60	Pass	401
2700	3000	1	RMS	2706.75	-42.36	-25	Pass	401
3000	12000	1	RMS	11850	-59.83	-25	Pass	9001
12000	27000	1	RMS	25012	-37.52	-25	Pass	15001



17. LTE_Band66


17.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-31.62	-13	Pass	2986
30	1000	0.1	RMS	935	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-51	-13	Pass	701
1700	1790	1	RMS	1710.35	22.61	60	Pass	401
1790	3000	1	RMS	2660	-46.43	-13	Pass	1211
3000	12000	1	RMS	11854	-40.42	-13	Pass	9001
12000	20000	1	RMS	20000	-27.99	-13	Pass	8001




17.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.48	-13	Pass	2986
30	1000	0.1	RMS	907.5	-62.24	-13	Pass	9701
1000	1700	1	RMS	1700	-50.99	-13	Pass	701
1700	1790	1	RMS	1710.35	21.79	60	Pass	401
1790	3000	1	RMS	2656	-46.41	-13	Pass	1211
3000	12000	1	RMS	11950	-40.43	-13	Pass	9001
12000	20000	1	RMS	20000	-28.11	-13	Pass	8001




17.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.39	-13	Pass	2986
30	1000	0.1	RMS	932.8	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-51.25	-13	Pass	701
1700	1790	1	RMS	1744.55	22.83	60	Pass	401
1790	3000	1	RMS	2996	-46.5	-13	Pass	1211
3000	12000	1	RMS	11856	-40.43	-13	Pass	9001
12000	20000	1	RMS	19999	-28.03	-13	Pass	8001




17.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-39.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.35	-13	Pass	2986
30	1000	0.1	RMS	916.6	-62.19	-13	Pass	9701
1000	1700	1	RMS	1697	-51.19	-13	Pass	701
1700	1790	1	RMS	1744.55	22.18	60	Pass	401
1790	3000	1	RMS	2650	-46.49	-13	Pass	1211
3000	12000	1	RMS	11844	-40.46	-13	Pass	9001
12000	20000	1	RMS	19997	-28.08	-13	Pass	8001




17.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.64	-13	Pass	2986
30	1000	0.1	RMS	955.6	-62.29	-13	Pass	9701
1000	1700	1	RMS	1690	-51.27	-13	Pass	701
1700	1790	1	RMS	1778.75	22.25	60	Pass	401
1790	3000	1	RMS	2656	-46.52	-13	Pass	1211
3000	12000	1	RMS	11947	-40.38	-13	Pass	9001
12000	20000	1	RMS	20000	-28.03	-13	Pass	8001




17.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.09	-13	Pass	2986
30	1000	0.1	RMS	939.9	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-51.25	-13	Pass	701
1700	1790	1	RMS	1778.75	21.46	60	Pass	401
1790	3000	1	RMS	2649	-46.46	-13	Pass	1211
3000	12000	1	RMS	11982	-40.45	-13	Pass	9001
12000	20000	1	RMS	20000	-28.03	-13	Pass	8001




17.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.38	-13	Pass	2986
30	1000	0.1	RMS	916	-62.19	-13	Pass	9701
1000	1700	1	RMS	1698	-51.03	-13	Pass	701
1700	1790	1	RMS	1710.125	22.57	60	Pass	401
1790	3000	1	RMS	2657	-46.35	-13	Pass	1211
3000	12000	1	RMS	11950	-40.47	-13	Pass	9001
12000	20000	1	RMS	19994	-28.07	-13	Pass	8001




17.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.11	-13	Pass	2986
30	1000	0.1	RMS	947.5	-62.23	-13	Pass	9701
1000	1700	1	RMS	1699	-51.06	-13	Pass	701
1700	1790	1	RMS	1710.125	21.68	60	Pass	401
1790	3000	1	RMS	2650	-46.48	-13	Pass	1211
3000	12000	1	RMS	11954	-40.48	-13	Pass	9001
12000	20000	1	RMS	19999	-27.95	-13	Pass	8001



17.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.74	-13	Pass	2986
30	1000	0.1	RMS	903.8	-62.28	-13	Pass	9701
1000	1700	1	RMS	1700	-51.27	-13	Pass	701
1700	1790	1	RMS	1743.65	22.68	60	Pass	401
1790	3000	1	RMS	2659	-46.46	-13	Pass	1211
3000	12000	1	RMS	11854	-40.4	-13	Pass	9001
12000	20000	1	RMS	19995	-28.14	-13	Pass	8001



17.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.09	-13	Pass	2986
30	1000	0.1	RMS	923.5	-62.22	-13	Pass	9701
1000	1700	1	RMS	1688	-51.29	-13	Pass	701
1700	1790	1	RMS	1743.65	21.74	60	Pass	401
1790	3000	1	RMS	2653	-46.45	-13	Pass	1211
3000	12000	1	RMS	11952	-40.39	-13	Pass	9001
12000	20000	1	RMS	19996	-27.99	-13	Pass	8001



17.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.43	-13	Pass	2986
30	1000	0.1	RMS	921.1	-62.27	-13	Pass	9701
1000	1700	1	RMS	1584	-51.23	-13	Pass	701
1700	1790	1	RMS	1777.175	22.36	60	Pass	401
1790	3000	1	RMS	2653	-46.45	-13	Pass	1211
3000	12000	1	RMS	11867	-40.47	-13	Pass	9001
12000	20000	1	RMS	19999	-28.12	-13	Pass	8001



17.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.09	-13	Pass	2986
30	1000	0.1	RMS	949.7	-62.25	-13	Pass	9701
1000	1700	1	RMS	1584	-51.31	-13	Pass	701
1700	1790	1	RMS	1777.175	21.52	60	Pass	401
1790	3000	1	RMS	2653	-46.45	-13	Pass	1211
3000	12000	1	RMS	11944	-40.42	-13	Pass	9001
12000	20000	1	RMS	20000	-28.1	-13	Pass	8001



17.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.92	-13	Pass	2986
30	1000	0.1	RMS	923.1	-62.09	-13	Pass	9701
1000	1700	1	RMS	1700	-50.98	-13	Pass	701
1700	1790	1	RMS	1710.35	22.74	60	Pass	401
1790	3000	1	RMS	2646	-46.46	-13	Pass	1211
3000	12000	1	RMS	11853	-40.47	-13	Pass	9001
12000	20000	1	RMS	19997	-28.14	-13	Pass	8001



17.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.41	-13	Pass	2986
30	1000	0.1	RMS	920.2	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-51.04	-13	Pass	701
1700	1790	1	RMS	1710.35	21.87	60	Pass	401
1790	3000	1	RMS	2652	-46.45	-13	Pass	1211
3000	12000	1	RMS	11933	-40.44	-13	Pass	9001
12000	20000	1	RMS	19997	-28.08	-13	Pass	8001



17.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.77	-13	Pass	2986
30	1000	0.1	RMS	931.1	-62.23	-13	Pass	9701
1000	1700	1	RMS	1638	-51.25	-13	Pass	701
1700	1790	1	RMS	1742.75	22.69	60	Pass	401
1790	3000	1	RMS	2659	-46.48	-13	Pass	1211
3000	12000	1	RMS	11940	-40.46	-13	Pass	9001
12000	20000	1	RMS	20000	-28.02	-13	Pass	8001



17.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.38	-13	Pass	2986
30	1000	0.1	RMS	924.6	-62.11	-13	Pass	9701
1000	1700	1	RMS	1698	-51.26	-13	Pass	701
1700	1790	1	RMS	1742.75	21.78	60	Pass	401
1790	3000	1	RMS	2645	-46.43	-13	Pass	1211
3000	12000	1	RMS	11865	-40.44	-13	Pass	9001
12000	20000	1	RMS	19999	-27.88	-13	Pass	8001



17.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.21	-13	Pass	2986
30	1000	0.1	RMS	916.7	-62.2	-13	Pass	9701
1000	1700	1	RMS	1685	-51.27	-13	Pass	701
1700	1790	1	RMS	1775.375	22.54	60	Pass	401
1790	3000	1	RMS	2658	-46.4	-13	Pass	1211
3000	12000	1	RMS	11948	-40.44	-13	Pass	9001
12000	20000	1	RMS	19999	-28.01	-13	Pass	8001



17.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.28	-13	Pass	2986
30	1000	0.1	RMS	901.4	-62.19	-13	Pass	9701
1000	1700	1	RMS	1641	-51.28	-13	Pass	701
1700	1790	1	RMS	1775.375	21.71	60	Pass	401
1790	3000	1	RMS	2655	-46.45	-13	Pass	1211
3000	12000	1	RMS	11959	-40.48	-13	Pass	9001
12000	20000	1	RMS	19995	-28.06	-13	Pass	8001



17.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-38.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.3	-13	Pass	2986
30	1000	0.1	RMS	920.1	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-50.94	-13	Pass	701
1700	1790	1	RMS	1710.575	22.74	60	Pass	401
1790	3000	1	RMS	2659	-46.45	-13	Pass	1211
3000	12000	1	RMS	11974	-40.46	-13	Pass	9001
12000	20000	1	RMS	19999	-28.1	-13	Pass	8001



17.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.79	-13	Pass	2986
30	1000	0.1	RMS	932.8	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-50.92	-13	Pass	701
1700	1790	1	RMS	1710.575	21.85	60	Pass	401
1790	3000	1	RMS	2653	-46.51	-13	Pass	1211
3000	12000	1	RMS	11941	-40.43	-13	Pass	9001
12000	20000	1	RMS	19997	-28.06	-13	Pass	8001



17.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-32.36	-13	Pass	2986
30	1000	0.1	RMS	892.6	-62.29	-13	Pass	9701
1000	1700	1	RMS	1699	-51.23	-13	Pass	701
1700	1790	1	RMS	1740.5	22.7	60	Pass	401
1790	3000	1	RMS	2650	-46.46	-13	Pass	1211
3000	12000	1	RMS	11946	-40.44	-13	Pass	9001
12000	20000	1	RMS	19995	-27.92	-13	Pass	8001



17.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-40.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.49	-13	Pass	2986
30	1000	0.1	RMS	937.9	-62.31	-13	Pass	9701
1000	1700	1	RMS	1693	-51.3	-13	Pass	701
1700	1790	1	RMS	1740.5	21.99	60	Pass	401
1790	3000	1	RMS	2658	-46.52	-13	Pass	1211
3000	12000	1	RMS	11865	-40.48	-13	Pass	9001
12000	20000	1	RMS	20000	-28	-13	Pass	8001



17.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.9	-13	Pass	2986
30	1000	0.1	RMS	929.1	-62.31	-13	Pass	9701
1000	1700	1	RMS	1698	-51.25	-13	Pass	701
1700	1790	1	RMS	1770.65	22.68	60	Pass	401
1790	3000	1	RMS	2999	-46.49	-13	Pass	1211
3000	12000	1	RMS	11857	-40.47	-13	Pass	9001
12000	20000	1	RMS	20000	-28.08	-13	Pass	8001



17.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.61	-13	Pass	2986
30	1000	0.1	RMS	938.4	-62.22	-13	Pass	9701
1000	1700	1	RMS	1600	-51.28	-13	Pass	701
1700	1790	1	RMS	1770.65	21.78	60	Pass	401
1790	3000	1	RMS	2654	-46.47	-13	Pass	1211
3000	12000	1	RMS	11849	-40.46	-13	Pass	9001
12000	20000	1	RMS	19998	-28.07	-13	Pass	8001



17.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.59	-13	Pass	2986
30	1000	0.1	RMS	920	-62.26	-13	Pass	9701
1000	1700	1	RMS	1698	-50.96	-13	Pass	701
1700	1790	1	RMS	1710.8	22.58	60	Pass	401
1790	3000	1	RMS	2650	-46.47	-13	Pass	1211
3000	12000	1	RMS	11961	-40.44	-13	Pass	9001
12000	20000	1	RMS	19998	-28.09	-13	Pass	8001



17.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.28	-13	Pass	2986
30	1000	0.1	RMS	923.4	-62.17	-13	Pass	9701
1000	1700	1	RMS	1697	-51.04	-13	Pass	701
1700	1790	1	RMS	1710.8	21.7	60	Pass	401
1790	3000	1	RMS	2650	-46.36	-13	Pass	1211
3000	12000	1	RMS	11951	-40.39	-13	Pass	9001
12000	20000	1	RMS	19999	-28.05	-13	Pass	8001



17.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.97	-13	Pass	2986
30	1000	0.1	RMS	915.8	-62.17	-13	Pass	9701
1000	1700	1	RMS	1694	-51.27	-13	Pass	701
1700	1790	1	RMS	1738.25	22.61	60	Pass	401
1790	3000	1	RMS	2652	-46.48	-13	Pass	1211
3000	12000	1	RMS	11844	-40.44	-13	Pass	9001
12000	20000	1	RMS	19999	-28.07	-13	Pass	8001



17.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.66	-13	Pass	2986
30	1000	0.1	RMS	852.4	-62.31	-13	Pass	9701
1000	1700	1	RMS	1699	-51.26	-13	Pass	701
1700	1790	1	RMS	1738.25	21.51	60	Pass	401
1790	3000	1	RMS	2996	-46.46	-13	Pass	1211
3000	12000	1	RMS	11947	-40.38	-13	Pass	9001
12000	20000	1	RMS	19994	-28.1	-13	Pass	8001



17.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.39	-13	Pass	2986
30	1000	0.1	RMS	920.3	-62.07	-13	Pass	9701
1000	1700	1	RMS	1698	-51.25	-13	Pass	701
1700	1790	1	RMS	1765.925	22.57	60	Pass	401
1790	3000	1	RMS	3000	-46.45	-13	Pass	1211
3000	12000	1	RMS	11843	-40.42	-13	Pass	9001
12000	20000	1	RMS	19995	-28	-13	Pass	8001



17.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.79	-13	Pass	2986
30	1000	0.1	RMS	934.7	-62.31	-13	Pass	9701
1000	1700	1	RMS	1613	-51.24	-13	Pass	701
1700	1790	1	RMS	1765.925	21.7	60	Pass	401
1790	3000	1	RMS	2998	-46.45	-13	Pass	1211
3000	12000	1	RMS	11884	-40.44	-13	Pass	9001
12000	20000	1	RMS	19998	-28.08	-13	Pass	8001



17.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-33.23	-13	Pass	2986
30	1000	0.1	RMS	934.4	-62.2	-13	Pass	9701
1000	1700	1	RMS	1700	-50.99	-13	Pass	701
1700	1790	1	RMS	1711.025	22.48	60	Pass	401
1790	3000	1	RMS	2649	-46.49	-13	Pass	1211
3000	12000	1	RMS	11956	-40.42	-13	Pass	9001
12000	20000	1	RMS	19999	-28.08	-13	Pass	8001



17.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-39.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-30.79	-13	Pass	2986
30	1000	0.1	RMS	994.8	-62.26	-13	Pass	9701
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1790	1	RMS	1711.025	21.58	60	Pass	401
1790	3000	1	RMS	2654	-46.48	-13	Pass	1211
3000	12000	1	RMS	11927	-40.42	-13	Pass	9001
12000	20000	1	RMS	19999	-28.03	-13	Pass	8001



17.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-39.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-31.61	-13	Pass	2986
30	1000	0.1	RMS	966.6	-62.25	-13	Pass	9701
1000	1700	1	RMS	1700	-51.2	-13	Pass	701
1700	1790	1	RMS	1736	22.45	60	Pass	401
1790	3000	1	RMS	2656	-46.47	-13	Pass	1211
3000	12000	1	RMS	11855	-40.47	-13	Pass	9001
12000	20000	1	RMS	20000	-28.01	-13	Pass	8001



17.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-40.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-32.17	-13	Pass	2986
30	1000	0.1	RMS	925.7	-62.03	-13	Pass	9701
1000	1700	1	RMS	1591	-51.29	-13	Pass	701
1700	1790	1	RMS	1736	21.61	60	Pass	401
1790	3000	1	RMS	2649	-46.44	-13	Pass	1211
3000	12000	1	RMS	11851	-40.38	-13	Pass	9001
12000	20000	1	RMS	19998	-28.02	-13	Pass	8001



17.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.74	-13	Pass	2986
30	1000	0.1	RMS	905.9	-62.23	-13	Pass	9701
1000	1700	1	RMS	1580	-51.28	-13	Pass	701
1700	1790	1	RMS	1760.975	22.65	60	Pass	401
1790	3000	1	RMS	2656	-46.47	-13	Pass	1211
3000	12000	1	RMS	11937	-40.42	-13	Pass	9001
12000	20000	1	RMS	19999	-28.12	-13	Pass	8001



17.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-40.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.04	-13	Pass	2986
30	1000	0.1	RMS	922.4	-62.19	-13	Pass	9701
1000	1700	1	RMS	1587	-51.3	-13	Pass	701
1700	1790	1	RMS	1761.2	21.76	60	Pass	401
1790	3000	1	RMS	2653	-46.49	-13	Pass	1211
3000	12000	1	RMS	11951	-40.44	-13	Pass	9001
12000	20000	1	RMS	19998	-27.88	-13	Pass	8001



18. LTE_Band71


18.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.44	-13	Pass	2986
30	653	0.1	RMS	485	-63.61	-13	Pass	6231
653	709	0.1	RMS	663.3	19.58	60	Pass	561
709	1000	0.1	RMS	931.1	-61.93	-13	Pass	2911
1000	3000	1	RMS	2651	-46.45	-13	Pass	2001
3000	10000	1	RMS	7749	-42.11	-13	Pass	7001




18.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.81	-13	Pass	2986
30	653	0.1	RMS	647.9	-63.68	-13	Pass	6231
653	709	0.1	RMS	663.3	18.82	60	Pass	561
709	1000	0.1	RMS	939.6	-62.35	-13	Pass	2911
1000	3000	1	RMS	2652	-46.51	-13	Pass	2001
3000	10000	1	RMS	7735	-42.16	-13	Pass	7001




18.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-39.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-32.33	-13	Pass	2986
30	653	0.1	RMS	513.8	-63.63	-13	Pass	6231
653	709	0.1	RMS	678.3	19.58	60	Pass	561
709	1000	0.1	RMS	776.9	-62.43	-13	Pass	2911
1000	3000	1	RMS	2646	-46.49	-13	Pass	2001
3000	10000	1	RMS	7742	-42.21	-13	Pass	7001




18.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.1	-13	Pass	2986
30	653	0.1	RMS	514.5	-63.71	-13	Pass	6231
653	709	0.1	RMS	678.3	18.56	60	Pass	561
709	1000	0.1	RMS	935	-62.41	-13	Pass	2911
1000	3000	1	RMS	2658	-46.47	-13	Pass	2001
3000	10000	1	RMS	7729	-42.1	-13	Pass	7001




18.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-40.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.36	-13	Pass	2986
30	653	0.1	RMS	520.7	-63.62	-13	Pass	6231
653	709	0.1	RMS	693.3	19.32	60	Pass	561
709	1000	0.1	RMS	710.5	-60.98	-13	Pass	2911
1000	3000	1	RMS	2657	-46.5	-13	Pass	2001
3000	10000	1	RMS	7744	-42.14	-13	Pass	7001




18.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.32	-13	Pass	2986
30	653	0.1	RMS	524.4	-63.6	-13	Pass	6231
653	709	0.1	RMS	693.3	18.74	60	Pass	561
709	1000	0.1	RMS	710.5	-61.91	-13	Pass	2911
1000	3000	1	RMS	2653	-46.48	-13	Pass	2001
3000	10000	1	RMS	7749	-42.15	-13	Pass	7001




18.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.28	-13	Pass	2986
30	653	0.1	RMS	648.2	-63.58	-13	Pass	6231
653	709	0.1	RMS	663.6	20.15	60	Pass	561
709	1000	0.1	RMS	942	-62.38	-13	Pass	2911
1000	3000	1	RMS	2655	-46.47	-13	Pass	2001
3000	10000	1	RMS	7739	-42.14	-13	Pass	7001




18.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.37	-13	Pass	2986
30	653	0.1	RMS	652.5	-63.72	-13	Pass	6231
653	709	0.1	RMS	663.6	18.99	60	Pass	561
709	1000	0.1	RMS	922.6	-62.26	-13	Pass	2911
1000	3000	1	RMS	3000	-46.47	-13	Pass	2001
3000	10000	1	RMS	7742	-42.12	-13	Pass	7001



18.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-41.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.85	-13	Pass	2986
30	653	0.1	RMS	651.3	-63.68	-13	Pass	6231
653	709	0.1	RMS	676.1	19.87	60	Pass	561
709	1000	0.1	RMS	904.4	-62.41	-13	Pass	2911
1000	3000	1	RMS	2648	-46.48	-13	Pass	2001
3000	10000	1	RMS	7735	-42.2	-13	Pass	7001



18.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-31.82	-13	Pass	2986
30	653	0.1	RMS	648.9	-63.5	-13	Pass	6231
653	709	0.1	RMS	676.1	19.01	60	Pass	561
709	1000	0.1	RMS	844.8	-62.38	-13	Pass	2911
1000	3000	1	RMS	2659	-46.51	-13	Pass	2001
3000	10000	1	RMS	7732	-42.2	-13	Pass	7001



18.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.62	-13	Pass	2986
30	653	0.1	RMS	523.2	-63.63	-13	Pass	6231
653	709	0.1	RMS	688.6	19.87	60	Pass	561
709	1000	0.1	RMS	906	-62.19	-13	Pass	2911
1000	3000	1	RMS	2650	-46.47	-13	Pass	2001
3000	10000	1	RMS	7735	-42.21	-13	Pass	7001



18.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-33.34	-13	Pass	2986
30	653	0.1	RMS	647	-63.64	-13	Pass	6231
653	709	0.1	RMS	688.6	19.06	60	Pass	561
709	1000	0.1	RMS	930.9	-62.17	-13	Pass	2911
1000	3000	1	RMS	2644	-46.48	-13	Pass	2001
3000	10000	1	RMS	7741	-42.09	-13	Pass	7001



18.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.8	-13	Pass	2986
30	653	0.1	RMS	523.2	-63.67	-13	Pass	6231
653	709	0.1	RMS	663.8	19.25	60	Pass	561
709	1000	0.1	RMS	921.6	-62.17	-13	Pass	2911
1000	3000	1	RMS	2652	-46.33	-13	Pass	2001
3000	10000	1	RMS	7725	-42.14	-13	Pass	7001



18.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.38	-13	Pass	2986
30	653	0.1	RMS	652.9	-63.66	-13	Pass	6231
653	709	0.1	RMS	663.8	18.45	60	Pass	561
709	1000	0.1	RMS	946.5	-62.24	-13	Pass	2911
1000	3000	1	RMS	2647	-46.36	-13	Pass	2001
3000	10000	1	RMS	7733	-42.08	-13	Pass	7001



18.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-41.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.02	-13	Pass	2986
30	653	0.1	RMS	490	-63.55	-13	Pass	6231
653	709	0.1	RMS	673.8	19.14	60	Pass	561
709	1000	0.1	RMS	917.5	-62.23	-13	Pass	2911
1000	3000	1	RMS	2646	-46.35	-13	Pass	2001
3000	10000	1	RMS	7734	-42.05	-13	Pass	7001



18.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-39.65	-13	Pass	401
0.15	30	0.01	RMS	0.16	-32.64	-13	Pass	2986
30	653	0.1	RMS	651.4	-63.64	-13	Pass	6231
653	709	0.1	RMS	673.8	18.41	60	Pass	561
709	1000	0.1	RMS	913.2	-62.13	-13	Pass	2911
1000	3000	1	RMS	2658	-46.37	-13	Pass	2001
3000	10000	1	RMS	7731	-42.05	-13	Pass	7001



18.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32	-13	Pass	2986
30	653	0.1	RMS	484.5	-63.59	-13	Pass	6231
653	709	0.1	RMS	683.8	19.41	60	Pass	561
709	1000	0.1	RMS	904.9	-62.15	-13	Pass	2911
1000	3000	1	RMS	2650	-46.36	-13	Pass	2001
3000	10000	1	RMS	7739	-42.1	-13	Pass	7001



18.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.15	-13	Pass	2986
30	653	0.1	RMS	504.3	-63.7	-13	Pass	6231
653	709	0.1	RMS	683.8	18.52	60	Pass	561
709	1000	0.1	RMS	916.7	-62.28	-13	Pass	2911
1000	3000	1	RMS	2655	-46.34	-13	Pass	2001
3000	10000	1	RMS	7727	-42.1	-13	Pass	7001



18.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-33.05	-13	Pass	2986
30	653	0.1	RMS	450.8	-63.67	-13	Pass	6231
653	709	0.1	RMS	664.1	19.76	60	Pass	561
709	1000	0.1	RMS	882.8	-62.14	-13	Pass	2911
1000	3000	1	RMS	2656	-46.35	-13	Pass	2001
3000	10000	1	RMS	7728	-42.12	-13	Pass	7001



18.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.11	-13	Pass	2986
30	653	0.1	RMS	649.1	-63.7	-13	Pass	6231
653	709	0.1	RMS	664.1	18.94	60	Pass	561
709	1000	0.1	RMS	905.4	-62.25	-13	Pass	2911
1000	3000	1	RMS	2656	-46.33	-13	Pass	2001
3000	10000	1	RMS	7736	-42.06	-13	Pass	7001



18.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-40.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.72	-13	Pass	2986
30	653	0.1	RMS	532	-63.62	-13	Pass	6231
653	709	0.1	RMS	674.1	19.72	60	Pass	561
709	1000	0.1	RMS	930.1	-62.1	-13	Pass	2911
1000	3000	1	RMS	2647	-46.36	-13	Pass	2001
3000	10000	1	RMS	7728	-42.04	-13	Pass	7001



18.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.31	-13	Pass	2986
30	653	0.1	RMS	521.1	-63.67	-13	Pass	6231
653	709	0.1	RMS	674.1	18.96	60	Pass	561
709	1000	0.1	RMS	936.2	-62.17	-13	Pass	2911
1000	3000	1	RMS	2651	-46.36	-13	Pass	2001
3000	10000	1	RMS	7732	-42.08	-13	Pass	7001



18.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-40.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-32.59	-13	Pass	2986
30	653	0.1	RMS	483.3	-63.7	-13	Pass	6231
653	709	0.1	RMS	679.1	19.8	60	Pass	561
709	1000	0.1	RMS	934.3	-62.25	-13	Pass	2911
1000	3000	1	RMS	2651	-46.36	-13	Pass	2001
3000	10000	1	RMS	9542	-42.1	-13	Pass	7001



18.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-40.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-32.05	-13	Pass	2986
30	653	0.1	RMS	640.3	-63.65	-13	Pass	6231
653	709	0.1	RMS	679.1	19	60	Pass	561
709	1000	0.1	RMS	912.7	-62.17	-13	Pass	2911
1000	3000	1	RMS	2649	-46.29	-13	Pass	2001
3000	10000	1	RMS	7723	-42.1	-13	Pass	7001



19. n2 15kHz


19.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.26	-13	Pass	2986
30	1000	0.1	RMS	938.3	-60.9	-13	Pass	9701
1000	1840	1	RMS	1840	-46.76	-13	Pass	841
1840	1920	1	RMS	1853.6	14.23	60	Pass	401
1920	3000	1	RMS	2668	-47.39	-13	Pass	1081
3000	6500	1	RMS	5558	-61.59	-13	Pass	3501
6500	20000	1	RMS	6511	-49.5	-13	Pass	13501




19.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.07	-13	Pass	2986
30	1000	0.1	RMS	977.4	-61.01	-13	Pass	9701
1000	1840	1	RMS	1840	-50.59	-13	Pass	841
1840	1920	1	RMS	1850.4	20.29	60	Pass	401
1920	3000	1	RMS	2690	-47.38	-13	Pass	1081
3000	6500	1	RMS	5551	-57.31	-13	Pass	3501
6500	20000	1	RMS	6510	-49.52	-13	Pass	13501




19.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.32	-13	Pass	2986
30	1000	0.1	RMS	959	-60.92	-13	Pass	9701
1000	1840	1	RMS	1839	-50.75	-13	Pass	841
1840	1920	1	RMS	1854.6	20.26	60	Pass	401
1920	3000	1	RMS	2691	-47.37	-13	Pass	1081
3000	6500	1	RMS	5564	-56	-13	Pass	3501
6500	20000	1	RMS	6506	-49.51	-13	Pass	13501




19.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.94	-13	Pass	2986
30	1000	0.1	RMS	932.9	-61	-13	Pass	9701
1000	1840	1	RMS	1805	-50.83	-13	Pass	841
1840	1920	1	RMS	1880	14.21	60	Pass	401
1920	3000	1	RMS	2685	-47.38	-13	Pass	1081
3000	6500	1	RMS	5640	-50.47	-13	Pass	3501
6500	20000	1	RMS	6510	-49.53	-13	Pass	13501




19.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.55	-13	Pass	2986
30	1000	0.1	RMS	931.1	-61	-13	Pass	9701
1000	1840	1	RMS	1839	-50.81	-13	Pass	841
1840	1920	1	RMS	1877.8	20.38	60	Pass	401
1920	3000	1	RMS	2688	-47.41	-13	Pass	1081
3000	6500	1	RMS	5634	-45.25	-13	Pass	3501
6500	20000	1	RMS	6510	-49.58	-13	Pass	13501




19.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.52	-13	Pass	2986
30	1000	0.1	RMS	928.8	-60.84	-13	Pass	9701
1000	1840	1	RMS	1800	-50.8	-13	Pass	841
1840	1920	1	RMS	1882.2	20.31	60	Pass	401
1920	3000	1	RMS	2685	-47.35	-13	Pass	1081
3000	6500	1	RMS	5646	-46.78	-13	Pass	3501
6500	20000	1	RMS	6510	-49.51	-13	Pass	13501




19.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.24	-13	Pass	2986
30	1000	0.1	RMS	915.2	-60.92	-13	Pass	9701
1000	1840	1	RMS	1838	-50.8	-13	Pass	841
1840	1920	1	RMS	1906.4	14.26	60	Pass	401
1920	3000	1	RMS	1920	-46.94	-13	Pass	1081
3000	6500	1	RMS	3815	-59.42	-13	Pass	3501
6500	20000	1	RMS	6505	-49.6	-13	Pass	13501




19.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.2	-13	Pass	2986
30	1000	0.1	RMS	992.5	-60.95	-13	Pass	9701
1000	1840	1	RMS	1836	-50.82	-13	Pass	841
1840	1920	1	RMS	1905.4	20.26	60	Pass	401
1920	3000	1	RMS	2677	-47.4	-13	Pass	1081
3000	6500	1	RMS	5716	-57.71	-13	Pass	3501
6500	20000	1	RMS	6508	-49.43	-13	Pass	13501




19.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.75	-13	Pass	2986
30	1000	0.1	RMS	959.6	-60.96	-13	Pass	9701
1000	1840	1	RMS	1840	-50.81	-13	Pass	841
1840	1920	1	RMS	1909.6	20.26	60	Pass	401
1920	3000	1	RMS	2656	-47.4	-13	Pass	1081
3000	6500	1	RMS	3819	-51.78	-13	Pass	3501
6500	20000	1	RMS	6505	-49.59	-13	Pass	13501




19.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.74	-13	Pass	2986
30	1000	0.1	RMS	951.4	-60.77	-13	Pass	9701
1000	1840	1	RMS	1840	-39.09	-13	Pass	841
1840	1920	1	RMS	1863.6	9.66	60	Pass	401
1920	3000	1	RMS	2689	-47.42	-13	Pass	1081
3000	6500	1	RMS	5576	-61.23	-13	Pass	3501
6500	20000	1	RMS	6505	-49.59	-13	Pass	13501




19.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.45	-13	Pass	2986
30	1000	0.1	RMS	966.3	-61	-13	Pass	9701
1000	1840	1	RMS	1837	-50.55	-13	Pass	841
1840	1920	1	RMS	1850.4	20.42	60	Pass	401
1920	3000	1	RMS	2697	-47.44	-13	Pass	1081
3000	6500	1	RMS	3701	-56.91	-13	Pass	3501
6500	20000	1	RMS	6508	-49.51	-13	Pass	13501




19.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.12	-13	Pass	2986
30	1000	0.1	RMS	918.5	-60.94	-13	Pass	9701
1000	1840	1	RMS	1837	-50.48	-13	Pass	841
1840	1920	1	RMS	1864.6	20.32	60	Pass	401
1920	3000	1	RMS	2697	-47.41	-13	Pass	1081
3000	6500	1	RMS	5594	-50.01	-13	Pass	3501
6500	20000	1	RMS	6507	-49.57	-13	Pass	13501




19.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.97	-13	Pass	2986
30	1000	0.1	RMS	942	-60.88	-13	Pass	9701
1000	1840	1	RMS	1840	-49.05	-13	Pass	841
1840	1920	1	RMS	1874.2	9.59	60	Pass	401
1920	3000	1	RMS	2701	-47.37	-13	Pass	1081
3000	6500	1	RMS	5641	-55.22	-13	Pass	3501
6500	20000	1	RMS	6508	-49.62	-13	Pass	13501




19.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.01	-13	Pass	2986
30	1000	0.1	RMS	939.7	-60.96	-13	Pass	9701
1000	1840	1	RMS	1798	-50.83	-13	Pass	841
1840	1920	1	RMS	1873	20.44	60	Pass	401
1920	3000	1	RMS	2675	-47.42	-13	Pass	1081
3000	6500	1	RMS	5619	-44.79	-13	Pass	3501
6500	20000	1	RMS	6507	-49.49	-13	Pass	13501




19.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.93	-13	Pass	2986
30	1000	0.1	RMS	945.3	-60.83	-13	Pass	9701
1000	1840	1	RMS	1804	-50.83	-13	Pass	841
1840	1920	1	RMS	1887	20.28	60	Pass	401
1920	3000	1	RMS	2695	-47.39	-13	Pass	1081
3000	6500	1	RMS	5661	-46.75	-13	Pass	3501
6500	20000	1	RMS	6506	-49.54	-13	Pass	13501




19.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.65	-13	Pass	2986
30	1000	0.1	RMS	952.8	-60.91	-13	Pass	9701
1000	1840	1	RMS	1840	-50.62	-13	Pass	841
1840	1920	1	RMS	1896.6	9.43	60	Pass	401
1920	3000	1	RMS	1920	-39.08	-13	Pass	1081
3000	6500	1	RMS	5705	-62.48	-13	Pass	3501
6500	20000	1	RMS	6507	-49.54	-13	Pass	13501




19.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.77	-13	Pass	2986
30	1000	0.1	RMS	981.6	-60.9	-13	Pass	9701
1000	1840	1	RMS	1808	-50.81	-13	Pass	841
1840	1920	1	RMS	1895.4	20.44	60	Pass	401
1920	3000	1	RMS	2685	-47.42	-13	Pass	1081
3000	6500	1	RMS	5686	-54.35	-13	Pass	3501
6500	20000	1	RMS	6506	-49.54	-13	Pass	13501




19.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.41	-13	Pass	2986
30	1000	0.1	RMS	998.9	-60.93	-13	Pass	9701
1000	1840	1	RMS	1798	-50.83	-13	Pass	841
1840	1920	1	RMS	1909.4	20.29	60	Pass	401
1920	3000	1	RMS	2685	-47.35	-13	Pass	1081
3000	6500	1	RMS	3819	-51.29	-13	Pass	3501
6500	20000	1	RMS	6511	-49.56	-13	Pass	13501




19.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.57	-13	Pass	2986
30	1000	0.1	RMS	954.2	-61	-13	Pass	9701
1000	1840	1	RMS	1839	-39.91	-13	Pass	841
1840	1920	1	RMS	1868	8.51	60	Pass	401
1920	3000	1	RMS	2679	-47.43	-13	Pass	1081
3000	6500	1	RMS	5583	-61.18	-13	Pass	3501
6500	20000	1	RMS	6506	-49.5	-13	Pass	13501




19.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.76	-13	Pass	2986
30	1000	0.1	RMS	962.1	-60.91	-13	Pass	9701
1000	1840	1	RMS	1840	-50.4	-13	Pass	841
1840	1920	1	RMS	1850.6	20.32	60	Pass	401
1920	3000	1	RMS	2655	-47.42	-13	Pass	1081
3000	6500	1	RMS	3701	-57.08	-13	Pass	3501
6500	20000	1	RMS	6506	-49.6	-13	Pass	13501




19.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.15	-13	Pass	2986
30	1000	0.1	RMS	920.1	-61.01	-13	Pass	9701
1000	1840	1	RMS	1838	-50.75	-13	Pass	841
1840	1920	1	RMS	1869.4	20.39	60	Pass	401
1920	3000	1	RMS	2690	-47.34	-13	Pass	1081
3000	6500	1	RMS	5608	-47.88	-13	Pass	3501
6500	20000	1	RMS	6506	-49.56	-13	Pass	13501




19.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.53	-13	Pass	2986
30	1000	0.1	RMS	950.1	-60.95	-13	Pass	9701
1000	1840	1	RMS	1840	-46.38	-13	Pass	841
1840	1920	1	RMS	1871.6	8.43	60	Pass	401
1920	3000	1	RMS	2646	-47.38	-13	Pass	1081
3000	6500	1	RMS	5636	-56.82	-13	Pass	3501
6500	20000	1	RMS	6510	-49.5	-13	Pass	13501




19.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.5	-13	Pass	2986
30	1000	0.1	RMS	970.4	-60.87	-13	Pass	9701
1000	1840	1	RMS	1838	-50.77	-13	Pass	841
1840	1920	1	RMS	1870.6	20.31	60	Pass	401
1920	3000	1	RMS	2692	-47.39	-13	Pass	1081
3000	6500	1	RMS	5612	-47.58	-13	Pass	3501
6500	20000	1	RMS	6506	-49.52	-13	Pass	13501




19.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.47	-13	Pass	2986
30	1000	0.1	RMS	976.3	-60.75	-13	Pass	9701
1000	1840	1	RMS	1834	-50.82	-13	Pass	841
1840	1920	1	RMS	1889.4	20.34	60	Pass	401
1920	3000	1	RMS	2676	-47.35	-13	Pass	1081
3000	6500	1	RMS	5668	-50.06	-13	Pass	3501
6500	20000	1	RMS	6506	-49.55	-13	Pass	13501




19.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.85	-13	Pass	2986
30	1000	0.1	RMS	934.4	-60.84	-13	Pass	9701
1000	1840	1	RMS	1840	-49.72	-13	Pass	841
1840	1920	1	RMS	1891.4	8.28	60	Pass	401
1920	3000	1	RMS	1920	-39.03	-13	Pass	1081
3000	6500	1	RMS	5698	-62.49	-13	Pass	3501
6500	20000	1	RMS	6505	-49.47	-13	Pass	13501




19.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.41	-13	Pass	2986
30	1000	0.1	RMS	965.4	-61.02	-13	Pass	9701
1000	1840	1	RMS	1803	-50.81	-13	Pass	841
1840	1920	1	RMS	1890.6	20.3	60	Pass	401
1920	3000	1	RMS	2694	-47.42	-13	Pass	1081
3000	6500	1	RMS	5672	-52.53	-13	Pass	3501
6500	20000	1	RMS	6507	-49.55	-13	Pass	13501



19.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.67	-13	Pass	2986
30	1000	0.1	RMS	920.8	-60.94	-13	Pass	9701
1000	1840	1	RMS	1799	-50.8	-13	Pass	841
1840	1920	1	RMS	1909.4	20.37	60	Pass	401
1920	3000	1	RMS	2684	-47.39	-13	Pass	1081
3000	6500	1	RMS	3819	-51.56	-13	Pass	3501
6500	20000	1	RMS	6509	-49.51	-13	Pass	13501



20. n5


20.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.72	-13	Pass	2986
30	814	0.1	RMS	814	-45.28	-13	Pass	7841
814	859	0.1	RMS	824.5	4.96	60	Pass	451
859	1000	0.1	RMS	861.6	-62.24	-13	Pass	1411
1000	3000	1	RMS	1653	-37.41	-13	Pass	2001
3000	10000	1	RMS	4132	-51.56	-13	Pass	7001




20.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.76	-13	Pass	2986
30	814	0.1	RMS	812.3	-61.03	-13	Pass	7841
814	859	0.1	RMS	824.3	17.79	60	Pass	451
859	1000	0.1	RMS	976.5	-62.28	-13	Pass	1411
1000	3000	1	RMS	1649	-32.64	-13	Pass	2001
3000	10000	1	RMS	4946	-44.3	-13	Pass	7001




20.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.93	-13	Pass	2986
30	814	0.1	RMS	811.5	-61.17	-13	Pass	7841
814	859	0.1	RMS	828.6	17.32	60	Pass	451
859	1000	0.1	RMS	959.1	-62.18	-13	Pass	1411
1000	3000	1	RMS	1657	-31.73	-13	Pass	2001
3000	10000	1	RMS	4143	-43.13	-13	Pass	7001




20.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.43	-13	Pass	2986
30	814	0.1	RMS	814	-58.59	-13	Pass	7841
814	859	0.1	RMS	837.9	4.68	60	Pass	451
859	1000	0.1	RMS	860.7	-58.73	-13	Pass	1411
1000	3000	1	RMS	1673	-35.83	-13	Pass	2001
3000	10000	1	RMS	4184	-48.81	-13	Pass	7001




20.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.6	-13	Pass	2986
30	814	0.1	RMS	812.5	-61.49	-13	Pass	7841
814	859	0.1	RMS	834.3	17.68	60	Pass	451
859	1000	0.1	RMS	978.1	-62.29	-13	Pass	1411
1000	3000	1	RMS	1669	-31	-13	Pass	2001
3000	10000	1	RMS	4172	-41.66	-13	Pass	7001




20.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.23	-13	Pass	2986
30	814	0.1	RMS	787	-61.42	-13	Pass	7841
814	859	0.1	RMS	838.6	17.42	60	Pass	451
859	1000	0.1	RMS	944.4	-62.31	-13	Pass	1411
1000	3000	1	RMS	1677	-30.25	-13	Pass	2001
3000	10000	1	RMS	4193	-39.75	-13	Pass	7001




20.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.4	-13	Pass	2986
30	814	0.1	RMS	813.8	-60.8	-13	Pass	7841
814	859	0.1	RMS	844.7	4.65	60	Pass	451
859	1000	0.1	RMS	860.8	-46.94	-13	Pass	1411
1000	3000	1	RMS	1693	-35.05	-13	Pass	2001
3000	10000	1	RMS	4232	-46.54	-13	Pass	7001




20.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.73	-13	Pass	2986
30	814	0.1	RMS	813.4	-61.31	-13	Pass	7841
814	859	0.1	RMS	844.3	17.82	60	Pass	451
859	1000	0.1	RMS	991.2	-62.38	-13	Pass	1411
1000	3000	1	RMS	1689	-30.4	-13	Pass	2001
3000	10000	1	RMS	4222	-39.14	-13	Pass	7001



20.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.24	-13	Pass	2986
30	814	0.1	RMS	739.2	-60.98	-13	Pass	7841
814	859	0.1	RMS	848.7	17.26	60	Pass	451
859	1000	0.1	RMS	990.4	-62.44	-13	Pass	1411
1000	3000	1	RMS	1697	-29.41	-13	Pass	2001
3000	10000	1	RMS	4243	-37.75	-13	Pass	7001




20.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.42	-13	Pass	2986
30	814	0.1	RMS	813.2	-36.52	-13	Pass	7841
814	859	0.1	RMS	824.6	0.01	60	Pass	451
859	1000	0.1	RMS	862.3	-45.14	-13	Pass	1411
1000	3000	1	RMS	1663	-43.37	-13	Pass	2001
3000	10000	1	RMS	4162	-56.48	-13	Pass	7001




20.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-50.84	-13	Pass	2986
30	814	0.1	RMS	812.8	-61.09	-13	Pass	7841
814	859	0.1	RMS	824.5	17.78	60	Pass	451
859	1000	0.1	RMS	934.5	-62.35	-13	Pass	1411
1000	3000	1	RMS	1649	-31.66	-13	Pass	2001
3000	10000	1	RMS	4947	-44.29	-13	Pass	7001




20.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.77	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.3	-13	Pass	7841
814	859	0.1	RMS	838.5	18.02	60	Pass	451
859	1000	0.1	RMS	937.9	-62.37	-13	Pass	1411
1000	3000	1	RMS	1677	-29.62	-13	Pass	2001
3000	10000	1	RMS	4193	-41.04	-13	Pass	7001




20.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.14	-13	Pass	2986
30	814	0.1	RMS	813.9	-41.12	-13	Pass	7841
814	859	0.1	RMS	840.5	-2.71	60	Pass	451
859	1000	0.1	RMS	862.1	-41.83	-13	Pass	1411
1000	3000	1	RMS	1673	-42.33	-13	Pass	2001
3000	10000	1	RMS	4189	-54.88	-13	Pass	7001




20.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.57	-13	Pass	2986
30	814	0.1	RMS	812.1	-61.24	-13	Pass	7841
814	859	0.1	RMS	829.5	17.7	60	Pass	451
859	1000	0.1	RMS	966.8	-62.3	-13	Pass	1411
1000	3000	1	RMS	1659	-30.98	-13	Pass	2001
3000	10000	1	RMS	4147	-43.55	-13	Pass	7001




20.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.75	-13	Pass	2986
30	814	0.1	RMS	812.2	-61.5	-13	Pass	7841
814	859	0.1	RMS	843.5	17.94	60	Pass	451
859	1000	0.1	RMS	933.6	-62.12	-13	Pass	1411
1000	3000	1	RMS	1687	-29.51	-13	Pass	2001
3000	10000	1	RMS	4218	-39.98	-13	Pass	7001




20.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.07	-13	Pass	2986
30	814	0.1	RMS	813.8	-46.66	-13	Pass	7841
814	859	0.1	RMS	836.8	-2.51	60	Pass	451
859	1000	0.1	RMS	860.9	-38.14	-13	Pass	1411
1000	3000	1	RMS	1684	-42.66	-13	Pass	2001
3000	10000	1	RMS	4208	-53.84	-13	Pass	7001




20.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.1	-13	Pass	2986
30	814	0.1	RMS	803.4	-61.28	-13	Pass	7841
814	859	0.1	RMS	834.5	17.73	60	Pass	451
859	1000	0.1	RMS	942.3	-62.38	-13	Pass	1411
1000	3000	1	RMS	1669	-30.03	-13	Pass	2001
3000	10000	1	RMS	4172	-41.78	-13	Pass	7001




20.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.7	-13	Pass	2986
30	814	0.1	RMS	811.5	-61.35	-13	Pass	7841
814	859	0.1	RMS	848.5	17.94	60	Pass	451
859	1000	0.1	RMS	942.4	-62.31	-13	Pass	1411
1000	3000	1	RMS	1697	-28.81	-13	Pass	2001
3000	10000	1	RMS	4243	-38.7	-13	Pass	7001




20.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.81	-13	Pass	2986
30	814	0.1	RMS	813.5	-35.17	-13	Pass	7841
814	859	0.1	RMS	839.3	-3.89	60	Pass	451
859	1000	0.1	RMS	861.5	-40.03	-13	Pass	1411
1000	3000	1	RMS	1666	-44.32	-13	Pass	2001
3000	10000	1	RMS	4181	-56.84	-13	Pass	7001




20.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.71	-13	Pass	2986
30	814	0.1	RMS	812.9	-60.92	-13	Pass	7841
814	859	0.1	RMS	824.5	17.57	60	Pass	451
859	1000	0.1	RMS	983.2	-62.27	-13	Pass	1411
1000	3000	1	RMS	1649	-31.6	-13	Pass	2001
3000	10000	1	RMS	4123	-44.16	-13	Pass	7001




20.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.5	-13	Pass	2986
30	814	0.1	RMS	812.7	-61.31	-13	Pass	7841
814	859	0.1	RMS	843.4	17.66	60	Pass	451
859	1000	0.1	RMS	967.4	-62.36	-13	Pass	1411
1000	3000	1	RMS	1687	-29.68	-13	Pass	2001
3000	10000	1	RMS	4217	-38.94	-13	Pass	7001




20.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.85	-13	Pass	2986
30	814	0.1	RMS	813.6	-37.81	-13	Pass	7841
814	859	0.1	RMS	827	1.56	60	Pass	451
859	1000	0.1	RMS	860.5	-38.97	-13	Pass	1411
1000	3000	1	RMS	1679	-44.54	-13	Pass	2001
3000	10000	1	RMS	4190	-55.92	-13	Pass	7001




20.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.85	-13	Pass	2986
30	814	0.1	RMS	813.8	-61	-13	Pass	7841
814	859	0.1	RMS	827	17.51	60	Pass	451
859	1000	0.1	RMS	939.6	-62.11	-13	Pass	1411
1000	3000	1	RMS	1654	-31.42	-13	Pass	2001
3000	10000	1	RMS	4135	-43.53	-13	Pass	7001




20.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.67	-13	Pass	2986
30	814	0.1	RMS	813	-61.37	-13	Pass	7841
814	859	0.1	RMS	845.9	17.52	60	Pass	451
859	1000	0.1	RMS	861.4	-62.33	-13	Pass	1411
1000	3000	1	RMS	1692	-29.25	-13	Pass	2001
3000	10000	1	RMS	4230	-38.73	-13	Pass	7001




20.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.35	-13	Pass	2986
30	814	0.1	RMS	814	-61.51	-13	Pass	7841
814	859	0.1	RMS	829.5	-0.61	60	Pass	451
859	1000	0.1	RMS	861.5	-35.88	-13	Pass	1411
1000	3000	1	RMS	2696	-46.96	-13	Pass	2001
3000	10000	1	RMS	4196	-55.46	-13	Pass	7001




20.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.58	-13	Pass	2986
30	814	0.1	RMS	813.2	-61.2	-13	Pass	7841
814	859	0.1	RMS	829.5	17.55	60	Pass	451
859	1000	0.1	RMS	993.8	-62.33	-13	Pass	1411
1000	3000	1	RMS	1659	-30.98	-13	Pass	2001
3000	10000	1	RMS	4148	-43.26	-13	Pass	7001



20.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.81	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.34	-13	Pass	7841
814	859	0.1	RMS	848.4	17.53	60	Pass	451
859	1000	0.1	RMS	938.8	-62.33	-13	Pass	1411
1000	3000	1	RMS	1697	-28.97	-13	Pass	2001
3000	10000	1	RMS	4242	-37.51	-13	Pass	7001



21. n7


21.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.07	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.54	-25	Pass	2986
30	1000	0.1	RMS	915.6	-60.96	-25	Pass	9701
1000	2495	1	RMS	2495	-34.31	-25	Pass	1496
2495	2575	1	RMS	2502.6	14.42	60	Pass	401
2575	3000	1	RMS	2696	-47.68	-25	Pass	426
3000	6500	1	RMS	5005	-59.19	-25	Pass	3501
6500	26000	1	RMS	25344	-45.29	-25	Pass	19501




21.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.76	-25	Pass	2986
30	1000	0.1	RMS	923.5	-61	-25	Pass	9701
1000	2495	1	RMS	2495	-42.53	-25	Pass	1496
2495	2575	1	RMS	2500.4	20.52	60	Pass	401
2575	3000	1	RMS	2693	-47.69	-25	Pass	426
3000	6500	1	RMS	5001	-55.15	-25	Pass	3501
6500	26000	1	RMS	25335	-45.24	-25	Pass	19501




21.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.46	-25	Pass	2986
30	1000	0.1	RMS	925.2	-61	-25	Pass	9701
1000	2495	1	RMS	2495	-47.68	-25	Pass	1496
2495	2575	1	RMS	2504.6	20.57	60	Pass	401
2575	3000	1	RMS	2688	-47.71	-25	Pass	426
3000	6500	1	RMS	5009	-54.45	-25	Pass	3501
6500	26000	1	RMS	25342	-45.25	-25	Pass	19501




21.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-25	Pass	2986
30	1000	0.1	RMS	981.4	-60.98	-25	Pass	9701
1000	2495	1	RMS	2463	-48.14	-25	Pass	1496
2495	2575	1	RMS	2535.2	14.37	60	Pass	401
2575	3000	1	RMS	2693	-47.69	-25	Pass	426
3000	6500	1	RMS	6219	-65.28	-25	Pass	3501
6500	26000	1	RMS	25752	-45.18	-25	Pass	19501




21.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.09	-25	Pass	2986
30	1000	0.1	RMS	937.4	-61.01	-25	Pass	9701
1000	2495	1	RMS	2493	-48.31	-25	Pass	1496
2495	2575	1	RMS	2532.8	20.5	60	Pass	401
2575	3000	1	RMS	2673	-47.69	-25	Pass	426
3000	6500	1	RMS	5066	-64.62	-25	Pass	3501
6500	26000	1	RMS	25343	-45.21	-25	Pass	19501




21.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.86	-25	Pass	2986
30	1000	0.1	RMS	943.2	-60.92	-25	Pass	9701
1000	2495	1	RMS	2493	-48.29	-25	Pass	1496
2495	2575	1	RMS	2537.2	20.54	60	Pass	401
2575	3000	1	RMS	2691	-47.7	-25	Pass	426
3000	6500	1	RMS	5074	-65.15	-25	Pass	3501
6500	26000	1	RMS	25332	-45.24	-25	Pass	19501




21.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.59	-25	Pass	2986
30	1000	0.1	RMS	942.4	-61.08	-25	Pass	9701
1000	2495	1	RMS	2495	-48.31	-25	Pass	1496
2495	2575	1	RMS	2566.2	14.39	60	Pass	401
2575	3000	1	RMS	2575	-34.14	-25	Pass	426
3000	6500	1	RMS	6218	-65.33	-25	Pass	3501
6500	26000	1	RMS	25353	-45.21	-25	Pass	19501




21.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.99	-25	Pass	2986
30	1000	0.1	RMS	960.4	-61.05	-25	Pass	9701
1000	2495	1	RMS	2495	-48.33	-25	Pass	1496
2495	2575	1	RMS	2565.4	20.23	60	Pass	401
2575	3000	1	RMS	2693	-47.7	-25	Pass	426
3000	6500	1	RMS	5131	-63.94	-25	Pass	3501
6500	26000	1	RMS	25356	-45.24	-25	Pass	19501




21.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.56	-25	Pass	2986
30	1000	0.1	RMS	924.6	-60.99	-25	Pass	9701
1000	2495	1	RMS	2460	-48.04	-25	Pass	1496
2495	2575	1	RMS	2569.6	20.43	60	Pass	401
2575	3000	1	RMS	2575	-41.11	-25	Pass	426
3000	6500	1	RMS	5139	-63.77	-25	Pass	3501
6500	26000	1	RMS	25345	-45.27	-25	Pass	19501




21.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.22	-25	Pass	2986
30	1000	0.1	RMS	958.9	-61.05	-25	Pass	9701
1000	2485	1	RMS	2485	-41.03	-25	Pass	1486
2485	2585	1	RMS	2501.75	9.69	60	Pass	401
2585	3000	1	RMS	2700	-47.69	-25	Pass	416
3000	6500	1	RMS	5015	-63.41	-25	Pass	3501
6500	26000	1	RMS	25333	-45.26	-25	Pass	19501




21.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.71	-25	Pass	2986
30	1000	0.1	RMS	904.7	-60.97	-25	Pass	9701
1000	2485	1	RMS	2465	-48.02	-25	Pass	1486
2485	2585	1	RMS	2500.5	20.7	60	Pass	401
2585	3000	1	RMS	2689	-47.68	-25	Pass	416
3000	6500	1	RMS	5001	-53.69	-25	Pass	3501
6500	26000	1	RMS	25324	-45.16	-25	Pass	19501




21.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.78	-25	Pass	2986
30	1000	0.1	RMS	952	-61.1	-25	Pass	9701
1000	2485	1	RMS	2466	-48.3	-25	Pass	1486
2485	2585	1	RMS	2514.5	20.63	60	Pass	401
2585	3000	1	RMS	2693	-47.69	-25	Pass	416
3000	6500	1	RMS	5029	-56	-25	Pass	3501
6500	26000	1	RMS	25339	-45.29	-25	Pass	19501




21.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.23	-25	Pass	2986
30	1000	0.1	RMS	921.6	-60.9	-25	Pass	9701
1000	2485	1	RMS	2485	-48.2	-25	Pass	1486
2485	2585	1	RMS	2529	9.75	60	Pass	401
2585	3000	1	RMS	2695	-47.68	-25	Pass	416
3000	6500	1	RMS	6217	-65.32	-25	Pass	3501
6500	26000	1	RMS	25349	-45.26	-25	Pass	19501




21.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.81	-25	Pass	2986
30	1000	0.1	RMS	987.8	-61.03	-25	Pass	9701
1000	2485	1	RMS	2465	-48.24	-25	Pass	1486
2485	2585	1	RMS	2528	20.61	60	Pass	401
2585	3000	1	RMS	2676	-47.7	-25	Pass	416
3000	6500	1	RMS	5056	-62.25	-25	Pass	3501
6500	26000	1	RMS	25333	-45.21	-25	Pass	19501




21.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.28	-25	Pass	2986
30	1000	0.1	RMS	945	-60.9	-25	Pass	9701
1000	2485	1	RMS	2485	-48.5	-25	Pass	1486
2485	2585	1	RMS	2542	20.59	60	Pass	401
2585	3000	1	RMS	2688	-47.68	-25	Pass	416
3000	6500	1	RMS	5084	-64.38	-25	Pass	3501
6500	26000	1	RMS	25740	-45.27	-25	Pass	19501




21.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.04	-25	Pass	2986
30	1000	0.1	RMS	965.1	-60.94	-25	Pass	9701
1000	2485	1	RMS	2460	-47.67	-25	Pass	1486
2485	2585	1	RMS	2561.75	9.51	60	Pass	401
2585	3000	1	RMS	2585	-39.7	-25	Pass	416
3000	6500	1	RMS	6219	-65.22	-25	Pass	3501
6500	26000	1	RMS	25344	-45.24	-25	Pass	19501




21.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.32	-25	Pass	2986
30	1000	0.1	RMS	949.7	-61.01	-25	Pass	9701
1000	2485	1	RMS	2464	-48.28	-25	Pass	1486
2485	2585	1	RMS	2555.5	20.45	60	Pass	401
2585	3000	1	RMS	2692	-47.7	-25	Pass	416
3000	6500	1	RMS	5111	-63.97	-25	Pass	3501
6500	26000	1	RMS	25743	-45.25	-25	Pass	19501




21.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.74	-25	Pass	2986
30	1000	0.1	RMS	974.2	-60.97	-25	Pass	9701
1000	2485	1	RMS	2480	-47.89	-25	Pass	1486
2485	2585	1	RMS	2569.5	20.55	60	Pass	401
2585	3000	1	RMS	2684	-47.7	-25	Pass	416
3000	6500	1	RMS	5139	-63.58	-25	Pass	3501
6500	26000	1	RMS	25343	-45.17	-25	Pass	19501




21.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.59	-25	Pass	2986
30	1000	0.1	RMS	933.9	-60.96	-25	Pass	9701
1000	2480	1	RMS	2480	-44.44	-25	Pass	1481
2480	2590	1	RMS	2518.5	8.6	60	Pass	401
2590	3000	1	RMS	2701	-47.69	-25	Pass	411
3000	6500	1	RMS	5020	-64.44	-25	Pass	3501
6500	26000	1	RMS	25331	-45.22	-25	Pass	19501




21.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.03	-25	Pass	2986
30	1000	0.1	RMS	930.1	-60.85	-25	Pass	9701
1000	2480	1	RMS	2459	-48.32	-25	Pass	1481
2480	2590	1	RMS	2500.625	20.62	60	Pass	401
2590	3000	1	RMS	2695	-47.66	-25	Pass	411
3000	6500	1	RMS	5001	-53.54	-25	Pass	3501
6500	26000	1	RMS	25323	-45.21	-25	Pass	19501




21.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.68	-25	Pass	2986
30	1000	0.1	RMS	962.3	-60.93	-25	Pass	9701
1000	2480	1	RMS	2461	-48.33	-25	Pass	1481
2480	2590	1	RMS	2519.325	20.45	60	Pass	401
2590	3000	1	RMS	2695	-47.68	-25	Pass	411
3000	6500	1	RMS	5039	-58.89	-25	Pass	3501
6500	26000	1	RMS	25339	-45.23	-25	Pass	19501




21.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.37	-25	Pass	2986
30	1000	0.1	RMS	937.7	-60.97	-25	Pass	9701
1000	2480	1	RMS	2465	-48.09	-25	Pass	1481
2480	2590	1	RMS	2526.75	8.51	60	Pass	401
2590	3000	1	RMS	2695	-47.69	-25	Pass	411
3000	6500	1	RMS	6221	-65.31	-25	Pass	3501
6500	26000	1	RMS	25338	-45.24	-25	Pass	19501




21.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.2	-25	Pass	2986
30	1000	0.1	RMS	930.3	-61	-25	Pass	9701
1000	2480	1	RMS	2464	-48.06	-25	Pass	1481
2480	2590	1	RMS	2525.65	20.29	60	Pass	401
2590	3000	1	RMS	2690	-47.67	-25	Pass	411
3000	6500	1	RMS	5051	-61	-25	Pass	3501
6500	26000	1	RMS	25327	-45.3	-25	Pass	19501




21.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.72	-25	Pass	2986
30	1000	0.1	RMS	966	-60.99	-25	Pass	9701
1000	2480	1	RMS	2465	-48.14	-25	Pass	1481
2480	2590	1	RMS	2544.35	20.55	60	Pass	401
2590	3000	1	RMS	2682	-47.7	-25	Pass	411
3000	6500	1	RMS	5089	-64.2	-25	Pass	3501
6500	26000	1	RMS	25337	-45.2	-25	Pass	19501




21.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.9	-25	Pass	2986
30	1000	0.1	RMS	952.7	-61.03	-25	Pass	9701
1000	2480	1	RMS	2465	-48.31	-25	Pass	1481
2480	2590	1	RMS	2561.675	8.26	60	Pass	401
2590	3000	1	RMS	2590	-43.99	-25	Pass	411
3000	6500	1	RMS	6220	-65.29	-25	Pass	3501
6500	26000	1	RMS	25742	-45.31	-25	Pass	19501




21.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.87	-25	Pass	2986
30	1000	0.1	RMS	933	-60.98	-25	Pass	9701
1000	2480	1	RMS	2465	-48.18	-25	Pass	1481
2480	2590	1	RMS	2550.675	20.4	60	Pass	401
2590	3000	1	RMS	2675	-47.67	-25	Pass	411
3000	6500	1	RMS	5101	-63.7	-25	Pass	3501
6500	26000	1	RMS	25332	-45.27	-25	Pass	19501



21.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.78	-25	Pass	2986
30	1000	0.1	RMS	978	-61	-25	Pass	9701
1000	2480	1	RMS	2461	-48.03	-25	Pass	1481
2480	2590	1	RMS	2569.375	20.57	60	Pass	401
2590	3000	1	RMS	2681	-47.69	-25	Pass	411
3000	6500	1	RMS	5139	-63.69	-25	Pass	3501
6500	26000	1	RMS	25339	-45.19	-25	Pass	19501



22. n25 15kHz


22.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.14	-13	Pass	2986
30	1000	0.1	RMS	977	-60.94	-13	Pass	9701
1000	1840	1	RMS	1840	-46.57	-13	Pass	841
1840	1925	1	RMS	1853.6	14.42	60	Pass	401
1925	3000	1	RMS	2699	-47.36	-13	Pass	1076
3000	6500	1	RMS	5558	-61.4	-13	Pass	3501
6500	20000	1	RMS	6510	-49.47	-13	Pass	13501




22.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.43	-13	Pass	2986
30	1000	0.1	RMS	965.7	-60.92	-13	Pass	9701
1000	1840	1	RMS	1839	-50.58	-13	Pass	841
1840	1925	1	RMS	1850.413	20.49	60	Pass	401
1925	3000	1	RMS	2693	-47.39	-13	Pass	1076
3000	6500	1	RMS	5551	-57.1	-13	Pass	3501
6500	20000	1	RMS	6508	-49.51	-13	Pass	13501




22.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.1	-13	Pass	2986
30	1000	0.1	RMS	986.5	-61.02	-13	Pass	9701
1000	1840	1	RMS	1840	-50.73	-13	Pass	841
1840	1925	1	RMS	1854.663	20.53	60	Pass	401
1925	3000	1	RMS	2672	-47.4	-13	Pass	1076
3000	6500	1	RMS	5564	-54.85	-13	Pass	3501
6500	20000	1	RMS	6510	-49.54	-13	Pass	13501




22.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.36	-13	Pass	2986
30	1000	0.1	RMS	960.1	-60.94	-13	Pass	9701
1000	1840	1	RMS	1840	-50.78	-13	Pass	841
1840	1925	1	RMS	1881.65	14.29	60	Pass	401
1925	3000	1	RMS	2691	-47.4	-13	Pass	1076
3000	6500	1	RMS	5647	-50.98	-13	Pass	3501
6500	20000	1	RMS	6510	-49.35	-13	Pass	13501




22.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.75	-13	Pass	2986
30	1000	0.1	RMS	938	-60.95	-13	Pass	9701
1000	1840	1	RMS	1806	-50.84	-13	Pass	841
1840	1925	1	RMS	1880.375	20.44	60	Pass	401
1925	3000	1	RMS	2697	-47.42	-13	Pass	1076
3000	6500	1	RMS	5641	-44.76	-13	Pass	3501
6500	20000	1	RMS	6508	-49.62	-13	Pass	13501




22.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.12	-13	Pass	2986
30	1000	0.1	RMS	937.6	-61	-13	Pass	9701
1000	1840	1	RMS	1839	-50.81	-13	Pass	841
1840	1925	1	RMS	1884.625	20.48	60	Pass	401
1925	3000	1	RMS	2684	-47.39	-13	Pass	1076
3000	6500	1	RMS	5654	-46.44	-13	Pass	3501
6500	20000	1	RMS	6507	-49.55	-13	Pass	13501




22.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.07	-13	Pass	2986
30	1000	0.1	RMS	957.7	-60.97	-13	Pass	9701
1000	1840	1	RMS	1836	-50.82	-13	Pass	841
1840	1925	1	RMS	1911.4	14.56	60	Pass	401
1925	3000	1	RMS	2694	-47.37	-13	Pass	1076
3000	6500	1	RMS	3825	-53.44	-13	Pass	3501
6500	20000	1	RMS	6511	-49.48	-13	Pass	13501




22.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-13	Pass	2986
30	1000	0.1	RMS	918.2	-60.9	-13	Pass	9701
1000	1840	1	RMS	1808	-50.83	-13	Pass	841
1840	1925	1	RMS	1910.338	20.5	60	Pass	401
1925	3000	1	RMS	2667	-47.39	-13	Pass	1076
3000	6500	1	RMS	3821	-51.1	-13	Pass	3501
6500	20000	1	RMS	6509	-49.48	-13	Pass	13501




22.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.12	-13	Pass	2986
30	1000	0.1	RMS	991.3	-61	-13	Pass	9701
1000	1840	1	RMS	1837	-50.8	-13	Pass	841
1840	1925	1	RMS	1914.588	20.65	60	Pass	401
1925	3000	1	RMS	2699	-47.38	-13	Pass	1076
3000	6500	1	RMS	3829	-47	-13	Pass	3501
6500	20000	1	RMS	6510	-49.6	-13	Pass	13501




22.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.09	-13	Pass	2986
30	1000	0.1	RMS	961.2	-60.84	-13	Pass	9701
1000	1840	1	RMS	1840	-39.2	-13	Pass	841
1840	1925	1	RMS	1863.588	9.89	60	Pass	401
1925	3000	1	RMS	2675	-47.36	-13	Pass	1076
3000	6500	1	RMS	5577	-61.01	-13	Pass	3501
6500	20000	1	RMS	6511	-49.64	-13	Pass	13501




22.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.48	-13	Pass	2986
30	1000	0.1	RMS	924.1	-60.98	-13	Pass	9701
1000	1840	1	RMS	1839	-50.57	-13	Pass	841
1840	1925	1	RMS	1850.413	20.59	60	Pass	401
1925	3000	1	RMS	2674	-47.35	-13	Pass	1076
3000	6500	1	RMS	3701	-56.72	-13	Pass	3501
6500	20000	1	RMS	6512	-49.56	-13	Pass	13501




22.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.73	-13	Pass	2986
30	1000	0.1	RMS	961.1	-60.89	-13	Pass	9701
1000	1840	1	RMS	1836	-50.39	-13	Pass	841
1840	1925	1	RMS	1864.438	20.48	60	Pass	401
1925	3000	1	RMS	2681	-47.37	-13	Pass	1076
3000	6500	1	RMS	5594	-49.72	-13	Pass	3501
6500	20000	1	RMS	6506	-49.62	-13	Pass	13501




22.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.54	-13	Pass	2986
30	1000	0.1	RMS	934.6	-60.98	-13	Pass	9701
1000	1840	1	RMS	1840	-49.29	-13	Pass	841
1840	1925	1	RMS	1876.55	9.73	60	Pass	401
1925	3000	1	RMS	2676	-47.4	-13	Pass	1076
3000	6500	1	RMS	5647	-55.57	-13	Pass	3501
6500	20000	1	RMS	6507	-49.61	-13	Pass	13501




22.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.04	-13	Pass	2986
30	1000	0.1	RMS	977.9	-60.91	-13	Pass	9701
1000	1840	1	RMS	1803	-50.83	-13	Pass	841
1840	1925	1	RMS	1875.488	20.71	60	Pass	401
1925	3000	1	RMS	2696	-47.39	-13	Pass	1076
3000	6500	1	RMS	5626	-44.58	-13	Pass	3501
6500	20000	1	RMS	6509	-49.59	-13	Pass	13501




22.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.57	-13	Pass	2986
30	1000	0.1	RMS	964.2	-60.96	-13	Pass	9701
1000	1840	1	RMS	1834	-50.87	-13	Pass	841
1840	1925	1	RMS	1889.513	20.49	60	Pass	401
1925	3000	1	RMS	2699	-47.38	-13	Pass	1076
3000	6500	1	RMS	5668	-49.97	-13	Pass	3501
6500	20000	1	RMS	6509	-49.5	-13	Pass	13501




22.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.73	-13	Pass	2986
30	1000	0.1	RMS	931.9	-60.97	-13	Pass	9701
1000	1840	1	RMS	1840	-50.78	-13	Pass	841
1840	1925	1	RMS	1901.413	10.05	60	Pass	401
1925	3000	1	RMS	2691	-47.4	-13	Pass	1076
3000	6500	1	RMS	3820	-62.29	-13	Pass	3501
6500	20000	1	RMS	6508	-49.62	-13	Pass	13501




22.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.01	-13	Pass	2986
30	1000	0.1	RMS	926.5	-61.05	-13	Pass	9701
1000	1840	1	RMS	1799	-50.83	-13	Pass	841
1840	1925	1	RMS	1900.35	20.57	60	Pass	401
1925	3000	1	RMS	2696	-47.35	-13	Pass	1076
3000	6500	1	RMS	5701	-56.78	-13	Pass	3501
6500	20000	1	RMS	6509	-49.62	-13	Pass	13501




22.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.21	-13	Pass	2986
30	1000	0.1	RMS	935.6	-60.87	-13	Pass	9701
1000	1840	1	RMS	1837	-50.74	-13	Pass	841
1840	1925	1	RMS	1914.588	20.68	60	Pass	401
1925	3000	1	RMS	2677	-47.41	-13	Pass	1076
3000	6500	1	RMS	3829	-46.05	-13	Pass	3501
6500	20000	1	RMS	6510	-49.49	-13	Pass	13501




22.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.09	-13	Pass	2986
30	1000	0.1	RMS	945.9	-60.92	-13	Pass	9701
1000	1840	1	RMS	1840	-39.65	-13	Pass	841
1840	1925	1	RMS	1868.475	8.73	60	Pass	401
1925	3000	1	RMS	2657	-47.38	-13	Pass	1076
3000	6500	1	RMS	5584	-60.97	-13	Pass	3501
6500	20000	1	RMS	6511	-49.53	-13	Pass	13501




22.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.61	-13	Pass	2986
30	1000	0.1	RMS	945.4	-60.88	-13	Pass	9701
1000	1840	1	RMS	1840	-50.42	-13	Pass	841
1840	1925	1	RMS	1850.625	20.52	60	Pass	401
1925	3000	1	RMS	2686	-47.34	-13	Pass	1076
3000	6500	1	RMS	3701	-56.91	-13	Pass	3501
6500	20000	1	RMS	6509	-49.55	-13	Pass	13501




22.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.07	-13	Pass	2986
30	1000	0.1	RMS	920.6	-60.87	-13	Pass	9701
1000	1840	1	RMS	1838	-50.69	-13	Pass	841
1840	1925	1	RMS	1869.325	20.52	60	Pass	401
1925	3000	1	RMS	2694	-47.39	-13	Pass	1076
3000	6500	1	RMS	5608	-47.2	-13	Pass	3501
6500	20000	1	RMS	6510	-49.5	-13	Pass	13501




22.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.41	-13	Pass	2986
30	1000	0.1	RMS	963.9	-60.88	-13	Pass	9701
1000	1840	1	RMS	1840	-47.13	-13	Pass	841
1840	1925	1	RMS	1874	8.59	60	Pass	401
1925	3000	1	RMS	2655	-47.41	-13	Pass	1076
3000	6500	1	RMS	5643	-57.2	-13	Pass	3501
6500	20000	1	RMS	6509	-49.52	-13	Pass	13501




22.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.02	-13	Pass	2986
30	1000	0.1	RMS	945.2	-60.95	-13	Pass	9701
1000	1840	1	RMS	1840	-50.8	-13	Pass	841
1840	1925	1	RMS	1872.938	20.57	60	Pass	401
1925	3000	1	RMS	2695	-47.36	-13	Pass	1076
3000	6500	1	RMS	5619	-44.11	-13	Pass	3501
6500	20000	1	RMS	6507	-49.38	-13	Pass	13501




22.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.97	-13	Pass	2986
30	1000	0.1	RMS	931.7	-60.96	-13	Pass	9701
1000	1840	1	RMS	1807	-50.81	-13	Pass	841
1840	1925	1	RMS	1891.85	20.53	60	Pass	401
1925	3000	1	RMS	2683	-47.42	-13	Pass	1076
3000	6500	1	RMS	5676	-50.2	-13	Pass	3501
6500	20000	1	RMS	6509	-49.55	-13	Pass	13501




22.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-13	Pass	2986
30	1000	0.1	RMS	956.7	-60.94	-13	Pass	9701
1000	1840	1	RMS	1840	-49.9	-13	Pass	841
1840	1925	1	RMS	1896.313	8.68	60	Pass	401
1925	3000	1	RMS	2694	-47.36	-13	Pass	1076
3000	6500	1	RMS	5709	-63.54	-13	Pass	3501
6500	20000	1	RMS	6511	-49.54	-13	Pass	13501




22.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.9	-13	Pass	2986
30	1000	0.1	RMS	968.9	-60.98	-13	Pass	9701
1000	1840	1	RMS	1801	-50.81	-13	Pass	841
1840	1925	1	RMS	1895.463	20.53	60	Pass	401
1925	3000	1	RMS	2654	-47.41	-13	Pass	1076
3000	6500	1	RMS	5687	-53.36	-13	Pass	3501
6500	20000	1	RMS	6506	-49.47	-13	Pass	13501



22.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.51	-13	Pass	2986
30	1000	0.1	RMS	949.2	-60.94	-13	Pass	9701
1000	1840	1	RMS	1837	-50.8	-13	Pass	841
1840	1925	1	RMS	1914.375	20.76	60	Pass	401
1925	3000	1	RMS	2693	-47.38	-13	Pass	1076
3000	6500	1	RMS	3829	-46.52	-13	Pass	3501
6500	20000	1	RMS	6509	-49.59	-13	Pass	13501



23. n66 15kHz


23.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.77	-13	Pass	2986
30	1000	0.1	RMS	946.2	-60.94	-13	Pass	9701
1000	1700	1	RMS	1700	-47.96	-13	Pass	701
1700	1790	1	RMS	1713.5	14.41	60	Pass	401
1790	3000	1	RMS	2670	-47.36	-13	Pass	1211
3000	6500	1	RMS	5138	-62.41	-13	Pass	3501
6500	20000	1	RMS	6506	-49.56	-13	Pass	13501




23.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.59	-13	Pass	2986
30	1000	0.1	RMS	931.8	-61.04	-13	Pass	9701
1000	1700	1	RMS	1700	-50.92	-13	Pass	701
1700	1790	1	RMS	1710.35	20.41	60	Pass	401
1790	3000	1	RMS	2674	-47.32	-13	Pass	1211
3000	6500	1	RMS	5131	-60.87	-13	Pass	3501
6500	20000	1	RMS	6512	-49.61	-13	Pass	13501




23.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	1000	0.1	RMS	990.2	-60.96	-13	Pass	9701
1000	1700	1	RMS	1699	-51.07	-13	Pass	701
1700	1790	1	RMS	1714.625	20.47	60	Pass	401
1790	3000	1	RMS	2695	-47.39	-13	Pass	1211
3000	6500	1	RMS	5144	-55.9	-13	Pass	3501
6500	20000	1	RMS	6505	-49.5	-13	Pass	13501




23.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.08	-13	Pass	2986
30	1000	0.1	RMS	935.3	-60.93	-13	Pass	9701
1000	1700	1	RMS	1670	-51.19	-13	Pass	701
1700	1790	1	RMS	1744.1	14.45	60	Pass	401
1790	3000	1	RMS	2689	-47.35	-13	Pass	1211
3000	6500	1	RMS	6218	-65.25	-13	Pass	3501
6500	20000	1	RMS	6506	-49.57	-13	Pass	13501




23.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.33	-13	Pass	2986
30	1000	0.1	RMS	942.3	-60.97	-13	Pass	9701
1000	1700	1	RMS	1700	-51.18	-13	Pass	701
1700	1790	1	RMS	1742.75	20.51	60	Pass	401
1790	3000	1	RMS	2683	-47.41	-13	Pass	1211
3000	6500	1	RMS	6217	-65.27	-13	Pass	3501
6500	20000	1	RMS	6510	-49.54	-13	Pass	13501




23.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-13	Pass	2986
30	1000	0.1	RMS	965.9	-60.9	-13	Pass	9701
1000	1700	1	RMS	1697	-51.16	-13	Pass	701
1700	1790	1	RMS	1747.25	20.42	60	Pass	401
1790	3000	1	RMS	2668	-47.39	-13	Pass	1211
3000	6500	1	RMS	5241	-63.7	-13	Pass	3501
6500	20000	1	RMS	6507	-49.57	-13	Pass	13501




23.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.64	-13	Pass	2986
30	1000	0.1	RMS	948.8	-61.01	-13	Pass	9701
1000	1700	1	RMS	1699	-51.19	-13	Pass	701
1700	1790	1	RMS	1776.725	14.14	60	Pass	401
1790	3000	1	RMS	2695	-47.39	-13	Pass	1211
3000	6500	1	RMS	5332	-56.02	-13	Pass	3501
6500	20000	1	RMS	6510	-49.64	-13	Pass	13501




23.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.36	-13	Pass	2986
30	1000	0.1	RMS	967.3	-60.97	-13	Pass	9701
1000	1700	1	RMS	1641	-51.2	-13	Pass	701
1700	1790	1	RMS	1775.375	20.33	60	Pass	401
1790	3000	1	RMS	2686	-47.34	-13	Pass	1211
3000	6500	1	RMS	5326	-49.71	-13	Pass	3501
6500	20000	1	RMS	6511	-49.53	-13	Pass	13501




23.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.03	-13	Pass	2986
30	1000	0.1	RMS	960.6	-60.99	-13	Pass	9701
1000	1700	1	RMS	1698	-51.18	-13	Pass	701
1700	1790	1	RMS	1779.65	20.28	60	Pass	401
1790	3000	1	RMS	2696	-47.39	-13	Pass	1211
3000	6500	1	RMS	5339	-51.05	-13	Pass	3501
6500	20000	1	RMS	6509	-49.53	-13	Pass	13501




23.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.61	-13	Pass	2986
30	1000	0.1	RMS	949	-60.89	-13	Pass	9701
1000	1700	1	RMS	1700	-40.12	-13	Pass	701
1700	1790	1	RMS	1723.4	10.24	60	Pass	401
1790	3000	1	RMS	2681	-47.4	-13	Pass	1211
3000	6500	1	RMS	5157	-62.87	-13	Pass	3501
6500	20000	1	RMS	6508	-49.5	-13	Pass	13501




23.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.66	-13	Pass	2986
30	1000	0.1	RMS	936.8	-61.03	-13	Pass	9701
1000	1700	1	RMS	1700	-50.9	-13	Pass	701
1700	1790	1	RMS	1710.575	20.45	60	Pass	401
1790	3000	1	RMS	2687	-47.41	-13	Pass	1211
3000	6500	1	RMS	5132	-60.36	-13	Pass	3501
6500	20000	1	RMS	6510	-49.52	-13	Pass	13501




23.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.66	-13	Pass	2986
30	1000	0.1	RMS	993.8	-60.98	-13	Pass	9701
1000	1700	1	RMS	1697	-50.96	-13	Pass	701
1700	1790	1	RMS	1724.525	20.61	60	Pass	401
1790	3000	1	RMS	2687	-47.38	-13	Pass	1211
3000	6500	1	RMS	5173	-54.41	-13	Pass	3501
6500	20000	1	RMS	6511	-49.5	-13	Pass	13501




23.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.05	-13	Pass	2986
30	1000	0.1	RMS	941.1	-60.85	-13	Pass	9701
1000	1700	1	RMS	1700	-50.65	-13	Pass	701
1700	1790	1	RMS	1738.925	9.88	60	Pass	401
1790	3000	1	RMS	2673	-47.39	-13	Pass	1211
3000	6500	1	RMS	6219	-65.23	-13	Pass	3501
6500	20000	1	RMS	6507	-49.61	-13	Pass	13501




23.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.32	-13	Pass	2986
30	1000	0.1	RMS	976.1	-60.98	-13	Pass	9701
1000	1700	1	RMS	1662	-51.18	-13	Pass	701
1700	1790	1	RMS	1738.025	20.67	60	Pass	401
1790	3000	1	RMS	2698	-47.4	-13	Pass	1211
3000	6500	1	RMS	5214	-62.24	-13	Pass	3501
6500	20000	1	RMS	6513	-49.51	-13	Pass	13501




23.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.96	-13	Pass	2986
30	1000	0.1	RMS	979.9	-60.97	-13	Pass	9701
1000	1700	1	RMS	1644	-51.2	-13	Pass	701
1700	1790	1	RMS	1751.975	20.59	60	Pass	401
1790	3000	1	RMS	2693	-47.36	-13	Pass	1211
3000	6500	1	RMS	5256	-58.36	-13	Pass	3501
6500	20000	1	RMS	6510	-49.55	-13	Pass	13501




23.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.15	-13	Pass	2986
30	1000	0.1	RMS	952.9	-60.94	-13	Pass	9701
1000	1700	1	RMS	1653	-51.2	-13	Pass	701
1700	1790	1	RMS	1778.3	9.47	60	Pass	401
1790	3000	1	RMS	1790	-37.71	-13	Pass	1211
3000	6500	1	RMS	5319	-60.04	-13	Pass	3501
6500	20000	1	RMS	6509	-49.63	-13	Pass	13501




23.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.06	-13	Pass	2986
30	1000	0.1	RMS	950.2	-60.97	-13	Pass	9701
1000	1700	1	RMS	1699	-51.14	-13	Pass	701
1700	1790	1	RMS	1765.475	20.66	60	Pass	401
1790	3000	1	RMS	2695	-47.39	-13	Pass	1211
3000	6500	1	RMS	5296	-49.55	-13	Pass	3501
6500	20000	1	RMS	6507	-49.58	-13	Pass	13501




23.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.32	-13	Pass	2986
30	1000	0.1	RMS	956.1	-60.99	-13	Pass	9701
1000	1700	1	RMS	1698	-51.2	-13	Pass	701
1700	1790	1	RMS	1779.425	20.16	60	Pass	401
1790	3000	1	RMS	2694	-47.37	-13	Pass	1211
3000	6500	1	RMS	5339	-52.83	-13	Pass	3501
6500	20000	1	RMS	6509	-49.6	-13	Pass	13501




23.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.61	-13	Pass	2986
30	1000	0.1	RMS	976	-60.93	-13	Pass	9701
1000	1700	1	RMS	1700	-39.48	-13	Pass	701
1700	1790	1	RMS	1728.35	8.92	60	Pass	401
1790	3000	1	RMS	2691	-47.38	-13	Pass	1211
3000	6500	1	RMS	5165	-63.66	-13	Pass	3501
6500	20000	1	RMS	6506	-49.6	-13	Pass	13501




23.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.21	-13	Pass	2986
30	1000	0.1	RMS	955.5	-60.95	-13	Pass	9701
1000	1700	1	RMS	1700	-50.55	-13	Pass	701
1700	1790	1	RMS	1710.575	20.54	60	Pass	401
1790	3000	1	RMS	2695	-47.35	-13	Pass	1211
3000	6500	1	RMS	5132	-61.39	-13	Pass	3501
6500	20000	1	RMS	6509	-49.61	-13	Pass	13501




23.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.85	-13	Pass	2986
30	1000	0.1	RMS	942.9	-61.02	-13	Pass	9701
1000	1700	1	RMS	1699	-51.1	-13	Pass	701
1700	1790	1	RMS	1729.475	20.48	60	Pass	401
1790	3000	1	RMS	2690	-47.4	-13	Pass	1211
3000	6500	1	RMS	5188	-56.34	-13	Pass	3501
6500	20000	1	RMS	6506	-49.53	-13	Pass	13501




23.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.61	-13	Pass	2986
30	1000	0.1	RMS	929.9	-60.99	-13	Pass	9701
1000	1700	1	RMS	1700	-49.51	-13	Pass	701
1700	1790	1	RMS	1736.45	8.8	60	Pass	401
1790	3000	1	RMS	2660	-47.39	-13	Pass	1211
3000	6500	1	RMS	6221	-65.26	-13	Pass	3501
6500	20000	1	RMS	6509	-49.6	-13	Pass	13501




23.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.87	-13	Pass	2986
30	1000	0.1	RMS	933.8	-61.08	-13	Pass	9701
1000	1700	1	RMS	1662	-51.19	-13	Pass	701
1700	1790	1	RMS	1735.55	20.6	60	Pass	401
1790	3000	1	RMS	2683	-47.4	-13	Pass	1211
3000	6500	1	RMS	5207	-61.87	-13	Pass	3501
6500	20000	1	RMS	6509	-49.55	-13	Pass	13501




23.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.02	-13	Pass	2986
30	1000	0.1	RMS	943.9	-60.96	-13	Pass	9701
1000	1700	1	RMS	1699	-51.13	-13	Pass	701
1700	1790	1	RMS	1754.45	20.67	60	Pass	401
1790	3000	1	RMS	2685	-47.38	-13	Pass	1211
3000	6500	1	RMS	5263	-55.68	-13	Pass	3501
6500	20000	1	RMS	6505	-49.55	-13	Pass	13501




23.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.62	-13	Pass	2986
30	1000	0.1	RMS	937.4	-60.99	-13	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	Pass	701
1700	1790	1	RMS	1778.3	8.54	60	Pass	401
1790	3000	1	RMS	1790	-35.77	-13	Pass	1211
3000	6500	1	RMS	5315	-61.82	-13	Pass	3501
6500	20000	1	RMS	6506	-49.65	-13	Pass	13501




23.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.75	-13	Pass	2986
30	1000	0.1	RMS	926.1	-60.8	-13	Pass	9701
1000	1700	1	RMS	1636	-51.18	-13	Pass	701
1700	1790	1	RMS	1760.525	20.67	60	Pass	401
1790	3000	1	RMS	2692	-47.37	-13	Pass	1211
3000	6500	1	RMS	5282	-53.39	-13	Pass	3501
6500	20000	1	RMS	6510	-49.49	-13	Pass	13501



23.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.54	-13	Pass	2986
30	1000	0.1	RMS	954.7	-61.01	-13	Pass	9701
1000	1700	1	RMS	1699	-51.19	-13	Pass	701
1700	1790	1	RMS	1779.425	20.21	60	Pass	401
1790	3000	1	RMS	2677	-47.36	-13	Pass	1211
3000	6500	1	RMS	5338	-51.48	-13	Pass	3501
6500	20000	1	RMS	6509	-49.66	-13	Pass	13501



24. n71 15kHz


24.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.79	-13	Pass	2986
30	653	0.1	RMS	653	-62.48	-13	Pass	6231
653	708	0.1	RMS	664.3	4.85	60	Pass	551
708	1000	0.1	RMS	984.5	-62.13	-13	Pass	2921
1000	3000	1	RMS	1996	-42.92	-13	Pass	2001
3000	10000	1	RMS	9528	-62.48	-13	Pass	7001




24.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.67	-13	Pass	2986
30	653	0.1	RMS	530	-62.55	-13	Pass	6231
653	708	0.1	RMS	663.3	17.95	60	Pass	551
708	1000	0.1	RMS	964.4	-62.11	-13	Pass	2921
1000	3000	1	RMS	1990	-38.3	-13	Pass	2001
3000	10000	1	RMS	9527	-62.5	-13	Pass	7001




24.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-13	Pass	2986
30	653	0.1	RMS	527.8	-62.36	-13	Pass	6231
653	708	0.1	RMS	667.6	17.43	60	Pass	551
708	1000	0.1	RMS	952.4	-62.01	-13	Pass	2921
1000	3000	1	RMS	2003	-37.16	-13	Pass	2001
3000	10000	1	RMS	9530	-62.44	-13	Pass	7001




24.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.76	-13	Pass	2986
30	653	0.1	RMS	515.6	-62.57	-13	Pass	6231
653	708	0.1	RMS	678.4	4.94	60	Pass	551
708	1000	0.1	RMS	928.2	-62.07	-13	Pass	2921
1000	3000	1	RMS	2041	-43.27	-13	Pass	2001
3000	10000	1	RMS	9532	-62.33	-13	Pass	7001




24.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.45	-13	Pass	2986
30	653	0.1	RMS	520	-62.57	-13	Pass	6231
653	708	0.1	RMS	678.3	17.82	60	Pass	551
708	1000	0.1	RMS	955.1	-61.95	-13	Pass	2921
1000	3000	1	RMS	2035	-38.38	-13	Pass	2001
3000	10000	1	RMS	9531	-62.44	-13	Pass	7001




24.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.12	-13	Pass	2986
30	653	0.1	RMS	512.9	-62.5	-13	Pass	6231
653	708	0.1	RMS	682.6	17.38	60	Pass	551
708	1000	0.1	RMS	923.1	-62.08	-13	Pass	2921
1000	3000	1	RMS	2048	-38.29	-13	Pass	2001
3000	10000	1	RMS	9532	-62.45	-13	Pass	7001




24.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.09	-13	Pass	2986
30	653	0.1	RMS	504.9	-62.35	-13	Pass	6231
653	708	0.1	RMS	693.8	4.93	60	Pass	551
708	1000	0.1	RMS	708.2	-58.22	-13	Pass	2921
1000	3000	1	RMS	2086	-42.32	-13	Pass	2001
3000	10000	1	RMS	9529	-62.45	-13	Pass	7001




24.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.37	-13	Pass	2986
30	653	0.1	RMS	527.9	-62.46	-13	Pass	6231
653	708	0.1	RMS	693.3	17.68	60	Pass	551
708	1000	0.1	RMS	971.4	-62.08	-13	Pass	2921
1000	3000	1	RMS	2080	-37.64	-13	Pass	2001
3000	10000	1	RMS	9528	-62.52	-13	Pass	7001




24.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.3	-13	Pass	2986
30	653	0.1	RMS	552.5	-62.32	-13	Pass	6231
653	708	0.1	RMS	697.6	17.12	60	Pass	551
708	1000	0.1	RMS	928.9	-62.1	-13	Pass	2921
1000	3000	1	RMS	2093	-37.97	-13	Pass	2001
3000	10000	1	RMS	9525	-62.37	-13	Pass	7001




24.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.74	-13	Pass	2986
30	653	0.1	RMS	653	-58.38	-13	Pass	6231
653	708	0.1	RMS	677.1	0.56	60	Pass	551
708	1000	0.1	RMS	708.1	-59.11	-13	Pass	2921
1000	3000	1	RMS	2680	-46.94	-13	Pass	2001
3000	10000	1	RMS	9528	-62.48	-13	Pass	7001




24.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.79	-13	Pass	2986
30	653	0.1	RMS	647.6	-62.45	-13	Pass	6231
653	708	0.1	RMS	663.5	18.06	60	Pass	551
708	1000	0.1	RMS	934.7	-61.91	-13	Pass	2921
1000	3000	1	RMS	1990	-37.75	-13	Pass	2001
3000	10000	1	RMS	9529	-62.51	-13	Pass	7001




24.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.44	-13	Pass	2986
30	653	0.1	RMS	528.4	-62.5	-13	Pass	6231
653	708	0.1	RMS	677.5	18.19	60	Pass	551
708	1000	0.1	RMS	944.7	-62.13	-13	Pass	2921
1000	3000	1	RMS	2032	-38.12	-13	Pass	2001
3000	10000	1	RMS	9527	-62.42	-13	Pass	7001




24.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.27	-13	Pass	2986
30	653	0.1	RMS	649	-62.5	-13	Pass	6231
653	708	0.1	RMS	675.8	0.17	60	Pass	551
708	1000	0.1	RMS	708.1	-53.94	-13	Pass	2921
1000	3000	1	RMS	2039	-46.65	-13	Pass	2001
3000	10000	1	RMS	9526	-62.44	-13	Pass	7001




24.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.07	-13	Pass	2986
30	653	0.1	RMS	530.7	-62.56	-13	Pass	6231
653	708	0.1	RMS	673.5	17.92	60	Pass	551
708	1000	0.1	RMS	917.3	-62.07	-13	Pass	2921
1000	3000	1	RMS	2020	-39.05	-13	Pass	2001
3000	10000	1	RMS	9532	-62.48	-13	Pass	7001




24.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.21	-13	Pass	2986
30	653	0.1	RMS	526	-62.45	-13	Pass	6231
653	708	0.1	RMS	687.5	18.06	60	Pass	551
708	1000	0.1	RMS	951.2	-62.12	-13	Pass	2921
1000	3000	1	RMS	2062	-38.76	-13	Pass	2001
3000	10000	1	RMS	9525	-62.52	-13	Pass	7001




24.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.28	-13	Pass	2986
30	653	0.1	RMS	520	-62.46	-13	Pass	6231
653	708	0.1	RMS	694.9	0.11	60	Pass	551
708	1000	0.1	RMS	708.3	-48.18	-13	Pass	2921
1000	3000	1	RMS	2072	-46.28	-13	Pass	2001
3000	10000	1	RMS	9534	-62.4	-13	Pass	7001




24.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.45	-13	Pass	2986
30	653	0.1	RMS	534	-62.46	-13	Pass	6231
653	708	0.1	RMS	683.5	17.86	60	Pass	551
708	1000	0.1	RMS	902.8	-62.06	-13	Pass	2921
1000	3000	1	RMS	2050	-37.71	-13	Pass	2001
3000	10000	1	RMS	9516	-62.47	-13	Pass	7001




24.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.58	-13	Pass	2986
30	653	0.1	RMS	531.8	-62.53	-13	Pass	6231
653	708	0.1	RMS	697.5	17.99	60	Pass	551
708	1000	0.1	RMS	937.7	-62.13	-13	Pass	2921
1000	3000	1	RMS	2093	-37.85	-13	Pass	2001
3000	10000	1	RMS	9529	-62.45	-13	Pass	7001




24.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.39	-13	Pass	2986
30	653	0.1	RMS	649.8	-57.51	-13	Pass	6231
653	708	0.1	RMS	678	-0.92	60	Pass	551
708	1000	0.1	RMS	708.5	-53.57	-13	Pass	2921
1000	3000	1	RMS	2671	-46.96	-13	Pass	2001
3000	10000	1	RMS	9530	-62.47	-13	Pass	7001




24.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.98	-13	Pass	2986
30	653	0.1	RMS	646.3	-62.48	-13	Pass	6231
653	708	0.1	RMS	663.5	17.82	60	Pass	551
708	1000	0.1	RMS	959.5	-62.04	-13	Pass	2921
1000	3000	1	RMS	1991	-38.97	-13	Pass	2001
3000	10000	1	RMS	9527	-62.45	-13	Pass	7001




24.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.98	-13	Pass	2986
30	653	0.1	RMS	638.6	-62.48	-13	Pass	6231
653	708	0.1	RMS	682.4	17.59	60	Pass	551
708	1000	0.1	RMS	959.3	-62.07	-13	Pass	2921
1000	3000	1	RMS	2047	-38.14	-13	Pass	2001
3000	10000	1	RMS	9530	-62.45	-13	Pass	7001




24.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.23	-13	Pass	2986
30	653	0.1	RMS	648.3	-61.73	-13	Pass	6231
653	708	0.1	RMS	676.2	-1.06	60	Pass	551
708	1000	0.1	RMS	708	-50.4	-13	Pass	2921
1000	3000	1	RMS	2681	-46.94	-13	Pass	2001
3000	10000	1	RMS	9530	-62.51	-13	Pass	7001




24.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.3	-13	Pass	2986
30	653	0.1	RMS	646.7	-62.5	-13	Pass	6231
653	708	0.1	RMS	671	17.68	60	Pass	551
708	1000	0.1	RMS	928.1	-62.02	-13	Pass	2921
1000	3000	1	RMS	2013	-38.01	-13	Pass	2001
3000	10000	1	RMS	9530	-62.44	-13	Pass	7001




24.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.54	-13	Pass	2986
30	653	0.1	RMS	525.1	-62.48	-13	Pass	6231
653	708	0.1	RMS	689.9	17.54	60	Pass	551
708	1000	0.1	RMS	930.1	-62.09	-13	Pass	2921
1000	3000	1	RMS	2070	-36.77	-13	Pass	2001
3000	10000	1	RMS	9521	-62.43	-13	Pass	7001




24.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.25	-13	Pass	2986
30	653	0.1	RMS	649.8	-62.4	-13	Pass	6231
653	708	0.1	RMS	693.2	-1.17	60	Pass	551
708	1000	0.1	RMS	708.4	-46.95	-13	Pass	2921
1000	3000	1	RMS	2695	-46.95	-13	Pass	2001
3000	10000	1	RMS	9529	-62.43	-13	Pass	7001




24.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.97	-13	Pass	2986
30	653	0.1	RMS	516	-62.46	-13	Pass	6231
653	708	0.1	RMS	678.5	17.66	60	Pass	551
708	1000	0.1	RMS	935.6	-61.95	-13	Pass	2921
1000	3000	1	RMS	2036	-39.32	-13	Pass	2001
3000	10000	1	RMS	9532	-62.52	-13	Pass	7001



24.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.67	-13	Pass	2986
30	653	0.1	RMS	533.6	-62.44	-13	Pass	6231
653	708	0.1	RMS	697.4	17.49	60	Pass	551
708	1000	0.1	RMS	948.9	-62.06	-13	Pass	2921
1000	3000	1	RMS	2092	-37.33	-13	Pass	2001
3000	10000	1	RMS	9531	-62.51	-13	Pass	7001



25. n38_PC3


25.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.23	-69.21	-13	Pass	2986
30	1000	0.1	RMS	993.696	-61.39	-13	Pass	9701
1000	2560	1	RMS	2560	-33.4	-13	Pass	1561
2560	2630	1	RMS	2588	9.5	60	Pass	401
2630	3000	1	RMS	2630	-45.35	-13	Pass	401
3000	6500	1	RMS	5158	-62.79	-13	Pass	3501
6500	26500	1	RMS	25813	-45.92	-13	Pass	20003




25.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.39	-13	Pass	2986
30	1000	0.1	RMS	876.318	-61.5	-13	Pass	9701
1000	2560	1	RMS	2559	-49.91	-13	Pass	1561
2560	2630	1	RMS	2571.025	21.33	60	Pass	401
2630	3000	1	RMS	2874.2	-48.78	-13	Pass	401
3000	6500	1	RMS	5142	-57.91	-13	Pass	3501
6500	26500	1	RMS	25184	-45.65	-13	Pass	20003




25.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.25	-13	Pass	401
0.15	30	0.01	RMS	0.39	-69.18	-13	Pass	2986
30	1000	0.1	RMS	785.3	-61.66	-13	Pass	9701
1000	2560	1	RMS	2553	-48.18	-13	Pass	1561
2560	2630	1	RMS	2589.05	21.59	60	Pass	401
2630	3000	1	RMS	2867.725	-48.76	-13	Pass	401
3000	6500	1	RMS	5178	-59	-13	Pass	3501
6500	26500	1	RMS	25199	-45.54	-13	Pass	20003




25.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.69	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.49	-13	Pass	2986
30	1000	0.1	RMS	881.321	-61.23	-13	Pass	9701
1000	2560	1	RMS	2560	-40.53	-13	Pass	1561
2560	2630	1	RMS	2603.05	9.69	60	Pass	401
2630	3000	1	RMS	2630	-37.23	-13	Pass	401
3000	6500	1	RMS	6054	-62.93	-13	Pass	3501
6500	26500	1	RMS	25996	-45.74	-13	Pass	20003




25.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.56	-70.47	-13	Pass	2986
30	1000	0.1	RMS	906.538	-61.33	-13	Pass	9701
1000	2560	1	RMS	2512	-50.03	-13	Pass	1561
2560	2630	1	RMS	2585.9	21.43	60	Pass	401
2630	3000	1	RMS	2873.275	-48.75	-13	Pass	401
3000	6500	1	RMS	5172	-57.92	-13	Pass	3501
6500	26500	1	RMS	25219	-45.71	-13	Pass	20003




25.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.67	-13	Pass	401
0.15	30	0.01	RMS	0.25	-68.99	-13	Pass	2986
30	1000	0.1	RMS	881.021	-61.57	-13	Pass	9701
1000	2560	1	RMS	2514	-50.28	-13	Pass	1561
2560	2630	1	RMS	2603.925	21.65	60	Pass	401
2630	3000	1	RMS	2877.9	-48.83	-13	Pass	401
3000	6500	1	RMS	5208	-58.33	-13	Pass	3501
6500	26500	1	RMS	25194	-45.57	-13	Pass	20003




25.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.99	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.56	-13	Pass	2986
30	1000	0.1	RMS	942.662	-61.67	-13	Pass	9701
1000	2560	1	RMS	2560	-46.2	-13	Pass	1561
2560	2630	1	RMS	2617.575	9.81	60	Pass	401
2630	3000	1	RMS	2630	-28.94	-13	Pass	401
3000	6500	1	RMS	5230	-62.69	-13	Pass	3501
6500	26500	1	RMS	25809	-45.81	-13	Pass	20003




25.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.83	-13	Pass	2986
30	1000	0.1	RMS	895.231	-61.49	-13	Pass	9701
1000	2560	1	RMS	2514	-50.35	-13	Pass	1561
2560	2630	1	RMS	2600.95	21.58	60	Pass	401
2630	3000	1	RMS	2872.35	-48.74	-13	Pass	401
3000	6500	1	RMS	5202	-57.82	-13	Pass	3501
6500	26500	1	RMS	25199	-45.56	-13	Pass	20003




25.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.12	-13	Pass	401
0.15	30	0.01	RMS	0.26	-68.6	-13	Pass	2986
30	1000	0.1	RMS	980.287	-60.56	-13	Pass	9701
1000	2560	1	RMS	2522	-50.29	-13	Pass	1561
2560	2630	1	RMS	2618.975	21.7	60	Pass	401
2630	3000	1	RMS	2636.475	-48.17	-13	Pass	401
3000	6500	1	RMS	5238	-59.52	-13	Pass	3501
6500	26500	1	RMS	25202	-45.45	-13	Pass	20003




25.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	Pass	401
0.15	30	0.01	RMS	0.69	-68.56	-13	Pass	2986
30	1000	0.1	RMS	791.5	-61.25	-13	Pass	9701
1000	2560	1	RMS	2560	-33.98	-13	Pass	1561
2560	2630	1	RMS	2572.95	7.67	60	Pass	401
2630	3000	1	RMS	2630	-35.77	-13	Pass	401
3000	6500	1	RMS	6209	-62.69	-13	Pass	3501
6500	26500	1	RMS	25196	-45.26	-13	Pass	20003




25.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.24	-69.08	-13	Pass	2986
30	1000	0.1	RMS	880.921	-60.62	-13	Pass	9701
1000	2560	1	RMS	2557	-48.07	-13	Pass	1561
2560	2630	1	RMS	2571.2	21.36	60	Pass	401
2630	3000	1	RMS	2865.875	-48.8	-13	Pass	401
3000	6500	1	RMS	5142	-57.61	-13	Pass	3501
6500	26500	1	RMS	25213	-45.49	-13	Pass	20003




25.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.45	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.96	-13	Pass	2986
30	1000	0.1	RMS	932.055	-61.44	-13	Pass	9701
1000	2560	1	RMS	2557	-49.17	-13	Pass	1561
2560	2630	1	RMS	2598.85	21.68	60	Pass	401
2630	3000	1	RMS	2871.425	-48.77	-13	Pass	401
3000	6500	1	RMS	5198	-59.02	-13	Pass	3501
6500	26500	1	RMS	25496	-45.73	-13	Pass	20003




25.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.07	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.04	-13	Pass	2986
30	1000	0.1	RMS	897.932	-60.91	-13	Pass	9701
1000	2560	1	RMS	2560	-37.14	-13	Pass	1561
2560	2630	1	RMS	2607.6	7.81	60	Pass	401
2630	3000	1	RMS	2630	-32.22	-13	Pass	401
3000	6500	1	RMS	5196	-62.73	-13	Pass	3501
6500	26500	1	RMS	25205	-45.33	-13	Pass	20003




25.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.25	-69.96	-13	Pass	2986
30	1000	0.1	RMS	639.8	-61.52	-13	Pass	9701
1000	2560	1	RMS	2553	-49.91	-13	Pass	1561
2560	2630	1	RMS	2581.175	21.38	60	Pass	401
2630	3000	1	RMS	2636.475	-48.29	-13	Pass	401
3000	6500	1	RMS	5162	-58.48	-13	Pass	3501
6500	26500	1	RMS	25501	-45.62	-13	Pass	20003




25.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.56	-13	Pass	401
0.15	30	0.01	RMS	0.18	-69.6	-13	Pass	2986
30	1000	0.1	RMS	997.498	-61.33	-13	Pass	9701
1000	2560	1	RMS	2553	-48.85	-13	Pass	1561
2560	2630	1	RMS	2608.825	21.74	60	Pass	401
2630	3000	1	RMS	2636.475	-47.64	-13	Pass	401
3000	6500	1	RMS	5218	-59.54	-13	Pass	3501
6500	26500	1	RMS	25208	-45.04	-13	Pass	20003




25.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.44	-70.85	-13	Pass	2986
30	1000	0.1	RMS	875.718	-61.25	-13	Pass	9701
1000	2560	1	RMS	2560	-40.03	-13	Pass	1561
2560	2630	1	RMS	2617.75	7.86	60	Pass	401
2630	3000	1	RMS	2630	-29.34	-13	Pass	401
3000	6500	1	RMS	5215	-62.63	-13	Pass	3501
6500	26500	1	RMS	25136	-45.75	-13	Pass	20003




25.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.41	-72.19	-13	Pass	2986
30	1000	0.1	RMS	874.617	-60.93	-13	Pass	9701
1000	2560	1	RMS	2508	-50.29	-13	Pass	1561
2560	2630	1	RMS	2591.15	21.58	60	Pass	401
2630	3000	1	RMS	2646.65	-48.48	-13	Pass	401
3000	6500	1	RMS	5182	-59.44	-13	Pass	3501
6500	26500	1	RMS	25162	-46	-13	Pass	20003




25.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.68	-13	Pass	2986
30	1000	0.1	RMS	742.2	-61.27	-13	Pass	9701
1000	2560	1	RMS	2551	-50.29	-13	Pass	1561
2560	2630	1	RMS	2618.8	21.7	60	Pass	401
2630	3000	1	RMS	2646.65	-47.04	-13	Pass	401
3000	6500	1	RMS	5238	-60.52	-13	Pass	3501
6500	26500	1	RMS	25200	-45.67	-13	Pass	20003




25.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.11	-13	Pass	401
0.15	30	0.01	RMS	0.43	-70.31	-13	Pass	2986
30	1000	0.1	RMS	986.091	-61.24	-13	Pass	9701
1000	2560	1	RMS	2560	-34.83	-13	Pass	1561
2560	2630	1	RMS	2607.775	6.68	60	Pass	401
2630	3000	1	RMS	2630	-31.45	-13	Pass	401
3000	6500	1	RMS	6239	-62.8	-13	Pass	3501
6500	26500	1	RMS	25196	-45.49	-13	Pass	20003




25.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.78	-13	Pass	401
0.15	30	0.01	RMS	0.25	-69.84	-13	Pass	2986
30	1000	0.1	RMS	877.319	-61.23	-13	Pass	9701
1000	2560	1	RMS	2552	-48.56	-13	Pass	1561
2560	2630	1	RMS	2571.025	21.42	60	Pass	401
2630	3000	1	RMS	2647.575	-48.63	-13	Pass	401
3000	6500	1	RMS	5142	-57.67	-13	Pass	3501
6500	26500	1	RMS	25196	-45.59	-13	Pass	20003




25.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.44	-13	Pass	2986
30	1000	0.1	RMS	791.9	-60.71	-13	Pass	9701
1000	2560	1	RMS	2454	-46.23	-13	Pass	1561
2560	2630	1	RMS	2608.825	21.64	60	Pass	401
2630	3000	1	RMS	2646.65	-47.29	-13	Pass	401
3000	6500	1	RMS	5218	-58.98	-13	Pass	3501
6500	26500	1	RMS	25957	-45.62	-13	Pass	20003




25.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.02	-13	Pass	2986
30	1000	0.1	RMS	760.3	-61.36	-13	Pass	9701
1000	2560	1	RMS	2559	-36.15	-13	Pass	1561
2560	2630	1	RMS	2612.85	6.79	60	Pass	401
2630	3000	1	RMS	2630	-30.87	-13	Pass	401
3000	6500	1	RMS	6198	-62.59	-13	Pass	3501
6500	26500	1	RMS	25827	-45.7	-13	Pass	20003




25.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.98	-13	Pass	401
0.15	30	0.01	RMS	0.31	-69.01	-13	Pass	2986
30	1000	0.1	RMS	888.226	-60.73	-13	Pass	9701
1000	2560	1	RMS	2557	-48.9	-13	Pass	1561
2560	2630	1	RMS	2576.1	21.47	60	Pass	401
2630	3000	1	RMS	2652.2	-48.65	-13	Pass	401
3000	6500	1	RMS	5152	-58.3	-13	Pass	3501
6500	26500	1	RMS	25231	-45.8	-13	Pass	20003




25.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.23	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.51	-13	Pass	2986
30	1000	0.1	RMS	884.323	-61.45	-13	Pass	9701
1000	2560	1	RMS	2538	-48.77	-13	Pass	1561
2560	2630	1	RMS	2613.9	21.78	60	Pass	401
2630	3000	1	RMS	2651.275	-47.44	-13	Pass	401
3000	6500	1	RMS	5228	-59.7	-13	Pass	3501
6500	26500	1	RMS	25200	-45.61	-13	Pass	20003




25.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.61	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.91	-13	Pass	2986
30	1000	0.1	RMS	749.6	-61.36	-13	Pass	9701
1000	2560	1	RMS	2560	-36.77	-13	Pass	1561
2560	2630	1	RMS	2617.4	6.79	60	Pass	401
2630	3000	1	RMS	2630	-29.78	-13	Pass	401
3000	6500	1	RMS	6206	-62.82	-13	Pass	3501
6500	26500	1	RMS	25198	-45.71	-13	Pass	20003




25.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.97	-70.02	-13	Pass	2986
30	1000	0.1	RMS	929.453	-61.25	-13	Pass	9701
1000	2560	1	RMS	2543	-49.95	-13	Pass	1561
2560	2630	1	RMS	2581	21.44	60	Pass	401
2630	3000	1	RMS	2657.75	-48.6	-13	Pass	401
3000	6500	1	RMS	5162	-58.51	-13	Pass	3501
6500	26500	1	RMS	25198	-45.82	-13	Pass	20003



25.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.08	-13	Pass	401
0.15	30	0.01	RMS	0.17	-68.94	-13	Pass	2986
30	1000	0.1	RMS	907.639	-61.27	-13	Pass	9701
1000	2560	1	RMS	2543	-49.16	-13	Pass	1561
2560	2630	1	RMS	2618.8	21.64	60	Pass	401
2630	3000	1	RMS	2656.825	-47.1	-13	Pass	401
3000	6500	1	RMS	5238	-60.15	-13	Pass	3501
6500	26500	1	RMS	25843	-45.5	-13	Pass	20003



26. n41


26.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.2	-25	Pass	2986
30	1000	0.1	RMS	989.3	-62.03	-25	Pass	9701
1000	2476	1	RMS	2476	-41.51	-25	Pass	1477
2476	2710	1	RMS	2498.23	10	60	Pass	401
2710	3000	1	RMS	2710	-48	-25	Pass	401
3000	6500	1	RMS	6216	-65.36	-25	Pass	3501
6500	26500	1	RMS	26428	-45.13	-25	Pass	20001




26.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.28	-25	Pass	2986
30	1000	0.1	RMS	990.3	-62.02	-25	Pass	9701
1000	2476	1	RMS	2474	-48.56	-25	Pass	1477
2476	2710	1	RMS	2497.06	21.25	60	Pass	401
2710	3000	1	RMS	2710	-47.97	-25	Pass	401
3000	6500	1	RMS	6218	-65.35	-25	Pass	3501
6500	26500	1	RMS	26428	-45.05	-25	Pass	20001




26.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.97	-25	Pass	2986
30	1000	0.1	RMS	960.7	-62.1	-25	Pass	9701
1000	2476	1	RMS	2476	-48.53	-25	Pass	1477
2476	2710	1	RMS	2515.195	20.87	60	Pass	401
2710	3000	1	RMS	2711.45	-48	-25	Pass	401
3000	6500	1	RMS	6220	-65.37	-25	Pass	3501
6500	26500	1	RMS	26424	-45.14	-25	Pass	20001




26.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-25	Pass	2986
30	1000	0.1	RMS	949.6	-62.09	-25	Pass	9701
1000	2476	1	RMS	2439	-48.54	-25	Pass	1477
2476	2710	1	RMS	2584.81	10.48	60	Pass	401
2710	3000	1	RMS	2710	-47.99	-25	Pass	401
3000	6500	1	RMS	6218	-65.39	-25	Pass	3501
6500	26500	1	RMS	26432	-45.09	-25	Pass	20001




26.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.92	-25	Pass	2986
30	1000	0.1	RMS	975.1	-62.1	-25	Pass	9701
1000	2476	1	RMS	2439	-48.55	-25	Pass	1477
2476	2710	1	RMS	2584.225	20.78	60	Pass	401
2710	3000	1	RMS	2710	-48	-25	Pass	401
3000	6500	1	RMS	6220	-65.37	-25	Pass	3501
6500	26500	1	RMS	26429	-45.09	-25	Pass	20001




26.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.17	-25	Pass	2986
30	1000	0.1	RMS	970.4	-62.03	-25	Pass	9701
1000	2476	1	RMS	2474	-48.62	-25	Pass	1477
2476	2710	1	RMS	2601.775	21.25	60	Pass	401
2710	3000	1	RMS	2710.725	-48.02	-25	Pass	401
3000	6500	1	RMS	6217	-65.38	-25	Pass	3501
6500	26500	1	RMS	26420	-45.13	-25	Pass	20001




26.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-25	Pass	2986
30	1000	0.1	RMS	927.6	-62.08	-25	Pass	9701
1000	2476	1	RMS	2471	-48.54	-25	Pass	1477
2476	2710	1	RMS	2671.975	10.72	60	Pass	401
2710	3000	1	RMS	2710	-38.27	-25	Pass	401
3000	6500	1	RMS	6219	-65.24	-25	Pass	3501
6500	26500	1	RMS	26428	-45.06	-25	Pass	20001




26.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-25	Pass	2986
30	1000	0.1	RMS	999.4	-62.07	-25	Pass	9701
1000	2476	1	RMS	2443	-48.59	-25	Pass	1477
2476	2710	1	RMS	2670.805	21.44	60	Pass	401
2710	3000	1	RMS	2711.45	-47.87	-25	Pass	401
3000	6500	1	RMS	5342	-62.87	-25	Pass	3501
6500	26500	1	RMS	26433	-45.17	-25	Pass	20001




26.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.4	-25	Pass	2986
30	1000	0.1	RMS	930.7	-62.1	-25	Pass	9701
1000	2476	1	RMS	2441	-48.56	-25	Pass	1477
2476	2710	1	RMS	2688.94	21.96	60	Pass	401
2710	3000	1	RMS	2710	-47.81	-25	Pass	401
3000	6500	1	RMS	5378	-61.18	-25	Pass	3501
6500	26500	1	RMS	26427	-44.98	-25	Pass	20001




26.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.19	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.85	-25	Pass	2986
30	1000	0.1	RMS	969.7	-62.14	-25	Pass	9701
1000	2436	1	RMS	2426	-48.64	-25	Pass	1437
2436	2750	1	RMS	2498.8	4.93	60	Pass	401
2750	3000	1	RMS	2791.875	-48.12	-25	Pass	401
3000	6500	1	RMS	6220	-65.26	-25	Pass	3501
6500	26500	1	RMS	26417	-45.09	-25	Pass	20001




26.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.73	-25	Pass	2986
30	1000	0.1	RMS	983.5	-62.05	-25	Pass	9701
1000	2436	1	RMS	2423	-48.67	-25	Pass	1437
2436	2750	1	RMS	2497.23	20.49	60	Pass	401
2750	3000	1	RMS	2791.25	-48.1	-25	Pass	401
3000	6500	1	RMS	6221	-65.36	-25	Pass	3501
6500	26500	1	RMS	26432	-45.06	-25	Pass	20001




26.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.37	-25	Pass	2986
30	1000	0.1	RMS	972.3	-61.89	-25	Pass	9701
1000	2436	1	RMS	2428	-48.61	-25	Pass	1437
2436	2750	1	RMS	2555.32	19.51	60	Pass	401
2750	3000	1	RMS	2788.125	-48.14	-25	Pass	401
3000	6500	1	RMS	6219	-65.35	-25	Pass	3501
6500	26500	1	RMS	26424	-45.01	-25	Pass	20001




26.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.85	-25	Pass	2986
30	1000	0.1	RMS	943.2	-62.09	-25	Pass	9701
1000	2436	1	RMS	2430	-48.65	-25	Pass	1437
2436	2750	1	RMS	2566.31	5.72	60	Pass	401
2750	3000	1	RMS	2788.125	-48.07	-25	Pass	401
3000	6500	1	RMS	6220	-65.32	-25	Pass	3501
6500	26500	1	RMS	26427	-45.13	-25	Pass	20001




26.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.62	-25	Pass	2986
30	1000	0.1	RMS	961.2	-62.16	-25	Pass	9701
1000	2436	1	RMS	2417	-48.58	-25	Pass	1437
2436	2750	1	RMS	2563.955	20.95	60	Pass	401
2750	3000	1	RMS	2787.5	-48.08	-25	Pass	401
3000	6500	1	RMS	6219	-65.3	-25	Pass	3501
6500	26500	1	RMS	26435	-45.21	-25	Pass	20001




26.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.89	-25	Pass	2986
30	1000	0.1	RMS	961.9	-61.99	-25	Pass	9701
1000	2436	1	RMS	2421	-48.67	-25	Pass	1437
2436	2750	1	RMS	2622.045	21.16	60	Pass	401
2750	3000	1	RMS	2790	-48.09	-25	Pass	401
3000	6500	1	RMS	5244	-63.22	-25	Pass	3501
6500	26500	1	RMS	26427	-45.11	-25	Pass	20001




26.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-25	Pass	2986
30	1000	0.1	RMS	984.9	-62.03	-25	Pass	9701
1000	2436	1	RMS	2416	-48.66	-25	Pass	1437
2436	2750	1	RMS	2673.855	5.68	60	Pass	401
2750	3000	1	RMS	2790.625	-48.11	-25	Pass	401
3000	6500	1	RMS	6220	-65.31	-25	Pass	3501
6500	26500	1	RMS	26432	-45.13	-25	Pass	20001




26.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.61	-25	Pass	2986
30	1000	0.1	RMS	940.2	-62.1	-25	Pass	9701
1000	2436	1	RMS	2434	-48.67	-25	Pass	1437
2436	2750	1	RMS	2630.68	20.48	60	Pass	401
2750	3000	1	RMS	2790	-48.09	-25	Pass	401
3000	6500	1	RMS	5262	-64.1	-25	Pass	3501
6500	26500	1	RMS	26425	-45.09	-25	Pass	20001




26.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.21	-25	Pass	2986
30	1000	0.1	RMS	980.6	-62.12	-25	Pass	9701
1000	2436	1	RMS	2418	-48.62	-25	Pass	1437
2436	2750	1	RMS	2688.77	21.29	60	Pass	401
2750	3000	1	RMS	2790.625	-48.13	-25	Pass	401
3000	6500	1	RMS	5378	-61.44	-25	Pass	3501
6500	26500	1	RMS	25342	-45.18	-25	Pass	20001




26.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-25	Pass	2986
30	1000	0.1	RMS	937.7	-62.02	-25	Pass	9701
1000	2396	1	RMS	2396	-48.88	-25	Pass	1397
2396	2790	1	RMS	2498.44	2.76	60	Pass	401
2790	3000	1	RMS	2791.05	-48.11	-25	Pass	401
3000	6500	1	RMS	6221	-65.35	-25	Pass	3501
6500	26500	1	RMS	26424	-45.15	-25	Pass	20001




26.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-25	Pass	2986
30	1000	0.1	RMS	972.3	-62.03	-25	Pass	9701
1000	2396	1	RMS	2391	-48.94	-25	Pass	1397
2396	2790	1	RMS	2497.455	19.22	60	Pass	401
2790	3000	1	RMS	2791.575	-48.14	-25	Pass	401
3000	6500	1	RMS	6220	-65.37	-25	Pass	3501
6500	26500	1	RMS	26430	-45.12	-25	Pass	20001




26.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.6	-25	Pass	2986
30	1000	0.1	RMS	972.6	-62.11	-25	Pass	9701
1000	2396	1	RMS	2396	-48.88	-25	Pass	1397
2396	2790	1	RMS	2594.97	20.82	60	Pass	401
2790	3000	1	RMS	2790.525	-48.06	-25	Pass	401
3000	6500	1	RMS	6215	-65.41	-25	Pass	3501
6500	26500	1	RMS	26428	-45.13	-25	Pass	20001




26.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.88	-25	Pass	2986
30	1000	0.1	RMS	964.1	-62.07	-25	Pass	9701
1000	2396	1	RMS	2394	-48.9	-25	Pass	1397
2396	2790	1	RMS	2546.705	3.26	60	Pass	401
2790	3000	1	RMS	2791.575	-48.08	-25	Pass	401
3000	6500	1	RMS	6217	-65.32	-25	Pass	3501
6500	26500	1	RMS	26431	-44.98	-25	Pass	20001




26.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.88	-25	Pass	2986
30	1000	0.1	RMS	925.8	-61.98	-25	Pass	9701
1000	2396	1	RMS	2387	-48.87	-25	Pass	1397
2396	2790	1	RMS	2543.75	19.89	60	Pass	401
2790	3000	1	RMS	2790	-48.1	-25	Pass	401
3000	6500	1	RMS	6219	-65.34	-25	Pass	3501
6500	26500	1	RMS	26429	-45.09	-25	Pass	20001




26.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.97	-25	Pass	2986
30	1000	0.1	RMS	934.6	-61.97	-25	Pass	9701
1000	2396	1	RMS	2396	-48.89	-25	Pass	1397
2396	2790	1	RMS	2642.25	20.08	60	Pass	401
2790	3000	1	RMS	2792.1	-48.16	-25	Pass	401
3000	6500	1	RMS	5284	-62.41	-25	Pass	3501
6500	26500	1	RMS	26436	-45.1	-25	Pass	20001



26.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-25	Pass	401
0.15	30	0.01	RMS	0.17	-55.23	-25	Pass	2986
30	1000	0.1	RMS	964.2	-62.02	-25	Pass	9701
1000	2396	1	RMS	2396	-48.91	-25	Pass	1397
2396	2790	1	RMS	2670.815	3.32	60	Pass	401
2790	3000	1	RMS	2792.625	-48.07	-25	Pass	401
3000	6500	1	RMS	6220	-65.37	-25	Pass	3501
6500	26500	1	RMS	26425	-45.15	-25	Pass	20001



26.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.85	-25	Pass	2986
30	1000	0.1	RMS	938.6	-62.14	-25	Pass	9701
1000	2396	1	RMS	2390	-48.95	-25	Pass	1397
2396	2790	1	RMS	2591.03	20.74	60	Pass	401
2790	3000	1	RMS	2792.1	-48.07	-25	Pass	401
3000	6500	1	RMS	6221	-65.35	-25	Pass	3501
6500	26500	1	RMS	26428	-45.18	-25	Pass	20001

