



TEST REPORT

No. I22Z60785-WMD04

for

Wingtech Group (Hong Kong) Limited

5G Mobile Phone

Model Name: CELERO5G

FCC ID: 2APXW-CELERO5G

with

Hardware Version: V2.0

Software Version: Celero5G_0.01.01

Issued Date: 2022-07-18

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn



REPORT HISTORY

Report Number	Revision	Description	Issue Date
I22Z60785-WMD04	Rev.0	1 st edition	2022-07-12
I22Z60785-WMD04	Rev.1	2 nd edition Update the information of chapter 6.	2022-07-18

Note: the latest revision of the test report supersedes all previous version.



CONTENTS

1. TEST LABORATORY	4
1.1. INTRODUCTION & ACCREDITATION.....	4
1.2. TESTING LOCATION	4
1.3. TESTING ENVIRONMENT.....	5
1.4. PROJECT DATA	5
1.5. SIGNATURE	5
2. CLIENT INFORMATION.....	6
2.1. APPLICANT INFORMATION.....	6
2.2. MANUFACTURER INFORMATION.....	6
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	7
3.1. ABOUT EUT	7
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	7
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST	7
4. REFERENCE DOCUMENTS.....	8
4.1. DOCUMENTS SUPPLIED BY APPLICANT	8
4.2. REFERENCE DOCUMENTS FOR TESTING.....	8
5. LABORATORY ENVIRONMENT.....	9
6. SUMMARY OF TEST RESULT	10
7. TEST EQUIPMENT UTILIZED	13
ANNEX A: MEASUREMENT RESULTS.....	14
A.1 OUTPUT POWER	14
A.2 EMISSION LIMIT	211
A.3 FREQUENCY STABILITY	227
A.4 OCCUPIED BANDWIDTH.....	231
A.5 EMISSION BANDWIDTH.....	268
A.6 BAND EDGE COMPLIANCE	305
A.7 CONDUCTED SPURIOUS EMISSION	330
A.8 PEAK-TO-AVERAGE POWER RATIO	335
ANNEX B: ACCREDITATION CERTIFICATE.....	336



1. Test Laboratory

1.1. Introduction & Accreditation

Telecommunication Technology Labs, CAICT is an ISO/IEC 17025:2017 accredited test laboratory under NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM (NVLAP) with lab code 600118-0 and is also an FCC accredited test laboratory (CN5017), and ISED accredited test laboratory (CN0066). The detail accreditation scope can be found on NVLAP website.

1.2. Testing Location

Location 1: CTTL (huayuan North Road)

Address: No. 52, Huayuan North Road, Haidian District, Beijing,
P. R. China 100191

Location 2: CTTL(BDA)

Address: No.18A, Kangding Street, Beijing
Economic-Technology Development Area, Beijing, P.
R. China 100176

1.3. Testing Environment

Normal Temperature: 15-35°C
Relative Humidity: 20-75%

1.4. Project Data

Testing Start Date: 2022-04-22
Testing End Date: 2022-07-01

1.5. Signature



Dong Yuan
(Prepared this test report)



Zhou Yu
(Reviewed this test report)



Zhao Hui Lin
Deputy Director of the laboratory
(Approved this test report)



2. Client Information

2.1. Applicant Information

Company Name: Wingtech Group (Hong Kong) Limited
Address /Post: Flat/RM 1802 18/F, Podium Plaza, 5 Hanoi Road, Tsim Sha Tsui, KL,
HK
Contact: sharui
Email: sharui@wingtech.com
Telephone: +86-21-53529900

2.2. Manufacturer Information

Company Name: Wingtech Group (Hong Kong) Limited
Address /Post: Flat/RM 1802 18/F, Podium Plaza, 5 Hanoi Road, Tsim Sha Tsui, KL,
HK
Contact: sharui
Email: sharui@wingtech.com
Telephone: +86-21-53529900

3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

Description	5G Mobile Phone
Model Name	CELERO5G
FCC ID	2APXW-CELERO5G
Antenna	Embedded
Output power	24.14 dBm maximum EIRP measured for NR n41
Extreme vol. Limits	3.6VDC to 4.2VDC (nominal: 3.85VDC)
Extreme temp. Tolerance	-10°C to +55°C

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of CTTL.

3.2. Internal Identification of EUT used during the test

EUT ID*	IMEI	HW Version	SW Version	Date of receipt
UT34a	863401060002629	V2.0	Celero5G_0.01.01	2022-04-22
UT110a	863401060009434	V2.0	Celero5G_0.01.01	2022-05-30

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID*	Description
AE1	Battery
AE1	
Model	RE001
Manufacturer	SUNWODA ELECTRONIC CO ., LTD
Capacitance	4500mAh

*AE ID: is used to identify the test sample in the lab internally.

4. Reference Documents

4.1. Documents supplied by applicant

EUT parameters, referring to Annex A for detailed information, is supplied by the client or manufacturer, which is the basis of testing.

4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-20 Edition
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-20 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-20 Edition
ANSI/TIA-603-E	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards	2016
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB 971168 D01	MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS	v03r01

5. Laboratory Environment

Semi-anechoic chamber 2 / Fully-anechoic chamber 3 (10 meters×6.7 meters×6.15 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 100 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 0.5 Ω
Normalised site attenuation (NSA)	<±3.5 dB, 3 m distance
Site voltage standing-wave ratio (S_{VSWR})	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 3000 MHz

6. Summary Of Test Result

n5

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	22.913	P
2	Emission Limit	2.1051/22.917	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	22.917	P
6	Band Edge Compliance	22.917	P
7	Conducted Spurious Emission	22.917	P

n25(2)

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	P
2	Emission Limit	2.1051/24.238	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	24.238	P
6	Band Edge Compliance	24.238	P
7	Conducted Spurious Emission	24.238	P
8	Peak-to-Average Power Ratio	24.232	P

n41

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n66

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n70

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n71

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

Terms used in Verdict column

P	Pass. The EUT complies with the essential requirements in the standard.
NP	Not Performed. The test was not performed by CTTL.
NA	Not Applicable. The test was not applicable.
BR	Re-use test data from basic model report.
F	Fail. The EUT does not comply with the essential requirements in the standard.

All the test results are based on normal power.

B12-n25 overlaps the entire frequency range of B12-n2. Therefore, test data provided in this report covers B12-n2 as well as B12-n25.

n41 is tested by power class 2.

Explanation of worst-case configuration

NR modulation: DFT-s-OFDM pi/2 BPSK; QPSK; 16QAM; 64QAM; 256QAM

CP-OFDM QPSK; 16QAM; 64QAM; 256QAM

NR BW: 10/15/20/30/40/50/60/70/80/90/100MHz for n41, 5/10/15/20/25/30/40MHz for n25 and n66, 5/10/15MHz for n70 and 5/10/15/20MHz for other NR bands.

The EUT supports n2, n5, n25, n41, n66, n70, n71, B2/5/12/66-n2, B2/66-n5, B12/66-n25, B2/66-n41, B2/12-n66, B2/66-n71.

The test results provided in this report represent the worst case configuration.

For all the NSA cases, LTE Bands are set under the 10MHz bandwidth, middle channel, 50RB and QPSK modulation.

For all the NSA combinations and SA mode of the same NR band, output powers are pretested under the maximum bandwidth and mid channel so that the modes with the maximum output power values are chosen out, which are n5, B12-n25, n41, n66, n70, n71. Only the results of the modes chosen by the max values are presented in the report. Then all the conducted test cases under the modes chosen out are performed.

7. Test Equipment Utilized

Description	Type	Series Number	Manufacture	Cal Due Date	Calibration Interval
Radio Communication Test Station	MT8000A	6262093285	Anritsu	2022-12-13	1 year
Radio Communication Analyzer	MT8821C	6201763159	Anritsu	2022-08-09	1 year
Signal&Spectrum Analyzer	FSW	104038	R&S	2022-06-24	1 year
Signal&Spectrum Analyzer	FSW	104038	R&S	2023-06-20	1 year
PXA Signal Analyzer	N9030A	MY54490239	Keysight	2022-08-29	1 year
Climate chamber	SH-242	93008556	ESPEC	2023-12-23	3 years
Test Receiver	E4440A	MY48250642	Agilent	2023-03-10	1 year
EMI Antenna	VULB9163	9163-482	Schwarzbeck	2022-11-16	1 year
Signal Generator	N5183A	MY49060052	R&S	2022-07-11	1 year
EMI Antenna	3117	00058889	ETS-Lindgren	2022-11-07	1 year
EMI Antenna	LB-7180-NF	2030013000041	A-INFO	2023-02-23	1 year
EMI Antenna	VULB9163	9163-482	Schwarzbeck	2022-11-16	1 year
Universal Radio Communication Tester	MT8821C	6262257899	Anritsu	2023-05-15	1 year
Universal Radio Communication Tester	MT8000A	6262261933	Anritsu	2023-05-15	1 year

Annex A: Measurement Results

A.1 Output Power

A.1.1 Summary

During the process of testing, the EUT was controlled via communication tester to ensure max power transmission and proper modulation.

In all cases, output power is within the specified limits.

A.1.2 Conducted

n5

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	23.05
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.10
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	22.52
n5	5	15	826.5	DFT	QPSK	Inner_Full	22.99
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	21.61
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	22.13
n5	5	15	826.5	DFT	QPSK	Outer_Full	21.99
n5	5	15	826.5	DFT	16QAM	Inner_Full	21.72
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	20.60
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	20.68
n5	5	15	826.5	DFT	16QAM	Outer_Full	20.90
n5	5	15	826.5	DFT	64QAM	Inner_Full	20.51
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	20.16
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	20.39
n5	5	15	826.5	DFT	64QAM	Outer_Full	20.45
n5	5	15	826.5	DFT	256QAM	Inner_Full	18.49
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	18.59
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	18.69
n5	5	15	826.5	DFT	256QAM	Outer_Full	18.61
n5	5	15	826.5	CP	QPSK	Inner_Full	21.50
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	19.68
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	19.76
n5	5	15	826.5	CP	QPSK	Outer_Full	19.96
n5	5	15	826.5	CP	16QAM	Inner_Full	20.95
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	19.67
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	19.96
n5	5	15	826.5	CP	16QAM	Outer_Full	19.90
n5	5	15	826.5	CP	64QAM	Inner_Full	19.35
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	19.32

n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	19.21
n5	5	15	826.5	CP	64QAM	Outer_Full	19.20
n5	5	15	826.5	CP	256QAM	Inner_Full	16.60
n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	16.62
n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	16.54
n5	5	15	826.5	CP	256QAM	Outer_Full	16.11
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.00
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.44
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.42
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.36
n5	5	15	836.5	DFT	QPSK	Inner_Full	22.92
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	21.94
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	21.72
n5	5	15	836.5	DFT	QPSK	Outer_Full	21.93
n5	5	15	836.5	DFT	16QAM	Inner_Full	21.92
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	20.91
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	20.68
n5	5	15	836.5	DFT	16QAM	Outer_Full	20.68
n5	5	15	836.5	DFT	64QAM	Inner_Full	20.52
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	20.36
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	20.31
n5	5	15	836.5	DFT	64QAM	Outer_Full	20.43
n5	5	15	836.5	DFT	256QAM	Inner_Full	18.63
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	18.63
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	18.49
n5	5	15	836.5	DFT	256QAM	Outer_Full	18.26
n5	5	15	836.5	CP	QPSK	Inner_Full	21.46
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	19.92
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	19.91
n5	5	15	836.5	CP	QPSK	Outer_Full	19.90
n5	5	15	836.5	CP	16QAM	Inner_Full	20.87
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	19.58
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	19.99
n5	5	15	836.5	CP	16QAM	Outer_Full	19.74
n5	5	15	836.5	CP	64QAM	Inner_Full	19.37
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	19.43
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	19.36
n5	5	15	836.5	CP	64QAM	Outer_Full	19.19
n5	5	15	836.5	CP	256QAM	Inner_Full	16.38
n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	16.83
n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	16.68

n5	5	15	836.5	CP	256QAM	Outer_Full	16.34
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	22.63
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.15
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.94
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	22.04
n5	5	15	846.5	DFT	QPSK	Inner_Full	22.47
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	21.71
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	21.39
n5	5	15	846.5	DFT	QPSK	Outer_Full	21.52
n5	5	15	846.5	DFT	16QAM	Inner_Full	21.39
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	20.72
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	20.47
n5	5	15	846.5	DFT	16QAM	Outer_Full	20.60
n5	5	15	846.5	DFT	64QAM	Inner_Full	20.03
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	20.08
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	19.91
n5	5	15	846.5	DFT	64QAM	Outer_Full	20.04
n5	5	15	846.5	DFT	256QAM	Inner_Full	18.51
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	18.36
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	18.17
n5	5	15	846.5	DFT	256QAM	Outer_Full	18.12
n5	5	15	846.5	CP	QPSK	Inner_Full	21.08
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	19.56
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	19.40
n5	5	15	846.5	CP	QPSK	Outer_Full	19.62
n5	5	15	846.5	CP	16QAM	Inner_Full	20.60
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	19.63
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	19.46
n5	5	15	846.5	CP	16QAM	Outer_Full	19.47
n5	5	15	846.5	CP	64QAM	Inner_Full	19.11
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	19.23
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	18.78
n5	5	15	846.5	CP	64QAM	Outer_Full	19.10
n5	5	15	846.5	CP	256QAM	Inner_Full	16.16
n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	16.49
n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	16.26
n5	5	15	846.5	CP	256QAM	Outer_Full	16.09
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	22.69
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	21.92
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	22.22
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	22.37

n5	10	15	829	DFT	QPSK	Inner_Full	22.70
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	21.63
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	21.86
n5	10	15	829	DFT	QPSK	Outer_Full	21.64
n5	10	15	829	DFT	16QAM	Inner_Full	21.71
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	20.68
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	20.62
n5	10	15	829	DFT	16QAM	Outer_Full	20.70
n5	10	15	829	DFT	64QAM	Inner_Full	20.38
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	20.09
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	20.14
n5	10	15	829	DFT	64QAM	Outer_Full	20.25
n5	10	15	829	DFT	256QAM	Inner_Full	18.35
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	18.37
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	18.48
n5	10	15	829	DFT	256QAM	Outer_Full	18.20
n5	10	15	829	CP	QPSK	Inner_Full	21.21
n5	10	15	829	CP	QPSK	Edge_1RB_Left	19.65
n5	10	15	829	CP	QPSK	Edge_1RB_Right	19.79
n5	10	15	829	CP	QPSK	Outer_Full	19.69
n5	10	15	829	CP	16QAM	Inner_Full	20.93
n5	10	15	829	CP	16QAM	Edge_1RB_Left	19.70
n5	10	15	829	CP	16QAM	Edge_1RB_Right	19.83
n5	10	15	829	CP	16QAM	Outer_Full	19.82
n5	10	15	829	CP	64QAM	Inner_Full	19.28
n5	10	15	829	CP	64QAM	Edge_1RB_Left	19.12
n5	10	15	829	CP	64QAM	Edge_1RB_Right	19.13
n5	10	15	829	CP	64QAM	Outer_Full	19.18
n5	10	15	829	CP	256QAM	Inner_Full	16.41
n5	10	15	829	CP	256QAM	Edge_1RB_Left	16.41
n5	10	15	829	CP	256QAM	Edge_1RB_Right	16.53
n5	10	15	829	CP	256QAM	Outer_Full	16.42
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.70
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.07
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.08
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.20
n5	10	15	836.5	DFT	QPSK	Inner_Full	22.87
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	21.65
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	21.66
n5	10	15	836.5	DFT	QPSK	Outer_Full	21.83
n5	10	15	836.5	DFT	16QAM	Inner_Full	21.77

n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	20.76
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	20.64
n5	10	15	836.5	DFT	16QAM	Outer_Full	20.56
n5	10	15	836.5	DFT	64QAM	Inner_Full	20.22
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	20.29
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	20.19
n5	10	15	836.5	DFT	64QAM	Outer_Full	20.15
n5	10	15	836.5	DFT	256QAM	Inner_Full	18.32
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	18.34
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	18.39
n5	10	15	836.5	DFT	256QAM	Outer_Full	18.35
n5	10	15	836.5	CP	QPSK	Inner_Full	21.28
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	19.79
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	19.61
n5	10	15	836.5	CP	QPSK	Outer_Full	19.72
n5	10	15	836.5	CP	16QAM	Inner_Full	20.84
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	19.76
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	19.78
n5	10	15	836.5	CP	16QAM	Outer_Full	19.72
n5	10	15	836.5	CP	64QAM	Inner_Full	19.10
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	19.24
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	19.13
n5	10	15	836.5	CP	64QAM	Outer_Full	19.00
n5	10	15	836.5	CP	256QAM	Inner_Full	16.26
n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	16.39
n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	16.44
n5	10	15	836.5	CP	256QAM	Outer_Full	16.28
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	22.42
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	22.07
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	21.74
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	21.91
n5	10	15	844	DFT	QPSK	Inner_Full	22.43
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	21.56
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	21.32
n5	10	15	844	DFT	QPSK	Outer_Full	21.44
n5	10	15	844	DFT	16QAM	Inner_Full	21.36
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	20.64
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	20.32
n5	10	15	844	DFT	16QAM	Outer_Full	20.44
n5	10	15	844	DFT	64QAM	Inner_Full	19.90
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	19.86

n5	10	15	844	DFT	64QAM	Edge_1RB_Right	19.60
n5	10	15	844	DFT	64QAM	Outer_Full	19.89
n5	10	15	844	DFT	256QAM	Inner_Full	17.99
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	18.17
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	17.76
n5	10	15	844	DFT	256QAM	Outer_Full	17.97
n5	10	15	844	CP	QPSK	Inner_Full	20.85
n5	10	15	844	CP	QPSK	Edge_1RB_Left	19.52
n5	10	15	844	CP	QPSK	Edge_1RB_Right	19.48
n5	10	15	844	CP	QPSK	Outer_Full	19.44
n5	10	15	844	CP	16QAM	Inner_Full	20.53
n5	10	15	844	CP	16QAM	Edge_1RB_Left	19.48
n5	10	15	844	CP	16QAM	Edge_1RB_Right	19.30
n5	10	15	844	CP	16QAM	Outer_Full	19.31
n5	10	15	844	CP	64QAM	Inner_Full	19.13
n5	10	15	844	CP	64QAM	Edge_1RB_Left	19.11
n5	10	15	844	CP	64QAM	Edge_1RB_Right	18.66
n5	10	15	844	CP	64QAM	Outer_Full	18.87
n5	10	15	844	CP	256QAM	Inner_Full	15.97
n5	10	15	844	CP	256QAM	Edge_1RB_Left	16.09
n5	10	15	844	CP	256QAM	Edge_1RB_Right	16.03
n5	10	15	844	CP	256QAM	Outer_Full	16.07
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	22.76
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.06
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.26
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	22.51
n5	15	15	831.5	DFT	QPSK	Inner_Full	22.91
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	21.73
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	21.86
n5	15	15	831.5	DFT	QPSK	Outer_Full	21.82
n5	15	15	831.5	DFT	16QAM	Inner_Full	21.58
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	20.68
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	20.79
n5	15	15	831.5	DFT	16QAM	Outer_Full	20.77
n5	15	15	831.5	DFT	64QAM	Inner_Full	20.15
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	20.28
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	20.24
n5	15	15	831.5	DFT	64QAM	Outer_Full	20.32
n5	15	15	831.5	DFT	256QAM	Inner_Full	18.45
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	18.44
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	18.60

n5	15	15	831.5	DFT	256QAM	Outer_Full	18.32
n5	15	15	831.5	CP	QPSK	Inner_Full	21.40
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	19.57
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	19.76
n5	15	15	831.5	CP	QPSK	Outer_Full	19.89
n5	15	15	831.5	CP	16QAM	Inner_Full	20.94
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	19.83
n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	19.81
n5	15	15	831.5	CP	16QAM	Outer_Full	19.98
n5	15	15	831.5	CP	64QAM	Inner_Full	19.37
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	19.16
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	19.30
n5	15	15	831.5	CP	64QAM	Outer_Full	19.25
n5	15	15	831.5	CP	256QAM	Inner_Full	16.57
n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	16.36
n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	16.60
n5	15	15	831.5	CP	256QAM	Outer_Full	16.37
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.87
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.27
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.12
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.41
n5	15	15	836.5	DFT	QPSK	Inner_Full	22.95
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	21.96
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	21.60
n5	15	15	836.5	DFT	QPSK	Outer_Full	21.82
n5	15	15	836.5	DFT	16QAM	Inner_Full	21.96
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	20.96
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	20.58
n5	15	15	836.5	DFT	16QAM	Outer_Full	20.77
n5	15	15	836.5	DFT	64QAM	Inner_Full	20.53
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	20.41
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	20.03
n5	15	15	836.5	DFT	64QAM	Outer_Full	20.45
n5	15	15	836.5	DFT	256QAM	Inner_Full	18.53
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	18.45
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	18.36
n5	15	15	836.5	DFT	256QAM	Outer_Full	18.56
n5	15	15	836.5	CP	QPSK	Inner_Full	21.41
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	19.80
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	19.55
n5	15	15	836.5	CP	QPSK	Outer_Full	19.87

n5	15	15	836.5	CP	16QAM	Inner_Full	20.95
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	20.02
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	19.76
n5	15	15	836.5	CP	16QAM	Outer_Full	19.86
n5	15	15	836.5	CP	64QAM	Inner_Full	19.33
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	19.22
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	19.17
n5	15	15	836.5	CP	64QAM	Outer_Full	19.21
n5	15	15	836.5	CP	256QAM	Inner_Full	16.46
n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	16.68
n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	16.27
n5	15	15	836.5	CP	256QAM	Outer_Full	16.48
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	22.75
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.15
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.85
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	22.23
n5	15	15	841.5	DFT	QPSK	Inner_Full	22.67
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	21.96
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	21.44
n5	15	15	841.5	DFT	QPSK	Outer_Full	21.72
n5	15	15	841.5	DFT	16QAM	Inner_Full	21.74
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	20.85
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	20.50
n5	15	15	841.5	DFT	16QAM	Outer_Full	20.68
n5	15	15	841.5	DFT	64QAM	Inner_Full	20.22
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	20.22
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	19.80
n5	15	15	841.5	DFT	64QAM	Outer_Full	20.14
n5	15	15	841.5	DFT	256QAM	Inner_Full	18.34
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	18.62
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	18.06
n5	15	15	841.5	DFT	256QAM	Outer_Full	18.35
n5	15	15	841.5	CP	QPSK	Inner_Full	21.26
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	19.85
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	19.31
n5	15	15	841.5	CP	QPSK	Outer_Full	19.64
n5	15	15	841.5	CP	16QAM	Inner_Full	20.76
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	19.93
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	19.44
n5	15	15	841.5	CP	16QAM	Outer_Full	19.68
n5	15	15	841.5	CP	64QAM	Inner_Full	19.33

n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	19.18
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	18.63
n5	15	15	841.5	CP	64QAM	Outer_Full	19.18
n5	15	15	841.5	CP	256QAM	Inner_Full	16.26
n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	16.58
n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	16.13
n5	15	15	841.5	CP	256QAM	Outer_Full	16.37
n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	23.08
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	22.15
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	21.96
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	22.17
n5	20	15	834	DFT	QPSK	Inner_Full	22.81
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	21.53
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	21.42
n5	20	15	834	DFT	QPSK	Outer_Full	21.71
n5	20	15	834	DFT	16QAM	Inner_Full	21.82
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	20.65
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	20.50
n5	20	15	834	DFT	16QAM	Outer_Full	20.64
n5	20	15	834	DFT	64QAM	Inner_Full	20.40
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	19.95
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	19.89
n5	20	15	834	DFT	64QAM	Outer_Full	20.31
n5	20	15	834	DFT	256QAM	Inner_Full	18.31
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	18.25
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	18.06
n5	20	15	834	DFT	256QAM	Outer_Full	18.38
n5	20	15	834	CP	QPSK	Inner_Full	21.37
n5	20	15	834	CP	QPSK	Edge_1RB_Left	19.47
n5	20	15	834	CP	QPSK	Edge_1RB_Right	19.28
n5	20	15	834	CP	QPSK	Outer_Full	19.71
n5	20	15	834	CP	16QAM	Inner_Full	20.89
n5	20	15	834	CP	16QAM	Edge_1RB_Left	19.26
n5	20	15	834	CP	16QAM	Edge_1RB_Right	19.45
n5	20	15	834	CP	16QAM	Outer_Full	19.82
n5	20	15	834	CP	64QAM	Inner_Full	19.01
n5	20	15	834	CP	64QAM	Edge_1RB_Left	19.23
n5	20	15	834	CP	64QAM	Edge_1RB_Right	18.98
n5	20	15	834	CP	64QAM	Outer_Full	19.14
n5	20	15	834	CP	256QAM	Inner_Full	16.61
n5	20	15	834	CP	256QAM	Edge_1RB_Left	16.45

n5	20	15	834	CP	256QAM	Edge_1RB_Right	16.26
n5	20	15	834	CP	256QAM	Outer_Full	16.39
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.83
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.68
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.13
n5	20	15	836.5	DFT	QPSK	Inner_Full	22.76
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	21.48
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	21.35
n5	20	15	836.5	DFT	QPSK	Outer_Full	21.68
n5	20	15	836.5	DFT	16QAM	Inner_Full	21.69
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	20.56
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	20.55
n5	20	15	836.5	DFT	16QAM	Outer_Full	20.66
n5	20	15	836.5	DFT	64QAM	Inner_Full	20.17
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	20.07
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	19.94
n5	20	15	836.5	DFT	64QAM	Outer_Full	20.11
n5	20	15	836.5	DFT	256QAM	Inner_Full	18.33
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	18.39
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	18.23
n5	20	15	836.5	DFT	256QAM	Outer_Full	18.27
n5	20	15	836.5	CP	QPSK	Inner_Full	21.19
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	19.48
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	19.31
n5	20	15	836.5	CP	QPSK	Outer_Full	19.73
n5	20	15	836.5	CP	16QAM	Inner_Full	20.61
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	19.83
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	19.76
n5	20	15	836.5	CP	16QAM	Outer_Full	19.58
n5	20	15	836.5	CP	64QAM	Inner_Full	19.11
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	18.91
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	18.85
n5	20	15	836.5	CP	64QAM	Outer_Full	18.99
n5	20	15	836.5	CP	256QAM	Inner_Full	16.27
n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	16.49
n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	16.33
n5	20	15	836.5	CP	256QAM	Outer_Full	16.21
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	22.86
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	22.27
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	21.78

n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	22.31
n5	20	15	839	DFT	QPSK	Inner_Full	22.90
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	21.93
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	21.41
n5	20	15	839	DFT	QPSK	Outer_Full	21.66
n5	20	15	839	DFT	16QAM	Inner_Full	21.94
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	20.65
n5	20	15	839	DFT	16QAM	Edge_1RB_Right	20.46
n5	20	15	839	DFT	16QAM	Outer_Full	20.85
n5	20	15	839	DFT	64QAM	Inner_Full	20.29
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	20.52
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	19.85
n5	20	15	839	DFT	64QAM	Outer_Full	20.25
n5	20	15	839	DFT	256QAM	Inner_Full	18.35
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	18.19
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	17.86
n5	20	15	839	DFT	256QAM	Outer_Full	18.34
n5	20	15	839	CP	QPSK	Inner_Full	21.29
n5	20	15	839	CP	QPSK	Edge_1RB_Left	19.64
n5	20	15	839	CP	QPSK	Edge_1RB_Right	19.23
n5	20	15	839	CP	QPSK	Outer_Full	19.64
n5	20	15	839	CP	16QAM	Inner_Full	20.84
n5	20	15	839	CP	16QAM	Edge_1RB_Left	19.86
n5	20	15	839	CP	16QAM	Edge_1RB_Right	19.34
n5	20	15	839	CP	16QAM	Outer_Full	19.67
n5	20	15	839	CP	64QAM	Inner_Full	19.42
n5	20	15	839	CP	64QAM	Edge_1RB_Left	19.31
n5	20	15	839	CP	64QAM	Edge_1RB_Right	18.63
n5	20	15	839	CP	64QAM	Outer_Full	19.16
n5	20	15	839	CP	256QAM	Inner_Full	16.36
n5	20	15	839	CP	256QAM	Edge_1RB_Left	16.68
n5	20	15	839	CP	256QAM	Edge_1RB_Right	16.01
n5	20	15	839	CP	256QAM	Outer_Full	16.35

n41

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	10	30	2501.01	DFT	pi/2 BPSK	Inner_Full	25.06
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.50
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.53
n41	10	30	2501.01	DFT	pi/2 BPSK	Outer_Full	24.60
n41	10	30	2501.01	DFT	QPSK	Inner_Full	25.19
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Left	22.45
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Right	22.46
n41	10	30	2501.01	DFT	QPSK	Outer_Full	24.11
n41	10	30	2501.01	DFT	16QAM	Inner_Full	24.18
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Left	22.62
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Right	22.47
n41	10	30	2501.01	DFT	16QAM	Outer_Full	23.13
n41	10	30	2501.01	DFT	64QAM	Inner_Full	22.54
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Left	22.08
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Right	22.33
n41	10	30	2501.01	DFT	64QAM	Outer_Full	22.58
n41	10	30	2501.01	DFT	256QAM	Inner_Full	20.67
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Left	21.57
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Right	21.69
n41	10	30	2501.01	DFT	256QAM	Outer_Full	20.51
n41	10	30	2501.01	CP	QPSK	Inner_Full	23.52
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Left	22.44
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Right	22.49
n41	10	30	2501.01	CP	QPSK	Outer_Full	22.12
n41	10	30	2501.01	CP	16QAM	Inner_Full	23.13
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Left	22.30
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Right	22.53
n41	10	30	2501.01	CP	16QAM	Outer_Full	22.12
n41	10	30	2501.01	CP	64QAM	Inner_Full	21.45
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Left	22.82
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Right	22.75
n41	10	30	2501.01	CP	64QAM	Outer_Full	21.76
n41	10	30	2501.01	CP	256QAM	Inner_Full	18.37
n41	10	30	2501.01	CP	256QAM	Edge_1RB_Left	19.72
n41	10	30	2501.01	CP	256QAM	Edge_1RB_Right	19.46
n41	10	30	2501.01	CP	256QAM	Outer_Full	18.63
n41	10	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.32
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.64
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.48

n41	10	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.48
n41	10	30	2592.99	DFT	QPSK	Inner_Full	25.42
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.66
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.50
n41	10	30	2592.99	DFT	QPSK	Outer_Full	24.28
n41	10	30	2592.99	DFT	16QAM	Inner_Full	24.33
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Left	23.02
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.76
n41	10	30	2592.99	DFT	16QAM	Outer_Full	23.29
n41	10	30	2592.99	DFT	64QAM	Inner_Full	22.68
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.47
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.40
n41	10	30	2592.99	DFT	64QAM	Outer_Full	22.80
n41	10	30	2592.99	DFT	256QAM	Inner_Full	20.88
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.68
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.58
n41	10	30	2592.99	DFT	256QAM	Outer_Full	20.72
n41	10	30	2592.99	CP	QPSK	Inner_Full	23.82
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Left	22.69
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Right	22.63
n41	10	30	2592.99	CP	QPSK	Outer_Full	22.23
n41	10	30	2592.99	CP	16QAM	Inner_Full	23.29
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Left	22.78
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Right	22.44
n41	10	30	2592.99	CP	16QAM	Outer_Full	22.24
n41	10	30	2592.99	CP	64QAM	Inner_Full	21.95
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Left	22.65
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Right	22.75
n41	10	30	2592.99	CP	64QAM	Outer_Full	21.89
n41	10	30	2592.99	CP	256QAM	Inner_Full	18.76
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Left	19.72
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Right	19.61
n41	10	30	2592.99	CP	256QAM	Outer_Full	18.61
n41	10	30	2685	DFT	pi/2 BPSK	Inner_Full	25.39
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Left	22.53
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Right	22.64
n41	10	30	2685	DFT	pi/2 BPSK	Outer_Full	24.80
n41	10	30	2685	DFT	QPSK	Inner_Full	25.38
n41	10	30	2685	DFT	QPSK	Edge_1RB_Left	22.64
n41	10	30	2685	DFT	QPSK	Edge_1RB_Right	22.56
n41	10	30	2685	DFT	QPSK	Outer_Full	24.34

n41	10	30	2685	DFT	16QAM	Inner_Full	24.44
n41	10	30	2685	DFT	16QAM	Edge_1RB_Left	22.62
n41	10	30	2685	DFT	16QAM	Edge_1RB_Right	22.94
n41	10	30	2685	DFT	16QAM	Outer_Full	23.36
n41	10	30	2685	DFT	64QAM	Inner_Full	22.64
n41	10	30	2685	DFT	64QAM	Edge_1RB_Left	22.61
n41	10	30	2685	DFT	64QAM	Edge_1RB_Right	22.18
n41	10	30	2685	DFT	64QAM	Outer_Full	22.89
n41	10	30	2685	DFT	256QAM	Inner_Full	20.76
n41	10	30	2685	DFT	256QAM	Edge_1RB_Left	21.92
n41	10	30	2685	DFT	256QAM	Edge_1RB_Right	21.65
n41	10	30	2685	DFT	256QAM	Outer_Full	20.81
n41	10	30	2685	CP	QPSK	Inner_Full	23.70
n41	10	30	2685	CP	QPSK	Edge_1RB_Left	22.71
n41	10	30	2685	CP	QPSK	Edge_1RB_Right	22.56
n41	10	30	2685	CP	QPSK	Outer_Full	22.23
n41	10	30	2685	CP	16QAM	Inner_Full	23.33
n41	10	30	2685	CP	16QAM	Edge_1RB_Left	22.59
n41	10	30	2685	CP	16QAM	Edge_1RB_Right	22.16
n41	10	30	2685	CP	16QAM	Outer_Full	22.48
n41	10	30	2685	CP	64QAM	Inner_Full	21.79
n41	10	30	2685	CP	64QAM	Edge_1RB_Left	22.78
n41	10	30	2685	CP	64QAM	Edge_1RB_Right	22.65
n41	10	30	2685	CP	64QAM	Outer_Full	21.90
n41	10	30	2685	CP	256QAM	Inner_Full	18.67
n41	10	30	2685	CP	256QAM	Edge_1RB_Left	19.76
n41	10	30	2685	CP	256QAM	Edge_1RB_Right	19.54
n41	10	30	2685	CP	256QAM	Outer_Full	18.76
n41	15	30	2503.5	DFT	pi/2 BPSK	Inner_Full	25.07
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.57
n41	15	30	2503.5	DFT	pi/2 BPSK	Outer_Full	24.73
n41	15	30	2503.5	DFT	QPSK	Inner_Full	25.38
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Left	22.42
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Right	22.39
n41	15	30	2503.5	DFT	QPSK	Outer_Full	24.35
n41	15	30	2503.5	DFT	16QAM	Inner_Full	24.20
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Left	22.59
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Right	22.95
n41	15	30	2503.5	DFT	16QAM	Outer_Full	23.23
n41	15	30	2503.5	DFT	64QAM	Inner_Full	22.60

n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Left	22.48
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Right	22.37
n41	15	30	2503.5	DFT	64QAM	Outer_Full	22.60
n41	15	30	2503.5	DFT	256QAM	Inner_Full	20.63
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Left	21.61
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Right	21.68
n41	15	30	2503.5	DFT	256QAM	Outer_Full	20.65
n41	15	30	2503.5	CP	QPSK	Inner_Full	23.56
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Left	22.36
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Right	22.53
n41	15	30	2503.5	CP	QPSK	Outer_Full	21.94
n41	15	30	2503.5	CP	16QAM	Inner_Full	22.89
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Left	22.48
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Right	22.55
n41	15	30	2503.5	CP	16QAM	Outer_Full	22.05
n41	15	30	2503.5	CP	64QAM	Inner_Full	21.68
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Left	22.75
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Right	22.80
n41	15	30	2503.5	CP	64QAM	Outer_Full	21.76
n41	15	30	2503.5	CP	256QAM	Inner_Full	18.60
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Left	19.60
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Right	19.73
n41	15	30	2503.5	CP	256QAM	Outer_Full	18.61
n41	15	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.37
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.65
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.47
n41	15	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.78
n41	15	30	2592.99	DFT	QPSK	Inner_Full	25.23
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.61
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.41
n41	15	30	2592.99	DFT	QPSK	Outer_Full	24.30
n41	15	30	2592.99	DFT	16QAM	Inner_Full	24.15
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.74
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.77
n41	15	30	2592.99	DFT	16QAM	Outer_Full	23.40
n41	15	30	2592.99	DFT	64QAM	Inner_Full	22.84
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.66
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.23
n41	15	30	2592.99	DFT	64QAM	Outer_Full	22.74
n41	15	30	2592.99	DFT	256QAM	Inner_Full	20.73
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.59

n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.63
n41	15	30	2592.99	DFT	256QAM	Outer_Full	20.74
n41	15	30	2592.99	CP	QPSK	Inner_Full	23.75
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Left	22.53
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Right	22.70
n41	15	30	2592.99	CP	QPSK	Outer_Full	22.14
n41	15	30	2592.99	CP	16QAM	Inner_Full	23.15
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Left	22.36
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Right	22.48
n41	15	30	2592.99	CP	16QAM	Outer_Full	22.14
n41	15	30	2592.99	CP	64QAM	Inner_Full	21.70
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Left	23.05
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Right	22.57
n41	15	30	2592.99	CP	64QAM	Outer_Full	21.82
n41	15	30	2592.99	CP	256QAM	Inner_Full	18.80
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Left	19.63
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Right	19.60
n41	15	30	2592.99	CP	256QAM	Outer_Full	18.65
n41	15	30	2682.48	DFT	pi/2 BPSK	Inner_Full	25.42
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.75
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.74
n41	15	30	2682.48	DFT	pi/2 BPSK	Outer_Full	24.85
n41	15	30	2682.48	DFT	QPSK	Inner_Full	25.37
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Left	22.65
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Right	22.66
n41	15	30	2682.48	DFT	QPSK	Outer_Full	24.33
n41	15	30	2682.48	DFT	16QAM	Inner_Full	24.32
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Left	22.98
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Right	22.98
n41	15	30	2682.48	DFT	16QAM	Outer_Full	23.42
n41	15	30	2682.48	DFT	64QAM	Inner_Full	22.91
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Left	22.45
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Right	22.32
n41	15	30	2682.48	DFT	64QAM	Outer_Full	22.89
n41	15	30	2682.48	DFT	256QAM	Inner_Full	20.89
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Left	21.81
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Right	21.62
n41	15	30	2682.48	DFT	256QAM	Outer_Full	20.93
n41	15	30	2682.48	CP	QPSK	Inner_Full	23.99
n41	15	30	2682.48	CP	QPSK	Edge_1RB_Left	22.78
n41	15	30	2682.48	CP	QPSK	Edge_1RB_Right	22.74

n41	15	30	2682.48	CP	QPSK	Outer_Full	22.31
n41	15	30	2682.48	CP	16QAM	Inner_Full	23.33
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Left	22.66
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Right	22.55
n41	15	30	2682.48	CP	16QAM	Outer_Full	22.24
n41	15	30	2682.48	CP	64QAM	Inner_Full	21.89
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Left	23.15
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Right	23.25
n41	15	30	2682.48	CP	64QAM	Outer_Full	21.94
n41	15	30	2682.48	CP	256QAM	Inner_Full	18.83
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Left	19.80
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Right	19.80
n41	15	30	2682.48	CP	256QAM	Outer_Full	18.83
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	25.08
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.35
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.40
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	24.60
n41	20	30	2506.02	DFT	QPSK	Inner_Full	25.06
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	22.34
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	22.44
n41	20	30	2506.02	DFT	QPSK	Outer_Full	24.09
n41	20	30	2506.02	DFT	16QAM	Inner_Full	24.08
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	22.54
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	22.91
n41	20	30	2506.02	DFT	16QAM	Outer_Full	23.00
n41	20	30	2506.02	DFT	64QAM	Inner_Full	22.52
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	22.16
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	22.61
n41	20	30	2506.02	DFT	64QAM	Outer_Full	22.76
n41	20	30	2506.02	DFT	256QAM	Inner_Full	20.53
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	21.47
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	21.67
n41	20	30	2506.02	DFT	256QAM	Outer_Full	20.58
n41	20	30	2506.02	CP	QPSK	Inner_Full	23.53
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	22.20
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	22.68
n41	20	30	2506.02	CP	QPSK	Outer_Full	22.13
n41	20	30	2506.02	CP	16QAM	Inner_Full	23.02
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	22.46
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	22.44
n41	20	30	2506.02	CP	16QAM	Outer_Full	22.01

n41	20	30	2506.02	CP	64QAM	Inner_Full	21.43
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	22.44
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	22.72
n41	20	30	2506.02	CP	64QAM	Outer_Full	21.53
n41	20	30	2506.02	CP	256QAM	Inner_Full	18.43
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	19.40
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	19.65
n41	20	30	2506.02	CP	256QAM	Outer_Full	18.61
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.25
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.52
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.39
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.61
n41	20	30	2592.99	DFT	QPSK	Inner_Full	25.25
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.46
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.39
n41	20	30	2592.99	DFT	QPSK	Outer_Full	24.26
n41	20	30	2592.99	DFT	16QAM	Inner_Full	24.22
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.72
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.64
n41	20	30	2592.99	DFT	16QAM	Outer_Full	23.17
n41	20	30	2592.99	DFT	64QAM	Inner_Full	22.80
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.27
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.23
n41	20	30	2592.99	DFT	64QAM	Outer_Full	22.78
n41	20	30	2592.99	DFT	256QAM	Inner_Full	20.74
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.52
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.48
n41	20	30	2592.99	DFT	256QAM	Outer_Full	20.83
n41	20	30	2592.99	CP	QPSK	Inner_Full	23.90
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	22.50
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	22.61
n41	20	30	2592.99	CP	QPSK	Outer_Full	22.27
n41	20	30	2592.99	CP	16QAM	Inner_Full	23.35
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	22.36
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	22.60
n41	20	30	2592.99	CP	16QAM	Outer_Full	22.30
n41	20	30	2592.99	CP	64QAM	Inner_Full	21.79
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	22.68
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	22.52
n41	20	30	2592.99	CP	64QAM	Outer_Full	21.82
n41	20	30	2592.99	CP	256QAM	Inner_Full	18.76

n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	19.51
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	19.54
n41	20	30	2592.99	CP	256QAM	Outer_Full	18.78
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	25.46
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.70
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.62
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	24.85
n41	20	30	2679.99	DFT	QPSK	Inner_Full	25.36
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	22.56
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	22.56
n41	20	30	2679.99	DFT	QPSK	Outer_Full	24.25
n41	20	30	2679.99	DFT	16QAM	Inner_Full	24.37
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	22.50
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	22.87
n41	20	30	2679.99	DFT	16QAM	Outer_Full	23.44
n41	20	30	2679.99	DFT	64QAM	Inner_Full	22.93
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	22.60
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	22.42
n41	20	30	2679.99	DFT	64QAM	Outer_Full	22.78
n41	20	30	2679.99	DFT	256QAM	Inner_Full	20.91
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	21.71
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	21.78
n41	20	30	2679.99	DFT	256QAM	Outer_Full	20.83
n41	20	30	2679.99	CP	QPSK	Inner_Full	23.98
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	22.66
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	22.59
n41	20	30	2679.99	CP	QPSK	Outer_Full	22.31
n41	20	30	2679.99	CP	16QAM	Inner_Full	23.35
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	22.67
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	22.69
n41	20	30	2679.99	CP	16QAM	Outer_Full	22.36
n41	20	30	2679.99	CP	64QAM	Inner_Full	21.83
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	22.58
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	22.90
n41	20	30	2679.99	CP	64QAM	Outer_Full	21.85
n41	20	30	2679.99	CP	256QAM	Inner_Full	18.88
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	19.48
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	19.80
n41	20	30	2679.99	CP	256QAM	Outer_Full	18.91
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	25.33
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	22.37

n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	24.70
n41	30	30	2511	DFT	QPSK	Inner_Full	25.12
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	22.24
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	22.44
n41	30	30	2511	DFT	QPSK	Outer_Full	24.12
n41	30	30	2511	DFT	16QAM	Inner_Full	24.28
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	22.47
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.42
n41	30	30	2511	DFT	16QAM	Outer_Full	23.29
n41	30	30	2511	DFT	64QAM	Inner_Full	22.82
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	22.13
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	22.45
n41	30	30	2511	DFT	64QAM	Outer_Full	22.62
n41	30	30	2511	DFT	256QAM	Inner_Full	20.90
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	21.53
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	21.59
n41	30	30	2511	DFT	256QAM	Outer_Full	20.72
n41	30	30	2511	CP	QPSK	Inner_Full	23.79
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	22.22
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	22.57
n41	30	30	2511	CP	QPSK	Outer_Full	22.21
n41	30	30	2511	CP	16QAM	Inner_Full	23.24
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	22.46
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	22.49
n41	30	30	2511	CP	16QAM	Outer_Full	22.18
n41	30	30	2511	CP	64QAM	Inner_Full	21.81
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	22.52
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	22.64
n41	30	30	2511	CP	64QAM	Outer_Full	21.84
n41	30	30	2511	CP	256QAM	Inner_Full	18.89
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	19.31
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	19.51
n41	30	30	2511	CP	256QAM	Outer_Full	18.76
n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.38
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.39
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.33
n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.66
n41	30	30	2592.99	DFT	QPSK	Inner_Full	25.44
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.28
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.19

n41	30	30	2592.99	DFT	QPSK	Outer_Full	24.14
n41	30	30	2592.99	DFT	16QAM	Inner_Full	24.38
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.49
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.38
n41	30	30	2592.99	DFT	16QAM	Outer_Full	23.31
n41	30	30	2592.99	DFT	64QAM	Inner_Full	22.88
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.99
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.43
n41	30	30	2592.99	DFT	64QAM	Outer_Full	22.82
n41	30	30	2592.99	DFT	256QAM	Inner_Full	20.87
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.31
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.39
n41	30	30	2592.99	DFT	256QAM	Outer_Full	20.81
n41	30	30	2592.99	CP	QPSK	Inner_Full	23.95
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	22.26
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	22.28
n41	30	30	2592.99	CP	QPSK	Outer_Full	22.27
n41	30	30	2592.99	CP	16QAM	Inner_Full	23.30
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	22.22
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	22.15
n41	30	30	2592.99	CP	16QAM	Outer_Full	22.08
n41	30	30	2592.99	CP	64QAM	Inner_Full	21.81
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	22.47
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	22.28
n41	30	30	2592.99	CP	64QAM	Outer_Full	21.92
n41	30	30	2592.99	CP	256QAM	Inner_Full	18.84
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	19.40
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	19.31
n41	30	30	2592.99	CP	256QAM	Outer_Full	18.64
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	25.43
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.73
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.69
n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	24.84
n41	30	30	2674.98	DFT	QPSK	Inner_Full	25.38
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	22.59
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	22.52
n41	30	30	2674.98	DFT	QPSK	Outer_Full	24.38
n41	30	30	2674.98	DFT	16QAM	Inner_Full	24.42
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	22.66
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	22.66
n41	30	30	2674.98	DFT	16QAM	Outer_Full	23.34

n41	30	30	2674.98	DFT	64QAM	Inner_Full	23.01
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	22.16
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	22.40
n41	30	30	2674.98	DFT	64QAM	Outer_Full	22.81
n41	30	30	2674.98	DFT	256QAM	Inner_Full	21.05
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	21.81
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	21.63
n41	30	30	2674.98	DFT	256QAM	Outer_Full	20.81
n41	30	30	2674.98	CP	QPSK	Inner_Full	23.96
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	22.52
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	22.65
n41	30	30	2674.98	CP	QPSK	Outer_Full	22.20
n41	30	30	2674.98	CP	16QAM	Inner_Full	23.36
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	22.56
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	22.49
n41	30	30	2674.98	CP	16QAM	Outer_Full	22.31
n41	30	30	2674.98	CP	64QAM	Inner_Full	21.80
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	22.75
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	22.51
n41	30	30	2674.98	CP	64QAM	Outer_Full	21.85
n41	30	30	2674.98	CP	256QAM	Inner_Full	18.90
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	19.68
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	19.66
n41	30	30	2674.98	CP	256QAM	Outer_Full	18.75
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	25.29
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.08
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.16
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	24.62
n41	40	30	2516.01	DFT	QPSK	Inner_Full	25.20
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	21.93
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	21.98
n41	40	30	2516.01	DFT	QPSK	Outer_Full	24.02
n41	40	30	2516.01	DFT	16QAM	Inner_Full	24.18
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	22.07
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	22.09
n41	40	30	2516.01	DFT	16QAM	Outer_Full	23.11
n41	40	30	2516.01	DFT	64QAM	Inner_Full	22.72
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.58
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	21.66
n41	40	30	2516.01	DFT	64QAM	Outer_Full	22.59
n41	40	30	2516.01	DFT	256QAM	Inner_Full	20.87

n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	21.09
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	21.04
n41	40	30	2516.01	DFT	256QAM	Outer_Full	20.55
n41	40	30	2516.01	CP	QPSK	Inner_Full	23.68
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	22.08
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	22.05
n41	40	30	2516.01	CP	QPSK	Outer_Full	22.15
n41	40	30	2516.01	CP	16QAM	Inner_Full	23.21
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	22.10
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	21.93
n41	40	30	2516.01	CP	16QAM	Outer_Full	22.13
n41	40	30	2516.01	CP	64QAM	Inner_Full	21.70
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	22.15
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	22.05
n41	40	30	2516.01	CP	64QAM	Outer_Full	21.70
n41	40	30	2516.01	CP	256QAM	Inner_Full	18.76
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	19.04
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	19.10
n41	40	30	2516.01	CP	256QAM	Outer_Full	18.57
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.35
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.82
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.99
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.61
n41	40	30	2592.99	DFT	QPSK	Inner_Full	25.46
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.80
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.92
n41	40	30	2592.99	DFT	QPSK	Outer_Full	24.13
n41	40	30	2592.99	DFT	16QAM	Inner_Full	24.19
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.83
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.04
n41	40	30	2592.99	DFT	16QAM	Outer_Full	23.21
n41	40	30	2592.99	DFT	64QAM	Inner_Full	22.85
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.59
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.81
n41	40	30	2592.99	DFT	64QAM	Outer_Full	22.59
n41	40	30	2592.99	DFT	256QAM	Inner_Full	20.85
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.97
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.27
n41	40	30	2592.99	DFT	256QAM	Outer_Full	20.67
n41	40	30	2592.99	CP	QPSK	Inner_Full	23.84
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	21.93

n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	22.09
n41	40	30	2592.99	CP	QPSK	Outer_Full	22.00
n41	40	30	2592.99	CP	16QAM	Inner_Full	23.23
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	21.78
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	22.00
n41	40	30	2592.99	CP	16QAM	Outer_Full	22.01
n41	40	30	2592.99	CP	64QAM	Inner_Full	21.82
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	21.92
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	22.10
n41	40	30	2592.99	CP	64QAM	Outer_Full	21.61
n41	40	30	2592.99	CP	256QAM	Inner_Full	18.75
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	19.02
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	19.17
n41	40	30	2592.99	CP	256QAM	Outer_Full	18.51
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	25.38
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.40
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	24.86
n41	40	30	2670	DFT	QPSK	Inner_Full	25.28
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	22.27
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	22.31
n41	40	30	2670	DFT	QPSK	Outer_Full	24.17
n41	40	30	2670	DFT	16QAM	Inner_Full	24.24
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.41
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.35
n41	40	30	2670	DFT	16QAM	Outer_Full	23.33
n41	40	30	2670	DFT	64QAM	Inner_Full	22.84
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	22.43
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	22.04
n41	40	30	2670	DFT	64QAM	Outer_Full	22.62
n41	40	30	2670	DFT	256QAM	Inner_Full	20.89
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	21.43
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	21.39
n41	40	30	2670	DFT	256QAM	Outer_Full	20.68
n41	40	30	2670	CP	QPSK	Inner_Full	23.83
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	22.35
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	22.25
n41	40	30	2670	CP	QPSK	Outer_Full	22.20
n41	40	30	2670	CP	16QAM	Inner_Full	23.26
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	22.28
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	22.19

n41	40	30	2670	CP	16QAM	Outer_Full	22.12
n41	40	30	2670	CP	64QAM	Inner_Full	21.68
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	22.31
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	22.35
n41	40	30	2670	CP	64QAM	Outer_Full	21.69
n41	40	30	2670	CP	256QAM	Inner_Full	18.79
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	19.48
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	19.36
n41	40	30	2670	CP	256QAM	Outer_Full	18.63
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	25.34
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.28
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	24.72
n41	50	30	2521.02	DFT	QPSK	Inner_Full	25.39
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	22.31
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	22.37
n41	50	30	2521.02	DFT	QPSK	Outer_Full	24.25
n41	50	30	2521.02	DFT	16QAM	Inner_Full	24.33
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	22.54
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	22.35
n41	50	30	2521.02	DFT	16QAM	Outer_Full	23.21
n41	50	30	2521.02	DFT	64QAM	Inner_Full	22.88
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	22.29
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	22.02
n41	50	30	2521.02	DFT	64QAM	Outer_Full	22.78
n41	50	30	2521.02	DFT	256QAM	Inner_Full	20.86
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	21.45
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	21.31
n41	50	30	2521.02	DFT	256QAM	Outer_Full	20.79
n41	50	30	2521.02	CP	QPSK	Inner_Full	23.91
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	22.51
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	22.47
n41	50	30	2521.02	CP	QPSK	Outer_Full	22.33
n41	50	30	2521.02	CP	16QAM	Inner_Full	23.33
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	22.04
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	22.08
n41	50	30	2521.02	CP	16QAM	Outer_Full	22.22
n41	50	30	2521.02	CP	64QAM	Inner_Full	21.62
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	22.31
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	22.33
n41	50	30	2521.02	CP	64QAM	Outer_Full	21.63

n41	50	30	2521.02	CP	256QAM	Inner_Full	18.89
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	19.35
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	19.31
n41	50	30	2521.02	CP	256QAM	Outer_Full	18.72
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.36
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.92
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.15
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.73
n41	50	30	2592.99	DFT	QPSK	Inner_Full	25.32
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.14
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.33
n41	50	30	2592.99	DFT	QPSK	Outer_Full	24.12
n41	50	30	2592.99	DFT	16QAM	Inner_Full	24.37
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.03
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.47
n41	50	30	2592.99	DFT	16QAM	Outer_Full	23.16
n41	50	30	2592.99	DFT	64QAM	Inner_Full	22.90
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.71
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.19
n41	50	30	2592.99	DFT	64QAM	Outer_Full	22.80
n41	50	30	2592.99	DFT	256QAM	Inner_Full	20.92
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.10
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.12
n41	50	30	2592.99	DFT	256QAM	Outer_Full	20.79
n41	50	30	2592.99	CP	QPSK	Inner_Full	24.00
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	22.05
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	22.33
n41	50	30	2592.99	CP	QPSK	Outer_Full	22.17
n41	50	30	2592.99	CP	16QAM	Inner_Full	23.92
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	21.74
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	21.99
n41	50	30	2592.99	CP	16QAM	Outer_Full	22.20
n41	50	30	2592.99	CP	64QAM	Inner_Full	21.86
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	21.84
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	22.10
n41	50	30	2592.99	CP	64QAM	Outer_Full	21.61
n41	50	30	2592.99	CP	256QAM	Inner_Full	18.87
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	19.03
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	19.29
n41	50	30	2592.99	CP	256QAM	Outer_Full	18.68
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	25.46

n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.37
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.54
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	24.82
n41	50	30	2664.99	DFT	QPSK	Inner_Full	25.38
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	22.38
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	22.48
n41	50	30	2664.99	DFT	QPSK	Outer_Full	24.31
n41	50	30	2664.99	DFT	16QAM	Inner_Full	24.41
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	22.18
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	22.69
n41	50	30	2664.99	DFT	16QAM	Outer_Full	23.34
n41	50	30	2664.99	DFT	64QAM	Inner_Full	22.92
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	22.39
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	22.53
n41	50	30	2664.99	DFT	64QAM	Outer_Full	22.85
n41	50	30	2664.99	DFT	256QAM	Inner_Full	20.81
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	21.57
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	21.55
n41	50	30	2664.99	DFT	256QAM	Outer_Full	20.94
n41	50	30	2664.99	CP	QPSK	Inner_Full	23.95
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	22.71
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	23.05
n41	50	30	2664.99	CP	QPSK	Outer_Full	22.36
n41	50	30	2664.99	CP	16QAM	Inner_Full	23.38
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	22.17
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	22.33
n41	50	30	2664.99	CP	16QAM	Outer_Full	22.38
n41	50	30	2664.99	CP	64QAM	Inner_Full	21.81
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	22.31
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	22.58
n41	50	30	2664.99	CP	64QAM	Outer_Full	21.83
n41	50	30	2664.99	CP	256QAM	Inner_Full	18.85
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	19.41
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	19.70
n41	50	30	2664.99	CP	256QAM	Outer_Full	18.68
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	25.20
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.16
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	21.87
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	24.54
n41	60	30	2526	DFT	QPSK	Inner_Full	25.17
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	22.23

n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	21.92
n41	60	30	2526	DFT	QPSK	Outer_Full	24.06
n41	60	30	2526	DFT	16QAM	Inner_Full	24.20
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	22.08
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	21.81
n41	60	30	2526	DFT	16QAM	Outer_Full	23.08
n41	60	30	2526	DFT	64QAM	Inner_Full	22.66
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	21.89
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.89
n41	60	30	2526	DFT	64QAM	Outer_Full	22.48
n41	60	30	2526	DFT	256QAM	Inner_Full	20.76
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	21.24
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	21.00
n41	60	30	2526	DFT	256QAM	Outer_Full	20.52
n41	60	30	2526	CP	QPSK	Inner_Full	23.74
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	22.22
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	22.15
n41	60	30	2526	CP	QPSK	Outer_Full	21.97
n41	60	30	2526	CP	16QAM	Inner_Full	23.29
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	22.05
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	21.78
n41	60	30	2526	CP	16QAM	Outer_Full	21.94
n41	60	30	2526	CP	64QAM	Inner_Full	21.45
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	22.08
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	22.01
n41	60	30	2526	CP	64QAM	Outer_Full	21.53
n41	60	30	2526	CP	256QAM	Inner_Full	18.71
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	19.32
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	19.08
n41	60	30	2526	CP	256QAM	Outer_Full	18.48
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.33
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.74
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.98
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.52
n41	60	30	2592.99	DFT	QPSK	Inner_Full	25.32
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.94
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.10
n41	60	30	2592.99	DFT	QPSK	Outer_Full	24.11
n41	60	30	2592.99	DFT	16QAM	Inner_Full	24.29
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.67
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.10

n41	60	30	2592.99	DFT	16QAM	Outer_Full	23.07
n41	60	30	2592.99	DFT	64QAM	Inner_Full	22.81
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.56
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.07
n41	60	30	2592.99	DFT	64QAM	Outer_Full	22.53
n41	60	30	2592.99	DFT	256QAM	Inner_Full	20.85
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.98
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.11
n41	60	30	2592.99	DFT	256QAM	Outer_Full	20.48
n41	60	30	2592.99	CP	QPSK	Inner_Full	23.83
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	22.21
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	22.15
n41	60	30	2592.99	CP	QPSK	Outer_Full	22.02
n41	60	30	2592.99	CP	16QAM	Inner_Full	23.23
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	21.64
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	22.05
n41	60	30	2592.99	CP	16QAM	Outer_Full	21.96
n41	60	30	2592.99	CP	64QAM	Inner_Full	21.77
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	21.70
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	22.02
n41	60	30	2592.99	CP	64QAM	Outer_Full	21.56
n41	60	30	2592.99	CP	256QAM	Inner_Full	18.72
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	18.89
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	19.22
n41	60	30	2592.99	CP	256QAM	Outer_Full	18.49
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	25.36
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.92
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.39
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	24.62
n41	60	30	2659.98	DFT	QPSK	Inner_Full	25.29
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	21.97
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	22.44
n41	60	30	2659.98	DFT	QPSK	Outer_Full	24.15
n41	60	30	2659.98	DFT	16QAM	Inner_Full	24.37
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	21.83
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	22.45
n41	60	30	2659.98	DFT	16QAM	Outer_Full	23.20
n41	60	30	2659.98	DFT	64QAM	Inner_Full	22.77
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	21.90
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	22.17
n41	60	30	2659.98	DFT	64QAM	Outer_Full	22.68

n41	60	30	2659.98	DFT	256QAM	Inner_Full	20.84
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	21.13
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	21.54
n41	60	30	2659.98	DFT	256QAM	Outer_Full	20.67
n41	60	30	2659.98	CP	QPSK	Inner_Full	23.82
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	22.31
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	22.78
n41	60	30	2659.98	CP	QPSK	Outer_Full	22.08
n41	60	30	2659.98	CP	16QAM	Inner_Full	23.24
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	21.79
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	22.25
n41	60	30	2659.98	CP	16QAM	Outer_Full	22.21
n41	60	30	2659.98	CP	64QAM	Inner_Full	21.74
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	21.90
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	22.53
n41	60	30	2659.98	CP	64QAM	Outer_Full	21.72
n41	60	30	2659.98	CP	256QAM	Inner_Full	18.81
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	19.17
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	19.59
n41	60	30	2659.98	CP	256QAM	Outer_Full	18.72
n41	70	30	2531.01	DFT	pi/2 BPSK	Inner_Full	25.34
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.15
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.97
n41	70	30	2531.01	DFT	pi/2 BPSK	Outer_Full	24.69
n41	70	30	2531.01	DFT	QPSK	Inner_Full	25.22
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Left	22.15
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Right	22.02
n41	70	30	2531.01	DFT	QPSK	Outer_Full	24.09
n41	70	30	2531.01	DFT	16QAM	Inner_Full	24.38
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Left	22.00
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Right	21.82
n41	70	30	2531.01	DFT	16QAM	Outer_Full	23.11
n41	70	30	2531.01	DFT	64QAM	Inner_Full	22.82
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Left	22.28
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Right	21.92
n41	70	30	2531.01	DFT	64QAM	Outer_Full	22.58
n41	70	30	2531.01	DFT	256QAM	Inner_Full	20.84
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Left	21.33
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Right	21.07
n41	70	30	2531.01	DFT	256QAM	Outer_Full	20.59
n41	70	30	2531.01	CP	QPSK	Inner_Full	23.80

n41	70	30	2531.01	CP	QPSK	Edge_1RB_Left	22.44
n41	70	30	2531.01	CP	QPSK	Edge_1RB_Right	22.04
n41	70	30	2531.01	CP	QPSK	Outer_Full	22.06
n41	70	30	2531.01	CP	16QAM	Inner_Full	23.34
n41	70	30	2531.01	CP	16QAM	Edge_1RB_Left	22.02
n41	70	30	2531.01	CP	16QAM	Edge_1RB_Right	21.77
n41	70	30	2531.01	CP	16QAM	Outer_Full	22.08
n41	70	30	2531.01	CP	64QAM	Inner_Full	21.71
n41	70	30	2531.01	CP	64QAM	Edge_1RB_Left	21.93
n41	70	30	2531.01	CP	64QAM	Edge_1RB_Right	21.96
n41	70	30	2531.01	CP	64QAM	Outer_Full	21.67
n41	70	30	2531.01	CP	256QAM	Inner_Full	18.76
n41	70	30	2531.01	CP	256QAM	Edge_1RB_Left	19.22
n41	70	30	2531.01	CP	256QAM	Edge_1RB_Right	19.01
n41	70	30	2531.01	CP	256QAM	Outer_Full	18.61
n41	70	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.39
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.93
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.02
n41	70	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.60
n41	70	30	2592.99	DFT	QPSK	Inner_Full	25.33
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.86
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.11
n41	70	30	2592.99	DFT	QPSK	Outer_Full	24.18
n41	70	30	2592.99	DFT	16QAM	Inner_Full	24.27
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.85
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.97
n41	70	30	2592.99	DFT	16QAM	Outer_Full	23.13
n41	70	30	2592.99	DFT	64QAM	Inner_Full	22.89
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.50
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.17
n41	70	30	2592.99	DFT	64QAM	Outer_Full	22.69
n41	70	30	2592.99	DFT	256QAM	Inner_Full	20.87
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.07
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.16
n41	70	30	2592.99	DFT	256QAM	Outer_Full	20.59
n41	70	30	2592.99	CP	QPSK	Inner_Full	23.91
n41	70	30	2592.99	CP	QPSK	Edge_1RB_Left	21.74
n41	70	30	2592.99	CP	QPSK	Edge_1RB_Right	21.93
n41	70	30	2592.99	CP	QPSK	Outer_Full	22.05
n41	70	30	2592.99	CP	16QAM	Inner_Full	23.35
n41	70	30	2592.99	CP	16QAM	Edge_1RB_Left	21.81

n41	70	30	2592.99	CP	16QAM	Edge_1RB_Right	22.03
n41	70	30	2592.99	CP	16QAM	Outer_Full	22.01
n41	70	30	2592.99	CP	64QAM	Inner_Full	21.77
n41	70	30	2592.99	CP	64QAM	Edge_1RB_Left	21.69
n41	70	30	2592.99	CP	64QAM	Edge_1RB_Right	22.14
n41	70	30	2592.99	CP	64QAM	Outer_Full	21.69
n41	70	30	2592.99	CP	256QAM	Inner_Full	18.90
n41	70	30	2592.99	CP	256QAM	Edge_1RB_Left	19.14
n41	70	30	2592.99	CP	256QAM	Edge_1RB_Right	19.28
n41	70	30	2592.99	CP	256QAM	Outer_Full	18.63
n41	70	30	2655	DFT	pi/2 BPSK	Inner_Full	25.27
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Left	21.98
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Right	22.42
n41	70	30	2655	DFT	pi/2 BPSK	Outer_Full	24.63
n41	70	30	2655	DFT	QPSK	Inner_Full	25.26
n41	70	30	2655	DFT	QPSK	Edge_1RB_Left	21.95
n41	70	30	2655	DFT	QPSK	Edge_1RB_Right	22.35
n41	70	30	2655	DFT	QPSK	Outer_Full	24.24
n41	70	30	2655	DFT	16QAM	Inner_Full	24.22
n41	70	30	2655	DFT	16QAM	Edge_1RB_Left	21.97
n41	70	30	2655	DFT	16QAM	Edge_1RB_Right	22.57
n41	70	30	2655	DFT	16QAM	Outer_Full	23.18
n41	70	30	2655	DFT	64QAM	Inner_Full	22.90
n41	70	30	2655	DFT	64QAM	Edge_1RB_Left	21.89
n41	70	30	2655	DFT	64QAM	Edge_1RB_Right	22.43
n41	70	30	2655	DFT	64QAM	Outer_Full	22.75
n41	70	30	2655	DFT	256QAM	Inner_Full	20.84
n41	70	30	2655	DFT	256QAM	Edge_1RB_Left	21.26
n41	70	30	2655	DFT	256QAM	Edge_1RB_Right	21.47
n41	70	30	2655	DFT	256QAM	Outer_Full	20.71
n41	70	30	2655	CP	QPSK	Inner_Full	23.83
n41	70	30	2655	CP	QPSK	Edge_1RB_Left	22.13
n41	70	30	2655	CP	QPSK	Edge_1RB_Right	22.53
n41	70	30	2655	CP	QPSK	Outer_Full	22.20
n41	70	30	2655	CP	16QAM	Inner_Full	23.33
n41	70	30	2655	CP	16QAM	Edge_1RB_Left	21.93
n41	70	30	2655	CP	16QAM	Edge_1RB_Right	22.31
n41	70	30	2655	CP	16QAM	Outer_Full	22.06
n41	70	30	2655	CP	64QAM	Inner_Full	21.79
n41	70	30	2655	CP	64QAM	Edge_1RB_Left	22.18
n41	70	30	2655	CP	64QAM	Edge_1RB_Right	22.44

n41	70	30	2655	CP	64QAM	Outer_Full	21.74
n41	70	30	2655	CP	256QAM	Inner_Full	18.91
n41	70	30	2655	CP	256QAM	Edge_1RB_Left	19.15
n41	70	30	2655	CP	256QAM	Edge_1RB_Right	19.42
n41	70	30	2655	CP	256QAM	Outer_Full	18.66
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	25.17
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.02
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.07
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	24.40
n41	80	30	2536.02	DFT	QPSK	Inner_Full	25.13
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	22.14
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	22.01
n41	80	30	2536.02	DFT	QPSK	Outer_Full	23.94
n41	80	30	2536.02	DFT	16QAM	Inner_Full	24.15
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	22.02
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	21.90
n41	80	30	2536.02	DFT	16QAM	Outer_Full	22.96
n41	80	30	2536.02	DFT	64QAM	Inner_Full	22.66
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	22.06
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	22.18
n41	80	30	2536.02	DFT	64QAM	Outer_Full	22.54
n41	80	30	2536.02	DFT	256QAM	Inner_Full	20.70
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	21.19
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	21.21
n41	80	30	2536.02	DFT	256QAM	Outer_Full	20.40
n41	80	30	2536.02	CP	QPSK	Inner_Full	23.68
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	22.35
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	22.13
n41	80	30	2536.02	CP	QPSK	Outer_Full	22.02
n41	80	30	2536.02	CP	16QAM	Inner_Full	23.09
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	22.00
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	22.02
n41	80	30	2536.02	CP	16QAM	Outer_Full	21.91
n41	80	30	2536.02	CP	64QAM	Inner_Full	21.62
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	22.10
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	22.20
n41	80	30	2536.02	CP	64QAM	Outer_Full	21.51
n41	80	30	2536.02	CP	256QAM	Inner_Full	18.63
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	19.40
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	19.33
n41	80	30	2536.02	CP	256QAM	Outer_Full	18.49

n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.34
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.94
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.07
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.62
n41	80	30	2592.99	DFT	QPSK	Inner_Full	25.34
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.00
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.20
n41	80	30	2592.99	DFT	QPSK	Outer_Full	24.01
n41	80	30	2592.99	DFT	16QAM	Inner_Full	24.24
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.75
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.91
n41	80	30	2592.99	DFT	16QAM	Outer_Full	23.10
n41	80	30	2592.99	DFT	64QAM	Inner_Full	22.94
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.86
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.13
n41	80	30	2592.99	DFT	64QAM	Outer_Full	22.56
n41	80	30	2592.99	DFT	256QAM	Inner_Full	20.85
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.95
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.16
n41	80	30	2592.99	DFT	256QAM	Outer_Full	20.56
n41	80	30	2592.99	CP	QPSK	Inner_Full	23.84
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	21.89
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	22.16
n41	80	30	2592.99	CP	QPSK	Outer_Full	22.05
n41	80	30	2592.99	CP	16QAM	Inner_Full	23.31
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	21.71
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	21.89
n41	80	30	2592.99	CP	16QAM	Outer_Full	22.13
n41	80	30	2592.99	CP	64QAM	Inner_Full	21.77
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	21.85
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	22.30
n41	80	30	2592.99	CP	64QAM	Outer_Full	21.61
n41	80	30	2592.99	CP	256QAM	Inner_Full	18.83
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	19.01
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	19.22
n41	80	30	2592.99	CP	256QAM	Outer_Full	18.51
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	25.34
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.08
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.40
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	24.65
n41	80	30	2649.99	DFT	QPSK	Inner_Full	25.34

n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	22.05
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	22.35
n41	80	30	2649.99	DFT	QPSK	Outer_Full	24.23
n41	80	30	2649.99	DFT	16QAM	Inner_Full	24.36
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	22.02
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	22.27
n41	80	30	2649.99	DFT	16QAM	Outer_Full	23.22
n41	80	30	2649.99	DFT	64QAM	Inner_Full	22.93
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	21.99
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	22.16
n41	80	30	2649.99	DFT	64QAM	Outer_Full	22.80
n41	80	30	2649.99	DFT	256QAM	Inner_Full	20.70
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	21.21
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	21.42
n41	80	30	2649.99	DFT	256QAM	Outer_Full	20.70
n41	80	30	2649.99	CP	QPSK	Inner_Full	23.86
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	22.25
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	22.48
n41	80	30	2649.99	CP	QPSK	Outer_Full	22.12
n41	80	30	2649.99	CP	16QAM	Inner_Full	23.29
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	21.84
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	22.12
n41	80	30	2649.99	CP	16QAM	Outer_Full	22.12
n41	80	30	2649.99	CP	64QAM	Inner_Full	21.87
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	21.76
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	22.41
n41	80	30	2649.99	CP	64QAM	Outer_Full	21.70
n41	80	30	2649.99	CP	256QAM	Inner_Full	18.89
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	19.40
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	19.43
n41	80	30	2649.99	CP	256QAM	Outer_Full	18.61
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	25.20
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.04
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.39
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	24.57
n41	90	30	2541	DFT	QPSK	Inner_Full	25.17
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	22.09
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	22.43
n41	90	30	2541	DFT	QPSK	Outer_Full	23.98
n41	90	30	2541	DFT	16QAM	Inner_Full	24.20
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	22.04

n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	22.61
n41	90	30	2541	DFT	16QAM	Outer_Full	22.99
n41	90	30	2541	DFT	64QAM	Inner_Full	22.74
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	22.08
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	22.36
n41	90	30	2541	DFT	64QAM	Outer_Full	22.51
n41	90	30	2541	DFT	256QAM	Inner_Full	20.65
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	20.92
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	21.40
n41	90	30	2541	DFT	256QAM	Outer_Full	20.52
n41	90	30	2541	CP	QPSK	Inner_Full	23.63
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	22.11
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	22.62
n41	90	30	2541	CP	QPSK	Outer_Full	22.03
n41	90	30	2541	CP	16QAM	Inner_Full	23.20
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	21.95
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	22.33
n41	90	30	2541	CP	16QAM	Outer_Full	21.99
n41	90	30	2541	CP	64QAM	Inner_Full	21.57
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	22.04
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	22.26
n41	90	30	2541	CP	64QAM	Outer_Full	21.52
n41	90	30	2541	CP	256QAM	Inner_Full	18.64
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	19.14
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	19.51
n41	90	30	2541	CP	256QAM	Outer_Full	18.51
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.35
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.89
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.02
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.58
n41	90	30	2592.99	DFT	QPSK	Inner_Full	25.36
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.85
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.12
n41	90	30	2592.99	DFT	QPSK	Outer_Full	24.05
n41	90	30	2592.99	DFT	16QAM	Inner_Full	24.30
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.82
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.08
n41	90	30	2592.99	DFT	16QAM	Outer_Full	23.05
n41	90	30	2592.99	DFT	64QAM	Inner_Full	22.82
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.61
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.07

n41	90	30	2592.99	DFT	64QAM	Outer_Full	22.57
n41	90	30	2592.99	DFT	256QAM	Inner_Full	20.84
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.99
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.13
n41	90	30	2592.99	DFT	256QAM	Outer_Full	20.55
n41	90	30	2592.99	CP	QPSK	Inner_Full	23.88
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	21.99
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	22.14
n41	90	30	2592.99	CP	QPSK	Outer_Full	21.98
n41	90	30	2592.99	CP	16QAM	Inner_Full	23.25
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	21.69
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	21.86
n41	90	30	2592.99	CP	16QAM	Outer_Full	22.07
n41	90	30	2592.99	CP	64QAM	Inner_Full	21.76
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	21.75
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	22.09
n41	90	30	2592.99	CP	64QAM	Outer_Full	21.54
n41	90	30	2592.99	CP	256QAM	Inner_Full	18.79
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	19.10
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	19.06
n41	90	30	2592.99	CP	256QAM	Outer_Full	18.44
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	25.37
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.17
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	24.75
n41	90	30	2644.98	DFT	QPSK	Inner_Full	25.44
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	22.12
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	22.36
n41	90	30	2644.98	DFT	QPSK	Outer_Full	24.29
n41	90	30	2644.98	DFT	16QAM	Inner_Full	24.46
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	22.04
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	22.31
n41	90	30	2644.98	DFT	16QAM	Outer_Full	23.40
n41	90	30	2644.98	DFT	64QAM	Inner_Full	22.87
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	22.10
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	21.97
n41	90	30	2644.98	DFT	64QAM	Outer_Full	22.83
n41	90	30	2644.98	DFT	256QAM	Inner_Full	20.94
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	21.15
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	21.34
n41	90	30	2644.98	DFT	256QAM	Outer_Full	20.82

n41	90	30	2644.98	CP	QPSK	Inner_Full	23.94
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	22.19
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	22.47
n41	90	30	2644.98	CP	QPSK	Outer_Full	22.26
n41	90	30	2644.98	CP	16QAM	Inner_Full	23.31
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	21.96
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	22.13
n41	90	30	2644.98	CP	16QAM	Outer_Full	22.29
n41	90	30	2644.98	CP	64QAM	Inner_Full	21.75
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	22.05
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	22.27
n41	90	30	2644.98	CP	64QAM	Outer_Full	21.79
n41	90	30	2644.98	CP	256QAM	Inner_Full	18.88
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	19.27
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	19.29
n41	90	30	2644.98	CP	256QAM	Outer_Full	18.77
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	25.08
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.83
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.21
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	24.41
n41	100	30	2546.01	DFT	QPSK	Inner_Full	25.02
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.96
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	22.29
n41	100	30	2546.01	DFT	QPSK	Outer_Full	23.95
n41	100	30	2546.01	DFT	16QAM	Inner_Full	24.02
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.86
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	22.30
n41	100	30	2546.01	DFT	16QAM	Outer_Full	22.94
n41	100	30	2546.01	DFT	64QAM	Inner_Full	22.52
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	22.03
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	22.35
n41	100	30	2546.01	DFT	64QAM	Outer_Full	22.48
n41	100	30	2546.01	DFT	256QAM	Inner_Full	20.44
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	20.99
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	21.39
n41	100	30	2546.01	DFT	256QAM	Outer_Full	20.37
n41	100	30	2546.01	CP	QPSK	Inner_Full	23.53
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	22.13
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	22.39
n41	100	30	2546.01	CP	QPSK	Outer_Full	21.92
n41	100	30	2546.01	CP	16QAM	Inner_Full	22.98

n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.75
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	22.18
n41	100	30	2546.01	CP	16QAM	Outer_Full	21.76
n41	100	30	2546.01	CP	64QAM	Inner_Full	21.50
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	21.93
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	22.36
n41	100	30	2546.01	CP	64QAM	Outer_Full	21.47
n41	100	30	2546.01	CP	256QAM	Inner_Full	18.55
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	19.07
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	19.49
n41	100	30	2546.01	CP	256QAM	Outer_Full	18.40
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.54
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.01
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.27
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.65
n41	100	30	2592.99	DFT	QPSK	Inner_Full	25.38
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.90
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.16
n41	100	30	2592.99	DFT	QPSK	Outer_Full	24.14
n41	100	30	2592.99	DFT	16QAM	Inner_Full	24.50
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.64
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.03
n41	100	30	2592.99	DFT	16QAM	Outer_Full	23.25
n41	100	30	2592.99	DFT	64QAM	Inner_Full	22.94
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.77
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.99
n41	100	30	2592.99	DFT	64QAM	Outer_Full	22.62
n41	100	30	2592.99	DFT	256QAM	Inner_Full	20.97
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.03
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.19
n41	100	30	2592.99	DFT	256QAM	Outer_Full	20.60
n41	100	30	2592.99	CP	QPSK	Inner_Full	23.92
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	21.84
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	22.13
n41	100	30	2592.99	CP	QPSK	Outer_Full	22.06
n41	100	30	2592.99	CP	16QAM	Inner_Full	23.48
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	21.74
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	22.37
n41	100	30	2592.99	CP	16QAM	Outer_Full	22.13
n41	100	30	2592.99	CP	64QAM	Inner_Full	21.89
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	21.88

n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	22.35
n41	100	30	2592.99	CP	64QAM	Outer_Full	21.61
n41	100	30	2592.99	CP	256QAM	Inner_Full	18.89
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	18.96
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	19.11
n41	100	30	2592.99	CP	256QAM	Outer_Full	18.66
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	25.24
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	22.25
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	22.08
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	24.77
n41	100	30	2640	DFT	QPSK	Inner_Full	25.26
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	22.26
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	22.19
n41	100	30	2640	DFT	QPSK	Outer_Full	24.26
n41	100	30	2640	DFT	16QAM	Inner_Full	24.38
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	22.02
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	22.20
n41	100	30	2640	DFT	16QAM	Outer_Full	23.35
n41	100	30	2640	DFT	64QAM	Inner_Full	22.73
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	22.04
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	22.18
n41	100	30	2640	DFT	64QAM	Outer_Full	22.73
n41	100	30	2640	DFT	256QAM	Inner_Full	20.84
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	21.19
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	21.26
n41	100	30	2640	DFT	256QAM	Outer_Full	20.71
n41	100	30	2640	CP	QPSK	Inner_Full	23.84
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	22.10
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	22.47
n41	100	30	2640	CP	QPSK	Outer_Full	22.24
n41	100	30	2640	CP	16QAM	Inner_Full	23.24
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	22.04
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	22.21
n41	100	30	2640	CP	16QAM	Outer_Full	22.26
n41	100	30	2640	CP	64QAM	Inner_Full	21.71
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	22.19
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	22.21
n41	100	30	2640	CP	64QAM	Outer_Full	21.83
n41	100	30	2640	CP	256QAM	Inner_Full	18.75
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	19.41
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	19.21



n41	100	30	2640	CP	256QAM	Outer_Full	18.73
-----	-----	----	------	----	--------	------------	-------

n66

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	22.02
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.51
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.47
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	21.49
n66	5	15	1712.5	DFT	QPSK	Inner_Full	22.03
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	20.88
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	20.91
n66	5	15	1712.5	DFT	QPSK	Outer_Full	21.11
n66	5	15	1712.5	DFT	16QAM	Inner_Full	21.10
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	19.95
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	20.16
n66	5	15	1712.5	DFT	16QAM	Outer_Full	19.91
n66	5	15	1712.5	DFT	64QAM	Inner_Full	19.70
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20.00
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	19.63
n66	5	15	1712.5	DFT	64QAM	Outer_Full	19.58
n66	5	15	1712.5	DFT	256QAM	Inner_Full	17.51
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	17.66
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	17.71
n66	5	15	1712.5	DFT	256QAM	Outer_Full	17.56
n66	5	15	1712.5	CP	QPSK	Inner_Full	20.44
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	19.19
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	19.14
n66	5	15	1712.5	CP	QPSK	Outer_Full	19.07
n66	5	15	1712.5	CP	16QAM	Inner_Full	19.93
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	19.11
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	19.03
n66	5	15	1712.5	CP	16QAM	Outer_Full	19.05
n66	5	15	1712.5	CP	64QAM	Inner_Full	18.79
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	18.44
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	18.46
n66	5	15	1712.5	CP	64QAM	Outer_Full	18.73
n66	5	15	1712.5	CP	256QAM	Inner_Full	15.64
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	15.60
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	15.61
n66	5	15	1712.5	CP	256QAM	Outer_Full	15.66
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	22.08
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.52
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.58

n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	21.53
n66	5	15	1745	DFT	QPSK	Inner_Full	22.04
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	20.96
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	20.89
n66	5	15	1745	DFT	QPSK	Outer_Full	21.08
n66	5	15	1745	DFT	16QAM	Inner_Full	21.06
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	19.94
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	20.19
n66	5	15	1745	DFT	16QAM	Outer_Full	20.08
n66	5	15	1745	DFT	64QAM	Inner_Full	19.85
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	19.86
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	19.76
n66	5	15	1745	DFT	64QAM	Outer_Full	19.60
n66	5	15	1745	DFT	256QAM	Inner_Full	17.61
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	17.73
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	17.75
n66	5	15	1745	DFT	256QAM	Outer_Full	17.64
n66	5	15	1745	CP	QPSK	Inner_Full	20.50
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	19.29
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	19.28
n66	5	15	1745	CP	QPSK	Outer_Full	19.21
n66	5	15	1745	CP	16QAM	Inner_Full	19.99
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	19.45
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	19.11
n66	5	15	1745	CP	16QAM	Outer_Full	19.00
n66	5	15	1745	CP	64QAM	Inner_Full	18.62
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	18.51
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	18.47
n66	5	15	1745	CP	64QAM	Outer_Full	18.85
n66	5	15	1745	CP	256QAM	Inner_Full	15.66
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	15.71
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	15.61
n66	5	15	1745	CP	256QAM	Outer_Full	15.59
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	22.23
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.76
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.76
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	21.84
n66	5	15	1777.5	DFT	QPSK	Inner_Full	22.31
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	21.13
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	21.23
n66	5	15	1777.5	DFT	QPSK	Outer_Full	21.39

n66	5	15	1777.5	DFT	16QAM	Inner_Full	21.41
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	20.30
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	20.38
n66	5	15	1777.5	DFT	16QAM	Outer_Full	20.40
n66	5	15	1777.5	DFT	64QAM	Inner_Full	20.02
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	20.05
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	20.15
n66	5	15	1777.5	DFT	64QAM	Outer_Full	19.97
n66	5	15	1777.5	DFT	256QAM	Inner_Full	17.90
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	17.97
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	18.01
n66	5	15	1777.5	DFT	256QAM	Outer_Full	17.89
n66	5	15	1777.5	CP	QPSK	Inner_Full	20.84
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	19.47
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	19.40
n66	5	15	1777.5	CP	QPSK	Outer_Full	19.54
n66	5	15	1777.5	CP	16QAM	Inner_Full	20.31
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	19.35
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	19.55
n66	5	15	1777.5	CP	16QAM	Outer_Full	19.43
n66	5	15	1777.5	CP	64QAM	Inner_Full	19.00
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	18.82
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	18.89
n66	5	15	1777.5	CP	64QAM	Outer_Full	19.18
n66	5	15	1777.5	CP	256QAM	Inner_Full	15.89
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	15.88
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	15.90
n66	5	15	1777.5	CP	256QAM	Outer_Full	15.84
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	22.03
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	21.40
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	21.45
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	21.41
n66	10	15	1715	DFT	QPSK	Inner_Full	21.96
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	20.80
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	21.16
n66	10	15	1715	DFT	QPSK	Outer_Full	20.99
n66	10	15	1715	DFT	16QAM	Inner_Full	20.92
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	19.90
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	20.08
n66	10	15	1715	DFT	16QAM	Outer_Full	20.09
n66	10	15	1715	DFT	64QAM	Inner_Full	19.66

n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	19.60
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	19.71
n66	10	15	1715	DFT	64QAM	Outer_Full	19.69
n66	10	15	1715	DFT	256QAM	Inner_Full	17.60
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	17.52
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	17.61
n66	10	15	1715	DFT	256QAM	Outer_Full	17.55
n66	10	15	1715	CP	QPSK	Inner_Full	20.46
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	19.04
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	19.20
n66	10	15	1715	CP	QPSK	Outer_Full	19.09
n66	10	15	1715	CP	16QAM	Inner_Full	19.89
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	19.05
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	19.24
n66	10	15	1715	CP	16QAM	Outer_Full	19.16
n66	10	15	1715	CP	64QAM	Inner_Full	18.58
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	18.45
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	18.61
n66	10	15	1715	CP	64QAM	Outer_Full	18.77
n66	10	15	1715	CP	256QAM	Inner_Full	15.50
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	15.52
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	15.58
n66	10	15	1715	CP	256QAM	Outer_Full	15.67
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	21.92
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.23
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.34
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	21.34
n66	10	15	1745	DFT	QPSK	Inner_Full	21.89
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	20.71
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	20.80
n66	10	15	1745	DFT	QPSK	Outer_Full	20.94
n66	10	15	1745	DFT	16QAM	Inner_Full	20.84
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	19.80
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	19.79
n66	10	15	1745	DFT	16QAM	Outer_Full	20.04
n66	10	15	1745	DFT	64QAM	Inner_Full	19.42
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	19.55
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	19.44
n66	10	15	1745	DFT	64QAM	Outer_Full	19.63
n66	10	15	1745	DFT	256QAM	Inner_Full	17.43
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	17.45

n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	17.46
n66	10	15	1745	DFT	256QAM	Outer_Full	17.36
n66	10	15	1745	CP	QPSK	Inner_Full	20.46
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	19.03
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	19.03
n66	10	15	1745	CP	QPSK	Outer_Full	18.94
n66	10	15	1745	CP	16QAM	Inner_Full	19.87
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	18.81
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	19.06
n66	10	15	1745	CP	16QAM	Outer_Full	19.13
n66	10	15	1745	CP	64QAM	Inner_Full	18.56
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	18.40
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	18.48
n66	10	15	1745	CP	64QAM	Outer_Full	18.71
n66	10	15	1745	CP	256QAM	Inner_Full	15.37
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	15.42
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	15.85
n66	10	15	1745	CP	256QAM	Outer_Full	15.63
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	22.22
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	21.37
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	21.59
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	21.56
n66	10	15	1775	DFT	QPSK	Inner_Full	22.27
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	20.89
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	21.18
n66	10	15	1775	DFT	QPSK	Outer_Full	21.20
n66	10	15	1775	DFT	16QAM	Inner_Full	21.22
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	19.99
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	20.22
n66	10	15	1775	DFT	16QAM	Outer_Full	20.30
n66	10	15	1775	DFT	64QAM	Inner_Full	19.71
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	19.77
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	20.02
n66	10	15	1775	DFT	64QAM	Outer_Full	19.96
n66	10	15	1775	DFT	256QAM	Inner_Full	17.79
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	17.63
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	17.92
n66	10	15	1775	DFT	256QAM	Outer_Full	17.82
n66	10	15	1775	CP	QPSK	Inner_Full	20.59
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	19.12
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	19.37

n66	10	15	1775	CP	QPSK	Outer_Full	19.28
n66	10	15	1775	CP	16QAM	Inner_Full	20.16
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	19.23
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	19.49
n66	10	15	1775	CP	16QAM	Outer_Full	19.41
n66	10	15	1775	CP	64QAM	Inner_Full	18.83
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	18.53
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	18.85
n66	10	15	1775	CP	64QAM	Outer_Full	18.97
n66	10	15	1775	CP	256QAM	Inner_Full	15.59
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	15.58
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	15.86
n66	10	15	1775	CP	256QAM	Outer_Full	15.77
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	22.09
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.46
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.42
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	21.56
n66	15	15	1717.5	DFT	QPSK	Inner_Full	22.22
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	20.93
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	20.94
n66	15	15	1717.5	DFT	QPSK	Outer_Full	21.11
n66	15	15	1717.5	DFT	16QAM	Inner_Full	21.17
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	19.97
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	19.97
n66	15	15	1717.5	DFT	16QAM	Outer_Full	20.20
n66	15	15	1717.5	DFT	64QAM	Inner_Full	19.70
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	19.74
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	19.78
n66	15	15	1717.5	DFT	64QAM	Outer_Full	19.78
n66	15	15	1717.5	DFT	256QAM	Inner_Full	17.67
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	17.58
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	17.73
n66	15	15	1717.5	DFT	256QAM	Outer_Full	17.68
n66	15	15	1717.5	CP	QPSK	Inner_Full	20.52
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	19.12
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	19.05
n66	15	15	1717.5	CP	QPSK	Outer_Full	19.21
n66	15	15	1717.5	CP	16QAM	Inner_Full	20.09
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	19.21
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	19.18
n66	15	15	1717.5	CP	16QAM	Outer_Full	19.27

n66	15	15	1717.5	CP	64QAM	Inner_Full	18.78
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	18.58
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	18.48
n66	15	15	1717.5	CP	64QAM	Outer_Full	18.85
n66	15	15	1717.5	CP	256QAM	Inner_Full	15.59
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	15.57
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	15.45
n66	15	15	1717.5	CP	256QAM	Outer_Full	15.82
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	22.11
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.35
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.39
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	21.54
n66	15	15	1745	DFT	QPSK	Inner_Full	22.11
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	20.93
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	21.02
n66	15	15	1745	DFT	QPSK	Outer_Full	21.18
n66	15	15	1745	DFT	16QAM	Inner_Full	21.12
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	20.02
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	19.97
n66	15	15	1745	DFT	16QAM	Outer_Full	20.20
n66	15	15	1745	DFT	64QAM	Inner_Full	19.76
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	19.75
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	19.77
n66	15	15	1745	DFT	64QAM	Outer_Full	19.78
n66	15	15	1745	DFT	256QAM	Inner_Full	17.67
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	17.72
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	17.70
n66	15	15	1745	DFT	256QAM	Outer_Full	17.68
n66	15	15	1745	CP	QPSK	Inner_Full	20.51
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	19.10
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	19.13
n66	15	15	1745	CP	QPSK	Outer_Full	19.23
n66	15	15	1745	CP	16QAM	Inner_Full	20.12
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	19.17
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	19.06
n66	15	15	1745	CP	16QAM	Outer_Full	19.30
n66	15	15	1745	CP	64QAM	Inner_Full	18.75
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	18.55
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	18.50
n66	15	15	1745	CP	64QAM	Outer_Full	18.80
n66	15	15	1745	CP	256QAM	Inner_Full	15.65

n66	15	15	1745	CP	256QAM	Edge_1RB_Left	15.28
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	15.97
n66	15	15	1745	CP	256QAM	Outer_Full	15.78
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	22.14
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.31
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.70
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	21.53
n66	15	15	1772.5	DFT	QPSK	Inner_Full	22.24
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	20.80
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	21.13
n66	15	15	1772.5	DFT	QPSK	Outer_Full	21.28
n66	15	15	1772.5	DFT	16QAM	Inner_Full	21.25
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	19.91
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	20.27
n66	15	15	1772.5	DFT	16QAM	Outer_Full	20.30
n66	15	15	1772.5	DFT	64QAM	Inner_Full	19.87
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	19.67
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	20.11
n66	15	15	1772.5	DFT	64QAM	Outer_Full	19.87
n66	15	15	1772.5	DFT	256QAM	Inner_Full	17.78
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	17.51
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	18.11
n66	15	15	1772.5	DFT	256QAM	Outer_Full	17.89
n66	15	15	1772.5	CP	QPSK	Inner_Full	20.68
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	19.10
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	19.35
n66	15	15	1772.5	CP	QPSK	Outer_Full	19.27
n66	15	15	1772.5	CP	16QAM	Inner_Full	20.19
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	19.09
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	19.37
n66	15	15	1772.5	CP	16QAM	Outer_Full	19.45
n66	15	15	1772.5	CP	64QAM	Inner_Full	18.78
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	18.49
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	18.79
n66	15	15	1772.5	CP	64QAM	Outer_Full	19.00
n66	15	15	1772.5	CP	256QAM	Inner_Full	15.72
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	15.49
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	15.77
n66	15	15	1772.5	CP	256QAM	Outer_Full	15.80
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	22.10
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	21.32

n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	21.50
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	21.57
n66	20	15	1720	DFT	QPSK	Inner_Full	22.12
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	20.93
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	20.90
n66	20	15	1720	DFT	QPSK	Outer_Full	21.12
n66	20	15	1720	DFT	16QAM	Inner_Full	21.23
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	20.00
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	19.91
n66	20	15	1720	DFT	16QAM	Outer_Full	20.24
n66	20	15	1720	DFT	64QAM	Inner_Full	21.15
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	19.66
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	19.95
n66	20	15	1720	DFT	64QAM	Outer_Full	19.75
n66	20	15	1720	DFT	256QAM	Inner_Full	17.69
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	17.56
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	17.64
n66	20	15	1720	DFT	256QAM	Outer_Full	17.67
n66	20	15	1720	CP	QPSK	Inner_Full	20.56
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	19.12
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	18.81
n66	20	15	1720	CP	QPSK	Outer_Full	19.27
n66	20	15	1720	CP	16QAM	Inner_Full	20.06
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	19.05
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	19.08
n66	20	15	1720	CP	16QAM	Outer_Full	19.28
n66	20	15	1720	CP	64QAM	Inner_Full	18.72
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	18.99
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	18.39
n66	20	15	1720	CP	64QAM	Outer_Full	18.86
n66	20	15	1720	CP	256QAM	Inner_Full	15.58
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	15.52
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	15.44
n66	20	15	1720	CP	256QAM	Outer_Full	15.67
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	22.14
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.30
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.24
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	21.78
n66	20	15	1745	DFT	QPSK	Inner_Full	22.18
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	20.93
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	20.92

n66	20	15	1745	DFT	QPSK	Outer_Full	21.22
n66	20	15	1745	DFT	16QAM	Inner_Full	21.12
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	19.97
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	19.95
n66	20	15	1745	DFT	16QAM	Outer_Full	20.11
n66	20	15	1745	DFT	64QAM	Inner_Full	21.11
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	19.72
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	19.61
n66	20	15	1745	DFT	64QAM	Outer_Full	19.81
n66	20	15	1745	DFT	256QAM	Inner_Full	17.70
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	17.67
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	17.65
n66	20	15	1745	DFT	256QAM	Outer_Full	17.89
n66	20	15	1745	CP	QPSK	Inner_Full	20.61
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	19.13
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	19.07
n66	20	15	1745	CP	QPSK	Outer_Full	19.20
n66	20	15	1745	CP	16QAM	Inner_Full	20.13
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	19.11
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	19.11
n66	20	15	1745	CP	16QAM	Outer_Full	19.24
n66	20	15	1745	CP	64QAM	Inner_Full	18.71
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	18.52
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	18.40
n66	20	15	1745	CP	64QAM	Outer_Full	18.83
n66	20	15	1745	CP	256QAM	Inner_Full	15.57
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	15.88
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	15.50
n66	20	15	1745	CP	256QAM	Outer_Full	15.76
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	22.23
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	21.23
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	21.67
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	21.75
n66	20	15	1770	DFT	QPSK	Inner_Full	22.23
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	20.85
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	21.29
n66	20	15	1770	DFT	QPSK	Outer_Full	21.27
n66	20	15	1770	DFT	16QAM	Inner_Full	21.30
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	19.89
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	20.19
n66	20	15	1770	DFT	16QAM	Outer_Full	20.30

n66	20	15	1770	DFT	64QAM	Inner_Full	19.80
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	19.65
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	20.08
n66	20	15	1770	DFT	64QAM	Outer_Full	19.82
n66	20	15	1770	DFT	256QAM	Inner_Full	17.72
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	17.53
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	17.81
n66	20	15	1770	DFT	256QAM	Outer_Full	17.77
n66	20	15	1770	CP	QPSK	Inner_Full	20.62
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	18.96
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	19.31
n66	20	15	1770	CP	QPSK	Outer_Full	19.37
n66	20	15	1770	CP	16QAM	Inner_Full	20.20
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	19.10
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	19.48
n66	20	15	1770	CP	16QAM	Outer_Full	19.35
n66	20	15	1770	CP	64QAM	Inner_Full	18.82
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	18.38
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	18.68
n66	20	15	1770	CP	64QAM	Outer_Full	18.87
n66	20	15	1770	CP	256QAM	Inner_Full	15.73
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	15.48
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	15.83
n66	20	15	1770	CP	256QAM	Outer_Full	15.78
n66	25	15	1722.5	DFT	pi/2 BPSK	Inner_Full	22.01
n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.20
n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.14
n66	25	15	1722.5	DFT	pi/2 BPSK	Outer_Full	21.42
n66	25	15	1722.5	DFT	QPSK	Inner_Full	22.09
n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Left	20.79
n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Right	20.70
n66	25	15	1722.5	DFT	QPSK	Outer_Full	21.04
n66	25	15	1722.5	DFT	16QAM	Inner_Full	21.05
n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Left	19.90
n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Right	19.73
n66	25	15	1722.5	DFT	16QAM	Outer_Full	20.18
n66	25	15	1722.5	DFT	64QAM	Inner_Full	19.51
n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Left	19.59
n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Right	19.49
n66	25	15	1722.5	DFT	64QAM	Outer_Full	19.62
n66	25	15	1722.5	DFT	256QAM	Inner_Full	17.60

n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Left	17.43
n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Right	17.43
n66	25	15	1722.5	DFT	256QAM	Outer_Full	17.65
n66	25	15	1722.5	CP	QPSK	Inner_Full	20.47
n66	25	15	1722.5	CP	QPSK	Edge_1RB_Left	18.95
n66	25	15	1722.5	CP	QPSK	Edge_1RB_Right	18.78
n66	25	15	1722.5	CP	QPSK	Outer_Full	19.01
n66	25	15	1722.5	CP	16QAM	Inner_Full	20.11
n66	25	15	1722.5	CP	16QAM	Edge_1RB_Left	18.92
n66	25	15	1722.5	CP	16QAM	Edge_1RB_Right	19.04
n66	25	15	1722.5	CP	16QAM	Outer_Full	19.13
n66	25	15	1722.5	CP	64QAM	Inner_Full	18.60
n66	25	15	1722.5	CP	64QAM	Edge_1RB_Left	18.32
n66	25	15	1722.5	CP	64QAM	Edge_1RB_Right	18.18
n66	25	15	1722.5	CP	64QAM	Outer_Full	18.64
n66	25	15	1722.5	CP	256QAM	Inner_Full	15.55
n66	25	15	1722.5	CP	256QAM	Edge_1RB_Left	15.46
n66	25	15	1722.5	CP	256QAM	Edge_1RB_Right	15.23
n66	25	15	1722.5	CP	256QAM	Outer_Full	15.49
n66	25	15	1745	DFT	pi/2 BPSK	Inner_Full	22.03
n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.18
n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.31
n66	25	15	1745	DFT	pi/2 BPSK	Outer_Full	21.64
n66	25	15	1745	DFT	QPSK	Inner_Full	22.13
n66	25	15	1745	DFT	QPSK	Edge_1RB_Left	20.82
n66	25	15	1745	DFT	QPSK	Edge_1RB_Right	20.83
n66	25	15	1745	DFT	QPSK	Outer_Full	21.06
n66	25	15	1745	DFT	16QAM	Inner_Full	21.18
n66	25	15	1745	DFT	16QAM	Edge_1RB_Left	20.01
n66	25	15	1745	DFT	16QAM	Edge_1RB_Right	19.94
n66	25	15	1745	DFT	16QAM	Outer_Full	20.07
n66	25	15	1745	DFT	64QAM	Inner_Full	19.64
n66	25	15	1745	DFT	64QAM	Edge_1RB_Left	19.63
n66	25	15	1745	DFT	64QAM	Edge_1RB_Right	19.60
n66	25	15	1745	DFT	64QAM	Outer_Full	19.66
n66	25	15	1745	DFT	256QAM	Inner_Full	17.64
n66	25	15	1745	DFT	256QAM	Edge_1RB_Left	17.45
n66	25	15	1745	DFT	256QAM	Edge_1RB_Right	17.58
n66	25	15	1745	DFT	256QAM	Outer_Full	17.75
n66	25	15	1745	CP	QPSK	Inner_Full	20.49
n66	25	15	1745	CP	QPSK	Edge_1RB_Left	19.01

n66	25	15	1745	CP	QPSK	Edge_1RB_Right	18.93
n66	25	15	1745	CP	QPSK	Outer_Full	19.20
n66	25	15	1745	CP	16QAM	Inner_Full	20.04
n66	25	15	1745	CP	16QAM	Edge_1RB_Left	18.99
n66	25	15	1745	CP	16QAM	Edge_1RB_Right	18.92
n66	25	15	1745	CP	16QAM	Outer_Full	19.22
n66	25	15	1745	CP	64QAM	Inner_Full	18.73
n66	25	15	1745	CP	64QAM	Edge_1RB_Left	18.39
n66	25	15	1745	CP	64QAM	Edge_1RB_Right	18.36
n66	25	15	1745	CP	64QAM	Outer_Full	18.69
n66	25	15	1745	CP	256QAM	Inner_Full	15.50
n66	25	15	1745	CP	256QAM	Edge_1RB_Left	15.78
n66	25	15	1745	CP	256QAM	Edge_1RB_Right	15.38
n66	25	15	1745	CP	256QAM	Outer_Full	15.67
n66	25	15	1767.5	DFT	pi/2 BPSK	Inner_Full	22.17
n66	25	15	1767.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.25
n66	25	15	1767.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.59
n66	25	15	1767.5	DFT	pi/2 BPSK	Outer_Full	21.60
n66	25	15	1767.5	DFT	QPSK	Inner_Full	22.18
n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Left	20.84
n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Right	21.12
n66	25	15	1767.5	DFT	QPSK	Outer_Full	21.12
n66	25	15	1767.5	DFT	16QAM	Inner_Full	21.19
n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Left	19.84
n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Right	20.11
n66	25	15	1767.5	DFT	16QAM	Outer_Full	20.27
n66	25	15	1767.5	DFT	64QAM	Inner_Full	21.21
n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Left	19.60
n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Right	19.97
n66	25	15	1767.5	DFT	64QAM	Outer_Full	19.65
n66	25	15	1767.5	DFT	256QAM	Inner_Full	17.75
n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Left	17.49
n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Right	17.85
n66	25	15	1767.5	DFT	256QAM	Outer_Full	17.73
n66	25	15	1767.5	CP	QPSK	Inner_Full	20.66
n66	25	15	1767.5	CP	QPSK	Edge_1RB_Left	18.91
n66	25	15	1767.5	CP	QPSK	Edge_1RB_Right	19.33
n66	25	15	1767.5	CP	QPSK	Outer_Full	19.20
n66	25	15	1767.5	CP	16QAM	Inner_Full	20.12
n66	25	15	1767.5	CP	16QAM	Edge_1RB_Left	18.99
n66	25	15	1767.5	CP	16QAM	Edge_1RB_Right	19.24

n66	25	15	1767.5	CP	16QAM	Outer_Full	19.23
n66	25	15	1767.5	CP	64QAM	Inner_Full	18.73
n66	25	15	1767.5	CP	64QAM	Edge_1RB_Left	18.42
n66	25	15	1767.5	CP	64QAM	Edge_1RB_Right	18.64
n66	25	15	1767.5	CP	64QAM	Outer_Full	18.80
n66	25	15	1767.5	CP	256QAM	Inner_Full	15.75
n66	25	15	1767.5	CP	256QAM	Edge_1RB_Left	15.45
n66	25	15	1767.5	CP	256QAM	Edge_1RB_Right	15.74
n66	25	15	1767.5	CP	256QAM	Outer_Full	15.65
n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	21.99
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	21.18
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	21.10
n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	21.52
n66	30	15	1725	DFT	QPSK	Inner_Full	22.10
n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	20.66
n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	20.58
n66	30	15	1725	DFT	QPSK	Outer_Full	21.02
n66	30	15	1725	DFT	16QAM	Inner_Full	21.14
n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	19.92
n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	19.69
n66	30	15	1725	DFT	16QAM	Outer_Full	20.16
n66	30	15	1725	DFT	64QAM	Inner_Full	19.77
n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	19.57
n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	19.69
n66	30	15	1725	DFT	64QAM	Outer_Full	19.67
n66	30	15	1725	DFT	256QAM	Inner_Full	17.68
n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	17.45
n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	17.32
n66	30	15	1725	DFT	256QAM	Outer_Full	17.68
n66	30	15	1725	CP	QPSK	Inner_Full	20.45
n66	30	15	1725	CP	QPSK	Edge_1RB_Left	18.91
n66	30	15	1725	CP	QPSK	Edge_1RB_Right	18.82
n66	30	15	1725	CP	QPSK	Outer_Full	19.14
n66	30	15	1725	CP	16QAM	Inner_Full	20.21
n66	30	15	1725	CP	16QAM	Edge_1RB_Left	18.94
n66	30	15	1725	CP	16QAM	Edge_1RB_Right	18.80
n66	30	15	1725	CP	16QAM	Outer_Full	19.14
n66	30	15	1725	CP	64QAM	Inner_Full	18.77
n66	30	15	1725	CP	64QAM	Edge_1RB_Left	18.24
n66	30	15	1725	CP	64QAM	Edge_1RB_Right	18.23
n66	30	15	1725	CP	64QAM	Outer_Full	18.74

n66	30	15	1725	CP	256QAM	Inner_Full	15.63
n66	30	15	1725	CP	256QAM	Edge_1RB_Left	15.43
n66	30	15	1725	CP	256QAM	Edge_1RB_Right	15.31
n66	30	15	1725	CP	256QAM	Outer_Full	15.59
n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	21.96
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.16
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.23
n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	21.50
n66	30	15	1745	DFT	QPSK	Inner_Full	22.07
n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	20.68
n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	20.62
n66	30	15	1745	DFT	QPSK	Outer_Full	21.10
n66	30	15	1745	DFT	16QAM	Inner_Full	21.16
n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	19.80
n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	19.63
n66	30	15	1745	DFT	16QAM	Outer_Full	20.08
n66	30	15	1745	DFT	64QAM	Inner_Full	19.63
n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	19.58
n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	19.43
n66	30	15	1745	DFT	64QAM	Outer_Full	19.64
n66	30	15	1745	DFT	256QAM	Inner_Full	17.85
n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	17.49
n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	17.36
n66	30	15	1745	DFT	256QAM	Outer_Full	17.67
n66	30	15	1745	CP	QPSK	Inner_Full	20.50
n66	30	15	1745	CP	QPSK	Edge_1RB_Left	18.91
n66	30	15	1745	CP	QPSK	Edge_1RB_Right	18.84
n66	30	15	1745	CP	QPSK	Outer_Full	19.08
n66	30	15	1745	CP	16QAM	Inner_Full	20.05
n66	30	15	1745	CP	16QAM	Edge_1RB_Left	18.91
n66	30	15	1745	CP	16QAM	Edge_1RB_Right	18.79
n66	30	15	1745	CP	16QAM	Outer_Full	19.11
n66	30	15	1745	CP	64QAM	Inner_Full	18.78
n66	30	15	1745	CP	64QAM	Edge_1RB_Left	18.34
n66	30	15	1745	CP	64QAM	Edge_1RB_Right	18.16
n66	30	15	1745	CP	64QAM	Outer_Full	18.70
n66	30	15	1745	CP	256QAM	Inner_Full	15.70
n66	30	15	1745	CP	256QAM	Edge_1RB_Left	15.41
n66	30	15	1745	CP	256QAM	Edge_1RB_Right	15.33
n66	30	15	1745	CP	256QAM	Outer_Full	15.63
n66	30	15	1765	DFT	pi/2 BPSK	Inner_Full	22.02

n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Left	21.13
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Right	21.55
n66	30	15	1765	DFT	pi/2 BPSK	Outer_Full	21.53
n66	30	15	1765	DFT	QPSK	Inner_Full	22.22
n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	20.72
n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	21.02
n66	30	15	1765	DFT	QPSK	Outer_Full	21.12
n66	30	15	1765	DFT	16QAM	Inner_Full	21.22
n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	19.72
n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	20.02
n66	30	15	1765	DFT	16QAM	Outer_Full	20.15
n66	30	15	1765	DFT	64QAM	Inner_Full	19.71
n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	19.48
n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	19.84
n66	30	15	1765	DFT	64QAM	Outer_Full	19.70
n66	30	15	1765	DFT	256QAM	Inner_Full	17.70
n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	17.35
n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	17.68
n66	30	15	1765	DFT	256QAM	Outer_Full	17.62
n66	30	15	1765	CP	QPSK	Inner_Full	20.50
n66	30	15	1765	CP	QPSK	Edge_1RB_Left	18.89
n66	30	15	1765	CP	QPSK	Edge_1RB_Right	19.28
n66	30	15	1765	CP	QPSK	Outer_Full	19.20
n66	30	15	1765	CP	16QAM	Inner_Full	20.11
n66	30	15	1765	CP	16QAM	Edge_1RB_Left	18.88
n66	30	15	1765	CP	16QAM	Edge_1RB_Right	19.22
n66	30	15	1765	CP	16QAM	Outer_Full	19.16
n66	30	15	1765	CP	64QAM	Inner_Full	18.75
n66	30	15	1765	CP	64QAM	Edge_1RB_Left	18.33
n66	30	15	1765	CP	64QAM	Edge_1RB_Right	18.65
n66	30	15	1765	CP	64QAM	Outer_Full	18.72
n66	30	15	1765	CP	256QAM	Inner_Full	15.65
n66	30	15	1765	CP	256QAM	Edge_1RB_Left	15.33
n66	30	15	1765	CP	256QAM	Edge_1RB_Right	15.61
n66	30	15	1765	CP	256QAM	Outer_Full	15.62
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	21.99
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	20.77
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	20.92
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	21.35
n66	40	15	1730	DFT	QPSK	Inner_Full	22.08
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	20.42

n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	20.43
n66	40	15	1730	DFT	QPSK	Outer_Full	20.88
n66	40	15	1730	DFT	16QAM	Inner_Full	21.07
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	19.64
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	19.44
n66	40	15	1730	DFT	16QAM	Outer_Full	19.88
n66	40	15	1730	DFT	64QAM	Inner_Full	19.65
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	19.26
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	19.45
n66	40	15	1730	DFT	64QAM	Outer_Full	19.45
n66	40	15	1730	DFT	256QAM	Inner_Full	17.57
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	17.10
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	17.16
n66	40	15	1730	DFT	256QAM	Outer_Full	17.41
n66	40	15	1730	CP	QPSK	Inner_Full	20.49
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	18.69
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	18.63
n66	40	15	1730	CP	QPSK	Outer_Full	18.93
n66	40	15	1730	CP	16QAM	Inner_Full	19.95
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	18.63
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	18.56
n66	40	15	1730	CP	16QAM	Outer_Full	18.88
n66	40	15	1730	CP	64QAM	Inner_Full	18.71
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	18.00
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	18.29
n66	40	15	1730	CP	64QAM	Outer_Full	18.47
n66	40	15	1730	CP	256QAM	Inner_Full	15.57
n66	40	15	1730	CP	256QAM	Edge_1RB_Left	15.05
n66	40	15	1730	CP	256QAM	Edge_1RB_Right	15.10
n66	40	15	1730	CP	256QAM	Outer_Full	15.37
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	22.42
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.16
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.12
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	21.67
n66	40	15	1745	DFT	QPSK	Inner_Full	22.36
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	20.60
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	20.48
n66	40	15	1745	DFT	QPSK	Outer_Full	21.15
n66	40	15	1745	DFT	16QAM	Inner_Full	21.38
n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	20.20
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	19.93

n66	40	15	1745	DFT	16QAM	Outer_Full	20.20
n66	40	15	1745	DFT	64QAM	Inner_Full	21.31
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	19.52
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	19.54
n66	40	15	1745	DFT	64QAM	Outer_Full	19.81
n66	40	15	1745	DFT	256QAM	Inner_Full	17.82
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	17.14
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	17.04
n66	40	15	1745	DFT	256QAM	Outer_Full	17.82
n66	40	15	1745	CP	QPSK	Inner_Full	20.78
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	18.80
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	18.68
n66	40	15	1745	CP	QPSK	Outer_Full	19.19
n66	40	15	1745	CP	16QAM	Inner_Full	20.11
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	19.15
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	19.04
n66	40	15	1745	CP	16QAM	Outer_Full	19.31
n66	40	15	1745	CP	64QAM	Inner_Full	18.85
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	18.70
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	18.26
n66	40	15	1745	CP	64QAM	Outer_Full	18.83
n66	40	15	1745	CP	256QAM	Inner_Full	15.73
n66	40	15	1745	CP	256QAM	Edge_1RB_Left	15.16
n66	40	15	1745	CP	256QAM	Edge_1RB_Right	15.43
n66	40	15	1745	CP	256QAM	Outer_Full	15.74
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	21.95
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	20.83
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	21.29
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	21.43
n66	40	15	1760	DFT	QPSK	Inner_Full	22.09
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	20.32
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	20.70
n66	40	15	1760	DFT	QPSK	Outer_Full	20.90
n66	40	15	1760	DFT	16QAM	Inner_Full	21.09
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	19.32
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	19.79
n66	40	15	1760	DFT	16QAM	Outer_Full	19.89
n66	40	15	1760	DFT	64QAM	Inner_Full	20.97
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	19.38
n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	19.58
n66	40	15	1760	DFT	64QAM	Outer_Full	19.54

n66	40	15	1760	DFT	256QAM	Inner_Full	17.65
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	17.00
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	17.67
n66	40	15	1760	DFT	256QAM	Outer_Full	17.48
n66	40	15	1760	CP	QPSK	Inner_Full	20.42
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	18.56
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	18.98
n66	40	15	1760	CP	QPSK	Outer_Full	19.06
n66	40	15	1760	CP	16QAM	Inner_Full	20.09
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	18.47
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	18.97
n66	40	15	1760	CP	16QAM	Outer_Full	19.04
n66	40	15	1760	CP	64QAM	Inner_Full	18.69
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	18.20
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	18.32
n66	40	15	1760	CP	64QAM	Outer_Full	18.55
n66	40	15	1760	CP	256QAM	Inner_Full	15.59
n66	40	15	1760	CP	256QAM	Edge_1RB_Left	14.96
n66	40	15	1760	CP	256QAM	Edge_1RB_Right	15.45
n66	40	15	1760	CP	256QAM	Outer_Full	15.52

n70

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n70	5	15	1697.5	DFT	pi/2 BPSK	Inner_Full	22.18
n70	5	15	1697.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.69
n70	5	15	1697.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.52
n70	5	15	1697.5	DFT	pi/2 BPSK	Outer_Full	21.76
n70	5	15	1697.5	DFT	QPSK	Inner_Full	22.17
n70	5	15	1697.5	DFT	QPSK	Edge_1RB_Left	21.12
n70	5	15	1697.5	DFT	QPSK	Edge_1RB_Right	21.11
n70	5	15	1697.5	DFT	QPSK	Outer_Full	21.26
n70	5	15	1697.5	DFT	16QAM	Inner_Full	21.32
n70	5	15	1697.5	DFT	16QAM	Edge_1RB_Left	20.15
n70	5	15	1697.5	DFT	16QAM	Edge_1RB_Right	20.12
n70	5	15	1697.5	DFT	16QAM	Outer_Full	20.30
n70	5	15	1697.5	DFT	64QAM	Inner_Full	19.88
n70	5	15	1697.5	DFT	64QAM	Edge_1RB_Left	19.96
n70	5	15	1697.5	DFT	64QAM	Edge_1RB_Right	20.00
n70	5	15	1697.5	DFT	64QAM	Outer_Full	19.85
n70	5	15	1697.5	DFT	256QAM	Inner_Full	17.70
n70	5	15	1697.5	DFT	256QAM	Edge_1RB_Left	17.78
n70	5	15	1697.5	DFT	256QAM	Edge_1RB_Right	17.82
n70	5	15	1697.5	DFT	256QAM	Outer_Full	17.77
n70	5	15	1697.5	CP	QPSK	Inner_Full	20.68
n70	5	15	1697.5	CP	QPSK	Edge_1RB_Left	19.31
n70	5	15	1697.5	CP	QPSK	Edge_1RB_Right	19.32
n70	5	15	1697.5	CP	QPSK	Outer_Full	19.34
n70	5	15	1697.5	CP	16QAM	Inner_Full	20.09
n70	5	15	1697.5	CP	16QAM	Edge_1RB_Left	19.47
n70	5	15	1697.5	CP	16QAM	Edge_1RB_Right	19.35
n70	5	15	1697.5	CP	16QAM	Outer_Full	19.21
n70	5	15	1697.5	CP	64QAM	Inner_Full	18.97
n70	5	15	1697.5	CP	64QAM	Edge_1RB_Left	18.80
n70	5	15	1697.5	CP	64QAM	Edge_1RB_Right	18.68
n70	5	15	1697.5	CP	64QAM	Outer_Full	18.87
n70	5	15	1697.5	CP	256QAM	Inner_Full	15.68
n70	5	15	1697.5	CP	256QAM	Edge_1RB_Left	15.80
n70	5	15	1697.5	CP	256QAM	Edge_1RB_Right	15.78
n70	5	15	1697.5	CP	256QAM	Outer_Full	15.84
n70	5	15	1702.5	DFT	pi/2 BPSK	Inner_Full	22.08
n70	5	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.50
n70	5	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.53

n70	5	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.56
n70	5	15	1702.5	DFT	QPSK	Inner_Full	22.09
n70	5	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.00
n70	5	15	1702.5	DFT	QPSK	Edge_1RB_Right	20.98
n70	5	15	1702.5	DFT	QPSK	Outer_Full	21.19
n70	5	15	1702.5	DFT	16QAM	Inner_Full	21.18
n70	5	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.07
n70	5	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.14
n70	5	15	1702.5	DFT	16QAM	Outer_Full	20.17
n70	5	15	1702.5	DFT	64QAM	Inner_Full	19.75
n70	5	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.76
n70	5	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.96
n70	5	15	1702.5	DFT	64QAM	Outer_Full	19.84
n70	5	15	1702.5	DFT	256QAM	Inner_Full	17.73
n70	5	15	1702.5	DFT	256QAM	Edge_1RB_Left	18.29
n70	5	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.91
n70	5	15	1702.5	DFT	256QAM	Outer_Full	17.81
n70	5	15	1702.5	CP	QPSK	Inner_Full	20.64
n70	5	15	1702.5	CP	QPSK	Edge_1RB_Left	19.35
n70	5	15	1702.5	CP	QPSK	Edge_1RB_Right	19.39
n70	5	15	1702.5	CP	QPSK	Outer_Full	19.38
n70	5	15	1702.5	CP	16QAM	Inner_Full	20.28
n70	5	15	1702.5	CP	16QAM	Edge_1RB_Left	19.44
n70	5	15	1702.5	CP	16QAM	Edge_1RB_Right	19.41
n70	5	15	1702.5	CP	16QAM	Outer_Full	19.35
n70	5	15	1702.5	CP	64QAM	Inner_Full	19.05
n70	5	15	1702.5	CP	64QAM	Edge_1RB_Left	18.80
n70	5	15	1702.5	CP	64QAM	Edge_1RB_Right	18.73
n70	5	15	1702.5	CP	64QAM	Outer_Full	18.84
n70	5	15	1702.5	CP	256QAM	Inner_Full	15.83
n70	5	15	1702.5	CP	256QAM	Edge_1RB_Left	15.82
n70	5	15	1702.5	CP	256QAM	Edge_1RB_Right	15.74
n70	5	15	1702.5	CP	256QAM	Outer_Full	15.78
n70	5	15	1707.5	DFT	pi/2 BPSK	Inner_Full	22.19
n70	5	15	1707.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.69
n70	5	15	1707.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.83
n70	5	15	1707.5	DFT	pi/2 BPSK	Outer_Full	22.12
n70	5	15	1707.5	DFT	QPSK	Inner_Full	22.32
n70	5	15	1707.5	DFT	QPSK	Edge_1RB_Left	21.25
n70	5	15	1707.5	DFT	QPSK	Edge_1RB_Right	21.24
n70	5	15	1707.5	DFT	QPSK	Outer_Full	21.36

n70	5	15	1707.5	DFT	16QAM	Inner_Full	21.38
n70	5	15	1707.5	DFT	16QAM	Edge_1RB_Left	20.31
n70	5	15	1707.5	DFT	16QAM	Edge_1RB_Right	20.28
n70	5	15	1707.5	DFT	16QAM	Outer_Full	20.22
n70	5	15	1707.5	DFT	64QAM	Inner_Full	19.98
n70	5	15	1707.5	DFT	64QAM	Edge_1RB_Left	19.72
n70	5	15	1707.5	DFT	64QAM	Edge_1RB_Right	20.01
n70	5	15	1707.5	DFT	64QAM	Outer_Full	19.88
n70	5	15	1707.5	DFT	256QAM	Inner_Full	17.76
n70	5	15	1707.5	DFT	256QAM	Edge_1RB_Left	17.81
n70	5	15	1707.5	DFT	256QAM	Edge_1RB_Right	17.94
n70	5	15	1707.5	DFT	256QAM	Outer_Full	17.92
n70	5	15	1707.5	CP	QPSK	Inner_Full	20.68
n70	5	15	1707.5	CP	QPSK	Edge_1RB_Left	19.25
n70	5	15	1707.5	CP	QPSK	Edge_1RB_Right	19.22
n70	5	15	1707.5	CP	QPSK	Outer_Full	19.58
n70	5	15	1707.5	CP	16QAM	Inner_Full	20.30
n70	5	15	1707.5	CP	16QAM	Edge_1RB_Left	19.53
n70	5	15	1707.5	CP	16QAM	Edge_1RB_Right	19.46
n70	5	15	1707.5	CP	16QAM	Outer_Full	19.36
n70	5	15	1707.5	CP	64QAM	Inner_Full	18.98
n70	5	15	1707.5	CP	64QAM	Edge_1RB_Left	18.72
n70	5	15	1707.5	CP	64QAM	Edge_1RB_Right	18.75
n70	5	15	1707.5	CP	64QAM	Outer_Full	18.93
n70	5	15	1707.5	CP	256QAM	Inner_Full	15.98
n70	5	15	1707.5	CP	256QAM	Edge_1RB_Left	15.83
n70	5	15	1707.5	CP	256QAM	Edge_1RB_Right	15.88
n70	5	15	1707.5	CP	256QAM	Outer_Full	15.87
n70	10	15	1700	DFT	pi/2 BPSK	Inner_Full	22.03
n70	10	15	1700	DFT	pi/2 BPSK	Edge_1RB_Left	21.59
n70	10	15	1700	DFT	pi/2 BPSK	Edge_1RB_Right	21.44
n70	10	15	1700	DFT	pi/2 BPSK	Outer_Full	21.57
n70	10	15	1700	DFT	QPSK	Inner_Full	22.04
n70	10	15	1700	DFT	QPSK	Edge_1RB_Left	21.11
n70	10	15	1700	DFT	QPSK	Edge_1RB_Right	21.03
n70	10	15	1700	DFT	QPSK	Outer_Full	21.16
n70	10	15	1700	DFT	16QAM	Inner_Full	21.09
n70	10	15	1700	DFT	16QAM	Edge_1RB_Left	20.15
n70	10	15	1700	DFT	16QAM	Edge_1RB_Right	20.06
n70	10	15	1700	DFT	16QAM	Outer_Full	20.14
n70	10	15	1700	DFT	64QAM	Inner_Full	21.03

n70	10	15	1700	DFT	64QAM	Edge_1RB_Left	19.79
n70	10	15	1700	DFT	64QAM	Edge_1RB_Right	19.82
n70	10	15	1700	DFT	64QAM	Outer_Full	19.79
n70	10	15	1700	DFT	256QAM	Inner_Full	17.68
n70	10	15	1700	DFT	256QAM	Edge_1RB_Left	17.79
n70	10	15	1700	DFT	256QAM	Edge_1RB_Right	17.69
n70	10	15	1700	DFT	256QAM	Outer_Full	17.69
n70	10	15	1700	CP	QPSK	Inner_Full	20.54
n70	10	15	1700	CP	QPSK	Edge_1RB_Left	19.27
n70	10	15	1700	CP	QPSK	Edge_1RB_Right	19.21
n70	10	15	1700	CP	QPSK	Outer_Full	19.15
n70	10	15	1700	CP	16QAM	Inner_Full	20.16
n70	10	15	1700	CP	16QAM	Edge_1RB_Left	19.27
n70	10	15	1700	CP	16QAM	Edge_1RB_Right	19.25
n70	10	15	1700	CP	16QAM	Outer_Full	19.20
n70	10	15	1700	CP	64QAM	Inner_Full	18.80
n70	10	15	1700	CP	64QAM	Edge_1RB_Left	18.66
n70	10	15	1700	CP	64QAM	Edge_1RB_Right	18.64
n70	10	15	1700	CP	64QAM	Outer_Full	18.85
n70	10	15	1700	CP	256QAM	Inner_Full	15.58
n70	10	15	1700	CP	256QAM	Edge_1RB_Left	15.63
n70	10	15	1700	CP	256QAM	Edge_1RB_Right	15.71
n70	10	15	1700	CP	256QAM	Outer_Full	15.63
n70	10	15	1702.5	DFT	pi/2 BPSK	Inner_Full	22.07
n70	10	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.50
n70	10	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.51
n70	10	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.56
n70	10	15	1702.5	DFT	QPSK	Inner_Full	22.02
n70	10	15	1702.5	DFT	QPSK	Edge_1RB_Left	20.99
n70	10	15	1702.5	DFT	QPSK	Edge_1RB_Right	20.96
n70	10	15	1702.5	DFT	QPSK	Outer_Full	21.14
n70	10	15	1702.5	DFT	16QAM	Inner_Full	21.10
n70	10	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.18
n70	10	15	1702.5	DFT	16QAM	Edge_1RB_Right	19.96
n70	10	15	1702.5	DFT	16QAM	Outer_Full	20.09
n70	10	15	1702.5	DFT	64QAM	Inner_Full	19.63
n70	10	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.79
n70	10	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.85
n70	10	15	1702.5	DFT	64QAM	Outer_Full	19.78
n70	10	15	1702.5	DFT	256QAM	Inner_Full	17.69
n70	10	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.70

n70	10	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.69
n70	10	15	1702.5	DFT	256QAM	Outer_Full	17.58
n70	10	15	1702.5	CP	QPSK	Inner_Full	20.47
n70	10	15	1702.5	CP	QPSK	Edge_1RB_Left	19.26
n70	10	15	1702.5	CP	QPSK	Edge_1RB_Right	19.23
n70	10	15	1702.5	CP	QPSK	Outer_Full	19.11
n70	10	15	1702.5	CP	16QAM	Inner_Full	20.09
n70	10	15	1702.5	CP	16QAM	Edge_1RB_Left	19.21
n70	10	15	1702.5	CP	16QAM	Edge_1RB_Right	19.30
n70	10	15	1702.5	CP	16QAM	Outer_Full	19.23
n70	10	15	1702.5	CP	64QAM	Inner_Full	18.72
n70	10	15	1702.5	CP	64QAM	Edge_1RB_Left	18.62
n70	10	15	1702.5	CP	64QAM	Edge_1RB_Right	18.66
n70	10	15	1702.5	CP	64QAM	Outer_Full	18.68
n70	10	15	1702.5	CP	256QAM	Inner_Full	15.60
n70	10	15	1702.5	CP	256QAM	Edge_1RB_Left	15.62
n70	10	15	1702.5	CP	256QAM	Edge_1RB_Right	15.62
n70	10	15	1702.5	CP	256QAM	Outer_Full	15.59
n70	10	15	1705	DFT	pi/2 BPSK	Inner_Full	22.16
n70	10	15	1705	DFT	pi/2 BPSK	Edge_1RB_Left	21.58
n70	10	15	1705	DFT	pi/2 BPSK	Edge_1RB_Right	21.52
n70	10	15	1705	DFT	pi/2 BPSK	Outer_Full	21.64
n70	10	15	1705	DFT	QPSK	Inner_Full	22.23
n70	10	15	1705	DFT	QPSK	Edge_1RB_Left	21.00
n70	10	15	1705	DFT	QPSK	Edge_1RB_Right	21.08
n70	10	15	1705	DFT	QPSK	Outer_Full	21.21
n70	10	15	1705	DFT	16QAM	Inner_Full	21.16
n70	10	15	1705	DFT	16QAM	Edge_1RB_Left	20.12
n70	10	15	1705	DFT	16QAM	Edge_1RB_Right	20.11
n70	10	15	1705	DFT	16QAM	Outer_Full	20.19
n70	10	15	1705	DFT	64QAM	Inner_Full	19.79
n70	10	15	1705	DFT	64QAM	Edge_1RB_Left	19.83
n70	10	15	1705	DFT	64QAM	Edge_1RB_Right	20.20
n70	10	15	1705	DFT	64QAM	Outer_Full	19.93
n70	10	15	1705	DFT	256QAM	Inner_Full	17.77
n70	10	15	1705	DFT	256QAM	Edge_1RB_Left	17.81
n70	10	15	1705	DFT	256QAM	Edge_1RB_Right	17.67
n70	10	15	1705	DFT	256QAM	Outer_Full	17.65
n70	10	15	1705	CP	QPSK	Inner_Full	20.63
n70	10	15	1705	CP	QPSK	Edge_1RB_Left	19.27
n70	10	15	1705	CP	QPSK	Edge_1RB_Right	19.43

n70	10	15	1705	CP	QPSK	Outer_Full	19.19
n70	10	15	1705	CP	16QAM	Inner_Full	20.13
n70	10	15	1705	CP	16QAM	Edge_1RB_Left	19.53
n70	10	15	1705	CP	16QAM	Edge_1RB_Right	19.39
n70	10	15	1705	CP	16QAM	Outer_Full	19.31
n70	10	15	1705	CP	64QAM	Inner_Full	18.75
n70	10	15	1705	CP	64QAM	Edge_1RB_Left	18.71
n70	10	15	1705	CP	64QAM	Edge_1RB_Right	18.76
n70	10	15	1705	CP	64QAM	Outer_Full	18.77
n70	10	15	1705	CP	256QAM	Inner_Full	15.69
n70	10	15	1705	CP	256QAM	Edge_1RB_Left	15.72
n70	10	15	1705	CP	256QAM	Edge_1RB_Right	15.88
n70	10	15	1705	CP	256QAM	Outer_Full	15.68
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	22.25
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.68
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.60
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.63
n70	15	15	1702.5	DFT	QPSK	Inner_Full	22.50
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.13
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	21.16
n70	15	15	1702.5	DFT	QPSK	Outer_Full	21.29
n70	15	15	1702.5	DFT	16QAM	Inner_Full	21.27
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.25
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.20
n70	15	15	1702.5	DFT	16QAM	Outer_Full	20.25
n70	15	15	1702.5	DFT	64QAM	Inner_Full	19.85
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.91
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.93
n70	15	15	1702.5	DFT	64QAM	Outer_Full	19.93
n70	15	15	1702.5	DFT	256QAM	Inner_Full	17.77
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.85
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.73
n70	15	15	1702.5	DFT	256QAM	Outer_Full	17.83
n70	15	15	1702.5	CP	QPSK	Inner_Full	20.76
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	19.33
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	19.22
n70	15	15	1702.5	CP	QPSK	Outer_Full	19.46
n70	15	15	1702.5	CP	16QAM	Inner_Full	20.29
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	19.36
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	19.34
n70	15	15	1702.5	CP	16QAM	Outer_Full	19.49

n70	15	15	1702.5	CP	64QAM	Inner_Full	18.92
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	18.80
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	18.65
n70	15	15	1702.5	CP	64QAM	Outer_Full	18.96
n70	15	15	1702.5	CP	256QAM	Inner_Full	15.78
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	15.74
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	15.72
n70	15	15	1702.5	CP	256QAM	Outer_Full	15.77
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	22.43
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.74
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.85
n70	15	15	1702.5	DFT	QPSK	Inner_Full	22.35
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.17
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	21.16
n70	15	15	1702.5	DFT	QPSK	Outer_Full	21.37
n70	15	15	1702.5	DFT	16QAM	Inner_Full	21.31
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.53
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.56
n70	15	15	1702.5	DFT	16QAM	Outer_Full	20.37
n70	15	15	1702.5	DFT	64QAM	Inner_Full	19.98
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	20.23
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	20.00
n70	15	15	1702.5	DFT	64QAM	Outer_Full	20.01
n70	15	15	1702.5	DFT	256QAM	Inner_Full	18.00
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.78
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.74
n70	15	15	1702.5	DFT	256QAM	Outer_Full	17.86
n70	15	15	1702.5	CP	QPSK	Inner_Full	20.77
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	19.37
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	19.34
n70	15	15	1702.5	CP	QPSK	Outer_Full	19.50
n70	15	15	1702.5	CP	16QAM	Inner_Full	20.23
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	19.83
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	19.63
n70	15	15	1702.5	CP	16QAM	Outer_Full	19.50
n70	15	15	1702.5	CP	64QAM	Inner_Full	18.93
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	18.94
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	18.78
n70	15	15	1702.5	CP	64QAM	Outer_Full	19.03
n70	15	15	1702.5	CP	256QAM	Inner_Full	15.83

n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	15.82
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	15.70
n70	15	15	1702.5	CP	256QAM	Outer_Full	15.98
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	22.27
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.67
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.60
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.78
n70	15	15	1702.5	DFT	QPSK	Inner_Full	22.28
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.12
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	21.10
n70	15	15	1702.5	DFT	QPSK	Outer_Full	21.23
n70	15	15	1702.5	DFT	16QAM	Inner_Full	21.24
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.15
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.19
n70	15	15	1702.5	DFT	16QAM	Outer_Full	20.18
n70	15	15	1702.5	DFT	64QAM	Inner_Full	19.91
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	20.02
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.96
n70	15	15	1702.5	DFT	64QAM	Outer_Full	19.91
n70	15	15	1702.5	DFT	256QAM	Inner_Full	17.87
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.84
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.79
n70	15	15	1702.5	DFT	256QAM	Outer_Full	17.88
n70	15	15	1702.5	CP	QPSK	Inner_Full	20.71
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	19.37
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	19.21
n70	15	15	1702.5	CP	QPSK	Outer_Full	19.38
n70	15	15	1702.5	CP	16QAM	Inner_Full	20.25
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	19.34
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	19.26
n70	15	15	1702.5	CP	16QAM	Outer_Full	19.45
n70	15	15	1702.5	CP	64QAM	Inner_Full	18.90
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	18.71
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	18.68
n70	15	15	1702.5	CP	64QAM	Outer_Full	18.87
n70	15	15	1702.5	CP	256QAM	Inner_Full	15.80
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	15.89
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	15.71
n70	15	15	1702.5	CP	256QAM	Outer_Full	15.83

n71

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	5	15	665.5	DFT	pi/2 BPSK	Inner_Full	22.30
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.75
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.81
n71	5	15	665.5	DFT	pi/2 BPSK	Outer_Full	21.78
n71	5	15	665.5	DFT	QPSK	Inner_Full	22.31
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Left	21.37
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Right	21.32
n71	5	15	665.5	DFT	QPSK	Outer_Full	21.26
n71	5	15	665.5	DFT	16QAM	Inner_Full	21.18
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Left	20.09
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Right	20.38
n71	5	15	665.5	DFT	16QAM	Outer_Full	20.26
n71	5	15	665.5	DFT	64QAM	Inner_Full	20.00
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Left	19.84
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Right	19.99
n71	5	15	665.5	DFT	64QAM	Outer_Full	19.90
n71	5	15	665.5	DFT	256QAM	Inner_Full	17.96
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Left	18.02
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Right	18.00
n71	5	15	665.5	DFT	256QAM	Outer_Full	17.80
n71	5	15	665.5	CP	QPSK	Inner_Full	20.86
n71	5	15	665.5	CP	QPSK	Edge_1RB_Left	19.42
n71	5	15	665.5	CP	QPSK	Edge_1RB_Right	19.40
n71	5	15	665.5	CP	QPSK	Outer_Full	19.45
n71	5	15	665.5	CP	16QAM	Inner_Full	20.32
n71	5	15	665.5	CP	16QAM	Edge_1RB_Left	19.49
n71	5	15	665.5	CP	16QAM	Edge_1RB_Right	19.51
n71	5	15	665.5	CP	16QAM	Outer_Full	19.37
n71	5	15	665.5	CP	64QAM	Inner_Full	19.12
n71	5	15	665.5	CP	64QAM	Edge_1RB_Left	18.84
n71	5	15	665.5	CP	64QAM	Edge_1RB_Right	18.86
n71	5	15	665.5	CP	64QAM	Outer_Full	19.08
n71	5	15	665.5	CP	256QAM	Inner_Full	15.91
n71	5	15	665.5	CP	256QAM	Edge_1RB_Left	16.15
n71	5	15	665.5	CP	256QAM	Edge_1RB_Right	16.01
n71	5	15	665.5	CP	256QAM	Outer_Full	15.76
n71	5	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.36
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.77
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.05

n71	5	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.94
n71	5	15	680.5	DFT	QPSK	Inner_Full	22.43
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Left	21.28
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Right	21.56
n71	5	15	680.5	DFT	QPSK	Outer_Full	21.52
n71	5	15	680.5	DFT	16QAM	Inner_Full	21.28
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Left	20.45
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Right	20.60
n71	5	15	680.5	DFT	16QAM	Outer_Full	20.37
n71	5	15	680.5	DFT	64QAM	Inner_Full	20.22
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Left	20.18
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Right	20.11
n71	5	15	680.5	DFT	64QAM	Outer_Full	20.24
n71	5	15	680.5	DFT	256QAM	Inner_Full	18.18
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Left	18.20
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Right	18.43
n71	5	15	680.5	DFT	256QAM	Outer_Full	18.00
n71	5	15	680.5	CP	QPSK	Inner_Full	21.03
n71	5	15	680.5	CP	QPSK	Edge_1RB_Left	19.46
n71	5	15	680.5	CP	QPSK	Edge_1RB_Right	19.53
n71	5	15	680.5	CP	QPSK	Outer_Full	19.69
n71	5	15	680.5	CP	16QAM	Inner_Full	20.47
n71	5	15	680.5	CP	16QAM	Edge_1RB_Left	19.54
n71	5	15	680.5	CP	16QAM	Edge_1RB_Right	19.74
n71	5	15	680.5	CP	16QAM	Outer_Full	19.47
n71	5	15	680.5	CP	64QAM	Inner_Full	19.05
n71	5	15	680.5	CP	64QAM	Edge_1RB_Left	19.05
n71	5	15	680.5	CP	64QAM	Edge_1RB_Right	19.00
n71	5	15	680.5	CP	64QAM	Outer_Full	19.04
n71	5	15	680.5	CP	256QAM	Inner_Full	15.92
n71	5	15	680.5	CP	256QAM	Edge_1RB_Left	16.15
n71	5	15	680.5	CP	256QAM	Edge_1RB_Right	16.39
n71	5	15	680.5	CP	256QAM	Outer_Full	16.13
n71	5	15	695.5	DFT	pi/2 BPSK	Inner_Full	22.97
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.46
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.51
n71	5	15	695.5	DFT	pi/2 BPSK	Outer_Full	22.39
n71	5	15	695.5	DFT	QPSK	Inner_Full	22.74
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Left	22.02
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Right	21.95
n71	5	15	695.5	DFT	QPSK	Outer_Full	21.76

n71	5	15	695.5	DFT	16QAM	Inner_Full	21.74
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Left	20.93
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Right	20.98
n71	5	15	695.5	DFT	16QAM	Outer_Full	20.56
n71	5	15	695.5	DFT	64QAM	Inner_Full	20.49
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Left	20.15
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Right	20.47
n71	5	15	695.5	DFT	64QAM	Outer_Full	20.37
n71	5	15	695.5	DFT	256QAM	Inner_Full	18.52
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Left	18.52
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Right	18.72
n71	5	15	695.5	DFT	256QAM	Outer_Full	18.46
n71	5	15	695.5	CP	QPSK	Inner_Full	21.22
n71	5	15	695.5	CP	QPSK	Edge_1RB_Left	20.11
n71	5	15	695.5	CP	QPSK	Edge_1RB_Right	20.14
n71	5	15	695.5	CP	QPSK	Outer_Full	19.87
n71	5	15	695.5	CP	16QAM	Inner_Full	20.82
n71	5	15	695.5	CP	16QAM	Edge_1RB_Left	20.15
n71	5	15	695.5	CP	16QAM	Edge_1RB_Right	19.90
n71	5	15	695.5	CP	16QAM	Outer_Full	19.90
n71	5	15	695.5	CP	64QAM	Inner_Full	19.65
n71	5	15	695.5	CP	64QAM	Edge_1RB_Left	19.58
n71	5	15	695.5	CP	64QAM	Edge_1RB_Right	19.26
n71	5	15	695.5	CP	64QAM	Outer_Full	19.34
n71	5	15	695.5	CP	256QAM	Inner_Full	16.50
n71	5	15	695.5	CP	256QAM	Edge_1RB_Left	16.66
n71	5	15	695.5	CP	256QAM	Edge_1RB_Right	16.60
n71	5	15	695.5	CP	256QAM	Outer_Full	16.49
n71	10	15	668	DFT	pi/2 BPSK	Inner_Full	22.13
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Left	21.60
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Right	21.69
n71	10	15	668	DFT	pi/2 BPSK	Outer_Full	21.58
n71	10	15	668	DFT	QPSK	Inner_Full	22.22
n71	10	15	668	DFT	QPSK	Edge_1RB_Left	21.08
n71	10	15	668	DFT	QPSK	Edge_1RB_Right	21.04
n71	10	15	668	DFT	QPSK	Outer_Full	21.19
n71	10	15	668	DFT	16QAM	Inner_Full	21.21
n71	10	15	668	DFT	16QAM	Edge_1RB_Left	19.98
n71	10	15	668	DFT	16QAM	Edge_1RB_Right	20.12
n71	10	15	668	DFT	16QAM	Outer_Full	20.26
n71	10	15	668	DFT	64QAM	Inner_Full	19.88

n71	10	15	668	DFT	64QAM	Edge_1RB_Left	19.61
n71	10	15	668	DFT	64QAM	Edge_1RB_Right	19.88
n71	10	15	668	DFT	64QAM	Outer_Full	19.71
n71	10	15	668	DFT	256QAM	Inner_Full	17.72
n71	10	15	668	DFT	256QAM	Edge_1RB_Left	17.80
n71	10	15	668	DFT	256QAM	Edge_1RB_Right	17.91
n71	10	15	668	DFT	256QAM	Outer_Full	17.88
n71	10	15	668	CP	QPSK	Inner_Full	20.68
n71	10	15	668	CP	QPSK	Edge_1RB_Left	19.17
n71	10	15	668	CP	QPSK	Edge_1RB_Right	19.27
n71	10	15	668	CP	QPSK	Outer_Full	19.30
n71	10	15	668	CP	16QAM	Inner_Full	20.16
n71	10	15	668	CP	16QAM	Edge_1RB_Left	19.22
n71	10	15	668	CP	16QAM	Edge_1RB_Right	19.41
n71	10	15	668	CP	16QAM	Outer_Full	19.29
n71	10	15	668	CP	64QAM	Inner_Full	18.84
n71	10	15	668	CP	64QAM	Edge_1RB_Left	18.64
n71	10	15	668	CP	64QAM	Edge_1RB_Right	18.91
n71	10	15	668	CP	64QAM	Outer_Full	18.92
n71	10	15	668	CP	256QAM	Inner_Full	15.65
n71	10	15	668	CP	256QAM	Edge_1RB_Left	15.90
n71	10	15	668	CP	256QAM	Edge_1RB_Right	16.25
n71	10	15	668	CP	256QAM	Outer_Full	15.68
n71	10	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.24
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.71
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.81
n71	10	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.64
n71	10	15	680.5	DFT	QPSK	Inner_Full	22.29
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Left	21.15
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Right	21.44
n71	10	15	680.5	DFT	QPSK	Outer_Full	21.34
n71	10	15	680.5	DFT	16QAM	Inner_Full	21.16
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Left	20.05
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Right	20.52
n71	10	15	680.5	DFT	16QAM	Outer_Full	20.40
n71	10	15	680.5	DFT	64QAM	Inner_Full	19.90
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Left	19.78
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Right	20.04
n71	10	15	680.5	DFT	64QAM	Outer_Full	19.84
n71	10	15	680.5	DFT	256QAM	Inner_Full	17.80
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Left	17.79

n71	10	15	680.5	DFT	256QAM	Edge_1RB_Right	18.04
n71	10	15	680.5	DFT	256QAM	Outer_Full	17.92
n71	10	15	680.5	CP	QPSK	Inner_Full	20.87
n71	10	15	680.5	CP	QPSK	Edge_1RB_Left	19.35
n71	10	15	680.5	CP	QPSK	Edge_1RB_Right	19.58
n71	10	15	680.5	CP	QPSK	Outer_Full	19.45
n71	10	15	680.5	CP	16QAM	Inner_Full	20.41
n71	10	15	680.5	CP	16QAM	Edge_1RB_Left	19.31
n71	10	15	680.5	CP	16QAM	Edge_1RB_Right	19.60
n71	10	15	680.5	CP	16QAM	Outer_Full	19.44
n71	10	15	680.5	CP	64QAM	Inner_Full	18.89
n71	10	15	680.5	CP	64QAM	Edge_1RB_Left	18.73
n71	10	15	680.5	CP	64QAM	Edge_1RB_Right	18.97
n71	10	15	680.5	CP	64QAM	Outer_Full	18.95
n71	10	15	680.5	CP	256QAM	Inner_Full	15.90
n71	10	15	680.5	CP	256QAM	Edge_1RB_Left	15.86
n71	10	15	680.5	CP	256QAM	Edge_1RB_Right	16.37
n71	10	15	680.5	CP	256QAM	Outer_Full	15.88
n71	10	15	693	DFT	pi/2 BPSK	Inner_Full	22.74
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Left	21.91
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Right	22.17
n71	10	15	693	DFT	pi/2 BPSK	Outer_Full	22.12
n71	10	15	693	DFT	QPSK	Inner_Full	22.71
n71	10	15	693	DFT	QPSK	Edge_1RB_Left	21.40
n71	10	15	693	DFT	QPSK	Edge_1RB_Right	21.72
n71	10	15	693	DFT	QPSK	Outer_Full	21.59
n71	10	15	693	DFT	16QAM	Inner_Full	21.45
n71	10	15	693	DFT	16QAM	Edge_1RB_Left	20.47
n71	10	15	693	DFT	16QAM	Edge_1RB_Right	20.51
n71	10	15	693	DFT	16QAM	Outer_Full	20.48
n71	10	15	693	DFT	64QAM	Inner_Full	20.11
n71	10	15	693	DFT	64QAM	Edge_1RB_Left	19.90
n71	10	15	693	DFT	64QAM	Edge_1RB_Right	20.07
n71	10	15	693	DFT	64QAM	Outer_Full	19.96
n71	10	15	693	DFT	256QAM	Inner_Full	18.33
n71	10	15	693	DFT	256QAM	Edge_1RB_Left	18.21
n71	10	15	693	DFT	256QAM	Edge_1RB_Right	18.58
n71	10	15	693	DFT	256QAM	Outer_Full	18.03
n71	10	15	693	CP	QPSK	Inner_Full	21.12
n71	10	15	693	CP	QPSK	Edge_1RB_Left	19.39
n71	10	15	693	CP	QPSK	Edge_1RB_Right	19.97

n71	10	15	693	CP	QPSK	Outer_Full	19.64
n71	10	15	693	CP	16QAM	Inner_Full	20.66
n71	10	15	693	CP	16QAM	Edge_1RB_Left	19.70
n71	10	15	693	CP	16QAM	Edge_1RB_Right	19.86
n71	10	15	693	CP	16QAM	Outer_Full	19.68
n71	10	15	693	CP	64QAM	Inner_Full	19.36
n71	10	15	693	CP	64QAM	Edge_1RB_Left	19.12
n71	10	15	693	CP	64QAM	Edge_1RB_Right	19.31
n71	10	15	693	CP	64QAM	Outer_Full	19.04
n71	10	15	693	CP	256QAM	Inner_Full	15.96
n71	10	15	693	CP	256QAM	Edge_1RB_Left	16.13
n71	10	15	693	CP	256QAM	Edge_1RB_Right	16.68
n71	10	15	693	CP	256QAM	Outer_Full	16.18
n71	15	15	670.5	DFT	pi/2 BPSK	Inner_Full	22.30
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.67
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.70
n71	15	15	670.5	DFT	pi/2 BPSK	Outer_Full	21.67
n71	15	15	670.5	DFT	QPSK	Inner_Full	22.34
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Left	21.28
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Right	21.21
n71	15	15	670.5	DFT	QPSK	Outer_Full	21.25
n71	15	15	670.5	DFT	16QAM	Inner_Full	21.42
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Left	20.14
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Right	20.46
n71	15	15	670.5	DFT	16QAM	Outer_Full	20.42
n71	15	15	670.5	DFT	64QAM	Inner_Full	19.88
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Left	19.69
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Right	19.94
n71	15	15	670.5	DFT	64QAM	Outer_Full	19.93
n71	15	15	670.5	DFT	256QAM	Inner_Full	17.92
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Left	18.08
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Right	18.08
n71	15	15	670.5	DFT	256QAM	Outer_Full	17.83
n71	15	15	670.5	CP	QPSK	Inner_Full	21.01
n71	15	15	670.5	CP	QPSK	Edge_1RB_Left	19.40
n71	15	15	670.5	CP	QPSK	Edge_1RB_Right	19.47
n71	15	15	670.5	CP	QPSK	Outer_Full	19.51
n71	15	15	670.5	CP	16QAM	Inner_Full	20.44
n71	15	15	670.5	CP	16QAM	Edge_1RB_Left	19.35
n71	15	15	670.5	CP	16QAM	Edge_1RB_Right	19.63
n71	15	15	670.5	CP	16QAM	Outer_Full	19.60

n71	15	15	670.5	CP	64QAM	Inner_Full	19.10
n71	15	15	670.5	CP	64QAM	Edge_1RB_Left	18.79
n71	15	15	670.5	CP	64QAM	Edge_1RB_Right	19.01
n71	15	15	670.5	CP	64QAM	Outer_Full	19.06
n71	15	15	670.5	CP	256QAM	Inner_Full	15.98
n71	15	15	670.5	CP	256QAM	Edge_1RB_Left	16.05
n71	15	15	670.5	CP	256QAM	Edge_1RB_Right	16.23
n71	15	15	670.5	CP	256QAM	Outer_Full	16.00
n71	15	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.41
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.83
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.97
n71	15	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.94
n71	15	15	680.5	DFT	QPSK	Inner_Full	22.43
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Left	21.44
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Right	21.39
n71	15	15	680.5	DFT	QPSK	Outer_Full	21.48
n71	15	15	680.5	DFT	16QAM	Inner_Full	21.44
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Left	20.50
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Right	20.43
n71	15	15	680.5	DFT	16QAM	Outer_Full	20.49
n71	15	15	680.5	DFT	64QAM	Inner_Full	20.11
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Left	20.01
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Right	20.10
n71	15	15	680.5	DFT	64QAM	Outer_Full	20.13
n71	15	15	680.5	DFT	256QAM	Inner_Full	18.11
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Left	18.19
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Right	18.26
n71	15	15	680.5	DFT	256QAM	Outer_Full	18.09
n71	15	15	680.5	CP	QPSK	Inner_Full	20.94
n71	15	15	680.5	CP	QPSK	Edge_1RB_Left	19.56
n71	15	15	680.5	CP	QPSK	Edge_1RB_Right	19.53
n71	15	15	680.5	CP	QPSK	Outer_Full	19.59
n71	15	15	680.5	CP	16QAM	Inner_Full	20.49
n71	15	15	680.5	CP	16QAM	Edge_1RB_Left	19.61
n71	15	15	680.5	CP	16QAM	Edge_1RB_Right	19.61
n71	15	15	680.5	CP	16QAM	Outer_Full	19.58
n71	15	15	680.5	CP	64QAM	Inner_Full	19.03
n71	15	15	680.5	CP	64QAM	Edge_1RB_Left	19.05
n71	15	15	680.5	CP	64QAM	Edge_1RB_Right	19.04
n71	15	15	680.5	CP	64QAM	Outer_Full	19.14
n71	15	15	680.5	CP	256QAM	Inner_Full	16.15

n71	15	15	680.5	CP	256QAM	Edge_1RB_Left	16.09
n71	15	15	680.5	CP	256QAM	Edge_1RB_Right	16.28
n71	15	15	680.5	CP	256QAM	Outer_Full	16.03
n71	15	15	690.5	DFT	pi/2 BPSK	Inner_Full	22.54
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.89
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.19
n71	15	15	690.5	DFT	pi/2 BPSK	Outer_Full	22.09
n71	15	15	690.5	DFT	QPSK	Inner_Full	22.60
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Left	21.32
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Right	21.77
n71	15	15	690.5	DFT	QPSK	Outer_Full	21.56
n71	15	15	690.5	DFT	16QAM	Inner_Full	21.63
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Left	20.39
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Right	20.62
n71	15	15	690.5	DFT	16QAM	Outer_Full	20.62
n71	15	15	690.5	DFT	64QAM	Inner_Full	20.04
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Left	20.01
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Right	20.17
n71	15	15	690.5	DFT	64QAM	Outer_Full	20.05
n71	15	15	690.5	DFT	256QAM	Inner_Full	18.25
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Left	18.05
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Right	18.27
n71	15	15	690.5	DFT	256QAM	Outer_Full	18.13
n71	15	15	690.5	CP	QPSK	Inner_Full	21.10
n71	15	15	690.5	CP	QPSK	Edge_1RB_Left	19.55
n71	15	15	690.5	CP	QPSK	Edge_1RB_Right	19.83
n71	15	15	690.5	CP	QPSK	Outer_Full	19.67
n71	15	15	690.5	CP	16QAM	Inner_Full	20.58
n71	15	15	690.5	CP	16QAM	Edge_1RB_Left	19.62
n71	15	15	690.5	CP	16QAM	Edge_1RB_Right	19.93
n71	15	15	690.5	CP	16QAM	Outer_Full	19.66
n71	15	15	690.5	CP	64QAM	Inner_Full	19.10
n71	15	15	690.5	CP	64QAM	Edge_1RB_Left	18.95
n71	15	15	690.5	CP	64QAM	Edge_1RB_Right	19.22
n71	15	15	690.5	CP	64QAM	Outer_Full	19.28
n71	15	15	690.5	CP	256QAM	Inner_Full	16.01
n71	15	15	690.5	CP	256QAM	Edge_1RB_Left	16.15
n71	15	15	690.5	CP	256QAM	Edge_1RB_Right	16.49
n71	15	15	690.5	CP	256QAM	Outer_Full	16.17
n71	20	15	673	DFT	pi/2 BPSK	Inner_Full	22.46
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Left	21.73

n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Right	21.79
n71	20	15	673	DFT	pi/2 BPSK	Outer_Full	21.85
n71	20	15	673	DFT	QPSK	Inner_Full	22.46
n71	20	15	673	DFT	QPSK	Edge_1RB_Left	21.26
n71	20	15	673	DFT	QPSK	Edge_1RB_Right	21.31
n71	20	15	673	DFT	QPSK	Outer_Full	21.32
n71	20	15	673	DFT	16QAM	Inner_Full	21.45
n71	20	15	673	DFT	16QAM	Edge_1RB_Left	20.23
n71	20	15	673	DFT	16QAM	Edge_1RB_Right	20.43
n71	20	15	673	DFT	16QAM	Outer_Full	20.40
n71	20	15	673	DFT	64QAM	Inner_Full	21.45
n71	20	15	673	DFT	64QAM	Edge_1RB_Left	19.88
n71	20	15	673	DFT	64QAM	Edge_1RB_Right	19.91
n71	20	15	673	DFT	64QAM	Outer_Full	19.85
n71	20	15	673	DFT	256QAM	Inner_Full	17.99
n71	20	15	673	DFT	256QAM	Edge_1RB_Left	18.02
n71	20	15	673	DFT	256QAM	Edge_1RB_Right	18.08
n71	20	15	673	DFT	256QAM	Outer_Full	17.96
n71	20	15	673	CP	QPSK	Inner_Full	20.87
n71	20	15	673	CP	QPSK	Edge_1RB_Left	19.26
n71	20	15	673	CP	QPSK	Edge_1RB_Right	19.30
n71	20	15	673	CP	QPSK	Outer_Full	19.46
n71	20	15	673	CP	16QAM	Inner_Full	20.39
n71	20	15	673	CP	16QAM	Edge_1RB_Left	19.45
n71	20	15	673	CP	16QAM	Edge_1RB_Right	19.36
n71	20	15	673	CP	16QAM	Outer_Full	19.43
n71	20	15	673	CP	64QAM	Inner_Full	18.93
n71	20	15	673	CP	64QAM	Edge_1RB_Left	18.99
n71	20	15	673	CP	64QAM	Edge_1RB_Right	18.67
n71	20	15	673	CP	64QAM	Outer_Full	19.01
n71	20	15	673	CP	256QAM	Inner_Full	15.97
n71	20	15	673	CP	256QAM	Edge_1RB_Left	15.72
n71	20	15	673	CP	256QAM	Edge_1RB_Right	15.80
n71	20	15	673	CP	256QAM	Outer_Full	15.97
n71	20	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.53
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.73
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.83
n71	20	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.90
n71	20	15	680.5	DFT	QPSK	Inner_Full	22.49
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Left	21.25
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Right	21.25

n71	20	15	680.5	DFT	QPSK	Outer_Full	21.43
n71	20	15	680.5	DFT	16QAM	Inner_Full	21.43
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Left	20.49
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Right	20.48
n71	20	15	680.5	DFT	16QAM	Outer_Full	20.43
n71	20	15	680.5	DFT	64QAM	Inner_Full	20.17
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Left	20.20
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Right	20.18
n71	20	15	680.5	DFT	64QAM	Outer_Full	20.04
n71	20	15	680.5	DFT	256QAM	Inner_Full	17.98
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Left	17.73
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Right	18.21
n71	20	15	680.5	DFT	256QAM	Outer_Full	18.03
n71	20	15	680.5	CP	QPSK	Inner_Full	20.95
n71	20	15	680.5	CP	QPSK	Edge_1RB_Left	19.45
n71	20	15	680.5	CP	QPSK	Edge_1RB_Right	19.49
n71	20	15	680.5	CP	QPSK	Outer_Full	19.52
n71	20	15	680.5	CP	16QAM	Inner_Full	20.43
n71	20	15	680.5	CP	16QAM	Edge_1RB_Left	19.55
n71	20	15	680.5	CP	16QAM	Edge_1RB_Right	19.90
n71	20	15	680.5	CP	16QAM	Outer_Full	19.59
n71	20	15	680.5	CP	64QAM	Inner_Full	18.98
n71	20	15	680.5	CP	64QAM	Edge_1RB_Left	18.92
n71	20	15	680.5	CP	64QAM	Edge_1RB_Right	18.95
n71	20	15	680.5	CP	64QAM	Outer_Full	19.04
n71	20	15	680.5	CP	256QAM	Inner_Full	16.01
n71	20	15	680.5	CP	256QAM	Edge_1RB_Left	15.73
n71	20	15	680.5	CP	256QAM	Edge_1RB_Right	15.83
n71	20	15	680.5	CP	256QAM	Outer_Full	15.86
n71	20	15	688	DFT	pi/2 BPSK	Inner_Full	22.60
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Left	21.75
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Right	22.10
n71	20	15	688	DFT	pi/2 BPSK	Outer_Full	22.13
n71	20	15	688	DFT	QPSK	Inner_Full	22.64
n71	20	15	688	DFT	QPSK	Edge_1RB_Left	21.18
n71	20	15	688	DFT	QPSK	Edge_1RB_Right	21.53
n71	20	15	688	DFT	QPSK	Outer_Full	21.50
n71	20	15	688	DFT	16QAM	Inner_Full	21.63
n71	20	15	688	DFT	16QAM	Edge_1RB_Left	20.32
n71	20	15	688	DFT	16QAM	Edge_1RB_Right	20.51
n71	20	15	688	DFT	16QAM	Outer_Full	20.56



n71	20	15	688	DFT	64QAM	Inner_Full	20.14
n71	20	15	688	DFT	64QAM	Edge_1RB_Left	20.05
n71	20	15	688	DFT	64QAM	Edge_1RB_Right	20.22
n71	20	15	688	DFT	64QAM	Outer_Full	20.05
n71	20	15	688	DFT	256QAM	Inner_Full	18.19
n71	20	15	688	DFT	256QAM	Edge_1RB_Left	17.98
n71	20	15	688	DFT	256QAM	Edge_1RB_Right	18.51
n71	20	15	688	DFT	256QAM	Outer_Full	18.08
n71	20	15	688	CP	QPSK	Inner_Full	20.97
n71	20	15	688	CP	QPSK	Edge_1RB_Left	19.48
n71	20	15	688	CP	QPSK	Edge_1RB_Right	19.66
n71	20	15	688	CP	QPSK	Outer_Full	19.62
n71	20	15	688	CP	16QAM	Inner_Full	20.50
n71	20	15	688	CP	16QAM	Edge_1RB_Left	19.82
n71	20	15	688	CP	16QAM	Edge_1RB_Right	19.78
n71	20	15	688	CP	16QAM	Outer_Full	19.58
n71	20	15	688	CP	64QAM	Inner_Full	19.09
n71	20	15	688	CP	64QAM	Edge_1RB_Left	18.86
n71	20	15	688	CP	64QAM	Edge_1RB_Right	19.03
n71	20	15	688	CP	64QAM	Outer_Full	19.18
n71	20	15	688	CP	256QAM	Inner_Full	16.09
n71	20	15	688	CP	256QAM	Edge_1RB_Left	15.93
n71	20	15	688	CP	256QAM	Edge_1RB_Right	16.13
n71	20	15	688	CP	256QAM	Outer_Full	16.12

LTE Band 12+NR n25

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	22.99
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.51
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.57
B12-n25	5	15	1852.5	DFT	QPSK	Inner_Full	23.07
B12-n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	21.85
B12-n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	21.90
B12-n25	5	15	1852.5	DFT	QPSK	Outer_Full	22.14
B12-n25	5	15	1852.5	DFT	16QAM	Inner_Full	22.05
B12-n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.49
B12-n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	20.97
B12-n25	5	15	1852.5	DFT	16QAM	Outer_Full	21.07
B12-n25	5	15	1852.5	DFT	64QAM	Inner_Full	20.50
B12-n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.74
B12-n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.69
B12-n25	5	15	1852.5	DFT	64QAM	Outer_Full	20.56
B12-n25	5	15	1852.5	DFT	256QAM	Inner_Full	18.57
B12-n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	18.83
B12-n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.71
B12-n25	5	15	1852.5	DFT	256QAM	Outer_Full	18.57
B12-n25	5	15	1852.5	CP	QPSK	Inner_Full	21.54
B12-n25	5	15	1852.5	CP	QPSK	Edge_1RB_Left	20.00
B12-n25	5	15	1852.5	CP	QPSK	Edge_1RB_Right	19.89
B12-n25	5	15	1852.5	CP	QPSK	Outer_Full	20.06
B12-n25	5	15	1852.5	CP	16QAM	Inner_Full	21.04
B12-n25	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.42
B12-n25	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.34
B12-n25	5	15	1852.5	CP	16QAM	Outer_Full	20.02
B12-n25	5	15	1852.5	CP	64QAM	Inner_Full	19.69
B12-n25	5	15	1852.5	CP	64QAM	Edge_1RB_Left	19.62
B12-n25	5	15	1852.5	CP	64QAM	Edge_1RB_Right	19.58
B12-n25	5	15	1852.5	CP	64QAM	Outer_Full	19.57
B12-n25	5	15	1852.5	CP	256QAM	Inner_Full	16.44
B12-n25	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.71
B12-n25	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.65
B12-n25	5	15	1852.5	CP	256QAM	Outer_Full	16.42
B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Inner_Full	22.98
B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.47

B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.48
B12-n25	5	15	1882.5	DFT	QPSK	Inner_Full	22.95
B12-n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.96
B12-n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Right	21.87
B12-n25	5	15	1882.5	DFT	QPSK	Outer_Full	22.03
B12-n25	5	15	1882.5	DFT	16QAM	Inner_Full	21.99
B12-n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.43
B12-n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.25
B12-n25	5	15	1882.5	DFT	16QAM	Outer_Full	20.98
B12-n25	5	15	1882.5	DFT	64QAM	Inner_Full	20.39
B12-n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.68
B12-n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Right	20.62
B12-n25	5	15	1882.5	DFT	64QAM	Outer_Full	20.45
B12-n25	5	15	1882.5	DFT	256QAM	Inner_Full	18.44
B12-n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.75
B12-n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.64
B12-n25	5	15	1882.5	DFT	256QAM	Outer_Full	18.49
B12-n25	5	15	1882.5	CP	QPSK	Inner_Full	21.44
B12-n25	5	15	1882.5	CP	QPSK	Edge_1RB_Left	19.95
B12-n25	5	15	1882.5	CP	QPSK	Edge_1RB_Right	19.87
B12-n25	5	15	1882.5	CP	QPSK	Outer_Full	20.13
B12-n25	5	15	1882.5	CP	16QAM	Inner_Full	20.94
B12-n25	5	15	1882.5	CP	16QAM	Edge_1RB_Left	20.35
B12-n25	5	15	1882.5	CP	16QAM	Edge_1RB_Right	20.24
B12-n25	5	15	1882.5	CP	16QAM	Outer_Full	20.00
B12-n25	5	15	1882.5	CP	64QAM	Inner_Full	19.61
B12-n25	5	15	1882.5	CP	64QAM	Edge_1RB_Left	19.65
B12-n25	5	15	1882.5	CP	64QAM	Edge_1RB_Right	19.52
B12-n25	5	15	1882.5	CP	64QAM	Outer_Full	19.57
B12-n25	5	15	1882.5	CP	256QAM	Inner_Full	16.34
B12-n25	5	15	1882.5	CP	256QAM	Edge_1RB_Left	16.72
B12-n25	5	15	1882.5	CP	256QAM	Edge_1RB_Right	16.55
B12-n25	5	15	1882.5	CP	256QAM	Outer_Full	16.39
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Inner_Full	22.69
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.15
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.16
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Outer_Full	22.24
B12-n25	5	15	1912.5	DFT	QPSK	Inner_Full	22.79
B12-n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Left	21.56
B12-n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Right	21.73

B12-n25	5	15	1912.5	DFT	QPSK	Outer_Full	21.76
B12-n25	5	15	1912.5	DFT	16QAM	Inner_Full	21.72
B12-n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Left	21.13
B12-n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Right	21.14
B12-n25	5	15	1912.5	DFT	16QAM	Outer_Full	20.69
B12-n25	5	15	1912.5	DFT	64QAM	Inner_Full	20.14
B12-n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Left	20.39
B12-n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Right	20.42
B12-n25	5	15	1912.5	DFT	64QAM	Outer_Full	20.09
B12-n25	5	15	1912.5	DFT	256QAM	Inner_Full	18.13
B12-n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Left	18.41
B12-n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Right	18.45
B12-n25	5	15	1912.5	DFT	256QAM	Outer_Full	18.27
B12-n25	5	15	1912.5	CP	QPSK	Inner_Full	21.13
B12-n25	5	15	1912.5	CP	QPSK	Edge_1RB_Left	19.64
B12-n25	5	15	1912.5	CP	QPSK	Edge_1RB_Right	19.58
B12-n25	5	15	1912.5	CP	QPSK	Outer_Full	19.69
B12-n25	5	15	1912.5	CP	16QAM	Inner_Full	20.72
B12-n25	5	15	1912.5	CP	16QAM	Edge_1RB_Left	20.05
B12-n25	5	15	1912.5	CP	16QAM	Edge_1RB_Right	20.01
B12-n25	5	15	1912.5	CP	16QAM	Outer_Full	19.67
B12-n25	5	15	1912.5	CP	64QAM	Inner_Full	19.20
B12-n25	5	15	1912.5	CP	64QAM	Edge_1RB_Left	19.39
B12-n25	5	15	1912.5	CP	64QAM	Edge_1RB_Right	19.32
B12-n25	5	15	1912.5	CP	64QAM	Outer_Full	19.25
B12-n25	5	15	1912.5	CP	256QAM	Inner_Full	16.13
B12-n25	5	15	1912.5	CP	256QAM	Edge_1RB_Left	16.45
B12-n25	5	15	1912.5	CP	256QAM	Edge_1RB_Right	16.29
B12-n25	5	15	1912.5	CP	256QAM	Outer_Full	16.14
B12-n25	10	15	1855	DFT	pi/2 BPSK	Inner_Full	22.96
B12-n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.39
B12-n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.50
B12-n25	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.54
B12-n25	10	15	1855	DFT	QPSK	Inner_Full	22.99
B12-n25	10	15	1855	DFT	QPSK	Edge_1RB_Left	21.80
B12-n25	10	15	1855	DFT	QPSK	Edge_1RB_Right	21.78
B12-n25	10	15	1855	DFT	QPSK	Outer_Full	22.07
B12-n25	10	15	1855	DFT	16QAM	Inner_Full	22.04
B12-n25	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.41
B12-n25	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.41
B12-n25	10	15	1855	DFT	16QAM	Outer_Full	21.03

B12-n25	10	15	1855	DFT	64QAM	Inner_Full	20.40
B12-n25	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.63
B12-n25	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.60
B12-n25	10	15	1855	DFT	64QAM	Outer_Full	20.55
B12-n25	10	15	1855	DFT	256QAM	Inner_Full	18.40
B12-n25	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.75
B12-n25	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.72
B12-n25	10	15	1855	DFT	256QAM	Outer_Full	18.56
B12-n25	10	15	1855	CP	QPSK	Inner_Full	21.47
B12-n25	10	15	1855	CP	QPSK	Edge_1RB_Left	19.82
B12-n25	10	15	1855	CP	QPSK	Edge_1RB_Right	19.75
B12-n25	10	15	1855	CP	QPSK	Outer_Full	19.97
B12-n25	10	15	1855	CP	16QAM	Inner_Full	20.91
B12-n25	10	15	1855	CP	16QAM	Edge_1RB_Left	20.06
B12-n25	10	15	1855	CP	16QAM	Edge_1RB_Right	20.22
B12-n25	10	15	1855	CP	16QAM	Outer_Full	20.02
B12-n25	10	15	1855	CP	64QAM	Inner_Full	19.47
B12-n25	10	15	1855	CP	64QAM	Edge_1RB_Left	19.61
B12-n25	10	15	1855	CP	64QAM	Edge_1RB_Right	19.47
B12-n25	10	15	1855	CP	64QAM	Outer_Full	19.47
B12-n25	10	15	1855	CP	256QAM	Inner_Full	16.35
B12-n25	10	15	1855	CP	256QAM	Edge_1RB_Left	16.61
B12-n25	10	15	1855	CP	256QAM	Edge_1RB_Right	16.76
B12-n25	10	15	1855	CP	256QAM	Outer_Full	16.38
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Inner_Full	22.84
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.27
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.20
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.39
B12-n25	10	15	1882.5	DFT	QPSK	Inner_Full	22.83
B12-n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.66
B12-n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Right	21.39
B12-n25	10	15	1882.5	DFT	QPSK	Outer_Full	21.89
B12-n25	10	15	1882.5	DFT	16QAM	Inner_Full	21.84
B12-n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.26
B12-n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.14
B12-n25	10	15	1882.5	DFT	16QAM	Outer_Full	20.83
B12-n25	10	15	1882.5	DFT	64QAM	Inner_Full	20.28
B12-n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.55
B12-n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Right	20.38
B12-n25	10	15	1882.5	DFT	64QAM	Outer_Full	20.38
B12-n25	10	15	1882.5	DFT	256QAM	Inner_Full	18.35

B12-n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.58
B12-n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.49
B12-n25	10	15	1882.5	DFT	256QAM	Outer_Full	18.39
B12-n25	10	15	1882.5	CP	QPSK	Inner_Full	21.28
B12-n25	10	15	1882.5	CP	QPSK	Edge_1RB_Left	19.67
B12-n25	10	15	1882.5	CP	QPSK	Edge_1RB_Right	19.42
B12-n25	10	15	1882.5	CP	QPSK	Outer_Full	19.81
B12-n25	10	15	1882.5	CP	16QAM	Inner_Full	20.75
B12-n25	10	15	1882.5	CP	16QAM	Edge_1RB_Left	19.88
B12-n25	10	15	1882.5	CP	16QAM	Edge_1RB_Right	19.96
B12-n25	10	15	1882.5	CP	16QAM	Outer_Full	19.83
B12-n25	10	15	1882.5	CP	64QAM	Inner_Full	19.36
B12-n25	10	15	1882.5	CP	64QAM	Edge_1RB_Left	19.42
B12-n25	10	15	1882.5	CP	64QAM	Edge_1RB_Right	19.24
B12-n25	10	15	1882.5	CP	64QAM	Outer_Full	19.31
B12-n25	10	15	1882.5	CP	256QAM	Inner_Full	16.22
B12-n25	10	15	1882.5	CP	256QAM	Edge_1RB_Left	16.54
B12-n25	10	15	1882.5	CP	256QAM	Edge_1RB_Right	16.40
B12-n25	10	15	1882.5	CP	256QAM	Outer_Full	16.26
B12-n25	10	15	1910	DFT	pi/2 BPSK	Inner_Full	22.59
B12-n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Left	22.00
B12-n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Right	21.98
B12-n25	10	15	1910	DFT	pi/2 BPSK	Outer_Full	22.01
B12-n25	10	15	1910	DFT	QPSK	Inner_Full	22.55
B12-n25	10	15	1910	DFT	QPSK	Edge_1RB_Left	21.25
B12-n25	10	15	1910	DFT	QPSK	Edge_1RB_Right	21.38
B12-n25	10	15	1910	DFT	QPSK	Outer_Full	21.62
B12-n25	10	15	1910	DFT	16QAM	Inner_Full	21.58
B12-n25	10	15	1910	DFT	16QAM	Edge_1RB_Left	20.91
B12-n25	10	15	1910	DFT	16QAM	Edge_1RB_Right	21.02
B12-n25	10	15	1910	DFT	16QAM	Outer_Full	20.51
B12-n25	10	15	1910	DFT	64QAM	Inner_Full	19.96
B12-n25	10	15	1910	DFT	64QAM	Edge_1RB_Left	20.13
B12-n25	10	15	1910	DFT	64QAM	Edge_1RB_Right	20.31
B12-n25	10	15	1910	DFT	64QAM	Outer_Full	20.14
B12-n25	10	15	1910	DFT	256QAM	Inner_Full	18.05
B12-n25	10	15	1910	DFT	256QAM	Edge_1RB_Left	18.24
B12-n25	10	15	1910	DFT	256QAM	Edge_1RB_Right	18.30
B12-n25	10	15	1910	DFT	256QAM	Outer_Full	18.03
B12-n25	10	15	1910	CP	QPSK	Inner_Full	21.00
B12-n25	10	15	1910	CP	QPSK	Edge_1RB_Left	19.34

B12-n25	10	15	1910	CP	QPSK	Edge_1RB_Right	19.38
B12-n25	10	15	1910	CP	QPSK	Outer_Full	19.56
B12-n25	10	15	1910	CP	16QAM	Inner_Full	20.43
B12-n25	10	15	1910	CP	16QAM	Edge_1RB_Left	19.79
B12-n25	10	15	1910	CP	16QAM	Edge_1RB_Right	19.82
B12-n25	10	15	1910	CP	16QAM	Outer_Full	19.53
B12-n25	10	15	1910	CP	64QAM	Inner_Full	19.13
B12-n25	10	15	1910	CP	64QAM	Edge_1RB_Left	19.07
B12-n25	10	15	1910	CP	64QAM	Edge_1RB_Right	19.10
B12-n25	10	15	1910	CP	64QAM	Outer_Full	19.05
B12-n25	10	15	1910	CP	256QAM	Inner_Full	15.92
B12-n25	10	15	1910	CP	256QAM	Edge_1RB_Left	16.26
B12-n25	10	15	1910	CP	256QAM	Edge_1RB_Right	16.24
B12-n25	10	15	1910	CP	256QAM	Outer_Full	15.98
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	23.13
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.46
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.52
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.63
B12-n25	15	15	1857.5	DFT	QPSK	Inner_Full	23.07
B12-n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	21.80
B12-n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	21.87
B12-n25	15	15	1857.5	DFT	QPSK	Outer_Full	22.14
B12-n25	15	15	1857.5	DFT	16QAM	Inner_Full	22.18
B12-n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	20.95
B12-n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.39
B12-n25	15	15	1857.5	DFT	16QAM	Outer_Full	21.15
B12-n25	15	15	1857.5	DFT	64QAM	Inner_Full	20.65
B12-n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.15
B12-n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.17
B12-n25	15	15	1857.5	DFT	64QAM	Outer_Full	20.68
B12-n25	15	15	1857.5	DFT	256QAM	Inner_Full	18.51
B12-n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.77
B12-n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	18.73
B12-n25	15	15	1857.5	DFT	256QAM	Outer_Full	18.70
B12-n25	15	15	1857.5	CP	QPSK	Inner_Full	21.62
B12-n25	15	15	1857.5	CP	QPSK	Edge_1RB_Left	19.41
B12-n25	15	15	1857.5	CP	QPSK	Edge_1RB_Right	19.80
B12-n25	15	15	1857.5	CP	QPSK	Outer_Full	20.07
B12-n25	15	15	1857.5	CP	16QAM	Inner_Full	21.19
B12-n25	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.33
B12-n25	15	15	1857.5	CP	16QAM	Edge_1RB_Right	19.90



B12-n25	15	15	1857.5	CP	16QAM	Outer_Full	20.13
B12-n25	15	15	1857.5	CP	64QAM	Inner_Full	19.62
B12-n25	15	15	1857.5	CP	64QAM	Edge_1RB_Left	19.12
B12-n25	15	15	1857.5	CP	64QAM	Edge_1RB_Right	18.98
B12-n25	15	15	1857.5	CP	64QAM	Outer_Full	19.61
B12-n25	15	15	1857.5	CP	256QAM	Inner_Full	16.56
B12-n25	15	15	1857.5	CP	256QAM	Edge_1RB_Left	16.67
B12-n25	15	15	1857.5	CP	256QAM	Edge_1RB_Right	16.55
B12-n25	15	15	1857.5	CP	256QAM	Outer_Full	16.58
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.07
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.51
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.16
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.50
B12-n25	15	15	1882.5	DFT	QPSK	Inner_Full	23.02
B12-n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.31
B12-n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Right	21.08
B12-n25	15	15	1882.5	DFT	QPSK	Outer_Full	22.06
B12-n25	15	15	1882.5	DFT	16QAM	Inner_Full	22.01
B12-n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Left	20.88
B12-n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.21
B12-n25	15	15	1882.5	DFT	16QAM	Outer_Full	21.04
B12-n25	15	15	1882.5	DFT	64QAM	Inner_Full	20.53
B12-n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.70
B12-n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Right	19.95
B12-n25	15	15	1882.5	DFT	64QAM	Outer_Full	20.57
B12-n25	15	15	1882.5	DFT	256QAM	Inner_Full	18.46
B12-n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.73
B12-n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.43
B12-n25	15	15	1882.5	DFT	256QAM	Outer_Full	18.55
B12-n25	15	15	1882.5	CP	QPSK	Inner_Full	21.45
B12-n25	15	15	1882.5	CP	QPSK	Edge_1RB_Left	19.48
B12-n25	15	15	1882.5	CP	QPSK	Edge_1RB_Right	19.16
B12-n25	15	15	1882.5	CP	QPSK	Outer_Full	19.96
B12-n25	15	15	1882.5	CP	16QAM	Inner_Full	21.08
B12-n25	15	15	1882.5	CP	16QAM	Edge_1RB_Left	19.99
B12-n25	15	15	1882.5	CP	16QAM	Edge_1RB_Right	19.16
B12-n25	15	15	1882.5	CP	16QAM	Outer_Full	19.98
B12-n25	15	15	1882.5	CP	64QAM	Inner_Full	19.54
B12-n25	15	15	1882.5	CP	64QAM	Edge_1RB_Left	19.52
B12-n25	15	15	1882.5	CP	64QAM	Edge_1RB_Right	18.76
B12-n25	15	15	1882.5	CP	64QAM	Outer_Full	19.57

B12-n25	15	15	1882.5	CP	256QAM	Inner_Full	16.42
B12-n25	15	15	1882.5	CP	256QAM	Edge_1RB_Left	16.63
B12-n25	15	15	1882.5	CP	256QAM	Edge_1RB_Right	16.35
B12-n25	15	15	1882.5	CP	256QAM	Outer_Full	16.42
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Inner_Full	22.66
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.18
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.17
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Outer_Full	22.20
B12-n25	15	15	1907.5	DFT	QPSK	Inner_Full	22.72
B12-n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Left	21.01
B12-n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Right	21.11
B12-n25	15	15	1907.5	DFT	QPSK	Outer_Full	21.68
B12-n25	15	15	1907.5	DFT	16QAM	Inner_Full	21.75
B12-n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Left	20.55
B12-n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Right	20.01
B12-n25	15	15	1907.5	DFT	16QAM	Outer_Full	20.69
B12-n25	15	15	1907.5	DFT	64QAM	Inner_Full	20.21
B12-n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.30
B12-n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Right	19.90
B12-n25	15	15	1907.5	DFT	64QAM	Outer_Full	20.20
B12-n25	15	15	1907.5	DFT	256QAM	Inner_Full	18.14
B12-n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Left	18.42
B12-n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Right	18.48
B12-n25	15	15	1907.5	DFT	256QAM	Outer_Full	18.26
B12-n25	15	15	1907.5	CP	QPSK	Inner_Full	21.25
B12-n25	15	15	1907.5	CP	QPSK	Edge_1RB_Left	19.50
B12-n25	15	15	1907.5	CP	QPSK	Edge_1RB_Right	19.54
B12-n25	15	15	1907.5	CP	QPSK	Outer_Full	19.67
B12-n25	15	15	1907.5	CP	16QAM	Inner_Full	20.73
B12-n25	15	15	1907.5	CP	16QAM	Edge_1RB_Left	19.41
B12-n25	15	15	1907.5	CP	16QAM	Edge_1RB_Right	19.48
B12-n25	15	15	1907.5	CP	16QAM	Outer_Full	19.61
B12-n25	15	15	1907.5	CP	64QAM	Inner_Full	19.27
B12-n25	15	15	1907.5	CP	64QAM	Edge_1RB_Left	19.24
B12-n25	15	15	1907.5	CP	64QAM	Edge_1RB_Right	18.77
B12-n25	15	15	1907.5	CP	64QAM	Outer_Full	19.16
B12-n25	15	15	1907.5	CP	256QAM	Inner_Full	16.10
B12-n25	15	15	1907.5	CP	256QAM	Edge_1RB_Left	16.24
B12-n25	15	15	1907.5	CP	256QAM	Edge_1RB_Right	16.29
B12-n25	15	15	1907.5	CP	256QAM	Outer_Full	16.10
B12-n25	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.06

B12-n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.37
B12-n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.36
B12-n25	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.51
B12-n25	20	15	1860	DFT	QPSK	Inner_Full	23.14
B12-n25	20	15	1860	DFT	QPSK	Edge_1RB_Left	21.32
B12-n25	20	15	1860	DFT	QPSK	Edge_1RB_Right	21.27
B12-n25	20	15	1860	DFT	QPSK	Outer_Full	22.12
B12-n25	20	15	1860	DFT	16QAM	Inner_Full	22.13
B12-n25	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.35
B12-n25	20	15	1860	DFT	16QAM	Edge_1RB_Right	20.80
B12-n25	20	15	1860	DFT	16QAM	Outer_Full	21.12
B12-n25	20	15	1860	DFT	64QAM	Inner_Full	20.71
B12-n25	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.14
B12-n25	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.05
B12-n25	20	15	1860	DFT	64QAM	Outer_Full	20.63
B12-n25	20	15	1860	DFT	256QAM	Inner_Full	18.64
B12-n25	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.66
B12-n25	20	15	1860	DFT	256QAM	Edge_1RB_Right	18.78
B12-n25	20	15	1860	DFT	256QAM	Outer_Full	18.49
B12-n25	20	15	1860	CP	QPSK	Inner_Full	21.54
B12-n25	20	15	1860	CP	QPSK	Edge_1RB_Left	19.33
B12-n25	20	15	1860	CP	QPSK	Edge_1RB_Right	19.25
B12-n25	20	15	1860	CP	QPSK	Outer_Full	20.08
B12-n25	20	15	1860	CP	16QAM	Inner_Full	21.12
B12-n25	20	15	1860	CP	16QAM	Edge_1RB_Left	19.82
B12-n25	20	15	1860	CP	16QAM	Edge_1RB_Right	19.39
B12-n25	20	15	1860	CP	16QAM	Outer_Full	20.02
B12-n25	20	15	1860	CP	64QAM	Inner_Full	19.51
B12-n25	20	15	1860	CP	64QAM	Edge_1RB_Left	19.11
B12-n25	20	15	1860	CP	64QAM	Edge_1RB_Right	19.09
B12-n25	20	15	1860	CP	64QAM	Outer_Full	19.51
B12-n25	20	15	1860	CP	256QAM	Inner_Full	16.51
B12-n25	20	15	1860	CP	256QAM	Edge_1RB_Left	16.67
B12-n25	20	15	1860	CP	256QAM	Edge_1RB_Right	16.57
B12-n25	20	15	1860	CP	256QAM	Outer_Full	16.53
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.01
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.37
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.12
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.53
B12-n25	20	15	1882.5	DFT	QPSK	Inner_Full	23.03
B12-n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.26

B12-n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Right	20.97
B12-n25	20	15	1882.5	DFT	QPSK	Outer_Full	22.02
B12-n25	20	15	1882.5	DFT	16QAM	Inner_Full	22.01
B12-n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Left	20.89
B12-n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Right	20.56
B12-n25	20	15	1882.5	DFT	16QAM	Outer_Full	21.11
B12-n25	20	15	1882.5	DFT	64QAM	Inner_Full	20.59
B12-n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.15
B12-n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Right	20.36
B12-n25	20	15	1882.5	DFT	64QAM	Outer_Full	20.56
B12-n25	20	15	1882.5	DFT	256QAM	Inner_Full	18.56
B12-n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.75
B12-n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.29
B12-n25	20	15	1882.5	DFT	256QAM	Outer_Full	18.50
B12-n25	20	15	1882.5	CP	QPSK	Inner_Full	21.48
B12-n25	20	15	1882.5	CP	QPSK	Edge_1RB_Left	19.35
B12-n25	20	15	1882.5	CP	QPSK	Edge_1RB_Right	19.40
B12-n25	20	15	1882.5	CP	QPSK	Outer_Full	20.00
B12-n25	20	15	1882.5	CP	16QAM	Inner_Full	20.88
B12-n25	20	15	1882.5	CP	16QAM	Edge_1RB_Left	19.76
B12-n25	20	15	1882.5	CP	16QAM	Edge_1RB_Right	19.43
B12-n25	20	15	1882.5	CP	16QAM	Outer_Full	20.01
B12-n25	20	15	1882.5	CP	64QAM	Inner_Full	19.43
B12-n25	20	15	1882.5	CP	64QAM	Edge_1RB_Left	19.55
B12-n25	20	15	1882.5	CP	64QAM	Edge_1RB_Right	18.71
B12-n25	20	15	1882.5	CP	64QAM	Outer_Full	19.42
B12-n25	20	15	1882.5	CP	256QAM	Inner_Full	16.33
B12-n25	20	15	1882.5	CP	256QAM	Edge_1RB_Left	16.67
B12-n25	20	15	1882.5	CP	256QAM	Edge_1RB_Right	16.15
B12-n25	20	15	1882.5	CP	256QAM	Outer_Full	16.42
B12-n25	20	15	1905	DFT	pi/2 BPSK	Inner_Full	22.73
B12-n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.03
B12-n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.04
B12-n25	20	15	1905	DFT	pi/2 BPSK	Outer_Full	22.14
B12-n25	20	15	1905	DFT	QPSK	Inner_Full	22.75
B12-n25	20	15	1905	DFT	QPSK	Edge_1RB_Left	21.40
B12-n25	20	15	1905	DFT	QPSK	Edge_1RB_Right	21.00
B12-n25	20	15	1905	DFT	QPSK	Outer_Full	21.78
B12-n25	20	15	1905	DFT	16QAM	Inner_Full	21.73
B12-n25	20	15	1905	DFT	16QAM	Edge_1RB_Left	20.56
B12-n25	20	15	1905	DFT	16QAM	Edge_1RB_Right	20.63

B12-n25	20	15	1905	DFT	16QAM	Outer_Full	20.76
B12-n25	20	15	1905	DFT	64QAM	Inner_Full	20.34
B12-n25	20	15	1905	DFT	64QAM	Edge_1RB_Left	19.77
B12-n25	20	15	1905	DFT	64QAM	Edge_1RB_Right	19.80
B12-n25	20	15	1905	DFT	64QAM	Outer_Full	20.21
B12-n25	20	15	1905	DFT	256QAM	Inner_Full	18.28
B12-n25	20	15	1905	DFT	256QAM	Edge_1RB_Left	18.30
B12-n25	20	15	1905	DFT	256QAM	Edge_1RB_Right	18.31
B12-n25	20	15	1905	DFT	256QAM	Outer_Full	18.27
B12-n25	20	15	1905	CP	QPSK	Inner_Full	21.21
B12-n25	20	15	1905	CP	QPSK	Edge_1RB_Left	18.95
B12-n25	20	15	1905	CP	QPSK	Edge_1RB_Right	18.99
B12-n25	20	15	1905	CP	QPSK	Outer_Full	19.72
B12-n25	20	15	1905	CP	16QAM	Inner_Full	20.79
B12-n25	20	15	1905	CP	16QAM	Edge_1RB_Left	19.49
B12-n25	20	15	1905	CP	16QAM	Edge_1RB_Right	19.48
B12-n25	20	15	1905	CP	16QAM	Outer_Full	19.74
B12-n25	20	15	1905	CP	64QAM	Inner_Full	19.24
B12-n25	20	15	1905	CP	64QAM	Edge_1RB_Left	18.66
B12-n25	20	15	1905	CP	64QAM	Edge_1RB_Right	18.70
B12-n25	20	15	1905	CP	64QAM	Outer_Full	19.23
B12-n25	20	15	1905	CP	256QAM	Inner_Full	16.15
B12-n25	20	15	1905	CP	256QAM	Edge_1RB_Left	16.37
B12-n25	20	15	1905	CP	256QAM	Edge_1RB_Right	16.36
B12-n25	20	15	1905	CP	256QAM	Outer_Full	16.20
B12-n25	25	15	1862.5	DFT	pi/2 BPSK	Inner_Full	22.97
B12-n25	25	15	1862.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.27
B12-n25	25	15	1862.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.26
B12-n25	25	15	1862.5	DFT	pi/2 BPSK	Outer_Full	22.42
B12-n25	25	15	1862.5	DFT	QPSK	Inner_Full	22.99
B12-n25	25	15	1862.5	DFT	QPSK	Edge_1RB_Left	21.27
B12-n25	25	15	1862.5	DFT	QPSK	Edge_1RB_Right	21.20
B12-n25	25	15	1862.5	DFT	QPSK	Outer_Full	21.94
B12-n25	25	15	1862.5	DFT	16QAM	Inner_Full	22.03
B12-n25	25	15	1862.5	DFT	16QAM	Edge_1RB_Left	20.76
B12-n25	25	15	1862.5	DFT	16QAM	Edge_1RB_Right	20.68
B12-n25	25	15	1862.5	DFT	16QAM	Outer_Full	20.96
B12-n25	25	15	1862.5	DFT	64QAM	Inner_Full	20.52
B12-n25	25	15	1862.5	DFT	64QAM	Edge_1RB_Left	20.01
B12-n25	25	15	1862.5	DFT	64QAM	Edge_1RB_Right	20.00
B12-n25	25	15	1862.5	DFT	64QAM	Outer_Full	20.48

B12-n25	25	15	1862.5	DFT	256QAM	Inner_Full	18.54
B12-n25	25	15	1862.5	DFT	256QAM	Edge_1RB_Left	18.51
B12-n25	25	15	1862.5	DFT	256QAM	Edge_1RB_Right	18.66
B12-n25	25	15	1862.5	DFT	256QAM	Outer_Full	18.42
B12-n25	25	15	1862.5	CP	QPSK	Inner_Full	21.48
B12-n25	25	15	1862.5	CP	QPSK	Edge_1RB_Left	19.17
B12-n25	25	15	1862.5	CP	QPSK	Edge_1RB_Right	19.18
B12-n25	25	15	1862.5	CP	QPSK	Outer_Full	19.99
B12-n25	25	15	1862.5	CP	16QAM	Inner_Full	21.05
B12-n25	25	15	1862.5	CP	16QAM	Edge_1RB_Left	19.57
B12-n25	25	15	1862.5	CP	16QAM	Edge_1RB_Right	19.60
B12-n25	25	15	1862.5	CP	16QAM	Outer_Full	19.84
B12-n25	25	15	1862.5	CP	64QAM	Inner_Full	19.53
B12-n25	25	15	1862.5	CP	64QAM	Edge_1RB_Left	18.92
B12-n25	25	15	1862.5	CP	64QAM	Edge_1RB_Right	18.95
B12-n25	25	15	1862.5	CP	64QAM	Outer_Full	19.43
B12-n25	25	15	1862.5	CP	256QAM	Inner_Full	16.45
B12-n25	25	15	1862.5	CP	256QAM	Edge_1RB_Left	16.52
B12-n25	25	15	1862.5	CP	256QAM	Edge_1RB_Right	16.60
B12-n25	25	15	1862.5	CP	256QAM	Outer_Full	16.35
B12-n25	25	15	1882.5	DFT	pi/2 BPSK	Inner_Full	22.99
B12-n25	25	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.29
B12-n25	25	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.94
B12-n25	25	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.36
B12-n25	25	15	1882.5	DFT	QPSK	Inner_Full	22.93
B12-n25	25	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.09
B12-n25	25	15	1882.5	DFT	QPSK	Edge_1RB_Right	20.89
B12-n25	25	15	1882.5	DFT	QPSK	Outer_Full	21.91
B12-n25	25	15	1882.5	DFT	16QAM	Inner_Full	21.96
B12-n25	25	15	1882.5	DFT	16QAM	Edge_1RB_Left	20.26
B12-n25	25	15	1882.5	DFT	16QAM	Edge_1RB_Right	20.40
B12-n25	25	15	1882.5	DFT	16QAM	Outer_Full	20.86
B12-n25	25	15	1882.5	DFT	64QAM	Inner_Full	20.54
B12-n25	25	15	1882.5	DFT	64QAM	Edge_1RB_Left	19.93
B12-n25	25	15	1882.5	DFT	64QAM	Edge_1RB_Right	19.61
B12-n25	25	15	1882.5	DFT	64QAM	Outer_Full	20.42
B12-n25	25	15	1882.5	DFT	256QAM	Inner_Full	18.44
B12-n25	25	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.49
B12-n25	25	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.29
B12-n25	25	15	1882.5	DFT	256QAM	Outer_Full	18.33
B12-n25	25	15	1882.5	CP	QPSK	Inner_Full	21.47

B12-n25	25	15	1882.5	CP	QPSK	Edge_1RB_Left	19.16
B12-n25	25	15	1882.5	CP	QPSK	Edge_1RB_Right	18.84
B12-n25	25	15	1882.5	CP	QPSK	Outer_Full	19.86
B12-n25	25	15	1882.5	CP	16QAM	Inner_Full	20.97
B12-n25	25	15	1882.5	CP	16QAM	Edge_1RB_Left	19.59
B12-n25	25	15	1882.5	CP	16QAM	Edge_1RB_Right	19.30
B12-n25	25	15	1882.5	CP	16QAM	Outer_Full	19.84
B12-n25	25	15	1882.5	CP	64QAM	Inner_Full	19.35
B12-n25	25	15	1882.5	CP	64QAM	Edge_1RB_Left	18.87
B12-n25	25	15	1882.5	CP	64QAM	Edge_1RB_Right	18.65
B12-n25	25	15	1882.5	CP	64QAM	Outer_Full	19.39
B12-n25	25	15	1882.5	CP	256QAM	Inner_Full	16.44
B12-n25	25	15	1882.5	CP	256QAM	Edge_1RB_Left	16.58
B12-n25	25	15	1882.5	CP	256QAM	Edge_1RB_Right	16.17
B12-n25	25	15	1882.5	CP	256QAM	Outer_Full	16.34
B12-n25	25	15	1902.5	DFT	pi/2 BPSK	Inner_Full	22.56
B12-n25	25	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.11
B12-n25	25	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.02
B12-n25	25	15	1902.5	DFT	pi/2 BPSK	Outer_Full	22.09
B12-n25	25	15	1902.5	DFT	QPSK	Inner_Full	22.71
B12-n25	25	15	1902.5	DFT	QPSK	Edge_1RB_Left	20.92
B12-n25	25	15	1902.5	DFT	QPSK	Edge_1RB_Right	20.79
B12-n25	25	15	1902.5	DFT	QPSK	Outer_Full	21.65
B12-n25	25	15	1902.5	DFT	16QAM	Inner_Full	21.71
B12-n25	25	15	1902.5	DFT	16QAM	Edge_1RB_Left	20.54
B12-n25	25	15	1902.5	DFT	16QAM	Edge_1RB_Right	20.47
B12-n25	25	15	1902.5	DFT	16QAM	Outer_Full	20.54
B12-n25	25	15	1902.5	DFT	64QAM	Inner_Full	20.11
B12-n25	25	15	1902.5	DFT	64QAM	Edge_1RB_Left	19.74
B12-n25	25	15	1902.5	DFT	64QAM	Edge_1RB_Right	19.61
B12-n25	25	15	1902.5	DFT	64QAM	Outer_Full	20.04
B12-n25	25	15	1902.5	DFT	256QAM	Inner_Full	18.18
B12-n25	25	15	1902.5	DFT	256QAM	Edge_1RB_Left	18.37
B12-n25	25	15	1902.5	DFT	256QAM	Edge_1RB_Right	18.30
B12-n25	25	15	1902.5	DFT	256QAM	Outer_Full	18.07
B12-n25	25	15	1902.5	CP	QPSK	Inner_Full	21.15
B12-n25	25	15	1902.5	CP	QPSK	Edge_1RB_Left	18.99
B12-n25	25	15	1902.5	CP	QPSK	Edge_1RB_Right	18.85
B12-n25	25	15	1902.5	CP	QPSK	Outer_Full	19.54
B12-n25	25	15	1902.5	CP	16QAM	Inner_Full	20.56
B12-n25	25	15	1902.5	CP	16QAM	Edge_1RB_Left	19.45



B12-n25	25	15	1902.5	CP	16QAM	Edge_1RB_Right	19.34
B12-n25	25	15	1902.5	CP	16QAM	Outer_Full	19.56
B12-n25	25	15	1902.5	CP	64QAM	Inner_Full	19.13
B12-n25	25	15	1902.5	CP	64QAM	Edge_1RB_Left	18.70
B12-n25	25	15	1902.5	CP	64QAM	Edge_1RB_Right	18.62
B12-n25	25	15	1902.5	CP	64QAM	Outer_Full	19.11
B12-n25	25	15	1902.5	CP	256QAM	Inner_Full	16.08
B12-n25	25	15	1902.5	CP	256QAM	Edge_1RB_Left	16.30
B12-n25	25	15	1902.5	CP	256QAM	Edge_1RB_Right	16.27
B12-n25	25	15	1902.5	CP	256QAM	Outer_Full	16.03
B12-n25	30	15	1865	DFT	pi/2 BPSK	Inner_Full	23.06
B12-n25	30	15	1865	DFT	pi/2 BPSK	Edge_1RB_Left	22.26
B12-n25	30	15	1865	DFT	pi/2 BPSK	Edge_1RB_Right	22.19
B12-n25	30	15	1865	DFT	pi/2 BPSK	Outer_Full	22.49
B12-n25	30	15	1865	DFT	QPSK	Inner_Full	23.03
B12-n25	30	15	1865	DFT	QPSK	Edge_1RB_Left	21.17
B12-n25	30	15	1865	DFT	QPSK	Edge_1RB_Right	21.12
B12-n25	30	15	1865	DFT	QPSK	Outer_Full	21.99
B12-n25	30	15	1865	DFT	16QAM	Inner_Full	22.11
B12-n25	30	15	1865	DFT	16QAM	Edge_1RB_Left	20.31
B12-n25	30	15	1865	DFT	16QAM	Edge_1RB_Right	20.68
B12-n25	30	15	1865	DFT	16QAM	Outer_Full	20.94
B12-n25	30	15	1865	DFT	64QAM	Inner_Full	20.59
B12-n25	30	15	1865	DFT	64QAM	Edge_1RB_Left	19.91
B12-n25	30	15	1865	DFT	64QAM	Edge_1RB_Right	19.98
B12-n25	30	15	1865	DFT	64QAM	Outer_Full	20.53
B12-n25	30	15	1865	DFT	256QAM	Inner_Full	18.57
B12-n25	30	15	1865	DFT	256QAM	Edge_1RB_Left	18.52
B12-n25	30	15	1865	DFT	256QAM	Edge_1RB_Right	18.57
B12-n25	30	15	1865	DFT	256QAM	Outer_Full	18.44
B12-n25	30	15	1865	CP	QPSK	Inner_Full	21.54
B12-n25	30	15	1865	CP	QPSK	Edge_1RB_Left	19.31
B12-n25	30	15	1865	CP	QPSK	Edge_1RB_Right	19.34
B12-n25	30	15	1865	CP	QPSK	Outer_Full	19.98
B12-n25	30	15	1865	CP	16QAM	Inner_Full	21.10
B12-n25	30	15	1865	CP	16QAM	Edge_1RB_Left	19.62
B12-n25	30	15	1865	CP	16QAM	Edge_1RB_Right	19.74
B12-n25	30	15	1865	CP	16QAM	Outer_Full	19.92
B12-n25	30	15	1865	CP	64QAM	Inner_Full	19.52
B12-n25	30	15	1865	CP	64QAM	Edge_1RB_Left	18.84
B12-n25	30	15	1865	CP	64QAM	Edge_1RB_Right	18.99

B12-n25	30	15	1865	CP	64QAM	Outer_Full	19.51
B12-n25	30	15	1865	CP	256QAM	Inner_Full	16.53
B12-n25	30	15	1865	CP	256QAM	Edge_1RB_Left	16.49
B12-n25	30	15	1865	CP	256QAM	Edge_1RB_Right	16.55
B12-n25	30	15	1865	CP	256QAM	Outer_Full	16.41
B12-n25	30	15	1882.5	DFT	pi/2 BPSK	Inner_Full	22.91
B12-n25	30	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.15
B12-n25	30	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.38
B12-n25	30	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.38
B12-n25	30	15	1882.5	DFT	QPSK	Inner_Full	22.90
B12-n25	30	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.09
B12-n25	30	15	1882.5	DFT	QPSK	Edge_1RB_Right	20.70
B12-n25	30	15	1882.5	DFT	QPSK	Outer_Full	21.90
B12-n25	30	15	1882.5	DFT	16QAM	Inner_Full	21.92
B12-n25	30	15	1882.5	DFT	16QAM	Edge_1RB_Left	20.58
B12-n25	30	15	1882.5	DFT	16QAM	Edge_1RB_Right	20.22
B12-n25	30	15	1882.5	DFT	16QAM	Outer_Full	20.82
B12-n25	30	15	1882.5	DFT	64QAM	Inner_Full	20.44
B12-n25	30	15	1882.5	DFT	64QAM	Edge_1RB_Left	19.91
B12-n25	30	15	1882.5	DFT	64QAM	Edge_1RB_Right	19.52
B12-n25	30	15	1882.5	DFT	64QAM	Outer_Full	20.35
B12-n25	30	15	1882.5	DFT	256QAM	Inner_Full	18.38
B12-n25	30	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.53
B12-n25	30	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.03
B12-n25	30	15	1882.5	DFT	256QAM	Outer_Full	18.36
B12-n25	30	15	1882.5	CP	QPSK	Inner_Full	21.39
B12-n25	30	15	1882.5	CP	QPSK	Edge_1RB_Left	19.10
B12-n25	30	15	1882.5	CP	QPSK	Edge_1RB_Right	18.82
B12-n25	30	15	1882.5	CP	QPSK	Outer_Full	19.87
B12-n25	30	15	1882.5	CP	16QAM	Inner_Full	20.92
B12-n25	30	15	1882.5	CP	16QAM	Edge_1RB_Left	19.56
B12-n25	30	15	1882.5	CP	16QAM	Edge_1RB_Right	19.22
B12-n25	30	15	1882.5	CP	16QAM	Outer_Full	19.87
B12-n25	30	15	1882.5	CP	64QAM	Inner_Full	19.40
B12-n25	30	15	1882.5	CP	64QAM	Edge_1RB_Left	18.80
B12-n25	30	15	1882.5	CP	64QAM	Edge_1RB_Right	18.54
B12-n25	30	15	1882.5	CP	64QAM	Outer_Full	19.31
B12-n25	30	15	1882.5	CP	256QAM	Inner_Full	16.35
B12-n25	30	15	1882.5	CP	256QAM	Edge_1RB_Left	16.39
B12-n25	30	15	1882.5	CP	256QAM	Edge_1RB_Right	16.30
B12-n25	30	15	1882.5	CP	256QAM	Outer_Full	16.22

B12-n25	30	15	1900	DFT	pi/2 BPSK	Inner_Full	22.58
B12-n25	30	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	22.03
B12-n25	30	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	21.47
B12-n25	30	15	1900	DFT	pi/2 BPSK	Outer_Full	22.11
B12-n25	30	15	1900	DFT	QPSK	Inner_Full	22.70
B12-n25	30	15	1900	DFT	QPSK	Edge_1RB_Left	20.90
B12-n25	30	15	1900	DFT	QPSK	Edge_1RB_Right	20.71
B12-n25	30	15	1900	DFT	QPSK	Outer_Full	21.58
B12-n25	30	15	1900	DFT	16QAM	Inner_Full	21.69
B12-n25	30	15	1900	DFT	16QAM	Edge_1RB_Left	20.49
B12-n25	30	15	1900	DFT	16QAM	Edge_1RB_Right	20.36
B12-n25	30	15	1900	DFT	16QAM	Outer_Full	20.57
B12-n25	30	15	1900	DFT	64QAM	Inner_Full	20.21
B12-n25	30	15	1900	DFT	64QAM	Edge_1RB_Left	19.74
B12-n25	30	15	1900	DFT	64QAM	Edge_1RB_Right	19.61
B12-n25	30	15	1900	DFT	64QAM	Outer_Full	20.12
B12-n25	30	15	1900	DFT	256QAM	Inner_Full	18.06
B12-n25	30	15	1900	DFT	256QAM	Edge_1RB_Left	18.30
B12-n25	30	15	1900	DFT	256QAM	Edge_1RB_Right	18.20
B12-n25	30	15	1900	DFT	256QAM	Outer_Full	18.13
B12-n25	30	15	1900	CP	QPSK	Inner_Full	21.14
B12-n25	30	15	1900	CP	QPSK	Edge_1RB_Left	19.01
B12-n25	30	15	1900	CP	QPSK	Edge_1RB_Right	18.94
B12-n25	30	15	1900	CP	QPSK	Outer_Full	19.57
B12-n25	30	15	1900	CP	16QAM	Inner_Full	20.62
B12-n25	30	15	1900	CP	16QAM	Edge_1RB_Left	19.47
B12-n25	30	15	1900	CP	16QAM	Edge_1RB_Right	19.31
B12-n25	30	15	1900	CP	16QAM	Outer_Full	19.64
B12-n25	30	15	1900	CP	64QAM	Inner_Full	19.12
B12-n25	30	15	1900	CP	64QAM	Edge_1RB_Left	18.63
B12-n25	30	15	1900	CP	64QAM	Edge_1RB_Right	18.58
B12-n25	30	15	1900	CP	64QAM	Outer_Full	19.03
B12-n25	30	15	1900	CP	256QAM	Inner_Full	16.11
B12-n25	30	15	1900	CP	256QAM	Edge_1RB_Left	16.21
B12-n25	30	15	1900	CP	256QAM	Edge_1RB_Right	16.19
B12-n25	30	15	1900	CP	256QAM	Outer_Full	16.04
B12-n25	40	15	1870	DFT	pi/2 BPSK	Inner_Full	22.94
B12-n25	40	15	1870	DFT	pi/2 BPSK	Edge_1RB_Left	21.99
B12-n25	40	15	1870	DFT	pi/2 BPSK	Edge_1RB_Right	21.80
B12-n25	40	15	1870	DFT	pi/2 BPSK	Outer_Full	22.29
B12-n25	40	15	1870	DFT	QPSK	Inner_Full	22.97



B12-n25	40	15	1870	DFT	QPSK	Edge_1RB_Left	20.90
B12-n25	40	15	1870	DFT	QPSK	Edge_1RB_Right	20.67
B12-n25	40	15	1870	DFT	QPSK	Outer_Full	21.71
B12-n25	40	15	1870	DFT	16QAM	Inner_Full	21.98
B12-n25	40	15	1870	DFT	16QAM	Edge_1RB_Left	20.46
B12-n25	40	15	1870	DFT	16QAM	Edge_1RB_Right	20.21
B12-n25	40	15	1870	DFT	16QAM	Outer_Full	20.75
B12-n25	40	15	1870	DFT	64QAM	Inner_Full	20.56
B12-n25	40	15	1870	DFT	64QAM	Edge_1RB_Left	19.62
B12-n25	40	15	1870	DFT	64QAM	Edge_1RB_Right	19.50
B12-n25	40	15	1870	DFT	64QAM	Outer_Full	20.33
B12-n25	40	15	1870	DFT	256QAM	Inner_Full	18.56
B12-n25	40	15	1870	DFT	256QAM	Edge_1RB_Left	18.30
B12-n25	40	15	1870	DFT	256QAM	Edge_1RB_Right	18.05
B12-n25	40	15	1870	DFT	256QAM	Outer_Full	18.29
B12-n25	40	15	1870	CP	QPSK	Inner_Full	21.45
B12-n25	40	15	1870	CP	QPSK	Edge_1RB_Left	18.97
B12-n25	40	15	1870	CP	QPSK	Edge_1RB_Right	18.68
B12-n25	40	15	1870	CP	QPSK	Outer_Full	19.72
B12-n25	40	15	1870	CP	16QAM	Inner_Full	21.06
B12-n25	40	15	1870	CP	16QAM	Edge_1RB_Left	19.28
B12-n25	40	15	1870	CP	16QAM	Edge_1RB_Right	19.07
B12-n25	40	15	1870	CP	16QAM	Outer_Full	19.81
B12-n25	40	15	1870	CP	64QAM	Inner_Full	19.51
B12-n25	40	15	1870	CP	64QAM	Edge_1RB_Left	18.62
B12-n25	40	15	1870	CP	64QAM	Edge_1RB_Right	18.34
B12-n25	40	15	1870	CP	64QAM	Outer_Full	19.27
B12-n25	40	15	1870	CP	256QAM	Inner_Full	16.45
B12-n25	40	15	1870	CP	256QAM	Edge_1RB_Left	16.24
B12-n25	40	15	1870	CP	256QAM	Edge_1RB_Right	15.95
B12-n25	40	15	1870	CP	256QAM	Outer_Full	16.27
B12-n25	40	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.15
B12-n25	40	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.12
B12-n25	40	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.78
B12-n25	40	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.47
B12-n25	40	15	1882.5	DFT	QPSK	Inner_Full	23.17
B12-n25	40	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.62
B12-n25	40	15	1882.5	DFT	QPSK	Edge_1RB_Right	21.32
B12-n25	40	15	1882.5	DFT	QPSK	Outer_Full	22.00
B12-n25	40	15	1882.5	DFT	16QAM	Inner_Full	22.21
B12-n25	40	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.16

B12-n25	40	15	1882.5	DFT	16QAM	Edge_1RB_Right	20.75
B12-n25	40	15	1882.5	DFT	16QAM	Outer_Full	21.00
B12-n25	40	15	1882.5	DFT	64QAM	Inner_Full	20.72
B12-n25	40	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.14
B12-n25	40	15	1882.5	DFT	64QAM	Edge_1RB_Right	19.72
B12-n25	40	15	1882.5	DFT	64QAM	Outer_Full	20.49
B12-n25	40	15	1882.5	DFT	256QAM	Inner_Full	18.69
B12-n25	40	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.42
B12-n25	40	15	1882.5	DFT	256QAM	Edge_1RB_Right	17.99
B12-n25	40	15	1882.5	DFT	256QAM	Outer_Full	18.47
B12-n25	40	15	1882.5	CP	QPSK	Inner_Full	21.67
B12-n25	40	15	1882.5	CP	QPSK	Edge_1RB_Left	19.69
B12-n25	40	15	1882.5	CP	QPSK	Edge_1RB_Right	19.20
B12-n25	40	15	1882.5	CP	QPSK	Outer_Full	20.04
B12-n25	40	15	1882.5	CP	16QAM	Inner_Full	21.10
B12-n25	40	15	1882.5	CP	16QAM	Edge_1RB_Left	20.14
B12-n25	40	15	1882.5	CP	16QAM	Edge_1RB_Right	19.64
B12-n25	40	15	1882.5	CP	16QAM	Outer_Full	20.06
B12-n25	40	15	1882.5	CP	64QAM	Inner_Full	19.70
B12-n25	40	15	1882.5	CP	64QAM	Edge_1RB_Left	19.46
B12-n25	40	15	1882.5	CP	64QAM	Edge_1RB_Right	18.55
B12-n25	40	15	1882.5	CP	64QAM	Outer_Full	19.49
B12-n25	40	15	1882.5	CP	256QAM	Inner_Full	16.60
B12-n25	40	15	1882.5	CP	256QAM	Edge_1RB_Left	16.43
B12-n25	40	15	1882.5	CP	256QAM	Edge_1RB_Right	15.97
B12-n25	40	15	1882.5	CP	256QAM	Outer_Full	16.45
B12-n25	40	15	1895	DFT	pi/2 BPSK	Inner_Full	22.68
B12-n25	40	15	1895	DFT	pi/2 BPSK	Edge_1RB_Left	22.06
B12-n25	40	15	1895	DFT	pi/2 BPSK	Edge_1RB_Right	21.26
B12-n25	40	15	1895	DFT	pi/2 BPSK	Outer_Full	22.14
B12-n25	40	15	1895	DFT	QPSK	Inner_Full	22.80
B12-n25	40	15	1895	DFT	QPSK	Edge_1RB_Left	20.96
B12-n25	40	15	1895	DFT	QPSK	Edge_1RB_Right	20.56
B12-n25	40	15	1895	DFT	QPSK	Outer_Full	21.63
B12-n25	40	15	1895	DFT	16QAM	Inner_Full	21.82
B12-n25	40	15	1895	DFT	16QAM	Edge_1RB_Left	20.48
B12-n25	40	15	1895	DFT	16QAM	Edge_1RB_Right	20.10
B12-n25	40	15	1895	DFT	16QAM	Outer_Full	20.66
B12-n25	40	15	1895	DFT	64QAM	Inner_Full	20.20
B12-n25	40	15	1895	DFT	64QAM	Edge_1RB_Left	19.81
B12-n25	40	15	1895	DFT	64QAM	Edge_1RB_Right	19.40



B12-n25	40	15	1895	DFT	64QAM	Outer_Full	20.13
B12-n25	40	15	1895	DFT	256QAM	Inner_Full	18.22
B12-n25	40	15	1895	DFT	256QAM	Edge_1RB_Left	18.38
B12-n25	40	15	1895	DFT	256QAM	Edge_1RB_Right	17.99
B12-n25	40	15	1895	DFT	256QAM	Outer_Full	18.21
B12-n25	40	15	1895	CP	QPSK	Inner_Full	21.25
B12-n25	40	15	1895	CP	QPSK	Edge_1RB_Left	19.05
B12-n25	40	15	1895	CP	QPSK	Edge_1RB_Right	18.52
B12-n25	40	15	1895	CP	QPSK	Outer_Full	19.60
B12-n25	40	15	1895	CP	16QAM	Inner_Full	20.77
B12-n25	40	15	1895	CP	16QAM	Edge_1RB_Left	19.37
B12-n25	40	15	1895	CP	16QAM	Edge_1RB_Right	19.04
B12-n25	40	15	1895	CP	16QAM	Outer_Full	19.59
B12-n25	40	15	1895	CP	64QAM	Inner_Full	19.24
B12-n25	40	15	1895	CP	64QAM	Edge_1RB_Left	18.71
B12-n25	40	15	1895	CP	64QAM	Edge_1RB_Right	18.24
B12-n25	40	15	1895	CP	64QAM	Outer_Full	19.10
B12-n25	40	15	1895	CP	256QAM	Inner_Full	16.24
B12-n25	40	15	1895	CP	256QAM	Edge_1RB_Left	16.34
B12-n25	40	15	1895	CP	256QAM	Edge_1RB_Right	15.82
B12-n25	40	15	1895	CP	256QAM	Outer_Full	16.09

A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

Part 24.232(c) specifies "Mobile and portable stations are limited to 2 watts EIRP".

Part 22.913(a) specifies "The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts".

Part 27.50(h)(2) specifies "Mobile stations are limited to 2.0 watts EIRP".

Part 27.50(c)(10) specifies "Portable stations (hand-held devices) in the 600 MHz uplink band and the 698–746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP".

Part 22.913(a) specifies "The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts".

Part 27.50(d)(4) specifies "Fixed, mobile, and portable (handheld) stations operating in the 1710–1755 MHz band and mobile and portable stations operating in the 1695–1710 MHz and 1755–1780 MHz bands are limited to 1 watt EIRP".

A.1.3.2 Method of Measurement

The measurements procedures in TIA-603E-2016 are used.

According to KDB 412172 D01 and ANSI C63.26 the relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation as follows:

ERP or EIRP = $P_T + G_T - L_C$, ERP = EIRP -2.15, where

ERP or EIRP effective radiated power or equivalent isotropically radiated power,
respectively
(expressed in the same units as P_{Mea} , e.g., dBm or dBW)

P_T = transmitter output power in dBm;

G_T = gain of the transmitting antenna, in dBd(ERP) or dBi(EIRP);

L_C = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

Disclaimer: The antenna gain provided by the client may affect the validity of the measurement results in this report, and the client shall bear the impact and consequences arising therefrom.

A.1.3.3 Measurement result

NR n5

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm) (Gt-Lc =-5.5)
n5	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	23.05	15.40
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.10	14.45
n5	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	14.60
n5	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	22.52	14.87
n5	5	15	826.5	DFT	QPSK	Inner_Full	22.99	15.34
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Left	21.61	13.96
n5	5	15	826.5	DFT	QPSK	Edge_1RB_Right	22.13	14.48
n5	5	15	826.5	DFT	QPSK	Outer_Full	21.99	14.34
n5	5	15	826.5	DFT	16QAM	Inner_Full	21.72	14.07
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Left	20.60	12.95
n5	5	15	826.5	DFT	16QAM	Edge_1RB_Right	20.68	13.03
n5	5	15	826.5	DFT	16QAM	Outer_Full	20.90	13.25
n5	5	15	826.5	DFT	64QAM	Inner_Full	20.51	12.86
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Left	20.16	12.51
n5	5	15	826.5	DFT	64QAM	Edge_1RB_Right	20.39	12.74
n5	5	15	826.5	DFT	64QAM	Outer_Full	20.45	12.80
n5	5	15	826.5	DFT	256QAM	Inner_Full	18.49	10.84
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Left	18.59	10.94
n5	5	15	826.5	DFT	256QAM	Edge_1RB_Right	18.69	11.04
n5	5	15	826.5	DFT	256QAM	Outer_Full	18.61	10.96
n5	5	15	826.5	CP	QPSK	Inner_Full	21.50	13.85
n5	5	15	826.5	CP	QPSK	Edge_1RB_Left	19.68	12.03
n5	5	15	826.5	CP	QPSK	Edge_1RB_Right	19.76	12.11
n5	5	15	826.5	CP	QPSK	Outer_Full	19.96	12.31
n5	5	15	826.5	CP	16QAM	Inner_Full	20.95	13.30
n5	5	15	826.5	CP	16QAM	Edge_1RB_Left	19.67	12.02
n5	5	15	826.5	CP	16QAM	Edge_1RB_Right	19.96	12.31
n5	5	15	826.5	CP	16QAM	Outer_Full	19.90	12.25
n5	5	15	826.5	CP	64QAM	Inner_Full	19.35	11.70
n5	5	15	826.5	CP	64QAM	Edge_1RB_Left	19.32	11.67
n5	5	15	826.5	CP	64QAM	Edge_1RB_Right	19.21	11.56
n5	5	15	826.5	CP	64QAM	Outer_Full	19.20	11.55
n5	5	15	826.5	CP	256QAM	Inner_Full	16.60	8.95
n5	5	15	826.5	CP	256QAM	Edge_1RB_Left	16.62	8.97
n5	5	15	826.5	CP	256QAM	Edge_1RB_Right	16.54	8.89
n5	5	15	826.5	CP	256QAM	Outer_Full	16.11	8.46
n5	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.00	15.35



n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.44	14.79
n5	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	14.77
n5	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.36	14.71
n5	5	15	836.5	DFT	QPSK	Inner_Full	22.92	15.27
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Left	21.94	14.29
n5	5	15	836.5	DFT	QPSK	Edge_1RB_Right	21.72	14.07
n5	5	15	836.5	DFT	QPSK	Outer_Full	21.93	14.28
n5	5	15	836.5	DFT	16QAM	Inner_Full	21.92	14.27
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Left	20.91	13.26
n5	5	15	836.5	DFT	16QAM	Edge_1RB_Right	20.68	13.03
n5	5	15	836.5	DFT	16QAM	Outer_Full	20.68	13.03
n5	5	15	836.5	DFT	64QAM	Inner_Full	20.52	12.87
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Left	20.36	12.71
n5	5	15	836.5	DFT	64QAM	Edge_1RB_Right	20.31	12.66
n5	5	15	836.5	DFT	64QAM	Outer_Full	20.43	12.78
n5	5	15	836.5	DFT	256QAM	Inner_Full	18.63	10.98
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Left	18.63	10.98
n5	5	15	836.5	DFT	256QAM	Edge_1RB_Right	18.49	10.84
n5	5	15	836.5	DFT	256QAM	Outer_Full	18.26	10.61
n5	5	15	836.5	CP	QPSK	Inner_Full	21.46	13.81
n5	5	15	836.5	CP	QPSK	Edge_1RB_Left	19.92	12.27
n5	5	15	836.5	CP	QPSK	Edge_1RB_Right	19.91	12.26
n5	5	15	836.5	CP	QPSK	Outer_Full	19.90	12.25
n5	5	15	836.5	CP	16QAM	Inner_Full	20.87	13.22
n5	5	15	836.5	CP	16QAM	Edge_1RB_Left	19.58	11.93
n5	5	15	836.5	CP	16QAM	Edge_1RB_Right	19.99	12.34
n5	5	15	836.5	CP	16QAM	Outer_Full	19.74	12.09
n5	5	15	836.5	CP	64QAM	Inner_Full	19.37	11.72
n5	5	15	836.5	CP	64QAM	Edge_1RB_Left	19.43	11.78
n5	5	15	836.5	CP	64QAM	Edge_1RB_Right	19.36	11.71
n5	5	15	836.5	CP	64QAM	Outer_Full	19.19	11.54
n5	5	15	836.5	CP	256QAM	Inner_Full	16.38	8.73
n5	5	15	836.5	CP	256QAM	Edge_1RB_Left	16.83	9.18
n5	5	15	836.5	CP	256QAM	Edge_1RB_Right	16.68	9.03
n5	5	15	836.5	CP	256QAM	Outer_Full	16.34	8.69
n5	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	22.63	14.98
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.15	14.50
n5	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.94	14.29
n5	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	22.04	14.39
n5	5	15	846.5	DFT	QPSK	Inner_Full	22.47	14.82
n5	5	15	846.5	DFT	QPSK	Edge_1RB_Left	21.71	14.06

n5	5	15	846.5	DFT	QPSK	Edge_1RB_Right	21.39	13.74
n5	5	15	846.5	DFT	QPSK	Outer_Full	21.52	13.87
n5	5	15	846.5	DFT	16QAM	Inner_Full	21.39	13.74
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Left	20.72	13.07
n5	5	15	846.5	DFT	16QAM	Edge_1RB_Right	20.47	12.82
n5	5	15	846.5	DFT	16QAM	Outer_Full	20.60	12.95
n5	5	15	846.5	DFT	64QAM	Inner_Full	20.03	12.38
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Left	20.08	12.43
n5	5	15	846.5	DFT	64QAM	Edge_1RB_Right	19.91	12.26
n5	5	15	846.5	DFT	64QAM	Outer_Full	20.04	12.39
n5	5	15	846.5	DFT	256QAM	Inner_Full	18.51	10.86
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Left	18.36	10.71
n5	5	15	846.5	DFT	256QAM	Edge_1RB_Right	18.17	10.52
n5	5	15	846.5	DFT	256QAM	Outer_Full	18.12	10.47
n5	5	15	846.5	CP	QPSK	Inner_Full	21.08	13.43
n5	5	15	846.5	CP	QPSK	Edge_1RB_Left	19.56	11.91
n5	5	15	846.5	CP	QPSK	Edge_1RB_Right	19.40	11.75
n5	5	15	846.5	CP	QPSK	Outer_Full	19.62	11.97
n5	5	15	846.5	CP	16QAM	Inner_Full	20.60	12.95
n5	5	15	846.5	CP	16QAM	Edge_1RB_Left	19.63	11.98
n5	5	15	846.5	CP	16QAM	Edge_1RB_Right	19.46	11.81
n5	5	15	846.5	CP	16QAM	Outer_Full	19.47	11.82
n5	5	15	846.5	CP	64QAM	Inner_Full	19.11	11.46
n5	5	15	846.5	CP	64QAM	Edge_1RB_Left	19.23	11.58
n5	5	15	846.5	CP	64QAM	Edge_1RB_Right	18.78	11.13
n5	5	15	846.5	CP	64QAM	Outer_Full	19.10	11.45
n5	5	15	846.5	CP	256QAM	Inner_Full	16.16	8.51
n5	5	15	846.5	CP	256QAM	Edge_1RB_Left	16.49	8.84
n5	5	15	846.5	CP	256QAM	Edge_1RB_Right	16.26	8.61
n5	5	15	846.5	CP	256QAM	Outer_Full	16.09	8.44
n5	10	15	829	DFT	pi/2 BPSK	Inner_Full	22.69	15.04
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	21.92	14.27
n5	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	22.22	14.57
n5	10	15	829	DFT	pi/2 BPSK	Outer_Full	22.37	14.72
n5	10	15	829	DFT	QPSK	Inner_Full	22.70	15.05
n5	10	15	829	DFT	QPSK	Edge_1RB_Left	21.63	13.98
n5	10	15	829	DFT	QPSK	Edge_1RB_Right	21.86	14.21
n5	10	15	829	DFT	QPSK	Outer_Full	21.64	13.99
n5	10	15	829	DFT	16QAM	Inner_Full	21.71	14.06
n5	10	15	829	DFT	16QAM	Edge_1RB_Left	20.68	13.03
n5	10	15	829	DFT	16QAM	Edge_1RB_Right	20.62	12.97

n5	10	15	829	DFT	16QAM	Outer_Full	20.70	13.05
n5	10	15	829	DFT	64QAM	Inner_Full	20.38	12.73
n5	10	15	829	DFT	64QAM	Edge_1RB_Left	20.09	12.44
n5	10	15	829	DFT	64QAM	Edge_1RB_Right	20.14	12.49
n5	10	15	829	DFT	64QAM	Outer_Full	20.25	12.60
n5	10	15	829	DFT	256QAM	Inner_Full	18.35	10.70
n5	10	15	829	DFT	256QAM	Edge_1RB_Left	18.37	10.72
n5	10	15	829	DFT	256QAM	Edge_1RB_Right	18.48	10.83
n5	10	15	829	DFT	256QAM	Outer_Full	18.20	10.55
n5	10	15	829	CP	QPSK	Inner_Full	21.21	13.56
n5	10	15	829	CP	QPSK	Edge_1RB_Left	19.65	12.00
n5	10	15	829	CP	QPSK	Edge_1RB_Right	19.79	12.14
n5	10	15	829	CP	QPSK	Outer_Full	19.69	12.04
n5	10	15	829	CP	16QAM	Inner_Full	20.93	13.28
n5	10	15	829	CP	16QAM	Edge_1RB_Left	19.70	12.05
n5	10	15	829	CP	16QAM	Edge_1RB_Right	19.83	12.18
n5	10	15	829	CP	16QAM	Outer_Full	19.82	12.17
n5	10	15	829	CP	64QAM	Inner_Full	19.28	11.63
n5	10	15	829	CP	64QAM	Edge_1RB_Left	19.12	11.47
n5	10	15	829	CP	64QAM	Edge_1RB_Right	19.13	11.48
n5	10	15	829	CP	64QAM	Outer_Full	19.18	11.53
n5	10	15	829	CP	256QAM	Inner_Full	16.41	8.76
n5	10	15	829	CP	256QAM	Edge_1RB_Left	16.41	8.76
n5	10	15	829	CP	256QAM	Edge_1RB_Right	16.53	8.88
n5	10	15	829	CP	256QAM	Outer_Full	16.42	8.77
n5	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.70	15.05
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.07	14.42
n5	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.08	14.43
n5	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.20	14.55
n5	10	15	836.5	DFT	QPSK	Inner_Full	22.87	15.22
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Left	21.65	14.00
n5	10	15	836.5	DFT	QPSK	Edge_1RB_Right	21.66	14.01
n5	10	15	836.5	DFT	QPSK	Outer_Full	21.83	14.18
n5	10	15	836.5	DFT	16QAM	Inner_Full	21.77	14.12
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Left	20.76	13.11
n5	10	15	836.5	DFT	16QAM	Edge_1RB_Right	20.64	12.99
n5	10	15	836.5	DFT	16QAM	Outer_Full	20.56	12.91
n5	10	15	836.5	DFT	64QAM	Inner_Full	20.22	12.57
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Left	20.29	12.64
n5	10	15	836.5	DFT	64QAM	Edge_1RB_Right	20.19	12.54
n5	10	15	836.5	DFT	64QAM	Outer_Full	20.15	12.50



n5	10	15	836.5	DFT	256QAM	Inner_Full	18.32	10.67
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Left	18.34	10.69
n5	10	15	836.5	DFT	256QAM	Edge_1RB_Right	18.39	10.74
n5	10	15	836.5	DFT	256QAM	Outer_Full	18.35	10.70
n5	10	15	836.5	CP	QPSK	Inner_Full	21.28	13.63
n5	10	15	836.5	CP	QPSK	Edge_1RB_Left	19.79	12.14
n5	10	15	836.5	CP	QPSK	Edge_1RB_Right	19.61	11.96
n5	10	15	836.5	CP	QPSK	Outer_Full	19.72	12.07
n5	10	15	836.5	CP	16QAM	Inner_Full	20.84	13.19
n5	10	15	836.5	CP	16QAM	Edge_1RB_Left	19.76	12.11
n5	10	15	836.5	CP	16QAM	Edge_1RB_Right	19.78	12.13
n5	10	15	836.5	CP	16QAM	Outer_Full	19.72	12.07
n5	10	15	836.5	CP	64QAM	Inner_Full	19.10	11.45
n5	10	15	836.5	CP	64QAM	Edge_1RB_Left	19.24	11.59
n5	10	15	836.5	CP	64QAM	Edge_1RB_Right	19.13	11.48
n5	10	15	836.5	CP	64QAM	Outer_Full	19.00	11.35
n5	10	15	836.5	CP	256QAM	Inner_Full	16.26	8.61
n5	10	15	836.5	CP	256QAM	Edge_1RB_Left	16.39	8.74
n5	10	15	836.5	CP	256QAM	Edge_1RB_Right	16.44	8.79
n5	10	15	836.5	CP	256QAM	Outer_Full	16.28	8.63
n5	10	15	844	DFT	pi/2 BPSK	Inner_Full	22.42	14.77
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	22.07	14.42
n5	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	21.74	14.09
n5	10	15	844	DFT	pi/2 BPSK	Outer_Full	21.91	14.26
n5	10	15	844	DFT	QPSK	Inner_Full	22.43	14.78
n5	10	15	844	DFT	QPSK	Edge_1RB_Left	21.56	13.91
n5	10	15	844	DFT	QPSK	Edge_1RB_Right	21.32	13.67
n5	10	15	844	DFT	QPSK	Outer_Full	21.44	13.79
n5	10	15	844	DFT	16QAM	Inner_Full	21.36	13.71
n5	10	15	844	DFT	16QAM	Edge_1RB_Left	20.64	12.99
n5	10	15	844	DFT	16QAM	Edge_1RB_Right	20.32	12.67
n5	10	15	844	DFT	16QAM	Outer_Full	20.44	12.79
n5	10	15	844	DFT	64QAM	Inner_Full	19.90	12.25
n5	10	15	844	DFT	64QAM	Edge_1RB_Left	19.86	12.21
n5	10	15	844	DFT	64QAM	Edge_1RB_Right	19.60	11.95
n5	10	15	844	DFT	64QAM	Outer_Full	19.89	12.24
n5	10	15	844	DFT	256QAM	Inner_Full	17.99	10.34
n5	10	15	844	DFT	256QAM	Edge_1RB_Left	18.17	10.52
n5	10	15	844	DFT	256QAM	Edge_1RB_Right	17.76	10.11
n5	10	15	844	DFT	256QAM	Outer_Full	17.97	10.32
n5	10	15	844	CP	QPSK	Inner_Full	20.85	13.20



n5	10	15	844	CP	QPSK	Edge_1RB_Left	19.52	11.87
n5	10	15	844	CP	QPSK	Edge_1RB_Right	19.48	11.83
n5	10	15	844	CP	QPSK	Outer_Full	19.44	11.79
n5	10	15	844	CP	16QAM	Inner_Full	20.53	12.88
n5	10	15	844	CP	16QAM	Edge_1RB_Left	19.48	11.83
n5	10	15	844	CP	16QAM	Edge_1RB_Right	19.30	11.65
n5	10	15	844	CP	16QAM	Outer_Full	19.31	11.66
n5	10	15	844	CP	64QAM	Inner_Full	19.13	11.48
n5	10	15	844	CP	64QAM	Edge_1RB_Left	19.11	11.46
n5	10	15	844	CP	64QAM	Edge_1RB_Right	18.66	11.01
n5	10	15	844	CP	64QAM	Outer_Full	18.87	11.22
n5	10	15	844	CP	256QAM	Inner_Full	15.97	8.32
n5	10	15	844	CP	256QAM	Edge_1RB_Left	16.09	8.44
n5	10	15	844	CP	256QAM	Edge_1RB_Right	16.03	8.38
n5	10	15	844	CP	256QAM	Outer_Full	16.07	8.42
n5	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	22.76	15.11
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.06	14.41
n5	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.26	14.61
n5	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	22.51	14.86
n5	15	15	831.5	DFT	QPSK	Inner_Full	22.91	15.26
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Left	21.73	14.08
n5	15	15	831.5	DFT	QPSK	Edge_1RB_Right	21.86	14.21
n5	15	15	831.5	DFT	QPSK	Outer_Full	21.82	14.17
n5	15	15	831.5	DFT	16QAM	Inner_Full	21.58	13.93
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Left	20.68	13.03
n5	15	15	831.5	DFT	16QAM	Edge_1RB_Right	20.79	13.14
n5	15	15	831.5	DFT	16QAM	Outer_Full	20.77	13.12
n5	15	15	831.5	DFT	64QAM	Inner_Full	20.15	12.50
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Left	20.28	12.63
n5	15	15	831.5	DFT	64QAM	Edge_1RB_Right	20.24	12.59
n5	15	15	831.5	DFT	64QAM	Outer_Full	20.32	12.67
n5	15	15	831.5	DFT	256QAM	Inner_Full	18.45	10.80
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Left	18.44	10.79
n5	15	15	831.5	DFT	256QAM	Edge_1RB_Right	18.60	10.95
n5	15	15	831.5	DFT	256QAM	Outer_Full	18.32	10.67
n5	15	15	831.5	CP	QPSK	Inner_Full	21.40	13.75
n5	15	15	831.5	CP	QPSK	Edge_1RB_Left	19.57	11.92
n5	15	15	831.5	CP	QPSK	Edge_1RB_Right	19.76	12.11
n5	15	15	831.5	CP	QPSK	Outer_Full	19.89	12.24
n5	15	15	831.5	CP	16QAM	Inner_Full	20.94	13.29
n5	15	15	831.5	CP	16QAM	Edge_1RB_Left	19.83	12.18



n5	15	15	831.5	CP	16QAM	Edge_1RB_Right	19.81	12.16
n5	15	15	831.5	CP	16QAM	Outer_Full	19.98	12.33
n5	15	15	831.5	CP	64QAM	Inner_Full	19.37	11.72
n5	15	15	831.5	CP	64QAM	Edge_1RB_Left	19.16	11.51
n5	15	15	831.5	CP	64QAM	Edge_1RB_Right	19.30	11.65
n5	15	15	831.5	CP	64QAM	Outer_Full	19.25	11.60
n5	15	15	831.5	CP	256QAM	Inner_Full	16.57	8.92
n5	15	15	831.5	CP	256QAM	Edge_1RB_Left	16.36	8.71
n5	15	15	831.5	CP	256QAM	Edge_1RB_Right	16.60	8.95
n5	15	15	831.5	CP	256QAM	Outer_Full	16.37	8.72
n5	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.87	15.22
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.27	14.62
n5	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.12	14.47
n5	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.41	14.76
n5	15	15	836.5	DFT	QPSK	Inner_Full	22.95	15.30
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Left	21.96	14.31
n5	15	15	836.5	DFT	QPSK	Edge_1RB_Right	21.60	13.95
n5	15	15	836.5	DFT	QPSK	Outer_Full	21.82	14.17
n5	15	15	836.5	DFT	16QAM	Inner_Full	21.96	14.31
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Left	20.96	13.31
n5	15	15	836.5	DFT	16QAM	Edge_1RB_Right	20.58	12.93
n5	15	15	836.5	DFT	16QAM	Outer_Full	20.77	13.12
n5	15	15	836.5	DFT	64QAM	Inner_Full	20.53	12.88
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Left	20.41	12.76
n5	15	15	836.5	DFT	64QAM	Edge_1RB_Right	20.03	12.38
n5	15	15	836.5	DFT	64QAM	Outer_Full	20.45	12.80
n5	15	15	836.5	DFT	256QAM	Inner_Full	18.53	10.88
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Left	18.45	10.80
n5	15	15	836.5	DFT	256QAM	Edge_1RB_Right	18.36	10.71
n5	15	15	836.5	DFT	256QAM	Outer_Full	18.56	10.91
n5	15	15	836.5	CP	QPSK	Inner_Full	21.41	13.76
n5	15	15	836.5	CP	QPSK	Edge_1RB_Left	19.80	12.15
n5	15	15	836.5	CP	QPSK	Edge_1RB_Right	19.55	11.90
n5	15	15	836.5	CP	QPSK	Outer_Full	19.87	12.22
n5	15	15	836.5	CP	16QAM	Inner_Full	20.95	13.30
n5	15	15	836.5	CP	16QAM	Edge_1RB_Left	20.02	12.37
n5	15	15	836.5	CP	16QAM	Edge_1RB_Right	19.76	12.11
n5	15	15	836.5	CP	16QAM	Outer_Full	19.86	12.21
n5	15	15	836.5	CP	64QAM	Inner_Full	19.33	11.68
n5	15	15	836.5	CP	64QAM	Edge_1RB_Left	19.22	11.57
n5	15	15	836.5	CP	64QAM	Edge_1RB_Right	19.17	11.52



n5	15	15	836.5	CP	64QAM	Outer_Full	19.21	11.56
n5	15	15	836.5	CP	256QAM	Inner_Full	16.46	8.81
n5	15	15	836.5	CP	256QAM	Edge_1RB_Left	16.68	9.03
n5	15	15	836.5	CP	256QAM	Edge_1RB_Right	16.27	8.62
n5	15	15	836.5	CP	256QAM	Outer_Full	16.48	8.83
n5	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	22.75	15.10
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.15	14.50
n5	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.85	14.20
n5	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	22.23	14.58
n5	15	15	841.5	DFT	QPSK	Inner_Full	22.67	15.02
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Left	21.96	14.31
n5	15	15	841.5	DFT	QPSK	Edge_1RB_Right	21.44	13.79
n5	15	15	841.5	DFT	QPSK	Outer_Full	21.72	14.07
n5	15	15	841.5	DFT	16QAM	Inner_Full	21.74	14.09
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Left	20.85	13.20
n5	15	15	841.5	DFT	16QAM	Edge_1RB_Right	20.50	12.85
n5	15	15	841.5	DFT	16QAM	Outer_Full	20.68	13.03
n5	15	15	841.5	DFT	64QAM	Inner_Full	20.22	12.57
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Left	20.22	12.57
n5	15	15	841.5	DFT	64QAM	Edge_1RB_Right	19.80	12.15
n5	15	15	841.5	DFT	64QAM	Outer_Full	20.14	12.49
n5	15	15	841.5	DFT	256QAM	Inner_Full	18.34	10.69
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Left	18.62	10.97
n5	15	15	841.5	DFT	256QAM	Edge_1RB_Right	18.06	10.41
n5	15	15	841.5	DFT	256QAM	Outer_Full	18.35	10.70
n5	15	15	841.5	CP	QPSK	Inner_Full	21.26	13.61
n5	15	15	841.5	CP	QPSK	Edge_1RB_Left	19.85	12.20
n5	15	15	841.5	CP	QPSK	Edge_1RB_Right	19.31	11.66
n5	15	15	841.5	CP	QPSK	Outer_Full	19.64	11.99
n5	15	15	841.5	CP	16QAM	Inner_Full	20.76	13.11
n5	15	15	841.5	CP	16QAM	Edge_1RB_Left	19.93	12.28
n5	15	15	841.5	CP	16QAM	Edge_1RB_Right	19.44	11.79
n5	15	15	841.5	CP	16QAM	Outer_Full	19.68	12.03
n5	15	15	841.5	CP	64QAM	Inner_Full	19.33	11.68
n5	15	15	841.5	CP	64QAM	Edge_1RB_Left	19.18	11.53
n5	15	15	841.5	CP	64QAM	Edge_1RB_Right	18.63	10.98
n5	15	15	841.5	CP	64QAM	Outer_Full	19.18	11.53
n5	15	15	841.5	CP	256QAM	Inner_Full	16.26	8.61
n5	15	15	841.5	CP	256QAM	Edge_1RB_Left	16.58	8.93
n5	15	15	841.5	CP	256QAM	Edge_1RB_Right	16.13	8.48
n5	15	15	841.5	CP	256QAM	Outer_Full	16.37	8.72

n5	20	15	834	DFT	pi/2 BPSK	Inner_Full	23.08	15.43
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	22.15	14.50
n5	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	21.96	14.31
n5	20	15	834	DFT	pi/2 BPSK	Outer_Full	22.17	14.52
n5	20	15	834	DFT	QPSK	Inner_Full	22.81	15.16
n5	20	15	834	DFT	QPSK	Edge_1RB_Left	21.53	13.88
n5	20	15	834	DFT	QPSK	Edge_1RB_Right	21.42	13.77
n5	20	15	834	DFT	QPSK	Outer_Full	21.71	14.06
n5	20	15	834	DFT	16QAM	Inner_Full	21.82	14.17
n5	20	15	834	DFT	16QAM	Edge_1RB_Left	20.65	13.00
n5	20	15	834	DFT	16QAM	Edge_1RB_Right	20.50	12.85
n5	20	15	834	DFT	16QAM	Outer_Full	20.64	12.99
n5	20	15	834	DFT	64QAM	Inner_Full	20.40	12.75
n5	20	15	834	DFT	64QAM	Edge_1RB_Left	19.95	12.30
n5	20	15	834	DFT	64QAM	Edge_1RB_Right	19.89	12.24
n5	20	15	834	DFT	64QAM	Outer_Full	20.31	12.66
n5	20	15	834	DFT	256QAM	Inner_Full	18.31	10.66
n5	20	15	834	DFT	256QAM	Edge_1RB_Left	18.25	10.60
n5	20	15	834	DFT	256QAM	Edge_1RB_Right	18.06	10.41
n5	20	15	834	DFT	256QAM	Outer_Full	18.38	10.73
n5	20	15	834	CP	QPSK	Inner_Full	21.37	13.72
n5	20	15	834	CP	QPSK	Edge_1RB_Left	19.47	11.82
n5	20	15	834	CP	QPSK	Edge_1RB_Right	19.28	11.63
n5	20	15	834	CP	QPSK	Outer_Full	19.71	12.06
n5	20	15	834	CP	16QAM	Inner_Full	20.89	13.24
n5	20	15	834	CP	16QAM	Edge_1RB_Left	19.26	11.61
n5	20	15	834	CP	16QAM	Edge_1RB_Right	19.45	11.80
n5	20	15	834	CP	16QAM	Outer_Full	19.82	12.17
n5	20	15	834	CP	64QAM	Inner_Full	19.01	11.36
n5	20	15	834	CP	64QAM	Edge_1RB_Left	19.23	11.58
n5	20	15	834	CP	64QAM	Edge_1RB_Right	18.98	11.33
n5	20	15	834	CP	64QAM	Outer_Full	19.14	11.49
n5	20	15	834	CP	256QAM	Inner_Full	16.61	8.96
n5	20	15	834	CP	256QAM	Edge_1RB_Left	16.45	8.80
n5	20	15	834	CP	256QAM	Edge_1RB_Right	16.26	8.61
n5	20	15	834	CP	256QAM	Outer_Full	16.39	8.74
n5	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	22.83	15.18
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.02	14.37
n5	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.68	14.03
n5	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	22.13	14.48
n5	20	15	836.5	DFT	QPSK	Inner_Full	22.76	15.11

n5	20	15	836.5	DFT	QPSK	Edge_1RB_Left	21.48	13.83
n5	20	15	836.5	DFT	QPSK	Edge_1RB_Right	21.35	13.70
n5	20	15	836.5	DFT	QPSK	Outer_Full	21.68	14.03
n5	20	15	836.5	DFT	16QAM	Inner_Full	21.69	14.04
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Left	20.56	12.91
n5	20	15	836.5	DFT	16QAM	Edge_1RB_Right	20.55	12.90
n5	20	15	836.5	DFT	16QAM	Outer_Full	20.66	13.01
n5	20	15	836.5	DFT	64QAM	Inner_Full	20.17	12.52
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Left	20.07	12.42
n5	20	15	836.5	DFT	64QAM	Edge_1RB_Right	19.94	12.29
n5	20	15	836.5	DFT	64QAM	Outer_Full	20.11	12.46
n5	20	15	836.5	DFT	256QAM	Inner_Full	18.33	10.68
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Left	18.39	10.74
n5	20	15	836.5	DFT	256QAM	Edge_1RB_Right	18.23	10.58
n5	20	15	836.5	DFT	256QAM	Outer_Full	18.27	10.62
n5	20	15	836.5	CP	QPSK	Inner_Full	21.19	13.54
n5	20	15	836.5	CP	QPSK	Edge_1RB_Left	19.48	11.83
n5	20	15	836.5	CP	QPSK	Edge_1RB_Right	19.31	11.66
n5	20	15	836.5	CP	QPSK	Outer_Full	19.73	12.08
n5	20	15	836.5	CP	16QAM	Inner_Full	20.61	12.96
n5	20	15	836.5	CP	16QAM	Edge_1RB_Left	19.83	12.18
n5	20	15	836.5	CP	16QAM	Edge_1RB_Right	19.76	12.11
n5	20	15	836.5	CP	16QAM	Outer_Full	19.58	11.93
n5	20	15	836.5	CP	64QAM	Inner_Full	19.11	11.46
n5	20	15	836.5	CP	64QAM	Edge_1RB_Left	18.91	11.26
n5	20	15	836.5	CP	64QAM	Edge_1RB_Right	18.85	11.20
n5	20	15	836.5	CP	64QAM	Outer_Full	18.99	11.34
n5	20	15	836.5	CP	256QAM	Inner_Full	16.27	8.62
n5	20	15	836.5	CP	256QAM	Edge_1RB_Left	16.49	8.84
n5	20	15	836.5	CP	256QAM	Edge_1RB_Right	16.33	8.68
n5	20	15	836.5	CP	256QAM	Outer_Full	16.21	8.56
n5	20	15	839	DFT	pi/2 BPSK	Inner_Full	22.86	15.21
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	22.27	14.62
n5	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	21.78	14.13
n5	20	15	839	DFT	pi/2 BPSK	Outer_Full	22.31	14.66
n5	20	15	839	DFT	QPSK	Inner_Full	22.90	15.25
n5	20	15	839	DFT	QPSK	Edge_1RB_Left	21.93	14.28
n5	20	15	839	DFT	QPSK	Edge_1RB_Right	21.41	13.76
n5	20	15	839	DFT	QPSK	Outer_Full	21.66	14.01
n5	20	15	839	DFT	16QAM	Inner_Full	21.94	14.29
n5	20	15	839	DFT	16QAM	Edge_1RB_Left	20.65	13.00



n5	20	15	839	DFT	16QAM	Edge_1RB_Right	20.46	12.81
n5	20	15	839	DFT	16QAM	Outer_Full	20.85	13.20
n5	20	15	839	DFT	64QAM	Inner_Full	20.29	12.64
n5	20	15	839	DFT	64QAM	Edge_1RB_Left	20.52	12.87
n5	20	15	839	DFT	64QAM	Edge_1RB_Right	19.85	12.20
n5	20	15	839	DFT	64QAM	Outer_Full	20.25	12.60
n5	20	15	839	DFT	256QAM	Inner_Full	18.35	10.70
n5	20	15	839	DFT	256QAM	Edge_1RB_Left	18.19	10.54
n5	20	15	839	DFT	256QAM	Edge_1RB_Right	17.86	10.21
n5	20	15	839	DFT	256QAM	Outer_Full	18.34	10.69
n5	20	15	839	CP	QPSK	Inner_Full	21.29	13.64
n5	20	15	839	CP	QPSK	Edge_1RB_Left	19.64	11.99
n5	20	15	839	CP	QPSK	Edge_1RB_Right	19.23	11.58
n5	20	15	839	CP	QPSK	Outer_Full	19.64	11.99
n5	20	15	839	CP	16QAM	Inner_Full	20.84	13.19
n5	20	15	839	CP	16QAM	Edge_1RB_Left	19.86	12.21
n5	20	15	839	CP	16QAM	Edge_1RB_Right	19.34	11.69
n5	20	15	839	CP	16QAM	Outer_Full	19.67	12.02
n5	20	15	839	CP	64QAM	Inner_Full	19.42	11.77
n5	20	15	839	CP	64QAM	Edge_1RB_Left	19.31	11.66
n5	20	15	839	CP	64QAM	Edge_1RB_Right	18.63	10.98
n5	20	15	839	CP	64QAM	Outer_Full	19.16	11.51
n5	20	15	839	CP	256QAM	Inner_Full	16.36	8.71
n5	20	15	839	CP	256QAM	Edge_1RB_Left	16.68	9.03
n5	20	15	839	CP	256QAM	Edge_1RB_Right	16.01	8.36
n5	20	15	839	CP	256QAM	Outer_Full	16.35	8.70

NR n41

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm) (Gt-Lc =-1.4)
n41	10	30	2501.01	DFT	pi/2 BPSK	Inner_Full	25.06	23.66
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.50	21.10
n41	10	30	2501.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.53	21.13
n41	10	30	2501.01	DFT	pi/2 BPSK	Outer_Full	24.60	23.20
n41	10	30	2501.01	DFT	QPSK	Inner_Full	25.19	23.79
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Left	22.45	21.05
n41	10	30	2501.01	DFT	QPSK	Edge_1RB_Right	22.46	21.06
n41	10	30	2501.01	DFT	QPSK	Outer_Full	24.11	22.71
n41	10	30	2501.01	DFT	16QAM	Inner_Full	24.18	22.78
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Left	22.62	21.22
n41	10	30	2501.01	DFT	16QAM	Edge_1RB_Right	22.47	21.07
n41	10	30	2501.01	DFT	16QAM	Outer_Full	23.13	21.73
n41	10	30	2501.01	DFT	64QAM	Inner_Full	22.54	21.14
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Left	22.08	20.68
n41	10	30	2501.01	DFT	64QAM	Edge_1RB_Right	22.33	20.93
n41	10	30	2501.01	DFT	64QAM	Outer_Full	22.58	21.18
n41	10	30	2501.01	DFT	256QAM	Inner_Full	20.67	19.27
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Left	21.57	20.17
n41	10	30	2501.01	DFT	256QAM	Edge_1RB_Right	21.69	20.29
n41	10	30	2501.01	DFT	256QAM	Outer_Full	20.51	19.11
n41	10	30	2501.01	CP	QPSK	Inner_Full	23.52	22.12
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Left	22.44	21.04
n41	10	30	2501.01	CP	QPSK	Edge_1RB_Right	22.49	21.09
n41	10	30	2501.01	CP	QPSK	Outer_Full	22.12	20.72
n41	10	30	2501.01	CP	16QAM	Inner_Full	23.13	21.73
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Left	22.30	20.90
n41	10	30	2501.01	CP	16QAM	Edge_1RB_Right	22.53	21.13
n41	10	30	2501.01	CP	16QAM	Outer_Full	22.12	20.72
n41	10	30	2501.01	CP	64QAM	Inner_Full	21.45	20.05
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Left	22.82	21.42
n41	10	30	2501.01	CP	64QAM	Edge_1RB_Right	22.75	21.35
n41	10	30	2501.01	CP	64QAM	Outer_Full	21.76	20.36
n41	10	30	2501.01	CP	256QAM	Inner_Full	18.37	16.97
n41	10	30	2501.01	CP	256QAM	Edge_1RB_Left	19.72	18.32
n41	10	30	2501.01	CP	256QAM	Edge_1RB_Right	19.46	18.06
n41	10	30	2501.01	CP	256QAM	Outer_Full	18.63	17.23
n41	10	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.32	23.92



n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.64	21.24
n41	10	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.48	21.08
n41	10	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.48	23.08
n41	10	30	2592.99	DFT	QPSK	Inner_Full	25.42	24.02
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.66	21.26
n41	10	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.50	21.10
n41	10	30	2592.99	DFT	QPSK	Outer_Full	24.28	22.88
n41	10	30	2592.99	DFT	16QAM	Inner_Full	24.33	22.93
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Left	23.02	21.62
n41	10	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.76	21.36
n41	10	30	2592.99	DFT	16QAM	Outer_Full	23.29	21.89
n41	10	30	2592.99	DFT	64QAM	Inner_Full	22.68	21.28
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.47	21.07
n41	10	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.40	21.00
n41	10	30	2592.99	DFT	64QAM	Outer_Full	22.80	21.40
n41	10	30	2592.99	DFT	256QAM	Inner_Full	20.88	19.48
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.68	20.28
n41	10	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.58	20.18
n41	10	30	2592.99	DFT	256QAM	Outer_Full	20.72	19.32
n41	10	30	2592.99	CP	QPSK	Inner_Full	23.82	22.42
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Left	22.69	21.29
n41	10	30	2592.99	CP	QPSK	Edge_1RB_Right	22.63	21.23
n41	10	30	2592.99	CP	QPSK	Outer_Full	22.23	20.83
n41	10	30	2592.99	CP	16QAM	Inner_Full	23.29	21.89
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Left	22.78	21.38
n41	10	30	2592.99	CP	16QAM	Edge_1RB_Right	22.44	21.04
n41	10	30	2592.99	CP	16QAM	Outer_Full	22.24	20.84
n41	10	30	2592.99	CP	64QAM	Inner_Full	21.95	20.55
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Left	22.65	21.25
n41	10	30	2592.99	CP	64QAM	Edge_1RB_Right	22.75	21.35
n41	10	30	2592.99	CP	64QAM	Outer_Full	21.89	20.49
n41	10	30	2592.99	CP	256QAM	Inner_Full	18.76	17.36
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Left	19.72	18.32
n41	10	30	2592.99	CP	256QAM	Edge_1RB_Right	19.61	18.21
n41	10	30	2592.99	CP	256QAM	Outer_Full	18.61	17.21
n41	10	30	2685	DFT	pi/2 BPSK	Inner_Full	25.39	23.99
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Left	22.53	21.13
n41	10	30	2685	DFT	pi/2 BPSK	Edge_1RB_Right	22.64	21.24
n41	10	30	2685	DFT	pi/2 BPSK	Outer_Full	24.80	23.40
n41	10	30	2685	DFT	QPSK	Inner_Full	25.38	23.98
n41	10	30	2685	DFT	QPSK	Edge_1RB_Left	22.64	21.24

n41	10	30	2685	DFT	QPSK	Edge_1RB_Right	22.56	21.16
n41	10	30	2685	DFT	QPSK	Outer_Full	24.34	22.94
n41	10	30	2685	DFT	16QAM	Inner_Full	24.44	23.04
n41	10	30	2685	DFT	16QAM	Edge_1RB_Left	22.62	21.22
n41	10	30	2685	DFT	16QAM	Edge_1RB_Right	22.94	21.54
n41	10	30	2685	DFT	16QAM	Outer_Full	23.36	21.96
n41	10	30	2685	DFT	64QAM	Inner_Full	22.64	21.24
n41	10	30	2685	DFT	64QAM	Edge_1RB_Left	22.61	21.21
n41	10	30	2685	DFT	64QAM	Edge_1RB_Right	22.18	20.78
n41	10	30	2685	DFT	64QAM	Outer_Full	22.89	21.49
n41	10	30	2685	DFT	256QAM	Inner_Full	20.76	19.36
n41	10	30	2685	DFT	256QAM	Edge_1RB_Left	21.92	20.52
n41	10	30	2685	DFT	256QAM	Edge_1RB_Right	21.65	20.25
n41	10	30	2685	DFT	256QAM	Outer_Full	20.81	19.41
n41	10	30	2685	CP	QPSK	Inner_Full	23.70	22.30
n41	10	30	2685	CP	QPSK	Edge_1RB_Left	22.71	21.31
n41	10	30	2685	CP	QPSK	Edge_1RB_Right	22.56	21.16
n41	10	30	2685	CP	QPSK	Outer_Full	22.23	20.83
n41	10	30	2685	CP	16QAM	Inner_Full	23.33	21.93
n41	10	30	2685	CP	16QAM	Edge_1RB_Left	22.59	21.19
n41	10	30	2685	CP	16QAM	Edge_1RB_Right	22.16	20.76
n41	10	30	2685	CP	16QAM	Outer_Full	22.48	21.08
n41	10	30	2685	CP	64QAM	Inner_Full	21.79	20.39
n41	10	30	2685	CP	64QAM	Edge_1RB_Left	22.78	21.38
n41	10	30	2685	CP	64QAM	Edge_1RB_Right	22.65	21.25
n41	10	30	2685	CP	64QAM	Outer_Full	21.90	20.50
n41	10	30	2685	CP	256QAM	Inner_Full	18.67	17.27
n41	10	30	2685	CP	256QAM	Edge_1RB_Left	19.76	18.36
n41	10	30	2685	CP	256QAM	Edge_1RB_Right	19.54	18.14
n41	10	30	2685	CP	256QAM	Outer_Full	18.76	17.36
n41	15	30	2503.5	DFT	pi/2 BPSK	Inner_Full	25.07	23.67
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	21.16
n41	15	30	2503.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.57	21.17
n41	15	30	2503.5	DFT	pi/2 BPSK	Outer_Full	24.73	23.33
n41	15	30	2503.5	DFT	QPSK	Inner_Full	25.38	23.98
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Left	22.42	21.02
n41	15	30	2503.5	DFT	QPSK	Edge_1RB_Right	22.39	20.99
n41	15	30	2503.5	DFT	QPSK	Outer_Full	24.35	22.95
n41	15	30	2503.5	DFT	16QAM	Inner_Full	24.20	22.80
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Left	22.59	21.19
n41	15	30	2503.5	DFT	16QAM	Edge_1RB_Right	22.95	21.55



n41	15	30	2503.5	DFT	16QAM	Outer_Full	23.23	21.83
n41	15	30	2503.5	DFT	64QAM	Inner_Full	22.60	21.20
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Left	22.48	21.08
n41	15	30	2503.5	DFT	64QAM	Edge_1RB_Right	22.37	20.97
n41	15	30	2503.5	DFT	64QAM	Outer_Full	22.60	21.20
n41	15	30	2503.5	DFT	256QAM	Inner_Full	20.63	19.23
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Left	21.61	20.21
n41	15	30	2503.5	DFT	256QAM	Edge_1RB_Right	21.68	20.28
n41	15	30	2503.5	DFT	256QAM	Outer_Full	20.65	19.25
n41	15	30	2503.5	CP	QPSK	Inner_Full	23.56	22.16
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Left	22.36	20.96
n41	15	30	2503.5	CP	QPSK	Edge_1RB_Right	22.53	21.13
n41	15	30	2503.5	CP	QPSK	Outer_Full	21.94	20.54
n41	15	30	2503.5	CP	16QAM	Inner_Full	22.89	21.49
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Left	22.48	21.08
n41	15	30	2503.5	CP	16QAM	Edge_1RB_Right	22.55	21.15
n41	15	30	2503.5	CP	16QAM	Outer_Full	22.05	20.65
n41	15	30	2503.5	CP	64QAM	Inner_Full	21.68	20.28
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Left	22.75	21.35
n41	15	30	2503.5	CP	64QAM	Edge_1RB_Right	22.80	21.40
n41	15	30	2503.5	CP	64QAM	Outer_Full	21.76	20.36
n41	15	30	2503.5	CP	256QAM	Inner_Full	18.60	17.20
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Left	19.60	18.20
n41	15	30	2503.5	CP	256QAM	Edge_1RB_Right	19.73	18.33
n41	15	30	2503.5	CP	256QAM	Outer_Full	18.61	17.21
n41	15	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.37	23.97
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	21.25
n41	15	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.47	21.07
n41	15	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.78	23.38
n41	15	30	2592.99	DFT	QPSK	Inner_Full	25.23	23.83
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.61	21.21
n41	15	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.41	21.01
n41	15	30	2592.99	DFT	QPSK	Outer_Full	24.30	22.90
n41	15	30	2592.99	DFT	16QAM	Inner_Full	24.15	22.75
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.74	21.34
n41	15	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.77	21.37
n41	15	30	2592.99	DFT	16QAM	Outer_Full	23.40	22.00
n41	15	30	2592.99	DFT	64QAM	Inner_Full	22.84	21.44
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.66	21.26
n41	15	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.23	20.83
n41	15	30	2592.99	DFT	64QAM	Outer_Full	22.74	21.34



n41	15	30	2592.99	DFT	256QAM	Inner_Full	20.73	19.33
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.59	20.19
n41	15	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.63	20.23
n41	15	30	2592.99	DFT	256QAM	Outer_Full	20.74	19.34
n41	15	30	2592.99	CP	QPSK	Inner_Full	23.75	22.35
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Left	22.53	21.13
n41	15	30	2592.99	CP	QPSK	Edge_1RB_Right	22.70	21.30
n41	15	30	2592.99	CP	QPSK	Outer_Full	22.14	20.74
n41	15	30	2592.99	CP	16QAM	Inner_Full	23.15	21.75
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Left	22.36	20.96
n41	15	30	2592.99	CP	16QAM	Edge_1RB_Right	22.48	21.08
n41	15	30	2592.99	CP	16QAM	Outer_Full	22.14	20.74
n41	15	30	2592.99	CP	64QAM	Inner_Full	21.70	20.30
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Left	23.05	21.65
n41	15	30	2592.99	CP	64QAM	Edge_1RB_Right	22.57	21.17
n41	15	30	2592.99	CP	64QAM	Outer_Full	21.82	20.42
n41	15	30	2592.99	CP	256QAM	Inner_Full	18.80	17.40
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Left	19.63	18.23
n41	15	30	2592.99	CP	256QAM	Edge_1RB_Right	19.60	18.20
n41	15	30	2592.99	CP	256QAM	Outer_Full	18.65	17.25
n41	15	30	2682.48	DFT	pi/2 BPSK	Inner_Full	25.42	24.02
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Left	22.75	21.35
n41	15	30	2682.48	DFT	pi/2 BPSK	Edge_1RB_Right	22.74	21.34
n41	15	30	2682.48	DFT	pi/2 BPSK	Outer_Full	24.85	23.45
n41	15	30	2682.48	DFT	QPSK	Inner_Full	25.37	23.97
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Left	22.65	21.25
n41	15	30	2682.48	DFT	QPSK	Edge_1RB_Right	22.66	21.26
n41	15	30	2682.48	DFT	QPSK	Outer_Full	24.33	22.93
n41	15	30	2682.48	DFT	16QAM	Inner_Full	24.32	22.92
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Left	22.98	21.58
n41	15	30	2682.48	DFT	16QAM	Edge_1RB_Right	22.98	21.58
n41	15	30	2682.48	DFT	16QAM	Outer_Full	23.42	22.02
n41	15	30	2682.48	DFT	64QAM	Inner_Full	22.91	21.51
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Left	22.45	21.05
n41	15	30	2682.48	DFT	64QAM	Edge_1RB_Right	22.32	20.92
n41	15	30	2682.48	DFT	64QAM	Outer_Full	22.89	21.49
n41	15	30	2682.48	DFT	256QAM	Inner_Full	20.89	19.49
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Left	21.81	20.41
n41	15	30	2682.48	DFT	256QAM	Edge_1RB_Right	21.62	20.22
n41	15	30	2682.48	DFT	256QAM	Outer_Full	20.93	19.53
n41	15	30	2682.48	CP	QPSK	Inner_Full	23.99	22.59

n41	15	30	2682.48	CP	QPSK	Edge_1RB_Left	22.78	21.38
n41	15	30	2682.48	CP	QPSK	Edge_1RB_Right	22.74	21.34
n41	15	30	2682.48	CP	QPSK	Outer_Full	22.31	20.91
n41	15	30	2682.48	CP	16QAM	Inner_Full	23.33	21.93
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Left	22.66	21.26
n41	15	30	2682.48	CP	16QAM	Edge_1RB_Right	22.55	21.15
n41	15	30	2682.48	CP	16QAM	Outer_Full	22.24	20.84
n41	15	30	2682.48	CP	64QAM	Inner_Full	21.89	20.49
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Left	23.15	21.75
n41	15	30	2682.48	CP	64QAM	Edge_1RB_Right	23.25	21.85
n41	15	30	2682.48	CP	64QAM	Outer_Full	21.94	20.54
n41	15	30	2682.48	CP	256QAM	Inner_Full	18.83	17.43
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Left	19.80	18.40
n41	15	30	2682.48	CP	256QAM	Edge_1RB_Right	19.80	18.40
n41	15	30	2682.48	CP	256QAM	Outer_Full	18.83	17.43
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	25.08	23.68
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.35	20.95
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.40	21.00
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	24.60	23.20
n41	20	30	2506.02	DFT	QPSK	Inner_Full	25.06	23.66
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	22.34	20.94
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	22.44	21.04
n41	20	30	2506.02	DFT	QPSK	Outer_Full	24.09	22.69
n41	20	30	2506.02	DFT	16QAM	Inner_Full	24.08	22.68
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	22.54	21.14
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	22.91	21.51
n41	20	30	2506.02	DFT	16QAM	Outer_Full	23.00	21.60
n41	20	30	2506.02	DFT	64QAM	Inner_Full	22.52	21.12
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	22.16	20.76
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	22.61	21.21
n41	20	30	2506.02	DFT	64QAM	Outer_Full	22.76	21.36
n41	20	30	2506.02	DFT	256QAM	Inner_Full	20.53	19.13
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	21.47	20.07
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	21.67	20.27
n41	20	30	2506.02	DFT	256QAM	Outer_Full	20.58	19.18
n41	20	30	2506.02	CP	QPSK	Inner_Full	23.53	22.13
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	22.20	20.80
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	22.68	21.28
n41	20	30	2506.02	CP	QPSK	Outer_Full	22.13	20.73
n41	20	30	2506.02	CP	16QAM	Inner_Full	23.02	21.62
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	22.46	21.06

n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	22.44	21.04
n41	20	30	2506.02	CP	16QAM	Outer_Full	22.01	20.61
n41	20	30	2506.02	CP	64QAM	Inner_Full	21.43	20.03
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	22.44	21.04
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	22.72	21.32
n41	20	30	2506.02	CP	64QAM	Outer_Full	21.53	20.13
n41	20	30	2506.02	CP	256QAM	Inner_Full	18.43	17.03
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	19.40	18.00
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	19.65	18.25
n41	20	30	2506.02	CP	256QAM	Outer_Full	18.61	17.21
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.25	23.85
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.52	21.12
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.39	20.99
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.61	23.21
n41	20	30	2592.99	DFT	QPSK	Inner_Full	25.25	23.85
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.46	21.06
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.39	20.99
n41	20	30	2592.99	DFT	QPSK	Outer_Full	24.26	22.86
n41	20	30	2592.99	DFT	16QAM	Inner_Full	24.22	22.82
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.72	21.32
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.64	21.24
n41	20	30	2592.99	DFT	16QAM	Outer_Full	23.17	21.77
n41	20	30	2592.99	DFT	64QAM	Inner_Full	22.80	21.40
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.27	20.87
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.23	20.83
n41	20	30	2592.99	DFT	64QAM	Outer_Full	22.78	21.38
n41	20	30	2592.99	DFT	256QAM	Inner_Full	20.74	19.34
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.52	20.12
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.48	20.08
n41	20	30	2592.99	DFT	256QAM	Outer_Full	20.83	19.43
n41	20	30	2592.99	CP	QPSK	Inner_Full	23.90	22.50
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	22.50	21.10
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	22.61	21.21
n41	20	30	2592.99	CP	QPSK	Outer_Full	22.27	20.87
n41	20	30	2592.99	CP	16QAM	Inner_Full	23.35	21.95
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	22.36	20.96
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	22.60	21.20
n41	20	30	2592.99	CP	16QAM	Outer_Full	22.30	20.90
n41	20	30	2592.99	CP	64QAM	Inner_Full	21.79	20.39
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	22.68	21.28
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	22.52	21.12



n41	20	30	2592.99	CP	64QAM	Outer_Full	21.82	20.42
n41	20	30	2592.99	CP	256QAM	Inner_Full	18.76	17.36
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	19.51	18.11
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	19.54	18.14
n41	20	30	2592.99	CP	256QAM	Outer_Full	18.78	17.38
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	25.46	24.06
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.70	21.30
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.62	21.22
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	24.85	23.45
n41	20	30	2679.99	DFT	QPSK	Inner_Full	25.36	23.96
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	22.56	21.16
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	22.56	21.16
n41	20	30	2679.99	DFT	QPSK	Outer_Full	24.25	22.85
n41	20	30	2679.99	DFT	16QAM	Inner_Full	24.37	22.97
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	22.50	21.10
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	22.87	21.47
n41	20	30	2679.99	DFT	16QAM	Outer_Full	23.44	22.04
n41	20	30	2679.99	DFT	64QAM	Inner_Full	22.93	21.53
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	22.60	21.20
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	22.42	21.02
n41	20	30	2679.99	DFT	64QAM	Outer_Full	22.78	21.38
n41	20	30	2679.99	DFT	256QAM	Inner_Full	20.91	19.51
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	21.71	20.31
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	21.78	20.38
n41	20	30	2679.99	DFT	256QAM	Outer_Full	20.83	19.43
n41	20	30	2679.99	CP	QPSK	Inner_Full	23.98	22.58
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	22.66	21.26
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	22.59	21.19
n41	20	30	2679.99	CP	QPSK	Outer_Full	22.31	20.91
n41	20	30	2679.99	CP	16QAM	Inner_Full	23.35	21.95
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	22.67	21.27
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	22.69	21.29
n41	20	30	2679.99	CP	16QAM	Outer_Full	22.36	20.96
n41	20	30	2679.99	CP	64QAM	Inner_Full	21.83	20.43
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	22.58	21.18
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	22.90	21.50
n41	20	30	2679.99	CP	64QAM	Outer_Full	21.85	20.45
n41	20	30	2679.99	CP	256QAM	Inner_Full	18.88	17.48
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	19.48	18.08
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	19.80	18.40
n41	20	30	2679.99	CP	256QAM	Outer_Full	18.91	17.51

n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	25.33	23.93
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	22.37	20.97
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	21.12
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	24.70	23.30
n41	30	30	2511	DFT	QPSK	Inner_Full	25.12	23.72
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	22.24	20.84
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	22.44	21.04
n41	30	30	2511	DFT	QPSK	Outer_Full	24.12	22.72
n41	30	30	2511	DFT	16QAM	Inner_Full	24.28	22.88
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	22.47	21.07
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.42	21.02
n41	30	30	2511	DFT	16QAM	Outer_Full	23.29	21.89
n41	30	30	2511	DFT	64QAM	Inner_Full	22.82	21.42
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	22.13	20.73
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	22.45	21.05
n41	30	30	2511	DFT	64QAM	Outer_Full	22.62	21.22
n41	30	30	2511	DFT	256QAM	Inner_Full	20.90	19.50
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	21.53	20.13
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	21.59	20.19
n41	30	30	2511	DFT	256QAM	Outer_Full	20.72	19.32
n41	30	30	2511	CP	QPSK	Inner_Full	23.79	22.39
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	22.22	20.82
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	22.57	21.17
n41	30	30	2511	CP	QPSK	Outer_Full	22.21	20.81
n41	30	30	2511	CP	16QAM	Inner_Full	23.24	21.84
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	22.46	21.06
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	22.49	21.09
n41	30	30	2511	CP	16QAM	Outer_Full	22.18	20.78
n41	30	30	2511	CP	64QAM	Inner_Full	21.81	20.41
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	22.52	21.12
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	22.64	21.24
n41	30	30	2511	CP	64QAM	Outer_Full	21.84	20.44
n41	30	30	2511	CP	256QAM	Inner_Full	18.89	17.49
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	19.31	17.91
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	19.51	18.11
n41	30	30	2511	CP	256QAM	Outer_Full	18.76	17.36
n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.38	23.98
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.39	20.99
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.33	20.93
n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.66	23.26
n41	30	30	2592.99	DFT	QPSK	Inner_Full	25.44	24.04

n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.28	20.88
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.19	20.79
n41	30	30	2592.99	DFT	QPSK	Outer_Full	24.14	22.74
n41	30	30	2592.99	DFT	16QAM	Inner_Full	24.38	22.98
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.49	21.09
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.38	20.98
n41	30	30	2592.99	DFT	16QAM	Outer_Full	23.31	21.91
n41	30	30	2592.99	DFT	64QAM	Inner_Full	22.88	21.48
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.99	20.59
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.43	21.03
n41	30	30	2592.99	DFT	64QAM	Outer_Full	22.82	21.42
n41	30	30	2592.99	DFT	256QAM	Inner_Full	20.87	19.47
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.31	19.91
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.39	19.99
n41	30	30	2592.99	DFT	256QAM	Outer_Full	20.81	19.41
n41	30	30	2592.99	CP	QPSK	Inner_Full	23.95	22.55
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	22.26	20.86
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	22.28	20.88
n41	30	30	2592.99	CP	QPSK	Outer_Full	22.27	20.87
n41	30	30	2592.99	CP	16QAM	Inner_Full	23.30	21.90
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	22.22	20.82
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	22.15	20.75
n41	30	30	2592.99	CP	16QAM	Outer_Full	22.08	20.68
n41	30	30	2592.99	CP	64QAM	Inner_Full	21.81	20.41
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	22.47	21.07
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	22.28	20.88
n41	30	30	2592.99	CP	64QAM	Outer_Full	21.92	20.52
n41	30	30	2592.99	CP	256QAM	Inner_Full	18.84	17.44
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	19.40	18.00
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	19.31	17.91
n41	30	30	2592.99	CP	256QAM	Outer_Full	18.64	17.24
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	25.43	24.03
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.73	21.33
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.69	21.29
n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	24.84	23.44
n41	30	30	2674.98	DFT	QPSK	Inner_Full	25.38	23.98
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	22.59	21.19
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	22.52	21.12
n41	30	30	2674.98	DFT	QPSK	Outer_Full	24.38	22.98
n41	30	30	2674.98	DFT	16QAM	Inner_Full	24.42	23.02
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	22.66	21.26

n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	22.66	21.26
n41	30	30	2674.98	DFT	16QAM	Outer_Full	23.34	21.94
n41	30	30	2674.98	DFT	64QAM	Inner_Full	23.01	21.61
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	22.16	20.76
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	22.40	21.00
n41	30	30	2674.98	DFT	64QAM	Outer_Full	22.81	21.41
n41	30	30	2674.98	DFT	256QAM	Inner_Full	21.05	19.65
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	21.81	20.41
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	21.63	20.23
n41	30	30	2674.98	DFT	256QAM	Outer_Full	20.81	19.41
n41	30	30	2674.98	CP	QPSK	Inner_Full	23.96	22.56
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	22.52	21.12
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	22.65	21.25
n41	30	30	2674.98	CP	QPSK	Outer_Full	22.20	20.80
n41	30	30	2674.98	CP	16QAM	Inner_Full	23.36	21.96
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	22.56	21.16
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	22.49	21.09
n41	30	30	2674.98	CP	16QAM	Outer_Full	22.31	20.91
n41	30	30	2674.98	CP	64QAM	Inner_Full	21.80	20.40
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	22.75	21.35
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	22.51	21.11
n41	30	30	2674.98	CP	64QAM	Outer_Full	21.85	20.45
n41	30	30	2674.98	CP	256QAM	Inner_Full	18.90	17.50
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	19.68	18.28
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	19.66	18.26
n41	30	30	2674.98	CP	256QAM	Outer_Full	18.75	17.35
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	25.29	23.89
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.08	20.68
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.16	20.76
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	24.62	23.22
n41	40	30	2516.01	DFT	QPSK	Inner_Full	25.20	23.80
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	21.93	20.53
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	21.98	20.58
n41	40	30	2516.01	DFT	QPSK	Outer_Full	24.02	22.62
n41	40	30	2516.01	DFT	16QAM	Inner_Full	24.18	22.78
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	22.07	20.67
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	22.09	20.69
n41	40	30	2516.01	DFT	16QAM	Outer_Full	23.11	21.71
n41	40	30	2516.01	DFT	64QAM	Inner_Full	22.72	21.32
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.58	20.18
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	21.66	20.26

n41	40	30	2516.01	DFT	64QAM	Outer_Full	22.59	21.19
n41	40	30	2516.01	DFT	256QAM	Inner_Full	20.87	19.47
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	21.09	19.69
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	21.04	19.64
n41	40	30	2516.01	DFT	256QAM	Outer_Full	20.55	19.15
n41	40	30	2516.01	CP	QPSK	Inner_Full	23.68	22.28
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	22.08	20.68
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	22.05	20.65
n41	40	30	2516.01	CP	QPSK	Outer_Full	22.15	20.75
n41	40	30	2516.01	CP	16QAM	Inner_Full	23.21	21.81
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	22.10	20.70
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	21.93	20.53
n41	40	30	2516.01	CP	16QAM	Outer_Full	22.13	20.73
n41	40	30	2516.01	CP	64QAM	Inner_Full	21.70	20.30
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	22.15	20.75
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	22.05	20.65
n41	40	30	2516.01	CP	64QAM	Outer_Full	21.70	20.30
n41	40	30	2516.01	CP	256QAM	Inner_Full	18.76	17.36
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	19.04	17.64
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	19.10	17.70
n41	40	30	2516.01	CP	256QAM	Outer_Full	18.57	17.17
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.35	23.95
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.82	20.42
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.99	20.59
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.61	23.21
n41	40	30	2592.99	DFT	QPSK	Inner_Full	25.46	24.06
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.80	20.40
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	21.92	20.52
n41	40	30	2592.99	DFT	QPSK	Outer_Full	24.13	22.73
n41	40	30	2592.99	DFT	16QAM	Inner_Full	24.19	22.79
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.83	20.43
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.04	20.64
n41	40	30	2592.99	DFT	16QAM	Outer_Full	23.21	21.81
n41	40	30	2592.99	DFT	64QAM	Inner_Full	22.85	21.45
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.59	20.19
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.81	20.41
n41	40	30	2592.99	DFT	64QAM	Outer_Full	22.59	21.19
n41	40	30	2592.99	DFT	256QAM	Inner_Full	20.85	19.45
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.97	19.57
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.27	19.87
n41	40	30	2592.99	DFT	256QAM	Outer_Full	20.67	19.27

n41	40	30	2592.99	CP	QPSK	Inner_Full	23.84	22.44
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	21.93	20.53
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	22.09	20.69
n41	40	30	2592.99	CP	QPSK	Outer_Full	22.00	20.60
n41	40	30	2592.99	CP	16QAM	Inner_Full	23.23	21.83
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	21.78	20.38
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	22.00	20.60
n41	40	30	2592.99	CP	16QAM	Outer_Full	22.01	20.61
n41	40	30	2592.99	CP	64QAM	Inner_Full	21.82	20.42
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	21.92	20.52
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	22.10	20.70
n41	40	30	2592.99	CP	64QAM	Outer_Full	21.61	20.21
n41	40	30	2592.99	CP	256QAM	Inner_Full	18.75	17.35
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	19.02	17.62
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	19.17	17.77
n41	40	30	2592.99	CP	256QAM	Outer_Full	18.51	17.11
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	25.38	23.98
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.40	21.00
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	22.48	21.08
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	24.86	23.46
n41	40	30	2670	DFT	QPSK	Inner_Full	25.28	23.88
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	22.27	20.87
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	22.31	20.91
n41	40	30	2670	DFT	QPSK	Outer_Full	24.17	22.77
n41	40	30	2670	DFT	16QAM	Inner_Full	24.24	22.84
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.41	21.01
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.35	20.95
n41	40	30	2670	DFT	16QAM	Outer_Full	23.33	21.93
n41	40	30	2670	DFT	64QAM	Inner_Full	22.84	21.44
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	22.43	21.03
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	22.04	20.64
n41	40	30	2670	DFT	64QAM	Outer_Full	22.62	21.22
n41	40	30	2670	DFT	256QAM	Inner_Full	20.89	19.49
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	21.43	20.03
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	21.39	19.99
n41	40	30	2670	DFT	256QAM	Outer_Full	20.68	19.28
n41	40	30	2670	CP	QPSK	Inner_Full	23.83	22.43
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	22.35	20.95
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	22.25	20.85
n41	40	30	2670	CP	QPSK	Outer_Full	22.20	20.80
n41	40	30	2670	CP	16QAM	Inner_Full	23.26	21.86

n41	40	30	2670	CP	16QAM	Edge_1RB_Left	22.28	20.88
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	22.19	20.79
n41	40	30	2670	CP	16QAM	Outer_Full	22.12	20.72
n41	40	30	2670	CP	64QAM	Inner_Full	21.68	20.28
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	22.31	20.91
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	22.35	20.95
n41	40	30	2670	CP	64QAM	Outer_Full	21.69	20.29
n41	40	30	2670	CP	256QAM	Inner_Full	18.79	17.39
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	19.48	18.08
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	19.36	17.96
n41	40	30	2670	CP	256QAM	Outer_Full	18.63	17.23
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	25.34	23.94
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	20.88
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	20.85
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	24.72	23.32
n41	50	30	2521.02	DFT	QPSK	Inner_Full	25.39	23.99
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	22.31	20.91
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	22.37	20.97
n41	50	30	2521.02	DFT	QPSK	Outer_Full	24.25	22.85
n41	50	30	2521.02	DFT	16QAM	Inner_Full	24.33	22.93
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	22.54	21.14
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	22.35	20.95
n41	50	30	2521.02	DFT	16QAM	Outer_Full	23.21	21.81
n41	50	30	2521.02	DFT	64QAM	Inner_Full	22.88	21.48
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	22.29	20.89
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	22.02	20.62
n41	50	30	2521.02	DFT	64QAM	Outer_Full	22.78	21.38
n41	50	30	2521.02	DFT	256QAM	Inner_Full	20.86	19.46
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	21.45	20.05
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	21.31	19.91
n41	50	30	2521.02	DFT	256QAM	Outer_Full	20.79	19.39
n41	50	30	2521.02	CP	QPSK	Inner_Full	23.91	22.51
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	22.51	21.11
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	22.47	21.07
n41	50	30	2521.02	CP	QPSK	Outer_Full	22.33	20.93
n41	50	30	2521.02	CP	16QAM	Inner_Full	23.33	21.93
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	22.04	20.64
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	22.08	20.68
n41	50	30	2521.02	CP	16QAM	Outer_Full	22.22	20.82
n41	50	30	2521.02	CP	64QAM	Inner_Full	21.62	20.22
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	22.31	20.91

n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	22.33	20.93
n41	50	30	2521.02	CP	64QAM	Outer_Full	21.63	20.23
n41	50	30	2521.02	CP	256QAM	Inner_Full	18.89	17.49
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	19.35	17.95
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	19.31	17.91
n41	50	30	2521.02	CP	256QAM	Outer_Full	18.72	17.32
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.36	23.96
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.92	20.52
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.15	20.75
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.73	23.33
n41	50	30	2592.99	DFT	QPSK	Inner_Full	25.32	23.92
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.14	20.74
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.33	20.93
n41	50	30	2592.99	DFT	QPSK	Outer_Full	24.12	22.72
n41	50	30	2592.99	DFT	16QAM	Inner_Full	24.37	22.97
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.03	20.63
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.47	21.07
n41	50	30	2592.99	DFT	16QAM	Outer_Full	23.16	21.76
n41	50	30	2592.99	DFT	64QAM	Inner_Full	22.90	21.50
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.71	20.31
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.19	20.79
n41	50	30	2592.99	DFT	64QAM	Outer_Full	22.80	21.40
n41	50	30	2592.99	DFT	256QAM	Inner_Full	20.92	19.52
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.10	19.70
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.12	19.72
n41	50	30	2592.99	DFT	256QAM	Outer_Full	20.79	19.39
n41	50	30	2592.99	CP	QPSK	Inner_Full	24.00	22.60
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	22.05	20.65
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	22.33	20.93
n41	50	30	2592.99	CP	QPSK	Outer_Full	22.17	20.77
n41	50	30	2592.99	CP	16QAM	Inner_Full	23.92	22.52
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	21.74	20.34
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	21.99	20.59
n41	50	30	2592.99	CP	16QAM	Outer_Full	22.20	20.80
n41	50	30	2592.99	CP	64QAM	Inner_Full	21.86	20.46
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	21.84	20.44
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	22.10	20.70
n41	50	30	2592.99	CP	64QAM	Outer_Full	21.61	20.21
n41	50	30	2592.99	CP	256QAM	Inner_Full	18.87	17.47
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	19.03	17.63
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	19.29	17.89



n41	50	30	2592.99	CP	256QAM	Outer_Full	18.68	17.28
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	25.46	24.06
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.37	20.97
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.54	21.14
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	24.82	23.42
n41	50	30	2664.99	DFT	QPSK	Inner_Full	25.38	23.98
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	22.38	20.98
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	22.48	21.08
n41	50	30	2664.99	DFT	QPSK	Outer_Full	24.31	22.91
n41	50	30	2664.99	DFT	16QAM	Inner_Full	24.41	23.01
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	22.18	20.78
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	22.69	21.29
n41	50	30	2664.99	DFT	16QAM	Outer_Full	23.34	21.94
n41	50	30	2664.99	DFT	64QAM	Inner_Full	22.92	21.52
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	22.39	20.99
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	22.53	21.13
n41	50	30	2664.99	DFT	64QAM	Outer_Full	22.85	21.45
n41	50	30	2664.99	DFT	256QAM	Inner_Full	20.81	19.41
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	21.57	20.17
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	21.55	20.15
n41	50	30	2664.99	DFT	256QAM	Outer_Full	20.94	19.54
n41	50	30	2664.99	CP	QPSK	Inner_Full	23.95	22.55
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	22.71	21.31
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	23.05	21.65
n41	50	30	2664.99	CP	QPSK	Outer_Full	22.36	20.96
n41	50	30	2664.99	CP	16QAM	Inner_Full	23.38	21.98
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	22.17	20.77
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	22.33	20.93
n41	50	30	2664.99	CP	16QAM	Outer_Full	22.38	20.98
n41	50	30	2664.99	CP	64QAM	Inner_Full	21.81	20.41
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	22.31	20.91
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	22.58	21.18
n41	50	30	2664.99	CP	64QAM	Outer_Full	21.83	20.43
n41	50	30	2664.99	CP	256QAM	Inner_Full	18.85	17.45
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	19.41	18.01
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	19.70	18.30
n41	50	30	2664.99	CP	256QAM	Outer_Full	18.68	17.28
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	25.20	23.80
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	22.16	20.76
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	21.87	20.47
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	24.54	23.14

n41	60	30	2526	DFT	QPSK	Inner_Full	25.17	23.77
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	22.23	20.83
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	21.92	20.52
n41	60	30	2526	DFT	QPSK	Outer_Full	24.06	22.66
n41	60	30	2526	DFT	16QAM	Inner_Full	24.20	22.80
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	22.08	20.68
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	21.81	20.41
n41	60	30	2526	DFT	16QAM	Outer_Full	23.08	21.68
n41	60	30	2526	DFT	64QAM	Inner_Full	22.66	21.26
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	21.89	20.49
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.89	20.49
n41	60	30	2526	DFT	64QAM	Outer_Full	22.48	21.08
n41	60	30	2526	DFT	256QAM	Inner_Full	20.76	19.36
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	21.24	19.84
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	21.00	19.60
n41	60	30	2526	DFT	256QAM	Outer_Full	20.52	19.12
n41	60	30	2526	CP	QPSK	Inner_Full	23.74	22.34
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	22.22	20.82
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	22.15	20.75
n41	60	30	2526	CP	QPSK	Outer_Full	21.97	20.57
n41	60	30	2526	CP	16QAM	Inner_Full	23.29	21.89
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	22.05	20.65
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	21.78	20.38
n41	60	30	2526	CP	16QAM	Outer_Full	21.94	20.54
n41	60	30	2526	CP	64QAM	Inner_Full	21.45	20.05
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	22.08	20.68
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	22.01	20.61
n41	60	30	2526	CP	64QAM	Outer_Full	21.53	20.13
n41	60	30	2526	CP	256QAM	Inner_Full	18.71	17.31
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	19.32	17.92
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	19.08	17.68
n41	60	30	2526	CP	256QAM	Outer_Full	18.48	17.08
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.33	23.93
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.74	20.34
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.98	20.58
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.52	23.12
n41	60	30	2592.99	DFT	QPSK	Inner_Full	25.32	23.92
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.94	20.54
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.10	20.70
n41	60	30	2592.99	DFT	QPSK	Outer_Full	24.11	22.71
n41	60	30	2592.99	DFT	16QAM	Inner_Full	24.29	22.89



n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.67	20.27
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.10	20.70
n41	60	30	2592.99	DFT	16QAM	Outer_Full	23.07	21.67
n41	60	30	2592.99	DFT	64QAM	Inner_Full	22.81	21.41
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.56	20.16
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.07	20.67
n41	60	30	2592.99	DFT	64QAM	Outer_Full	22.53	21.13
n41	60	30	2592.99	DFT	256QAM	Inner_Full	20.85	19.45
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.98	19.58
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.11	19.71
n41	60	30	2592.99	DFT	256QAM	Outer_Full	20.48	19.08
n41	60	30	2592.99	CP	QPSK	Inner_Full	23.83	22.43
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	22.21	20.81
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	22.15	20.75
n41	60	30	2592.99	CP	QPSK	Outer_Full	22.02	20.62
n41	60	30	2592.99	CP	16QAM	Inner_Full	23.23	21.83
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	21.64	20.24
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	22.05	20.65
n41	60	30	2592.99	CP	16QAM	Outer_Full	21.96	20.56
n41	60	30	2592.99	CP	64QAM	Inner_Full	21.77	20.37
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	21.70	20.30
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	22.02	20.62
n41	60	30	2592.99	CP	64QAM	Outer_Full	21.56	20.16
n41	60	30	2592.99	CP	256QAM	Inner_Full	18.72	17.32
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	18.89	17.49
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	19.22	17.82
n41	60	30	2592.99	CP	256QAM	Outer_Full	18.49	17.09
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	25.36	23.96
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	21.92	20.52
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.39	20.99
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	24.62	23.22
n41	60	30	2659.98	DFT	QPSK	Inner_Full	25.29	23.89
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	21.97	20.57
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	22.44	21.04
n41	60	30	2659.98	DFT	QPSK	Outer_Full	24.15	22.75
n41	60	30	2659.98	DFT	16QAM	Inner_Full	24.37	22.97
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	21.83	20.43
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	22.45	21.05
n41	60	30	2659.98	DFT	16QAM	Outer_Full	23.20	21.80
n41	60	30	2659.98	DFT	64QAM	Inner_Full	22.77	21.37
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	21.90	20.50

n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	22.17	20.77
n41	60	30	2659.98	DFT	64QAM	Outer_Full	22.68	21.28
n41	60	30	2659.98	DFT	256QAM	Inner_Full	20.84	19.44
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	21.13	19.73
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	21.54	20.14
n41	60	30	2659.98	DFT	256QAM	Outer_Full	20.67	19.27
n41	60	30	2659.98	CP	QPSK	Inner_Full	23.82	22.42
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	22.31	20.91
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	22.78	21.38
n41	60	30	2659.98	CP	QPSK	Outer_Full	22.08	20.68
n41	60	30	2659.98	CP	16QAM	Inner_Full	23.24	21.84
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	21.79	20.39
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	22.25	20.85
n41	60	30	2659.98	CP	16QAM	Outer_Full	22.21	20.81
n41	60	30	2659.98	CP	64QAM	Inner_Full	21.74	20.34
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	21.90	20.50
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	22.53	21.13
n41	60	30	2659.98	CP	64QAM	Outer_Full	21.72	20.32
n41	60	30	2659.98	CP	256QAM	Inner_Full	18.81	17.41
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	19.17	17.77
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	19.59	18.19
n41	60	30	2659.98	CP	256QAM	Outer_Full	18.72	17.32
n41	70	30	2531.01	DFT	pi/2 BPSK	Inner_Full	25.34	23.94
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.15	20.75
n41	70	30	2531.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.97	20.57
n41	70	30	2531.01	DFT	pi/2 BPSK	Outer_Full	24.69	23.29
n41	70	30	2531.01	DFT	QPSK	Inner_Full	25.22	23.82
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Left	22.15	20.75
n41	70	30	2531.01	DFT	QPSK	Edge_1RB_Right	22.02	20.62
n41	70	30	2531.01	DFT	QPSK	Outer_Full	24.09	22.69
n41	70	30	2531.01	DFT	16QAM	Inner_Full	24.38	22.98
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Left	22.00	20.60
n41	70	30	2531.01	DFT	16QAM	Edge_1RB_Right	21.82	20.42
n41	70	30	2531.01	DFT	16QAM	Outer_Full	23.11	21.71
n41	70	30	2531.01	DFT	64QAM	Inner_Full	22.82	21.42
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Left	22.28	20.88
n41	70	30	2531.01	DFT	64QAM	Edge_1RB_Right	21.92	20.52
n41	70	30	2531.01	DFT	64QAM	Outer_Full	22.58	21.18
n41	70	30	2531.01	DFT	256QAM	Inner_Full	20.84	19.44
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Left	21.33	19.93
n41	70	30	2531.01	DFT	256QAM	Edge_1RB_Right	21.07	19.67



n41	70	30	2531.01	DFT	256QAM	Outer_Full	20.59	19.19
n41	70	30	2531.01	CP	QPSK	Inner_Full	23.80	22.40
n41	70	30	2531.01	CP	QPSK	Edge_1RB_Left	22.44	21.04
n41	70	30	2531.01	CP	QPSK	Edge_1RB_Right	22.04	20.64
n41	70	30	2531.01	CP	QPSK	Outer_Full	22.06	20.66
n41	70	30	2531.01	CP	16QAM	Inner_Full	23.34	21.94
n41	70	30	2531.01	CP	16QAM	Edge_1RB_Left	22.02	20.62
n41	70	30	2531.01	CP	16QAM	Edge_1RB_Right	21.77	20.37
n41	70	30	2531.01	CP	16QAM	Outer_Full	22.08	20.68
n41	70	30	2531.01	CP	64QAM	Inner_Full	21.71	20.31
n41	70	30	2531.01	CP	64QAM	Edge_1RB_Left	21.93	20.53
n41	70	30	2531.01	CP	64QAM	Edge_1RB_Right	21.96	20.56
n41	70	30	2531.01	CP	64QAM	Outer_Full	21.67	20.27
n41	70	30	2531.01	CP	256QAM	Inner_Full	18.76	17.36
n41	70	30	2531.01	CP	256QAM	Edge_1RB_Left	19.22	17.82
n41	70	30	2531.01	CP	256QAM	Edge_1RB_Right	19.01	17.61
n41	70	30	2531.01	CP	256QAM	Outer_Full	18.61	17.21
n41	70	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.39	23.99
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.93	20.53
n41	70	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.02	20.62
n41	70	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.60	23.20
n41	70	30	2592.99	DFT	QPSK	Inner_Full	25.33	23.93
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.86	20.46
n41	70	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.11	20.71
n41	70	30	2592.99	DFT	QPSK	Outer_Full	24.18	22.78
n41	70	30	2592.99	DFT	16QAM	Inner_Full	24.27	22.87
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.85	20.45
n41	70	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.97	20.57
n41	70	30	2592.99	DFT	16QAM	Outer_Full	23.13	21.73
n41	70	30	2592.99	DFT	64QAM	Inner_Full	22.89	21.49
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.50	20.10
n41	70	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.17	20.77
n41	70	30	2592.99	DFT	64QAM	Outer_Full	22.69	21.29
n41	70	30	2592.99	DFT	256QAM	Inner_Full	20.87	19.47
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.07	19.67
n41	70	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.16	19.76
n41	70	30	2592.99	DFT	256QAM	Outer_Full	20.59	19.19
n41	70	30	2592.99	CP	QPSK	Inner_Full	23.91	22.51
n41	70	30	2592.99	CP	QPSK	Edge_1RB_Left	21.74	20.34
n41	70	30	2592.99	CP	QPSK	Edge_1RB_Right	21.93	20.53
n41	70	30	2592.99	CP	QPSK	Outer_Full	22.05	20.65

n41	70	30	2592.99	CP	16QAM	Inner_Full	23.35	21.95
n41	70	30	2592.99	CP	16QAM	Edge_1RB_Left	21.81	20.41
n41	70	30	2592.99	CP	16QAM	Edge_1RB_Right	22.03	20.63
n41	70	30	2592.99	CP	16QAM	Outer_Full	22.01	20.61
n41	70	30	2592.99	CP	64QAM	Inner_Full	21.77	20.37
n41	70	30	2592.99	CP	64QAM	Edge_1RB_Left	21.69	20.29
n41	70	30	2592.99	CP	64QAM	Edge_1RB_Right	22.14	20.74
n41	70	30	2592.99	CP	64QAM	Outer_Full	21.69	20.29
n41	70	30	2592.99	CP	256QAM	Inner_Full	18.90	17.50
n41	70	30	2592.99	CP	256QAM	Edge_1RB_Left	19.14	17.74
n41	70	30	2592.99	CP	256QAM	Edge_1RB_Right	19.28	17.88
n41	70	30	2592.99	CP	256QAM	Outer_Full	18.63	17.23
n41	70	30	2655	DFT	pi/2 BPSK	Inner_Full	25.27	23.87
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Left	21.98	20.58
n41	70	30	2655	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	21.02
n41	70	30	2655	DFT	pi/2 BPSK	Outer_Full	24.63	23.23
n41	70	30	2655	DFT	QPSK	Inner_Full	25.26	23.86
n41	70	30	2655	DFT	QPSK	Edge_1RB_Left	21.95	20.55
n41	70	30	2655	DFT	QPSK	Edge_1RB_Right	22.35	20.95
n41	70	30	2655	DFT	QPSK	Outer_Full	24.24	22.84
n41	70	30	2655	DFT	16QAM	Inner_Full	24.22	22.82
n41	70	30	2655	DFT	16QAM	Edge_1RB_Left	21.97	20.57
n41	70	30	2655	DFT	16QAM	Edge_1RB_Right	22.57	21.17
n41	70	30	2655	DFT	16QAM	Outer_Full	23.18	21.78
n41	70	30	2655	DFT	64QAM	Inner_Full	22.90	21.50
n41	70	30	2655	DFT	64QAM	Edge_1RB_Left	21.89	20.49
n41	70	30	2655	DFT	64QAM	Edge_1RB_Right	22.43	21.03
n41	70	30	2655	DFT	64QAM	Outer_Full	22.75	21.35
n41	70	30	2655	DFT	256QAM	Inner_Full	20.84	19.44
n41	70	30	2655	DFT	256QAM	Edge_1RB_Left	21.26	19.86
n41	70	30	2655	DFT	256QAM	Edge_1RB_Right	21.47	20.07
n41	70	30	2655	DFT	256QAM	Outer_Full	20.71	19.31
n41	70	30	2655	CP	QPSK	Inner_Full	23.83	22.43
n41	70	30	2655	CP	QPSK	Edge_1RB_Left	22.13	20.73
n41	70	30	2655	CP	QPSK	Edge_1RB_Right	22.53	21.13
n41	70	30	2655	CP	QPSK	Outer_Full	22.20	20.80
n41	70	30	2655	CP	16QAM	Inner_Full	23.33	21.93
n41	70	30	2655	CP	16QAM	Edge_1RB_Left	21.93	20.53
n41	70	30	2655	CP	16QAM	Edge_1RB_Right	22.31	20.91
n41	70	30	2655	CP	16QAM	Outer_Full	22.06	20.66
n41	70	30	2655	CP	64QAM	Inner_Full	21.79	20.39



n41	70	30	2655	CP	64QAM	Edge_1RB_Left	22.18	20.78
n41	70	30	2655	CP	64QAM	Edge_1RB_Right	22.44	21.04
n41	70	30	2655	CP	64QAM	Outer_Full	21.74	20.34
n41	70	30	2655	CP	256QAM	Inner_Full	18.91	17.51
n41	70	30	2655	CP	256QAM	Edge_1RB_Left	19.15	17.75
n41	70	30	2655	CP	256QAM	Edge_1RB_Right	19.42	18.02
n41	70	30	2655	CP	256QAM	Outer_Full	18.66	17.26
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	25.17	23.77
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.02	20.62
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.07	20.67
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	24.40	23.00
n41	80	30	2536.02	DFT	QPSK	Inner_Full	25.13	23.73
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	22.14	20.74
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	22.01	20.61
n41	80	30	2536.02	DFT	QPSK	Outer_Full	23.94	22.54
n41	80	30	2536.02	DFT	16QAM	Inner_Full	24.15	22.75
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	22.02	20.62
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	21.90	20.50
n41	80	30	2536.02	DFT	16QAM	Outer_Full	22.96	21.56
n41	80	30	2536.02	DFT	64QAM	Inner_Full	22.66	21.26
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	22.06	20.66
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	22.18	20.78
n41	80	30	2536.02	DFT	64QAM	Outer_Full	22.54	21.14
n41	80	30	2536.02	DFT	256QAM	Inner_Full	20.70	19.30
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	21.19	19.79
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	21.21	19.81
n41	80	30	2536.02	DFT	256QAM	Outer_Full	20.40	19.00
n41	80	30	2536.02	CP	QPSK	Inner_Full	23.68	22.28
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	22.35	20.95
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	22.13	20.73
n41	80	30	2536.02	CP	QPSK	Outer_Full	22.02	20.62
n41	80	30	2536.02	CP	16QAM	Inner_Full	23.09	21.69
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	22.00	20.60
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	22.02	20.62
n41	80	30	2536.02	CP	16QAM	Outer_Full	21.91	20.51
n41	80	30	2536.02	CP	64QAM	Inner_Full	21.62	20.22
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	22.10	20.70
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	22.20	20.80
n41	80	30	2536.02	CP	64QAM	Outer_Full	21.51	20.11
n41	80	30	2536.02	CP	256QAM	Inner_Full	18.63	17.23
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	19.40	18.00



n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	19.33	17.93
n41	80	30	2536.02	CP	256QAM	Outer_Full	18.49	17.09
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.34	23.94
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.94	20.54
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.07	20.67
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.62	23.22
n41	80	30	2592.99	DFT	QPSK	Inner_Full	25.34	23.94
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.00	20.60
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.20	20.80
n41	80	30	2592.99	DFT	QPSK	Outer_Full	24.01	22.61
n41	80	30	2592.99	DFT	16QAM	Inner_Full	24.24	22.84
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.75	20.35
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	21.91	20.51
n41	80	30	2592.99	DFT	16QAM	Outer_Full	23.10	21.70
n41	80	30	2592.99	DFT	64QAM	Inner_Full	22.94	21.54
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.86	20.46
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.13	20.73
n41	80	30	2592.99	DFT	64QAM	Outer_Full	22.56	21.16
n41	80	30	2592.99	DFT	256QAM	Inner_Full	20.85	19.45
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.95	19.55
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.16	19.76
n41	80	30	2592.99	DFT	256QAM	Outer_Full	20.56	19.16
n41	80	30	2592.99	CP	QPSK	Inner_Full	23.84	22.44
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	21.89	20.49
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	22.16	20.76
n41	80	30	2592.99	CP	QPSK	Outer_Full	22.05	20.65
n41	80	30	2592.99	CP	16QAM	Inner_Full	23.31	21.91
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	21.71	20.31
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	21.89	20.49
n41	80	30	2592.99	CP	16QAM	Outer_Full	22.13	20.73
n41	80	30	2592.99	CP	64QAM	Inner_Full	21.77	20.37
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	21.85	20.45
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	22.30	20.90
n41	80	30	2592.99	CP	64QAM	Outer_Full	21.61	20.21
n41	80	30	2592.99	CP	256QAM	Inner_Full	18.83	17.43
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	19.01	17.61
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	19.22	17.82
n41	80	30	2592.99	CP	256QAM	Outer_Full	18.51	17.11
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	25.34	23.94
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.08	20.68
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.40	21.00

n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	24.65	23.25
n41	80	30	2649.99	DFT	QPSK	Inner_Full	25.34	23.94
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	22.05	20.65
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	22.35	20.95
n41	80	30	2649.99	DFT	QPSK	Outer_Full	24.23	22.83
n41	80	30	2649.99	DFT	16QAM	Inner_Full	24.36	22.96
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	22.02	20.62
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	22.27	20.87
n41	80	30	2649.99	DFT	16QAM	Outer_Full	23.22	21.82
n41	80	30	2649.99	DFT	64QAM	Inner_Full	22.93	21.53
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	21.99	20.59
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	22.16	20.76
n41	80	30	2649.99	DFT	64QAM	Outer_Full	22.80	21.40
n41	80	30	2649.99	DFT	256QAM	Inner_Full	20.70	19.30
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	21.21	19.81
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	21.42	20.02
n41	80	30	2649.99	DFT	256QAM	Outer_Full	20.70	19.30
n41	80	30	2649.99	CP	QPSK	Inner_Full	23.86	22.46
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	22.25	20.85
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	22.48	21.08
n41	80	30	2649.99	CP	QPSK	Outer_Full	22.12	20.72
n41	80	30	2649.99	CP	16QAM	Inner_Full	23.29	21.89
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	21.84	20.44
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	22.12	20.72
n41	80	30	2649.99	CP	16QAM	Outer_Full	22.12	20.72
n41	80	30	2649.99	CP	64QAM	Inner_Full	21.87	20.47
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	21.76	20.36
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	22.41	21.01
n41	80	30	2649.99	CP	64QAM	Outer_Full	21.70	20.30
n41	80	30	2649.99	CP	256QAM	Inner_Full	18.89	17.49
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	19.40	18.00
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	19.43	18.03
n41	80	30	2649.99	CP	256QAM	Outer_Full	18.61	17.21
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	25.20	23.80
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	22.04	20.64
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.39	20.99
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	24.57	23.17
n41	90	30	2541	DFT	QPSK	Inner_Full	25.17	23.77
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	22.09	20.69
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	22.43	21.03
n41	90	30	2541	DFT	QPSK	Outer_Full	23.98	22.58

n41	90	30	2541	DFT	16QAM	Inner_Full	24.20	22.80
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	22.04	20.64
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	22.61	21.21
n41	90	30	2541	DFT	16QAM	Outer_Full	22.99	21.59
n41	90	30	2541	DFT	64QAM	Inner_Full	22.74	21.34
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	22.08	20.68
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	22.36	20.96
n41	90	30	2541	DFT	64QAM	Outer_Full	22.51	21.11
n41	90	30	2541	DFT	256QAM	Inner_Full	20.65	19.25
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	20.92	19.52
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	21.40	20.00
n41	90	30	2541	DFT	256QAM	Outer_Full	20.52	19.12
n41	90	30	2541	CP	QPSK	Inner_Full	23.63	22.23
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	22.11	20.71
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	22.62	21.22
n41	90	30	2541	CP	QPSK	Outer_Full	22.03	20.63
n41	90	30	2541	CP	16QAM	Inner_Full	23.20	21.80
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	21.95	20.55
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	22.33	20.93
n41	90	30	2541	CP	16QAM	Outer_Full	21.99	20.59
n41	90	30	2541	CP	64QAM	Inner_Full	21.57	20.17
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	22.04	20.64
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	22.26	20.86
n41	90	30	2541	CP	64QAM	Outer_Full	21.52	20.12
n41	90	30	2541	CP	256QAM	Inner_Full	18.64	17.24
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	19.14	17.74
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	19.51	18.11
n41	90	30	2541	CP	256QAM	Outer_Full	18.51	17.11
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.35	23.95
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.89	20.49
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.02	20.62
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.58	23.18
n41	90	30	2592.99	DFT	QPSK	Inner_Full	25.36	23.96
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.85	20.45
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.12	20.72
n41	90	30	2592.99	DFT	QPSK	Outer_Full	24.05	22.65
n41	90	30	2592.99	DFT	16QAM	Inner_Full	24.30	22.90
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.82	20.42
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.08	20.68
n41	90	30	2592.99	DFT	16QAM	Outer_Full	23.05	21.65
n41	90	30	2592.99	DFT	64QAM	Inner_Full	22.82	21.42

n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.61	20.21
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.07	20.67
n41	90	30	2592.99	DFT	64QAM	Outer_Full	22.57	21.17
n41	90	30	2592.99	DFT	256QAM	Inner_Full	20.84	19.44
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	20.99	19.59
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.13	19.73
n41	90	30	2592.99	DFT	256QAM	Outer_Full	20.55	19.15
n41	90	30	2592.99	CP	QPSK	Inner_Full	23.88	22.48
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	21.99	20.59
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	22.14	20.74
n41	90	30	2592.99	CP	QPSK	Outer_Full	21.98	20.58
n41	90	30	2592.99	CP	16QAM	Inner_Full	23.25	21.85
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	21.69	20.29
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	21.86	20.46
n41	90	30	2592.99	CP	16QAM	Outer_Full	22.07	20.67
n41	90	30	2592.99	CP	64QAM	Inner_Full	21.76	20.36
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	21.75	20.35
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	22.09	20.69
n41	90	30	2592.99	CP	64QAM	Outer_Full	21.54	20.14
n41	90	30	2592.99	CP	256QAM	Inner_Full	18.79	17.39
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	19.10	17.70
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	19.06	17.66
n41	90	30	2592.99	CP	256QAM	Outer_Full	18.44	17.04
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	25.37	23.97
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.17	20.77
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	20.85
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	24.75	23.35
n41	90	30	2644.98	DFT	QPSK	Inner_Full	25.44	24.04
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	22.12	20.72
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	22.36	20.96
n41	90	30	2644.98	DFT	QPSK	Outer_Full	24.29	22.89
n41	90	30	2644.98	DFT	16QAM	Inner_Full	24.46	23.06
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	22.04	20.64
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	22.31	20.91
n41	90	30	2644.98	DFT	16QAM	Outer_Full	23.40	22.00
n41	90	30	2644.98	DFT	64QAM	Inner_Full	22.87	21.47
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	22.10	20.70
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	21.97	20.57
n41	90	30	2644.98	DFT	64QAM	Outer_Full	22.83	21.43
n41	90	30	2644.98	DFT	256QAM	Inner_Full	20.94	19.54
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	21.15	19.75

n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	21.34	19.94
n41	90	30	2644.98	DFT	256QAM	Outer_Full	20.82	19.42
n41	90	30	2644.98	CP	QPSK	Inner_Full	23.94	22.54
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	22.19	20.79
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	22.47	21.07
n41	90	30	2644.98	CP	QPSK	Outer_Full	22.26	20.86
n41	90	30	2644.98	CP	16QAM	Inner_Full	23.31	21.91
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	21.96	20.56
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	22.13	20.73
n41	90	30	2644.98	CP	16QAM	Outer_Full	22.29	20.89
n41	90	30	2644.98	CP	64QAM	Inner_Full	21.75	20.35
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	22.05	20.65
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	22.27	20.87
n41	90	30	2644.98	CP	64QAM	Outer_Full	21.79	20.39
n41	90	30	2644.98	CP	256QAM	Inner_Full	18.88	17.48
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	19.27	17.87
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	19.29	17.89
n41	90	30	2644.98	CP	256QAM	Outer_Full	18.77	17.37
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	25.08	23.68
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.83	20.43
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.21	20.81
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	24.41	23.01
n41	100	30	2546.01	DFT	QPSK	Inner_Full	25.02	23.62
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.96	20.56
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	22.29	20.89
n41	100	30	2546.01	DFT	QPSK	Outer_Full	23.95	22.55
n41	100	30	2546.01	DFT	16QAM	Inner_Full	24.02	22.62
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.86	20.46
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	22.30	20.90
n41	100	30	2546.01	DFT	16QAM	Outer_Full	22.94	21.54
n41	100	30	2546.01	DFT	64QAM	Inner_Full	22.52	21.12
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	22.03	20.63
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	22.35	20.95
n41	100	30	2546.01	DFT	64QAM	Outer_Full	22.48	21.08
n41	100	30	2546.01	DFT	256QAM	Inner_Full	20.44	19.04
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	20.99	19.59
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	21.39	19.99
n41	100	30	2546.01	DFT	256QAM	Outer_Full	20.37	18.97
n41	100	30	2546.01	CP	QPSK	Inner_Full	23.53	22.13
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	22.13	20.73
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	22.39	20.99

n41	100	30	2546.01	CP	QPSK	Outer_Full	21.92	20.52
n41	100	30	2546.01	CP	16QAM	Inner_Full	22.98	21.58
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.75	20.35
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	22.18	20.78
n41	100	30	2546.01	CP	16QAM	Outer_Full	21.76	20.36
n41	100	30	2546.01	CP	64QAM	Inner_Full	21.50	20.10
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	21.93	20.53
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	22.36	20.96
n41	100	30	2546.01	CP	64QAM	Outer_Full	21.47	20.07
n41	100	30	2546.01	CP	256QAM	Inner_Full	18.55	17.15
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	19.07	17.67
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	19.49	18.09
n41	100	30	2546.01	CP	256QAM	Outer_Full	18.40	17.00
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.54	24.14
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.01	20.61
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.27	20.87
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	24.65	23.25
n41	100	30	2592.99	DFT	QPSK	Inner_Full	25.38	23.98
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	21.90	20.50
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.16	20.76
n41	100	30	2592.99	DFT	QPSK	Outer_Full	24.14	22.74
n41	100	30	2592.99	DFT	16QAM	Inner_Full	24.50	23.10
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	21.64	20.24
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.03	20.63
n41	100	30	2592.99	DFT	16QAM	Outer_Full	23.25	21.85
n41	100	30	2592.99	DFT	64QAM	Inner_Full	22.94	21.54
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.77	20.37
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.99	20.59
n41	100	30	2592.99	DFT	64QAM	Outer_Full	22.62	21.22
n41	100	30	2592.99	DFT	256QAM	Inner_Full	20.97	19.57
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.03	19.63
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.19	19.79
n41	100	30	2592.99	DFT	256QAM	Outer_Full	20.60	19.20
n41	100	30	2592.99	CP	QPSK	Inner_Full	23.92	22.52
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	21.84	20.44
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	22.13	20.73
n41	100	30	2592.99	CP	QPSK	Outer_Full	22.06	20.66
n41	100	30	2592.99	CP	16QAM	Inner_Full	23.48	22.08
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	21.74	20.34
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	22.37	20.97
n41	100	30	2592.99	CP	16QAM	Outer_Full	22.13	20.73

n41	100	30	2592.99	CP	64QAM	Inner_Full	21.89	20.49
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	21.88	20.48
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	22.35	20.95
n41	100	30	2592.99	CP	64QAM	Outer_Full	21.61	20.21
n41	100	30	2592.99	CP	256QAM	Inner_Full	18.89	17.49
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	18.96	17.56
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	19.11	17.71
n41	100	30	2592.99	CP	256QAM	Outer_Full	18.66	17.26
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	25.24	23.84
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	22.25	20.85
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	22.08	20.68
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	24.77	23.37
n41	100	30	2640	DFT	QPSK	Inner_Full	25.26	23.86
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	22.26	20.86
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	22.19	20.79
n41	100	30	2640	DFT	QPSK	Outer_Full	24.26	22.86
n41	100	30	2640	DFT	16QAM	Inner_Full	24.38	22.98
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	22.02	20.62
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	22.20	20.80
n41	100	30	2640	DFT	16QAM	Outer_Full	23.35	21.95
n41	100	30	2640	DFT	64QAM	Inner_Full	22.73	21.33
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	22.04	20.64
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	22.18	20.78
n41	100	30	2640	DFT	64QAM	Outer_Full	22.73	21.33
n41	100	30	2640	DFT	256QAM	Inner_Full	20.84	19.44
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	21.19	19.79
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	21.26	19.86
n41	100	30	2640	DFT	256QAM	Outer_Full	20.71	19.31
n41	100	30	2640	CP	QPSK	Inner_Full	23.84	22.44
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	22.10	20.70
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	22.47	21.07
n41	100	30	2640	CP	QPSK	Outer_Full	22.24	20.84
n41	100	30	2640	CP	16QAM	Inner_Full	23.24	21.84
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	22.04	20.64
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	22.21	20.81
n41	100	30	2640	CP	16QAM	Outer_Full	22.26	20.86
n41	100	30	2640	CP	64QAM	Inner_Full	21.71	20.31
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	22.19	20.79
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	22.21	20.81
n41	100	30	2640	CP	64QAM	Outer_Full	21.83	20.43
n41	100	30	2640	CP	256QAM	Inner_Full	18.75	17.35



n41	100	30	2640	CP	256QAM	Edge_1RB_Left	19.41	18.01
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	19.21	17.81
n41	100	30	2640	CP	256QAM	Outer_Full	18.73	17.33

n66

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm) (Gt-Lc =-2.8)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	22.02	19.22
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.51	18.71
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.47	18.67
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	21.49	18.69
n66	5	15	1712.5	DFT	QPSK	Inner_Full	22.03	19.23
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	20.88	18.08
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	20.91	18.11
n66	5	15	1712.5	DFT	QPSK	Outer_Full	21.11	18.31
n66	5	15	1712.5	DFT	16QAM	Inner_Full	21.1	18.3
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	19.95	17.15
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	20.16	17.36
n66	5	15	1712.5	DFT	16QAM	Outer_Full	19.91	17.11
n66	5	15	1712.5	DFT	64QAM	Inner_Full	19.7	16.9
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	20	17.2
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	19.63	16.83
n66	5	15	1712.5	DFT	64QAM	Outer_Full	19.58	16.78
n66	5	15	1712.5	DFT	256QAM	Inner_Full	17.51	14.71
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	17.66	14.86
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	17.71	14.91
n66	5	15	1712.5	DFT	256QAM	Outer_Full	17.56	14.76
n66	5	15	1712.5	CP	QPSK	Inner_Full	20.44	17.64
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	19.19	16.39
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	19.14	16.34
n66	5	15	1712.5	CP	QPSK	Outer_Full	19.07	16.27
n66	5	15	1712.5	CP	16QAM	Inner_Full	19.93	17.13
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	19.11	16.31
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	19.03	16.23
n66	5	15	1712.5	CP	16QAM	Outer_Full	19.05	16.25
n66	5	15	1712.5	CP	64QAM	Inner_Full	18.79	15.99
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	18.44	15.64
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	18.46	15.66
n66	5	15	1712.5	CP	64QAM	Outer_Full	18.73	15.93
n66	5	15	1712.5	CP	256QAM	Inner_Full	15.64	12.84
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	15.6	12.8
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	15.61	12.81
n66	5	15	1712.5	CP	256QAM	Outer_Full	15.66	12.86
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	22.08	19.28

n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.52	18.72
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.58	18.78
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	21.53	18.73
n66	5	15	1745	DFT	QPSK	Inner_Full	22.04	19.24
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	20.96	18.16
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	20.89	18.09
n66	5	15	1745	DFT	QPSK	Outer_Full	21.08	18.28
n66	5	15	1745	DFT	16QAM	Inner_Full	21.06	18.26
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	19.94	17.14
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	20.19	17.39
n66	5	15	1745	DFT	16QAM	Outer_Full	20.08	17.28
n66	5	15	1745	DFT	64QAM	Inner_Full	19.85	17.05
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	19.86	17.06
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	19.76	16.96
n66	5	15	1745	DFT	64QAM	Outer_Full	19.6	16.8
n66	5	15	1745	DFT	256QAM	Inner_Full	17.61	14.81
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	17.73	14.93
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	17.75	14.95
n66	5	15	1745	DFT	256QAM	Outer_Full	17.64	14.84
n66	5	15	1745	CP	QPSK	Inner_Full	20.5	17.7
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	19.29	16.49
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	19.28	16.48
n66	5	15	1745	CP	QPSK	Outer_Full	19.21	16.41
n66	5	15	1745	CP	16QAM	Inner_Full	19.99	17.19
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	19.45	16.65
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	19.11	16.31
n66	5	15	1745	CP	16QAM	Outer_Full	19	16.2
n66	5	15	1745	CP	64QAM	Inner_Full	18.62	15.82
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	18.51	15.71
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	18.47	15.67
n66	5	15	1745	CP	64QAM	Outer_Full	18.85	16.05
n66	5	15	1745	CP	256QAM	Inner_Full	15.66	12.86
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	15.71	12.91
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	15.61	12.81
n66	5	15	1745	CP	256QAM	Outer_Full	15.59	12.79
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	22.23	19.43
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.76	18.96
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.76	18.96
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	21.84	19.04
n66	5	15	1777.5	DFT	QPSK	Inner_Full	22.31	19.51
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	21.13	18.33

n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	21.23	18.43
n66	5	15	1777.5	DFT	QPSK	Outer_Full	21.39	18.59
n66	5	15	1777.5	DFT	16QAM	Inner_Full	21.41	18.61
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	20.3	17.5
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	20.38	17.58
n66	5	15	1777.5	DFT	16QAM	Outer_Full	20.4	17.6
n66	5	15	1777.5	DFT	64QAM	Inner_Full	20.02	17.22
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	20.05	17.25
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	20.15	17.35
n66	5	15	1777.5	DFT	64QAM	Outer_Full	19.97	17.17
n66	5	15	1777.5	DFT	256QAM	Inner_Full	17.9	15.1
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	17.97	15.17
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	18.01	15.21
n66	5	15	1777.5	DFT	256QAM	Outer_Full	17.89	15.09
n66	5	15	1777.5	CP	QPSK	Inner_Full	20.84	18.04
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	19.47	16.67
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	19.4	16.6
n66	5	15	1777.5	CP	QPSK	Outer_Full	19.54	16.74
n66	5	15	1777.5	CP	16QAM	Inner_Full	20.31	17.51
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	19.35	16.55
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	19.55	16.75
n66	5	15	1777.5	CP	16QAM	Outer_Full	19.43	16.63
n66	5	15	1777.5	CP	64QAM	Inner_Full	19	16.2
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	18.82	16.02
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	18.89	16.09
n66	5	15	1777.5	CP	64QAM	Outer_Full	19.18	16.38
n66	5	15	1777.5	CP	256QAM	Inner_Full	15.89	13.09
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	15.88	13.08
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	15.9	13.1
n66	5	15	1777.5	CP	256QAM	Outer_Full	15.84	13.04
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	22.03	19.23
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	21.4	18.6
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	21.45	18.65
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	21.41	18.61
n66	10	15	1715	DFT	QPSK	Inner_Full	21.96	19.16
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	20.8	18
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	21.16	18.36
n66	10	15	1715	DFT	QPSK	Outer_Full	20.99	18.19
n66	10	15	1715	DFT	16QAM	Inner_Full	20.92	18.12
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	19.9	17.1
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	20.08	17.28

n66	10	15	1715	DFT	16QAM	Outer_Full	20.09	17.29
n66	10	15	1715	DFT	64QAM	Inner_Full	19.66	16.86
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	19.6	16.8
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	19.71	16.91
n66	10	15	1715	DFT	64QAM	Outer_Full	19.69	16.89
n66	10	15	1715	DFT	256QAM	Inner_Full	17.6	14.8
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	17.52	14.72
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	17.61	14.81
n66	10	15	1715	DFT	256QAM	Outer_Full	17.55	14.75
n66	10	15	1715	CP	QPSK	Inner_Full	20.46	17.66
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	19.04	16.24
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	19.2	16.4
n66	10	15	1715	CP	QPSK	Outer_Full	19.09	16.29
n66	10	15	1715	CP	16QAM	Inner_Full	19.89	17.09
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	19.05	16.25
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	19.24	16.44
n66	10	15	1715	CP	16QAM	Outer_Full	19.16	16.36
n66	10	15	1715	CP	64QAM	Inner_Full	18.58	15.78
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	18.45	15.65
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	18.61	15.81
n66	10	15	1715	CP	64QAM	Outer_Full	18.77	15.97
n66	10	15	1715	CP	256QAM	Inner_Full	15.5	12.7
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	15.52	12.72
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	15.58	12.78
n66	10	15	1715	CP	256QAM	Outer_Full	15.67	12.87
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	21.92	19.12
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.23	18.43
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.34	18.54
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	21.34	18.54
n66	10	15	1745	DFT	QPSK	Inner_Full	21.89	19.09
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	20.71	17.91
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	20.8	18
n66	10	15	1745	DFT	QPSK	Outer_Full	20.94	18.14
n66	10	15	1745	DFT	16QAM	Inner_Full	20.84	18.04
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	19.8	17
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	19.79	16.99
n66	10	15	1745	DFT	16QAM	Outer_Full	20.04	17.24
n66	10	15	1745	DFT	64QAM	Inner_Full	19.42	16.62
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	19.55	16.75
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	19.44	16.64
n66	10	15	1745	DFT	64QAM	Outer_Full	19.63	16.83

n66	10	15	1745	DFT	256QAM	Inner_Full	17.43	14.63
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	17.45	14.65
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	17.46	14.66
n66	10	15	1745	DFT	256QAM	Outer_Full	17.36	14.56
n66	10	15	1745	CP	QPSK	Inner_Full	20.46	17.66
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	19.03	16.23
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	19.03	16.23
n66	10	15	1745	CP	QPSK	Outer_Full	18.94	16.14
n66	10	15	1745	CP	16QAM	Inner_Full	19.87	17.07
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	18.81	16.01
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	19.06	16.26
n66	10	15	1745	CP	16QAM	Outer_Full	19.13	16.33
n66	10	15	1745	CP	64QAM	Inner_Full	18.56	15.76
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	18.4	15.6
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	18.48	15.68
n66	10	15	1745	CP	64QAM	Outer_Full	18.71	15.91
n66	10	15	1745	CP	256QAM	Inner_Full	15.37	12.57
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	15.42	12.62
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	15.85	13.05
n66	10	15	1745	CP	256QAM	Outer_Full	15.63	12.83
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	22.22	19.42
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	21.37	18.57
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	21.59	18.79
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	21.56	18.76
n66	10	15	1775	DFT	QPSK	Inner_Full	22.27	19.47
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	20.89	18.09
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	21.18	18.38
n66	10	15	1775	DFT	QPSK	Outer_Full	21.2	18.4
n66	10	15	1775	DFT	16QAM	Inner_Full	21.22	18.42
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	19.99	17.19
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	20.22	17.42
n66	10	15	1775	DFT	16QAM	Outer_Full	20.3	17.5
n66	10	15	1775	DFT	64QAM	Inner_Full	19.71	16.91
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	19.77	16.97
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	20.02	17.22
n66	10	15	1775	DFT	64QAM	Outer_Full	19.96	17.16
n66	10	15	1775	DFT	256QAM	Inner_Full	17.79	14.99
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	17.63	14.83
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	17.92	15.12
n66	10	15	1775	DFT	256QAM	Outer_Full	17.82	15.02
n66	10	15	1775	CP	QPSK	Inner_Full	20.59	17.79



n66	10	15	1775	CP	QPSK	Edge_1RB_Left	19.12	16.32
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	19.37	16.57
n66	10	15	1775	CP	QPSK	Outer_Full	19.28	16.48
n66	10	15	1775	CP	16QAM	Inner_Full	20.16	17.36
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	19.23	16.43
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	19.49	16.69
n66	10	15	1775	CP	16QAM	Outer_Full	19.41	16.61
n66	10	15	1775	CP	64QAM	Inner_Full	18.83	16.03
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	18.53	15.73
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	18.85	16.05
n66	10	15	1775	CP	64QAM	Outer_Full	18.97	16.17
n66	10	15	1775	CP	256QAM	Inner_Full	15.59	12.79
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	15.58	12.78
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	15.86	13.06
n66	10	15	1775	CP	256QAM	Outer_Full	15.77	12.97
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	22.09	19.29
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.46	18.66
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.42	18.62
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	21.56	18.76
n66	15	15	1717.5	DFT	QPSK	Inner_Full	22.22	19.42
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	20.93	18.13
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	20.94	18.14
n66	15	15	1717.5	DFT	QPSK	Outer_Full	21.11	18.31
n66	15	15	1717.5	DFT	16QAM	Inner_Full	21.17	18.37
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	19.97	17.17
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	19.97	17.17
n66	15	15	1717.5	DFT	16QAM	Outer_Full	20.2	17.4
n66	15	15	1717.5	DFT	64QAM	Inner_Full	19.7	16.9
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	19.74	16.94
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	19.78	16.98
n66	15	15	1717.5	DFT	64QAM	Outer_Full	19.78	16.98
n66	15	15	1717.5	DFT	256QAM	Inner_Full	17.67	14.87
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	17.58	14.78
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	17.73	14.93
n66	15	15	1717.5	DFT	256QAM	Outer_Full	17.68	14.88
n66	15	15	1717.5	CP	QPSK	Inner_Full	20.52	17.72
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	19.12	16.32
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	19.05	16.25
n66	15	15	1717.5	CP	QPSK	Outer_Full	19.21	16.41
n66	15	15	1717.5	CP	16QAM	Inner_Full	20.09	17.29
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	19.21	16.41

n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	19.18	16.38
n66	15	15	1717.5	CP	16QAM	Outer_Full	19.27	16.47
n66	15	15	1717.5	CP	64QAM	Inner_Full	18.78	15.98
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	18.58	15.78
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	18.48	15.68
n66	15	15	1717.5	CP	64QAM	Outer_Full	18.85	16.05
n66	15	15	1717.5	CP	256QAM	Inner_Full	15.59	12.79
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	15.57	12.77
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	15.45	12.65
n66	15	15	1717.5	CP	256QAM	Outer_Full	15.82	13.02
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	22.11	19.31
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.35	18.55
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.39	18.59
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	21.54	18.74
n66	15	15	1745	DFT	QPSK	Inner_Full	22.11	19.31
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	20.93	18.13
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	21.02	18.22
n66	15	15	1745	DFT	QPSK	Outer_Full	21.18	18.38
n66	15	15	1745	DFT	16QAM	Inner_Full	21.12	18.32
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	20.02	17.22
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	19.97	17.17
n66	15	15	1745	DFT	16QAM	Outer_Full	20.2	17.4
n66	15	15	1745	DFT	64QAM	Inner_Full	19.76	16.96
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	19.75	16.95
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	19.77	16.97
n66	15	15	1745	DFT	64QAM	Outer_Full	19.78	16.98
n66	15	15	1745	DFT	256QAM	Inner_Full	17.67	14.87
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	17.72	14.92
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	17.7	14.9
n66	15	15	1745	DFT	256QAM	Outer_Full	17.68	14.88
n66	15	15	1745	CP	QPSK	Inner_Full	20.51	17.71
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	19.1	16.3
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	19.13	16.33
n66	15	15	1745	CP	QPSK	Outer_Full	19.23	16.43
n66	15	15	1745	CP	16QAM	Inner_Full	20.12	17.32
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	19.17	16.37
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	19.06	16.26
n66	15	15	1745	CP	16QAM	Outer_Full	19.3	16.5
n66	15	15	1745	CP	64QAM	Inner_Full	18.75	15.95
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	18.55	15.75
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	18.5	15.7



n66	15	15	1745	CP	64QAM	Outer_Full	18.8	16
n66	15	15	1745	CP	256QAM	Inner_Full	15.65	12.85
n66	15	15	1745	CP	256QAM	Edge_1RB_Left	15.28	12.48
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	15.97	13.17
n66	15	15	1745	CP	256QAM	Outer_Full	15.78	12.98
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	22.14	19.34
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.31	18.51
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.7	18.9
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	21.53	18.73
n66	15	15	1772.5	DFT	QPSK	Inner_Full	22.24	19.44
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	20.8	18
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	21.13	18.33
n66	15	15	1772.5	DFT	QPSK	Outer_Full	21.28	18.48
n66	15	15	1772.5	DFT	16QAM	Inner_Full	21.25	18.45
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	19.91	17.11
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	20.27	17.47
n66	15	15	1772.5	DFT	16QAM	Outer_Full	20.3	17.5
n66	15	15	1772.5	DFT	64QAM	Inner_Full	19.87	17.07
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	19.67	16.87
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	20.11	17.31
n66	15	15	1772.5	DFT	64QAM	Outer_Full	19.87	17.07
n66	15	15	1772.5	DFT	256QAM	Inner_Full	17.78	14.98
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	17.51	14.71
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	18.11	15.31
n66	15	15	1772.5	DFT	256QAM	Outer_Full	17.89	15.09
n66	15	15	1772.5	CP	QPSK	Inner_Full	20.68	17.88
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	19.1	16.3
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	19.35	16.55
n66	15	15	1772.5	CP	QPSK	Outer_Full	19.27	16.47
n66	15	15	1772.5	CP	16QAM	Inner_Full	20.19	17.39
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	19.09	16.29
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	19.37	16.57
n66	15	15	1772.5	CP	16QAM	Outer_Full	19.45	16.65
n66	15	15	1772.5	CP	64QAM	Inner_Full	18.78	15.98
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	18.49	15.69
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	18.79	15.99
n66	15	15	1772.5	CP	64QAM	Outer_Full	19	16.2
n66	15	15	1772.5	CP	256QAM	Inner_Full	15.72	12.92
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	15.49	12.69
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	15.77	12.97
n66	15	15	1772.5	CP	256QAM	Outer_Full	15.8	13

n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	22.1	19.3
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	21.32	18.52
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	21.5	18.7
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	21.57	18.77
n66	20	15	1720	DFT	QPSK	Inner_Full	22.12	19.32
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	20.93	18.13
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	20.9	18.1
n66	20	15	1720	DFT	QPSK	Outer_Full	21.12	18.32
n66	20	15	1720	DFT	16QAM	Inner_Full	21.23	18.43
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	20	17.2
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	19.91	17.11
n66	20	15	1720	DFT	16QAM	Outer_Full	20.24	17.44
n66	20	15	1720	DFT	64QAM	Inner_Full	21.15	18.35
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	19.66	16.86
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	19.95	17.15
n66	20	15	1720	DFT	64QAM	Outer_Full	19.75	16.95
n66	20	15	1720	DFT	256QAM	Inner_Full	17.69	14.89
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	17.56	14.76
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	17.64	14.84
n66	20	15	1720	DFT	256QAM	Outer_Full	17.67	14.87
n66	20	15	1720	CP	QPSK	Inner_Full	20.56	17.76
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	19.12	16.32
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	18.81	16.01
n66	20	15	1720	CP	QPSK	Outer_Full	19.27	16.47
n66	20	15	1720	CP	16QAM	Inner_Full	20.06	17.26
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	19.05	16.25
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	19.08	16.28
n66	20	15	1720	CP	16QAM	Outer_Full	19.28	16.48
n66	20	15	1720	CP	64QAM	Inner_Full	18.72	15.92
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	18.99	16.19
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	18.39	15.59
n66	20	15	1720	CP	64QAM	Outer_Full	18.86	16.06
n66	20	15	1720	CP	256QAM	Inner_Full	15.58	12.78
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	15.52	12.72
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	15.44	12.64
n66	20	15	1720	CP	256QAM	Outer_Full	15.67	12.87
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	22.14	19.34
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.3	18.5
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.24	18.44
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	21.78	18.98
n66	20	15	1745	DFT	QPSK	Inner_Full	22.18	19.38



n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	20.93	18.13
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	20.92	18.12
n66	20	15	1745	DFT	QPSK	Outer_Full	21.22	18.42
n66	20	15	1745	DFT	16QAM	Inner_Full	21.12	18.32
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	19.97	17.17
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	19.95	17.15
n66	20	15	1745	DFT	16QAM	Outer_Full	20.11	17.31
n66	20	15	1745	DFT	64QAM	Inner_Full	21.11	18.31
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	19.72	16.92
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	19.61	16.81
n66	20	15	1745	DFT	64QAM	Outer_Full	19.81	17.01
n66	20	15	1745	DFT	256QAM	Inner_Full	17.7	14.9
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	17.67	14.87
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	17.65	14.85
n66	20	15	1745	DFT	256QAM	Outer_Full	17.89	15.09
n66	20	15	1745	CP	QPSK	Inner_Full	20.61	17.81
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	19.13	16.33
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	19.07	16.27
n66	20	15	1745	CP	QPSK	Outer_Full	19.2	16.4
n66	20	15	1745	CP	16QAM	Inner_Full	20.13	17.33
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	19.11	16.31
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	19.11	16.31
n66	20	15	1745	CP	16QAM	Outer_Full	19.24	16.44
n66	20	15	1745	CP	64QAM	Inner_Full	18.71	15.91
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	18.52	15.72
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	18.4	15.6
n66	20	15	1745	CP	64QAM	Outer_Full	18.83	16.03
n66	20	15	1745	CP	256QAM	Inner_Full	15.57	12.77
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	15.88	13.08
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	15.5	12.7
n66	20	15	1745	CP	256QAM	Outer_Full	15.76	12.96
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	22.23	19.43
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	21.23	18.43
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	21.67	18.87
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	21.75	18.95
n66	20	15	1770	DFT	QPSK	Inner_Full	22.23	19.43
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	20.85	18.05
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	21.29	18.49
n66	20	15	1770	DFT	QPSK	Outer_Full	21.27	18.47
n66	20	15	1770	DFT	16QAM	Inner_Full	21.3	18.5
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	19.89	17.09

n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	20.19	17.39
n66	20	15	1770	DFT	16QAM	Outer_Full	20.3	17.5
n66	20	15	1770	DFT	64QAM	Inner_Full	19.8	17
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	19.65	16.85
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	20.08	17.28
n66	20	15	1770	DFT	64QAM	Outer_Full	19.82	17.02
n66	20	15	1770	DFT	256QAM	Inner_Full	17.72	14.92
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	17.53	14.73
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	17.81	15.01
n66	20	15	1770	DFT	256QAM	Outer_Full	17.77	14.97
n66	20	15	1770	CP	QPSK	Inner_Full	20.62	17.82
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	18.96	16.16
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	19.31	16.51
n66	20	15	1770	CP	QPSK	Outer_Full	19.37	16.57
n66	20	15	1770	CP	16QAM	Inner_Full	20.2	17.4
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	19.1	16.3
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	19.48	16.68
n66	20	15	1770	CP	16QAM	Outer_Full	19.35	16.55
n66	20	15	1770	CP	64QAM	Inner_Full	18.82	16.02
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	18.38	15.58
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	18.68	15.88
n66	20	15	1770	CP	64QAM	Outer_Full	18.87	16.07
n66	20	15	1770	CP	256QAM	Inner_Full	15.73	12.93
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	15.48	12.68
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	15.83	13.03
n66	20	15	1770	CP	256QAM	Outer_Full	15.78	12.98
n66	25	15	1722.5	DFT	pi/2 BPSK	Inner_Full	22.01	19.21
n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.2	18.4
n66	25	15	1722.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.14	18.34
n66	25	15	1722.5	DFT	pi/2 BPSK	Outer_Full	21.42	18.62
n66	25	15	1722.5	DFT	QPSK	Inner_Full	22.09	19.29
n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Left	20.79	17.99
n66	25	15	1722.5	DFT	QPSK	Edge_1RB_Right	20.7	17.9
n66	25	15	1722.5	DFT	QPSK	Outer_Full	21.04	18.24
n66	25	15	1722.5	DFT	16QAM	Inner_Full	21.05	18.25
n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Left	19.9	17.1
n66	25	15	1722.5	DFT	16QAM	Edge_1RB_Right	19.73	16.93
n66	25	15	1722.5	DFT	16QAM	Outer_Full	20.18	17.38
n66	25	15	1722.5	DFT	64QAM	Inner_Full	19.51	16.71
n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Left	19.59	16.79
n66	25	15	1722.5	DFT	64QAM	Edge_1RB_Right	19.49	16.69

n66	25	15	1722.5	DFT	64QAM	Outer_Full	19.62	16.82
n66	25	15	1722.5	DFT	256QAM	Inner_Full	17.6	14.8
n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Left	17.43	14.63
n66	25	15	1722.5	DFT	256QAM	Edge_1RB_Right	17.43	14.63
n66	25	15	1722.5	DFT	256QAM	Outer_Full	17.65	14.85
n66	25	15	1722.5	CP	QPSK	Inner_Full	20.47	17.67
n66	25	15	1722.5	CP	QPSK	Edge_1RB_Left	18.95	16.15
n66	25	15	1722.5	CP	QPSK	Edge_1RB_Right	18.78	15.98
n66	25	15	1722.5	CP	QPSK	Outer_Full	19.01	16.21
n66	25	15	1722.5	CP	16QAM	Inner_Full	20.11	17.31
n66	25	15	1722.5	CP	16QAM	Edge_1RB_Left	18.92	16.12
n66	25	15	1722.5	CP	16QAM	Edge_1RB_Right	19.04	16.24
n66	25	15	1722.5	CP	16QAM	Outer_Full	19.13	16.33
n66	25	15	1722.5	CP	64QAM	Inner_Full	18.6	15.8
n66	25	15	1722.5	CP	64QAM	Edge_1RB_Left	18.32	15.52
n66	25	15	1722.5	CP	64QAM	Edge_1RB_Right	18.18	15.38
n66	25	15	1722.5	CP	64QAM	Outer_Full	18.64	15.84
n66	25	15	1722.5	CP	256QAM	Inner_Full	15.55	12.75
n66	25	15	1722.5	CP	256QAM	Edge_1RB_Left	15.46	12.66
n66	25	15	1722.5	CP	256QAM	Edge_1RB_Right	15.23	12.43
n66	25	15	1722.5	CP	256QAM	Outer_Full	15.49	12.69
n66	25	15	1745	DFT	pi/2 BPSK	Inner_Full	22.03	19.23
n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.18	18.38
n66	25	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.31	18.51
n66	25	15	1745	DFT	pi/2 BPSK	Outer_Full	21.64	18.84
n66	25	15	1745	DFT	QPSK	Inner_Full	22.13	19.33
n66	25	15	1745	DFT	QPSK	Edge_1RB_Left	20.82	18.02
n66	25	15	1745	DFT	QPSK	Edge_1RB_Right	20.83	18.03
n66	25	15	1745	DFT	QPSK	Outer_Full	21.06	18.26
n66	25	15	1745	DFT	16QAM	Inner_Full	21.18	18.38
n66	25	15	1745	DFT	16QAM	Edge_1RB_Left	20.01	17.21
n66	25	15	1745	DFT	16QAM	Edge_1RB_Right	19.94	17.14
n66	25	15	1745	DFT	16QAM	Outer_Full	20.07	17.27
n66	25	15	1745	DFT	64QAM	Inner_Full	19.64	16.84
n66	25	15	1745	DFT	64QAM	Edge_1RB_Left	19.63	16.83
n66	25	15	1745	DFT	64QAM	Edge_1RB_Right	19.6	16.8
n66	25	15	1745	DFT	64QAM	Outer_Full	19.66	16.86
n66	25	15	1745	DFT	256QAM	Inner_Full	17.64	14.84
n66	25	15	1745	DFT	256QAM	Edge_1RB_Left	17.45	14.65
n66	25	15	1745	DFT	256QAM	Edge_1RB_Right	17.58	14.78
n66	25	15	1745	DFT	256QAM	Outer_Full	17.75	14.95

n66	25	15	1745	CP	QPSK	Inner_Full	20.49	17.69
n66	25	15	1745	CP	QPSK	Edge_1RB_Left	19.01	16.21
n66	25	15	1745	CP	QPSK	Edge_1RB_Right	18.93	16.13
n66	25	15	1745	CP	QPSK	Outer_Full	19.2	16.4
n66	25	15	1745	CP	16QAM	Inner_Full	20.04	17.24
n66	25	15	1745	CP	16QAM	Edge_1RB_Left	18.99	16.19
n66	25	15	1745	CP	16QAM	Edge_1RB_Right	18.92	16.12
n66	25	15	1745	CP	16QAM	Outer_Full	19.22	16.42
n66	25	15	1745	CP	64QAM	Inner_Full	18.73	15.93
n66	25	15	1745	CP	64QAM	Edge_1RB_Left	18.39	15.59
n66	25	15	1745	CP	64QAM	Edge_1RB_Right	18.36	15.56
n66	25	15	1745	CP	64QAM	Outer_Full	18.69	15.89
n66	25	15	1745	CP	256QAM	Inner_Full	15.5	12.7
n66	25	15	1745	CP	256QAM	Edge_1RB_Left	15.78	12.98
n66	25	15	1745	CP	256QAM	Edge_1RB_Right	15.38	12.58
n66	25	15	1745	CP	256QAM	Outer_Full	15.67	12.87
n66	25	15	1767.5	DFT	pi/2 BPSK	Inner_Full	22.17	19.37
n66	25	15	1767.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.25	18.45
n66	25	15	1767.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.59	18.79
n66	25	15	1767.5	DFT	pi/2 BPSK	Outer_Full	21.6	18.8
n66	25	15	1767.5	DFT	QPSK	Inner_Full	22.18	19.38
n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Left	20.84	18.04
n66	25	15	1767.5	DFT	QPSK	Edge_1RB_Right	21.12	18.32
n66	25	15	1767.5	DFT	QPSK	Outer_Full	21.12	18.32
n66	25	15	1767.5	DFT	16QAM	Inner_Full	21.19	18.39
n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Left	19.84	17.04
n66	25	15	1767.5	DFT	16QAM	Edge_1RB_Right	20.11	17.31
n66	25	15	1767.5	DFT	16QAM	Outer_Full	20.27	17.47
n66	25	15	1767.5	DFT	64QAM	Inner_Full	21.21	18.41
n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Left	19.6	16.8
n66	25	15	1767.5	DFT	64QAM	Edge_1RB_Right	19.97	17.17
n66	25	15	1767.5	DFT	64QAM	Outer_Full	19.65	16.85
n66	25	15	1767.5	DFT	256QAM	Inner_Full	17.75	14.95
n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Left	17.49	14.69
n66	25	15	1767.5	DFT	256QAM	Edge_1RB_Right	17.85	15.05
n66	25	15	1767.5	DFT	256QAM	Outer_Full	17.73	14.93
n66	25	15	1767.5	CP	QPSK	Inner_Full	20.66	17.86
n66	25	15	1767.5	CP	QPSK	Edge_1RB_Left	18.91	16.11
n66	25	15	1767.5	CP	QPSK	Edge_1RB_Right	19.33	16.53
n66	25	15	1767.5	CP	QPSK	Outer_Full	19.2	16.4
n66	25	15	1767.5	CP	16QAM	Inner_Full	20.12	17.32



n66	25	15	1767.5	CP	16QAM	Edge_1RB_Left	18.99	16.19
n66	25	15	1767.5	CP	16QAM	Edge_1RB_Right	19.24	16.44
n66	25	15	1767.5	CP	16QAM	Outer_Full	19.23	16.43
n66	25	15	1767.5	CP	64QAM	Inner_Full	18.73	15.93
n66	25	15	1767.5	CP	64QAM	Edge_1RB_Left	18.42	15.62
n66	25	15	1767.5	CP	64QAM	Edge_1RB_Right	18.64	15.84
n66	25	15	1767.5	CP	64QAM	Outer_Full	18.8	16
n66	25	15	1767.5	CP	256QAM	Inner_Full	15.75	12.95
n66	25	15	1767.5	CP	256QAM	Edge_1RB_Left	15.45	12.65
n66	25	15	1767.5	CP	256QAM	Edge_1RB_Right	15.74	12.94
n66	25	15	1767.5	CP	256QAM	Outer_Full	15.65	12.85
n66	30	15	1725	DFT	pi/2 BPSK	Inner_Full	21.99	19.19
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Left	21.18	18.38
n66	30	15	1725	DFT	pi/2 BPSK	Edge_1RB_Right	21.1	18.3
n66	30	15	1725	DFT	pi/2 BPSK	Outer_Full	21.52	18.72
n66	30	15	1725	DFT	QPSK	Inner_Full	22.1	19.3
n66	30	15	1725	DFT	QPSK	Edge_1RB_Left	20.66	17.86
n66	30	15	1725	DFT	QPSK	Edge_1RB_Right	20.58	17.78
n66	30	15	1725	DFT	QPSK	Outer_Full	21.02	18.22
n66	30	15	1725	DFT	16QAM	Inner_Full	21.14	18.34
n66	30	15	1725	DFT	16QAM	Edge_1RB_Left	19.92	17.12
n66	30	15	1725	DFT	16QAM	Edge_1RB_Right	19.69	16.89
n66	30	15	1725	DFT	16QAM	Outer_Full	20.16	17.36
n66	30	15	1725	DFT	64QAM	Inner_Full	19.77	16.97
n66	30	15	1725	DFT	64QAM	Edge_1RB_Left	19.57	16.77
n66	30	15	1725	DFT	64QAM	Edge_1RB_Right	19.69	16.89
n66	30	15	1725	DFT	64QAM	Outer_Full	19.67	16.87
n66	30	15	1725	DFT	256QAM	Inner_Full	17.68	14.88
n66	30	15	1725	DFT	256QAM	Edge_1RB_Left	17.45	14.65
n66	30	15	1725	DFT	256QAM	Edge_1RB_Right	17.32	14.52
n66	30	15	1725	DFT	256QAM	Outer_Full	17.68	14.88
n66	30	15	1725	CP	QPSK	Inner_Full	20.45	17.65
n66	30	15	1725	CP	QPSK	Edge_1RB_Left	18.91	16.11
n66	30	15	1725	CP	QPSK	Edge_1RB_Right	18.82	16.02
n66	30	15	1725	CP	QPSK	Outer_Full	19.14	16.34
n66	30	15	1725	CP	16QAM	Inner_Full	20.21	17.41
n66	30	15	1725	CP	16QAM	Edge_1RB_Left	18.94	16.14
n66	30	15	1725	CP	16QAM	Edge_1RB_Right	18.8	16
n66	30	15	1725	CP	16QAM	Outer_Full	19.14	16.34
n66	30	15	1725	CP	64QAM	Inner_Full	18.77	15.97
n66	30	15	1725	CP	64QAM	Edge_1RB_Left	18.24	15.44

n66	30	15	1725	CP	64QAM	Edge_1RB_Right	18.23	15.43
n66	30	15	1725	CP	64QAM	Outer_Full	18.74	15.94
n66	30	15	1725	CP	256QAM	Inner_Full	15.63	12.83
n66	30	15	1725	CP	256QAM	Edge_1RB_Left	15.43	12.63
n66	30	15	1725	CP	256QAM	Edge_1RB_Right	15.31	12.51
n66	30	15	1725	CP	256QAM	Outer_Full	15.59	12.79
n66	30	15	1745	DFT	pi/2 BPSK	Inner_Full	21.96	19.16
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.16	18.36
n66	30	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.23	18.43
n66	30	15	1745	DFT	pi/2 BPSK	Outer_Full	21.5	18.7
n66	30	15	1745	DFT	QPSK	Inner_Full	22.07	19.27
n66	30	15	1745	DFT	QPSK	Edge_1RB_Left	20.68	17.88
n66	30	15	1745	DFT	QPSK	Edge_1RB_Right	20.62	17.82
n66	30	15	1745	DFT	QPSK	Outer_Full	21.1	18.3
n66	30	15	1745	DFT	16QAM	Inner_Full	21.16	18.36
n66	30	15	1745	DFT	16QAM	Edge_1RB_Left	19.8	17
n66	30	15	1745	DFT	16QAM	Edge_1RB_Right	19.63	16.83
n66	30	15	1745	DFT	16QAM	Outer_Full	20.08	17.28
n66	30	15	1745	DFT	64QAM	Inner_Full	19.63	16.83
n66	30	15	1745	DFT	64QAM	Edge_1RB_Left	19.58	16.78
n66	30	15	1745	DFT	64QAM	Edge_1RB_Right	19.43	16.63
n66	30	15	1745	DFT	64QAM	Outer_Full	19.64	16.84
n66	30	15	1745	DFT	256QAM	Inner_Full	17.85	15.05
n66	30	15	1745	DFT	256QAM	Edge_1RB_Left	17.49	14.69
n66	30	15	1745	DFT	256QAM	Edge_1RB_Right	17.36	14.56
n66	30	15	1745	DFT	256QAM	Outer_Full	17.67	14.87
n66	30	15	1745	CP	QPSK	Inner_Full	20.5	17.7
n66	30	15	1745	CP	QPSK	Edge_1RB_Left	18.91	16.11
n66	30	15	1745	CP	QPSK	Edge_1RB_Right	18.84	16.04
n66	30	15	1745	CP	QPSK	Outer_Full	19.08	16.28
n66	30	15	1745	CP	16QAM	Inner_Full	20.05	17.25
n66	30	15	1745	CP	16QAM	Edge_1RB_Left	18.91	16.11
n66	30	15	1745	CP	16QAM	Edge_1RB_Right	18.79	15.99
n66	30	15	1745	CP	16QAM	Outer_Full	19.11	16.31
n66	30	15	1745	CP	64QAM	Inner_Full	18.78	15.98
n66	30	15	1745	CP	64QAM	Edge_1RB_Left	18.34	15.54
n66	30	15	1745	CP	64QAM	Edge_1RB_Right	18.16	15.36
n66	30	15	1745	CP	64QAM	Outer_Full	18.7	15.9
n66	30	15	1745	CP	256QAM	Inner_Full	15.7	12.9
n66	30	15	1745	CP	256QAM	Edge_1RB_Left	15.41	12.61
n66	30	15	1745	CP	256QAM	Edge_1RB_Right	15.33	12.53



n66	30	15	1745	CP	256QAM	Outer_Full	15.63	12.83
n66	30	15	1765	DFT	pi/2 BPSK	Inner_Full	22.02	19.22
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Left	21.13	18.33
n66	30	15	1765	DFT	pi/2 BPSK	Edge_1RB_Right	21.55	18.75
n66	30	15	1765	DFT	pi/2 BPSK	Outer_Full	21.53	18.73
n66	30	15	1765	DFT	QPSK	Inner_Full	22.22	19.42
n66	30	15	1765	DFT	QPSK	Edge_1RB_Left	20.72	17.92
n66	30	15	1765	DFT	QPSK	Edge_1RB_Right	21.02	18.22
n66	30	15	1765	DFT	QPSK	Outer_Full	21.12	18.32
n66	30	15	1765	DFT	16QAM	Inner_Full	21.22	18.42
n66	30	15	1765	DFT	16QAM	Edge_1RB_Left	19.72	16.92
n66	30	15	1765	DFT	16QAM	Edge_1RB_Right	20.02	17.22
n66	30	15	1765	DFT	16QAM	Outer_Full	20.15	17.35
n66	30	15	1765	DFT	64QAM	Inner_Full	19.71	16.91
n66	30	15	1765	DFT	64QAM	Edge_1RB_Left	19.48	16.68
n66	30	15	1765	DFT	64QAM	Edge_1RB_Right	19.84	17.04
n66	30	15	1765	DFT	64QAM	Outer_Full	19.7	16.9
n66	30	15	1765	DFT	256QAM	Inner_Full	17.7	14.9
n66	30	15	1765	DFT	256QAM	Edge_1RB_Left	17.35	14.55
n66	30	15	1765	DFT	256QAM	Edge_1RB_Right	17.68	14.88
n66	30	15	1765	DFT	256QAM	Outer_Full	17.62	14.82
n66	30	15	1765	CP	QPSK	Inner_Full	20.5	17.7
n66	30	15	1765	CP	QPSK	Edge_1RB_Left	18.89	16.09
n66	30	15	1765	CP	QPSK	Edge_1RB_Right	19.28	16.48
n66	30	15	1765	CP	QPSK	Outer_Full	19.2	16.4
n66	30	15	1765	CP	16QAM	Inner_Full	20.11	17.31
n66	30	15	1765	CP	16QAM	Edge_1RB_Left	18.88	16.08
n66	30	15	1765	CP	16QAM	Edge_1RB_Right	19.22	16.42
n66	30	15	1765	CP	16QAM	Outer_Full	19.16	16.36
n66	30	15	1765	CP	64QAM	Inner_Full	18.75	15.95
n66	30	15	1765	CP	64QAM	Edge_1RB_Left	18.33	15.53
n66	30	15	1765	CP	64QAM	Edge_1RB_Right	18.65	15.85
n66	30	15	1765	CP	64QAM	Outer_Full	18.72	15.92
n66	30	15	1765	CP	256QAM	Inner_Full	15.65	12.85
n66	30	15	1765	CP	256QAM	Edge_1RB_Left	15.33	12.53
n66	30	15	1765	CP	256QAM	Edge_1RB_Right	15.61	12.81
n66	30	15	1765	CP	256QAM	Outer_Full	15.62	12.82
n66	40	15	1730	DFT	pi/2 BPSK	Inner_Full	21.99	19.19
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Left	20.77	17.97
n66	40	15	1730	DFT	pi/2 BPSK	Edge_1RB_Right	20.92	18.12
n66	40	15	1730	DFT	pi/2 BPSK	Outer_Full	21.35	18.55

n66	40	15	1730	DFT	QPSK	Inner_Full	22.08	19.28
n66	40	15	1730	DFT	QPSK	Edge_1RB_Left	20.42	17.62
n66	40	15	1730	DFT	QPSK	Edge_1RB_Right	20.43	17.63
n66	40	15	1730	DFT	QPSK	Outer_Full	20.88	18.08
n66	40	15	1730	DFT	16QAM	Inner_Full	21.07	18.27
n66	40	15	1730	DFT	16QAM	Edge_1RB_Left	19.64	16.84
n66	40	15	1730	DFT	16QAM	Edge_1RB_Right	19.44	16.64
n66	40	15	1730	DFT	16QAM	Outer_Full	19.88	17.08
n66	40	15	1730	DFT	64QAM	Inner_Full	19.65	16.85
n66	40	15	1730	DFT	64QAM	Edge_1RB_Left	19.26	16.46
n66	40	15	1730	DFT	64QAM	Edge_1RB_Right	19.45	16.65
n66	40	15	1730	DFT	64QAM	Outer_Full	19.45	16.65
n66	40	15	1730	DFT	256QAM	Inner_Full	17.57	14.77
n66	40	15	1730	DFT	256QAM	Edge_1RB_Left	17.1	14.3
n66	40	15	1730	DFT	256QAM	Edge_1RB_Right	17.16	14.36
n66	40	15	1730	DFT	256QAM	Outer_Full	17.41	14.61
n66	40	15	1730	CP	QPSK	Inner_Full	20.49	17.69
n66	40	15	1730	CP	QPSK	Edge_1RB_Left	18.69	15.89
n66	40	15	1730	CP	QPSK	Edge_1RB_Right	18.63	15.83
n66	40	15	1730	CP	QPSK	Outer_Full	18.93	16.13
n66	40	15	1730	CP	16QAM	Inner_Full	19.95	17.15
n66	40	15	1730	CP	16QAM	Edge_1RB_Left	18.63	15.83
n66	40	15	1730	CP	16QAM	Edge_1RB_Right	18.56	15.76
n66	40	15	1730	CP	16QAM	Outer_Full	18.88	16.08
n66	40	15	1730	CP	64QAM	Inner_Full	18.71	15.91
n66	40	15	1730	CP	64QAM	Edge_1RB_Left	18	15.2
n66	40	15	1730	CP	64QAM	Edge_1RB_Right	18.29	15.49
n66	40	15	1730	CP	64QAM	Outer_Full	18.47	15.67
n66	40	15	1730	CP	256QAM	Inner_Full	15.57	12.77
n66	40	15	1730	CP	256QAM	Edge_1RB_Left	15.05	12.25
n66	40	15	1730	CP	256QAM	Edge_1RB_Right	15.1	12.3
n66	40	15	1730	CP	256QAM	Outer_Full	15.37	12.57
n66	40	15	1745	DFT	pi/2 BPSK	Inner_Full	22.42	19.62
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	21.16	18.36
n66	40	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	21.12	18.32
n66	40	15	1745	DFT	pi/2 BPSK	Outer_Full	21.67	18.87
n66	40	15	1745	DFT	QPSK	Inner_Full	22.36	19.56
n66	40	15	1745	DFT	QPSK	Edge_1RB_Left	20.6	17.8
n66	40	15	1745	DFT	QPSK	Edge_1RB_Right	20.48	17.68
n66	40	15	1745	DFT	QPSK	Outer_Full	21.15	18.35
n66	40	15	1745	DFT	16QAM	Inner_Full	21.38	18.58

n66	40	15	1745	DFT	16QAM	Edge_1RB_Left	20.2	17.4
n66	40	15	1745	DFT	16QAM	Edge_1RB_Right	19.93	17.13
n66	40	15	1745	DFT	16QAM	Outer_Full	20.2	17.4
n66	40	15	1745	DFT	64QAM	Inner_Full	21.31	18.51
n66	40	15	1745	DFT	64QAM	Edge_1RB_Left	19.52	16.72
n66	40	15	1745	DFT	64QAM	Edge_1RB_Right	19.54	16.74
n66	40	15	1745	DFT	64QAM	Outer_Full	19.81	17.01
n66	40	15	1745	DFT	256QAM	Inner_Full	17.82	15.02
n66	40	15	1745	DFT	256QAM	Edge_1RB_Left	17.14	14.34
n66	40	15	1745	DFT	256QAM	Edge_1RB_Right	17.04	14.24
n66	40	15	1745	DFT	256QAM	Outer_Full	17.82	15.02
n66	40	15	1745	CP	QPSK	Inner_Full	20.78	17.98
n66	40	15	1745	CP	QPSK	Edge_1RB_Left	18.8	16
n66	40	15	1745	CP	QPSK	Edge_1RB_Right	18.68	15.88
n66	40	15	1745	CP	QPSK	Outer_Full	19.19	16.39
n66	40	15	1745	CP	16QAM	Inner_Full	20.11	17.31
n66	40	15	1745	CP	16QAM	Edge_1RB_Left	19.15	16.35
n66	40	15	1745	CP	16QAM	Edge_1RB_Right	19.04	16.24
n66	40	15	1745	CP	16QAM	Outer_Full	19.31	16.51
n66	40	15	1745	CP	64QAM	Inner_Full	18.85	16.05
n66	40	15	1745	CP	64QAM	Edge_1RB_Left	18.7	15.9
n66	40	15	1745	CP	64QAM	Edge_1RB_Right	18.26	15.46
n66	40	15	1745	CP	64QAM	Outer_Full	18.83	16.03
n66	40	15	1745	CP	256QAM	Inner_Full	15.73	12.93
n66	40	15	1745	CP	256QAM	Edge_1RB_Left	15.16	12.36
n66	40	15	1745	CP	256QAM	Edge_1RB_Right	15.43	12.63
n66	40	15	1745	CP	256QAM	Outer_Full	15.74	12.94
n66	40	15	1760	DFT	pi/2 BPSK	Inner_Full	21.95	19.15
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Left	20.83	18.03
n66	40	15	1760	DFT	pi/2 BPSK	Edge_1RB_Right	21.29	18.49
n66	40	15	1760	DFT	pi/2 BPSK	Outer_Full	21.43	18.63
n66	40	15	1760	DFT	QPSK	Inner_Full	22.09	19.29
n66	40	15	1760	DFT	QPSK	Edge_1RB_Left	20.32	17.52
n66	40	15	1760	DFT	QPSK	Edge_1RB_Right	20.7	17.9
n66	40	15	1760	DFT	QPSK	Outer_Full	20.9	18.1
n66	40	15	1760	DFT	16QAM	Inner_Full	21.09	18.29
n66	40	15	1760	DFT	16QAM	Edge_1RB_Left	19.32	16.52
n66	40	15	1760	DFT	16QAM	Edge_1RB_Right	19.79	16.99
n66	40	15	1760	DFT	16QAM	Outer_Full	19.89	17.09
n66	40	15	1760	DFT	64QAM	Inner_Full	20.97	18.17
n66	40	15	1760	DFT	64QAM	Edge_1RB_Left	19.38	16.58

n66	40	15	1760	DFT	64QAM	Edge_1RB_Right	19.58	16.78
n66	40	15	1760	DFT	64QAM	Outer_Full	19.54	16.74
n66	40	15	1760	DFT	256QAM	Inner_Full	17.65	14.85
n66	40	15	1760	DFT	256QAM	Edge_1RB_Left	17	14.2
n66	40	15	1760	DFT	256QAM	Edge_1RB_Right	17.67	14.87
n66	40	15	1760	DFT	256QAM	Outer_Full	17.48	14.68
n66	40	15	1760	CP	QPSK	Inner_Full	20.42	17.62
n66	40	15	1760	CP	QPSK	Edge_1RB_Left	18.56	15.76
n66	40	15	1760	CP	QPSK	Edge_1RB_Right	18.98	16.18
n66	40	15	1760	CP	QPSK	Outer_Full	19.06	16.26
n66	40	15	1760	CP	16QAM	Inner_Full	20.09	17.29
n66	40	15	1760	CP	16QAM	Edge_1RB_Left	18.47	15.67
n66	40	15	1760	CP	16QAM	Edge_1RB_Right	18.97	16.17
n66	40	15	1760	CP	16QAM	Outer_Full	19.04	16.24
n66	40	15	1760	CP	64QAM	Inner_Full	18.69	15.89
n66	40	15	1760	CP	64QAM	Edge_1RB_Left	18.2	15.4
n66	40	15	1760	CP	64QAM	Edge_1RB_Right	18.32	15.52
n66	40	15	1760	CP	64QAM	Outer_Full	18.55	15.75
n66	40	15	1760	CP	256QAM	Inner_Full	15.59	12.79
n66	40	15	1760	CP	256QAM	Edge_1RB_Left	14.96	12.16
n66	40	15	1760	CP	256QAM	Edge_1RB_Right	15.45	12.65
n66	40	15	1760	CP	256QAM	Outer_Full	15.52	12.72

n70

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm) (Gt-Lc =-2.8)
n70	5	15	1697.5	DFT	pi/2 BPSK	Inner_Full	22.18	19.38
n70	5	15	1697.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.69	18.89
n70	5	15	1697.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.52	18.72
n70	5	15	1697.5	DFT	pi/2 BPSK	Outer_Full	21.76	18.96
n70	5	15	1697.5	DFT	QPSK	Inner_Full	22.17	19.37
n70	5	15	1697.5	DFT	QPSK	Edge_1RB_Left	21.12	18.32
n70	5	15	1697.5	DFT	QPSK	Edge_1RB_Right	21.11	18.31
n70	5	15	1697.5	DFT	QPSK	Outer_Full	21.26	18.46
n70	5	15	1697.5	DFT	16QAM	Inner_Full	21.32	18.52
n70	5	15	1697.5	DFT	16QAM	Edge_1RB_Left	20.15	17.35
n70	5	15	1697.5	DFT	16QAM	Edge_1RB_Right	20.12	17.32
n70	5	15	1697.5	DFT	16QAM	Outer_Full	20.3	17.5
n70	5	15	1697.5	DFT	64QAM	Inner_Full	19.88	17.08
n70	5	15	1697.5	DFT	64QAM	Edge_1RB_Left	19.96	17.16
n70	5	15	1697.5	DFT	64QAM	Edge_1RB_Right	20	17.2
n70	5	15	1697.5	DFT	64QAM	Outer_Full	19.85	17.05
n70	5	15	1697.5	DFT	256QAM	Inner_Full	17.7	14.9
n70	5	15	1697.5	DFT	256QAM	Edge_1RB_Left	17.78	14.98
n70	5	15	1697.5	DFT	256QAM	Edge_1RB_Right	17.82	15.02
n70	5	15	1697.5	DFT	256QAM	Outer_Full	17.77	14.97
n70	5	15	1697.5	CP	QPSK	Inner_Full	20.68	17.88
n70	5	15	1697.5	CP	QPSK	Edge_1RB_Left	19.31	16.51
n70	5	15	1697.5	CP	QPSK	Edge_1RB_Right	19.32	16.52
n70	5	15	1697.5	CP	QPSK	Outer_Full	19.34	16.54
n70	5	15	1697.5	CP	16QAM	Inner_Full	20.09	17.29
n70	5	15	1697.5	CP	16QAM	Edge_1RB_Left	19.47	16.67
n70	5	15	1697.5	CP	16QAM	Edge_1RB_Right	19.35	16.55
n70	5	15	1697.5	CP	16QAM	Outer_Full	19.21	16.41
n70	5	15	1697.5	CP	64QAM	Inner_Full	18.97	16.17
n70	5	15	1697.5	CP	64QAM	Edge_1RB_Left	18.8	16
n70	5	15	1697.5	CP	64QAM	Edge_1RB_Right	18.68	15.88
n70	5	15	1697.5	CP	64QAM	Outer_Full	18.87	16.07
n70	5	15	1697.5	CP	256QAM	Inner_Full	15.68	12.88
n70	5	15	1697.5	CP	256QAM	Edge_1RB_Left	15.8	13
n70	5	15	1697.5	CP	256QAM	Edge_1RB_Right	15.78	12.98
n70	5	15	1697.5	CP	256QAM	Outer_Full	15.84	13.04
n70	5	15	1702.5	DFT	pi/2 BPSK	Inner_Full	22.08	19.28



n70	5	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.5	18.7
n70	5	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.53	18.73
n70	5	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.56	18.76
n70	5	15	1702.5	DFT	QPSK	Inner_Full	22.09	19.29
n70	5	15	1702.5	DFT	QPSK	Edge_1RB_Left	21	18.2
n70	5	15	1702.5	DFT	QPSK	Edge_1RB_Right	20.98	18.18
n70	5	15	1702.5	DFT	QPSK	Outer_Full	21.19	18.39
n70	5	15	1702.5	DFT	16QAM	Inner_Full	21.18	18.38
n70	5	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.07	17.27
n70	5	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.14	17.34
n70	5	15	1702.5	DFT	16QAM	Outer_Full	20.17	17.37
n70	5	15	1702.5	DFT	64QAM	Inner_Full	19.75	16.95
n70	5	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.76	16.96
n70	5	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.96	17.16
n70	5	15	1702.5	DFT	64QAM	Outer_Full	19.84	17.04
n70	5	15	1702.5	DFT	256QAM	Inner_Full	17.73	14.93
n70	5	15	1702.5	DFT	256QAM	Edge_1RB_Left	18.29	15.49
n70	5	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.91	15.11
n70	5	15	1702.5	DFT	256QAM	Outer_Full	17.81	15.01
n70	5	15	1702.5	CP	QPSK	Inner_Full	20.64	17.84
n70	5	15	1702.5	CP	QPSK	Edge_1RB_Left	19.35	16.55
n70	5	15	1702.5	CP	QPSK	Edge_1RB_Right	19.39	16.59
n70	5	15	1702.5	CP	QPSK	Outer_Full	19.38	16.58
n70	5	15	1702.5	CP	16QAM	Inner_Full	20.28	17.48
n70	5	15	1702.5	CP	16QAM	Edge_1RB_Left	19.44	16.64
n70	5	15	1702.5	CP	16QAM	Edge_1RB_Right	19.41	16.61
n70	5	15	1702.5	CP	16QAM	Outer_Full	19.35	16.55
n70	5	15	1702.5	CP	64QAM	Inner_Full	19.05	16.25
n70	5	15	1702.5	CP	64QAM	Edge_1RB_Left	18.8	16
n70	5	15	1702.5	CP	64QAM	Edge_1RB_Right	18.73	15.93
n70	5	15	1702.5	CP	64QAM	Outer_Full	18.84	16.04
n70	5	15	1702.5	CP	256QAM	Inner_Full	15.83	13.03
n70	5	15	1702.5	CP	256QAM	Edge_1RB_Left	15.82	13.02
n70	5	15	1702.5	CP	256QAM	Edge_1RB_Right	15.74	12.94
n70	5	15	1702.5	CP	256QAM	Outer_Full	15.78	12.98
n70	5	15	1707.5	DFT	pi/2 BPSK	Inner_Full	22.19	19.39
n70	5	15	1707.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.69	18.89
n70	5	15	1707.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.83	19.03
n70	5	15	1707.5	DFT	pi/2 BPSK	Outer_Full	22.12	19.32
n70	5	15	1707.5	DFT	QPSK	Inner_Full	22.32	19.52
n70	5	15	1707.5	DFT	QPSK	Edge_1RB_Left	21.25	18.45

n70	5	15	1707.5	DFT	QPSK	Edge_1RB_Right	21.24	18.44
n70	5	15	1707.5	DFT	QPSK	Outer_Full	21.36	18.56
n70	5	15	1707.5	DFT	16QAM	Inner_Full	21.38	18.58
n70	5	15	1707.5	DFT	16QAM	Edge_1RB_Left	20.31	17.51
n70	5	15	1707.5	DFT	16QAM	Edge_1RB_Right	20.28	17.48
n70	5	15	1707.5	DFT	16QAM	Outer_Full	20.22	17.42
n70	5	15	1707.5	DFT	64QAM	Inner_Full	19.98	17.18
n70	5	15	1707.5	DFT	64QAM	Edge_1RB_Left	19.72	16.92
n70	5	15	1707.5	DFT	64QAM	Edge_1RB_Right	20.01	17.21
n70	5	15	1707.5	DFT	64QAM	Outer_Full	19.88	17.08
n70	5	15	1707.5	DFT	256QAM	Inner_Full	17.76	14.96
n70	5	15	1707.5	DFT	256QAM	Edge_1RB_Left	17.81	15.01
n70	5	15	1707.5	DFT	256QAM	Edge_1RB_Right	17.94	15.14
n70	5	15	1707.5	DFT	256QAM	Outer_Full	17.92	15.12
n70	5	15	1707.5	CP	QPSK	Inner_Full	20.68	17.88
n70	5	15	1707.5	CP	QPSK	Edge_1RB_Left	19.25	16.45
n70	5	15	1707.5	CP	QPSK	Edge_1RB_Right	19.22	16.42
n70	5	15	1707.5	CP	QPSK	Outer_Full	19.58	16.78
n70	5	15	1707.5	CP	16QAM	Inner_Full	20.3	17.5
n70	5	15	1707.5	CP	16QAM	Edge_1RB_Left	19.53	16.73
n70	5	15	1707.5	CP	16QAM	Edge_1RB_Right	19.46	16.66
n70	5	15	1707.5	CP	16QAM	Outer_Full	19.36	16.56
n70	5	15	1707.5	CP	64QAM	Inner_Full	18.98	16.18
n70	5	15	1707.5	CP	64QAM	Edge_1RB_Left	18.72	15.92
n70	5	15	1707.5	CP	64QAM	Edge_1RB_Right	18.75	15.95
n70	5	15	1707.5	CP	64QAM	Outer_Full	18.93	16.13
n70	5	15	1707.5	CP	256QAM	Inner_Full	15.98	13.18
n70	5	15	1707.5	CP	256QAM	Edge_1RB_Left	15.83	13.03
n70	5	15	1707.5	CP	256QAM	Edge_1RB_Right	15.88	13.08
n70	5	15	1707.5	CP	256QAM	Outer_Full	15.87	13.07
n70	10	15	1700	DFT	pi/2 BPSK	Inner_Full	22.03	19.23
n70	10	15	1700	DFT	pi/2 BPSK	Edge_1RB_Left	21.59	18.79
n70	10	15	1700	DFT	pi/2 BPSK	Edge_1RB_Right	21.44	18.64
n70	10	15	1700	DFT	pi/2 BPSK	Outer_Full	21.57	18.77
n70	10	15	1700	DFT	QPSK	Inner_Full	22.04	19.24
n70	10	15	1700	DFT	QPSK	Edge_1RB_Left	21.11	18.31
n70	10	15	1700	DFT	QPSK	Edge_1RB_Right	21.03	18.23
n70	10	15	1700	DFT	QPSK	Outer_Full	21.16	18.36
n70	10	15	1700	DFT	16QAM	Inner_Full	21.09	18.29
n70	10	15	1700	DFT	16QAM	Edge_1RB_Left	20.15	17.35
n70	10	15	1700	DFT	16QAM	Edge_1RB_Right	20.06	17.26

n70	10	15	1700	DFT	16QAM	Outer_Full	20.14	17.34
n70	10	15	1700	DFT	64QAM	Inner_Full	21.03	18.23
n70	10	15	1700	DFT	64QAM	Edge_1RB_Left	19.79	16.99
n70	10	15	1700	DFT	64QAM	Edge_1RB_Right	19.82	17.02
n70	10	15	1700	DFT	64QAM	Outer_Full	19.79	16.99
n70	10	15	1700	DFT	256QAM	Inner_Full	17.68	14.88
n70	10	15	1700	DFT	256QAM	Edge_1RB_Left	17.79	14.99
n70	10	15	1700	DFT	256QAM	Edge_1RB_Right	17.69	14.89
n70	10	15	1700	DFT	256QAM	Outer_Full	17.69	14.89
n70	10	15	1700	CP	QPSK	Inner_Full	20.54	17.74
n70	10	15	1700	CP	QPSK	Edge_1RB_Left	19.27	16.47
n70	10	15	1700	CP	QPSK	Edge_1RB_Right	19.21	16.41
n70	10	15	1700	CP	QPSK	Outer_Full	19.15	16.35
n70	10	15	1700	CP	16QAM	Inner_Full	20.16	17.36
n70	10	15	1700	CP	16QAM	Edge_1RB_Left	19.27	16.47
n70	10	15	1700	CP	16QAM	Edge_1RB_Right	19.25	16.45
n70	10	15	1700	CP	16QAM	Outer_Full	19.2	16.4
n70	10	15	1700	CP	64QAM	Inner_Full	18.8	16
n70	10	15	1700	CP	64QAM	Edge_1RB_Left	18.66	15.86
n70	10	15	1700	CP	64QAM	Edge_1RB_Right	18.64	15.84
n70	10	15	1700	CP	64QAM	Outer_Full	18.85	16.05
n70	10	15	1700	CP	256QAM	Inner_Full	15.58	12.78
n70	10	15	1700	CP	256QAM	Edge_1RB_Left	15.63	12.83
n70	10	15	1700	CP	256QAM	Edge_1RB_Right	15.71	12.91
n70	10	15	1700	CP	256QAM	Outer_Full	15.63	12.83
n70	10	15	1702.5	DFT	pi/2 BPSK	Inner_Full	22.07	19.27
n70	10	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.5	18.7
n70	10	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.51	18.71
n70	10	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.56	18.76
n70	10	15	1702.5	DFT	QPSK	Inner_Full	22.02	19.22
n70	10	15	1702.5	DFT	QPSK	Edge_1RB_Left	20.99	18.19
n70	10	15	1702.5	DFT	QPSK	Edge_1RB_Right	20.96	18.16
n70	10	15	1702.5	DFT	QPSK	Outer_Full	21.14	18.34
n70	10	15	1702.5	DFT	16QAM	Inner_Full	21.1	18.3
n70	10	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.18	17.38
n70	10	15	1702.5	DFT	16QAM	Edge_1RB_Right	19.96	17.16
n70	10	15	1702.5	DFT	16QAM	Outer_Full	20.09	17.29
n70	10	15	1702.5	DFT	64QAM	Inner_Full	19.63	16.83
n70	10	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.79	16.99
n70	10	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.85	17.05
n70	10	15	1702.5	DFT	64QAM	Outer_Full	19.78	16.98

n70	10	15	1702.5	DFT	256QAM	Inner_Full	17.69	14.89
n70	10	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.7	14.9
n70	10	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.69	14.89
n70	10	15	1702.5	DFT	256QAM	Outer_Full	17.58	14.78
n70	10	15	1702.5	CP	QPSK	Inner_Full	20.47	17.67
n70	10	15	1702.5	CP	QPSK	Edge_1RB_Left	19.26	16.46
n70	10	15	1702.5	CP	QPSK	Edge_1RB_Right	19.23	16.43
n70	10	15	1702.5	CP	QPSK	Outer_Full	19.11	16.31
n70	10	15	1702.5	CP	16QAM	Inner_Full	20.09	17.29
n70	10	15	1702.5	CP	16QAM	Edge_1RB_Left	19.21	16.41
n70	10	15	1702.5	CP	16QAM	Edge_1RB_Right	19.3	16.5
n70	10	15	1702.5	CP	16QAM	Outer_Full	19.23	16.43
n70	10	15	1702.5	CP	64QAM	Inner_Full	18.72	15.92
n70	10	15	1702.5	CP	64QAM	Edge_1RB_Left	18.62	15.82
n70	10	15	1702.5	CP	64QAM	Edge_1RB_Right	18.66	15.86
n70	10	15	1702.5	CP	64QAM	Outer_Full	18.68	15.88
n70	10	15	1702.5	CP	256QAM	Inner_Full	15.6	12.8
n70	10	15	1702.5	CP	256QAM	Edge_1RB_Left	15.62	12.82
n70	10	15	1702.5	CP	256QAM	Edge_1RB_Right	15.62	12.82
n70	10	15	1702.5	CP	256QAM	Outer_Full	15.59	12.79
n70	10	15	1705	DFT	pi/2 BPSK	Inner_Full	22.16	19.36
n70	10	15	1705	DFT	pi/2 BPSK	Edge_1RB_Left	21.58	18.78
n70	10	15	1705	DFT	pi/2 BPSK	Edge_1RB_Right	21.52	18.72
n70	10	15	1705	DFT	pi/2 BPSK	Outer_Full	21.64	18.84
n70	10	15	1705	DFT	QPSK	Inner_Full	22.23	19.43
n70	10	15	1705	DFT	QPSK	Edge_1RB_Left	21	18.2
n70	10	15	1705	DFT	QPSK	Edge_1RB_Right	21.08	18.28
n70	10	15	1705	DFT	QPSK	Outer_Full	21.21	18.41
n70	10	15	1705	DFT	16QAM	Inner_Full	21.16	18.36
n70	10	15	1705	DFT	16QAM	Edge_1RB_Left	20.12	17.32
n70	10	15	1705	DFT	16QAM	Edge_1RB_Right	20.11	17.31
n70	10	15	1705	DFT	16QAM	Outer_Full	20.19	17.39
n70	10	15	1705	DFT	64QAM	Inner_Full	19.79	16.99
n70	10	15	1705	DFT	64QAM	Edge_1RB_Left	19.83	17.03
n70	10	15	1705	DFT	64QAM	Edge_1RB_Right	20.2	17.4
n70	10	15	1705	DFT	64QAM	Outer_Full	19.93	17.13
n70	10	15	1705	DFT	256QAM	Inner_Full	17.77	14.97
n70	10	15	1705	DFT	256QAM	Edge_1RB_Left	17.81	15.01
n70	10	15	1705	DFT	256QAM	Edge_1RB_Right	17.67	14.87
n70	10	15	1705	DFT	256QAM	Outer_Full	17.65	14.85
n70	10	15	1705	CP	QPSK	Inner_Full	20.63	17.83



n70	10	15	1705	CP	QPSK	Edge_1RB_Left	19.27	16.47
n70	10	15	1705	CP	QPSK	Edge_1RB_Right	19.43	16.63
n70	10	15	1705	CP	QPSK	Outer_Full	19.19	16.39
n70	10	15	1705	CP	16QAM	Inner_Full	20.13	17.33
n70	10	15	1705	CP	16QAM	Edge_1RB_Left	19.53	16.73
n70	10	15	1705	CP	16QAM	Edge_1RB_Right	19.39	16.59
n70	10	15	1705	CP	16QAM	Outer_Full	19.31	16.51
n70	10	15	1705	CP	64QAM	Inner_Full	18.75	15.95
n70	10	15	1705	CP	64QAM	Edge_1RB_Left	18.71	15.91
n70	10	15	1705	CP	64QAM	Edge_1RB_Right	18.76	15.96
n70	10	15	1705	CP	64QAM	Outer_Full	18.77	15.97
n70	10	15	1705	CP	256QAM	Inner_Full	15.69	12.89
n70	10	15	1705	CP	256QAM	Edge_1RB_Left	15.72	12.92
n70	10	15	1705	CP	256QAM	Edge_1RB_Right	15.88	13.08
n70	10	15	1705	CP	256QAM	Outer_Full	15.68	12.88
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	22.25	19.45
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.68	18.88
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.6	18.8
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.63	18.83
n70	15	15	1702.5	DFT	QPSK	Inner_Full	22.5	19.7
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.13	18.33
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	21.16	18.36
n70	15	15	1702.5	DFT	QPSK	Outer_Full	21.29	18.49
n70	15	15	1702.5	DFT	16QAM	Inner_Full	21.27	18.47
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.25	17.45
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.2	17.4
n70	15	15	1702.5	DFT	16QAM	Outer_Full	20.25	17.45
n70	15	15	1702.5	DFT	64QAM	Inner_Full	19.85	17.05
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	19.91	17.11
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.93	17.13
n70	15	15	1702.5	DFT	64QAM	Outer_Full	19.93	17.13
n70	15	15	1702.5	DFT	256QAM	Inner_Full	17.77	14.97
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.85	15.05
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.73	14.93
n70	15	15	1702.5	DFT	256QAM	Outer_Full	17.83	15.03
n70	15	15	1702.5	CP	QPSK	Inner_Full	20.76	17.96
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	19.33	16.53
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	19.22	16.42
n70	15	15	1702.5	CP	QPSK	Outer_Full	19.46	16.66
n70	15	15	1702.5	CP	16QAM	Inner_Full	20.29	17.49
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	19.36	16.56

n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	19.34	16.54
n70	15	15	1702.5	CP	16QAM	Outer_Full	19.49	16.69
n70	15	15	1702.5	CP	64QAM	Inner_Full	18.92	16.12
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	18.8	16
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	18.65	15.85
n70	15	15	1702.5	CP	64QAM	Outer_Full	18.96	16.16
n70	15	15	1702.5	CP	256QAM	Inner_Full	15.78	12.98
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	15.74	12.94
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	15.72	12.92
n70	15	15	1702.5	CP	256QAM	Outer_Full	15.77	12.97
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	22.43	19.63
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	18.91
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.74	18.94
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.85	19.05
n70	15	15	1702.5	DFT	QPSK	Inner_Full	22.35	19.55
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.17	18.37
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	21.16	18.36
n70	15	15	1702.5	DFT	QPSK	Outer_Full	21.37	18.57
n70	15	15	1702.5	DFT	16QAM	Inner_Full	21.31	18.51
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.53	17.73
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.56	17.76
n70	15	15	1702.5	DFT	16QAM	Outer_Full	20.37	17.57
n70	15	15	1702.5	DFT	64QAM	Inner_Full	19.98	17.18
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	20.23	17.43
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	20	17.2
n70	15	15	1702.5	DFT	64QAM	Outer_Full	20.01	17.21
n70	15	15	1702.5	DFT	256QAM	Inner_Full	18	15.2
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.78	14.98
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.74	14.94
n70	15	15	1702.5	DFT	256QAM	Outer_Full	17.86	15.06
n70	15	15	1702.5	CP	QPSK	Inner_Full	20.77	17.97
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	19.37	16.57
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	19.34	16.54
n70	15	15	1702.5	CP	QPSK	Outer_Full	19.5	16.7
n70	15	15	1702.5	CP	16QAM	Inner_Full	20.23	17.43
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	19.83	17.03
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	19.63	16.83
n70	15	15	1702.5	CP	16QAM	Outer_Full	19.5	16.7
n70	15	15	1702.5	CP	64QAM	Inner_Full	18.93	16.13
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	18.94	16.14
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	18.78	15.98

n70	15	15	1702.5	CP	64QAM	Outer_Full	19.03	16.23
n70	15	15	1702.5	CP	256QAM	Inner_Full	15.83	13.03
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	15.82	13.02
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	15.7	12.9
n70	15	15	1702.5	CP	256QAM	Outer_Full	15.98	13.18
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	22.27	19.47
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.67	18.87
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.6	18.8
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	21.78	18.98
n70	15	15	1702.5	DFT	QPSK	Inner_Full	22.28	19.48
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	21.12	18.32
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	21.1	18.3
n70	15	15	1702.5	DFT	QPSK	Outer_Full	21.23	18.43
n70	15	15	1702.5	DFT	16QAM	Inner_Full	21.24	18.44
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	20.15	17.35
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	20.19	17.39
n70	15	15	1702.5	DFT	16QAM	Outer_Full	20.18	17.38
n70	15	15	1702.5	DFT	64QAM	Inner_Full	19.91	17.11
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	20.02	17.22
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	19.96	17.16
n70	15	15	1702.5	DFT	64QAM	Outer_Full	19.91	17.11
n70	15	15	1702.5	DFT	256QAM	Inner_Full	17.87	15.07
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	17.84	15.04
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	17.79	14.99
n70	15	15	1702.5	DFT	256QAM	Outer_Full	17.88	15.08
n70	15	15	1702.5	CP	QPSK	Inner_Full	20.71	17.91
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	19.37	16.57
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	19.21	16.41
n70	15	15	1702.5	CP	QPSK	Outer_Full	19.38	16.58
n70	15	15	1702.5	CP	16QAM	Inner_Full	20.25	17.45
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	19.34	16.54
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	19.26	16.46
n70	15	15	1702.5	CP	16QAM	Outer_Full	19.45	16.65
n70	15	15	1702.5	CP	64QAM	Inner_Full	18.9	16.1
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	18.71	15.91
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	18.68	15.88
n70	15	15	1702.5	CP	64QAM	Outer_Full	18.87	16.07
n70	15	15	1702.5	CP	256QAM	Inner_Full	15.8	13
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	15.89	13.09
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	15.71	12.91
n70	15	15	1702.5	CP	256QAM	Outer_Full	15.83	13.03

n71

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm) (Gt-Lc =-6)
n71	5	15	665.5	DFT	pi/2 BPSK	Inner_Full	22.3	14.15
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.75	13.6
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.81	13.66
n71	5	15	665.5	DFT	pi/2 BPSK	Outer_Full	21.78	13.63
n71	5	15	665.5	DFT	QPSK	Inner_Full	22.31	14.16
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Left	21.37	13.22
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Right	21.32	13.17
n71	5	15	665.5	DFT	QPSK	Outer_Full	21.26	13.11
n71	5	15	665.5	DFT	16QAM	Inner_Full	21.18	13.03
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Left	20.09	11.94
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Right	20.38	12.23
n71	5	15	665.5	DFT	16QAM	Outer_Full	20.26	12.11
n71	5	15	665.5	DFT	64QAM	Inner_Full	20	11.85
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Left	19.84	11.69
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Right	19.99	11.84
n71	5	15	665.5	DFT	64QAM	Outer_Full	19.9	11.75
n71	5	15	665.5	DFT	256QAM	Inner_Full	17.96	9.81
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Left	18.02	9.87
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Right	18	9.85
n71	5	15	665.5	DFT	256QAM	Outer_Full	17.8	9.65
n71	5	15	665.5	CP	QPSK	Inner_Full	20.86	12.71
n71	5	15	665.5	CP	QPSK	Edge_1RB_Left	19.42	11.27
n71	5	15	665.5	CP	QPSK	Edge_1RB_Right	19.4	11.25
n71	5	15	665.5	CP	QPSK	Outer_Full	19.45	11.3
n71	5	15	665.5	CP	16QAM	Inner_Full	20.32	12.17
n71	5	15	665.5	CP	16QAM	Edge_1RB_Left	19.49	11.34
n71	5	15	665.5	CP	16QAM	Edge_1RB_Right	19.51	11.36
n71	5	15	665.5	CP	16QAM	Outer_Full	19.37	11.22
n71	5	15	665.5	CP	64QAM	Inner_Full	19.12	10.97
n71	5	15	665.5	CP	64QAM	Edge_1RB_Left	18.84	10.69
n71	5	15	665.5	CP	64QAM	Edge_1RB_Right	18.86	10.71
n71	5	15	665.5	CP	64QAM	Outer_Full	19.08	10.93
n71	5	15	665.5	CP	256QAM	Inner_Full	15.91	7.76
n71	5	15	665.5	CP	256QAM	Edge_1RB_Left	16.15	8
n71	5	15	665.5	CP	256QAM	Edge_1RB_Right	16.01	7.86
n71	5	15	665.5	CP	256QAM	Outer_Full	15.76	7.61
n71	5	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.36	14.21
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.77	13.62

n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.05	13.9
n71	5	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.94	13.79
n71	5	15	680.5	DFT	QPSK	Inner_Full	22.43	14.28
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Left	21.28	13.13
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Right	21.56	13.41
n71	5	15	680.5	DFT	QPSK	Outer_Full	21.52	13.37
n71	5	15	680.5	DFT	16QAM	Inner_Full	21.28	13.13
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Left	20.45	12.3
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Right	20.6	12.45
n71	5	15	680.5	DFT	16QAM	Outer_Full	20.37	12.22
n71	5	15	680.5	DFT	64QAM	Inner_Full	20.22	12.07
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Left	20.18	12.03
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Right	20.11	11.96
n71	5	15	680.5	DFT	64QAM	Outer_Full	20.24	12.09
n71	5	15	680.5	DFT	256QAM	Inner_Full	18.18	10.03
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Left	18.2	10.05
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Right	18.43	10.28
n71	5	15	680.5	DFT	256QAM	Outer_Full	18	9.85
n71	5	15	680.5	CP	QPSK	Inner_Full	21.03	12.88
n71	5	15	680.5	CP	QPSK	Edge_1RB_Left	19.46	11.31
n71	5	15	680.5	CP	QPSK	Edge_1RB_Right	19.53	11.38
n71	5	15	680.5	CP	QPSK	Outer_Full	19.69	11.54
n71	5	15	680.5	CP	16QAM	Inner_Full	20.47	12.32
n71	5	15	680.5	CP	16QAM	Edge_1RB_Left	19.54	11.39
n71	5	15	680.5	CP	16QAM	Edge_1RB_Right	19.74	11.59
n71	5	15	680.5	CP	16QAM	Outer_Full	19.47	11.32
n71	5	15	680.5	CP	64QAM	Inner_Full	19.05	10.9
n71	5	15	680.5	CP	64QAM	Edge_1RB_Left	19.05	10.9
n71	5	15	680.5	CP	64QAM	Edge_1RB_Right	19	10.85
n71	5	15	680.5	CP	64QAM	Outer_Full	19.04	10.89
n71	5	15	680.5	CP	256QAM	Inner_Full	15.92	7.77
n71	5	15	680.5	CP	256QAM	Edge_1RB_Left	16.15	8
n71	5	15	680.5	CP	256QAM	Edge_1RB_Right	16.39	8.24
n71	5	15	680.5	CP	256QAM	Outer_Full	16.13	7.98
n71	5	15	695.5	DFT	pi/2 BPSK	Inner_Full	22.97	14.82
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.46	14.31
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.51	14.36
n71	5	15	695.5	DFT	pi/2 BPSK	Outer_Full	22.39	14.24
n71	5	15	695.5	DFT	QPSK	Inner_Full	22.74	14.59
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Left	22.02	13.87
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Right	21.95	13.8

n71	5	15	695.5	DFT	QPSK	Outer_Full	21.76	13.61
n71	5	15	695.5	DFT	16QAM	Inner_Full	21.74	13.59
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Left	20.93	12.78
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Right	20.98	12.83
n71	5	15	695.5	DFT	16QAM	Outer_Full	20.56	12.41
n71	5	15	695.5	DFT	64QAM	Inner_Full	20.49	12.34
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Left	20.15	12
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Right	20.47	12.32
n71	5	15	695.5	DFT	64QAM	Outer_Full	20.37	12.22
n71	5	15	695.5	DFT	256QAM	Inner_Full	18.52	10.37
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Left	18.52	10.37
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Right	18.72	10.57
n71	5	15	695.5	DFT	256QAM	Outer_Full	18.46	10.31
n71	5	15	695.5	CP	QPSK	Inner_Full	21.22	13.07
n71	5	15	695.5	CP	QPSK	Edge_1RB_Left	20.11	11.96
n71	5	15	695.5	CP	QPSK	Edge_1RB_Right	20.14	11.99
n71	5	15	695.5	CP	QPSK	Outer_Full	19.87	11.72
n71	5	15	695.5	CP	16QAM	Inner_Full	20.82	12.67
n71	5	15	695.5	CP	16QAM	Edge_1RB_Left	20.15	12
n71	5	15	695.5	CP	16QAM	Edge_1RB_Right	19.9	11.75
n71	5	15	695.5	CP	16QAM	Outer_Full	19.9	11.75
n71	5	15	695.5	CP	64QAM	Inner_Full	19.65	11.5
n71	5	15	695.5	CP	64QAM	Edge_1RB_Left	19.58	11.43
n71	5	15	695.5	CP	64QAM	Edge_1RB_Right	19.26	11.11
n71	5	15	695.5	CP	64QAM	Outer_Full	19.34	11.19
n71	5	15	695.5	CP	256QAM	Inner_Full	16.5	8.35
n71	5	15	695.5	CP	256QAM	Edge_1RB_Left	16.66	8.51
n71	5	15	695.5	CP	256QAM	Edge_1RB_Right	16.6	8.45
n71	5	15	695.5	CP	256QAM	Outer_Full	16.49	8.34
n71	10	15	668	DFT	pi/2 BPSK	Inner_Full	22.13	13.98
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Left	21.6	13.45
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Right	21.69	13.54
n71	10	15	668	DFT	pi/2 BPSK	Outer_Full	21.58	13.43
n71	10	15	668	DFT	QPSK	Inner_Full	22.22	14.07
n71	10	15	668	DFT	QPSK	Edge_1RB_Left	21.08	12.93
n71	10	15	668	DFT	QPSK	Edge_1RB_Right	21.04	12.89
n71	10	15	668	DFT	QPSK	Outer_Full	21.19	13.04
n71	10	15	668	DFT	16QAM	Inner_Full	21.21	13.06
n71	10	15	668	DFT	16QAM	Edge_1RB_Left	19.98	11.83
n71	10	15	668	DFT	16QAM	Edge_1RB_Right	20.12	11.97
n71	10	15	668	DFT	16QAM	Outer_Full	20.26	12.11

n71	10	15	668	DFT	64QAM	Inner_Full	19.88	11.73
n71	10	15	668	DFT	64QAM	Edge_1RB_Left	19.61	11.46
n71	10	15	668	DFT	64QAM	Edge_1RB_Right	19.88	11.73
n71	10	15	668	DFT	64QAM	Outer_Full	19.71	11.56
n71	10	15	668	DFT	256QAM	Inner_Full	17.72	9.57
n71	10	15	668	DFT	256QAM	Edge_1RB_Left	17.8	9.65
n71	10	15	668	DFT	256QAM	Edge_1RB_Right	17.91	9.76
n71	10	15	668	DFT	256QAM	Outer_Full	17.88	9.73
n71	10	15	668	CP	QPSK	Inner_Full	20.68	12.53
n71	10	15	668	CP	QPSK	Edge_1RB_Left	19.17	11.02
n71	10	15	668	CP	QPSK	Edge_1RB_Right	19.27	11.12
n71	10	15	668	CP	QPSK	Outer_Full	19.3	11.15
n71	10	15	668	CP	16QAM	Inner_Full	20.16	12.01
n71	10	15	668	CP	16QAM	Edge_1RB_Left	19.22	11.07
n71	10	15	668	CP	16QAM	Edge_1RB_Right	19.41	11.26
n71	10	15	668	CP	16QAM	Outer_Full	19.29	11.14
n71	10	15	668	CP	64QAM	Inner_Full	18.84	10.69
n71	10	15	668	CP	64QAM	Edge_1RB_Left	18.64	10.49
n71	10	15	668	CP	64QAM	Edge_1RB_Right	18.91	10.76
n71	10	15	668	CP	64QAM	Outer_Full	18.92	10.77
n71	10	15	668	CP	256QAM	Inner_Full	15.65	7.5
n71	10	15	668	CP	256QAM	Edge_1RB_Left	15.9	7.75
n71	10	15	668	CP	256QAM	Edge_1RB_Right	16.25	8.1
n71	10	15	668	CP	256QAM	Outer_Full	15.68	7.53
n71	10	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.24	14.09
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.71	13.56
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.81	13.66
n71	10	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.64	13.49
n71	10	15	680.5	DFT	QPSK	Inner_Full	22.29	14.14
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Left	21.15	13
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Right	21.44	13.29
n71	10	15	680.5	DFT	QPSK	Outer_Full	21.34	13.19
n71	10	15	680.5	DFT	16QAM	Inner_Full	21.16	13.01
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Left	20.05	11.9
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Right	20.52	12.37
n71	10	15	680.5	DFT	16QAM	Outer_Full	20.4	12.25
n71	10	15	680.5	DFT	64QAM	Inner_Full	19.9	11.75
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Left	19.78	11.63
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Right	20.04	11.89
n71	10	15	680.5	DFT	64QAM	Outer_Full	19.84	11.69
n71	10	15	680.5	DFT	256QAM	Inner_Full	17.8	9.65

n71	10	15	680.5	DFT	256QAM	Edge_1RB_Left	17.79	9.64
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Right	18.04	9.89
n71	10	15	680.5	DFT	256QAM	Outer_Full	17.92	9.77
n71	10	15	680.5	CP	QPSK	Inner_Full	20.87	12.72
n71	10	15	680.5	CP	QPSK	Edge_1RB_Left	19.35	11.2
n71	10	15	680.5	CP	QPSK	Edge_1RB_Right	19.58	11.43
n71	10	15	680.5	CP	QPSK	Outer_Full	19.45	11.3
n71	10	15	680.5	CP	16QAM	Inner_Full	20.41	12.26
n71	10	15	680.5	CP	16QAM	Edge_1RB_Left	19.31	11.16
n71	10	15	680.5	CP	16QAM	Edge_1RB_Right	19.6	11.45
n71	10	15	680.5	CP	16QAM	Outer_Full	19.44	11.29
n71	10	15	680.5	CP	64QAM	Inner_Full	18.89	10.74
n71	10	15	680.5	CP	64QAM	Edge_1RB_Left	18.73	10.58
n71	10	15	680.5	CP	64QAM	Edge_1RB_Right	18.97	10.82
n71	10	15	680.5	CP	64QAM	Outer_Full	18.95	10.8
n71	10	15	680.5	CP	256QAM	Inner_Full	15.9	7.75
n71	10	15	680.5	CP	256QAM	Edge_1RB_Left	15.86	7.71
n71	10	15	680.5	CP	256QAM	Edge_1RB_Right	16.37	8.22
n71	10	15	680.5	CP	256QAM	Outer_Full	15.88	7.73
n71	10	15	693	DFT	pi/2 BPSK	Inner_Full	22.74	14.59
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Left	21.91	13.76
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Right	22.17	14.02
n71	10	15	693	DFT	pi/2 BPSK	Outer_Full	22.12	13.97
n71	10	15	693	DFT	QPSK	Inner_Full	22.71	14.56
n71	10	15	693	DFT	QPSK	Edge_1RB_Left	21.4	13.25
n71	10	15	693	DFT	QPSK	Edge_1RB_Right	21.72	13.57
n71	10	15	693	DFT	QPSK	Outer_Full	21.59	13.44
n71	10	15	693	DFT	16QAM	Inner_Full	21.45	13.3
n71	10	15	693	DFT	16QAM	Edge_1RB_Left	20.47	12.32
n71	10	15	693	DFT	16QAM	Edge_1RB_Right	20.51	12.36
n71	10	15	693	DFT	16QAM	Outer_Full	20.48	12.33
n71	10	15	693	DFT	64QAM	Inner_Full	20.11	11.96
n71	10	15	693	DFT	64QAM	Edge_1RB_Left	19.9	11.75
n71	10	15	693	DFT	64QAM	Edge_1RB_Right	20.07	11.92
n71	10	15	693	DFT	64QAM	Outer_Full	19.96	11.81
n71	10	15	693	DFT	256QAM	Inner_Full	18.33	10.18
n71	10	15	693	DFT	256QAM	Edge_1RB_Left	18.21	10.06
n71	10	15	693	DFT	256QAM	Edge_1RB_Right	18.58	10.43
n71	10	15	693	DFT	256QAM	Outer_Full	18.03	9.88
n71	10	15	693	CP	QPSK	Inner_Full	21.12	12.97
n71	10	15	693	CP	QPSK	Edge_1RB_Left	19.39	11.24

n71	10	15	693	CP	QPSK	Edge_1RB_Right	19.97	11.82
n71	10	15	693	CP	QPSK	Outer_Full	19.64	11.49
n71	10	15	693	CP	16QAM	Inner_Full	20.66	12.51
n71	10	15	693	CP	16QAM	Edge_1RB_Left	19.7	11.55
n71	10	15	693	CP	16QAM	Edge_1RB_Right	19.86	11.71
n71	10	15	693	CP	16QAM	Outer_Full	19.68	11.53
n71	10	15	693	CP	64QAM	Inner_Full	19.36	11.21
n71	10	15	693	CP	64QAM	Edge_1RB_Left	19.12	10.97
n71	10	15	693	CP	64QAM	Edge_1RB_Right	19.31	11.16
n71	10	15	693	CP	64QAM	Outer_Full	19.04	10.89
n71	10	15	693	CP	256QAM	Inner_Full	15.96	7.81
n71	10	15	693	CP	256QAM	Edge_1RB_Left	16.13	7.98
n71	10	15	693	CP	256QAM	Edge_1RB_Right	16.68	8.53
n71	10	15	693	CP	256QAM	Outer_Full	16.18	8.03
n71	15	15	670.5	DFT	pi/2 BPSK	Inner_Full	22.3	14.15
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.67	13.52
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.7	13.55
n71	15	15	670.5	DFT	pi/2 BPSK	Outer_Full	21.67	13.52
n71	15	15	670.5	DFT	QPSK	Inner_Full	22.34	14.19
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Left	21.28	13.13
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Right	21.21	13.06
n71	15	15	670.5	DFT	QPSK	Outer_Full	21.25	13.1
n71	15	15	670.5	DFT	16QAM	Inner_Full	21.42	13.27
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Left	20.14	11.99
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Right	20.46	12.31
n71	15	15	670.5	DFT	16QAM	Outer_Full	20.42	12.27
n71	15	15	670.5	DFT	64QAM	Inner_Full	19.88	11.73
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Left	19.69	11.54
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Right	19.94	11.79
n71	15	15	670.5	DFT	64QAM	Outer_Full	19.93	11.78
n71	15	15	670.5	DFT	256QAM	Inner_Full	17.92	9.77
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Left	18.08	9.93
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Right	18.08	9.93
n71	15	15	670.5	DFT	256QAM	Outer_Full	17.83	9.68
n71	15	15	670.5	CP	QPSK	Inner_Full	21.01	12.86
n71	15	15	670.5	CP	QPSK	Edge_1RB_Left	19.4	11.25
n71	15	15	670.5	CP	QPSK	Edge_1RB_Right	19.47	11.32
n71	15	15	670.5	CP	QPSK	Outer_Full	19.51	11.36
n71	15	15	670.5	CP	16QAM	Inner_Full	20.44	12.29
n71	15	15	670.5	CP	16QAM	Edge_1RB_Left	19.35	11.2
n71	15	15	670.5	CP	16QAM	Edge_1RB_Right	19.63	11.48

n71	15	15	670.5	CP	16QAM	Outer_Full	19.6	11.45
n71	15	15	670.5	CP	64QAM	Inner_Full	19.1	10.95
n71	15	15	670.5	CP	64QAM	Edge_1RB_Left	18.79	10.64
n71	15	15	670.5	CP	64QAM	Edge_1RB_Right	19.01	10.86
n71	15	15	670.5	CP	64QAM	Outer_Full	19.06	10.91
n71	15	15	670.5	CP	256QAM	Inner_Full	15.98	7.83
n71	15	15	670.5	CP	256QAM	Edge_1RB_Left	16.05	7.9
n71	15	15	670.5	CP	256QAM	Edge_1RB_Right	16.23	8.08
n71	15	15	670.5	CP	256QAM	Outer_Full	16	7.85
n71	15	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.41	14.26
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.83	13.68
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.97	13.82
n71	15	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.94	13.79
n71	15	15	680.5	DFT	QPSK	Inner_Full	22.43	14.28
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Left	21.44	13.29
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Right	21.39	13.24
n71	15	15	680.5	DFT	QPSK	Outer_Full	21.48	13.33
n71	15	15	680.5	DFT	16QAM	Inner_Full	21.44	13.29
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Left	20.5	12.35
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Right	20.43	12.28
n71	15	15	680.5	DFT	16QAM	Outer_Full	20.49	12.34
n71	15	15	680.5	DFT	64QAM	Inner_Full	20.11	11.96
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Left	20.01	11.86
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Right	20.1	11.95
n71	15	15	680.5	DFT	64QAM	Outer_Full	20.13	11.98
n71	15	15	680.5	DFT	256QAM	Inner_Full	18.11	9.96
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Left	18.19	10.04
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Right	18.26	10.11
n71	15	15	680.5	DFT	256QAM	Outer_Full	18.09	9.94
n71	15	15	680.5	CP	QPSK	Inner_Full	20.94	12.79
n71	15	15	680.5	CP	QPSK	Edge_1RB_Left	19.56	11.41
n71	15	15	680.5	CP	QPSK	Edge_1RB_Right	19.53	11.38
n71	15	15	680.5	CP	QPSK	Outer_Full	19.59	11.44
n71	15	15	680.5	CP	16QAM	Inner_Full	20.49	12.34
n71	15	15	680.5	CP	16QAM	Edge_1RB_Left	19.61	11.46
n71	15	15	680.5	CP	16QAM	Edge_1RB_Right	19.61	11.46
n71	15	15	680.5	CP	16QAM	Outer_Full	19.58	11.43
n71	15	15	680.5	CP	64QAM	Inner_Full	19.03	10.88
n71	15	15	680.5	CP	64QAM	Edge_1RB_Left	19.05	10.9
n71	15	15	680.5	CP	64QAM	Edge_1RB_Right	19.04	10.89
n71	15	15	680.5	CP	64QAM	Outer_Full	19.14	10.99

n71	15	15	680.5	CP	256QAM	Inner_Full	16.15	8
n71	15	15	680.5	CP	256QAM	Edge_1RB_Left	16.09	7.94
n71	15	15	680.5	CP	256QAM	Edge_1RB_Right	16.28	8.13
n71	15	15	680.5	CP	256QAM	Outer_Full	16.03	7.88
n71	15	15	690.5	DFT	pi/2 BPSK	Inner_Full	22.54	14.39
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.89	13.74
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.19	14.04
n71	15	15	690.5	DFT	pi/2 BPSK	Outer_Full	22.09	13.94
n71	15	15	690.5	DFT	QPSK	Inner_Full	22.6	14.45
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Left	21.32	13.17
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Right	21.77	13.62
n71	15	15	690.5	DFT	QPSK	Outer_Full	21.56	13.41
n71	15	15	690.5	DFT	16QAM	Inner_Full	21.63	13.48
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Left	20.39	12.24
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Right	20.62	12.47
n71	15	15	690.5	DFT	16QAM	Outer_Full	20.62	12.47
n71	15	15	690.5	DFT	64QAM	Inner_Full	20.04	11.89
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Left	20.01	11.86
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Right	20.17	12.02
n71	15	15	690.5	DFT	64QAM	Outer_Full	20.05	11.9
n71	15	15	690.5	DFT	256QAM	Inner_Full	18.25	10.1
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Left	18.05	9.9
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Right	18.27	10.12
n71	15	15	690.5	DFT	256QAM	Outer_Full	18.13	9.98
n71	15	15	690.5	CP	QPSK	Inner_Full	21.1	12.95
n71	15	15	690.5	CP	QPSK	Edge_1RB_Left	19.55	11.4
n71	15	15	690.5	CP	QPSK	Edge_1RB_Right	19.83	11.68
n71	15	15	690.5	CP	QPSK	Outer_Full	19.67	11.52
n71	15	15	690.5	CP	16QAM	Inner_Full	20.58	12.43
n71	15	15	690.5	CP	16QAM	Edge_1RB_Left	19.62	11.47
n71	15	15	690.5	CP	16QAM	Edge_1RB_Right	19.93	11.78
n71	15	15	690.5	CP	16QAM	Outer_Full	19.66	11.51
n71	15	15	690.5	CP	64QAM	Inner_Full	19.1	10.95
n71	15	15	690.5	CP	64QAM	Edge_1RB_Left	18.95	10.8
n71	15	15	690.5	CP	64QAM	Edge_1RB_Right	19.22	11.07
n71	15	15	690.5	CP	64QAM	Outer_Full	19.28	11.13
n71	15	15	690.5	CP	256QAM	Inner_Full	16.01	7.86
n71	15	15	690.5	CP	256QAM	Edge_1RB_Left	16.15	8
n71	15	15	690.5	CP	256QAM	Edge_1RB_Right	16.49	8.34
n71	15	15	690.5	CP	256QAM	Outer_Full	16.17	8.02
n71	20	15	673	DFT	pi/2 BPSK	Inner_Full	22.46	14.31

n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Left	21.73	13.58
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Right	21.79	13.64
n71	20	15	673	DFT	pi/2 BPSK	Outer_Full	21.85	13.7
n71	20	15	673	DFT	QPSK	Inner_Full	22.46	14.31
n71	20	15	673	DFT	QPSK	Edge_1RB_Left	21.26	13.11
n71	20	15	673	DFT	QPSK	Edge_1RB_Right	21.31	13.16
n71	20	15	673	DFT	QPSK	Outer_Full	21.32	13.17
n71	20	15	673	DFT	16QAM	Inner_Full	21.45	13.3
n71	20	15	673	DFT	16QAM	Edge_1RB_Left	20.23	12.08
n71	20	15	673	DFT	16QAM	Edge_1RB_Right	20.43	12.28
n71	20	15	673	DFT	16QAM	Outer_Full	20.4	12.25
n71	20	15	673	DFT	64QAM	Inner_Full	21.45	13.3
n71	20	15	673	DFT	64QAM	Edge_1RB_Left	19.88	11.73
n71	20	15	673	DFT	64QAM	Edge_1RB_Right	19.91	11.76
n71	20	15	673	DFT	64QAM	Outer_Full	19.85	11.7
n71	20	15	673	DFT	256QAM	Inner_Full	17.99	9.84
n71	20	15	673	DFT	256QAM	Edge_1RB_Left	18.02	9.87
n71	20	15	673	DFT	256QAM	Edge_1RB_Right	18.08	9.93
n71	20	15	673	DFT	256QAM	Outer_Full	17.96	9.81
n71	20	15	673	CP	QPSK	Inner_Full	20.87	12.72
n71	20	15	673	CP	QPSK	Edge_1RB_Left	19.26	11.11
n71	20	15	673	CP	QPSK	Edge_1RB_Right	19.3	11.15
n71	20	15	673	CP	QPSK	Outer_Full	19.46	11.31
n71	20	15	673	CP	16QAM	Inner_Full	20.39	12.24
n71	20	15	673	CP	16QAM	Edge_1RB_Left	19.45	11.3
n71	20	15	673	CP	16QAM	Edge_1RB_Right	19.36	11.21
n71	20	15	673	CP	16QAM	Outer_Full	19.43	11.28
n71	20	15	673	CP	64QAM	Inner_Full	18.93	10.78
n71	20	15	673	CP	64QAM	Edge_1RB_Left	18.99	10.84
n71	20	15	673	CP	64QAM	Edge_1RB_Right	18.67	10.52
n71	20	15	673	CP	64QAM	Outer_Full	19.01	10.86
n71	20	15	673	CP	256QAM	Inner_Full	15.97	7.82
n71	20	15	673	CP	256QAM	Edge_1RB_Left	15.72	7.57
n71	20	15	673	CP	256QAM	Edge_1RB_Right	15.8	7.65
n71	20	15	673	CP	256QAM	Outer_Full	15.97	7.82
n71	20	15	680.5	DFT	pi/2 BPSK	Inner_Full	22.53	14.38
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	21.73	13.58
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.83	13.68
n71	20	15	680.5	DFT	pi/2 BPSK	Outer_Full	21.9	13.75
n71	20	15	680.5	DFT	QPSK	Inner_Full	22.49	14.34
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Left	21.25	13.1

n71	20	15	680.5	DFT	QPSK	Edge_1RB_Right	21.25	13.1
n71	20	15	680.5	DFT	QPSK	Outer_Full	21.43	13.28
n71	20	15	680.5	DFT	16QAM	Inner_Full	21.43	13.28
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Left	20.49	12.34
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Right	20.48	12.33
n71	20	15	680.5	DFT	16QAM	Outer_Full	20.43	12.28
n71	20	15	680.5	DFT	64QAM	Inner_Full	20.17	12.02
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Left	20.2	12.05
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Right	20.18	12.03
n71	20	15	680.5	DFT	64QAM	Outer_Full	20.04	11.89
n71	20	15	680.5	DFT	256QAM	Inner_Full	17.98	9.83
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Left	17.73	9.58
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Right	18.21	10.06
n71	20	15	680.5	DFT	256QAM	Outer_Full	18.03	9.88
n71	20	15	680.5	CP	QPSK	Inner_Full	20.95	12.8
n71	20	15	680.5	CP	QPSK	Edge_1RB_Left	19.45	11.3
n71	20	15	680.5	CP	QPSK	Edge_1RB_Right	19.49	11.34
n71	20	15	680.5	CP	QPSK	Outer_Full	19.52	11.37
n71	20	15	680.5	CP	16QAM	Inner_Full	20.43	12.28
n71	20	15	680.5	CP	16QAM	Edge_1RB_Left	19.55	11.4
n71	20	15	680.5	CP	16QAM	Edge_1RB_Right	19.9	11.75
n71	20	15	680.5	CP	16QAM	Outer_Full	19.59	11.44
n71	20	15	680.5	CP	64QAM	Inner_Full	18.98	10.83
n71	20	15	680.5	CP	64QAM	Edge_1RB_Left	18.92	10.77
n71	20	15	680.5	CP	64QAM	Edge_1RB_Right	18.95	10.8
n71	20	15	680.5	CP	64QAM	Outer_Full	19.04	10.89
n71	20	15	680.5	CP	256QAM	Inner_Full	16.01	7.86
n71	20	15	680.5	CP	256QAM	Edge_1RB_Left	15.73	7.58
n71	20	15	680.5	CP	256QAM	Edge_1RB_Right	15.83	7.68
n71	20	15	680.5	CP	256QAM	Outer_Full	15.86	7.71
n71	20	15	688	DFT	pi/2 BPSK	Inner_Full	22.6	14.45
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Left	21.75	13.6
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Right	22.1	13.95
n71	20	15	688	DFT	pi/2 BPSK	Outer_Full	22.13	13.98
n71	20	15	688	DFT	QPSK	Inner_Full	22.64	14.49
n71	20	15	688	DFT	QPSK	Edge_1RB_Left	21.18	13.03
n71	20	15	688	DFT	QPSK	Edge_1RB_Right	21.53	13.38
n71	20	15	688	DFT	QPSK	Outer_Full	21.5	13.35
n71	20	15	688	DFT	16QAM	Inner_Full	21.63	13.48
n71	20	15	688	DFT	16QAM	Edge_1RB_Left	20.32	12.17
n71	20	15	688	DFT	16QAM	Edge_1RB_Right	20.51	12.36

n71	20	15	688	DFT	16QAM	Outer_Full	20.56	12.41
n71	20	15	688	DFT	64QAM	Inner_Full	20.14	11.99
n71	20	15	688	DFT	64QAM	Edge_1RB_Left	20.05	11.9
n71	20	15	688	DFT	64QAM	Edge_1RB_Right	20.22	12.07
n71	20	15	688	DFT	64QAM	Outer_Full	20.05	11.9
n71	20	15	688	DFT	256QAM	Inner_Full	18.19	10.04
n71	20	15	688	DFT	256QAM	Edge_1RB_Left	17.98	9.83
n71	20	15	688	DFT	256QAM	Edge_1RB_Right	18.51	10.36
n71	20	15	688	DFT	256QAM	Outer_Full	18.08	9.93
n71	20	15	688	CP	QPSK	Inner_Full	20.97	12.82
n71	20	15	688	CP	QPSK	Edge_1RB_Left	19.48	11.33
n71	20	15	688	CP	QPSK	Edge_1RB_Right	19.66	11.51
n71	20	15	688	CP	QPSK	Outer_Full	19.62	11.47
n71	20	15	688	CP	16QAM	Inner_Full	20.5	12.35
n71	20	15	688	CP	16QAM	Edge_1RB_Left	19.82	11.67
n71	20	15	688	CP	16QAM	Edge_1RB_Right	19.78	11.63
n71	20	15	688	CP	16QAM	Outer_Full	19.58	11.43
n71	20	15	688	CP	64QAM	Inner_Full	19.09	10.94
n71	20	15	688	CP	64QAM	Edge_1RB_Left	18.86	10.71
n71	20	15	688	CP	64QAM	Edge_1RB_Right	19.03	10.88
n71	20	15	688	CP	64QAM	Outer_Full	19.18	11.03
n71	20	15	688	CP	256QAM	Inner_Full	16.09	7.94
n71	20	15	688	CP	256QAM	Edge_1RB_Left	15.93	7.78
n71	20	15	688	CP	256QAM	Edge_1RB_Right	16.13	7.98
n71	20	15	688	CP	256QAM	Outer_Full	16.12	7.97

B12+n25

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)	EIRP(dBm) (Gt-Lc =-2.5)
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	22.99	20.49
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.51	20.01
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.48	19.98
B12-n25	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	22.57	20.07
B12-n25	5	15	1852.5	DFT	QPSK	Inner_Full	23.07	20.57
B12-n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	21.85	19.35
B12-n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	21.9	19.4
B12-n25	5	15	1852.5	DFT	QPSK	Outer_Full	22.14	19.64
B12-n25	5	15	1852.5	DFT	16QAM	Inner_Full	22.05	19.55
B12-n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.49	18.99
B12-n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	20.97	18.47
B12-n25	5	15	1852.5	DFT	16QAM	Outer_Full	21.07	18.57
B12-n25	5	15	1852.5	DFT	64QAM	Inner_Full	20.5	18
B12-n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	20.74	18.24
B12-n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	20.69	18.19
B12-n25	5	15	1852.5	DFT	64QAM	Outer_Full	20.56	18.06
B12-n25	5	15	1852.5	DFT	256QAM	Inner_Full	18.57	16.07
B12-n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	18.83	16.33
B12-n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	18.71	16.21
B12-n25	5	15	1852.5	DFT	256QAM	Outer_Full	18.57	16.07
B12-n25	5	15	1852.5	CP	QPSK	Inner_Full	21.54	19.04
B12-n25	5	15	1852.5	CP	QPSK	Edge_1RB_Left	20	17.5
B12-n25	5	15	1852.5	CP	QPSK	Edge_1RB_Right	19.89	17.39
B12-n25	5	15	1852.5	CP	QPSK	Outer_Full	20.06	17.56
B12-n25	5	15	1852.5	CP	16QAM	Inner_Full	21.04	18.54
B12-n25	5	15	1852.5	CP	16QAM	Edge_1RB_Left	20.42	17.92
B12-n25	5	15	1852.5	CP	16QAM	Edge_1RB_Right	20.34	17.84
B12-n25	5	15	1852.5	CP	16QAM	Outer_Full	20.02	17.52
B12-n25	5	15	1852.5	CP	64QAM	Inner_Full	19.69	17.19
B12-n25	5	15	1852.5	CP	64QAM	Edge_1RB_Left	19.62	17.12
B12-n25	5	15	1852.5	CP	64QAM	Edge_1RB_Right	19.58	17.08
B12-n25	5	15	1852.5	CP	64QAM	Outer_Full	19.57	17.07
B12-n25	5	15	1852.5	CP	256QAM	Inner_Full	16.44	13.94
B12-n25	5	15	1852.5	CP	256QAM	Edge_1RB_Left	16.71	14.21
B12-n25	5	15	1852.5	CP	256QAM	Edge_1RB_Right	16.65	14.15
B12-n25	5	15	1852.5	CP	256QAM	Outer_Full	16.42	13.92
B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Inner_Full	22.98	20.48



B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.47	19.97
B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.48	19.98
B12-n25	5	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.48	19.98
B12-n25	5	15	1882.5	DFT	QPSK	Inner_Full	22.95	20.45
B12-n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.96	19.46
B12-n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Right	21.87	19.37
B12-n25	5	15	1882.5	DFT	QPSK	Outer_Full	22.03	19.53
B12-n25	5	15	1882.5	DFT	16QAM	Inner_Full	21.99	19.49
B12-n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.43	18.93
B12-n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.25	18.75
B12-n25	5	15	1882.5	DFT	16QAM	Outer_Full	20.98	18.48
B12-n25	5	15	1882.5	DFT	64QAM	Inner_Full	20.39	17.89
B12-n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.68	18.18
B12-n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Right	20.62	18.12
B12-n25	5	15	1882.5	DFT	64QAM	Outer_Full	20.45	17.95
B12-n25	5	15	1882.5	DFT	256QAM	Inner_Full	18.44	15.94
B12-n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.75	16.25
B12-n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.64	16.14
B12-n25	5	15	1882.5	DFT	256QAM	Outer_Full	18.49	15.99
B12-n25	5	15	1882.5	CP	QPSK	Inner_Full	21.44	18.94
B12-n25	5	15	1882.5	CP	QPSK	Edge_1RB_Left	19.95	17.45
B12-n25	5	15	1882.5	CP	QPSK	Edge_1RB_Right	19.87	17.37
B12-n25	5	15	1882.5	CP	QPSK	Outer_Full	20.13	17.63
B12-n25	5	15	1882.5	CP	16QAM	Inner_Full	20.94	18.44
B12-n25	5	15	1882.5	CP	16QAM	Edge_1RB_Left	20.35	17.85
B12-n25	5	15	1882.5	CP	16QAM	Edge_1RB_Right	20.24	17.74
B12-n25	5	15	1882.5	CP	16QAM	Outer_Full	20	17.5
B12-n25	5	15	1882.5	CP	64QAM	Inner_Full	19.61	17.11
B12-n25	5	15	1882.5	CP	64QAM	Edge_1RB_Left	19.65	17.15
B12-n25	5	15	1882.5	CP	64QAM	Edge_1RB_Right	19.52	17.02
B12-n25	5	15	1882.5	CP	64QAM	Outer_Full	19.57	17.07
B12-n25	5	15	1882.5	CP	256QAM	Inner_Full	16.34	13.84
B12-n25	5	15	1882.5	CP	256QAM	Edge_1RB_Left	16.72	14.22
B12-n25	5	15	1882.5	CP	256QAM	Edge_1RB_Right	16.55	14.05
B12-n25	5	15	1882.5	CP	256QAM	Outer_Full	16.39	13.89
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Inner_Full	22.69	20.19
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.15	19.65
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.16	19.66
B12-n25	5	15	1912.5	DFT	pi/2 BPSK	Outer_Full	22.24	19.74
B12-n25	5	15	1912.5	DFT	QPSK	Inner_Full	22.79	20.29
B12-n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Left	21.56	19.06

B12-n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Right	21.73	19.23
B12-n25	5	15	1912.5	DFT	QPSK	Outer_Full	21.76	19.26
B12-n25	5	15	1912.5	DFT	16QAM	Inner_Full	21.72	19.22
B12-n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Left	21.13	18.63
B12-n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Right	21.14	18.64
B12-n25	5	15	1912.5	DFT	16QAM	Outer_Full	20.69	18.19
B12-n25	5	15	1912.5	DFT	64QAM	Inner_Full	20.14	17.64
B12-n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Left	20.39	17.89
B12-n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Right	20.42	17.92
B12-n25	5	15	1912.5	DFT	64QAM	Outer_Full	20.09	17.59
B12-n25	5	15	1912.5	DFT	256QAM	Inner_Full	18.13	15.63
B12-n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Left	18.41	15.91
B12-n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Right	18.45	15.95
B12-n25	5	15	1912.5	DFT	256QAM	Outer_Full	18.27	15.77
B12-n25	5	15	1912.5	CP	QPSK	Inner_Full	21.13	18.63
B12-n25	5	15	1912.5	CP	QPSK	Edge_1RB_Left	19.64	17.14
B12-n25	5	15	1912.5	CP	QPSK	Edge_1RB_Right	19.58	17.08
B12-n25	5	15	1912.5	CP	QPSK	Outer_Full	19.69	17.19
B12-n25	5	15	1912.5	CP	16QAM	Inner_Full	20.72	18.22
B12-n25	5	15	1912.5	CP	16QAM	Edge_1RB_Left	20.05	17.55
B12-n25	5	15	1912.5	CP	16QAM	Edge_1RB_Right	20.01	17.51
B12-n25	5	15	1912.5	CP	16QAM	Outer_Full	19.67	17.17
B12-n25	5	15	1912.5	CP	64QAM	Inner_Full	19.2	16.7
B12-n25	5	15	1912.5	CP	64QAM	Edge_1RB_Left	19.39	16.89
B12-n25	5	15	1912.5	CP	64QAM	Edge_1RB_Right	19.32	16.82
B12-n25	5	15	1912.5	CP	64QAM	Outer_Full	19.25	16.75
B12-n25	5	15	1912.5	CP	256QAM	Inner_Full	16.13	13.63
B12-n25	5	15	1912.5	CP	256QAM	Edge_1RB_Left	16.45	13.95
B12-n25	5	15	1912.5	CP	256QAM	Edge_1RB_Right	16.29	13.79
B12-n25	5	15	1912.5	CP	256QAM	Outer_Full	16.14	13.64
B12-n25	10	15	1855	DFT	pi/2 BPSK	Inner_Full	22.96	20.46
B12-n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	22.39	19.89
B12-n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	22.5	20
B12-n25	10	15	1855	DFT	pi/2 BPSK	Outer_Full	22.54	20.04
B12-n25	10	15	1855	DFT	QPSK	Inner_Full	22.99	20.49
B12-n25	10	15	1855	DFT	QPSK	Edge_1RB_Left	21.8	19.3
B12-n25	10	15	1855	DFT	QPSK	Edge_1RB_Right	21.78	19.28
B12-n25	10	15	1855	DFT	QPSK	Outer_Full	22.07	19.57
B12-n25	10	15	1855	DFT	16QAM	Inner_Full	22.04	19.54
B12-n25	10	15	1855	DFT	16QAM	Edge_1RB_Left	21.41	18.91
B12-n25	10	15	1855	DFT	16QAM	Edge_1RB_Right	21.41	18.91

B12-n25	10	15	1855	DFT	16QAM	Outer_Full	21.03	18.53
B12-n25	10	15	1855	DFT	64QAM	Inner_Full	20.4	17.9
B12-n25	10	15	1855	DFT	64QAM	Edge_1RB_Left	20.63	18.13
B12-n25	10	15	1855	DFT	64QAM	Edge_1RB_Right	20.6	18.1
B12-n25	10	15	1855	DFT	64QAM	Outer_Full	20.55	18.05
B12-n25	10	15	1855	DFT	256QAM	Inner_Full	18.4	15.9
B12-n25	10	15	1855	DFT	256QAM	Edge_1RB_Left	18.75	16.25
B12-n25	10	15	1855	DFT	256QAM	Edge_1RB_Right	18.72	16.22
B12-n25	10	15	1855	DFT	256QAM	Outer_Full	18.56	16.06
B12-n25	10	15	1855	CP	QPSK	Inner_Full	21.47	18.97
B12-n25	10	15	1855	CP	QPSK	Edge_1RB_Left	19.82	17.32
B12-n25	10	15	1855	CP	QPSK	Edge_1RB_Right	19.75	17.25
B12-n25	10	15	1855	CP	QPSK	Outer_Full	19.97	17.47
B12-n25	10	15	1855	CP	16QAM	Inner_Full	20.91	18.41
B12-n25	10	15	1855	CP	16QAM	Edge_1RB_Left	20.06	17.56
B12-n25	10	15	1855	CP	16QAM	Edge_1RB_Right	20.22	17.72
B12-n25	10	15	1855	CP	16QAM	Outer_Full	20.02	17.52
B12-n25	10	15	1855	CP	64QAM	Inner_Full	19.47	16.97
B12-n25	10	15	1855	CP	64QAM	Edge_1RB_Left	19.61	17.11
B12-n25	10	15	1855	CP	64QAM	Edge_1RB_Right	19.47	16.97
B12-n25	10	15	1855	CP	64QAM	Outer_Full	19.47	16.97
B12-n25	10	15	1855	CP	256QAM	Inner_Full	16.35	13.85
B12-n25	10	15	1855	CP	256QAM	Edge_1RB_Left	16.61	14.11
B12-n25	10	15	1855	CP	256QAM	Edge_1RB_Right	16.76	14.26
B12-n25	10	15	1855	CP	256QAM	Outer_Full	16.38	13.88
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Inner_Full	22.84	20.34
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.27	19.77
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.2	19.7
B12-n25	10	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.39	19.89
B12-n25	10	15	1882.5	DFT	QPSK	Inner_Full	22.83	20.33
B12-n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.66	19.16
B12-n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Right	21.39	18.89
B12-n25	10	15	1882.5	DFT	QPSK	Outer_Full	21.89	19.39
B12-n25	10	15	1882.5	DFT	16QAM	Inner_Full	21.84	19.34
B12-n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.26	18.76
B12-n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.14	18.64
B12-n25	10	15	1882.5	DFT	16QAM	Outer_Full	20.83	18.33
B12-n25	10	15	1882.5	DFT	64QAM	Inner_Full	20.28	17.78
B12-n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.55	18.05
B12-n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Right	20.38	17.88
B12-n25	10	15	1882.5	DFT	64QAM	Outer_Full	20.38	17.88

B12-n25	10	15	1882.5	DFT	256QAM	Inner_Full	18.35	15.85
B12-n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.58	16.08
B12-n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.49	15.99
B12-n25	10	15	1882.5	DFT	256QAM	Outer_Full	18.39	15.89
B12-n25	10	15	1882.5	CP	QPSK	Inner_Full	21.28	18.78
B12-n25	10	15	1882.5	CP	QPSK	Edge_1RB_Left	19.67	17.17
B12-n25	10	15	1882.5	CP	QPSK	Edge_1RB_Right	19.42	16.92
B12-n25	10	15	1882.5	CP	QPSK	Outer_Full	19.81	17.31
B12-n25	10	15	1882.5	CP	16QAM	Inner_Full	20.75	18.25
B12-n25	10	15	1882.5	CP	16QAM	Edge_1RB_Left	19.88	17.38
B12-n25	10	15	1882.5	CP	16QAM	Edge_1RB_Right	19.96	17.46
B12-n25	10	15	1882.5	CP	16QAM	Outer_Full	19.83	17.33
B12-n25	10	15	1882.5	CP	64QAM	Inner_Full	19.36	16.86
B12-n25	10	15	1882.5	CP	64QAM	Edge_1RB_Left	19.42	16.92
B12-n25	10	15	1882.5	CP	64QAM	Edge_1RB_Right	19.24	16.74
B12-n25	10	15	1882.5	CP	64QAM	Outer_Full	19.31	16.81
B12-n25	10	15	1882.5	CP	256QAM	Inner_Full	16.22	13.72
B12-n25	10	15	1882.5	CP	256QAM	Edge_1RB_Left	16.54	14.04
B12-n25	10	15	1882.5	CP	256QAM	Edge_1RB_Right	16.4	13.9
B12-n25	10	15	1882.5	CP	256QAM	Outer_Full	16.26	13.76
B12-n25	10	15	1910	DFT	pi/2 BPSK	Inner_Full	22.59	20.09
B12-n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Left	22	19.5
B12-n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Right	21.98	19.48
B12-n25	10	15	1910	DFT	pi/2 BPSK	Outer_Full	22.01	19.51
B12-n25	10	15	1910	DFT	QPSK	Inner_Full	22.55	20.05
B12-n25	10	15	1910	DFT	QPSK	Edge_1RB_Left	21.25	18.75
B12-n25	10	15	1910	DFT	QPSK	Edge_1RB_Right	21.38	18.88
B12-n25	10	15	1910	DFT	QPSK	Outer_Full	21.62	19.12
B12-n25	10	15	1910	DFT	16QAM	Inner_Full	21.58	19.08
B12-n25	10	15	1910	DFT	16QAM	Edge_1RB_Left	20.91	18.41
B12-n25	10	15	1910	DFT	16QAM	Edge_1RB_Right	21.02	18.52
B12-n25	10	15	1910	DFT	16QAM	Outer_Full	20.51	18.01
B12-n25	10	15	1910	DFT	64QAM	Inner_Full	19.96	17.46
B12-n25	10	15	1910	DFT	64QAM	Edge_1RB_Left	20.13	17.63
B12-n25	10	15	1910	DFT	64QAM	Edge_1RB_Right	20.31	17.81
B12-n25	10	15	1910	DFT	64QAM	Outer_Full	20.14	17.64
B12-n25	10	15	1910	DFT	256QAM	Inner_Full	18.05	15.55
B12-n25	10	15	1910	DFT	256QAM	Edge_1RB_Left	18.24	15.74
B12-n25	10	15	1910	DFT	256QAM	Edge_1RB_Right	18.3	15.8
B12-n25	10	15	1910	DFT	256QAM	Outer_Full	18.03	15.53
B12-n25	10	15	1910	CP	QPSK	Inner_Full	21	18.5

B12-n25	10	15	1910	CP	QPSK	Edge_1RB_Left	19.34	16.84
B12-n25	10	15	1910	CP	QPSK	Edge_1RB_Right	19.38	16.88
B12-n25	10	15	1910	CP	QPSK	Outer_Full	19.56	17.06
B12-n25	10	15	1910	CP	16QAM	Inner_Full	20.43	17.93
B12-n25	10	15	1910	CP	16QAM	Edge_1RB_Left	19.79	17.29
B12-n25	10	15	1910	CP	16QAM	Edge_1RB_Right	19.82	17.32
B12-n25	10	15	1910	CP	16QAM	Outer_Full	19.53	17.03
B12-n25	10	15	1910	CP	64QAM	Inner_Full	19.13	16.63
B12-n25	10	15	1910	CP	64QAM	Edge_1RB_Left	19.07	16.57
B12-n25	10	15	1910	CP	64QAM	Edge_1RB_Right	19.1	16.6
B12-n25	10	15	1910	CP	64QAM	Outer_Full	19.05	16.55
B12-n25	10	15	1910	CP	256QAM	Inner_Full	15.92	13.42
B12-n25	10	15	1910	CP	256QAM	Edge_1RB_Left	16.26	13.76
B12-n25	10	15	1910	CP	256QAM	Edge_1RB_Right	16.24	13.74
B12-n25	10	15	1910	CP	256QAM	Outer_Full	15.98	13.48
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	23.13	20.63
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.46	19.96
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.52	20.02
B12-n25	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	22.63	20.13
B12-n25	15	15	1857.5	DFT	QPSK	Inner_Full	23.07	20.57
B12-n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	21.8	19.3
B12-n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	21.87	19.37
B12-n25	15	15	1857.5	DFT	QPSK	Outer_Full	22.14	19.64
B12-n25	15	15	1857.5	DFT	16QAM	Inner_Full	22.18	19.68
B12-n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	20.95	18.45
B12-n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	21.39	18.89
B12-n25	15	15	1857.5	DFT	16QAM	Outer_Full	21.15	18.65
B12-n25	15	15	1857.5	DFT	64QAM	Inner_Full	20.65	18.15
B12-n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	20.15	17.65
B12-n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	20.17	17.67
B12-n25	15	15	1857.5	DFT	64QAM	Outer_Full	20.68	18.18
B12-n25	15	15	1857.5	DFT	256QAM	Inner_Full	18.51	16.01
B12-n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	18.77	16.27
B12-n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	18.73	16.23
B12-n25	15	15	1857.5	DFT	256QAM	Outer_Full	18.7	16.2
B12-n25	15	15	1857.5	CP	QPSK	Inner_Full	21.62	19.12
B12-n25	15	15	1857.5	CP	QPSK	Edge_1RB_Left	19.41	16.91
B12-n25	15	15	1857.5	CP	QPSK	Edge_1RB_Right	19.8	17.3
B12-n25	15	15	1857.5	CP	QPSK	Outer_Full	20.07	17.57
B12-n25	15	15	1857.5	CP	16QAM	Inner_Full	21.19	18.69
B12-n25	15	15	1857.5	CP	16QAM	Edge_1RB_Left	20.33	17.83



B12-n25	15	15	1857.5	CP	16QAM	Edge_1RB_Right	19.9	17.4
B12-n25	15	15	1857.5	CP	16QAM	Outer_Full	20.13	17.63
B12-n25	15	15	1857.5	CP	64QAM	Inner_Full	19.62	17.12
B12-n25	15	15	1857.5	CP	64QAM	Edge_1RB_Left	19.12	16.62
B12-n25	15	15	1857.5	CP	64QAM	Edge_1RB_Right	18.98	16.48
B12-n25	15	15	1857.5	CP	64QAM	Outer_Full	19.61	17.11
B12-n25	15	15	1857.5	CP	256QAM	Inner_Full	16.56	14.06
B12-n25	15	15	1857.5	CP	256QAM	Edge_1RB_Left	16.67	14.17
B12-n25	15	15	1857.5	CP	256QAM	Edge_1RB_Right	16.55	14.05
B12-n25	15	15	1857.5	CP	256QAM	Outer_Full	16.58	14.08
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.07	20.57
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.51	20.01
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.16	19.66
B12-n25	15	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.5	20
B12-n25	15	15	1882.5	DFT	QPSK	Inner_Full	23.02	20.52
B12-n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.31	18.81
B12-n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Right	21.08	18.58
B12-n25	15	15	1882.5	DFT	QPSK	Outer_Full	22.06	19.56
B12-n25	15	15	1882.5	DFT	16QAM	Inner_Full	22.01	19.51
B12-n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Left	20.88	18.38
B12-n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Right	21.21	18.71
B12-n25	15	15	1882.5	DFT	16QAM	Outer_Full	21.04	18.54
B12-n25	15	15	1882.5	DFT	64QAM	Inner_Full	20.53	18.03
B12-n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.7	18.2
B12-n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Right	19.95	17.45
B12-n25	15	15	1882.5	DFT	64QAM	Outer_Full	20.57	18.07
B12-n25	15	15	1882.5	DFT	256QAM	Inner_Full	18.46	15.96
B12-n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.73	16.23
B12-n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.43	15.93
B12-n25	15	15	1882.5	DFT	256QAM	Outer_Full	18.55	16.05
B12-n25	15	15	1882.5	CP	QPSK	Inner_Full	21.45	18.95
B12-n25	15	15	1882.5	CP	QPSK	Edge_1RB_Left	19.48	16.98
B12-n25	15	15	1882.5	CP	QPSK	Edge_1RB_Right	19.16	16.66
B12-n25	15	15	1882.5	CP	QPSK	Outer_Full	19.96	17.46
B12-n25	15	15	1882.5	CP	16QAM	Inner_Full	21.08	18.58
B12-n25	15	15	1882.5	CP	16QAM	Edge_1RB_Left	19.99	17.49
B12-n25	15	15	1882.5	CP	16QAM	Edge_1RB_Right	19.16	16.66
B12-n25	15	15	1882.5	CP	16QAM	Outer_Full	19.98	17.48
B12-n25	15	15	1882.5	CP	64QAM	Inner_Full	19.54	17.04
B12-n25	15	15	1882.5	CP	64QAM	Edge_1RB_Left	19.52	17.02
B12-n25	15	15	1882.5	CP	64QAM	Edge_1RB_Right	18.76	16.26



B12-n25	15	15	1882.5	CP	64QAM	Outer_Full	19.57	17.07
B12-n25	15	15	1882.5	CP	256QAM	Inner_Full	16.42	13.92
B12-n25	15	15	1882.5	CP	256QAM	Edge_1RB_Left	16.63	14.13
B12-n25	15	15	1882.5	CP	256QAM	Edge_1RB_Right	16.35	13.85
B12-n25	15	15	1882.5	CP	256QAM	Outer_Full	16.42	13.92
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Inner_Full	22.66	20.16
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.18	19.68
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.17	19.67
B12-n25	15	15	1907.5	DFT	pi/2 BPSK	Outer_Full	22.2	19.7
B12-n25	15	15	1907.5	DFT	QPSK	Inner_Full	22.72	20.22
B12-n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Left	21.01	18.51
B12-n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Right	21.11	18.61
B12-n25	15	15	1907.5	DFT	QPSK	Outer_Full	21.68	19.18
B12-n25	15	15	1907.5	DFT	16QAM	Inner_Full	21.75	19.25
B12-n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Left	20.55	18.05
B12-n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Right	20.01	17.51
B12-n25	15	15	1907.5	DFT	16QAM	Outer_Full	20.69	18.19
B12-n25	15	15	1907.5	DFT	64QAM	Inner_Full	20.21	17.71
B12-n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.3	17.8
B12-n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Right	19.9	17.4
B12-n25	15	15	1907.5	DFT	64QAM	Outer_Full	20.2	17.7
B12-n25	15	15	1907.5	DFT	256QAM	Inner_Full	18.14	15.64
B12-n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Left	18.42	15.92
B12-n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Right	18.48	15.98
B12-n25	15	15	1907.5	DFT	256QAM	Outer_Full	18.26	15.76
B12-n25	15	15	1907.5	CP	QPSK	Inner_Full	21.25	18.75
B12-n25	15	15	1907.5	CP	QPSK	Edge_1RB_Left	19.5	17
B12-n25	15	15	1907.5	CP	QPSK	Edge_1RB_Right	19.54	17.04
B12-n25	15	15	1907.5	CP	QPSK	Outer_Full	19.67	17.17
B12-n25	15	15	1907.5	CP	16QAM	Inner_Full	20.73	18.23
B12-n25	15	15	1907.5	CP	16QAM	Edge_1RB_Left	19.41	16.91
B12-n25	15	15	1907.5	CP	16QAM	Edge_1RB_Right	19.48	16.98
B12-n25	15	15	1907.5	CP	16QAM	Outer_Full	19.61	17.11
B12-n25	15	15	1907.5	CP	64QAM	Inner_Full	19.27	16.77
B12-n25	15	15	1907.5	CP	64QAM	Edge_1RB_Left	19.24	16.74
B12-n25	15	15	1907.5	CP	64QAM	Edge_1RB_Right	18.77	16.27
B12-n25	15	15	1907.5	CP	64QAM	Outer_Full	19.16	16.66
B12-n25	15	15	1907.5	CP	256QAM	Inner_Full	16.1	13.6
B12-n25	15	15	1907.5	CP	256QAM	Edge_1RB_Left	16.24	13.74
B12-n25	15	15	1907.5	CP	256QAM	Edge_1RB_Right	16.29	13.79
B12-n25	15	15	1907.5	CP	256QAM	Outer_Full	16.1	13.6

B12-n25	20	15	1860	DFT	pi/2 BPSK	Inner_Full	23.06	20.56
B12-n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	22.37	19.87
B12-n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	22.36	19.86
B12-n25	20	15	1860	DFT	pi/2 BPSK	Outer_Full	22.51	20.01
B12-n25	20	15	1860	DFT	QPSK	Inner_Full	23.14	20.64
B12-n25	20	15	1860	DFT	QPSK	Edge_1RB_Left	21.32	18.82
B12-n25	20	15	1860	DFT	QPSK	Edge_1RB_Right	21.27	18.77
B12-n25	20	15	1860	DFT	QPSK	Outer_Full	22.12	19.62
B12-n25	20	15	1860	DFT	16QAM	Inner_Full	22.13	19.63
B12-n25	20	15	1860	DFT	16QAM	Edge_1RB_Left	21.35	18.85
B12-n25	20	15	1860	DFT	16QAM	Edge_1RB_Right	20.8	18.3
B12-n25	20	15	1860	DFT	16QAM	Outer_Full	21.12	18.62
B12-n25	20	15	1860	DFT	64QAM	Inner_Full	20.71	18.21
B12-n25	20	15	1860	DFT	64QAM	Edge_1RB_Left	20.14	17.64
B12-n25	20	15	1860	DFT	64QAM	Edge_1RB_Right	20.05	17.55
B12-n25	20	15	1860	DFT	64QAM	Outer_Full	20.63	18.13
B12-n25	20	15	1860	DFT	256QAM	Inner_Full	18.64	16.14
B12-n25	20	15	1860	DFT	256QAM	Edge_1RB_Left	18.66	16.16
B12-n25	20	15	1860	DFT	256QAM	Edge_1RB_Right	18.78	16.28
B12-n25	20	15	1860	DFT	256QAM	Outer_Full	18.49	15.99
B12-n25	20	15	1860	CP	QPSK	Inner_Full	21.54	19.04
B12-n25	20	15	1860	CP	QPSK	Edge_1RB_Left	19.33	16.83
B12-n25	20	15	1860	CP	QPSK	Edge_1RB_Right	19.25	16.75
B12-n25	20	15	1860	CP	QPSK	Outer_Full	20.08	17.58
B12-n25	20	15	1860	CP	16QAM	Inner_Full	21.12	18.62
B12-n25	20	15	1860	CP	16QAM	Edge_1RB_Left	19.82	17.32
B12-n25	20	15	1860	CP	16QAM	Edge_1RB_Right	19.39	16.89
B12-n25	20	15	1860	CP	16QAM	Outer_Full	20.02	17.52
B12-n25	20	15	1860	CP	64QAM	Inner_Full	19.51	17.01
B12-n25	20	15	1860	CP	64QAM	Edge_1RB_Left	19.11	16.61
B12-n25	20	15	1860	CP	64QAM	Edge_1RB_Right	19.09	16.59
B12-n25	20	15	1860	CP	64QAM	Outer_Full	19.51	17.01
B12-n25	20	15	1860	CP	256QAM	Inner_Full	16.51	14.01
B12-n25	20	15	1860	CP	256QAM	Edge_1RB_Left	16.67	14.17
B12-n25	20	15	1860	CP	256QAM	Edge_1RB_Right	16.57	14.07
B12-n25	20	15	1860	CP	256QAM	Outer_Full	16.53	14.03
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.01	20.51
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.37	19.87
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.12	19.62
B12-n25	20	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.53	20.03
B12-n25	20	15	1882.5	DFT	QPSK	Inner_Full	23.03	20.53

B12-n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.26	18.76
B12-n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Right	20.97	18.47
B12-n25	20	15	1882.5	DFT	QPSK	Outer_Full	22.02	19.52
B12-n25	20	15	1882.5	DFT	16QAM	Inner_Full	22.01	19.51
B12-n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Left	20.89	18.39
B12-n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Right	20.56	18.06
B12-n25	20	15	1882.5	DFT	16QAM	Outer_Full	21.11	18.61
B12-n25	20	15	1882.5	DFT	64QAM	Inner_Full	20.59	18.09
B12-n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.15	17.65
B12-n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Right	20.36	17.86
B12-n25	20	15	1882.5	DFT	64QAM	Outer_Full	20.56	18.06
B12-n25	20	15	1882.5	DFT	256QAM	Inner_Full	18.56	16.06
B12-n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.75	16.25
B12-n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.29	15.79
B12-n25	20	15	1882.5	DFT	256QAM	Outer_Full	18.5	16
B12-n25	20	15	1882.5	CP	QPSK	Inner_Full	21.48	18.98
B12-n25	20	15	1882.5	CP	QPSK	Edge_1RB_Left	19.35	16.85
B12-n25	20	15	1882.5	CP	QPSK	Edge_1RB_Right	19.4	16.9
B12-n25	20	15	1882.5	CP	QPSK	Outer_Full	20	17.5
B12-n25	20	15	1882.5	CP	16QAM	Inner_Full	20.88	18.38
B12-n25	20	15	1882.5	CP	16QAM	Edge_1RB_Left	19.76	17.26
B12-n25	20	15	1882.5	CP	16QAM	Edge_1RB_Right	19.43	16.93
B12-n25	20	15	1882.5	CP	16QAM	Outer_Full	20.01	17.51
B12-n25	20	15	1882.5	CP	64QAM	Inner_Full	19.43	16.93
B12-n25	20	15	1882.5	CP	64QAM	Edge_1RB_Left	19.55	17.05
B12-n25	20	15	1882.5	CP	64QAM	Edge_1RB_Right	18.71	16.21
B12-n25	20	15	1882.5	CP	64QAM	Outer_Full	19.42	16.92
B12-n25	20	15	1882.5	CP	256QAM	Inner_Full	16.33	13.83
B12-n25	20	15	1882.5	CP	256QAM	Edge_1RB_Left	16.67	14.17
B12-n25	20	15	1882.5	CP	256QAM	Edge_1RB_Right	16.15	13.65
B12-n25	20	15	1882.5	CP	256QAM	Outer_Full	16.42	13.92
B12-n25	20	15	1905	DFT	pi/2 BPSK	Inner_Full	22.73	20.23
B12-n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	22.03	19.53
B12-n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.04	19.54
B12-n25	20	15	1905	DFT	pi/2 BPSK	Outer_Full	22.14	19.64
B12-n25	20	15	1905	DFT	QPSK	Inner_Full	22.75	20.25
B12-n25	20	15	1905	DFT	QPSK	Edge_1RB_Left	21.4	18.9
B12-n25	20	15	1905	DFT	QPSK	Edge_1RB_Right	21	18.5
B12-n25	20	15	1905	DFT	QPSK	Outer_Full	21.78	19.28
B12-n25	20	15	1905	DFT	16QAM	Inner_Full	21.73	19.23
B12-n25	20	15	1905	DFT	16QAM	Edge_1RB_Left	20.56	18.06

B12-n25	20	15	1905	DFT	16QAM	Edge_1RB_Right	20.63	18.13
B12-n25	20	15	1905	DFT	16QAM	Outer_Full	20.76	18.26
B12-n25	20	15	1905	DFT	64QAM	Inner_Full	20.34	17.84
B12-n25	20	15	1905	DFT	64QAM	Edge_1RB_Left	19.77	17.27
B12-n25	20	15	1905	DFT	64QAM	Edge_1RB_Right	19.8	17.3
B12-n25	20	15	1905	DFT	64QAM	Outer_Full	20.21	17.71
B12-n25	20	15	1905	DFT	256QAM	Inner_Full	18.28	15.78
B12-n25	20	15	1905	DFT	256QAM	Edge_1RB_Left	18.3	15.8
B12-n25	20	15	1905	DFT	256QAM	Edge_1RB_Right	18.31	15.81
B12-n25	20	15	1905	DFT	256QAM	Outer_Full	18.27	15.77
B12-n25	20	15	1905	CP	QPSK	Inner_Full	21.21	18.71
B12-n25	20	15	1905	CP	QPSK	Edge_1RB_Left	18.95	16.45
B12-n25	20	15	1905	CP	QPSK	Edge_1RB_Right	18.99	16.49
B12-n25	20	15	1905	CP	QPSK	Outer_Full	19.72	17.22
B12-n25	20	15	1905	CP	16QAM	Inner_Full	20.79	18.29
B12-n25	20	15	1905	CP	16QAM	Edge_1RB_Left	19.49	16.99
B12-n25	20	15	1905	CP	16QAM	Edge_1RB_Right	19.48	16.98
B12-n25	20	15	1905	CP	16QAM	Outer_Full	19.74	17.24
B12-n25	20	15	1905	CP	64QAM	Inner_Full	19.24	16.74
B12-n25	20	15	1905	CP	64QAM	Edge_1RB_Left	18.66	16.16
B12-n25	20	15	1905	CP	64QAM	Edge_1RB_Right	18.7	16.2
B12-n25	20	15	1905	CP	64QAM	Outer_Full	19.23	16.73
B12-n25	20	15	1905	CP	256QAM	Inner_Full	16.15	13.65
B12-n25	20	15	1905	CP	256QAM	Edge_1RB_Left	16.37	13.87
B12-n25	20	15	1905	CP	256QAM	Edge_1RB_Right	16.36	13.86
B12-n25	20	15	1905	CP	256QAM	Outer_Full	16.2	13.7
B12-n25	25	15	1862.5	DFT	pi/2 BPSK	Inner_Full	22.97	20.47
B12-n25	25	15	1862.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.27	19.77
B12-n25	25	15	1862.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.26	19.76
B12-n25	25	15	1862.5	DFT	pi/2 BPSK	Outer_Full	22.42	19.92
B12-n25	25	15	1862.5	DFT	QPSK	Inner_Full	22.99	20.49
B12-n25	25	15	1862.5	DFT	QPSK	Edge_1RB_Left	21.27	18.77
B12-n25	25	15	1862.5	DFT	QPSK	Edge_1RB_Right	21.2	18.7
B12-n25	25	15	1862.5	DFT	QPSK	Outer_Full	21.94	19.44
B12-n25	25	15	1862.5	DFT	16QAM	Inner_Full	22.03	19.53
B12-n25	25	15	1862.5	DFT	16QAM	Edge_1RB_Left	20.76	18.26
B12-n25	25	15	1862.5	DFT	16QAM	Edge_1RB_Right	20.68	18.18
B12-n25	25	15	1862.5	DFT	16QAM	Outer_Full	20.96	18.46
B12-n25	25	15	1862.5	DFT	64QAM	Inner_Full	20.52	18.02
B12-n25	25	15	1862.5	DFT	64QAM	Edge_1RB_Left	20.01	17.51
B12-n25	25	15	1862.5	DFT	64QAM	Edge_1RB_Right	20	17.5



B12-n25	25	15	1862.5	DFT	64QAM	Outer_Full	20.48	17.98
B12-n25	25	15	1862.5	DFT	256QAM	Inner_Full	18.54	16.04
B12-n25	25	15	1862.5	DFT	256QAM	Edge_1RB_Left	18.51	16.01
B12-n25	25	15	1862.5	DFT	256QAM	Edge_1RB_Right	18.66	16.16
B12-n25	25	15	1862.5	DFT	256QAM	Outer_Full	18.42	15.92
B12-n25	25	15	1862.5	CP	QPSK	Inner_Full	21.48	18.98
B12-n25	25	15	1862.5	CP	QPSK	Edge_1RB_Left	19.17	16.67
B12-n25	25	15	1862.5	CP	QPSK	Edge_1RB_Right	19.18	16.68
B12-n25	25	15	1862.5	CP	QPSK	Outer_Full	19.99	17.49
B12-n25	25	15	1862.5	CP	16QAM	Inner_Full	21.05	18.55
B12-n25	25	15	1862.5	CP	16QAM	Edge_1RB_Left	19.57	17.07
B12-n25	25	15	1862.5	CP	16QAM	Edge_1RB_Right	19.6	17.1
B12-n25	25	15	1862.5	CP	16QAM	Outer_Full	19.84	17.34
B12-n25	25	15	1862.5	CP	64QAM	Inner_Full	19.53	17.03
B12-n25	25	15	1862.5	CP	64QAM	Edge_1RB_Left	18.92	16.42
B12-n25	25	15	1862.5	CP	64QAM	Edge_1RB_Right	18.95	16.45
B12-n25	25	15	1862.5	CP	64QAM	Outer_Full	19.43	16.93
B12-n25	25	15	1862.5	CP	256QAM	Inner_Full	16.45	13.95
B12-n25	25	15	1862.5	CP	256QAM	Edge_1RB_Left	16.52	14.02
B12-n25	25	15	1862.5	CP	256QAM	Edge_1RB_Right	16.6	14.1
B12-n25	25	15	1862.5	CP	256QAM	Outer_Full	16.35	13.85
B12-n25	25	15	1882.5	DFT	pi/2 BPSK	Inner_Full	22.99	20.49
B12-n25	25	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.29	19.79
B12-n25	25	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.94	19.44
B12-n25	25	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.36	19.86
B12-n25	25	15	1882.5	DFT	QPSK	Inner_Full	22.93	20.43
B12-n25	25	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.09	18.59
B12-n25	25	15	1882.5	DFT	QPSK	Edge_1RB_Right	20.89	18.39
B12-n25	25	15	1882.5	DFT	QPSK	Outer_Full	21.91	19.41
B12-n25	25	15	1882.5	DFT	16QAM	Inner_Full	21.96	19.46
B12-n25	25	15	1882.5	DFT	16QAM	Edge_1RB_Left	20.26	17.76
B12-n25	25	15	1882.5	DFT	16QAM	Edge_1RB_Right	20.4	17.9
B12-n25	25	15	1882.5	DFT	16QAM	Outer_Full	20.86	18.36
B12-n25	25	15	1882.5	DFT	64QAM	Inner_Full	20.54	18.04
B12-n25	25	15	1882.5	DFT	64QAM	Edge_1RB_Left	19.93	17.43
B12-n25	25	15	1882.5	DFT	64QAM	Edge_1RB_Right	19.61	17.11
B12-n25	25	15	1882.5	DFT	64QAM	Outer_Full	20.42	17.92
B12-n25	25	15	1882.5	DFT	256QAM	Inner_Full	18.44	15.94
B12-n25	25	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.49	15.99
B12-n25	25	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.29	15.79
B12-n25	25	15	1882.5	DFT	256QAM	Outer_Full	18.33	15.83

B12-n25	25	15	1882.5	CP	QPSK	Inner_Full	21.47	18.97
B12-n25	25	15	1882.5	CP	QPSK	Edge_1RB_Left	19.16	16.66
B12-n25	25	15	1882.5	CP	QPSK	Edge_1RB_Right	18.84	16.34
B12-n25	25	15	1882.5	CP	QPSK	Outer_Full	19.86	17.36
B12-n25	25	15	1882.5	CP	16QAM	Inner_Full	20.97	18.47
B12-n25	25	15	1882.5	CP	16QAM	Edge_1RB_Left	19.59	17.09
B12-n25	25	15	1882.5	CP	16QAM	Edge_1RB_Right	19.3	16.8
B12-n25	25	15	1882.5	CP	16QAM	Outer_Full	19.84	17.34
B12-n25	25	15	1882.5	CP	64QAM	Inner_Full	19.35	16.85
B12-n25	25	15	1882.5	CP	64QAM	Edge_1RB_Left	18.87	16.37
B12-n25	25	15	1882.5	CP	64QAM	Edge_1RB_Right	18.65	16.15
B12-n25	25	15	1882.5	CP	64QAM	Outer_Full	19.39	16.89
B12-n25	25	15	1882.5	CP	256QAM	Inner_Full	16.44	13.94
B12-n25	25	15	1882.5	CP	256QAM	Edge_1RB_Left	16.58	14.08
B12-n25	25	15	1882.5	CP	256QAM	Edge_1RB_Right	16.17	13.67
B12-n25	25	15	1882.5	CP	256QAM	Outer_Full	16.34	13.84
B12-n25	25	15	1902.5	DFT	pi/2 BPSK	Inner_Full	22.56	20.06
B12-n25	25	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.11	19.61
B12-n25	25	15	1902.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.02	19.52
B12-n25	25	15	1902.5	DFT	pi/2 BPSK	Outer_Full	22.09	19.59
B12-n25	25	15	1902.5	DFT	QPSK	Inner_Full	22.71	20.21
B12-n25	25	15	1902.5	DFT	QPSK	Edge_1RB_Left	20.92	18.42
B12-n25	25	15	1902.5	DFT	QPSK	Edge_1RB_Right	20.79	18.29
B12-n25	25	15	1902.5	DFT	QPSK	Outer_Full	21.65	19.15
B12-n25	25	15	1902.5	DFT	16QAM	Inner_Full	21.71	19.21
B12-n25	25	15	1902.5	DFT	16QAM	Edge_1RB_Left	20.54	18.04
B12-n25	25	15	1902.5	DFT	16QAM	Edge_1RB_Right	20.47	17.97
B12-n25	25	15	1902.5	DFT	16QAM	Outer_Full	20.54	18.04
B12-n25	25	15	1902.5	DFT	64QAM	Inner_Full	20.11	17.61
B12-n25	25	15	1902.5	DFT	64QAM	Edge_1RB_Left	19.74	17.24
B12-n25	25	15	1902.5	DFT	64QAM	Edge_1RB_Right	19.61	17.11
B12-n25	25	15	1902.5	DFT	64QAM	Outer_Full	20.04	17.54
B12-n25	25	15	1902.5	DFT	256QAM	Inner_Full	18.18	15.68
B12-n25	25	15	1902.5	DFT	256QAM	Edge_1RB_Left	18.37	15.87
B12-n25	25	15	1902.5	DFT	256QAM	Edge_1RB_Right	18.3	15.8
B12-n25	25	15	1902.5	DFT	256QAM	Outer_Full	18.07	15.57
B12-n25	25	15	1902.5	CP	QPSK	Inner_Full	21.15	18.65
B12-n25	25	15	1902.5	CP	QPSK	Edge_1RB_Left	18.99	16.49
B12-n25	25	15	1902.5	CP	QPSK	Edge_1RB_Right	18.85	16.35
B12-n25	25	15	1902.5	CP	QPSK	Outer_Full	19.54	17.04
B12-n25	25	15	1902.5	CP	16QAM	Inner_Full	20.56	18.06

B12-n25	25	15	1902.5	CP	16QAM	Edge_1RB_Left	19.45	16.95
B12-n25	25	15	1902.5	CP	16QAM	Edge_1RB_Right	19.34	16.84
B12-n25	25	15	1902.5	CP	16QAM	Outer_Full	19.56	17.06
B12-n25	25	15	1902.5	CP	64QAM	Inner_Full	19.13	16.63
B12-n25	25	15	1902.5	CP	64QAM	Edge_1RB_Left	18.7	16.2
B12-n25	25	15	1902.5	CP	64QAM	Edge_1RB_Right	18.62	16.12
B12-n25	25	15	1902.5	CP	64QAM	Outer_Full	19.11	16.61
B12-n25	25	15	1902.5	CP	256QAM	Inner_Full	16.08	13.58
B12-n25	25	15	1902.5	CP	256QAM	Edge_1RB_Left	16.3	13.8
B12-n25	25	15	1902.5	CP	256QAM	Edge_1RB_Right	16.27	13.77
B12-n25	25	15	1902.5	CP	256QAM	Outer_Full	16.03	13.53
B12-n25	30	15	1865	DFT	pi/2 BPSK	Inner_Full	23.06	20.56
B12-n25	30	15	1865	DFT	pi/2 BPSK	Edge_1RB_Left	22.26	19.76
B12-n25	30	15	1865	DFT	pi/2 BPSK	Edge_1RB_Right	22.19	19.69
B12-n25	30	15	1865	DFT	pi/2 BPSK	Outer_Full	22.49	19.99
B12-n25	30	15	1865	DFT	QPSK	Inner_Full	23.03	20.53
B12-n25	30	15	1865	DFT	QPSK	Edge_1RB_Left	21.17	18.67
B12-n25	30	15	1865	DFT	QPSK	Edge_1RB_Right	21.12	18.62
B12-n25	30	15	1865	DFT	QPSK	Outer_Full	21.99	19.49
B12-n25	30	15	1865	DFT	16QAM	Inner_Full	22.11	19.61
B12-n25	30	15	1865	DFT	16QAM	Edge_1RB_Left	20.31	17.81
B12-n25	30	15	1865	DFT	16QAM	Edge_1RB_Right	20.68	18.18
B12-n25	30	15	1865	DFT	16QAM	Outer_Full	20.94	18.44
B12-n25	30	15	1865	DFT	64QAM	Inner_Full	20.59	18.09
B12-n25	30	15	1865	DFT	64QAM	Edge_1RB_Left	19.91	17.41
B12-n25	30	15	1865	DFT	64QAM	Edge_1RB_Right	19.98	17.48
B12-n25	30	15	1865	DFT	64QAM	Outer_Full	20.53	18.03
B12-n25	30	15	1865	DFT	256QAM	Inner_Full	18.57	16.07
B12-n25	30	15	1865	DFT	256QAM	Edge_1RB_Left	18.52	16.02
B12-n25	30	15	1865	DFT	256QAM	Edge_1RB_Right	18.57	16.07
B12-n25	30	15	1865	DFT	256QAM	Outer_Full	18.44	15.94
B12-n25	30	15	1865	CP	QPSK	Inner_Full	21.54	19.04
B12-n25	30	15	1865	CP	QPSK	Edge_1RB_Left	19.31	16.81
B12-n25	30	15	1865	CP	QPSK	Edge_1RB_Right	19.34	16.84
B12-n25	30	15	1865	CP	QPSK	Outer_Full	19.98	17.48
B12-n25	30	15	1865	CP	16QAM	Inner_Full	21.1	18.6
B12-n25	30	15	1865	CP	16QAM	Edge_1RB_Left	19.62	17.12
B12-n25	30	15	1865	CP	16QAM	Edge_1RB_Right	19.74	17.24
B12-n25	30	15	1865	CP	16QAM	Outer_Full	19.92	17.42
B12-n25	30	15	1865	CP	64QAM	Inner_Full	19.52	17.02
B12-n25	30	15	1865	CP	64QAM	Edge_1RB_Left	18.84	16.34

B12-n25	30	15	1865	CP	64QAM	Edge_1RB_Right	18.99	16.49
B12-n25	30	15	1865	CP	64QAM	Outer_Full	19.51	17.01
B12-n25	30	15	1865	CP	256QAM	Inner_Full	16.53	14.03
B12-n25	30	15	1865	CP	256QAM	Edge_1RB_Left	16.49	13.99
B12-n25	30	15	1865	CP	256QAM	Edge_1RB_Right	16.55	14.05
B12-n25	30	15	1865	CP	256QAM	Outer_Full	16.41	13.91
B12-n25	30	15	1882.5	DFT	pi/2 BPSK	Inner_Full	22.91	20.41
B12-n25	30	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.15	19.65
B12-n25	30	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.38	18.88
B12-n25	30	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.38	19.88
B12-n25	30	15	1882.5	DFT	QPSK	Inner_Full	22.9	20.4
B12-n25	30	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.09	18.59
B12-n25	30	15	1882.5	DFT	QPSK	Edge_1RB_Right	20.7	18.2
B12-n25	30	15	1882.5	DFT	QPSK	Outer_Full	21.9	19.4
B12-n25	30	15	1882.5	DFT	16QAM	Inner_Full	21.92	19.42
B12-n25	30	15	1882.5	DFT	16QAM	Edge_1RB_Left	20.58	18.08
B12-n25	30	15	1882.5	DFT	16QAM	Edge_1RB_Right	20.22	17.72
B12-n25	30	15	1882.5	DFT	16QAM	Outer_Full	20.82	18.32
B12-n25	30	15	1882.5	DFT	64QAM	Inner_Full	20.44	17.94
B12-n25	30	15	1882.5	DFT	64QAM	Edge_1RB_Left	19.91	17.41
B12-n25	30	15	1882.5	DFT	64QAM	Edge_1RB_Right	19.52	17.02
B12-n25	30	15	1882.5	DFT	64QAM	Outer_Full	20.35	17.85
B12-n25	30	15	1882.5	DFT	256QAM	Inner_Full	18.38	15.88
B12-n25	30	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.53	16.03
B12-n25	30	15	1882.5	DFT	256QAM	Edge_1RB_Right	18.03	15.53
B12-n25	30	15	1882.5	DFT	256QAM	Outer_Full	18.36	15.86
B12-n25	30	15	1882.5	CP	QPSK	Inner_Full	21.39	18.89
B12-n25	30	15	1882.5	CP	QPSK	Edge_1RB_Left	19.1	16.6
B12-n25	30	15	1882.5	CP	QPSK	Edge_1RB_Right	18.82	16.32
B12-n25	30	15	1882.5	CP	QPSK	Outer_Full	19.87	17.37
B12-n25	30	15	1882.5	CP	16QAM	Inner_Full	20.92	18.42
B12-n25	30	15	1882.5	CP	16QAM	Edge_1RB_Left	19.56	17.06
B12-n25	30	15	1882.5	CP	16QAM	Edge_1RB_Right	19.22	16.72
B12-n25	30	15	1882.5	CP	16QAM	Outer_Full	19.87	17.37
B12-n25	30	15	1882.5	CP	64QAM	Inner_Full	19.4	16.9
B12-n25	30	15	1882.5	CP	64QAM	Edge_1RB_Left	18.8	16.3
B12-n25	30	15	1882.5	CP	64QAM	Edge_1RB_Right	18.54	16.04
B12-n25	30	15	1882.5	CP	64QAM	Outer_Full	19.31	16.81
B12-n25	30	15	1882.5	CP	256QAM	Inner_Full	16.35	13.85
B12-n25	30	15	1882.5	CP	256QAM	Edge_1RB_Left	16.39	13.89
B12-n25	30	15	1882.5	CP	256QAM	Edge_1RB_Right	16.3	13.8

B12-n25	30	15	1882.5	CP	256QAM	Outer_Full	16.22	13.72
B12-n25	30	15	1900	DFT	pi/2 BPSK	Inner_Full	22.58	20.08
B12-n25	30	15	1900	DFT	pi/2 BPSK	Edge_1RB_Left	22.03	19.53
B12-n25	30	15	1900	DFT	pi/2 BPSK	Edge_1RB_Right	21.47	18.97
B12-n25	30	15	1900	DFT	pi/2 BPSK	Outer_Full	22.11	19.61
B12-n25	30	15	1900	DFT	QPSK	Inner_Full	22.7	20.2
B12-n25	30	15	1900	DFT	QPSK	Edge_1RB_Left	20.9	18.4
B12-n25	30	15	1900	DFT	QPSK	Edge_1RB_Right	20.71	18.21
B12-n25	30	15	1900	DFT	QPSK	Outer_Full	21.58	19.08
B12-n25	30	15	1900	DFT	16QAM	Inner_Full	21.69	19.19
B12-n25	30	15	1900	DFT	16QAM	Edge_1RB_Left	20.49	17.99
B12-n25	30	15	1900	DFT	16QAM	Edge_1RB_Right	20.36	17.86
B12-n25	30	15	1900	DFT	16QAM	Outer_Full	20.57	18.07
B12-n25	30	15	1900	DFT	64QAM	Inner_Full	20.21	17.71
B12-n25	30	15	1900	DFT	64QAM	Edge_1RB_Left	19.74	17.24
B12-n25	30	15	1900	DFT	64QAM	Edge_1RB_Right	19.61	17.11
B12-n25	30	15	1900	DFT	64QAM	Outer_Full	20.12	17.62
B12-n25	30	15	1900	DFT	256QAM	Inner_Full	18.06	15.56
B12-n25	30	15	1900	DFT	256QAM	Edge_1RB_Left	18.3	15.8
B12-n25	30	15	1900	DFT	256QAM	Edge_1RB_Right	18.2	15.7
B12-n25	30	15	1900	DFT	256QAM	Outer_Full	18.13	15.63
B12-n25	30	15	1900	CP	QPSK	Inner_Full	21.14	18.64
B12-n25	30	15	1900	CP	QPSK	Edge_1RB_Left	19.01	16.51
B12-n25	30	15	1900	CP	QPSK	Edge_1RB_Right	18.94	16.44
B12-n25	30	15	1900	CP	QPSK	Outer_Full	19.57	17.07
B12-n25	30	15	1900	CP	16QAM	Inner_Full	20.62	18.12
B12-n25	30	15	1900	CP	16QAM	Edge_1RB_Left	19.47	16.97
B12-n25	30	15	1900	CP	16QAM	Edge_1RB_Right	19.31	16.81
B12-n25	30	15	1900	CP	16QAM	Outer_Full	19.64	17.14
B12-n25	30	15	1900	CP	64QAM	Inner_Full	19.12	16.62
B12-n25	30	15	1900	CP	64QAM	Edge_1RB_Left	18.63	16.13
B12-n25	30	15	1900	CP	64QAM	Edge_1RB_Right	18.58	16.08
B12-n25	30	15	1900	CP	64QAM	Outer_Full	19.03	16.53
B12-n25	30	15	1900	CP	256QAM	Inner_Full	16.11	13.61
B12-n25	30	15	1900	CP	256QAM	Edge_1RB_Left	16.21	13.71
B12-n25	30	15	1900	CP	256QAM	Edge_1RB_Right	16.19	13.69
B12-n25	30	15	1900	CP	256QAM	Outer_Full	16.04	13.54
B12-n25	40	15	1870	DFT	pi/2 BPSK	Inner_Full	22.94	20.44
B12-n25	40	15	1870	DFT	pi/2 BPSK	Edge_1RB_Left	21.99	19.49
B12-n25	40	15	1870	DFT	pi/2 BPSK	Edge_1RB_Right	21.8	19.3
B12-n25	40	15	1870	DFT	pi/2 BPSK	Outer_Full	22.29	19.79

B12-n25	40	15	1870	DFT	QPSK	Inner_Full	22.97	20.47
B12-n25	40	15	1870	DFT	QPSK	Edge_1RB_Left	20.9	18.4
B12-n25	40	15	1870	DFT	QPSK	Edge_1RB_Right	20.67	18.17
B12-n25	40	15	1870	DFT	QPSK	Outer_Full	21.71	19.21
B12-n25	40	15	1870	DFT	16QAM	Inner_Full	21.98	19.48
B12-n25	40	15	1870	DFT	16QAM	Edge_1RB_Left	20.46	17.96
B12-n25	40	15	1870	DFT	16QAM	Edge_1RB_Right	20.21	17.71
B12-n25	40	15	1870	DFT	16QAM	Outer_Full	20.75	18.25
B12-n25	40	15	1870	DFT	64QAM	Inner_Full	20.56	18.06
B12-n25	40	15	1870	DFT	64QAM	Edge_1RB_Left	19.62	17.12
B12-n25	40	15	1870	DFT	64QAM	Edge_1RB_Right	19.5	17
B12-n25	40	15	1870	DFT	64QAM	Outer_Full	20.33	17.83
B12-n25	40	15	1870	DFT	256QAM	Inner_Full	18.56	16.06
B12-n25	40	15	1870	DFT	256QAM	Edge_1RB_Left	18.3	15.8
B12-n25	40	15	1870	DFT	256QAM	Edge_1RB_Right	18.05	15.55
B12-n25	40	15	1870	DFT	256QAM	Outer_Full	18.29	15.79
B12-n25	40	15	1870	CP	QPSK	Inner_Full	21.45	18.95
B12-n25	40	15	1870	CP	QPSK	Edge_1RB_Left	18.97	16.47
B12-n25	40	15	1870	CP	QPSK	Edge_1RB_Right	18.68	16.18
B12-n25	40	15	1870	CP	QPSK	Outer_Full	19.72	17.22
B12-n25	40	15	1870	CP	16QAM	Inner_Full	21.06	18.56
B12-n25	40	15	1870	CP	16QAM	Edge_1RB_Left	19.28	16.78
B12-n25	40	15	1870	CP	16QAM	Edge_1RB_Right	19.07	16.57
B12-n25	40	15	1870	CP	16QAM	Outer_Full	19.81	17.31
B12-n25	40	15	1870	CP	64QAM	Inner_Full	19.51	17.01
B12-n25	40	15	1870	CP	64QAM	Edge_1RB_Left	18.62	16.12
B12-n25	40	15	1870	CP	64QAM	Edge_1RB_Right	18.34	15.84
B12-n25	40	15	1870	CP	64QAM	Outer_Full	19.27	16.77
B12-n25	40	15	1870	CP	256QAM	Inner_Full	16.45	13.95
B12-n25	40	15	1870	CP	256QAM	Edge_1RB_Left	16.24	13.74
B12-n25	40	15	1870	CP	256QAM	Edge_1RB_Right	15.95	13.45
B12-n25	40	15	1870	CP	256QAM	Outer_Full	16.27	13.77
B12-n25	40	15	1882.5	DFT	pi/2 BPSK	Inner_Full	23.15	20.65
B12-n25	40	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	22.12	19.62
B12-n25	40	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	21.78	19.28
B12-n25	40	15	1882.5	DFT	pi/2 BPSK	Outer_Full	22.47	19.97
B12-n25	40	15	1882.5	DFT	QPSK	Inner_Full	23.17	20.67
B12-n25	40	15	1882.5	DFT	QPSK	Edge_1RB_Left	21.62	19.12
B12-n25	40	15	1882.5	DFT	QPSK	Edge_1RB_Right	21.32	18.82
B12-n25	40	15	1882.5	DFT	QPSK	Outer_Full	22	19.5
B12-n25	40	15	1882.5	DFT	16QAM	Inner_Full	22.21	19.71



B12-n25	40	15	1882.5	DFT	16QAM	Edge_1RB_Left	21.16	18.66
B12-n25	40	15	1882.5	DFT	16QAM	Edge_1RB_Right	20.75	18.25
B12-n25	40	15	1882.5	DFT	16QAM	Outer_Full	21	18.5
B12-n25	40	15	1882.5	DFT	64QAM	Inner_Full	20.72	18.22
B12-n25	40	15	1882.5	DFT	64QAM	Edge_1RB_Left	20.14	17.64
B12-n25	40	15	1882.5	DFT	64QAM	Edge_1RB_Right	19.72	17.22
B12-n25	40	15	1882.5	DFT	64QAM	Outer_Full	20.49	17.99
B12-n25	40	15	1882.5	DFT	256QAM	Inner_Full	18.69	16.19
B12-n25	40	15	1882.5	DFT	256QAM	Edge_1RB_Left	18.42	15.92
B12-n25	40	15	1882.5	DFT	256QAM	Edge_1RB_Right	17.99	15.49
B12-n25	40	15	1882.5	DFT	256QAM	Outer_Full	18.47	15.97
B12-n25	40	15	1882.5	CP	QPSK	Inner_Full	21.67	19.17
B12-n25	40	15	1882.5	CP	QPSK	Edge_1RB_Left	19.69	17.19
B12-n25	40	15	1882.5	CP	QPSK	Edge_1RB_Right	19.2	16.7
B12-n25	40	15	1882.5	CP	QPSK	Outer_Full	20.04	17.54
B12-n25	40	15	1882.5	CP	16QAM	Inner_Full	21.1	18.6
B12-n25	40	15	1882.5	CP	16QAM	Edge_1RB_Left	20.14	17.64
B12-n25	40	15	1882.5	CP	16QAM	Edge_1RB_Right	19.64	17.14
B12-n25	40	15	1882.5	CP	16QAM	Outer_Full	20.06	17.56
B12-n25	40	15	1882.5	CP	64QAM	Inner_Full	19.7	17.2
B12-n25	40	15	1882.5	CP	64QAM	Edge_1RB_Left	19.46	16.96
B12-n25	40	15	1882.5	CP	64QAM	Edge_1RB_Right	18.55	16.05
B12-n25	40	15	1882.5	CP	64QAM	Outer_Full	19.49	16.99
B12-n25	40	15	1882.5	CP	256QAM	Inner_Full	16.6	14.1
B12-n25	40	15	1882.5	CP	256QAM	Edge_1RB_Left	16.43	13.93
B12-n25	40	15	1882.5	CP	256QAM	Edge_1RB_Right	15.97	13.47
B12-n25	40	15	1882.5	CP	256QAM	Outer_Full	16.45	13.95
B12-n25	40	15	1895	DFT	pi/2 BPSK	Inner_Full	22.68	20.18
B12-n25	40	15	1895	DFT	pi/2 BPSK	Edge_1RB_Left	22.06	19.56
B12-n25	40	15	1895	DFT	pi/2 BPSK	Edge_1RB_Right	21.26	18.76
B12-n25	40	15	1895	DFT	pi/2 BPSK	Outer_Full	22.14	19.64
B12-n25	40	15	1895	DFT	QPSK	Inner_Full	22.8	20.3
B12-n25	40	15	1895	DFT	QPSK	Edge_1RB_Left	20.96	18.46
B12-n25	40	15	1895	DFT	QPSK	Edge_1RB_Right	20.56	18.06
B12-n25	40	15	1895	DFT	QPSK	Outer_Full	21.63	19.13
B12-n25	40	15	1895	DFT	16QAM	Inner_Full	21.82	19.32
B12-n25	40	15	1895	DFT	16QAM	Edge_1RB_Left	20.48	17.98
B12-n25	40	15	1895	DFT	16QAM	Edge_1RB_Right	20.1	17.6
B12-n25	40	15	1895	DFT	16QAM	Outer_Full	20.66	18.16
B12-n25	40	15	1895	DFT	64QAM	Inner_Full	20.2	17.7
B12-n25	40	15	1895	DFT	64QAM	Edge_1RB_Left	19.81	17.31

B12-n25	40	15	1895	DFT	64QAM	Edge_1RB_Right	19.4	16.9
B12-n25	40	15	1895	DFT	64QAM	Outer_Full	20.13	17.63
B12-n25	40	15	1895	DFT	256QAM	Inner_Full	18.22	15.72
B12-n25	40	15	1895	DFT	256QAM	Edge_1RB_Left	18.38	15.88
B12-n25	40	15	1895	DFT	256QAM	Edge_1RB_Right	17.99	15.49
B12-n25	40	15	1895	DFT	256QAM	Outer_Full	18.21	15.71
B12-n25	40	15	1895	CP	QPSK	Inner_Full	21.25	18.75
B12-n25	40	15	1895	CP	QPSK	Edge_1RB_Left	19.05	16.55
B12-n25	40	15	1895	CP	QPSK	Edge_1RB_Right	18.52	16.02
B12-n25	40	15	1895	CP	QPSK	Outer_Full	19.6	17.1
B12-n25	40	15	1895	CP	16QAM	Inner_Full	20.77	18.27
B12-n25	40	15	1895	CP	16QAM	Edge_1RB_Left	19.37	16.87
B12-n25	40	15	1895	CP	16QAM	Edge_1RB_Right	19.04	16.54
B12-n25	40	15	1895	CP	16QAM	Outer_Full	19.59	17.09
B12-n25	40	15	1895	CP	64QAM	Inner_Full	19.24	16.74
B12-n25	40	15	1895	CP	64QAM	Edge_1RB_Left	18.71	16.21
B12-n25	40	15	1895	CP	64QAM	Edge_1RB_Right	18.24	15.74
B12-n25	40	15	1895	CP	64QAM	Outer_Full	19.1	16.6
B12-n25	40	15	1895	CP	256QAM	Inner_Full	16.24	13.74
B12-n25	40	15	1895	CP	256QAM	Edge_1RB_Left	16.34	13.84
B12-n25	40	15	1895	CP	256QAM	Edge_1RB_Right	15.82	13.32
B12-n25	40	15	1895	CP	256QAM	Outer_Full	16.09	13.59

A.2 Emission Limit


A.2.1 Measurement Method

The measurements procedures in TIA-603E-2016 are used. This measurement is carried out in fully anechoic chamber FAC-3.


The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment, which is the transmitted carrier. The resolution bandwidth is set 1MHz. The spectrum was scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels of each LTE Band.

The procedure of radiated spurious emissions is as follows:

1. EUT was placed on a 1.5-meter-high non-conductive stand at a 3-meter test distance from the receive antenna. A receiving antenna was placed on the antenna mast 3 meters from the EUT for emission measurements. The height of receiving antenna is 1.5m. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360 and adjusting the receiving antenna polarization. The radiated emission measurements of all non-harmonic and harmonics of the transmit frequency through the 10th harmonic were measured with peak detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as (Pr).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



In the chamber, a substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is

connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (P_{Mea}) is applied to the input of the substitution antenna. Adjust the level of the signal generator output until the value of the receiver reaches the previously recorded (P_r). The power of signal source (P_{Mea}) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. The Path loss (P_{pl}) between the Signal Source with the Substitution Antenna and the Substitution Antenna Gain (G_a) should be recorded after test.

An amplifier should be connected in for the test.

The Path loss (P_{pl}) is the summation of the cable loss and the gain of the amplifier.

The measurement results are obtained as described below:

$$\text{Power (EIRP)} = P_{Mea} + P_{pl} + G_a$$

5. This value is EIRP since the measurement is calibrated using an antenna of known gain (unit: dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole, $ERP = EIRP - 2.15\text{dB}$.

A.2.2 Measurement Limit

Part 24.238 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Part 22.917 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Part 24.238 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Part 27.53(m) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Part 27.53(h) Except as otherwise specified below, for operations in the 1695-1710 MHz, 1710-1755 MHz, 1755-1780 MHz, 1915-1920 MHz, 1995-2000 MHz, 2000-2020 MHz, 2110-2155 MHz, 2155-2180 MHz, and 2180-2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB.

Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the



transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log (P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

A.2.3 Measurement Results

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies of each LTE Band. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of each LTE Band into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this. The range of evaluated frequency is from 30MHz to 26GHz.

Note: For the test results, all test configuration and test mode had been tested. But only the worst cases were shown in test report.

n2, 5MHz, BPSK, Channel 370500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3701.01	-58.56	6.42	8.48	-56.50	-13.00	43.50	H
5551.01	-56.35	7.18	10.59	-52.94	-13.00	39.94	V
7397.01	-53.92	8.12	12.08	-49.96	-13.00	36.96	V
9242.01	-52.95	9.02	13.25	-48.72	-13.00	35.72	V
11096.00	-49.73	9.84	13.18	-46.39	-13.00	33.39	V
12986.00	-47.92	10.47	13.49	-44.90	-13.00	31.90	V

n2, 5MHz, BPSK, Channel 376000

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3756.01	-60.00	6.27	8.56	-57.71	-13.00	44.71	H
5634.01	-55.93	7.27	10.57	-52.63	-13.00	39.63	H
7504.01	-53.48	8.38	12.20	-49.66	-13.00	36.66	V
9386.01	-52.73	9.05	13.33	-48.45	-13.00	35.45	V
11251.00	-49.26	9.70	13.15	-45.81	-13.00	32.81	V
13135.00	-43.90	10.78	13.69	-40.99	-13.00	27.99	V

n2, 5MHz, BPSK, Channel 381500

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3811.01	-56.79	6.10	8.64	-54.25	-13.00	41.25	H
5718.01	-56.48	7.30	10.56	-53.22	-13.00	40.22	V
7623.01	-54.59	8.08	12.30	-50.37	-13.00	37.37	V
9555.01	-53.20	9.34	13.34	-49.20	-13.00	36.20	V
11460.00	-48.43	9.91	13.11	-45.23	-13.00	32.23	V
13369.00	-44.39	10.57	14.02	-40.94	-13.00	27.94	V

n5, 5MHz, BPSK, Channel 165300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1656.01	-54.09	3.57	5.22	2.15	-54.59	-13.00	41.59	H
2478.50	-47.44	4.60	6.04	2.15	-48.15	-13.00	35.15	H
3301.57	-61.57	5.29	7.72	2.15	-61.29	-13.00	48.29	V
4139.37	-57.56	6.07	9.04	2.15	-56.74	-13.00	43.74	H
4966.73	-57.81	6.66	9.87	2.15	-56.75	-13.00	43.75	H
5796.87	-57.48	7.20	10.54	2.15	-56.29	-13.00	43.29	H

n5, 5MHz, BPSK, Channel 167300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1672.01	-54.72	3.58	5.19	2.15	-55.26	-13.00	42.26	H
2523.00	-46.04	4.65	6.14	2.15	-46.70	-13.00	33.70	H
3337.09	-61.02	5.31	7.81	2.15	-60.67	-13.00	47.67	V
4191.61	-57.64	6.19	9.09	2.15	-56.89	-13.00	43.89	H
5032.89	-56.62	6.58	9.95	2.15	-55.40	-13.00	42.40	V
5867.91	-55.53	7.29	10.53	2.15	-54.44	-13.00	41.44	V

n5, 5MHz, BPSK, Channel 169300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1686.51	-54.94	3.59	5.16	2.15	-55.52	-13.00	42.52	V
2548.50	-45.79	4.67	6.19	2.15	-46.42	-13.00	33.42	H
3376.79	-60.48	5.34	7.90	2.15	-60.07	-13.00	47.07	V
4244.54	-57.59	6.25	9.14	2.15	-56.85	-13.00	43.85	H
5072.59	-56.48	6.69	10.00	2.15	-55.32	-13.00	42.32	V
5935.46	-56.59	7.47	10.51	2.15	-55.70	-13.00	42.70	V

n25, 20MHz, BPSK, Channel 370500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3686.01	-57.53	6.46	8.46	-55.53	-13.00	42.53	H
5530.01	-53.47	7.16	10.59	-50.04	-13.00	37.04	H
7419.01	-53.62	8.17	12.10	-49.69	-13.00	36.69	V
9247.01	-52.98	9.03	13.25	-48.76	-13.00	35.76	V
11114.00	-50.68	9.78	13.18	-47.28	-13.00	34.28	V
12997.00	-48.43	10.47	13.50	-45.40	-13.00	32.40	H

n25, 20MHz, BPSK, Channel 376500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3746.01	-58.34	6.31	8.54	-56.11	-13.00	43.11	H
5620.01	-56.65	7.26	10.58	-53.33	-13.00	40.33	H
7506.01	-54.20	8.37	12.20	-50.37	-13.00	37.37	V
9403.01	-54.36	9.05	13.34	-50.07	-13.00	37.07	V
11309.00	-49.72	10.00	13.14	-46.58	-13.00	33.58	V
13203.00	-45.45	10.50	13.78	-42.17	-13.00	29.17	V

n25, 20MHz, BPSK, Channel 382500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3806.01	-54.51	6.12	8.63	-52.00	-13.00	39.00	H
5710.01	-57.25	7.29	10.56	-53.98	-13.00	40.98	V
7624.01	-54.84	8.08	12.30	-50.62	-13.00	37.62	V
9571.01	-53.93	9.28	13.33	-49.88	-13.00	36.88	H
11461.00	-49.60	9.91	13.11	-46.40	-13.00	33.40	V
13399.00	-44.14	10.57	14.06	-40.65	-13.00	27.65	V

n41, 20MHz, BPSK, Channel 501204

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5006.01	-58.60	6.59	9.91	-55.28	-25.00	30.28	H
7500.01	-52.69	8.39	12.20	-48.88	-25.00	23.88	V
10018.01	-52.84	9.23	12.91	-49.16	-25.00	24.16	V
12538.00	-47.92	10.28	13.22	-44.98	-25.00	19.98	V
15030.00	-42.28	11.26	13.98	-39.56	-25.00	14.56	H
17539.00	-39.21	12.87	14.95	-37.13	-25.00	12.13	H

n41, 20MHz, BPSK, Channel 518598

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5188.01	-59.44	6.94	10.16	-56.22	-25.00	31.22	H
7780.01	-54.78	8.31	12.42	-50.67	-25.00	25.67	H
10363.01	-50.36	9.74	13.05	-47.05	-25.00	22.05	V
12960.00	-46.77	10.48	13.48	-43.77	-25.00	18.77	V
15537.00	-42.44	11.52	13.70	-40.26	-25.00	15.26	H
16854.00	-39.77	12.05	13.74	-38.08	-25.00	13.08	V

n41, 20MHz, BPSK, Channel 535998

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5332.01	-59.63	6.97	10.36	-56.24	-25.00	31.24	V
8029.01	-47.25	8.32	12.62	-42.95	-25.00	17.95	H
10747.00	-49.85	9.42	13.15	-46.12	-25.00	21.12	V
13416.00	-43.38	10.58	14.08	-39.88	-25.00	14.88	H
16073.00	-42.21	11.85	13.69	-40.37	-25.00	15.37	H
17416.00	-37.29	12.54	14.72	-35.11	-25.00	10.11	H

n66, 20MHz, BPSK, Channel 342500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3421.01	-72.20	5.38	8.01	-69.57	-13.00	56.57	H
5131.01	-68.33	6.85	10.08	-65.10	-13.00	52.10	H
6844.01	-64.94	7.83	11.41	-61.36	-13.00	48.36	V
8570.01	-64.39	8.55	13.01	-59.93	-13.00	46.93	V
10294.01	-61.88	9.62	13.02	-58.48	-13.00	45.48	V
11999.00	-58.80	10.06	13.00	-55.86	-13.00	42.86	V

n66, 20MHz, BPSK, Channel 349000

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3486.01	-69.80	5.49	8.17	-67.12	-13.00	54.12	H
5230.01	-69.11	7.00	10.22	-65.89	-13.00	52.89	V
6996.01	-64.55	8.27	11.60	-61.22	-13.00	48.22	V
8741.01	-64.17	8.48	13.05	-59.60	-13.00	46.60	V
10460.01	-60.85	9.71	13.08	-57.48	-13.00	44.48	V
12234.00	-59.13	10.04	13.09	-56.08	-13.00	43.08	V

n66, 20MHz, BPSK, Channel 382500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3551.01	-67.86	5.83	8.27	-65.42	-13.00	52.42	H
5328.01	-66.28	6.98	10.36	-62.90	-13.00	49.90	V
7104.01	-64.65	8.16	11.72	-61.09	-13.00	48.09	H
8896.01	-64.49	8.84	13.08	-60.25	-13.00	47.25	V
10655.00	-61.25	9.29	13.13	-57.41	-13.00	44.41	V
12424.00	-58.92	10.38	13.17	-56.13	-13.00	43.13	V

n70, 5MHz, BPSK, Channel 339500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3390.01	-60.98	5.35	7.94	-58.39	-13.00	45.39	H
5087.01	-51.43	6.74	10.02	-48.15	-13.00	35.15	V
6782.01	-53.93	7.92	11.34	-50.51	-13.00	37.51	H
8487.01	-52.57	8.67	12.99	-48.25	-13.00	35.25	V
10192.01	-53.29	9.31	12.98	-49.62	-13.00	36.62	V
11872.00	-47.88	10.41	13.03	-45.26	-13.00	32.26	V

n70, 5MHz, BPSK, Channel 340500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3401.01	-62.27	5.36	7.96	-59.67	-13.00	46.67	V
5103.01	-52.30	6.78	10.04	-49.04	-13.00	36.04	V
6803.01	-53.89	7.89	11.36	-50.42	-13.00	37.42	H
8537.01	-53.92	8.61	13.01	-49.52	-13.00	36.52	V
10219.01	-52.40	9.37	12.99	-48.78	-13.00	35.78	V
11910.00	-48.44	10.47	13.02	-45.89	-13.00	32.89	V

n70, 5MHz, BPSK, Channel 341500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3410.01	-61.69	5.37	7.98	-59.08	-13.00	46.08	H
5118.01	-54.03	6.82	10.07	-50.78	-13.00	37.78	V
6819.01	-54.41	7.87	11.38	-50.90	-13.00	37.90	V
8542.01	-53.65	8.60	13.01	-49.24	-13.00	36.24	V
10267.01	-51.40	9.53	13.01	-47.92	-13.00	34.92	H
11931.00	-47.84	10.37	13.01	-45.20	-13.00	32.20	V

n71, 5MHz, BPSK, Channel 133100

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1322.01	-54.70	3.14	4.57	2.15	-55.42	-13.00	42.42	H
2000.50	-48.96	4.05	4.60	2.15	-50.56	-13.00	37.56	H
2661.00	-44.99	4.75	6.39	2.15	-45.50	-13.00	32.50	H
3332.91	-61.07	5.30	7.80	2.15	-60.72	-13.00	47.72	V
3998.70	-59.27	6.07	8.90	2.15	-58.59	-13.00	45.59	V
4658.91	-58.62	6.47	9.56	2.15	-57.68	-13.00	44.68	V

n71, 5MHz, BPSK, Channel 136100

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1353.51	-56.06	3.18	4.74	2.15	-56.65	-13.00	43.65	H
2047.00	-50.10	4.14	4.74	2.15	-51.65	-13.00	38.65	H
2712.00	-44.90	4.80	6.48	2.15	-45.37	-13.00	32.37	H
3412.30	-61.67	5.37	7.99	2.15	-61.20	-13.00	48.20	V
4085.05	-57.97	6.04	8.99	2.15	-57.17	-13.00	44.17	V
4771.03	-58.66	6.61	9.67	2.15	-57.75	-13.00	44.75	V

n71, 5MHz, BPSK, Channel 139100

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1394.01	-55.81	3.23	4.95	2.15	-56.24	-13.00	43.24	V
2100.00	-49.94	4.19	4.90	2.15	-51.38	-13.00	38.38	V
2778.00	-46.25	4.88	6.60	2.15	-46.68	-13.00	33.68	H
3466.63	-59.59	5.46	8.12	2.15	-59.08	-13.00	46.08	H
4160.96	-56.04	6.12	9.06	2.15	-55.25	-13.00	42.25	V
4862.27	-56.87	6.72	9.76	2.15	-55.98	-13.00	42.98	V

B5+n2, 5MHz+5MHz, QPSK+BPSK, Channel 20525+370500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3701.01	-59.38	6.42	8.48	-57.32	-13.00	44.32	V
5583.01	-58.37	7.22	10.58	-55.01	-13.00	42.01	H
7384.01	-52.98	8.11	12.06	-49.03	-13.00	36.03	V
9265.01	-52.48	9.07	13.26	-48.29	-13.00	35.29	V
11091.00	-50.11	9.85	13.18	-46.78	-13.00	33.78	V
12980.00	-46.81	10.47	13.49	-43.79	-13.00	30.79	V

B5+n2, 5MHz+5MHz, QPSK+BPSK, Channel 20525+376500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3756.01	-59.62	6.27	8.56	-57.33	-13.00	44.33	H
5621.01	-57.88	7.26	10.58	-54.56	-13.00	41.56	V
7517.01	-54.11	8.32	12.21	-50.22	-13.00	37.22	V
9375.01	-53.47	9.06	13.33	-49.20	-13.00	36.20	V
11276.00	-49.52	9.85	13.14	-46.23	-13.00	33.23	V
13131.00	-43.82	10.80	13.68	-40.94	-13.00	27.94	H

B5+n2, 5MHz+5MHz, QPSK+BPSK, Channel 20525+3810500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3838.01	-60.75	6.07	8.67	-58.15	-13.00	45.15	H
5718.01	-57.48	7.30	10.56	-54.22	-13.00	41.22	H
7604.01	-54.44	7.99	12.28	-50.15	-13.00	37.15	V
9558.01	-53.52	9.33	13.34	-49.51	-13.00	36.51	V
11444.00	-49.19	9.95	13.11	-46.03	-13.00	33.03	V
13360.00	-44.25	10.57	14.00	-40.82	-13.00	27.82	H

B2+n5, 5MHz+5MHz, QPSK+BPSK, Channel 18900+165300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1656.01	-54.09	3.57	5.22	2.15	-54.59	-13.00	41.59	H
2478.50	-47.44	4.60	6.04	2.15	-48.15	-13.00	35.15	H
3301.57	-61.57	5.29	7.72	2.15	-61.29	-13.00	48.29	V
4139.37	-57.56	6.07	9.04	2.15	-56.74	-13.00	43.74	H
4966.73	-57.81	6.66	9.87	2.15	-56.75	-13.00	43.75	H
5796.87	-57.48	7.20	10.54	2.15	-56.29	-13.00	43.29	H

B2+n5, 5MHz+5MHz, QPSK+BPSK, Channel 18900+167300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1672.01	-54.72	3.58	5.19	2.15	-55.26	-13.00	42.26	H
2523.00	-46.04	4.65	6.14	2.15	-46.70	-13.00	33.70	H
3337.09	-61.02	5.31	7.81	2.15	-60.67	-13.00	47.67	V
4191.61	-57.64	6.19	9.09	2.15	-56.89	-13.00	43.89	H
5032.89	-56.62	6.58	9.95	2.15	-55.40	-13.00	42.40	V
5867.91	-55.53	7.29	10.53	2.15	-54.44	-13.00	41.44	V

B2+n5, 5MHz+5MHz, QPSK+BPSK, Channel 18900+169300

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1686.51	-54.94	3.59	5.16	2.15	-55.52	-13.00	42.52	V
2548.50	-45.79	4.67	6.19	2.15	-46.42	-13.00	33.42	H
3376.79	-60.48	5.34	7.90	2.15	-60.07	-13.00	47.07	V
4244.54	-57.59	6.25	9.14	2.15	-56.85	-13.00	43.85	H
5072.59	-56.48	6.69	10.00	2.15	-55.32	-13.00	42.32	V
5935.46	-56.59	7.47	10.51	2.15	-55.70	-13.00	42.70	V

B12+n25, 5MHz+20MHz, QPSK+BPSK, Channel 23095+370500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3544.01	-46.45	5.40	7.41	-57.41	-13.00	44.41	V
5101.01	-52.24	6.54	9.31	-55.64	-13.00	42.64	V
7020.01	-56.36	7.89	11.59	-50.63	-13.00	37.63	V
8599.01	-53.41	8.80	12.88	-48.33	-13.00	35.33	V
10400.01	-50.72	9.80	13.06	-47.06	-13.00	34.06	H
11686.00	-49.05	9.64	13.06	-45.94	-13.00	32.94	H

B12+n25, 5MHz+20MHz, QPSK+BPSK, Channel 23095+376500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3531.01	-13.91	5.35	7.22	-57.33	-13.00	44.33	V
5184.01	-14.56	6.30	8.49	-55.47	-13.00	42.47	H
7006.01	-15.28	7.34	9.88	-50.31	-13.00	37.31	V
8748.01	-15.97	8.34	11.22	-48.01	-13.00	35.01	V
10472.01	-16.65	9.33	12.54	-46.40	-13.00	33.40	V
12241.00	-16.65	10.03	13.10	-44.89	-13.00	31.89	V

B12+n25, 5MHz+20MHz, QPSK+BPSK, Channel 23095+382500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3547.01	-22.08	5.38	7.34	-58.34	-13.00	45.34	V
5102.01	-23.19	6.34	8.63	-55.43	-13.00	42.43	H
6847.01	-24.43	7.42	10.08	-50.71	-13.00	37.71	V
8744.01	-25.79	8.59	11.65	-48.66	-13.00	35.66	V
10456.01	-27.01	9.65	13.07	-46.36	-13.00	33.36	V
11468.00	-26.23	9.89	13.11	-45.60	-13.00	32.60	H

B2+n41, 5MHz+20MHz, QPSK+BPSK, Channel 18900+501204

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5102.01	-53.53	6.54	9.31	-55.46	-25.00	30.46	V
7807.01	-55.35	8.30	12.45	-49.56	-25.00	24.56	V
9103.01	-53.26	8.93	13.16	-47.76	-25.00	22.76	V
12183.00	-48.54	9.97	13.22	-45.03	-25.00	20.03	V
15529.00	-44.50	11.52	13.70	-41.19	-25.00	16.19	V
16851.00	-39.81	12.05	13.74	-37.47	-25.00	12.47	V

B2+n41, 5MHz+20MHz, QPSK+BPSK, Channel 18900+518598

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5105.01	-33.81	6.52	9.31	-55.75	-25.00	30.75	H
7773.01	-54.80	8.32	12.42	-49.67	-25.00	24.67	H
10347.01	-50.22	9.72	13.04	-46.76	-25.00	21.76	V
12206.00	-48.79	10.06	13.24	-45.17	-25.00	20.17	H
15551.00	-44.29	11.51	13.70	-41.73	-25.00	16.73	V
16868.00	-40.03	12.03	13.75	-38.01	-25.00	13.01	V

B2+n41, 5MHz+20MHz, QPSK+BPSK, Channel 18900+535998

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
5098.01	-30.57	6.70	9.32	-55.27	-25.00	30.27	V
7020.01	-54.04	8.07	11.57	-50.63	-25.00	25.63	V
9402.01	-52.86	9.05	13.34	-48.05	-25.00	23.05	H
12085.00	-48.62	10.30	13.03	-45.77	-25.00	20.77	H
14769.00	-44.54	11.15	14.18	-40.81	-25.00	15.81	V
17341.00	-39.33	12.54	14.69	-36.26	-25.00	11.26	V

B2+n66, 5MHz+20MHz, QPSK+BPSK, Channel 18900+342500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3509.01	-71.71	5.54	8.21				H
5132.01	-70.53	6.92	10.11	-65.49	-13.00	52.49	H
6849.01	-64.87	8.17	11.48	-60.87	-13.00	47.87	V
8743.01	-63.53	8.49	13.05	-58.97	-13.00	45.97	V
10452.01	-60.53	9.72	13.08	-57.11	-13.00	44.11	V
12233.00	-58.64	10.04	13.09	-55.58	-13.00	42.58	V

B2+n66, 5MHz+20MHz, QPSK+BPSK, Channel 18900+349000

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3486.01	-70.19	5.49	8.17	-67.51	-13.00	54.51	H
5230.01	-69.44	7.00	10.22	-65.70	-13.00	52.70	H
6988.01	-64.63	8.21	11.59	-60.86	-13.00	47.86	V
8758.01	-63.56	8.50	13.05	-58.98	-13.00	45.98	V
12224.00	-58.81	10.04	13.09	-55.76	-13.00	42.76	V
13961.00	-54.90	10.83	14.48	-50.91	-13.00	37.91	H

B2+n66, 5MHz+20MHz, QPSK+BPSK, Channel 18900+382500

Frequency (MHz)	PMea (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polarization
3551.01	-71.89	5.57	8.26	-66.91	-13.00	53.91	H
5239.01	-70.48	7.00	10.23	-65.63	-13.00	52.63	V
6984.01	-64.47	8.17	11.58	-60.67	-13.00	47.67	H
8745.01	-63.58	8.49	13.05	-58.82	-13.00	45.82	V
10451.01	-60.37	9.73	13.08	-56.98	-13.00	43.98	V
12232.00	-58.61	10.04	13.09	-55.70	-13.00	42.70	V

B2+n71, 5MHz+5MHz, QPSK+BPSK, Channel 18900+133100

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1317.51	-54.50	3.14	4.55	2.15	-55.24	-13.00	42.24	H
1989.01	-50.23	4.02	4.62	2.15	-51.78	-13.00	38.78	H
2669.50	-45.36	4.76	6.41	2.15	-45.86	-13.00	32.86	H
3337.79	-61.21	5.31	7.81	2.15	-60.86	-13.00	47.86	V
4000.79	-59.23	6.07	8.90	2.15	-58.55	-13.00	45.55	V
4661.00	-58.28	6.47	9.56	2.15	-57.34	-13.00	44.34	V

B2+n71, 5MHz+5MHz, QPSK+BPSK, Channel 18900+136100

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1363.01	-56.44	3.19	4.79	2.15	-56.99	-13.00	43.99	H
2033.00	-50.19	4.13	4.70	2.15	-51.77	-13.00	38.77	H
2716.00	-45.00	4.80	6.49	2.15	-45.46	-13.00	32.46	H
3396.29	-61.55	5.36	7.95	2.15	-61.11	-13.00	48.11	V
4093.41	-57.33	6.04	8.99	2.15	-56.53	-13.00	43.53	V
4755.02	-58.77	6.58	9.66	2.15	-57.84	-13.00	44.84	V

B2+n71, 5MHz+5MHz, QPSK+BPSK, Channel 18900+139100

Frequency (MHz)	P _{Mea} (dBm)	Path Loss(dB)	Antenna Gain(dBi)	Correction (dB)	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polarization
1383.01	-56.41	3.21	4.89	2.15	-56.88	-13.00	43.88	H
2097.50	-49.91	4.19	4.89	2.15	-51.36	-13.00	38.36	V
2771.00	-45.62	4.87	6.59	2.15	-46.05	-13.00	33.05	V
3492.39	-59.51	5.51	8.18	2.15	-58.99	-13.00	45.99	H
4161.66	-57.33	6.12	9.06	2.15	-56.54	-13.00	43.54	V
4876.89	-57.11	6.72	9.78	2.15	-56.20	-13.00	43.20	V

Note1: The measurement results showed here are worst cases.

Note2: The maximum value of expanded measurement uncertainty for this test item is $U = 5.16$ dB, $k = 2$.

A.3 Frequency Stability

A.3.1 Method of Measurement

Frequency stability is a measure of the frequency drift due to temperature and supply voltage variations, with reference to the frequency measured at +20 °C and rated supply voltage. Two reference points are established at the applicable unwanted emissions limit using a RBW equal to the RBW required by the unwanted emissions specification of the applicable regulatory standard. These reference points measured using the lowest and highest channel of operation shall be identified as F_L and F_H respectively.

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of MT8000A.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the MT8000A, and in a simulated call on middle channel for each NR band, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the MT8000A and in a simulated call on the center channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of the lower, higher and nominal voltage. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress.

A.3.2 Measurement results

n5

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	824.280	847.640		
50				-3.20	0.0038
40				-3.20	0.0038
30				-1.90	0.0023
10				-4.30	0.0051
0				-4.40	0.0053
-10				-3.00	0.0036
-20				-3.50	0.0042
-30				-5.00	0.0060

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	824.280	847.640	-5.10	0.0061
4.2				-4.70	0.0056

n41

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	2496.720	2688.160		
50				-12.60	0.0049
40				-11.70	0.0045
30				-11.40	0.0044
10				-5.30	0.0020
0				-7.50	0.0029
-10				-7.40	0.0029
-20				3.00	0.0012
-30				-11.60	0.0045

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	2496.720	2688.160	-8.00	0.0031
4.2				-7.40	0.0029

n66
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	1710.120	1779.840		
50				-3.30	0.0019
40				-1.30	0.0007
30				-2.90	0.0017
10				-2.20	0.0013
0				-4.00	0.0023
-10				-0.70	0.0004
-20				-2.10	0.0012
-30				-0.60	0.0003

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	1710.120	1779.840	-1.60	0.0009
4.2				0.00	0.0000

n70
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	1695.200	1709.080		
50				-1.30	0.0008
40				-8.10	0.0048
30				-9.20	0.0054
10				-7.30	0.0043
0				-5.50	0.0032
-10				-5.00	0.0029
-20				-4.80	0.0028
-30				-6.80	0.0040

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	1695.200	1709.080	-4.50	0.0026
4.2				-3.10	0.0018

n71
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	663.400	696.480		
50				-2.90	0.0043
40				-3.50	0.0051
30				-3.80	0.0056
10				-3.30	0.0048
0				-3.60	0.0053
-10				-2.20	0.0032
-20				-3.80	0.0056
-30				-3.00	0.0044

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	663.400	696.480	-6.50	0.0096
4.2				-6.50	0.0096

LTE Band 12+NR n25
Frequency Error vs Voltage

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	1850.120	1914.880		
50				-10.70	0.0055
40				-11.70	0.0060
30				-11.20	0.0057
10				-7.20	0.0037
0				-10.00	0.0051
-10				-9.30	0.0047
-20				-9.00	0.0046
-30				-11.00	0.0056

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	1850.120	1914.880	-9.10	0.0046
4.2				-8.30	0.0042

A.4 Occupied Bandwidth

Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the mid frequencies frequency. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts.
- b) The nominal IF filter 3 dB bandwidth (RBW) shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times$ RBW.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) Set the detection mode to peak, and the trace mode to max-hold.


n5
n5,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	4.492	4.491

n5,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n5,5MHz Bandwidth,DFT-s-QPSK (99% BW)





n5,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	8.960	8.971

n5,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n5,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n5,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	13.463	13.443

n5,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n5,15MHz Bandwidth,DFT-s-QPSK (99% BW)


n5,20MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	17.979	17.970

n5,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n5,20MHz Bandwidth,DFT-s-QPSK (99% BW)



n41
n41,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	8.587	8.650

n41,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)





n41,10MHz Bandwidth,DFT-s-QPSK (99% BW)





n41,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	12.949	12.943

n41,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,15MHz Bandwidth,DFT-s-QPSK (99% BW)




n41,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	18.026	18.030

n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n41,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	26.912	26.945

n41,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n41,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	36.083	35.980

n41,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n41,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	46.025	45.896

n41,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,50MHz Bandwidth,DFT-s-QPSK (99% BW)




n41,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	57.899	57.980

n41,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,60MHz Bandwidth,DFT-s-QPSK (99% BW)




n41,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	64.322	64.384

n41,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,70MHz Bandwidth,DFT-s-QPSK (99% BW)




n41,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	77.398	77.573

n41,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,80MHz Bandwidth,DFT-s-QPSK (99% BW)


n41,90MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	87.019	87.179

n41,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,90MHz Bandwidth,DFT-s-QPSK (99% BW)



n41,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	96.642	96.368

n41,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,100MHz Bandwidth,DFT-s-QPSK (99% BW)



n66
n66,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.501	4.499

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n66,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n66,10MHz(99%)



Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	8.961	9.000

n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n66,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n66,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	13.479	13.450

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n66,15MHz Bandwidth,DFT-s-QPSK (99% BW)


n66,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	18.032	18.044


n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n66,20MHz Bandwidth,DFT-s-QPSK (99% BW)


n66,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	22.928	22.971

n66,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)


10:04:48 06.05.2022


n66,25MHz Bandwidth,DFT-s-QPSK (99% BW)


10:05:06 06.05.2022

n66,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	28.585	28.631

n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n66,30MHz Bandwidth,DFT-s-QPSK (99% BW)



n66,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	38.818	38.870

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,40MHz Bandwidth,DFT-s-QPSK (99% BW)



n70
n70,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	4.502	4.492

n70,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n70,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n70,10MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	8.983	8.989

n70,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)


n70,10MHz Bandwidth,DFT-s-QPSK (99% BW)


n70,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	13.476	13.463

n70,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)


10:11:09 06.05.2022

n70,15MHz Bandwidth,DFT-s-QPSK (99% BW)


10:11:27 06.05.2022


n71
n71,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4.501	4.496

n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n71,5MHz Bandwidth,DFT-s-QPSK (99% BW)





n71,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	8.974	8.991

n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n71,10MHz Bandwidth,DFT-s-QPSK (99% BW)


n71,15MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	13.465	13.449

n71,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n71,15MHz Bandwidth,DFT-s-QPSK (99% BW)


n71,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	18.018	18.023

n71,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n71,20MHz Bandwidth,DFT-s-QPSK (99% BW)


LTE Band 12+NR n25
n25,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	4.489	4.505

n25,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



16:55:30 05.05.2022

n25,5MHz Bandwidth,DFT-s-QPSK (99% BW)




16:55:54 05.05.2022


**LTE Band 12+NR n25
n25,10MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	8.991	9.012

n25,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n25,10MHz Bandwidth,DFT-s-QPSK (99% BW)



LTE Band 12+NR n25
n25,15MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	13.497	13.468

n25,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



16:58:52 05.05.2022

n25,15MHz Bandwidth,DFT-s-QPSK (99% BW)




16:59:15 05.05.2022


**LTE Band 12+NR n25
n25,20MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	17.983	17.965

n25,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n25,20MHz Bandwidth,DFT-s-QPSK (99% BW)




LTE Band 12+NR n25
n25,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	22.989	23.013

n25,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n25,25MHz Bandwidth,DFT-s-QPSK (99% BW)




**LTE Band 12+NR n25
n25,30MHz(99%)**

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	28.615	28.627

n25,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n25,30MHz Bandwidth,DFT-s-QPSK (99% BW)



LTE Band 12+NR n25
n25,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	38.868	38.815

n25,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n25,40MHz Bandwidth,DFT-s-QPSK (99% BW)



A.5 Emission Bandwidth

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.


The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times$ RBW.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.


n5
n5,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	4.960	4.960

n5,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)





n5,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n5,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	9.620	9.770

n5,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n5,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n5,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	14.341	14.296

n5,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n5,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n5,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	19.361	19.361


n5,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n5,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n41


n41,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	9.560	9.560

n41,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)





n41,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n41,15MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	14.431	14.565

n41,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n41,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	19.241	19.241

n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)





n41,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n41,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	28.591	28.501

n41,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	38.600	38.720

n41,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n41,50MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	49.150	48.850

n41,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n41,60MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	60.780	60.780

n41,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)





n41,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n41,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	67.550	67.970

n41,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	82.240	82.480

n41,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	91.980	91.980

n41,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n41,100MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	101.300	101.600

n41,100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66

n66,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.915	4.990

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n66,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	9.650	9.710


n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	14.386	14.386


n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66,20MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	19.421	19.361

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66,25MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	24.426	24.351

n66,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66,30MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	29.940	30.030

n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	41.240	41.360

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n70
n70,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	4.945	4.945

n70,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n70,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n70,10MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	9.740	9.770

n70,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n70,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n70,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	14.431	14.341

n70,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n70,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71
n71,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4.930	4.960

n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n71,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n71,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	9.710	9.740

n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n71,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n71,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	14.386	14.341

n71,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n71,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n71,20MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	19.481	19.600

n71,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n71,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



LTE Band 12+NR n25
n25,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	4.945	4.975

n25,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n25,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




LTE Band 12+NR n25
n25,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	9.710	9.710

n25,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n25,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



LTE Band 12+NR n25
n25,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	14.386	14.386

n25,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n25,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



LTE Band 12+NR n25
n25,20MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	19.421	19.540

n25,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



17:12:16 05.05.2022

n25,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



17:12:40 05.05.2022


**LTE Band 12+NR n25
n25,25MHz(-26dBc)**

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	24.426	24.500

n25,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n25,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



**LTE Band 12+NR n25
n25,30MHz(-26dBc)**


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	30.120	30.030

n25,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



17:15:39 05.05.2022

n25,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




17:16:02 05.05.2022


LTE Band 12+NR n25
n25,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	41.360	41.840

n25,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



A.6 Band Edge Compliance

A.6.1 Measurement limit

Part 22.917, Part 24.238 and Part 27.53(h) specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Part 27.53(m) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.


Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

Part 27.53(h) for operations in the 1695–1710 MHz, 1710–1755 MHz, 1755–1780 MHz, 1915–1920 MHz, 1995–2000 MHz, 2000–2020 MHz, 2110–2155 MHz, 2155–2180 MHz, and 2180–2200 bands, the power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

A.6.2 Measurement result

NR n5

OBW: 1RB-HIGH_offset



HIGH BAND EDGE BLOCK-1RB-HIGH_offset

