



TEST REPORT

No. I22Z61533-WMD04

for

Wingtech Group (Hong Kong) Limited

5G Mobile Phone

Model Name: Celero5G+

FCC ID: 2APXW-CELERO5GPLUS

with

Hardware Version: V1.0

Software Version: Celero5GPlus_0.01.03

Issued Date: 2022-10-27

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT

No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504

Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn



REPORT HISTORY

Report Number	Revision	Description	Issue Date
I22Z61533-WMD04	Rev.0	1 st edition	2022-10-20
I22Z61533-WMD04	Rev.1	2 nd edition Updated the results of n41, n77L and n77H in A.1.	2022-10-27

Note: the latest revision of the test report supersedes all previous version.



CONTENTS

1. TEST LABORATORY	4
1.1. INTRODUCTION & ACCREDITATION.....	4
1.2. TESTING LOCATION	4
1.3. TESTING ENVIRONMENT.....	5
1.4. PROJECT DATA	5
1.5. SIGNATURE	5
2. CLIENT INFORMATION.....	6
2.1. APPLICANT INFORMATION.....	6
2.2. MANUFACTURER INFORMATION.....	6
3. EQUIPMENT UNDER TEST (EUT) AND ANCILLARY EQUIPMENT (AE)	7
3.1. ABOUT EUT	7
3.2. INTERNAL IDENTIFICATION OF EUT USED DURING THE TEST	7
3.3. INTERNAL IDENTIFICATION OF AE USED DURING THE TEST.....	7
4. REFERENCE DOCUMENTS.....	8
4.1. DOCUMENTS SUPPLIED BY APPLICANT	8
4.2. REFERENCE DOCUMENTS FOR TESTING.....	8
5. LABORATORY ENVIRONMENT	9
6. SUMMARY OF TEST RESULT	10
7. TEST EQUIPMENT UTILIZED	15
ANNEX A: MEASUREMENT RESULTS.....	16
A.1 OUTPUT POWER	16
A.2 EMISSION LIMIT.....	241
A.3 FREQUENCY STABILITY	260
A.4 OCCUPIED BANDWIDTH.....	266
A.5 EMISSION BANDWIDTH.....	309
A.6 BAND EDGE COMPLIANCE.....	352
A.7 CONDUCTED SPURIOUS EMISSION	401
A.8 PEAK-TO-AVERAGE POWER RATIO.....	410
ANNEX B: ACCREDITATION CERTIFICATE.....	412



1. Test Laboratory

1.1. Introduction & Accreditation

Telecommunication Technology Labs, CAICT is an ISO/IEC 17025:2017 accredited test laboratory under NATIONAL VOLUNTARY LABORATORY ACCREDITATION PROGRAM (NVLAP) with lab code 600118-0 and is also an FCC accredited test laboratory (CN5017), and ISED accredited test laboratory (CN0066). The detail accreditation scope can be found on NVLAP website.

1.2. Testing Location

Location 1: CTTL (huayuan North Road)

Address: No. 52, Huayuan North Road, Haidian District, Beijing,
P. R. China 100191

Location 2: CTTL (BDA)

Address: No.18A, Kangding Street, Beijing Economic-Technology
Development Area, Beijing, P. R. China 100176



1.3. Testing Environment

Normal Temperature: 15-35°C
Relative Humidity: 20-75%

1.4. Project Data

Testing Start Date: 2022-08-15
Testing End Date: 2022-10-18

1.5. Signature

Dong Yuan
(Prepared this test report)

Zhou Yu
(Reviewed this test report)

Zhao Hui Lin
Deputy Director of the laboratory
(Approved this test report)



2. Client Information

2.1. Applicant Information

Company Name: Wingtech Group (Hong Kong) Limited
Address /Post: Flat/RM 1802 18/F, Podium Plaza, 5 Hanoi Road, Tsim Sha Tsui, KL,
HK
Contact: sharui
Email: sharui@wingtech.com
Telephone: +86-21-53529900

2.2. Manufacturer Information

Company Name: Wingtech Group (Hong Kong) Limited
Address /Post: Flat/RM 1802 18/F, Podium Plaza, 5 Hanoi Road, Tsim Sha Tsui, KL,
HK
Contact: sharui
Email: sharui@wingtech.com
Telephone: +86-21-53529900



3. Equipment Under Test (EUT) and Ancillary Equipment (AE)

3.1. About EUT

Description	5G Mobile Phone
Model Name	Celero5G+
FCC ID	2APXW-CELERO5GPLUS
Antenna	Embedded
Output power	28.62dBm maximum EIRP measured for NR n41
Extreme vol. Limits	3.6VDC to 4.2VDC (nominal: 3.85VDC)
Extreme temp.Tolerance	-10°C to +55°C

Note: Components list, please refer to documents of the manufacturer; it is also included in the original test record of CTTL.

3.2. Internal Identification of EUT used during the test

EUT ID*	IMEI	HW Version	SW Version	Date of receipt
UT13a	869183060003450	V1.0	Celero5GPlus_0.01.03	2022-08-15
UT86a	869183060032699	V1.0	Celero5GPlus_0.01.03	2022-09-28

*EUT ID: is used to identify the test sample in the lab internally.

3.3. Internal Identification of AE used during the test

AE ID*	Description
AE1	Battery
AE1	
Model	TM001
Manufacturer	Dongguan Veken Battery Co., Ltd.
Capacitance	5000mAh

*AE ID: is used to identify the test sample in the lab internally.



4. Reference Documents

4.1. Documents supplied by applicant

EUT parameters are supplied by the customer, which are the bases of testing. CAICT is not responsible for the accuracy of customer supplied technical information that may affect the test results (for example, antenna gain and loss of customer supplied cable).

4.2. Reference Documents for testing

The following documents listed in this section are referred for testing.

Reference	Title	Version
FCC Part 22	PUBLIC MOBILE SERVICES	10-1-21 Edition
FCC Part 24	PERSONAL COMMUNICATIONS SERVICES	10-1-21 Edition
FCC Part 27	MISCELLANEOUS WIRELESS COMMUNICATIONS SERVICES	10-1-21 Edition
FCC Part 90	PRIVATE LAND MOBILE RADIO SERVICES	10-1-21 Edition
ANSI/TIA-603-E	Land Mobile FM or PM Communications Equipment Measurement and Performance Standards	2016
ANSI C63.26	American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services	2015
KDB 971168 D01	MEASUREMENT GUIDANCE FOR CERTIFICATION OF LICENSED DIGITAL TRANSMITTERS	v03r01

5. Laboratory Environment

Control room / conducted chamber did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 35 °C
Relative humidity	Min. = 20 %, Max. = 80 %
Shielding effectiveness	> 110 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 0.5Ω

Fully-anechoic chamber 2 (8.6 meters×6.1 meters×3.85 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 110 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 1Ω
Site voltage standing-wave ratio (S_{VSWR})	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz

Semi-anechoic chamber 2 / Fully-anechoic chamber 3 (10 meters×6.7 meters×6.15 meters) did not exceed following limits along the EMC testing:

Temperature	Min. = 15 °C, Max. = 30 °C
Relative humidity	Min. = 35 %, Max. = 60 %
Shielding effectiveness	> 100 dB
Electrical insulation	>2 MΩ
Ground system resistance	< 0.5Ω
Normalised site attenuation (NSA)	< ±3.5 dB, 3 m distance
Site voltage standing-wave ratio (S_{VSWR})	Between 0 and 6 dB, from 1GHz to 18GHz
Uniformity of field strength	Between 0 and 6 dB, from 80 to 6000 MHz

6. Summary Of Test Result

n25 (2)

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	24.232	P
2	Emission Limit	2.1051/24.238	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	24.238	P
6	Band Edge Compliance	24.238	P
7	Conducted Spurious Emission	24.238	P
8	Peak-to-Average Power Ratio	24.232	P

n26_part90

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	90.635	P
2	Emission Limit	2.1051/90.691	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	2.1049	P
6	Band Edge Compliance	90.691	P
7	Conducted Spurious Emission	90.691	P

n26_part22 (5)

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	22.913	P
2	Emission Limit	2.1051/22.917	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	22.917	P
6	Band Edge Compliance	22.917	P
7	Conducted Spurious Emission	22.917	P

n30

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n41

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n66

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n70

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n71

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	2.1051/27.53	P
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n77L

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	--	NA
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

n77H

Items	Test Name	Clause in FCC rules	Verdict
1	Output Power	27.50	P
2	Emission Limit	--	NA
3	Frequency Stability	2.1055	P
4	Occupied Bandwidth	2.1049	P
5	Emission Bandwidth	27.53	P
6	Band Edge Compliance	27.53	P
7	Conducted Spurious Emission	27.53	P
8	Peak-to-Average Power Ratio	27.50	P

Terms used in Verdict column

P	Pass. The EUT complies with the essential requirements in the standard.
NP	Not Performed. The test was not performed by CTTL.
NA	Not Applicable. The test was not applicable.
BR	Re-use test data from basic model report.
F	Fail. The EUT does not comply with the essential requirements in the standard.

All the test results are based on normal power.

n26_part90: 814MHz-824MHz

n26_part22: 814MHz-824MHz

n77L: 3450MHz-3550MHz

n77H: 3700MHz-3980MHz

n41 n77L and n77H are tested by power class 2.

NR n25, n26 overlaps the entire frequency range of NR n2, n5. Therefore, test data provided in this report covers n2, n5 as well as n25, n26.



Explanation of worst-case configuration

NR modulation: DFT-s-OFDM pi/2 BPSK; QPSK; 16QAM; 64QAM; 256QAM

CP-OFDM QPSK; 16QAM; 64QAM; 256QAM

NR BW: 5/10MHz for n26_Part90 and n30, 5/10/15MHz for n70, 20/30/40/50/60/80/90/100MHz for n41, 20/30/40/60/80MHz for n77L, 20/30/40/60/80/100MHz for n77H and 5/10/15/20MHz for other NR bands.

The EUT supports n2, n5, n25, n26, n30, n41, n66, n70, n71, n77L, n77H, B4/5/12/66-n2, B2/66-n5, B12/66-n25, B2/5/12/14/66-n30, B2/4/5/25/26/66-n41, B2/5/12-n66, B2/66-n71, B2/5/12/25/66-n77.

The test results provided in this report represent the worst case configuration.

For all the NSA cases, LTE Bands are set under the 10MHz bandwidth, middle channel, 50RB and QPSK modulation.

For all the NSA combinations and SA mode of the same NR band, output powers are pretested under the maximum bandwidth and mid channel so that the modes with the maximum output power values are chosen out, which are n25, n26_Part90, n26_Part22, n30, n41, n66, n70, n71, n77L and n77H. Only the results of the modes chosen by the max values are presented in the report. Then all the conducted test cases under the modes chosen out are performed.

7. Test Equipment Utilized

Description	Type	Series Number	Manufacture	Cal Due Date	Calibration Interval
Radio Communication Test Station	MT8000A	6262093285	Anritsu	2022-12-13	1 year
Radio Communication Analyzer	MT8821C	6201763159	Anritsu	2023-08-02	1 year
Signal&Spectrum Analyzer	FSW	104038	R&S	2023-06-20	1 year
PXA Signal Analyzer	N9030A	MY54490239	Keysight	2022-08-29	1 year
PXA Signal Analyzer	N9030A	MY54490239	Keysight	2023-08-31	1 year
Climate chamber	SH-242	93008556	ESPEC	2023-12-23	3 years
Test Receiver	E4440A	MY48250642	Agilent	2023-03-10	1 year
EMI Antenna	VULB9163	9163-482	Schwarzbeck	2022-11-16	1 year
EMI Antenna	LB-7180-NF	J203001300005	A-INFO	2023-02-23	1 year
EMI Antenna	3117	00058889	ETS-Lindgren	2022-11-07	1 year
Signal Generator	SMF100A	101295	R&S	2022-12-11	1 year
Universal Communication Tester	MT8821C	6262257899	Anritsu	2023-05-15	1 year
Universal Communication Tester	MT8000A	6262261933	Anritsu	2023-05-15	1 year

Annex A: Measurement Results

A.1 Output Power

A.1.1 Summary

During the process of testing, the EUT was controlled via communication tester to ensure max power transmission and proper modulation.

In all cases, output power is within the specified limits.

A.1.2 Conducted

A.1.2.1 Method of Measurements

The EUT was set up for the max output power with pseudo random data modulation.

These measurements were done at 3 frequencies (bottom, middle and top of operational frequency range) for each bandwidth.

The results below include a correction factor for cable loss that is provided by the customer.

A.1.2.2 Measurement Result

n25

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n25	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	23.78
n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.30
n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.30
n25	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	23.34
n25	5	15	1852.5	DFT	QPSK	Inner_Full	23.91
n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	22.96
n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	22.91
n25	5	15	1852.5	DFT	QPSK	Outer_Full	22.89
n25	5	15	1852.5	DFT	16QAM	Inner_Full	22.98
n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.78
n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.78
n25	5	15	1852.5	DFT	16QAM	Outer_Full	22.00
n25	5	15	1852.5	DFT	64QAM	Inner_Full	21.47
n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	21.28
n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	21.22
n25	5	15	1852.5	DFT	64QAM	Outer_Full	21.53
n25	5	15	1852.5	DFT	256QAM	Inner_Full	19.36
n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	19.19
n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	19.18
n25	5	15	1852.5	DFT	256QAM	Outer_Full	19.36
n25	5	15	1852.5	CP	QPSK	Inner_Full	22.35
n25	5	15	1852.5	CP	QPSK	Edge_1RB_Left	20.92

n25	5	15	1852.5	CP	QPSK	Edge_1RB_Right	20.89
n25	5	15	1852.5	CP	QPSK	Outer_Full	20.83
n25	5	15	1852.5	CP	16QAM	Inner_Full	21.99
n25	5	15	1852.5	CP	16QAM	Edge_1RB_Left	21.33
n25	5	15	1852.5	CP	16QAM	Edge_1RB_Right	21.39
n25	5	15	1852.5	CP	16QAM	Outer_Full	20.96
n25	5	15	1852.5	CP	64QAM	Inner_Full	20.33
n25	5	15	1852.5	CP	64QAM	Edge_1RB_Left	20.24
n25	5	15	1852.5	CP	64QAM	Edge_1RB_Right	20.17
n25	5	15	1852.5	CP	64QAM	Outer_Full	20.46
n25	5	15	1852.5	CP	256QAM	Inner_Full	17.50
n25	5	15	1852.5	CP	256QAM	Edge_1RB_Left	17.31
n25	5	15	1852.5	CP	256QAM	Edge_1RB_Right	17.27
n25	5	15	1852.5	CP	256QAM	Outer_Full	17.49
n25	5	15	1882.5	DFT	pi/2 BPSK	Inner_Full	24.13
n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.76
n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.67
n25	5	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.80
n25	5	15	1882.5	DFT	QPSK	Inner_Full	24.22
n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Left	23.28
n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Right	23.19
n25	5	15	1882.5	DFT	QPSK	Outer_Full	23.30
n25	5	15	1882.5	DFT	16QAM	Inner_Full	23.30
n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.66
n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.51
n25	5	15	1882.5	DFT	16QAM	Outer_Full	22.25
n25	5	15	1882.5	DFT	64QAM	Inner_Full	21.81
n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.70
n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.66
n25	5	15	1882.5	DFT	64QAM	Outer_Full	21.91
n25	5	15	1882.5	DFT	256QAM	Inner_Full	19.77
n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.54
n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.45
n25	5	15	1882.5	DFT	256QAM	Outer_Full	19.75
n25	5	15	1882.5	CP	QPSK	Inner_Full	22.81
n25	5	15	1882.5	CP	QPSK	Edge_1RB_Left	21.21
n25	5	15	1882.5	CP	QPSK	Edge_1RB_Right	21.17
n25	5	15	1882.5	CP	QPSK	Outer_Full	21.22
n25	5	15	1882.5	CP	16QAM	Inner_Full	22.40
n25	5	15	1882.5	CP	16QAM	Edge_1RB_Left	21.72
n25	5	15	1882.5	CP	16QAM	Edge_1RB_Right	21.70

n25	5	15	1882.5	CP	16QAM	Outer_Full	21.25
n25	5	15	1882.5	CP	64QAM	Inner_Full	20.67
n25	5	15	1882.5	CP	64QAM	Edge_1RB_Left	20.62
n25	5	15	1882.5	CP	64QAM	Edge_1RB_Right	20.54
n25	5	15	1882.5	CP	64QAM	Outer_Full	20.81
n25	5	15	1882.5	CP	256QAM	Inner_Full	17.80
n25	5	15	1882.5	CP	256QAM	Edge_1RB_Left	17.66
n25	5	15	1882.5	CP	256QAM	Edge_1RB_Right	17.52
n25	5	15	1882.5	CP	256QAM	Outer_Full	17.75
n25	5	15	1912.5	DFT	pi/2 BPSK	Inner_Full	23.55
n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.02
n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.69
n25	5	15	1912.5	DFT	pi/2 BPSK	Outer_Full	23.24
n25	5	15	1912.5	DFT	QPSK	Inner_Full	23.07
n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Left	22.67
n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Right	22.36
n25	5	15	1912.5	DFT	QPSK	Outer_Full	22.15
n25	5	15	1912.5	DFT	16QAM	Inner_Full	22.03
n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Left	22.03
n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Right	21.54
n25	5	15	1912.5	DFT	16QAM	Outer_Full	21.17
n25	5	15	1912.5	DFT	64QAM	Inner_Full	20.74
n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Left	21.20
n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Right	20.67
n25	5	15	1912.5	DFT	64QAM	Outer_Full	20.87
n25	5	15	1912.5	DFT	256QAM	Inner_Full	19.17
n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Left	18.87
n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Right	18.75
n25	5	15	1912.5	DFT	256QAM	Outer_Full	18.80
n25	5	15	1912.5	CP	QPSK	Inner_Full	21.71
n25	5	15	1912.5	CP	QPSK	Edge_1RB_Left	20.66
n25	5	15	1912.5	CP	QPSK	Edge_1RB_Right	20.23
n25	5	15	1912.5	CP	QPSK	Outer_Full	20.39
n25	5	15	1912.5	CP	16QAM	Inner_Full	21.21
n25	5	15	1912.5	CP	16QAM	Edge_1RB_Left	21.11
n25	5	15	1912.5	CP	16QAM	Edge_1RB_Right	20.42
n25	5	15	1912.5	CP	16QAM	Outer_Full	20.31
n25	5	15	1912.5	CP	64QAM	Inner_Full	20.11
n25	5	15	1912.5	CP	64QAM	Edge_1RB_Left	20.01
n25	5	15	1912.5	CP	64QAM	Edge_1RB_Right	19.87
n25	5	15	1912.5	CP	64QAM	Outer_Full	20.31

n25	5	15	1912.5	CP	256QAM	Inner_Full	17.24
n25	5	15	1912.5	CP	256QAM	Edge_1RB_Left	17.09
n25	5	15	1912.5	CP	256QAM	Edge_1RB_Right	17.07
n25	5	15	1912.5	CP	256QAM	Outer_Full	17.17
n25	10	15	1855	DFT	pi/2 BPSK	Inner_Full	24.18
n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	23.38
n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	23.47
n25	10	15	1855	DFT	pi/2 BPSK	Outer_Full	23.62
n25	10	15	1855	DFT	QPSK	Inner_Full	24.03
n25	10	15	1855	DFT	QPSK	Edge_1RB_Left	23.05
n25	10	15	1855	DFT	QPSK	Edge_1RB_Right	23.09
n25	10	15	1855	DFT	QPSK	Outer_Full	23.13
n25	10	15	1855	DFT	16QAM	Inner_Full	23.07
n25	10	15	1855	DFT	16QAM	Edge_1RB_Left	22.25
n25	10	15	1855	DFT	16QAM	Edge_1RB_Right	22.31
n25	10	15	1855	DFT	16QAM	Outer_Full	21.94
n25	10	15	1855	DFT	64QAM	Inner_Full	21.62
n25	10	15	1855	DFT	64QAM	Edge_1RB_Left	21.40
n25	10	15	1855	DFT	64QAM	Edge_1RB_Right	21.34
n25	10	15	1855	DFT	64QAM	Outer_Full	21.55
n25	10	15	1855	DFT	256QAM	Inner_Full	19.49
n25	10	15	1855	DFT	256QAM	Edge_1RB_Left	19.26
n25	10	15	1855	DFT	256QAM	Edge_1RB_Right	19.28
n25	10	15	1855	DFT	256QAM	Outer_Full	19.48
n25	10	15	1855	CP	QPSK	Inner_Full	22.68
n25	10	15	1855	CP	QPSK	Edge_1RB_Left	20.88
n25	10	15	1855	CP	QPSK	Edge_1RB_Right	21.06
n25	10	15	1855	CP	QPSK	Outer_Full	21.00
n25	10	15	1855	CP	16QAM	Inner_Full	22.15
n25	10	15	1855	CP	16QAM	Edge_1RB_Left	21.34
n25	10	15	1855	CP	16QAM	Edge_1RB_Right	21.35
n25	10	15	1855	CP	16QAM	Outer_Full	21.05
n25	10	15	1855	CP	64QAM	Inner_Full	20.60
n25	10	15	1855	CP	64QAM	Edge_1RB_Left	20.29
n25	10	15	1855	CP	64QAM	Edge_1RB_Right	20.40
n25	10	15	1855	CP	64QAM	Outer_Full	20.64
n25	10	15	1855	CP	256QAM	Inner_Full	17.52
n25	10	15	1855	CP	256QAM	Edge_1RB_Left	17.40
n25	10	15	1855	CP	256QAM	Edge_1RB_Right	17.54
n25	10	15	1855	CP	256QAM	Outer_Full	17.54
n25	10	15	1882.5	DFT	pi/2 BPSK	Inner_Full	24.31

n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.78
n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.67
n25	10	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.88
n25	10	15	1882.5	DFT	QPSK	Inner_Full	24.40
n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Left	23.25
n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Right	23.22
n25	10	15	1882.5	DFT	QPSK	Outer_Full	23.40
n25	10	15	1882.5	DFT	16QAM	Inner_Full	23.35
n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.54
n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.53
n25	10	15	1882.5	DFT	16QAM	Outer_Full	22.22
n25	10	15	1882.5	DFT	64QAM	Inner_Full	22.01
n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.64
n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.50
n25	10	15	1882.5	DFT	64QAM	Outer_Full	21.82
n25	10	15	1882.5	DFT	256QAM	Inner_Full	19.77
n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.48
n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.40
n25	10	15	1882.5	DFT	256QAM	Outer_Full	19.82
n25	10	15	1882.5	CP	QPSK	Inner_Full	22.89
n25	10	15	1882.5	CP	QPSK	Edge_1RB_Left	21.33
n25	10	15	1882.5	CP	QPSK	Edge_1RB_Right	21.17
n25	10	15	1882.5	CP	QPSK	Outer_Full	21.27
n25	10	15	1882.5	CP	16QAM	Inner_Full	22.45
n25	10	15	1882.5	CP	16QAM	Edge_1RB_Left	21.76
n25	10	15	1882.5	CP	16QAM	Edge_1RB_Right	21.69
n25	10	15	1882.5	CP	16QAM	Outer_Full	21.31
n25	10	15	1882.5	CP	64QAM	Inner_Full	20.90
n25	10	15	1882.5	CP	64QAM	Edge_1RB_Left	20.61
n25	10	15	1882.5	CP	64QAM	Edge_1RB_Right	20.49
n25	10	15	1882.5	CP	64QAM	Outer_Full	20.86
n25	10	15	1882.5	CP	256QAM	Inner_Full	17.76
n25	10	15	1882.5	CP	256QAM	Edge_1RB_Left	17.72
n25	10	15	1882.5	CP	256QAM	Edge_1RB_Right	17.63
n25	10	15	1882.5	CP	256QAM	Outer_Full	17.83
n25	10	15	1910	DFT	pi/2 BPSK	Inner_Full	23.79
n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Left	23.20
n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Right	23.06
n25	10	15	1910	DFT	pi/2 BPSK	Outer_Full	23.35
n25	10	15	1910	DFT	QPSK	Inner_Full	24.03
n25	10	15	1910	DFT	QPSK	Edge_1RB_Left	22.77

n25	10	15	1910	DFT	QPSK	Edge_1RB_Right	22.43
n25	10	15	1910	DFT	QPSK	Outer_Full	23.12
n25	10	15	1910	DFT	16QAM	Inner_Full	22.98
n25	10	15	1910	DFT	16QAM	Edge_1RB_Left	22.07
n25	10	15	1910	DFT	16QAM	Edge_1RB_Right	21.60
n25	10	15	1910	DFT	16QAM	Outer_Full	21.46
n25	10	15	1910	DFT	64QAM	Inner_Full	21.12
n25	10	15	1910	DFT	64QAM	Edge_1RB_Left	21.12
n25	10	15	1910	DFT	64QAM	Edge_1RB_Right	20.71
n25	10	15	1910	DFT	64QAM	Outer_Full	21.00
n25	10	15	1910	DFT	256QAM	Inner_Full	19.22
n25	10	15	1910	DFT	256QAM	Edge_1RB_Left	19.03
n25	10	15	1910	DFT	256QAM	Edge_1RB_Right	19.01
n25	10	15	1910	DFT	256QAM	Outer_Full	19.29
n25	10	15	1910	CP	QPSK	Inner_Full	22.18
n25	10	15	1910	CP	QPSK	Edge_1RB_Left	20.77
n25	10	15	1910	CP	QPSK	Edge_1RB_Right	20.35
n25	10	15	1910	CP	QPSK	Outer_Full	20.83
n25	10	15	1910	CP	16QAM	Inner_Full	22.05
n25	10	15	1910	CP	16QAM	Edge_1RB_Left	21.29
n25	10	15	1910	CP	16QAM	Edge_1RB_Right	20.45
n25	10	15	1910	CP	16QAM	Outer_Full	20.79
n25	10	15	1910	CP	64QAM	Inner_Full	20.37
n25	10	15	1910	CP	64QAM	Edge_1RB_Left	20.11
n25	10	15	1910	CP	64QAM	Edge_1RB_Right	19.90
n25	10	15	1910	CP	64QAM	Outer_Full	20.43
n25	10	15	1910	CP	256QAM	Inner_Full	17.29
n25	10	15	1910	CP	256QAM	Edge_1RB_Left	17.14
n25	10	15	1910	CP	256QAM	Edge_1RB_Right	17.22
n25	10	15	1910	CP	256QAM	Outer_Full	17.23
n25	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	24.05
n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.57
n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.53
n25	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	23.63
n25	15	15	1857.5	DFT	QPSK	Inner_Full	24.12
n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	23.12
n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	23.12
n25	15	15	1857.5	DFT	QPSK	Outer_Full	23.14
n25	15	15	1857.5	DFT	16QAM	Inner_Full	23.05
n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	22.43
n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	22.41

n25	15	15	1857.5	DFT	16QAM	Outer_Full	22.13
n25	15	15	1857.5	DFT	64QAM	Inner_Full	21.66
n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	21.46
n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	21.45
n25	15	15	1857.5	DFT	64QAM	Outer_Full	21.70
n25	15	15	1857.5	DFT	256QAM	Inner_Full	19.61
n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	19.30
n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	19.33
n25	15	15	1857.5	DFT	256QAM	Outer_Full	19.51
n25	15	15	1857.5	CP	QPSK	Inner_Full	22.53
n25	15	15	1857.5	CP	QPSK	Edge_1RB_Left	21.00
n25	15	15	1857.5	CP	QPSK	Edge_1RB_Right	21.00
n25	15	15	1857.5	CP	QPSK	Outer_Full	21.10
n25	15	15	1857.5	CP	16QAM	Inner_Full	22.12
n25	15	15	1857.5	CP	16QAM	Edge_1RB_Left	21.37
n25	15	15	1857.5	CP	16QAM	Edge_1RB_Right	21.30
n25	15	15	1857.5	CP	16QAM	Outer_Full	21.03
n25	15	15	1857.5	CP	64QAM	Inner_Full	20.62
n25	15	15	1857.5	CP	64QAM	Edge_1RB_Left	20.58
n25	15	15	1857.5	CP	64QAM	Edge_1RB_Right	20.50
n25	15	15	1857.5	CP	64QAM	Outer_Full	20.60
n25	15	15	1857.5	CP	256QAM	Inner_Full	17.55
n25	15	15	1857.5	CP	256QAM	Edge_1RB_Left	17.47
n25	15	15	1857.5	CP	256QAM	Edge_1RB_Right	17.42
n25	15	15	1857.5	CP	256QAM	Outer_Full	17.56
n25	15	15	1882.5	DFT	pi/2 BPSK	Inner_Full	24.31
n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.80
n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.60
n25	15	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.81
n25	15	15	1882.5	DFT	QPSK	Inner_Full	24.38
n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Left	23.34
n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Right	23.24
n25	15	15	1882.5	DFT	QPSK	Outer_Full	23.33
n25	15	15	1882.5	DFT	16QAM	Inner_Full	23.33
n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.64
n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.47
n25	15	15	1882.5	DFT	16QAM	Outer_Full	22.31
n25	15	15	1882.5	DFT	64QAM	Inner_Full	21.95
n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.70
n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.50
n25	15	15	1882.5	DFT	64QAM	Outer_Full	21.89

n25	15	15	1882.5	DFT	256QAM	Inner_Full	19.84
n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.58
n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.40
n25	15	15	1882.5	DFT	256QAM	Outer_Full	19.79
n25	15	15	1882.5	CP	QPSK	Inner_Full	22.77
n25	15	15	1882.5	CP	QPSK	Edge_1RB_Left	21.26
n25	15	15	1882.5	CP	QPSK	Edge_1RB_Right	21.07
n25	15	15	1882.5	CP	QPSK	Outer_Full	21.29
n25	15	15	1882.5	CP	16QAM	Inner_Full	22.30
n25	15	15	1882.5	CP	16QAM	Edge_1RB_Left	21.83
n25	15	15	1882.5	CP	16QAM	Edge_1RB_Right	21.40
n25	15	15	1882.5	CP	16QAM	Outer_Full	21.30
n25	15	15	1882.5	CP	64QAM	Inner_Full	20.89
n25	15	15	1882.5	CP	64QAM	Edge_1RB_Left	20.64
n25	15	15	1882.5	CP	64QAM	Edge_1RB_Right	20.43
n25	15	15	1882.5	CP	64QAM	Outer_Full	20.80
n25	15	15	1882.5	CP	256QAM	Inner_Full	17.88
n25	15	15	1882.5	CP	256QAM	Edge_1RB_Left	17.66
n25	15	15	1882.5	CP	256QAM	Edge_1RB_Right	17.47
n25	15	15	1882.5	CP	256QAM	Outer_Full	17.80
n25	15	15	1907.5	DFT	pi/2 BPSK	Inner_Full	23.81
n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.31
n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.96
n25	15	15	1907.5	DFT	pi/2 BPSK	Outer_Full	23.44
n25	15	15	1907.5	DFT	QPSK	Inner_Full	24.06
n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.52
n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.41
n25	15	15	1907.5	DFT	QPSK	Outer_Full	22.98
n25	15	15	1907.5	DFT	16QAM	Inner_Full	23.03
n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.39
n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.68
n25	15	15	1907.5	DFT	16QAM	Outer_Full	21.60
n25	15	15	1907.5	DFT	64QAM	Inner_Full	21.27
n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.83
n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.76
n25	15	15	1907.5	DFT	64QAM	Outer_Full	21.20
n25	15	15	1907.5	DFT	256QAM	Inner_Full	19.38
n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Left	19.22
n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Right	18.78
n25	15	15	1907.5	DFT	256QAM	Outer_Full	19.34
n25	15	15	1907.5	CP	QPSK	Inner_Full	22.22

n25	15	15	1907.5	CP	QPSK	Edge_1RB_Left	20.84
n25	15	15	1907.5	CP	QPSK	Edge_1RB_Right	20.15
n25	15	15	1907.5	CP	QPSK	Outer_Full	20.75
n25	15	15	1907.5	CP	16QAM	Inner_Full	21.66
n25	15	15	1907.5	CP	16QAM	Edge_1RB_Left	21.05
n25	15	15	1907.5	CP	16QAM	Edge_1RB_Right	20.38
n25	15	15	1907.5	CP	16QAM	Outer_Full	20.85
n25	15	15	1907.5	CP	64QAM	Inner_Full	20.33
n25	15	15	1907.5	CP	64QAM	Edge_1RB_Left	20.19
n25	15	15	1907.5	CP	64QAM	Edge_1RB_Right	19.84
n25	15	15	1907.5	CP	64QAM	Outer_Full	20.33
n25	15	15	1907.5	CP	256QAM	Inner_Full	17.31
n25	15	15	1907.5	CP	256QAM	Edge_1RB_Left	17.35
n25	15	15	1907.5	CP	256QAM	Edge_1RB_Right	17.09
n25	15	15	1907.5	CP	256QAM	Outer_Full	17.30
n25	20	15	1860	DFT	pi/2 BPSK	Inner_Full	24.09
n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	23.39
n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	23.69
n25	20	15	1860	DFT	pi/2 BPSK	Outer_Full	23.59
n25	20	15	1860	DFT	QPSK	Inner_Full	24.08
n25	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.97
n25	20	15	1860	DFT	QPSK	Edge_1RB_Right	23.23
n25	20	15	1860	DFT	QPSK	Outer_Full	23.12
n25	20	15	1860	DFT	16QAM	Inner_Full	23.06
n25	20	15	1860	DFT	16QAM	Edge_1RB_Left	22.29
n25	20	15	1860	DFT	16QAM	Edge_1RB_Right	22.46
n25	20	15	1860	DFT	16QAM	Outer_Full	22.16
n25	20	15	1860	DFT	64QAM	Inner_Full	21.57
n25	20	15	1860	DFT	64QAM	Edge_1RB_Left	21.33
n25	20	15	1860	DFT	64QAM	Edge_1RB_Right	21.58
n25	20	15	1860	DFT	64QAM	Outer_Full	21.59
n25	20	15	1860	DFT	256QAM	Inner_Full	19.47
n25	20	15	1860	DFT	256QAM	Edge_1RB_Left	19.25
n25	20	15	1860	DFT	256QAM	Edge_1RB_Right	19.49
n25	20	15	1860	DFT	256QAM	Outer_Full	19.55
n25	20	15	1860	CP	QPSK	Inner_Full	22.56
n25	20	15	1860	CP	QPSK	Edge_1RB_Left	20.90
n25	20	15	1860	CP	QPSK	Edge_1RB_Right	21.09
n25	20	15	1860	CP	QPSK	Outer_Full	21.01
n25	20	15	1860	CP	16QAM	Inner_Full	22.02
n25	20	15	1860	CP	16QAM	Edge_1RB_Left	21.44

n25	20	15	1860	CP	16QAM	Edge_1RB_Right	21.58
n25	20	15	1860	CP	16QAM	Outer_Full	21.14
n25	20	15	1860	CP	64QAM	Inner_Full	20.63
n25	20	15	1860	CP	64QAM	Edge_1RB_Left	20.29
n25	20	15	1860	CP	64QAM	Edge_1RB_Right	20.38
n25	20	15	1860	CP	64QAM	Outer_Full	20.63
n25	20	15	1860	CP	256QAM	Inner_Full	17.55
n25	20	15	1860	CP	256QAM	Edge_1RB_Left	17.44
n25	20	15	1860	CP	256QAM	Edge_1RB_Right	17.59
n25	20	15	1860	CP	256QAM	Outer_Full	17.62
n25	20	15	1882.5	DFT	pi/2 BPSK	Inner_Full	24.46
n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.77
n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.65
n25	20	15	1882.5	DFT	pi/2 BPSK	Outer_Full	24.02
n25	20	15	1882.5	DFT	QPSK	Inner_Full	24.52
n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Left	23.39
n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Right	23.26
n25	20	15	1882.5	DFT	QPSK	Outer_Full	23.55
n25	20	15	1882.5	DFT	16QAM	Inner_Full	23.51
n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.70
n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.60
n25	20	15	1882.5	DFT	16QAM	Outer_Full	22.57
n25	20	15	1882.5	DFT	64QAM	Inner_Full	22.05
n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.72
n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.66
n25	20	15	1882.5	DFT	64QAM	Outer_Full	22.02
n25	20	15	1882.5	DFT	256QAM	Inner_Full	19.95
n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.76
n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.49
n25	20	15	1882.5	DFT	256QAM	Outer_Full	19.97
n25	20	15	1882.5	CP	QPSK	Inner_Full	22.94
n25	20	15	1882.5	CP	QPSK	Edge_1RB_Left	21.38
n25	20	15	1882.5	CP	QPSK	Edge_1RB_Right	21.16
n25	20	15	1882.5	CP	QPSK	Outer_Full	21.51
n25	20	15	1882.5	CP	16QAM	Inner_Full	22.55
n25	20	15	1882.5	CP	16QAM	Edge_1RB_Left	21.84
n25	20	15	1882.5	CP	16QAM	Edge_1RB_Right	21.68
n25	20	15	1882.5	CP	16QAM	Outer_Full	21.53
n25	20	15	1882.5	CP	64QAM	Inner_Full	21.15
n25	20	15	1882.5	CP	64QAM	Edge_1RB_Left	20.66
n25	20	15	1882.5	CP	64QAM	Edge_1RB_Right	20.53

n25	20	15	1882.5	CP	64QAM	Outer_Full	21.08
n25	20	15	1882.5	CP	256QAM	Inner_Full	18.00
n25	20	15	1882.5	CP	256QAM	Edge_1RB_Left	17.80
n25	20	15	1882.5	CP	256QAM	Edge_1RB_Right	17.67
n25	20	15	1882.5	CP	256QAM	Outer_Full	18.00
n25	20	15	1905	DFT	pi/2 BPSK	Inner_Full	23.88
n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	23.40
n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.98
n25	20	15	1905	DFT	pi/2 BPSK	Outer_Full	23.45
n25	20	15	1905	DFT	QPSK	Inner_Full	23.59
n25	20	15	1905	DFT	QPSK	Edge_1RB_Left	22.64
n25	20	15	1905	DFT	QPSK	Edge_1RB_Right	22.37
n25	20	15	1905	DFT	QPSK	Outer_Full	22.59
n25	20	15	1905	DFT	16QAM	Inner_Full	22.54
n25	20	15	1905	DFT	16QAM	Edge_1RB_Left	21.51
n25	20	15	1905	DFT	16QAM	Edge_1RB_Right	21.66
n25	20	15	1905	DFT	16QAM	Outer_Full	21.64
n25	20	15	1905	DFT	64QAM	Inner_Full	21.15
n25	20	15	1905	DFT	64QAM	Edge_1RB_Left	21.03
n25	20	15	1905	DFT	64QAM	Edge_1RB_Right	20.75
n25	20	15	1905	DFT	64QAM	Outer_Full	21.17
n25	20	15	1905	DFT	256QAM	Inner_Full	19.39
n25	20	15	1905	DFT	256QAM	Edge_1RB_Left	19.32
n25	20	15	1905	DFT	256QAM	Edge_1RB_Right	18.75
n25	20	15	1905	DFT	256QAM	Outer_Full	19.58
n25	20	15	1905	CP	QPSK	Inner_Full	22.20
n25	20	15	1905	CP	QPSK	Edge_1RB_Left	21.00
n25	20	15	1905	CP	QPSK	Edge_1RB_Right	20.17
n25	20	15	1905	CP	QPSK	Outer_Full	21.04
n25	20	15	1905	CP	16QAM	Inner_Full	21.56
n25	20	15	1905	CP	16QAM	Edge_1RB_Left	21.41
n25	20	15	1905	CP	16QAM	Edge_1RB_Right	20.39
n25	20	15	1905	CP	16QAM	Outer_Full	21.07
n25	20	15	1905	CP	64QAM	Inner_Full	20.40
n25	20	15	1905	CP	64QAM	Edge_1RB_Left	20.27
n25	20	15	1905	CP	64QAM	Edge_1RB_Right	19.84
n25	20	15	1905	CP	64QAM	Outer_Full	20.53
n25	20	15	1905	CP	256QAM	Inner_Full	17.36
n25	20	15	1905	CP	256QAM	Edge_1RB_Left	17.52
n25	20	15	1905	CP	256QAM	Edge_1RB_Right	17.16
n25	20	15	1905	CP	256QAM	Outer_Full	17.52



n26_Part22

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n26_Part22	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	24.31
n26_Part22	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.82
n26_Part22	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.81
n26_Part22	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.88
n26_Part22	5	15	826.5	DFT	QPSK	Inner_Full	24.35
n26_Part22	5	15	826.5	DFT	QPSK	Edge_1RB_Left	23.30
n26_Part22	5	15	826.5	DFT	QPSK	Edge_1RB_Right	23.38
n26_Part22	5	15	826.5	DFT	QPSK	Outer_Full	23.35
n26_Part22	5	15	826.5	DFT	16QAM	Inner_Full	23.36
n26_Part22	5	15	826.5	DFT	16QAM	Edge_1RB_Left	22.72
n26_Part22	5	15	826.5	DFT	16QAM	Edge_1RB_Right	22.70
n26_Part22	5	15	826.5	DFT	16QAM	Outer_Full	22.31
n26_Part22	5	15	826.5	DFT	64QAM	Inner_Full	21.98
n26_Part22	5	15	826.5	DFT	64QAM	Edge_1RB_Left	21.74
n26_Part22	5	15	826.5	DFT	64QAM	Edge_1RB_Right	21.76
n26_Part22	5	15	826.5	DFT	64QAM	Outer_Full	21.95
n26_Part22	5	15	826.5	DFT	256QAM	Inner_Full	19.85
n26_Part22	5	15	826.5	DFT	256QAM	Edge_1RB_Left	19.58
n26_Part22	5	15	826.5	DFT	256QAM	Edge_1RB_Right	19.68
n26_Part22	5	15	826.5	DFT	256QAM	Outer_Full	19.78
n26_Part22	5	15	826.5	CP	QPSK	Inner_Full	22.85
n26_Part22	5	15	826.5	CP	QPSK	Edge_1RB_Left	21.29
n26_Part22	5	15	826.5	CP	QPSK	Edge_1RB_Right	21.39
n26_Part22	5	15	826.5	CP	QPSK	Outer_Full	21.29
n26_Part22	5	15	826.5	CP	16QAM	Inner_Full	22.45
n26_Part22	5	15	826.5	CP	16QAM	Edge_1RB_Left	21.59
n26_Part22	5	15	826.5	CP	16QAM	Edge_1RB_Right	21.57
n26_Part22	5	15	826.5	CP	16QAM	Outer_Full	21.41
n26_Part22	5	15	826.5	CP	64QAM	Inner_Full	20.81
n26_Part22	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.65
n26_Part22	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.72
n26_Part22	5	15	826.5	CP	64QAM	Outer_Full	20.85
n26_Part22	5	15	826.5	CP	256QAM	Inner_Full	18.03
n26_Part22	5	15	826.5	CP	256QAM	Edge_1RB_Left	17.79
n26_Part22	5	15	826.5	CP	256QAM	Edge_1RB_Right	17.83
n26_Part22	5	15	826.5	CP	256QAM	Outer_Full	17.91
n26_Part22	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.26
n26_Part22	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.81
n26_Part22	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.78

n26_Part22	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.80
n26_Part22	5	15	836.5	DFT	QPSK	Inner_Full	24.31
n26_Part22	5	15	836.5	DFT	QPSK	Edge_1RB_Left	23.29
n26_Part22	5	15	836.5	DFT	QPSK	Edge_1RB_Right	23.31
n26_Part22	5	15	836.5	DFT	QPSK	Outer_Full	23.37
n26_Part22	5	15	836.5	DFT	16QAM	Inner_Full	23.32
n26_Part22	5	15	836.5	DFT	16QAM	Edge_1RB_Left	22.72
n26_Part22	5	15	836.5	DFT	16QAM	Edge_1RB_Right	22.71
n26_Part22	5	15	836.5	DFT	16QAM	Outer_Full	22.37
n26_Part22	5	15	836.5	DFT	64QAM	Inner_Full	21.88
n26_Part22	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.74
n26_Part22	5	15	836.5	DFT	64QAM	Edge_1RB_Right	21.66
n26_Part22	5	15	836.5	DFT	64QAM	Outer_Full	21.92
n26_Part22	5	15	836.5	DFT	256QAM	Inner_Full	19.82
n26_Part22	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.53
n26_Part22	5	15	836.5	DFT	256QAM	Edge_1RB_Right	19.65
n26_Part22	5	15	836.5	DFT	256QAM	Outer_Full	19.73
n26_Part22	5	15	836.5	CP	QPSK	Inner_Full	22.82
n26_Part22	5	15	836.5	CP	QPSK	Edge_1RB_Left	21.33
n26_Part22	5	15	836.5	CP	QPSK	Edge_1RB_Right	21.35
n26_Part22	5	15	836.5	CP	QPSK	Outer_Full	21.27
n26_Part22	5	15	836.5	CP	16QAM	Inner_Full	22.48
n26_Part22	5	15	836.5	CP	16QAM	Edge_1RB_Left	21.69
n26_Part22	5	15	836.5	CP	16QAM	Edge_1RB_Right	21.70
n26_Part22	5	15	836.5	CP	16QAM	Outer_Full	21.33
n26_Part22	5	15	836.5	CP	64QAM	Inner_Full	20.75
n26_Part22	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.67
n26_Part22	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.53
n26_Part22	5	15	836.5	CP	64QAM	Outer_Full	20.85
n26_Part22	5	15	836.5	CP	256QAM	Inner_Full	17.82
n26_Part22	5	15	836.5	CP	256QAM	Edge_1RB_Left	17.80
n26_Part22	5	15	836.5	CP	256QAM	Edge_1RB_Right	17.64
n26_Part22	5	15	836.5	CP	256QAM	Outer_Full	17.80
n26_Part22	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	24.18
n26_Part22	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.67
n26_Part22	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.55
n26_Part22	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.72
n26_Part22	5	15	846.5	DFT	QPSK	Inner_Full	24.20
n26_Part22	5	15	846.5	DFT	QPSK	Edge_1RB_Left	23.21
n26_Part22	5	15	846.5	DFT	QPSK	Edge_1RB_Right	23.11
n26_Part22	5	15	846.5	DFT	QPSK	Outer_Full	23.25

n26_Part22	5	15	846.5	DFT	16QAM	Inner_Full	23.29
n26_Part22	5	15	846.5	DFT	16QAM	Edge_1RB_Left	22.63
n26_Part22	5	15	846.5	DFT	16QAM	Edge_1RB_Right	22.44
n26_Part22	5	15	846.5	DFT	16QAM	Outer_Full	22.22
n26_Part22	5	15	846.5	DFT	64QAM	Inner_Full	21.82
n26_Part22	5	15	846.5	DFT	64QAM	Edge_1RB_Left	21.58
n26_Part22	5	15	846.5	DFT	64QAM	Edge_1RB_Right	21.52
n26_Part22	5	15	846.5	DFT	64QAM	Outer_Full	21.79
n26_Part22	5	15	846.5	DFT	256QAM	Inner_Full	19.62
n26_Part22	5	15	846.5	DFT	256QAM	Edge_1RB_Left	19.48
n26_Part22	5	15	846.5	DFT	256QAM	Edge_1RB_Right	19.36
n26_Part22	5	15	846.5	DFT	256QAM	Outer_Full	19.64
n26_Part22	5	15	846.5	CP	QPSK	Inner_Full	22.68
n26_Part22	5	15	846.5	CP	QPSK	Edge_1RB_Left	21.19
n26_Part22	5	15	846.5	CP	QPSK	Edge_1RB_Right	21.08
n26_Part22	5	15	846.5	CP	QPSK	Outer_Full	21.15
n26_Part22	5	15	846.5	CP	16QAM	Inner_Full	22.36
n26_Part22	5	15	846.5	CP	16QAM	Edge_1RB_Left	21.74
n26_Part22	5	15	846.5	CP	16QAM	Edge_1RB_Right	21.52
n26_Part22	5	15	846.5	CP	16QAM	Outer_Full	21.19
n26_Part22	5	15	846.5	CP	64QAM	Inner_Full	20.58
n26_Part22	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.51
n26_Part22	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.42
n26_Part22	5	15	846.5	CP	64QAM	Outer_Full	20.72
n26_Part22	5	15	846.5	CP	256QAM	Inner_Full	17.82
n26_Part22	5	15	846.5	CP	256QAM	Edge_1RB_Left	17.67
n26_Part22	5	15	846.5	CP	256QAM	Edge_1RB_Right	17.45
n26_Part22	5	15	846.5	CP	256QAM	Outer_Full	17.68
n26_Part22	10	15	829	DFT	$\pi/2$ BPSK	Inner_Full	24.47
n26_Part22	10	15	829	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.70
n26_Part22	10	15	829	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.77
n26_Part22	10	15	829	DFT	$\pi/2$ BPSK	Outer_Full	23.89
n26_Part22	10	15	829	DFT	QPSK	Inner_Full	24.40
n26_Part22	10	15	829	DFT	QPSK	Edge_1RB_Left	23.31
n26_Part22	10	15	829	DFT	QPSK	Edge_1RB_Right	23.32
n26_Part22	10	15	829	DFT	QPSK	Outer_Full	23.41
n26_Part22	10	15	829	DFT	16QAM	Inner_Full	23.39
n26_Part22	10	15	829	DFT	16QAM	Edge_1RB_Left	22.55
n26_Part22	10	15	829	DFT	16QAM	Edge_1RB_Right	22.65
n26_Part22	10	15	829	DFT	16QAM	Outer_Full	22.33
n26_Part22	10	15	829	DFT	64QAM	Inner_Full	21.99

n26_Part22	10	15	829	DFT	64QAM	Edge_1RB_Left	21.60
n26_Part22	10	15	829	DFT	64QAM	Edge_1RB_Right	21.67
n26_Part22	10	15	829	DFT	64QAM	Outer_Full	21.84
n26_Part22	10	15	829	DFT	256QAM	Inner_Full	19.80
n26_Part22	10	15	829	DFT	256QAM	Edge_1RB_Left	19.52
n26_Part22	10	15	829	DFT	256QAM	Edge_1RB_Right	19.55
n26_Part22	10	15	829	DFT	256QAM	Outer_Full	19.79
n26_Part22	10	15	829	CP	QPSK	Inner_Full	22.91
n26_Part22	10	15	829	CP	QPSK	Edge_1RB_Left	21.25
n26_Part22	10	15	829	CP	QPSK	Edge_1RB_Right	21.31
n26_Part22	10	15	829	CP	QPSK	Outer_Full	21.32
n26_Part22	10	15	829	CP	16QAM	Inner_Full	22.44
n26_Part22	10	15	829	CP	16QAM	Edge_1RB_Left	21.69
n26_Part22	10	15	829	CP	16QAM	Edge_1RB_Right	21.75
n26_Part22	10	15	829	CP	16QAM	Outer_Full	21.40
n26_Part22	10	15	829	CP	64QAM	Inner_Full	20.85
n26_Part22	10	15	829	CP	64QAM	Edge_1RB_Left	20.57
n26_Part22	10	15	829	CP	64QAM	Edge_1RB_Right	20.77
n26_Part22	10	15	829	CP	64QAM	Outer_Full	20.87
n26_Part22	10	15	829	CP	256QAM	Inner_Full	17.91
n26_Part22	10	15	829	CP	256QAM	Edge_1RB_Left	17.65
n26_Part22	10	15	829	CP	256QAM	Edge_1RB_Right	17.84
n26_Part22	10	15	829	CP	256QAM	Outer_Full	17.80
n26_Part22	10	15	836.5	DFT	$\pi/2$ BPSK	Inner_Full	24.32
n26_Part22	10	15	836.5	DFT	$\pi/2$ BPSK	Edge_1RB_Left	23.86
n26_Part22	10	15	836.5	DFT	$\pi/2$ BPSK	Edge_1RB_Right	23.79
n26_Part22	10	15	836.5	DFT	$\pi/2$ BPSK	Outer_Full	23.83
n26_Part22	10	15	836.5	DFT	QPSK	Inner_Full	24.35
n26_Part22	10	15	836.5	DFT	QPSK	Edge_1RB_Left	23.39
n26_Part22	10	15	836.5	DFT	QPSK	Edge_1RB_Right	23.30
n26_Part22	10	15	836.5	DFT	QPSK	Outer_Full	23.37
n26_Part22	10	15	836.5	DFT	16QAM	Inner_Full	23.39
n26_Part22	10	15	836.5	DFT	16QAM	Edge_1RB_Left	22.71
n26_Part22	10	15	836.5	DFT	16QAM	Edge_1RB_Right	22.63
n26_Part22	10	15	836.5	DFT	16QAM	Outer_Full	22.31
n26_Part22	10	15	836.5	DFT	64QAM	Inner_Full	22.01
n26_Part22	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.77
n26_Part22	10	15	836.5	DFT	64QAM	Edge_1RB_Right	21.78
n26_Part22	10	15	836.5	DFT	64QAM	Outer_Full	21.91
n26_Part22	10	15	836.5	DFT	256QAM	Inner_Full	19.72
n26_Part22	10	15	836.5	DFT	256QAM	Edge_1RB_Left	19.60



n26_Part22	10	15	836.5	DFT	256QAM	Edge_1RB_Right	19.53
n26_Part22	10	15	836.5	DFT	256QAM	Outer_Full	19.85
n26_Part22	10	15	836.5	CP	QPSK	Inner_Full	22.88
n26_Part22	10	15	836.5	CP	QPSK	Edge_1RB_Left	21.39
n26_Part22	10	15	836.5	CP	QPSK	Edge_1RB_Right	21.34
n26_Part22	10	15	836.5	CP	QPSK	Outer_Full	21.30
n26_Part22	10	15	836.5	CP	16QAM	Inner_Full	22.46
n26_Part22	10	15	836.5	CP	16QAM	Edge_1RB_Left	21.93
n26_Part22	10	15	836.5	CP	16QAM	Edge_1RB_Right	21.89
n26_Part22	10	15	836.5	CP	16QAM	Outer_Full	21.37
n26_Part22	10	15	836.5	CP	64QAM	Inner_Full	20.89
n26_Part22	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.72
n26_Part22	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.69
n26_Part22	10	15	836.5	CP	64QAM	Outer_Full	20.87
n26_Part22	10	15	836.5	CP	256QAM	Inner_Full	17.82
n26_Part22	10	15	836.5	CP	256QAM	Edge_1RB_Left	17.72
n26_Part22	10	15	836.5	CP	256QAM	Edge_1RB_Right	17.75
n26_Part22	10	15	836.5	CP	256QAM	Outer_Full	17.87
n26_Part22	10	15	844	DFT	pi/2 BPSK	Inner_Full	24.26
n26_Part22	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.74
n26_Part22	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.54
n26_Part22	10	15	844	DFT	pi/2 BPSK	Outer_Full	23.72
n26_Part22	10	15	844	DFT	QPSK	Inner_Full	24.23
n26_Part22	10	15	844	DFT	QPSK	Edge_1RB_Left	23.20
n26_Part22	10	15	844	DFT	QPSK	Edge_1RB_Right	23.10
n26_Part22	10	15	844	DFT	QPSK	Outer_Full	23.24
n26_Part22	10	15	844	DFT	16QAM	Inner_Full	23.30
n26_Part22	10	15	844	DFT	16QAM	Edge_1RB_Left	22.55
n26_Part22	10	15	844	DFT	16QAM	Edge_1RB_Right	22.45
n26_Part22	10	15	844	DFT	16QAM	Outer_Full	22.20
n26_Part22	10	15	844	DFT	64QAM	Inner_Full	21.82
n26_Part22	10	15	844	DFT	64QAM	Edge_1RB_Left	21.62
n26_Part22	10	15	844	DFT	64QAM	Edge_1RB_Right	21.51
n26_Part22	10	15	844	DFT	64QAM	Outer_Full	21.82
n26_Part22	10	15	844	DFT	256QAM	Inner_Full	19.73
n26_Part22	10	15	844	DFT	256QAM	Edge_1RB_Left	19.40
n26_Part22	10	15	844	DFT	256QAM	Edge_1RB_Right	19.39
n26_Part22	10	15	844	DFT	256QAM	Outer_Full	19.75
n26_Part22	10	15	844	CP	QPSK	Inner_Full	22.76
n26_Part22	10	15	844	CP	QPSK	Edge_1RB_Left	21.29
n26_Part22	10	15	844	CP	QPSK	Edge_1RB_Right	21.12

n26_Part22	10	15	844	CP	QPSK	Outer_Full	21.25
n26_Part22	10	15	844	CP	16QAM	Inner_Full	22.32
n26_Part22	10	15	844	CP	16QAM	Edge_1RB_Left	21.63
n26_Part22	10	15	844	CP	16QAM	Edge_1RB_Right	21.55
n26_Part22	10	15	844	CP	16QAM	Outer_Full	21.22
n26_Part22	10	15	844	CP	64QAM	Inner_Full	20.81
n26_Part22	10	15	844	CP	64QAM	Edge_1RB_Left	20.56
n26_Part22	10	15	844	CP	64QAM	Edge_1RB_Right	20.48
n26_Part22	10	15	844	CP	64QAM	Outer_Full	20.79
n26_Part22	10	15	844	CP	256QAM	Inner_Full	17.74
n26_Part22	10	15	844	CP	256QAM	Edge_1RB_Left	17.54
n26_Part22	10	15	844	CP	256QAM	Edge_1RB_Right	17.48
n26_Part22	10	15	844	CP	256QAM	Outer_Full	17.69
n26_Part22	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	24.27
n26_Part22	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.72
n26_Part22	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.60
n26_Part22	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	23.80
n26_Part22	15	15	831.5	DFT	QPSK	Inner_Full	24.34
n26_Part22	15	15	831.5	DFT	QPSK	Edge_1RB_Left	23.24
n26_Part22	15	15	831.5	DFT	QPSK	Edge_1RB_Right	23.14
n26_Part22	15	15	831.5	DFT	QPSK	Outer_Full	23.31
n26_Part22	15	15	831.5	DFT	16QAM	Inner_Full	23.34
n26_Part22	15	15	831.5	DFT	16QAM	Edge_1RB_Left	22.58
n26_Part22	15	15	831.5	DFT	16QAM	Edge_1RB_Right	22.45
n26_Part22	15	15	831.5	DFT	16QAM	Outer_Full	22.31
n26_Part22	15	15	831.5	DFT	64QAM	Inner_Full	21.88
n26_Part22	15	15	831.5	DFT	64QAM	Edge_1RB_Left	21.61
n26_Part22	15	15	831.5	DFT	64QAM	Edge_1RB_Right	21.46
n26_Part22	15	15	831.5	DFT	64QAM	Outer_Full	21.89
n26_Part22	15	15	831.5	DFT	256QAM	Inner_Full	19.85
n26_Part22	15	15	831.5	DFT	256QAM	Edge_1RB_Left	19.56
n26_Part22	15	15	831.5	DFT	256QAM	Edge_1RB_Right	19.49
n26_Part22	15	15	831.5	DFT	256QAM	Outer_Full	19.78
n26_Part22	15	15	831.5	CP	QPSK	Inner_Full	22.71
n26_Part22	15	15	831.5	CP	QPSK	Edge_1RB_Left	21.26
n26_Part22	15	15	831.5	CP	QPSK	Edge_1RB_Right	21.16
n26_Part22	15	15	831.5	CP	QPSK	Outer_Full	21.36
n26_Part22	15	15	831.5	CP	16QAM	Inner_Full	22.26
n26_Part22	15	15	831.5	CP	16QAM	Edge_1RB_Left	21.71
n26_Part22	15	15	831.5	CP	16QAM	Edge_1RB_Right	21.63
n26_Part22	15	15	831.5	CP	16QAM	Outer_Full	21.39

n26_Part22	15	15	831.5	CP	64QAM	Inner_Full	20.85
n26_Part22	15	15	831.5	CP	64QAM	Edge_1RB_Left	20.60
n26_Part22	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.45
n26_Part22	15	15	831.5	CP	64QAM	Outer_Full	20.87
n26_Part22	15	15	831.5	CP	256QAM	Inner_Full	17.78
n26_Part22	15	15	831.5	CP	256QAM	Edge_1RB_Left	17.77
n26_Part22	15	15	831.5	CP	256QAM	Edge_1RB_Right	17.57
n26_Part22	15	15	831.5	CP	256QAM	Outer_Full	17.83
n26_Part22	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.26
n26_Part22	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.76
n26_Part22	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.61
n26_Part22	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.78
n26_Part22	15	15	836.5	DFT	QPSK	Inner_Full	24.25
n26_Part22	15	15	836.5	DFT	QPSK	Edge_1RB_Left	23.31
n26_Part22	15	15	836.5	DFT	QPSK	Edge_1RB_Right	23.24
n26_Part22	15	15	836.5	DFT	QPSK	Outer_Full	23.27
n26_Part22	15	15	836.5	DFT	16QAM	Inner_Full	23.33
n26_Part22	15	15	836.5	DFT	16QAM	Edge_1RB_Left	22.73
n26_Part22	15	15	836.5	DFT	16QAM	Edge_1RB_Right	22.55
n26_Part22	15	15	836.5	DFT	16QAM	Outer_Full	22.27
n26_Part22	15	15	836.5	DFT	64QAM	Inner_Full	21.78
n26_Part22	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.67
n26_Part22	15	15	836.5	DFT	64QAM	Edge_1RB_Right	21.40
n26_Part22	15	15	836.5	DFT	64QAM	Outer_Full	21.84
n26_Part22	15	15	836.5	DFT	256QAM	Inner_Full	19.83
n26_Part22	15	15	836.5	DFT	256QAM	Edge_1RB_Left	19.69
n26_Part22	15	15	836.5	DFT	256QAM	Edge_1RB_Right	19.52
n26_Part22	15	15	836.5	DFT	256QAM	Outer_Full	19.71
n26_Part22	15	15	836.5	CP	QPSK	Inner_Full	22.76
n26_Part22	15	15	836.5	CP	QPSK	Edge_1RB_Left	21.39
n26_Part22	15	15	836.5	CP	QPSK	Edge_1RB_Right	21.18
n26_Part22	15	15	836.5	CP	QPSK	Outer_Full	21.27
n26_Part22	15	15	836.5	CP	16QAM	Inner_Full	22.27
n26_Part22	15	15	836.5	CP	16QAM	Edge_1RB_Left	21.83
n26_Part22	15	15	836.5	CP	16QAM	Edge_1RB_Right	21.67
n26_Part22	15	15	836.5	CP	16QAM	Outer_Full	21.23
n26_Part22	15	15	836.5	CP	64QAM	Inner_Full	20.78
n26_Part22	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.75
n26_Part22	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.36
n26_Part22	15	15	836.5	CP	64QAM	Outer_Full	20.83
n26_Part22	15	15	836.5	CP	256QAM	Inner_Full	17.76

n26_Part22	15	15	836.5	CP	256QAM	Edge_1RB_Left	17.81
n26_Part22	15	15	836.5	CP	256QAM	Edge_1RB_Right	17.50
n26_Part22	15	15	836.5	CP	256QAM	Outer_Full	17.75
n26_Part22	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	24.14
n26_Part22	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.62
n26_Part22	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.48
n26_Part22	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.66
n26_Part22	15	15	841.5	DFT	QPSK	Inner_Full	24.16
n26_Part22	15	15	841.5	DFT	QPSK	Edge_1RB_Left	23.20
n26_Part22	15	15	841.5	DFT	QPSK	Edge_1RB_Right	23.01
n26_Part22	15	15	841.5	DFT	QPSK	Outer_Full	23.13
n26_Part22	15	15	841.5	DFT	16QAM	Inner_Full	23.11
n26_Part22	15	15	841.5	DFT	16QAM	Edge_1RB_Left	22.59
n26_Part22	15	15	841.5	DFT	16QAM	Edge_1RB_Right	22.36
n26_Part22	15	15	841.5	DFT	16QAM	Outer_Full	22.17
n26_Part22	15	15	841.5	DFT	64QAM	Inner_Full	21.67
n26_Part22	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.65
n26_Part22	15	15	841.5	DFT	64QAM	Edge_1RB_Right	21.44
n26_Part22	15	15	841.5	DFT	64QAM	Outer_Full	21.76
n26_Part22	15	15	841.5	DFT	256QAM	Inner_Full	19.62
n26_Part22	15	15	841.5	DFT	256QAM	Edge_1RB_Left	19.46
n26_Part22	15	15	841.5	DFT	256QAM	Edge_1RB_Right	19.29
n26_Part22	15	15	841.5	DFT	256QAM	Outer_Full	19.62
n26_Part22	15	15	841.5	CP	QPSK	Inner_Full	22.56
n26_Part22	15	15	841.5	CP	QPSK	Edge_1RB_Left	21.27
n26_Part22	15	15	841.5	CP	QPSK	Edge_1RB_Right	20.97
n26_Part22	15	15	841.5	CP	QPSK	Outer_Full	21.08
n26_Part22	15	15	841.5	CP	16QAM	Inner_Full	22.14
n26_Part22	15	15	841.5	CP	16QAM	Edge_1RB_Left	21.73
n26_Part22	15	15	841.5	CP	16QAM	Edge_1RB_Right	21.40
n26_Part22	15	15	841.5	CP	16QAM	Outer_Full	21.12
n26_Part22	15	15	841.5	CP	64QAM	Inner_Full	20.62
n26_Part22	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.52
n26_Part22	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.27
n26_Part22	15	15	841.5	CP	64QAM	Outer_Full	20.63
n26_Part22	15	15	841.5	CP	256QAM	Inner_Full	17.61
n26_Part22	15	15	841.5	CP	256QAM	Edge_1RB_Left	17.69
n26_Part22	15	15	841.5	CP	256QAM	Edge_1RB_Right	17.44
n26_Part22	15	15	841.5	CP	256QAM	Outer_Full	17.63
n26_Part22	20	15	834	DFT	pi/2 BPSK	Inner_Full	24.23
n26_Part22	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	23.65

n26_Part22	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	23.59
n26_Part22	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.79
n26_Part22	20	15	834	DFT	QPSK	Inner_Full	24.31
n26_Part22	20	15	834	DFT	QPSK	Edge_1RB_Left	23.18
n26_Part22	20	15	834	DFT	QPSK	Edge_1RB_Right	23.02
n26_Part22	20	15	834	DFT	QPSK	Outer_Full	23.32
n26_Part22	20	15	834	DFT	16QAM	Inner_Full	23.22
n26_Part22	20	15	834	DFT	16QAM	Edge_1RB_Left	22.58
n26_Part22	20	15	834	DFT	16QAM	Edge_1RB_Right	22.38
n26_Part22	20	15	834	DFT	16QAM	Outer_Full	22.34
n26_Part22	20	15	834	DFT	64QAM	Inner_Full	21.81
n26_Part22	20	15	834	DFT	64QAM	Edge_1RB_Left	21.62
n26_Part22	20	15	834	DFT	64QAM	Edge_1RB_Right	21.40
n26_Part22	20	15	834	DFT	64QAM	Outer_Full	21.79
n26_Part22	20	15	834	DFT	256QAM	Inner_Full	19.71
n26_Part22	20	15	834	DFT	256QAM	Edge_1RB_Left	19.42
n26_Part22	20	15	834	DFT	256QAM	Edge_1RB_Right	19.39
n26_Part22	20	15	834	DFT	256QAM	Outer_Full	19.75
n26_Part22	20	15	834	CP	QPSK	Inner_Full	22.76
n26_Part22	20	15	834	CP	QPSK	Edge_1RB_Left	21.17
n26_Part22	20	15	834	CP	QPSK	Edge_1RB_Right	21.06
n26_Part22	20	15	834	CP	QPSK	Outer_Full	21.35
n26_Part22	20	15	834	CP	16QAM	Inner_Full	22.19
n26_Part22	20	15	834	CP	16QAM	Edge_1RB_Left	21.71
n26_Part22	20	15	834	CP	16QAM	Edge_1RB_Right	21.54
n26_Part22	20	15	834	CP	16QAM	Outer_Full	21.21
n26_Part22	20	15	834	CP	64QAM	Inner_Full	20.75
n26_Part22	20	15	834	CP	64QAM	Edge_1RB_Left	20.52
n26_Part22	20	15	834	CP	64QAM	Edge_1RB_Right	20.26
n26_Part22	20	15	834	CP	64QAM	Outer_Full	20.81
n26_Part22	20	15	834	CP	256QAM	Inner_Full	17.67
n26_Part22	20	15	834	CP	256QAM	Edge_1RB_Left	17.60
n26_Part22	20	15	834	CP	256QAM	Edge_1RB_Right	17.40
n26_Part22	20	15	834	CP	256QAM	Outer_Full	17.77
n26_Part22	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.73
n26_Part22	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.35
n26_Part22	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.07
n26_Part22	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.36
n26_Part22	20	15	836.5	DFT	QPSK	Inner_Full	23.76
n26_Part22	20	15	836.5	DFT	QPSK	Edge_1RB_Left	22.91
n26_Part22	20	15	836.5	DFT	QPSK	Edge_1RB_Right	22.70

n26_Part22	20	15	836.5	DFT	QPSK	Outer_Full	22.81
n26_Part22	20	15	836.5	DFT	16QAM	Inner_Full	22.70
n26_Part22	20	15	836.5	DFT	16QAM	Edge_1RB_Left	22.16
n26_Part22	20	15	836.5	DFT	16QAM	Edge_1RB_Right	21.93
n26_Part22	20	15	836.5	DFT	16QAM	Outer_Full	21.82
n26_Part22	20	15	836.5	DFT	64QAM	Inner_Full	21.34
n26_Part22	20	15	836.5	DFT	64QAM	Edge_1RB_Left	21.21
n26_Part22	20	15	836.5	DFT	64QAM	Edge_1RB_Right	20.98
n26_Part22	20	15	836.5	DFT	64QAM	Outer_Full	21.30
n26_Part22	20	15	836.5	DFT	256QAM	Inner_Full	19.20
n26_Part22	20	15	836.5	DFT	256QAM	Edge_1RB_Left	19.17
n26_Part22	20	15	836.5	DFT	256QAM	Edge_1RB_Right	19.00
n26_Part22	20	15	836.5	DFT	256QAM	Outer_Full	19.33
n26_Part22	20	15	836.5	CP	QPSK	Inner_Full	22.31
n26_Part22	20	15	836.5	CP	QPSK	Edge_1RB_Left	20.90
n26_Part22	20	15	836.5	CP	QPSK	Edge_1RB_Right	20.53
n26_Part22	20	15	836.5	CP	QPSK	Outer_Full	20.84
n26_Part22	20	15	836.5	CP	16QAM	Inner_Full	21.76
n26_Part22	20	15	836.5	CP	16QAM	Edge_1RB_Left	21.35
n26_Part22	20	15	836.5	CP	16QAM	Edge_1RB_Right	21.00
n26_Part22	20	15	836.5	CP	16QAM	Outer_Full	20.87
n26_Part22	20	15	836.5	CP	64QAM	Inner_Full	20.28
n26_Part22	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.14
n26_Part22	20	15	836.5	CP	64QAM	Edge_1RB_Right	19.84
n26_Part22	20	15	836.5	CP	64QAM	Outer_Full	20.36
n26_Part22	20	15	836.5	CP	256QAM	Inner_Full	17.28
n26_Part22	20	15	836.5	CP	256QAM	Edge_1RB_Left	17.23
n26_Part22	20	15	836.5	CP	256QAM	Edge_1RB_Right	17.07
n26_Part22	20	15	836.5	CP	256QAM	Outer_Full	17.32
n26_Part22	20	15	839	DFT	pi/2 BPSK	Inner_Full	24.17
n26_Part22	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	23.78
n26_Part22	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	23.45
n26_Part22	20	15	839	DFT	pi/2 BPSK	Outer_Full	23.76
n26_Part22	20	15	839	DFT	QPSK	Inner_Full	24.17
n26_Part22	20	15	839	DFT	QPSK	Edge_1RB_Left	23.36
n26_Part22	20	15	839	DFT	QPSK	Edge_1RB_Right	23.04
n26_Part22	20	15	839	DFT	QPSK	Outer_Full	23.27
n26_Part22	20	15	839	DFT	16QAM	Inner_Full	23.22
n26_Part22	20	15	839	DFT	16QAM	Edge_1RB_Left	22.25
n26_Part22	20	15	839	DFT	16QAM	Edge_1RB_Right	21.97
n26_Part22	20	15	839	DFT	16QAM	Outer_Full	22.30



I22Z61533-WMD04

n26_Part22	20	15	839	DFT	64QAM	Inner_Full	21.66
n26_Part22	20	15	839	DFT	64QAM	Edge_1RB_Left	21.63
n26_Part22	20	15	839	DFT	64QAM	Edge_1RB_Right	21.40
n26_Part22	20	15	839	DFT	64QAM	Outer_Full	21.74
n26_Part22	20	15	839	DFT	256QAM	Inner_Full	19.68
n26_Part22	20	15	839	DFT	256QAM	Edge_1RB_Left	19.61
n26_Part22	20	15	839	DFT	256QAM	Edge_1RB_Right	19.38
n26_Part22	20	15	839	DFT	256QAM	Outer_Full	19.70
n26_Part22	20	15	839	CP	QPSK	Inner_Full	22.73
n26_Part22	20	15	839	CP	QPSK	Edge_1RB_Left	21.35
n26_Part22	20	15	839	CP	QPSK	Edge_1RB_Right	20.92
n26_Part22	20	15	839	CP	QPSK	Outer_Full	21.29
n26_Part22	20	15	839	CP	16QAM	Inner_Full	22.14
n26_Part22	20	15	839	CP	16QAM	Edge_1RB_Left	21.86
n26_Part22	20	15	839	CP	16QAM	Edge_1RB_Right	21.46
n26_Part22	20	15	839	CP	16QAM	Outer_Full	21.24
n26_Part22	20	15	839	CP	64QAM	Inner_Full	20.70
n26_Part22	20	15	839	CP	64QAM	Edge_1RB_Left	20.58
n26_Part22	20	15	839	CP	64QAM	Edge_1RB_Right	20.27
n26_Part22	20	15	839	CP	64QAM	Outer_Full	20.73
n26_Part22	20	15	839	CP	256QAM	Inner_Full	17.58
n26_Part22	20	15	839	CP	256QAM	Edge_1RB_Left	17.66
n26_Part22	20	15	839	CP	256QAM	Edge_1RB_Right	17.40
n26_Part22	20	15	839	CP	256QAM	Outer_Full	17.70

n26_Part90

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n26_Part90	5	15	816.5	DFT	pi/2 BPSK	Inner_Full	24.37
n26_Part90	5	15	816.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.76
n26_Part90	5	15	816.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.86
n26_Part90	5	15	816.5	DFT	pi/2 BPSK	Outer_Full	23.89
n26_Part90	5	15	816.5	DFT	QPSK	Inner_Full	24.42
n26_Part90	5	15	816.5	DFT	QPSK	Edge_1RB_Left	23.39
n26_Part90	5	15	816.5	DFT	QPSK	Edge_1RB_Right	23.45
n26_Part90	5	15	816.5	DFT	QPSK	Outer_Full	23.43
n26_Part90	5	15	816.5	DFT	16QAM	Inner_Full	23.43
n26_Part90	5	15	816.5	DFT	16QAM	Edge_1RB_Left	22.62
n26_Part90	5	15	816.5	DFT	16QAM	Edge_1RB_Right	22.67
n26_Part90	5	15	816.5	DFT	16QAM	Outer_Full	22.33
n26_Part90	5	15	816.5	DFT	64QAM	Inner_Full	21.97
n26_Part90	5	15	816.5	DFT	64QAM	Edge_1RB_Left	21.66
n26_Part90	5	15	816.5	DFT	64QAM	Edge_1RB_Right	21.67
n26_Part90	5	15	816.5	DFT	64QAM	Outer_Full	21.96
n26_Part90	5	15	816.5	DFT	256QAM	Inner_Full	19.93
n26_Part90	5	15	816.5	DFT	256QAM	Edge_1RB_Left	19.57
n26_Part90	5	15	816.5	DFT	256QAM	Edge_1RB_Right	19.65
n26_Part90	5	15	816.5	DFT	256QAM	Outer_Full	19.83
n26_Part90	5	15	816.5	CP	QPSK	Inner_Full	22.92
n26_Part90	5	15	816.5	CP	QPSK	Edge_1RB_Left	21.31
n26_Part90	5	15	816.5	CP	QPSK	Edge_1RB_Right	21.40
n26_Part90	5	15	816.5	CP	QPSK	Outer_Full	21.40
n26_Part90	5	15	816.5	CP	16QAM	Inner_Full	22.46
n26_Part90	5	15	816.5	CP	16QAM	Edge_1RB_Left	21.75
n26_Part90	5	15	816.5	CP	16QAM	Edge_1RB_Right	21.89
n26_Part90	5	15	816.5	CP	16QAM	Outer_Full	21.32
n26_Part90	5	15	816.5	CP	64QAM	Inner_Full	20.68
n26_Part90	5	15	816.5	CP	64QAM	Edge_1RB_Left	20.54
n26_Part90	5	15	816.5	CP	64QAM	Edge_1RB_Right	20.65
n26_Part90	5	15	816.5	CP	64QAM	Outer_Full	20.83
n26_Part90	5	15	816.5	CP	256QAM	Inner_Full	17.86
n26_Part90	5	15	816.5	CP	256QAM	Edge_1RB_Left	17.72
n26_Part90	5	15	816.5	CP	256QAM	Edge_1RB_Right	17.62
n26_Part90	5	15	816.5	CP	256QAM	Outer_Full	17.82
n26_Part90	5	15	819	DFT	pi/2 BPSK	Inner_Full	24.35
n26_Part90	5	15	819	DFT	pi/2 BPSK	Edge_1RB_Left	23.81
n26_Part90	5	15	819	DFT	pi/2 BPSK	Edge_1RB_Right	23.89

n26_Part90	5	15	819	DFT	pi/2 BPSK	Outer_Full	23.92
n26_Part90	5	15	819	DFT	QPSK	Inner_Full	24.41
n26_Part90	5	15	819	DFT	QPSK	Edge_1RB_Left	23.36
n26_Part90	5	15	819	DFT	QPSK	Edge_1RB_Right	23.39
n26_Part90	5	15	819	DFT	QPSK	Outer_Full	23.38
n26_Part90	5	15	819	DFT	16QAM	Inner_Full	23.44
n26_Part90	5	15	819	DFT	16QAM	Edge_1RB_Left	22.67
n26_Part90	5	15	819	DFT	16QAM	Edge_1RB_Right	22.71
n26_Part90	5	15	819	DFT	16QAM	Outer_Full	22.37
n26_Part90	5	15	819	DFT	64QAM	Inner_Full	21.88
n26_Part90	5	15	819	DFT	64QAM	Edge_1RB_Left	21.51
n26_Part90	5	15	819	DFT	64QAM	Edge_1RB_Right	21.77
n26_Part90	5	15	819	DFT	64QAM	Outer_Full	21.92
n26_Part90	5	15	819	DFT	256QAM	Inner_Full	19.81
n26_Part90	5	15	819	DFT	256QAM	Edge_1RB_Left	19.56
n26_Part90	5	15	819	DFT	256QAM	Edge_1RB_Right	19.64
n26_Part90	5	15	819	DFT	256QAM	Outer_Full	19.80
n26_Part90	5	15	819	CP	QPSK	Inner_Full	22.87
n26_Part90	5	15	819	CP	QPSK	Edge_1RB_Left	21.26
n26_Part90	5	15	819	CP	QPSK	Edge_1RB_Right	21.28
n26_Part90	5	15	819	CP	QPSK	Outer_Full	21.31
n26_Part90	5	15	819	CP	16QAM	Inner_Full	22.47
n26_Part90	5	15	819	CP	16QAM	Edge_1RB_Left	21.72
n26_Part90	5	15	819	CP	16QAM	Edge_1RB_Right	21.85
n26_Part90	5	15	819	CP	16QAM	Outer_Full	21.37
n26_Part90	5	15	819	CP	64QAM	Inner_Full	20.67
n26_Part90	5	15	819	CP	64QAM	Edge_1RB_Left	20.62
n26_Part90	5	15	819	CP	64QAM	Edge_1RB_Right	20.62
n26_Part90	5	15	819	CP	64QAM	Outer_Full	20.81
n26_Part90	5	15	819	CP	256QAM	Inner_Full	17.90
n26_Part90	5	15	819	CP	256QAM	Edge_1RB_Left	17.66
n26_Part90	5	15	819	CP	256QAM	Edge_1RB_Right	17.71
n26_Part90	5	15	819	CP	256QAM	Outer_Full	17.87
n26_Part90	5	15	821.5	DFT	pi/2 BPSK	Inner_Full	24.39
n26_Part90	5	15	821.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.84
n26_Part90	5	15	821.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.93
n26_Part90	5	15	821.5	DFT	pi/2 BPSK	Outer_Full	23.90
n26_Part90	5	15	821.5	DFT	QPSK	Inner_Full	24.37
n26_Part90	5	15	821.5	DFT	QPSK	Edge_1RB_Left	23.30
n26_Part90	5	15	821.5	DFT	QPSK	Edge_1RB_Right	23.35
n26_Part90	5	15	821.5	DFT	QPSK	Outer_Full	23.46

n26_Part90	5	15	821.5	DFT	16QAM	Inner_Full	23.39
n26_Part90	5	15	821.5	DFT	16QAM	Edge_1RB_Left	22.62
n26_Part90	5	15	821.5	DFT	16QAM	Edge_1RB_Right	22.66
n26_Part90	5	15	821.5	DFT	16QAM	Outer_Full	22.34
n26_Part90	5	15	821.5	DFT	64QAM	Inner_Full	21.99
n26_Part90	5	15	821.5	DFT	64QAM	Edge_1RB_Left	21.68
n26_Part90	5	15	821.5	DFT	64QAM	Edge_1RB_Right	21.70
n26_Part90	5	15	821.5	DFT	64QAM	Outer_Full	21.91
n26_Part90	5	15	821.5	DFT	256QAM	Inner_Full	19.83
n26_Part90	5	15	821.5	DFT	256QAM	Edge_1RB_Left	19.60
n26_Part90	5	15	821.5	DFT	256QAM	Edge_1RB_Right	19.57
n26_Part90	5	15	821.5	DFT	256QAM	Outer_Full	19.79
n26_Part90	5	15	821.5	CP	QPSK	Inner_Full	22.87
n26_Part90	5	15	821.5	CP	QPSK	Edge_1RB_Left	21.35
n26_Part90	5	15	821.5	CP	QPSK	Edge_1RB_Right	21.44
n26_Part90	5	15	821.5	CP	QPSK	Outer_Full	21.35
n26_Part90	5	15	821.5	CP	16QAM	Inner_Full	22.58
n26_Part90	5	15	821.5	CP	16QAM	Edge_1RB_Left	21.71
n26_Part90	5	15	821.5	CP	16QAM	Edge_1RB_Right	21.81
n26_Part90	5	15	821.5	CP	16QAM	Outer_Full	21.39
n26_Part90	5	15	821.5	CP	64QAM	Inner_Full	20.76
n26_Part90	5	15	821.5	CP	64QAM	Edge_1RB_Left	20.49
n26_Part90	5	15	821.5	CP	64QAM	Edge_1RB_Right	20.69
n26_Part90	5	15	821.5	CP	64QAM	Outer_Full	20.90
n26_Part90	5	15	821.5	CP	256QAM	Inner_Full	17.96
n26_Part90	5	15	821.5	CP	256QAM	Edge_1RB_Left	17.69
n26_Part90	5	15	821.5	CP	256QAM	Edge_1RB_Right	17.67
n26_Part90	5	15	821.5	CP	256QAM	Outer_Full	17.86
n26_Part90	10	15	819	DFT	pi/2 BPSK	Inner_Full	23.84
n26_Part90	10	15	819	DFT	pi/2 BPSK	Edge_1RB_Left	23.23
n26_Part90	10	15	819	DFT	pi/2 BPSK	Edge_1RB_Right	23.25
n26_Part90	10	15	819	DFT	pi/2 BPSK	Outer_Full	23.26
n26_Part90	10	15	819	DFT	QPSK	Inner_Full	23.82
n26_Part90	10	15	819	DFT	QPSK	Edge_1RB_Left	22.70
n26_Part90	10	15	819	DFT	QPSK	Edge_1RB_Right	22.86
n26_Part90	10	15	819	DFT	QPSK	Outer_Full	22.81
n26_Part90	10	15	819	DFT	16QAM	Inner_Full	22.71
n26_Part90	10	15	819	DFT	16QAM	Edge_1RB_Left	22.03
n26_Part90	10	15	819	DFT	16QAM	Edge_1RB_Right	21.99
n26_Part90	10	15	819	DFT	16QAM	Outer_Full	21.64
n26_Part90	10	15	819	DFT	64QAM	Inner_Full	21.33



I22Z61533-WMD04

n26_Part90	10	15	819	DFT	64QAM	Edge_1RB_Left	20.99
n26_Part90	10	15	819	DFT	64QAM	Edge_1RB_Right	21.13
n26_Part90	10	15	819	DFT	64QAM	Outer_Full	21.25
n26_Part90	10	15	819	DFT	256QAM	Inner_Full	19.31
n26_Part90	10	15	819	DFT	256QAM	Edge_1RB_Left	19.00
n26_Part90	10	15	819	DFT	256QAM	Edge_1RB_Right	19.02
n26_Part90	10	15	819	DFT	256QAM	Outer_Full	19.26
n26_Part90	10	15	819	CP	QPSK	Inner_Full	22.37
n26_Part90	10	15	819	CP	QPSK	Edge_1RB_Left	20.75
n26_Part90	10	15	819	CP	QPSK	Edge_1RB_Right	20.87
n26_Part90	10	15	819	CP	QPSK	Outer_Full	20.72
n26_Part90	10	15	819	CP	16QAM	Inner_Full	21.88
n26_Part90	10	15	819	CP	16QAM	Edge_1RB_Left	20.95
n26_Part90	10	15	819	CP	16QAM	Edge_1RB_Right	21.33
n26_Part90	10	15	819	CP	16QAM	Outer_Full	20.82
n26_Part90	10	15	819	CP	64QAM	Inner_Full	20.30
n26_Part90	10	15	819	CP	64QAM	Edge_1RB_Left	19.95
n26_Part90	10	15	819	CP	64QAM	Edge_1RB_Right	20.13
n26_Part90	10	15	819	CP	64QAM	Outer_Full	20.29
n26_Part90	10	15	819	CP	256QAM	Inner_Full	17.23
n26_Part90	10	15	819	CP	256QAM	Edge_1RB_Left	16.99
n26_Part90	10	15	819	CP	256QAM	Edge_1RB_Right	17.26
n26_Part90	10	15	819	CP	256QAM	Outer_Full	17.30

n30

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n30	5	15	2307.5	DFT	pi/2 BPSK	Inner_Full	24.36
n30	5	15	2307.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.68
n30	5	15	2307.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.78
n30	5	15	2307.5	DFT	pi/2 BPSK	Outer_Full	23.82
n30	5	15	2307.5	DFT	QPSK	Inner_Full	24.44
n30	5	15	2307.5	DFT	QPSK	Edge_1RB_Left	23.28
n30	5	15	2307.5	DFT	QPSK	Edge_1RB_Right	23.32
n30	5	15	2307.5	DFT	QPSK	Outer_Full	23.35
n30	5	15	2307.5	DFT	16QAM	Inner_Full	23.44
n30	5	15	2307.5	DFT	16QAM	Edge_1RB_Left	22.61
n30	5	15	2307.5	DFT	16QAM	Edge_1RB_Right	22.68
n30	5	15	2307.5	DFT	16QAM	Outer_Full	22.38
n30	5	15	2307.5	DFT	64QAM	Inner_Full	22.07
n30	5	15	2307.5	DFT	64QAM	Edge_1RB_Left	21.69
n30	5	15	2307.5	DFT	64QAM	Edge_1RB_Right	21.74
n30	5	15	2307.5	DFT	64QAM	Outer_Full	22.04
n30	5	15	2307.5	DFT	256QAM	Inner_Full	19.92
n30	5	15	2307.5	DFT	256QAM	Edge_1RB_Left	19.59
n30	5	15	2307.5	DFT	256QAM	Edge_1RB_Right	19.69
n30	5	15	2307.5	DFT	256QAM	Outer_Full	19.83
n30	5	15	2307.5	CP	QPSK	Inner_Full	22.89
n30	5	15	2307.5	CP	QPSK	Edge_1RB_Left	21.34
n30	5	15	2307.5	CP	QPSK	Edge_1RB_Right	21.41
n30	5	15	2307.5	CP	QPSK	Outer_Full	21.40
n30	5	15	2307.5	CP	16QAM	Inner_Full	22.58
n30	5	15	2307.5	CP	16QAM	Edge_1RB_Left	21.71
n30	5	15	2307.5	CP	16QAM	Edge_1RB_Right	21.87
n30	5	15	2307.5	CP	16QAM	Outer_Full	21.38
n30	5	15	2307.5	CP	64QAM	Inner_Full	20.85
n30	5	15	2307.5	CP	64QAM	Edge_1RB_Left	20.70
n30	5	15	2307.5	CP	64QAM	Edge_1RB_Right	20.65
n30	5	15	2307.5	CP	64QAM	Outer_Full	21.00
n30	5	15	2307.5	CP	256QAM	Inner_Full	18.01
n30	5	15	2307.5	CP	256QAM	Edge_1RB_Left	17.65
n30	5	15	2307.5	CP	256QAM	Edge_1RB_Right	17.60
n30	5	15	2307.5	CP	256QAM	Outer_Full	17.88
n30	5	15	2310	DFT	pi/2 BPSK	Inner_Full	24.50
n30	5	15	2310	DFT	pi/2 BPSK	Edge_1RB_Left	23.84
n30	5	15	2310	DFT	pi/2 BPSK	Edge_1RB_Right	23.81

n30	5	15	2310	DFT	pi/2 BPSK	Outer_Full	24.00
n30	5	15	2310	DFT	QPSK	Inner_Full	24.44
n30	5	15	2310	DFT	QPSK	Edge_1RB_Left	23.40
n30	5	15	2310	DFT	QPSK	Edge_1RB_Right	23.41
n30	5	15	2310	DFT	QPSK	Outer_Full	23.43
n30	5	15	2310	DFT	16QAM	Inner_Full	23.42
n30	5	15	2310	DFT	16QAM	Edge_1RB_Left	22.66
n30	5	15	2310	DFT	16QAM	Edge_1RB_Right	22.69
n30	5	15	2310	DFT	16QAM	Outer_Full	22.38
n30	5	15	2310	DFT	64QAM	Inner_Full	22.07
n30	5	15	2310	DFT	64QAM	Edge_1RB_Left	21.76
n30	5	15	2310	DFT	64QAM	Edge_1RB_Right	21.84
n30	5	15	2310	DFT	64QAM	Outer_Full	22.06
n30	5	15	2310	DFT	256QAM	Inner_Full	19.94
n30	5	15	2310	DFT	256QAM	Edge_1RB_Left	19.68
n30	5	15	2310	DFT	256QAM	Edge_1RB_Right	19.67
n30	5	15	2310	DFT	256QAM	Outer_Full	19.91
n30	5	15	2310	CP	QPSK	Inner_Full	23.04
n30	5	15	2310	CP	QPSK	Edge_1RB_Left	21.43
n30	5	15	2310	CP	QPSK	Edge_1RB_Right	21.33
n30	5	15	2310	CP	QPSK	Outer_Full	21.40
n30	5	15	2310	CP	16QAM	Inner_Full	22.55
n30	5	15	2310	CP	16QAM	Edge_1RB_Left	21.94
n30	5	15	2310	CP	16QAM	Edge_1RB_Right	21.87
n30	5	15	2310	CP	16QAM	Outer_Full	21.40
n30	5	15	2310	CP	64QAM	Inner_Full	20.84
n30	5	15	2310	CP	64QAM	Edge_1RB_Left	20.80
n30	5	15	2310	CP	64QAM	Edge_1RB_Right	20.72
n30	5	15	2310	CP	64QAM	Outer_Full	21.03
n30	5	15	2310	CP	256QAM	Inner_Full	17.94
n30	5	15	2310	CP	256QAM	Edge_1RB_Left	17.73
n30	5	15	2310	CP	256QAM	Edge_1RB_Right	17.73
n30	5	15	2310	CP	256QAM	Outer_Full	17.90
n30	5	15	2312.5	DFT	pi/2 BPSK	Inner_Full	24.54
n30	5	15	2312.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.96
n30	5	15	2312.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.90
n30	5	15	2312.5	DFT	pi/2 BPSK	Outer_Full	24.01
n30	5	15	2312.5	DFT	QPSK	Inner_Full	24.58
n30	5	15	2312.5	DFT	QPSK	Edge_1RB_Left	23.45
n30	5	15	2312.5	DFT	QPSK	Edge_1RB_Right	23.43
n30	5	15	2312.5	DFT	QPSK	Outer_Full	23.54

n30	5	15	2312.5	DFT	16QAM	Inner_Full	23.54
n30	5	15	2312.5	DFT	16QAM	Edge_1RB_Left	22.73
n30	5	15	2312.5	DFT	16QAM	Edge_1RB_Right	22.70
n30	5	15	2312.5	DFT	16QAM	Outer_Full	22.42
n30	5	15	2312.5	DFT	64QAM	Inner_Full	21.99
n30	5	15	2312.5	DFT	64QAM	Edge_1RB_Left	21.79
n30	5	15	2312.5	DFT	64QAM	Edge_1RB_Right	21.84
n30	5	15	2312.5	DFT	64QAM	Outer_Full	22.02
n30	5	15	2312.5	DFT	256QAM	Inner_Full	20.01
n30	5	15	2312.5	DFT	256QAM	Edge_1RB_Left	19.79
n30	5	15	2312.5	DFT	256QAM	Edge_1RB_Right	19.70
n30	5	15	2312.5	DFT	256QAM	Outer_Full	19.95
n30	5	15	2312.5	CP	QPSK	Inner_Full	23.00
n30	5	15	2312.5	CP	QPSK	Edge_1RB_Left	21.51
n30	5	15	2312.5	CP	QPSK	Edge_1RB_Right	21.35
n30	5	15	2312.5	CP	QPSK	Outer_Full	21.41
n30	5	15	2312.5	CP	16QAM	Inner_Full	22.59
n30	5	15	2312.5	CP	16QAM	Edge_1RB_Left	21.79
n30	5	15	2312.5	CP	16QAM	Edge_1RB_Right	21.90
n30	5	15	2312.5	CP	16QAM	Outer_Full	21.51
n30	5	15	2312.5	CP	64QAM	Inner_Full	20.90
n30	5	15	2312.5	CP	64QAM	Edge_1RB_Left	20.69
n30	5	15	2312.5	CP	64QAM	Edge_1RB_Right	20.67
n30	5	15	2312.5	CP	64QAM	Outer_Full	20.95
n30	5	15	2312.5	CP	256QAM	Inner_Full	17.99
n30	5	15	2312.5	CP	256QAM	Edge_1RB_Left	17.74
n30	5	15	2312.5	CP	256QAM	Edge_1RB_Right	17.66
n30	5	15	2312.5	CP	256QAM	Outer_Full	17.92
n30	10	15	2310	DFT	pi/2 BPSK	Inner_Full	24.56
n30	10	15	2310	DFT	pi/2 BPSK	Edge_1RB_Left	23.92
n30	10	15	2310	DFT	pi/2 BPSK	Edge_1RB_Right	23.90
n30	10	15	2310	DFT	pi/2 BPSK	Outer_Full	23.97
n30	10	15	2310	DFT	QPSK	Inner_Full	24.46
n30	10	15	2310	DFT	QPSK	Edge_1RB_Left	23.37
n30	10	15	2310	DFT	QPSK	Edge_1RB_Right	23.41
n30	10	15	2310	DFT	QPSK	Outer_Full	23.42
n30	10	15	2310	DFT	16QAM	Inner_Full	23.47
n30	10	15	2310	DFT	16QAM	Edge_1RB_Left	22.72
n30	10	15	2310	DFT	16QAM	Edge_1RB_Right	22.81
n30	10	15	2310	DFT	16QAM	Outer_Full	22.33
n30	10	15	2310	DFT	64QAM	Inner_Full	22.10

n30	10	15	2310	DFT	64QAM	Edge_1RB_Left	21.85
n30	10	15	2310	DFT	64QAM	Edge_1RB_Right	21.83
n30	10	15	2310	DFT	64QAM	Outer_Full	21.98
n30	10	15	2310	DFT	256QAM	Inner_Full	19.95
n30	10	15	2310	DFT	256QAM	Edge_1RB_Left	19.69
n30	10	15	2310	DFT	256QAM	Edge_1RB_Right	19.59
n30	10	15	2310	DFT	256QAM	Outer_Full	19.92
n30	10	15	2310	CP	QPSK	Inner_Full	22.93
n30	10	15	2310	CP	QPSK	Edge_1RB_Left	21.47
n30	10	15	2310	CP	QPSK	Edge_1RB_Right	21.50
n30	10	15	2310	CP	QPSK	Outer_Full	21.40
n30	10	15	2310	CP	16QAM	Inner_Full	22.53
n30	10	15	2310	CP	16QAM	Edge_1RB_Left	21.93
n30	10	15	2310	CP	16QAM	Edge_1RB_Right	21.89
n30	10	15	2310	CP	16QAM	Outer_Full	21.43
n30	10	15	2310	CP	64QAM	Inner_Full	20.97
n30	10	15	2310	CP	64QAM	Edge_1RB_Left	20.79
n30	10	15	2310	CP	64QAM	Edge_1RB_Right	20.82
n30	10	15	2310	CP	64QAM	Outer_Full	21.02
n30	10	15	2310	CP	256QAM	Inner_Full	17.87
n30	10	15	2310	CP	256QAM	Edge_1RB_Left	17.66
n30	10	15	2310	CP	256QAM	Edge_1RB_Right	17.68
n30	10	15	2310	CP	256QAM	Outer_Full	17.84
n30	10	15	2310	DFT	pi/2 BPSK	Inner_Full	24.20
n30	10	15	2310	DFT	pi/2 BPSK	Edge_1RB_Left	23.63
n30	10	15	2310	DFT	pi/2 BPSK	Edge_1RB_Right	23.67
n30	10	15	2310	DFT	pi/2 BPSK	Outer_Full	23.65
n30	10	15	2310	DFT	QPSK	Inner_Full	24.18
n30	10	15	2310	DFT	QPSK	Edge_1RB_Left	23.23
n30	10	15	2310	DFT	QPSK	Edge_1RB_Right	23.03
n30	10	15	2310	DFT	QPSK	Outer_Full	23.17
n30	10	15	2310	DFT	16QAM	Inner_Full	23.17
n30	10	15	2310	DFT	16QAM	Edge_1RB_Left	22.39
n30	10	15	2310	DFT	16QAM	Edge_1RB_Right	22.42
n30	10	15	2310	DFT	16QAM	Outer_Full	22.06
n30	10	15	2310	DFT	64QAM	Inner_Full	21.82
n30	10	15	2310	DFT	64QAM	Edge_1RB_Left	21.50
n30	10	15	2310	DFT	64QAM	Edge_1RB_Right	21.52
n30	10	15	2310	DFT	64QAM	Outer_Full	21.72
n30	10	15	2310	DFT	256QAM	Inner_Full	19.65
n30	10	15	2310	DFT	256QAM	Edge_1RB_Left	19.41

n30	10	15	2310	DFT	256QAM	Edge_1RB_Right	19.33
n30	10	15	2310	DFT	256QAM	Outer_Full	19.70
n30	10	15	2310	CP	QPSK	Inner_Full	22.75
n30	10	15	2310	CP	QPSK	Edge_1RB_Left	21.18
n30	10	15	2310	CP	QPSK	Edge_1RB_Right	21.22
n30	10	15	2310	CP	QPSK	Outer_Full	21.14
n30	10	15	2310	CP	16QAM	Inner_Full	22.21
n30	10	15	2310	CP	16QAM	Edge_1RB_Left	21.62
n30	10	15	2310	CP	16QAM	Edge_1RB_Right	21.52
n30	10	15	2310	CP	16QAM	Outer_Full	21.19
n30	10	15	2310	CP	64QAM	Inner_Full	20.73
n30	10	15	2310	CP	64QAM	Edge_1RB_Left	20.46
n30	10	15	2310	CP	64QAM	Edge_1RB_Right	20.52
n30	10	15	2310	CP	64QAM	Outer_Full	20.77
n30	10	15	2310	CP	256QAM	Inner_Full	17.62
n30	10	15	2310	CP	256QAM	Edge_1RB_Left	17.45
n30	10	15	2310	CP	256QAM	Edge_1RB_Right	17.45
n30	10	15	2310	CP	256QAM	Outer_Full	17.58
n30	10	15	2310	DFT	pi/2 BPSK	Inner_Full	24.45
n30	10	15	2310	DFT	pi/2 BPSK	Edge_1RB_Left	23.93
n30	10	15	2310	DFT	pi/2 BPSK	Edge_1RB_Right	23.84
n30	10	15	2310	DFT	pi/2 BPSK	Outer_Full	23.93
n30	10	15	2310	DFT	QPSK	Inner_Full	24.44
n30	10	15	2310	DFT	QPSK	Edge_1RB_Left	23.46
n30	10	15	2310	DFT	QPSK	Edge_1RB_Right	23.43
n30	10	15	2310	DFT	QPSK	Outer_Full	23.42
n30	10	15	2310	DFT	16QAM	Inner_Full	23.50
n30	10	15	2310	DFT	16QAM	Edge_1RB_Left	22.74
n30	10	15	2310	DFT	16QAM	Edge_1RB_Right	22.66
n30	10	15	2310	DFT	16QAM	Outer_Full	22.34
n30	10	15	2310	DFT	64QAM	Inner_Full	22.12
n30	10	15	2310	DFT	64QAM	Edge_1RB_Left	21.88
n30	10	15	2310	DFT	64QAM	Edge_1RB_Right	21.78
n30	10	15	2310	DFT	64QAM	Outer_Full	21.93
n30	10	15	2310	DFT	256QAM	Inner_Full	19.89
n30	10	15	2310	DFT	256QAM	Edge_1RB_Left	19.75
n30	10	15	2310	DFT	256QAM	Edge_1RB_Right	19.55
n30	10	15	2310	DFT	256QAM	Outer_Full	19.88
n30	10	15	2310	CP	QPSK	Inner_Full	22.97
n30	10	15	2310	CP	QPSK	Edge_1RB_Left	21.52
n30	10	15	2310	CP	QPSK	Edge_1RB_Right	21.48



I22Z61533-WMD04

n30	10	15	2310	CP	QPSK	Outer_Full	21.45
n30	10	15	2310	CP	16QAM	Inner_Full	22.49
n30	10	15	2310	CP	16QAM	Edge_1RB_Left	21.90
n30	10	15	2310	CP	16QAM	Edge_1RB_Right	21.95
n30	10	15	2310	CP	16QAM	Outer_Full	21.47
n30	10	15	2310	CP	64QAM	Inner_Full	21.03
n30	10	15	2310	CP	64QAM	Edge_1RB_Left	20.75
n30	10	15	2310	CP	64QAM	Edge_1RB_Right	20.80
n30	10	15	2310	CP	64QAM	Outer_Full	21.08
n30	10	15	2310	CP	256QAM	Inner_Full	17.94
n30	10	15	2310	CP	256QAM	Edge_1RB_Left	17.74
n30	10	15	2310	CP	256QAM	Edge_1RB_Right	17.72
n30	10	15	2310	CP	256QAM	Outer_Full	17.91

n41

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	25.27
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.48
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.87
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	24.63
n41	20	30	2506.02	DFT	QPSK	Inner_Full	25.36
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	21.37
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	22.03
n41	20	30	2506.02	DFT	QPSK	Outer_Full	24.16
n41	20	30	2506.02	DFT	16QAM	Inner_Full	24.31
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	21.66
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	21.98
n41	20	30	2506.02	DFT	16QAM	Outer_Full	23.14
n41	20	30	2506.02	DFT	64QAM	Inner_Full	22.55
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	20.89
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	21.39
n41	20	30	2506.02	DFT	64QAM	Outer_Full	22.64
n41	20	30	2506.02	DFT	256QAM	Inner_Full	20.76
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	20.40
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	20.94
n41	20	30	2506.02	DFT	256QAM	Outer_Full	20.87
n41	20	30	2506.02	CP	QPSK	Inner_Full	23.76
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	21.61
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	21.92
n41	20	30	2506.02	CP	QPSK	Outer_Full	22.19
n41	20	30	2506.02	CP	16QAM	Inner_Full	23.14
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	21.73
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	22.32
n41	20	30	2506.02	CP	16QAM	Outer_Full	22.36
n41	20	30	2506.02	CP	64QAM	Inner_Full	21.61
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	21.41
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	21.75
n41	20	30	2506.02	CP	64QAM	Outer_Full	21.92
n41	20	30	2506.02	CP	256QAM	Inner_Full	18.77
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	18.42
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	18.89
n41	20	30	2506.02	CP	256QAM	Outer_Full	18.67
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.19
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.82
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.32

n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.63
n41	20	30	2592.99	DFT	QPSK	Inner_Full	26.03
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.73
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.61
n41	20	30	2592.99	DFT	QPSK	Outer_Full	25.21
n41	20	30	2592.99	DFT	16QAM	Inner_Full	25.23
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.84
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.61
n41	20	30	2592.99	DFT	16QAM	Outer_Full	24.22
n41	20	30	2592.99	DFT	64QAM	Inner_Full	23.65
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.37
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.21
n41	20	30	2592.99	DFT	64QAM	Outer_Full	23.59
n41	20	30	2592.99	DFT	256QAM	Inner_Full	21.42
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.44
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.39
n41	20	30	2592.99	DFT	256QAM	Outer_Full	21.50
n41	20	30	2592.99	CP	QPSK	Inner_Full	24.59
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	22.77
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	22.42
n41	20	30	2592.99	CP	QPSK	Outer_Full	23.06
n41	20	30	2592.99	CP	16QAM	Inner_Full	23.97
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	22.83
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	22.59
n41	20	30	2592.99	CP	16QAM	Outer_Full	23.00
n41	20	30	2592.99	CP	64QAM	Inner_Full	22.73
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	22.24
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	22.04
n41	20	30	2592.99	CP	64QAM	Outer_Full	22.72
n41	20	30	2592.99	CP	256QAM	Inner_Full	19.51
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	19.67
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	19.68
n41	20	30	2592.99	CP	256QAM	Outer_Full	19.76
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	25.89
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.92
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.12
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	25.45
n41	20	30	2679.99	DFT	QPSK	Inner_Full	26.09
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	22.78
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	22.27
n41	20	30	2679.99	DFT	QPSK	Outer_Full	25.09

n41	20	30	2679.99	DFT	16QAM	Inner_Full	24.87
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	22.93
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	22.06
n41	20	30	2679.99	DFT	16QAM	Outer_Full	23.91
n41	20	30	2679.99	DFT	64QAM	Inner_Full	23.58
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	22.24
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	21.57
n41	20	30	2679.99	DFT	64QAM	Outer_Full	23.46
n41	20	30	2679.99	DFT	256QAM	Inner_Full	21.58
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	21.65
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	21.02
n41	20	30	2679.99	DFT	256QAM	Outer_Full	21.57
n41	20	30	2679.99	CP	QPSK	Inner_Full	24.48
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	22.89
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	22.33
n41	20	30	2679.99	CP	QPSK	Outer_Full	23.02
n41	20	30	2679.99	CP	16QAM	Inner_Full	23.94
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	22.95
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	22.42
n41	20	30	2679.99	CP	16QAM	Outer_Full	22.94
n41	20	30	2679.99	CP	64QAM	Inner_Full	22.42
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	22.39
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	22.01
n41	20	30	2679.99	CP	64QAM	Outer_Full	22.52
n41	20	30	2679.99	CP	256QAM	Inner_Full	19.66
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	19.65
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	19.07
n41	20	30	2679.99	CP	256QAM	Outer_Full	19.44
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	25.46
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	21.73
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	22.67
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	25.13
n41	30	30	2511	DFT	QPSK	Inner_Full	25.66
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	21.83
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	22.63
n41	30	30	2511	DFT	QPSK	Outer_Full	24.71
n41	30	30	2511	DFT	16QAM	Inner_Full	24.59
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	21.58
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.64
n41	30	30	2511	DFT	16QAM	Outer_Full	23.34
n41	30	30	2511	DFT	64QAM	Inner_Full	22.95

n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	21.15
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	21.94
n41	30	30	2511	DFT	64QAM	Outer_Full	23.08
n41	30	30	2511	DFT	256QAM	Inner_Full	21.11
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	20.73
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	21.51
n41	30	30	2511	DFT	256QAM	Outer_Full	21.19
n41	30	30	2511	CP	QPSK	Inner_Full	24.13
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	21.88
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	22.42
n41	30	30	2511	CP	QPSK	Outer_Full	22.38
n41	30	30	2511	CP	16QAM	Inner_Full	23.48
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	22.11
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	22.79
n41	30	30	2511	CP	16QAM	Outer_Full	22.71
n41	30	30	2511	CP	64QAM	Inner_Full	22.01
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	21.51
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	21.86
n41	30	30	2511	CP	64QAM	Outer_Full	22.18
n41	30	30	2511	CP	256QAM	Inner_Full	19.12
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	18.79
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	19.53
n41	30	30	2511	CP	256QAM	Outer_Full	19.00
n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.00
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.87
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.49
n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.48
n41	30	30	2592.99	DFT	QPSK	Inner_Full	26.25
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.62
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.38
n41	30	30	2592.99	DFT	QPSK	Outer_Full	25.24
n41	30	30	2592.99	DFT	16QAM	Inner_Full	25.04
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.92
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.77
n41	30	30	2592.99	DFT	16QAM	Outer_Full	23.96
n41	30	30	2592.99	DFT	64QAM	Inner_Full	23.46
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.28
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.97
n41	30	30	2592.99	DFT	64QAM	Outer_Full	23.66
n41	30	30	2592.99	DFT	256QAM	Inner_Full	21.86
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.87



n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.76
n41	30	30	2592.99	DFT	256QAM	Outer_Full	21.72
n41	30	30	2592.99	CP	QPSK	Inner_Full	24.82
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	22.71
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	22.73
n41	30	30	2592.99	CP	QPSK	Outer_Full	23.19
n41	30	30	2592.99	CP	16QAM	Inner_Full	24.22
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	22.95
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	22.98
n41	30	30	2592.99	CP	16QAM	Outer_Full	23.27
n41	30	30	2592.99	CP	64QAM	Inner_Full	22.70
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	22.50
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	22.29
n41	30	30	2592.99	CP	64QAM	Outer_Full	22.89
n41	30	30	2592.99	CP	256QAM	Inner_Full	19.49
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	19.64
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	19.75
n41	30	30	2592.99	CP	256QAM	Outer_Full	19.89
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	26.49
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.89
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.38
n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	25.81
n41	30	30	2674.98	DFT	QPSK	Inner_Full	26.28
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	22.85
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	22.43
n41	30	30	2674.98	DFT	QPSK	Outer_Full	25.36
n41	30	30	2674.98	DFT	16QAM	Inner_Full	25.19
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	22.99
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	22.53
n41	30	30	2674.98	DFT	16QAM	Outer_Full	24.43
n41	30	30	2674.98	DFT	64QAM	Inner_Full	23.73
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	22.34
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	21.88
n41	30	30	2674.98	DFT	64QAM	Outer_Full	23.83
n41	30	30	2674.98	DFT	256QAM	Inner_Full	21.93
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	21.88
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	21.46
n41	30	30	2674.98	DFT	256QAM	Outer_Full	21.99
n41	30	30	2674.98	CP	QPSK	Inner_Full	24.68
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	22.98
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	22.43

n41	30	30	2674.98	CP	QPSK	Outer_Full	23.43
n41	30	30	2674.98	CP	16QAM	Inner_Full	24.40
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	22.93
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	22.68
n41	30	30	2674.98	CP	16QAM	Outer_Full	23.25
n41	30	30	2674.98	CP	64QAM	Inner_Full	22.89
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	22.46
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	22.10
n41	30	30	2674.98	CP	64QAM	Outer_Full	22.66
n41	30	30	2674.98	CP	256QAM	Inner_Full	19.85
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	19.65
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	19.42
n41	30	30	2674.98	CP	256QAM	Outer_Full	19.65
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	25.43
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.97
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.40
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	25.21
n41	40	30	2516.01	DFT	QPSK	Inner_Full	25.68
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	21.87
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	22.43
n41	40	30	2516.01	DFT	QPSK	Outer_Full	24.67
n41	40	30	2516.01	DFT	16QAM	Inner_Full	24.68
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	22.04
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	22.36
n41	40	30	2516.01	DFT	16QAM	Outer_Full	23.66
n41	40	30	2516.01	DFT	64QAM	Inner_Full	22.99
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.23
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	22.19
n41	40	30	2516.01	DFT	64QAM	Outer_Full	23.24
n41	40	30	2516.01	DFT	256QAM	Inner_Full	20.91
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	20.80
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	21.35
n41	40	30	2516.01	DFT	256QAM	Outer_Full	21.23
n41	40	30	2516.01	CP	QPSK	Inner_Full	24.16
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	21.89
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	22.67
n41	40	30	2516.01	CP	QPSK	Outer_Full	22.60
n41	40	30	2516.01	CP	16QAM	Inner_Full	23.70
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	21.98
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	22.79
n41	40	30	2516.01	CP	16QAM	Outer_Full	22.81

n41	40	30	2516.01	CP	64QAM	Inner_Full	22.26
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	21.25
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	22.12
n41	40	30	2516.01	CP	64QAM	Outer_Full	22.15
n41	40	30	2516.01	CP	256QAM	Inner_Full	19.13
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	18.70
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	19.52
n41	40	30	2516.01	CP	256QAM	Outer_Full	18.98
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.20
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.87
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.67
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.76
n41	40	30	2592.99	DFT	QPSK	Inner_Full	26.21
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.80
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.62
n41	40	30	2592.99	DFT	QPSK	Outer_Full	24.99
n41	40	30	2592.99	DFT	16QAM	Inner_Full	25.17
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.99
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.82
n41	40	30	2592.99	DFT	16QAM	Outer_Full	24.17
n41	40	30	2592.99	DFT	64QAM	Inner_Full	23.82
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.48
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.13
n41	40	30	2592.99	DFT	64QAM	Outer_Full	23.57
n41	40	30	2592.99	DFT	256QAM	Inner_Full	21.45
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.54
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.32
n41	40	30	2592.99	DFT	256QAM	Outer_Full	21.56
n41	40	30	2592.99	CP	QPSK	Inner_Full	24.67
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	22.96
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	22.41
n41	40	30	2592.99	CP	QPSK	Outer_Full	23.33
n41	40	30	2592.99	CP	16QAM	Inner_Full	24.29
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	22.99
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	22.62
n41	40	30	2592.99	CP	16QAM	Outer_Full	23.39
n41	40	30	2592.99	CP	64QAM	Inner_Full	22.85
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	22.48
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	22.28
n41	40	30	2592.99	CP	64QAM	Outer_Full	22.56
n41	40	30	2592.99	CP	256QAM	Inner_Full	19.60

n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	19.72
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	19.66
n41	40	30	2592.99	CP	256QAM	Outer_Full	19.89
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	26.49
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.66
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	22.55
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	25.66
n41	40	30	2670	DFT	QPSK	Inner_Full	26.21
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	22.37
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	22.47
n41	40	30	2670	DFT	QPSK	Outer_Full	25.19
n41	40	30	2670	DFT	16QAM	Inner_Full	25.24
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.85
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.46
n41	40	30	2670	DFT	16QAM	Outer_Full	24.20
n41	40	30	2670	DFT	64QAM	Inner_Full	23.99
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	22.37
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	21.81
n41	40	30	2670	DFT	64QAM	Outer_Full	23.93
n41	40	30	2670	DFT	256QAM	Inner_Full	21.95
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	21.56
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	21.25
n41	40	30	2670	DFT	256QAM	Outer_Full	21.67
n41	40	30	2670	CP	QPSK	Inner_Full	24.80
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	22.51
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	22.25
n41	40	30	2670	CP	QPSK	Outer_Full	23.30
n41	40	30	2670	CP	16QAM	Inner_Full	24.18
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	22.82
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	22.54
n41	40	30	2670	CP	16QAM	Outer_Full	23.13
n41	40	30	2670	CP	64QAM	Inner_Full	22.77
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	22.50
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	22.08
n41	40	30	2670	CP	64QAM	Outer_Full	22.75
n41	40	30	2670	CP	256QAM	Inner_Full	19.76
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	19.50
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	19.34
n41	40	30	2670	CP	256QAM	Outer_Full	19.64
n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	25.70
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.46

n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.10
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	25.17
n41	50	30	2521.02	DFT	QPSK	Inner_Full	25.55
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	21.37
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	22.17
n41	50	30	2521.02	DFT	QPSK	Outer_Full	24.31
n41	50	30	2521.02	DFT	16QAM	Inner_Full	24.50
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	21.47
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	22.43
n41	50	30	2521.02	DFT	16QAM	Outer_Full	23.48
n41	50	30	2521.02	DFT	64QAM	Inner_Full	23.18
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	21.04
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	21.87
n41	50	30	2521.02	DFT	64QAM	Outer_Full	23.21
n41	50	30	2521.02	DFT	256QAM	Inner_Full	21.07
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	20.66
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	21.24
n41	50	30	2521.02	DFT	256QAM	Outer_Full	21.33
n41	50	30	2521.02	CP	QPSK	Inner_Full	24.24
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	21.60
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	22.60
n41	50	30	2521.02	CP	QPSK	Outer_Full	22.74
n41	50	30	2521.02	CP	16QAM	Inner_Full	23.77
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	21.86
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	22.66
n41	50	30	2521.02	CP	16QAM	Outer_Full	22.73
n41	50	30	2521.02	CP	64QAM	Inner_Full	22.30
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	21.31
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	22.05
n41	50	30	2521.02	CP	64QAM	Outer_Full	22.16
n41	50	30	2521.02	CP	256QAM	Inner_Full	18.86
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	18.58
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	19.42
n41	50	30	2521.02	CP	256QAM	Outer_Full	19.20
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.17
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.65
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.50
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.49
n41	50	30	2592.99	DFT	QPSK	Inner_Full	26.17
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.56
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.35

n41	50	30	2592.99	DFT	QPSK	Outer_Full	25.17
n41	50	30	2592.99	DFT	16QAM	Inner_Full	24.95
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.76
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.39
n41	50	30	2592.99	DFT	16QAM	Outer_Full	24.27
n41	50	30	2592.99	DFT	64QAM	Inner_Full	23.58
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.10
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.03
n41	50	30	2592.99	DFT	64QAM	Outer_Full	23.77
n41	50	30	2592.99	DFT	256QAM	Inner_Full	21.77
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.53
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.50
n41	50	30	2592.99	DFT	256QAM	Outer_Full	21.79
n41	50	30	2592.99	CP	QPSK	Inner_Full	24.71
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	22.80
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	22.33
n41	50	30	2592.99	CP	QPSK	Outer_Full	23.09
n41	50	30	2592.99	CP	16QAM	Inner_Full	24.22
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	22.59
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	22.55
n41	50	30	2592.99	CP	16QAM	Outer_Full	23.04
n41	50	30	2592.99	CP	64QAM	Inner_Full	22.62
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	22.29
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	21.91
n41	50	30	2592.99	CP	64QAM	Outer_Full	22.66
n41	50	30	2592.99	CP	256QAM	Inner_Full	19.46
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	19.52
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	19.41
n41	50	30	2592.99	CP	256QAM	Outer_Full	19.35
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	26.23
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.12
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.31
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	25.62
n41	50	30	2664.99	DFT	QPSK	Inner_Full	26.30
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	22.36
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	21.99
n41	50	30	2664.99	DFT	QPSK	Outer_Full	25.24
n41	50	30	2664.99	DFT	16QAM	Inner_Full	25.34
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	22.44
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	22.52
n41	50	30	2664.99	DFT	16QAM	Outer_Full	24.07

n41	50	30	2664.99	DFT	64QAM	Inner_Full	23.61
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	22.05
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	21.85
n41	50	30	2664.99	DFT	64QAM	Outer_Full	23.69
n41	50	30	2664.99	DFT	256QAM	Inner_Full	21.72
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	21.35
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	20.85
n41	50	30	2664.99	DFT	256QAM	Outer_Full	21.63
n41	50	30	2664.99	CP	QPSK	Inner_Full	24.90
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	22.34
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	22.24
n41	50	30	2664.99	CP	QPSK	Outer_Full	23.02
n41	50	30	2664.99	CP	16QAM	Inner_Full	24.12
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	22.42
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	22.35
n41	50	30	2664.99	CP	16QAM	Outer_Full	22.88
n41	50	30	2664.99	CP	64QAM	Inner_Full	22.87
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	22.25
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	22.10
n41	50	30	2664.99	CP	64QAM	Outer_Full	22.82
n41	50	30	2664.99	CP	256QAM	Inner_Full	19.96
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	19.58
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	19.17
n41	50	30	2664.99	CP	256QAM	Outer_Full	19.62
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	25.46
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	21.39
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	22.10
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	24.99
n41	60	30	2526	DFT	QPSK	Inner_Full	25.73
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	21.60
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	22.29
n41	60	30	2526	DFT	QPSK	Outer_Full	24.37
n41	60	30	2526	DFT	16QAM	Inner_Full	24.77
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	21.83
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	22.28
n41	60	30	2526	DFT	16QAM	Outer_Full	23.45
n41	60	30	2526	DFT	64QAM	Inner_Full	23.17
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	21.21
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.91
n41	60	30	2526	DFT	64QAM	Outer_Full	23.30
n41	60	30	2526	DFT	256QAM	Inner_Full	21.08

n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	20.66
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	20.82
n41	60	30	2526	DFT	256QAM	Outer_Full	21.25
n41	60	30	2526	CP	QPSK	Inner_Full	24.18
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	21.67
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	22.25
n41	60	30	2526	CP	QPSK	Outer_Full	22.49
n41	60	30	2526	CP	16QAM	Inner_Full	23.78
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	21.80
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	22.49
n41	60	30	2526	CP	16QAM	Outer_Full	22.48
n41	60	30	2526	CP	64QAM	Inner_Full	22.41
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	21.22
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	21.85
n41	60	30	2526	CP	64QAM	Outer_Full	22.11
n41	60	30	2526	CP	256QAM	Inner_Full	19.32
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	18.20
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	19.04
n41	60	30	2526	CP	256QAM	Outer_Full	19.22
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.11
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.20
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.43
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.60
n41	60	30	2592.99	DFT	QPSK	Inner_Full	26.10
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.44
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.30
n41	60	30	2592.99	DFT	QPSK	Outer_Full	24.98
n41	60	30	2592.99	DFT	16QAM	Inner_Full	24.85
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.62
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.60
n41	60	30	2592.99	DFT	16QAM	Outer_Full	24.17
n41	60	30	2592.99	DFT	64QAM	Inner_Full	23.86
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.90
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.88
n41	60	30	2592.99	DFT	64QAM	Outer_Full	23.37
n41	60	30	2592.99	DFT	256QAM	Inner_Full	21.40
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.43
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.17
n41	60	30	2592.99	DFT	256QAM	Outer_Full	21.52
n41	60	30	2592.99	CP	QPSK	Inner_Full	24.70
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	22.54

n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	22.29
n41	60	30	2592.99	CP	QPSK	Outer_Full	23.16
n41	60	30	2592.99	CP	16QAM	Inner_Full	24.26
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	22.59
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	22.46
n41	60	30	2592.99	CP	16QAM	Outer_Full	23.04
n41	60	30	2592.99	CP	64QAM	Inner_Full	22.84
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	22.19
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	21.87
n41	60	30	2592.99	CP	64QAM	Outer_Full	22.58
n41	60	30	2592.99	CP	256QAM	Inner_Full	19.80
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	19.42
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	19.28
n41	60	30	2592.99	CP	256QAM	Outer_Full	19.71
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	26.12
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.46
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.23
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	25.57
n41	60	30	2659.98	DFT	QPSK	Inner_Full	26.04
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	22.45
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	22.15
n41	60	30	2659.98	DFT	QPSK	Outer_Full	24.94
n41	60	30	2659.98	DFT	16QAM	Inner_Full	25.16
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	22.42
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	22.41
n41	60	30	2659.98	DFT	16QAM	Outer_Full	23.98
n41	60	30	2659.98	DFT	64QAM	Inner_Full	23.64
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	21.96
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	21.70
n41	60	30	2659.98	DFT	64QAM	Outer_Full	23.69
n41	60	30	2659.98	DFT	256QAM	Inner_Full	21.48
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	21.26
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	20.97
n41	60	30	2659.98	DFT	256QAM	Outer_Full	21.50
n41	60	30	2659.98	CP	QPSK	Inner_Full	24.55
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	22.44
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	22.17
n41	60	30	2659.98	CP	QPSK	Outer_Full	23.22
n41	60	30	2659.98	CP	16QAM	Inner_Full	23.99
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	22.73
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	22.48

n41	60	30	2659.98	CP	16QAM	Outer_Full	23.11
n41	60	30	2659.98	CP	64QAM	Inner_Full	22.89
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	22.13
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	21.77
n41	60	30	2659.98	CP	64QAM	Outer_Full	22.68
n41	60	30	2659.98	CP	256QAM	Inner_Full	19.48
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	19.24
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	19.09
n41	60	30	2659.98	CP	256QAM	Outer_Full	19.43
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	25.43
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.62
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.73
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	25.05
n41	80	30	2536.02	DFT	QPSK	Inner_Full	25.79
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	21.52
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	22.30
n41	80	30	2536.02	DFT	QPSK	Outer_Full	24.72
n41	80	30	2536.02	DFT	16QAM	Inner_Full	24.52
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	21.29
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	22.57
n41	80	30	2536.02	DFT	16QAM	Outer_Full	23.37
n41	80	30	2536.02	DFT	64QAM	Inner_Full	23.16
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	21.09
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	22.13
n41	80	30	2536.02	DFT	64QAM	Outer_Full	23.13
n41	80	30	2536.02	DFT	256QAM	Inner_Full	20.93
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	20.41
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	21.34
n41	80	30	2536.02	DFT	256QAM	Outer_Full	21.11
n41	80	30	2536.02	CP	QPSK	Inner_Full	24.03
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	21.56
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	22.52
n41	80	30	2536.02	CP	QPSK	Outer_Full	22.66
n41	80	30	2536.02	CP	16QAM	Inner_Full	23.79
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	21.58
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	22.78
n41	80	30	2536.02	CP	16QAM	Outer_Full	22.51
n41	80	30	2536.02	CP	64QAM	Inner_Full	21.98
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	21.13
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	22.09
n41	80	30	2536.02	CP	64QAM	Outer_Full	21.90



I22Z61533-WMD04

n41	80	30	2536.02	CP	256QAM	Inner_Full	19.13
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	18.14
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	19.51
n41	80	30	2536.02	CP	256QAM	Outer_Full	19.17
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.96
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.13
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.35
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.29
n41	80	30	2592.99	DFT	QPSK	Inner_Full	25.95
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.03
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.30
n41	80	30	2592.99	DFT	QPSK	Outer_Full	24.63
n41	80	30	2592.99	DFT	16QAM	Inner_Full	24.90
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.27
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.41
n41	80	30	2592.99	DFT	16QAM	Outer_Full	23.92
n41	80	30	2592.99	DFT	64QAM	Inner_Full	23.50
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.36
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.68
n41	80	30	2592.99	DFT	64QAM	Outer_Full	23.21
n41	80	30	2592.99	DFT	256QAM	Inner_Full	21.63
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.06
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.36
n41	80	30	2592.99	DFT	256QAM	Outer_Full	21.62
n41	80	30	2592.99	CP	QPSK	Inner_Full	24.39
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	21.88
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	22.45
n41	80	30	2592.99	CP	QPSK	Outer_Full	22.68
n41	80	30	2592.99	CP	16QAM	Inner_Full	24.10
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	22.04
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	22.51
n41	80	30	2592.99	CP	16QAM	Outer_Full	22.99
n41	80	30	2592.99	CP	64QAM	Inner_Full	22.54
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	21.70
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	21.82
n41	80	30	2592.99	CP	64QAM	Outer_Full	22.07
n41	80	30	2592.99	CP	256QAM	Inner_Full	19.29
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	18.82
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	19.04
n41	80	30	2592.99	CP	256QAM	Outer_Full	19.47
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	25.94

n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.27
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.96
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	25.36
n41	80	30	2649.99	DFT	QPSK	Inner_Full	25.99
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	22.19
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	21.73
n41	80	30	2649.99	DFT	QPSK	Outer_Full	24.75
n41	80	30	2649.99	DFT	16QAM	Inner_Full	24.94
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	22.30
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	22.15
n41	80	30	2649.99	DFT	16QAM	Outer_Full	23.81
n41	80	30	2649.99	DFT	64QAM	Inner_Full	23.55
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	21.64
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	21.72
n41	80	30	2649.99	DFT	64QAM	Outer_Full	23.31
n41	80	30	2649.99	DFT	256QAM	Inner_Full	21.54
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	21.27
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	21.09
n41	80	30	2649.99	DFT	256QAM	Outer_Full	21.30
n41	80	30	2649.99	CP	QPSK	Inner_Full	24.37
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	22.27
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	22.23
n41	80	30	2649.99	CP	QPSK	Outer_Full	22.85
n41	80	30	2649.99	CP	16QAM	Inner_Full	24.05
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	22.35
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	22.19
n41	80	30	2649.99	CP	16QAM	Outer_Full	23.04
n41	80	30	2649.99	CP	64QAM	Inner_Full	22.52
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	21.98
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	21.82
n41	80	30	2649.99	CP	64QAM	Outer_Full	22.37
n41	80	30	2649.99	CP	256QAM	Inner_Full	19.48
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	19.12
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	19.01
n41	80	30	2649.99	CP	256QAM	Outer_Full	19.36
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	25.53
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	21.40
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.42
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	25.16
n41	90	30	2541	DFT	QPSK	Inner_Full	25.56
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.45

n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	22.57
n41	90	30	2541	DFT	QPSK	Outer_Full	24.72
n41	90	30	2541	DFT	16QAM	Inner_Full	24.71
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	21.75
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	22.75
n41	90	30	2541	DFT	16QAM	Outer_Full	23.46
n41	90	30	2541	DFT	64QAM	Inner_Full	23.01
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	20.58
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	21.82
n41	90	30	2541	DFT	64QAM	Outer_Full	23.17
n41	90	30	2541	DFT	256QAM	Inner_Full	21.31
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	19.90
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	21.22
n41	90	30	2541	DFT	256QAM	Outer_Full	20.94
n41	90	30	2541	CP	QPSK	Inner_Full	24.08
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	21.09
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	22.51
n41	90	30	2541	CP	QPSK	Outer_Full	22.71
n41	90	30	2541	CP	16QAM	Inner_Full	23.52
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	21.73
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	22.58
n41	90	30	2541	CP	16QAM	Outer_Full	22.61
n41	90	30	2541	CP	64QAM	Inner_Full	21.96
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	21.23
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	22.03
n41	90	30	2541	CP	64QAM	Outer_Full	21.94
n41	90	30	2541	CP	256QAM	Inner_Full	19.23
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	18.23
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	19.23
n41	90	30	2541	CP	256QAM	Outer_Full	19.24
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.98
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.89
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.02
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.43
n41	90	30	2592.99	DFT	QPSK	Inner_Full	25.99
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.04
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.07
n41	90	30	2592.99	DFT	QPSK	Outer_Full	24.67
n41	90	30	2592.99	DFT	16QAM	Inner_Full	24.68
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.42
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.55



I22Z61533-WMD04

n41	90	30	2592.99	DFT	16QAM	Outer_Full	23.83
n41	90	30	2592.99	DFT	64QAM	Inner_Full	23.55
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.67
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.97
n41	90	30	2592.99	DFT	64QAM	Outer_Full	23.06
n41	90	30	2592.99	DFT	256QAM	Inner_Full	21.16
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.03
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.34
n41	90	30	2592.99	DFT	256QAM	Outer_Full	21.41
n41	90	30	2592.99	CP	QPSK	Inner_Full	24.48
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	21.96
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	22.42
n41	90	30	2592.99	CP	QPSK	Outer_Full	22.89
n41	90	30	2592.99	CP	16QAM	Inner_Full	23.86
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	22.29
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	22.59
n41	90	30	2592.99	CP	16QAM	Outer_Full	22.79
n41	90	30	2592.99	CP	64QAM	Inner_Full	22.54
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	21.48
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	21.92
n41	90	30	2592.99	CP	64QAM	Outer_Full	22.41
n41	90	30	2592.99	CP	256QAM	Inner_Full	19.51
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	18.79
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	19.25
n41	90	30	2592.99	CP	256QAM	Outer_Full	19.39
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	25.94
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.40
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.14
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	25.44
n41	90	30	2644.98	DFT	QPSK	Inner_Full	25.99
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	22.11
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	22.10
n41	90	30	2644.98	DFT	QPSK	Outer_Full	24.98
n41	90	30	2644.98	DFT	16QAM	Inner_Full	24.95
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	22.29
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	22.24
n41	90	30	2644.98	DFT	16QAM	Outer_Full	23.68
n41	90	30	2644.98	DFT	64QAM	Inner_Full	23.51
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	21.69
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	21.50
n41	90	30	2644.98	DFT	64QAM	Outer_Full	23.49

n41	90	30	2644.98	DFT	256QAM	Inner_Full	21.20
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	21.26
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	21.03
n41	90	30	2644.98	DFT	256QAM	Outer_Full	21.45
n41	90	30	2644.98	CP	QPSK	Inner_Full	24.37
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	22.15
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	21.97
n41	90	30	2644.98	CP	QPSK	Outer_Full	22.63
n41	90	30	2644.98	CP	16QAM	Inner_Full	23.92
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	22.40
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	22.57
n41	90	30	2644.98	CP	16QAM	Outer_Full	22.98
n41	90	30	2644.98	CP	64QAM	Inner_Full	22.41
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	21.84
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	21.71
n41	90	30	2644.98	CP	64QAM	Outer_Full	22.19
n41	90	30	2644.98	CP	256QAM	Inner_Full	19.30
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	19.28
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	19.04
n41	90	30	2644.98	CP	256QAM	Outer_Full	19.55
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	25.70
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.46
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.43
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	25.11
n41	100	30	2546.01	DFT	QPSK	Inner_Full	25.53
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.45
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	22.32
n41	100	30	2546.01	DFT	QPSK	Outer_Full	24.60
n41	100	30	2546.01	DFT	16QAM	Inner_Full	24.68
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.47
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	22.34
n41	100	30	2546.01	DFT	16QAM	Outer_Full	23.47
n41	100	30	2546.01	DFT	64QAM	Inner_Full	23.09
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	20.98
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	21.79
n41	100	30	2546.01	DFT	64QAM	Outer_Full	23.20
n41	100	30	2546.01	DFT	256QAM	Inner_Full	20.92
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	20.36
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	21.15
n41	100	30	2546.01	DFT	256QAM	Outer_Full	21.15
n41	100	30	2546.01	CP	QPSK	Inner_Full	24.14

n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	21.59
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	22.60
n41	100	30	2546.01	CP	QPSK	Outer_Full	22.68
n41	100	30	2546.01	CP	16QAM	Inner_Full	23.75
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.60
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	22.56
n41	100	30	2546.01	CP	16QAM	Outer_Full	22.78
n41	100	30	2546.01	CP	64QAM	Inner_Full	22.27
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	21.12
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	22.07
n41	100	30	2546.01	CP	64QAM	Outer_Full	22.03
n41	100	30	2546.01	CP	256QAM	Inner_Full	19.03
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	18.12
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	19.53
n41	100	30	2546.01	CP	256QAM	Outer_Full	19.15
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.99
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.09
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.45
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.27
n41	100	30	2592.99	DFT	QPSK	Inner_Full	25.89
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.06
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.14
n41	100	30	2592.99	DFT	QPSK	Outer_Full	24.54
n41	100	30	2592.99	DFT	16QAM	Inner_Full	24.75
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.20
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.63
n41	100	30	2592.99	DFT	16QAM	Outer_Full	23.85
n41	100	30	2592.99	DFT	64QAM	Inner_Full	23.50
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.77
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.88
n41	100	30	2592.99	DFT	64QAM	Outer_Full	23.38
n41	100	30	2592.99	DFT	256QAM	Inner_Full	21.64
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.25
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.25
n41	100	30	2592.99	DFT	256QAM	Outer_Full	21.35
n41	100	30	2592.99	CP	QPSK	Inner_Full	24.49
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	22.15
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	22.43
n41	100	30	2592.99	CP	QPSK	Outer_Full	22.86
n41	100	30	2592.99	CP	16QAM	Inner_Full	23.96
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	22.25



I22Z61533-WMD04

n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	22.42
n41	100	30	2592.99	CP	16QAM	Outer_Full	22.69
n41	100	30	2592.99	CP	64QAM	Inner_Full	22.31
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	21.93
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	21.89
n41	100	30	2592.99	CP	64QAM	Outer_Full	22.37
n41	100	30	2592.99	CP	256QAM	Inner_Full	19.37
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	18.88
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	19.19
n41	100	30	2592.99	CP	256QAM	Outer_Full	19.14
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	25.87
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	22.42
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	22.21
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	25.43
n41	100	30	2640	DFT	QPSK	Inner_Full	25.88
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	22.41
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.89
n41	100	30	2640	DFT	QPSK	Outer_Full	24.74
n41	100	30	2640	DFT	16QAM	Inner_Full	24.85
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	22.36
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	22.30
n41	100	30	2640	DFT	16QAM	Outer_Full	23.73
n41	100	30	2640	DFT	64QAM	Inner_Full	23.39
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	21.78
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	21.52
n41	100	30	2640	DFT	64QAM	Outer_Full	23.42
n41	100	30	2640	DFT	256QAM	Inner_Full	21.44
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	21.56
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	21.17
n41	100	30	2640	DFT	256QAM	Outer_Full	21.54
n41	100	30	2640	CP	QPSK	Inner_Full	24.34
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	22.42
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	21.76
n41	100	30	2640	CP	QPSK	Outer_Full	22.89
n41	100	30	2640	CP	16QAM	Inner_Full	23.80
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	22.43
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	22.09
n41	100	30	2640	CP	16QAM	Outer_Full	22.73
n41	100	30	2640	CP	64QAM	Inner_Full	22.25
n41	100	30	2640	CP	64QAM	Edge_1RB_Left	22.00
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	21.59



I22Z61533-WMD04

n41	100	30	2640	CP	64QAM	Outer_Full	22.21
n41	100	30	2640	CP	256QAM	Inner_Full	19.09
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	19.31
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	19.05
n41	100	30	2640	CP	256QAM	Outer_Full	19.25

n66

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.94
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.38
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.44
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	23.36
n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.83
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	22.83
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.89
n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.91
n66	5	15	1712.5	DFT	16QAM	Inner_Full	22.91
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	22.13
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	22.12
n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.88
n66	5	15	1712.5	DFT	64QAM	Inner_Full	21.44
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	21.25
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	21.27
n66	5	15	1712.5	DFT	64QAM	Outer_Full	21.56
n66	5	15	1712.5	DFT	256QAM	Inner_Full	19.49
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	19.06
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	19.03
n66	5	15	1712.5	DFT	256QAM	Outer_Full	19.28
n66	5	15	1712.5	CP	QPSK	Inner_Full	22.51
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	20.89
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	20.80
n66	5	15	1712.5	CP	QPSK	Outer_Full	20.82
n66	5	15	1712.5	CP	16QAM	Inner_Full	22.06
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	21.21
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	21.32
n66	5	15	1712.5	CP	16QAM	Outer_Full	20.86
n66	5	15	1712.5	CP	64QAM	Inner_Full	20.30
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	20.10
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	20.10
n66	5	15	1712.5	CP	64QAM	Outer_Full	20.47
n66	5	15	1712.5	CP	256QAM	Inner_Full	17.48
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	17.23
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	17.16
n66	5	15	1712.5	CP	256QAM	Outer_Full	17.41
n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	24.32
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.74
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.69

n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	23.80
n66	5	15	1745	DFT	QPSK	Inner_Full	24.31
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	23.21
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	23.25
n66	5	15	1745	DFT	QPSK	Outer_Full	23.33
n66	5	15	1745	DFT	16QAM	Inner_Full	23.35
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	22.53
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	22.58
n66	5	15	1745	DFT	16QAM	Outer_Full	22.31
n66	5	15	1745	DFT	64QAM	Inner_Full	21.93
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	21.65
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	21.71
n66	5	15	1745	DFT	64QAM	Outer_Full	21.95
n66	5	15	1745	DFT	256QAM	Inner_Full	19.74
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	19.45
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	19.48
n66	5	15	1745	DFT	256QAM	Outer_Full	19.79
n66	5	15	1745	CP	QPSK	Inner_Full	22.88
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	21.25
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	21.28
n66	5	15	1745	CP	QPSK	Outer_Full	21.29
n66	5	15	1745	CP	16QAM	Inner_Full	22.51
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	21.70
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	21.71
n66	5	15	1745	CP	16QAM	Outer_Full	21.34
n66	5	15	1745	CP	64QAM	Inner_Full	20.81
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	20.53
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	20.54
n66	5	15	1745	CP	64QAM	Outer_Full	20.88
n66	5	15	1745	CP	256QAM	Inner_Full	17.85
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	17.66
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	17.62
n66	5	15	1745	CP	256QAM	Outer_Full	17.79
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	24.07
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.45
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.48
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	23.54
n66	5	15	1777.5	DFT	QPSK	Inner_Full	24.06
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	22.94
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	23.02
n66	5	15	1777.5	DFT	QPSK	Outer_Full	23.06

n66	5	15	1777.5	DFT	16QAM	Inner_Full	23.05
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	22.23
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	22.34
n66	5	15	1777.5	DFT	16QAM	Outer_Full	22.00
n66	5	15	1777.5	DFT	64QAM	Inner_Full	21.62
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	21.36
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	21.41
n66	5	15	1777.5	DFT	64QAM	Outer_Full	21.69
n66	5	15	1777.5	DFT	256QAM	Inner_Full	19.49
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	19.19
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	19.25
n66	5	15	1777.5	DFT	256QAM	Outer_Full	19.46
n66	5	15	1777.5	CP	QPSK	Inner_Full	22.46
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	20.96
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	20.99
n66	5	15	1777.5	CP	QPSK	Outer_Full	20.98
n66	5	15	1777.5	CP	16QAM	Inner_Full	22.20
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	21.45
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	21.39
n66	5	15	1777.5	CP	16QAM	Outer_Full	21.00
n66	5	15	1777.5	CP	64QAM	Inner_Full	20.37
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	20.23
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	20.34
n66	5	15	1777.5	CP	64QAM	Outer_Full	20.55
n66	5	15	1777.5	CP	256QAM	Inner_Full	17.56
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	17.30
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	17.36
n66	5	15	1777.5	CP	256QAM	Outer_Full	17.48
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	24.08
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	23.44
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	23.44
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	23.59
n66	10	15	1715	DFT	QPSK	Inner_Full	24.08
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	22.98
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	23.01
n66	10	15	1715	DFT	QPSK	Outer_Full	23.06
n66	10	15	1715	DFT	16QAM	Inner_Full	22.95
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	22.20
n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	22.32
n66	10	15	1715	DFT	16QAM	Outer_Full	21.88
n66	10	15	1715	DFT	64QAM	Inner_Full	21.61

n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	21.33
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	21.34
n66	10	15	1715	DFT	64QAM	Outer_Full	21.50
n66	10	15	1715	DFT	256QAM	Inner_Full	19.46
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	19.10
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	19.33
n66	10	15	1715	DFT	256QAM	Outer_Full	19.53
n66	10	15	1715	CP	QPSK	Inner_Full	22.56
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	20.98
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	21.07
n66	10	15	1715	CP	QPSK	Outer_Full	21.03
n66	10	15	1715	CP	16QAM	Inner_Full	22.19
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	21.41
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	21.53
n66	10	15	1715	CP	16QAM	Outer_Full	20.97
n66	10	15	1715	CP	64QAM	Inner_Full	20.50
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	20.28
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	20.37
n66	10	15	1715	CP	64QAM	Outer_Full	20.52
n66	10	15	1715	CP	256QAM	Inner_Full	17.45
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	17.30
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	17.33
n66	10	15	1715	CP	256QAM	Outer_Full	17.49
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	24.28
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.63
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.70
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	23.80
n66	10	15	1745	DFT	QPSK	Inner_Full	24.35
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	23.23
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	23.26
n66	10	15	1745	DFT	QPSK	Outer_Full	23.35
n66	10	15	1745	DFT	16QAM	Inner_Full	23.35
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	22.57
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	22.48
n66	10	15	1745	DFT	16QAM	Outer_Full	22.16
n66	10	15	1745	DFT	64QAM	Inner_Full	21.98
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	21.50
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	21.63
n66	10	15	1745	DFT	64QAM	Outer_Full	21.78
n66	10	15	1745	DFT	256QAM	Inner_Full	19.74
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	19.48

n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	19.48
n66	10	15	1745	DFT	256QAM	Outer_Full	19.69
n66	10	15	1745	CP	QPSK	Inner_Full	22.86
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	21.18
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	21.42
n66	10	15	1745	CP	QPSK	Outer_Full	21.28
n66	10	15	1745	CP	16QAM	Inner_Full	22.43
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	21.62
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	21.79
n66	10	15	1745	CP	16QAM	Outer_Full	21.19
n66	10	15	1745	CP	64QAM	Inner_Full	20.87
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	20.56
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	20.63
n66	10	15	1745	CP	64QAM	Outer_Full	20.74
n66	10	15	1745	CP	256QAM	Inner_Full	17.79
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	17.62
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	17.67
n66	10	15	1745	CP	256QAM	Outer_Full	17.64
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	24.09
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	23.45
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	23.53
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	23.54
n66	10	15	1775	DFT	QPSK	Inner_Full	24.06
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	22.94
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	23.09
n66	10	15	1775	DFT	QPSK	Outer_Full	23.06
n66	10	15	1775	DFT	16QAM	Inner_Full	23.05
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	21.93
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	22.00
n66	10	15	1775	DFT	16QAM	Outer_Full	22.01
n66	10	15	1775	DFT	64QAM	Inner_Full	21.70
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	21.40
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	21.51
n66	10	15	1775	DFT	64QAM	Outer_Full	21.59
n66	10	15	1775	DFT	256QAM	Inner_Full	19.46
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	19.17
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	19.34
n66	10	15	1775	DFT	256QAM	Outer_Full	19.44
n66	10	15	1775	CP	QPSK	Inner_Full	22.61
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	20.96
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	21.04

n66	10	15	1775	CP	QPSK	Outer_Full	21.00
n66	10	15	1775	CP	16QAM	Inner_Full	22.04
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	21.43
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	21.29
n66	10	15	1775	CP	16QAM	Outer_Full	21.04
n66	10	15	1775	CP	64QAM	Inner_Full	20.56
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	20.24
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	20.36
n66	10	15	1775	CP	64QAM	Outer_Full	20.54
n66	10	15	1775	CP	256QAM	Inner_Full	17.52
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	17.32
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	17.46
n66	10	15	1775	CP	256QAM	Outer_Full	17.47
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.88
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.31
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.50
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	23.49
n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.96
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	22.92
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	23.05
n66	15	15	1717.5	DFT	QPSK	Outer_Full	23.03
n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.92
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	22.23
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	22.36
n66	15	15	1717.5	DFT	16QAM	Outer_Full	22.03
n66	15	15	1717.5	DFT	64QAM	Inner_Full	21.52
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	21.26
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	21.39
n66	15	15	1717.5	DFT	64QAM	Outer_Full	21.51
n66	15	15	1717.5	DFT	256QAM	Inner_Full	19.49
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	19.16
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	19.30
n66	15	15	1717.5	DFT	256QAM	Outer_Full	19.37
n66	15	15	1717.5	CP	QPSK	Inner_Full	22.44
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	20.94
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	20.95
n66	15	15	1717.5	CP	QPSK	Outer_Full	20.94
n66	15	15	1717.5	CP	16QAM	Inner_Full	21.97
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	21.35
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	21.47
n66	15	15	1717.5	CP	16QAM	Outer_Full	20.94

n66	15	15	1717.5	CP	64QAM	Inner_Full	20.54
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	20.21
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	20.32
n66	15	15	1717.5	CP	64QAM	Outer_Full	20.54
n66	15	15	1717.5	CP	256QAM	Inner_Full	17.46
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	17.24
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	17.35
n66	15	15	1717.5	CP	256QAM	Outer_Full	17.51
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	24.22
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.50
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.69
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	23.70
n66	15	15	1745	DFT	QPSK	Inner_Full	24.26
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	23.12
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	23.22
n66	15	15	1745	DFT	QPSK	Outer_Full	23.24
n66	15	15	1745	DFT	16QAM	Inner_Full	23.22
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	22.42
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	22.55
n66	15	15	1745	DFT	16QAM	Outer_Full	22.24
n66	15	15	1745	DFT	64QAM	Inner_Full	21.73
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	21.54
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	21.54
n66	15	15	1745	DFT	64QAM	Outer_Full	21.82
n66	15	15	1745	DFT	256QAM	Inner_Full	19.72
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	19.34
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	19.46
n66	15	15	1745	DFT	256QAM	Outer_Full	19.68
n66	15	15	1745	CP	QPSK	Inner_Full	22.66
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	21.11
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	21.16
n66	15	15	1745	CP	QPSK	Outer_Full	21.25
n66	15	15	1745	CP	16QAM	Inner_Full	22.20
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	21.63
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	21.69
n66	15	15	1745	CP	16QAM	Outer_Full	21.17
n66	15	15	1745	CP	64QAM	Inner_Full	20.78
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	20.39
n66	15	15	1745	CP	64QAM	Edge_1RB_Right	20.52
n66	15	15	1745	CP	64QAM	Outer_Full	20.77
n66	15	15	1745	CP	256QAM	Inner_Full	17.69

n66	15	15	1745	CP	256QAM	Edge_1RB_Left	17.44
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	17.57
n66	15	15	1745	CP	256QAM	Outer_Full	17.66
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.93
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.34
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.42
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	23.47
n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.94
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	22.92
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	23.07
n66	15	15	1772.5	DFT	QPSK	Outer_Full	22.95
n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.97
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	22.22
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	22.36
n66	15	15	1772.5	DFT	16QAM	Outer_Full	21.97
n66	15	15	1772.5	DFT	64QAM	Inner_Full	21.48
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	21.27
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	21.42
n66	15	15	1772.5	DFT	64QAM	Outer_Full	21.55
n66	15	15	1772.5	DFT	256QAM	Inner_Full	19.48
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	19.12
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	19.24
n66	15	15	1772.5	DFT	256QAM	Outer_Full	19.35
n66	15	15	1772.5	CP	QPSK	Inner_Full	22.39
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	20.95
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	20.97
n66	15	15	1772.5	CP	QPSK	Outer_Full	20.97
n66	15	15	1772.5	CP	16QAM	Inner_Full	21.91
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	21.45
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	21.48
n66	15	15	1772.5	CP	16QAM	Outer_Full	20.96
n66	15	15	1772.5	CP	64QAM	Inner_Full	20.41
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	20.20
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	20.34
n66	15	15	1772.5	CP	64QAM	Outer_Full	20.49
n66	15	15	1772.5	CP	256QAM	Inner_Full	17.46
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	17.26
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	17.37
n66	15	15	1772.5	CP	256QAM	Outer_Full	17.39
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.90
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	23.33

n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	23.44
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	23.48
n66	20	15	1720	DFT	QPSK	Inner_Full	24.03
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	22.96
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	23.07
n66	20	15	1720	DFT	QPSK	Outer_Full	23.04
n66	20	15	1720	DFT	16QAM	Inner_Full	22.84
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	22.16
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	22.28
n66	20	15	1720	DFT	16QAM	Outer_Full	21.95
n66	20	15	1720	DFT	64QAM	Inner_Full	21.45
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	21.28
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	21.42
n66	20	15	1720	DFT	64QAM	Outer_Full	21.47
n66	20	15	1720	DFT	256QAM	Inner_Full	19.42
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	19.07
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	19.21
n66	20	15	1720	DFT	256QAM	Outer_Full	19.43
n66	20	15	1720	CP	QPSK	Inner_Full	22.45
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	20.86
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	20.92
n66	20	15	1720	CP	QPSK	Outer_Full	21.02
n66	20	15	1720	CP	16QAM	Inner_Full	21.92
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	21.37
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	21.38
n66	20	15	1720	CP	16QAM	Outer_Full	21.03
n66	20	15	1720	CP	64QAM	Inner_Full	20.51
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	20.24
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	20.32
n66	20	15	1720	CP	64QAM	Outer_Full	20.49
n66	20	15	1720	CP	256QAM	Inner_Full	17.38
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	17.24
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	17.31
n66	20	15	1720	CP	256QAM	Outer_Full	17.48
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	24.33
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.64
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.67
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	23.78
n66	20	15	1745	DFT	QPSK	Inner_Full	24.35
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	23.29
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	23.30

n66	20	15	1745	DFT	QPSK	Outer_Full	23.31
n66	20	15	1745	DFT	16QAM	Inner_Full	23.25
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	22.50
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	22.54
n66	20	15	1745	DFT	16QAM	Outer_Full	22.34
n66	20	15	1745	DFT	64QAM	Inner_Full	21.76
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	21.61
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	21.68
n66	20	15	1745	DFT	64QAM	Outer_Full	21.86
n66	20	15	1745	DFT	256QAM	Inner_Full	19.75
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	19.43
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	19.53
n66	20	15	1745	DFT	256QAM	Outer_Full	19.79
n66	20	15	1745	CP	QPSK	Inner_Full	22.79
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	21.22
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	21.26
n66	20	15	1745	CP	QPSK	Outer_Full	21.31
n66	20	15	1745	CP	16QAM	Inner_Full	22.30
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	21.55
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	21.70
n66	20	15	1745	CP	16QAM	Outer_Full	21.33
n66	20	15	1745	CP	64QAM	Inner_Full	20.79
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	20.50
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	20.56
n66	20	15	1745	CP	64QAM	Outer_Full	20.87
n66	20	15	1745	CP	256QAM	Inner_Full	17.83
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	17.68
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	17.62
n66	20	15	1745	CP	256QAM	Outer_Full	17.87
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.91
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	23.36
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	23.52
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	23.48
n66	20	15	1770	DFT	QPSK	Inner_Full	24.01
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	23.05
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	23.07
n66	20	15	1770	DFT	QPSK	Outer_Full	23.03
n66	20	15	1770	DFT	16QAM	Inner_Full	22.89
n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	22.34
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	22.41
n66	20	15	1770	DFT	16QAM	Outer_Full	22.03



I22Z61533-WMD04

n66	20	15	1770	DFT	64QAM	Inner_Full	21.50
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	21.40
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	21.42
n66	20	15	1770	DFT	64QAM	Outer_Full	21.55
n66	20	15	1770	DFT	256QAM	Inner_Full	19.39
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	19.27
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	19.24
n66	20	15	1770	DFT	256QAM	Outer_Full	19.50
n66	20	15	1770	CP	QPSK	Inner_Full	22.44
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	20.97
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	21.02
n66	20	15	1770	CP	QPSK	Outer_Full	20.99
n66	20	15	1770	CP	16QAM	Inner_Full	21.90
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	21.49
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	21.60
n66	20	15	1770	CP	16QAM	Outer_Full	21.00
n66	20	15	1770	CP	64QAM	Inner_Full	20.55
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	20.34
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	20.27
n66	20	15	1770	CP	64QAM	Outer_Full	20.62
n66	20	15	1770	CP	256QAM	Inner_Full	17.43
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	17.41
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	17.42
n66	20	15	1770	CP	256QAM	Outer_Full	17.54

n70

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n70	5	15	1697.5	DFT	pi/2 BPSK	Inner_Full	24.11
n70	5	15	1697.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.62
n70	5	15	1697.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.51
n70	5	15	1697.5	DFT	pi/2 BPSK	Outer_Full	23.67
n70	5	15	1697.5	DFT	QPSK	Inner_Full	24.16
n70	5	15	1697.5	DFT	QPSK	Edge_1RB_Left	23.22
n70	5	15	1697.5	DFT	QPSK	Edge_1RB_Right	23.21
n70	5	15	1697.5	DFT	QPSK	Outer_Full	23.19
n70	5	15	1697.5	DFT	16QAM	Inner_Full	23.27
n70	5	15	1697.5	DFT	16QAM	Edge_1RB_Left	22.09
n70	5	15	1697.5	DFT	16QAM	Edge_1RB_Right	22.00
n70	5	15	1697.5	DFT	16QAM	Outer_Full	22.27
n70	5	15	1697.5	DFT	64QAM	Inner_Full	21.79
n70	5	15	1697.5	DFT	64QAM	Edge_1RB_Left	21.49
n70	5	15	1697.5	DFT	64QAM	Edge_1RB_Right	21.47
n70	5	15	1697.5	DFT	64QAM	Outer_Full	21.80
n70	5	15	1697.5	DFT	256QAM	Inner_Full	19.67
n70	5	15	1697.5	DFT	256QAM	Edge_1RB_Left	19.40
n70	5	15	1697.5	DFT	256QAM	Edge_1RB_Right	19.37
n70	5	15	1697.5	DFT	256QAM	Outer_Full	19.66
n70	5	15	1697.5	CP	QPSK	Inner_Full	22.72
n70	5	15	1697.5	CP	QPSK	Edge_1RB_Left	21.10
n70	5	15	1697.5	CP	QPSK	Edge_1RB_Right	21.07
n70	5	15	1697.5	CP	QPSK	Outer_Full	21.11
n70	5	15	1697.5	CP	16QAM	Inner_Full	22.31
n70	5	15	1697.5	CP	16QAM	Edge_1RB_Left	21.51
n70	5	15	1697.5	CP	16QAM	Edge_1RB_Right	21.57
n70	5	15	1697.5	CP	16QAM	Outer_Full	21.14
n70	5	15	1697.5	CP	64QAM	Inner_Full	20.60
n70	5	15	1697.5	CP	64QAM	Edge_1RB_Left	20.49
n70	5	15	1697.5	CP	64QAM	Edge_1RB_Right	20.37
n70	5	15	1697.5	CP	64QAM	Outer_Full	20.75
n70	5	15	1697.5	CP	256QAM	Inner_Full	17.73
n70	5	15	1697.5	CP	256QAM	Edge_1RB_Left	17.55
n70	5	15	1697.5	CP	256QAM	Edge_1RB_Right	17.50
n70	5	15	1697.5	CP	256QAM	Outer_Full	17.75
n70	5	15	1702.5	DFT	pi/2 BPSK	Inner_Full	24.03
n70	5	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.38
n70	5	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.43

n70	5	15	1702.5	DFT	pi/2 BPSK	Outer_Full	23.54
n70	5	15	1702.5	DFT	QPSK	Inner_Full	24.04
n70	5	15	1702.5	DFT	QPSK	Edge_1RB_Left	23.04
n70	5	15	1702.5	DFT	QPSK	Edge_1RB_Right	23.06
n70	5	15	1702.5	DFT	QPSK	Outer_Full	23.05
n70	5	15	1702.5	DFT	16QAM	Inner_Full	23.16
n70	5	15	1702.5	DFT	16QAM	Edge_1RB_Left	21.91
n70	5	15	1702.5	DFT	16QAM	Edge_1RB_Right	21.90
n70	5	15	1702.5	DFT	16QAM	Outer_Full	22.09
n70	5	15	1702.5	DFT	64QAM	Inner_Full	21.65
n70	5	15	1702.5	DFT	64QAM	Edge_1RB_Left	21.42
n70	5	15	1702.5	DFT	64QAM	Edge_1RB_Right	21.31
n70	5	15	1702.5	DFT	64QAM	Outer_Full	21.69
n70	5	15	1702.5	DFT	256QAM	Inner_Full	19.54
n70	5	15	1702.5	DFT	256QAM	Edge_1RB_Left	19.20
n70	5	15	1702.5	DFT	256QAM	Edge_1RB_Right	19.25
n70	5	15	1702.5	DFT	256QAM	Outer_Full	19.52
n70	5	15	1702.5	CP	QPSK	Inner_Full	22.61
n70	5	15	1702.5	CP	QPSK	Edge_1RB_Left	20.97
n70	5	15	1702.5	CP	QPSK	Edge_1RB_Right	20.91
n70	5	15	1702.5	CP	QPSK	Outer_Full	20.98
n70	5	15	1702.5	CP	16QAM	Inner_Full	22.18
n70	5	15	1702.5	CP	16QAM	Edge_1RB_Left	21.27
n70	5	15	1702.5	CP	16QAM	Edge_1RB_Right	21.51
n70	5	15	1702.5	CP	16QAM	Outer_Full	21.01
n70	5	15	1702.5	CP	64QAM	Inner_Full	20.46
n70	5	15	1702.5	CP	64QAM	Edge_1RB_Left	20.35
n70	5	15	1702.5	CP	64QAM	Edge_1RB_Right	20.31
n70	5	15	1702.5	CP	64QAM	Outer_Full	20.63
n70	5	15	1702.5	CP	256QAM	Inner_Full	17.64
n70	5	15	1702.5	CP	256QAM	Edge_1RB_Left	17.39
n70	5	15	1702.5	CP	256QAM	Edge_1RB_Right	17.32
n70	5	15	1702.5	CP	256QAM	Outer_Full	17.52
n70	5	15	1707.5	DFT	pi/2 BPSK	Inner_Full	24.02
n70	5	15	1707.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.43
n70	5	15	1707.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.49
n70	5	15	1707.5	DFT	pi/2 BPSK	Outer_Full	23.59
n70	5	15	1707.5	DFT	QPSK	Inner_Full	24.12
n70	5	15	1707.5	DFT	QPSK	Edge_1RB_Left	23.01
n70	5	15	1707.5	DFT	QPSK	Edge_1RB_Right	23.03
n70	5	15	1707.5	DFT	QPSK	Outer_Full	23.12

n70	5	15	1707.5	DFT	16QAM	Inner_Full	23.15
n70	5	15	1707.5	DFT	16QAM	Edge_1RB_Left	22.30
n70	5	15	1707.5	DFT	16QAM	Edge_1RB_Right	22.27
n70	5	15	1707.5	DFT	16QAM	Outer_Full	21.99
n70	5	15	1707.5	DFT	64QAM	Inner_Full	21.73
n70	5	15	1707.5	DFT	64QAM	Edge_1RB_Left	21.44
n70	5	15	1707.5	DFT	64QAM	Edge_1RB_Right	21.42
n70	5	15	1707.5	DFT	64QAM	Outer_Full	21.74
n70	5	15	1707.5	DFT	256QAM	Inner_Full	19.49
n70	5	15	1707.5	DFT	256QAM	Edge_1RB_Left	19.28
n70	5	15	1707.5	DFT	256QAM	Edge_1RB_Right	19.29
n70	5	15	1707.5	DFT	256QAM	Outer_Full	19.53
n70	5	15	1707.5	CP	QPSK	Inner_Full	22.58
n70	5	15	1707.5	CP	QPSK	Edge_1RB_Left	21.03
n70	5	15	1707.5	CP	QPSK	Edge_1RB_Right	21.03
n70	5	15	1707.5	CP	QPSK	Outer_Full	20.96
n70	5	15	1707.5	CP	16QAM	Inner_Full	22.21
n70	5	15	1707.5	CP	16QAM	Edge_1RB_Left	21.53
n70	5	15	1707.5	CP	16QAM	Edge_1RB_Right	21.41
n70	5	15	1707.5	CP	16QAM	Outer_Full	21.05
n70	5	15	1707.5	CP	64QAM	Inner_Full	20.52
n70	5	15	1707.5	CP	64QAM	Edge_1RB_Left	20.31
n70	5	15	1707.5	CP	64QAM	Edge_1RB_Right	20.34
n70	5	15	1707.5	CP	64QAM	Outer_Full	20.61
n70	5	15	1707.5	CP	256QAM	Inner_Full	17.69
n70	5	15	1707.5	CP	256QAM	Edge_1RB_Left	17.34
n70	5	15	1707.5	CP	256QAM	Edge_1RB_Right	17.36
n70	5	15	1707.5	CP	256QAM	Outer_Full	17.58
n70	10	15	1700	DFT	pi/2 BPSK	Inner_Full	24.12
n70	10	15	1700	DFT	pi/2 BPSK	Edge_1RB_Left	23.57
n70	10	15	1700	DFT	pi/2 BPSK	Edge_1RB_Right	23.45
n70	10	15	1700	DFT	pi/2 BPSK	Outer_Full	23.61
n70	10	15	1700	DFT	QPSK	Inner_Full	24.18
n70	10	15	1700	DFT	QPSK	Edge_1RB_Left	23.20
n70	10	15	1700	DFT	QPSK	Edge_1RB_Right	23.08
n70	10	15	1700	DFT	QPSK	Outer_Full	23.12
n70	10	15	1700	DFT	16QAM	Inner_Full	23.14
n70	10	15	1700	DFT	16QAM	Edge_1RB_Left	22.52
n70	10	15	1700	DFT	16QAM	Edge_1RB_Right	22.30
n70	10	15	1700	DFT	16QAM	Outer_Full	22.06
n70	10	15	1700	DFT	64QAM	Inner_Full	21.73

n70	10	15	1700	DFT	64QAM	Edge_1RB_Left	21.55
n70	10	15	1700	DFT	64QAM	Edge_1RB_Right	21.43
n70	10	15	1700	DFT	64QAM	Outer_Full	21.65
n70	10	15	1700	DFT	256QAM	Inner_Full	19.60
n70	10	15	1700	DFT	256QAM	Edge_1RB_Left	19.38
n70	10	15	1700	DFT	256QAM	Edge_1RB_Right	19.30
n70	10	15	1700	DFT	256QAM	Outer_Full	19.63
n70	10	15	1700	CP	QPSK	Inner_Full	22.60
n70	10	15	1700	CP	QPSK	Edge_1RB_Left	21.13
n70	10	15	1700	CP	QPSK	Edge_1RB_Right	21.01
n70	10	15	1700	CP	QPSK	Outer_Full	21.08
n70	10	15	1700	CP	16QAM	Inner_Full	22.23
n70	10	15	1700	CP	16QAM	Edge_1RB_Left	21.65
n70	10	15	1700	CP	16QAM	Edge_1RB_Right	21.56
n70	10	15	1700	CP	16QAM	Outer_Full	21.13
n70	10	15	1700	CP	64QAM	Inner_Full	20.68
n70	10	15	1700	CP	64QAM	Edge_1RB_Left	20.46
n70	10	15	1700	CP	64QAM	Edge_1RB_Right	20.43
n70	10	15	1700	CP	64QAM	Outer_Full	20.71
n70	10	15	1700	CP	256QAM	Inner_Full	17.62
n70	10	15	1700	CP	256QAM	Edge_1RB_Left	17.56
n70	10	15	1700	CP	256QAM	Edge_1RB_Right	17.49
n70	10	15	1700	CP	256QAM	Outer_Full	17.63
n70	10	15	1702.5	DFT	pi/2 BPSK	Inner_Full	24.04
n70	10	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.53
n70	10	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.50
n70	10	15	1702.5	DFT	pi/2 BPSK	Outer_Full	23.57
n70	10	15	1702.5	DFT	QPSK	Inner_Full	24.17
n70	10	15	1702.5	DFT	QPSK	Edge_1RB_Left	23.16
n70	10	15	1702.5	DFT	QPSK	Edge_1RB_Right	23.06
n70	10	15	1702.5	DFT	QPSK	Outer_Full	23.10
n70	10	15	1702.5	DFT	16QAM	Inner_Full	23.10
n70	10	15	1702.5	DFT	16QAM	Edge_1RB_Left	22.48
n70	10	15	1702.5	DFT	16QAM	Edge_1RB_Right	22.28
n70	10	15	1702.5	DFT	16QAM	Outer_Full	22.03
n70	10	15	1702.5	DFT	64QAM	Inner_Full	21.78
n70	10	15	1702.5	DFT	64QAM	Edge_1RB_Left	21.49
n70	10	15	1702.5	DFT	64QAM	Edge_1RB_Right	21.39
n70	10	15	1702.5	DFT	64QAM	Outer_Full	21.64
n70	10	15	1702.5	DFT	256QAM	Inner_Full	19.48
n70	10	15	1702.5	DFT	256QAM	Edge_1RB_Left	19.28

n70	10	15	1702.5	DFT	256QAM	Edge_1RB_Right	19.21
n70	10	15	1702.5	DFT	256QAM	Outer_Full	19.52
n70	10	15	1702.5	CP	QPSK	Inner_Full	22.58
n70	10	15	1702.5	CP	QPSK	Edge_1RB_Left	21.01
n70	10	15	1702.5	CP	QPSK	Edge_1RB_Right	21.01
n70	10	15	1702.5	CP	QPSK	Outer_Full	21.07
n70	10	15	1702.5	CP	16QAM	Inner_Full	22.11
n70	10	15	1702.5	CP	16QAM	Edge_1RB_Left	21.51
n70	10	15	1702.5	CP	16QAM	Edge_1RB_Right	21.52
n70	10	15	1702.5	CP	16QAM	Outer_Full	21.10
n70	10	15	1702.5	CP	64QAM	Inner_Full	20.65
n70	10	15	1702.5	CP	64QAM	Edge_1RB_Left	20.42
n70	10	15	1702.5	CP	64QAM	Edge_1RB_Right	20.32
n70	10	15	1702.5	CP	64QAM	Outer_Full	20.59
n70	10	15	1702.5	CP	256QAM	Inner_Full	17.58
n70	10	15	1702.5	CP	256QAM	Edge_1RB_Left	17.44
n70	10	15	1702.5	CP	256QAM	Edge_1RB_Right	17.46
n70	10	15	1702.5	CP	256QAM	Outer_Full	17.51
n70	10	15	1705	DFT	pi/2 BPSK	Inner_Full	24.14
n70	10	15	1705	DFT	pi/2 BPSK	Edge_1RB_Left	23.54
n70	10	15	1705	DFT	pi/2 BPSK	Edge_1RB_Right	23.53
n70	10	15	1705	DFT	pi/2 BPSK	Outer_Full	23.66
n70	10	15	1705	DFT	QPSK	Inner_Full	24.13
n70	10	15	1705	DFT	QPSK	Edge_1RB_Left	23.15
n70	10	15	1705	DFT	QPSK	Edge_1RB_Right	23.08
n70	10	15	1705	DFT	QPSK	Outer_Full	23.20
n70	10	15	1705	DFT	16QAM	Inner_Full	23.17
n70	10	15	1705	DFT	16QAM	Edge_1RB_Left	22.47
n70	10	15	1705	DFT	16QAM	Edge_1RB_Right	22.43
n70	10	15	1705	DFT	16QAM	Outer_Full	22.02
n70	10	15	1705	DFT	64QAM	Inner_Full	21.75
n70	10	15	1705	DFT	64QAM	Edge_1RB_Left	21.53
n70	10	15	1705	DFT	64QAM	Edge_1RB_Right	21.46
n70	10	15	1705	DFT	64QAM	Outer_Full	21.64
n70	10	15	1705	DFT	256QAM	Inner_Full	19.55
n70	10	15	1705	DFT	256QAM	Edge_1RB_Left	19.37
n70	10	15	1705	DFT	256QAM	Edge_1RB_Right	19.31
n70	10	15	1705	DFT	256QAM	Outer_Full	19.59
n70	10	15	1705	CP	QPSK	Inner_Full	22.65
n70	10	15	1705	CP	QPSK	Edge_1RB_Left	21.02
n70	10	15	1705	CP	QPSK	Edge_1RB_Right	20.97

n70	10	15	1705	CP	QPSK	Outer_Full	21.06
n70	10	15	1705	CP	16QAM	Inner_Full	22.28
n70	10	15	1705	CP	16QAM	Edge_1RB_Left	21.46
n70	10	15	1705	CP	16QAM	Edge_1RB_Right	21.41
n70	10	15	1705	CP	16QAM	Outer_Full	21.10
n70	10	15	1705	CP	64QAM	Inner_Full	20.71
n70	10	15	1705	CP	64QAM	Edge_1RB_Left	20.42
n70	10	15	1705	CP	64QAM	Edge_1RB_Right	20.44
n70	10	15	1705	CP	64QAM	Outer_Full	20.67
n70	10	15	1705	CP	256QAM	Inner_Full	17.66
n70	10	15	1705	CP	256QAM	Edge_1RB_Left	17.56
n70	10	15	1705	CP	256QAM	Edge_1RB_Right	17.61
n70	10	15	1705	CP	256QAM	Outer_Full	17.58
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	23.98
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.46
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.37
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	23.57
n70	15	15	1702.5	DFT	QPSK	Inner_Full	23.97
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	23.03
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	22.93
n70	15	15	1702.5	DFT	QPSK	Outer_Full	23.01
n70	15	15	1702.5	DFT	16QAM	Inner_Full	23.02
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	22.34
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	22.26
n70	15	15	1702.5	DFT	16QAM	Outer_Full	22.02
n70	15	15	1702.5	DFT	64QAM	Inner_Full	21.53
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	21.37
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	21.31
n70	15	15	1702.5	DFT	64QAM	Outer_Full	21.58
n70	15	15	1702.5	DFT	256QAM	Inner_Full	19.47
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	19.29
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	19.17
n70	15	15	1702.5	DFT	256QAM	Outer_Full	19.49
n70	15	15	1702.5	CP	QPSK	Inner_Full	22.44
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	21.04
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	20.91
n70	15	15	1702.5	CP	QPSK	Outer_Full	20.97
n70	15	15	1702.5	CP	16QAM	Inner_Full	21.87
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	21.56
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	21.36
n70	15	15	1702.5	CP	16QAM	Outer_Full	20.99

n70	15	15	1702.5	CP	64QAM	Inner_Full	20.55
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	20.36
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	20.21
n70	15	15	1702.5	CP	64QAM	Outer_Full	20.54
n70	15	15	1702.5	CP	256QAM	Inner_Full	17.47
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	17.38
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	17.31
n70	15	15	1702.5	CP	256QAM	Outer_Full	17.41
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	24.22
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.69
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.63
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	23.73
n70	15	15	1702.5	DFT	QPSK	Inner_Full	24.23
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	23.25
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	23.20
n70	15	15	1702.5	DFT	QPSK	Outer_Full	23.26
n70	15	15	1702.5	DFT	16QAM	Inner_Full	23.29
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	22.57
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	22.45
n70	15	15	1702.5	DFT	16QAM	Outer_Full	22.28
n70	15	15	1702.5	DFT	64QAM	Inner_Full	21.81
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	21.63
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	21.58
n70	15	15	1702.5	DFT	64QAM	Outer_Full	21.87
n70	15	15	1702.5	DFT	256QAM	Inner_Full	19.69
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	19.52
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	19.39
n70	15	15	1702.5	DFT	256QAM	Outer_Full	19.66
n70	15	15	1702.5	CP	QPSK	Inner_Full	22.67
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	21.30
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	21.10
n70	15	15	1702.5	CP	QPSK	Outer_Full	21.24
n70	15	15	1702.5	CP	16QAM	Inner_Full	22.24
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	21.90
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	21.63
n70	15	15	1702.5	CP	16QAM	Outer_Full	21.27
n70	15	15	1702.5	CP	64QAM	Inner_Full	20.76
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	20.59
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	20.48
n70	15	15	1702.5	CP	64QAM	Outer_Full	20.82
n70	15	15	1702.5	CP	256QAM	Inner_Full	17.79

n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	17.65
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	17.51
n70	15	15	1702.5	CP	256QAM	Outer_Full	17.67
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	24.01
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.43
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.45
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	23.50
n70	15	15	1702.5	DFT	QPSK	Inner_Full	23.99
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	23.08
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	23.00
n70	15	15	1702.5	DFT	QPSK	Outer_Full	23.05
n70	15	15	1702.5	DFT	16QAM	Inner_Full	22.97
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	21.95
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	21.80
n70	15	15	1702.5	DFT	16QAM	Outer_Full	22.06
n70	15	15	1702.5	DFT	64QAM	Inner_Full	21.59
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	21.38
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	21.32
n70	15	15	1702.5	DFT	64QAM	Outer_Full	21.56
n70	15	15	1702.5	DFT	256QAM	Inner_Full	19.45
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	19.29
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	19.15
n70	15	15	1702.5	DFT	256QAM	Outer_Full	19.47
n70	15	15	1702.5	CP	QPSK	Inner_Full	22.43
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	21.02
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	20.90
n70	15	15	1702.5	CP	QPSK	Outer_Full	20.97
n70	15	15	1702.5	CP	16QAM	Inner_Full	21.97
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	21.54
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	21.42
n70	15	15	1702.5	CP	16QAM	Outer_Full	21.07
n70	15	15	1702.5	CP	64QAM	Inner_Full	20.55
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	20.36
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	20.16
n70	15	15	1702.5	CP	64QAM	Outer_Full	20.54
n70	15	15	1702.5	CP	256QAM	Inner_Full	17.46
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	17.47
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	17.29
n70	15	15	1702.5	CP	256QAM	Outer_Full	17.49

n71

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n71	5	15	665.5	DFT	pi/2 BPSK	Inner_Full	24.17
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.58
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.61
n71	5	15	665.5	DFT	pi/2 BPSK	Outer_Full	23.73
n71	5	15	665.5	DFT	QPSK	Inner_Full	24.18
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Left	23.21
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Right	23.18
n71	5	15	665.5	DFT	QPSK	Outer_Full	23.11
n71	5	15	665.5	DFT	16QAM	Inner_Full	23.21
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Left	22.50
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Right	22.53
n71	5	15	665.5	DFT	16QAM	Outer_Full	22.11
n71	5	15	665.5	DFT	64QAM	Inner_Full	21.78
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Left	21.55
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Right	21.62
n71	5	15	665.5	DFT	64QAM	Outer_Full	21.77
n71	5	15	665.5	DFT	256QAM	Inner_Full	19.67
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Left	19.42
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Right	19.39
n71	5	15	665.5	DFT	256QAM	Outer_Full	19.59
n71	5	15	665.5	CP	QPSK	Inner_Full	22.57
n71	5	15	665.5	CP	QPSK	Edge_1RB_Left	21.13
n71	5	15	665.5	CP	QPSK	Edge_1RB_Right	21.21
n71	5	15	665.5	CP	QPSK	Outer_Full	21.15
n71	5	15	665.5	CP	16QAM	Inner_Full	22.25
n71	5	15	665.5	CP	16QAM	Edge_1RB_Left	21.63
n71	5	15	665.5	CP	16QAM	Edge_1RB_Right	21.57
n71	5	15	665.5	CP	16QAM	Outer_Full	21.11
n71	5	15	665.5	CP	64QAM	Inner_Full	20.59
n71	5	15	665.5	CP	64QAM	Edge_1RB_Left	20.56
n71	5	15	665.5	CP	64QAM	Edge_1RB_Right	20.55
n71	5	15	665.5	CP	64QAM	Outer_Full	20.64
n71	5	15	665.5	CP	256QAM	Inner_Full	17.72
n71	5	15	665.5	CP	256QAM	Edge_1RB_Left	17.50
n71	5	15	665.5	CP	256QAM	Edge_1RB_Right	17.49
n71	5	15	665.5	CP	256QAM	Outer_Full	17.62
n71	5	15	680.5	DFT	pi/2 BPSK	Inner_Full	24.20
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.46
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.44

n71	5	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.63
n71	5	15	680.5	DFT	QPSK	Inner_Full	24.24
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Left	23.02
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Right	22.97
n71	5	15	680.5	DFT	QPSK	Outer_Full	23.08
n71	5	15	680.5	DFT	16QAM	Inner_Full	23.14
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Left	22.33
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Right	22.29
n71	5	15	680.5	DFT	16QAM	Outer_Full	22.06
n71	5	15	680.5	DFT	64QAM	Inner_Full	21.69
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Left	21.43
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Right	21.44
n71	5	15	680.5	DFT	64QAM	Outer_Full	21.72
n71	5	15	680.5	DFT	256QAM	Inner_Full	19.70
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Left	19.30
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Right	19.28
n71	5	15	680.5	DFT	256QAM	Outer_Full	19.59
n71	5	15	680.5	CP	QPSK	Inner_Full	22.62
n71	5	15	680.5	CP	QPSK	Edge_1RB_Left	21.08
n71	5	15	680.5	CP	QPSK	Edge_1RB_Right	21.04
n71	5	15	680.5	CP	QPSK	Outer_Full	21.07
n71	5	15	680.5	CP	16QAM	Inner_Full	22.31
n71	5	15	680.5	CP	16QAM	Edge_1RB_Left	21.44
n71	5	15	680.5	CP	16QAM	Edge_1RB_Right	21.50
n71	5	15	680.5	CP	16QAM	Outer_Full	21.13
n71	5	15	680.5	CP	64QAM	Inner_Full	20.51
n71	5	15	680.5	CP	64QAM	Edge_1RB_Left	20.39
n71	5	15	680.5	CP	64QAM	Edge_1RB_Right	20.36
n71	5	15	680.5	CP	64QAM	Outer_Full	20.64
n71	5	15	680.5	CP	256QAM	Inner_Full	17.72
n71	5	15	680.5	CP	256QAM	Edge_1RB_Left	17.45
n71	5	15	680.5	CP	256QAM	Edge_1RB_Right	17.44
n71	5	15	680.5	CP	256QAM	Outer_Full	17.60
n71	5	15	695.5	DFT	pi/2 BPSK	Inner_Full	24.11
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.48
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.48
n71	5	15	695.5	DFT	pi/2 BPSK	Outer_Full	23.61
n71	5	15	695.5	DFT	QPSK	Inner_Full	24.13
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Left	23.06
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Right	23.00
n71	5	15	695.5	DFT	QPSK	Outer_Full	23.10

n71	5	15	695.5	DFT	16QAM	Inner_Full	23.13
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Left	22.30
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Right	22.36
n71	5	15	695.5	DFT	16QAM	Outer_Full	22.11
n71	5	15	695.5	DFT	64QAM	Inner_Full	21.75
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Left	21.35
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Right	21.38
n71	5	15	695.5	DFT	64QAM	Outer_Full	21.75
n71	5	15	695.5	DFT	256QAM	Inner_Full	19.60
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Left	19.32
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Right	19.25
n71	5	15	695.5	DFT	256QAM	Outer_Full	19.56
n71	5	15	695.5	CP	QPSK	Inner_Full	22.66
n71	5	15	695.5	CP	QPSK	Edge_1RB_Left	21.12
n71	5	15	695.5	CP	QPSK	Edge_1RB_Right	21.03
n71	5	15	695.5	CP	QPSK	Outer_Full	21.08
n71	5	15	695.5	CP	16QAM	Inner_Full	22.26
n71	5	15	695.5	CP	16QAM	Edge_1RB_Left	21.48
n71	5	15	695.5	CP	16QAM	Edge_1RB_Right	21.39
n71	5	15	695.5	CP	16QAM	Outer_Full	21.05
n71	5	15	695.5	CP	64QAM	Inner_Full	20.58
n71	5	15	695.5	CP	64QAM	Edge_1RB_Left	20.40
n71	5	15	695.5	CP	64QAM	Edge_1RB_Right	20.28
n71	5	15	695.5	CP	64QAM	Outer_Full	20.64
n71	5	15	695.5	CP	256QAM	Inner_Full	17.70
n71	5	15	695.5	CP	256QAM	Edge_1RB_Left	17.35
n71	5	15	695.5	CP	256QAM	Edge_1RB_Right	17.41
n71	5	15	695.5	CP	256QAM	Outer_Full	17.64
n71	10	15	668	DFT	pi/2 BPSK	Inner_Full	24.21
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Left	23.64
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Right	23.62
n71	10	15	668	DFT	pi/2 BPSK	Outer_Full	23.69
n71	10	15	668	DFT	QPSK	Inner_Full	24.25
n71	10	15	668	DFT	QPSK	Edge_1RB_Left	23.10
n71	10	15	668	DFT	QPSK	Edge_1RB_Right	23.15
n71	10	15	668	DFT	QPSK	Outer_Full	23.16
n71	10	15	668	DFT	16QAM	Inner_Full	23.15
n71	10	15	668	DFT	16QAM	Edge_1RB_Left	22.47
n71	10	15	668	DFT	16QAM	Edge_1RB_Right	22.49
n71	10	15	668	DFT	16QAM	Outer_Full	22.12
n71	10	15	668	DFT	64QAM	Inner_Full	21.79

n71	10	15	668	DFT	64QAM	Edge_1RB_Left	21.60
n71	10	15	668	DFT	64QAM	Edge_1RB_Right	21.64
n71	10	15	668	DFT	64QAM	Outer_Full	21.72
n71	10	15	668	DFT	256QAM	Inner_Full	19.62
n71	10	15	668	DFT	256QAM	Edge_1RB_Left	19.42
n71	10	15	668	DFT	256QAM	Edge_1RB_Right	19.35
n71	10	15	668	DFT	256QAM	Outer_Full	19.65
n71	10	15	668	CP	QPSK	Inner_Full	22.72
n71	10	15	668	CP	QPSK	Edge_1RB_Left	21.17
n71	10	15	668	CP	QPSK	Edge_1RB_Right	21.24
n71	10	15	668	CP	QPSK	Outer_Full	21.07
n71	10	15	668	CP	16QAM	Inner_Full	22.13
n71	10	15	668	CP	16QAM	Edge_1RB_Left	21.61
n71	10	15	668	CP	16QAM	Edge_1RB_Right	21.60
n71	10	15	668	CP	16QAM	Outer_Full	21.15
n71	10	15	668	CP	64QAM	Inner_Full	20.71
n71	10	15	668	CP	64QAM	Edge_1RB_Left	20.43
n71	10	15	668	CP	64QAM	Edge_1RB_Right	20.53
n71	10	15	668	CP	64QAM	Outer_Full	20.71
n71	10	15	668	CP	256QAM	Inner_Full	17.72
n71	10	15	668	CP	256QAM	Edge_1RB_Left	17.43
n71	10	15	668	CP	256QAM	Edge_1RB_Right	17.57
n71	10	15	668	CP	256QAM	Outer_Full	17.65
n71	10	15	680.5	DFT	pi/2 BPSK	Inner_Full	24.15
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.56
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.53
n71	10	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.63
n71	10	15	680.5	DFT	QPSK	Inner_Full	24.20
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Left	23.06
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Right	22.96
n71	10	15	680.5	DFT	QPSK	Outer_Full	23.15
n71	10	15	680.5	DFT	16QAM	Inner_Full	23.15
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Left	22.48
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Right	22.38
n71	10	15	680.5	DFT	16QAM	Outer_Full	22.00
n71	10	15	680.5	DFT	64QAM	Inner_Full	21.75
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Left	21.53
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Right	21.42
n71	10	15	680.5	DFT	64QAM	Outer_Full	21.61
n71	10	15	680.5	DFT	256QAM	Inner_Full	19.58
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Left	19.34

n71	10	15	680.5	DFT	256QAM	Edge_1RB_Right	19.15
n71	10	15	680.5	DFT	256QAM	Outer_Full	19.66
n71	10	15	680.5	CP	QPSK	Inner_Full	22.67
n71	10	15	680.5	CP	QPSK	Edge_1RB_Left	21.20
n71	10	15	680.5	CP	QPSK	Edge_1RB_Right	21.11
n71	10	15	680.5	CP	QPSK	Outer_Full	21.15
n71	10	15	680.5	CP	16QAM	Inner_Full	22.18
n71	10	15	680.5	CP	16QAM	Edge_1RB_Left	21.57
n71	10	15	680.5	CP	16QAM	Edge_1RB_Right	21.57
n71	10	15	680.5	CP	16QAM	Outer_Full	21.11
n71	10	15	680.5	CP	64QAM	Inner_Full	20.66
n71	10	15	680.5	CP	64QAM	Edge_1RB_Left	20.43
n71	10	15	680.5	CP	64QAM	Edge_1RB_Right	20.42
n71	10	15	680.5	CP	64QAM	Outer_Full	20.68
n71	10	15	680.5	CP	256QAM	Inner_Full	17.66
n71	10	15	680.5	CP	256QAM	Edge_1RB_Left	17.48
n71	10	15	680.5	CP	256QAM	Edge_1RB_Right	17.44
n71	10	15	680.5	CP	256QAM	Outer_Full	17.59
n71	10	15	693	DFT	pi/2 BPSK	Inner_Full	24.05
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Left	23.48
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Right	23.49
n71	10	15	693	DFT	pi/2 BPSK	Outer_Full	23.45
n71	10	15	693	DFT	QPSK	Inner_Full	24.03
n71	10	15	693	DFT	QPSK	Edge_1RB_Left	23.04
n71	10	15	693	DFT	QPSK	Edge_1RB_Right	23.01
n71	10	15	693	DFT	QPSK	Outer_Full	22.94
n71	10	15	693	DFT	16QAM	Inner_Full	22.99
n71	10	15	693	DFT	16QAM	Edge_1RB_Left	22.36
n71	10	15	693	DFT	16QAM	Edge_1RB_Right	22.34
n71	10	15	693	DFT	16QAM	Outer_Full	21.89
n71	10	15	693	DFT	64QAM	Inner_Full	21.56
n71	10	15	693	DFT	64QAM	Edge_1RB_Left	21.39
n71	10	15	693	DFT	64QAM	Edge_1RB_Right	21.36
n71	10	15	693	DFT	64QAM	Outer_Full	21.50
n71	10	15	693	DFT	256QAM	Inner_Full	19.48
n71	10	15	693	DFT	256QAM	Edge_1RB_Left	19.33
n71	10	15	693	DFT	256QAM	Edge_1RB_Right	19.27
n71	10	15	693	DFT	256QAM	Outer_Full	19.43
n71	10	15	693	CP	QPSK	Inner_Full	22.53
n71	10	15	693	CP	QPSK	Edge_1RB_Left	21.06
n71	10	15	693	CP	QPSK	Edge_1RB_Right	21.07

n71	10	15	693	CP	QPSK	Outer_Full	20.92
n71	10	15	693	CP	16QAM	Inner_Full	22.03
n71	10	15	693	CP	16QAM	Edge_1RB_Left	21.45
n71	10	15	693	CP	16QAM	Edge_1RB_Right	21.56
n71	10	15	693	CP	16QAM	Outer_Full	20.89
n71	10	15	693	CP	64QAM	Inner_Full	20.52
n71	10	15	693	CP	64QAM	Edge_1RB_Left	20.28
n71	10	15	693	CP	64QAM	Edge_1RB_Right	20.47
n71	10	15	693	CP	64QAM	Outer_Full	20.48
n71	10	15	693	CP	256QAM	Inner_Full	17.45
n71	10	15	693	CP	256QAM	Edge_1RB_Left	17.35
n71	10	15	693	CP	256QAM	Edge_1RB_Right	17.42
n71	10	15	693	CP	256QAM	Outer_Full	17.43
n71	15	15	670.5	DFT	pi/2 BPSK	Inner_Full	24.09
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.55
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.52
n71	15	15	670.5	DFT	pi/2 BPSK	Outer_Full	23.59
n71	15	15	670.5	DFT	QPSK	Inner_Full	24.14
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Left	23.12
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Right	23.01
n71	15	15	670.5	DFT	QPSK	Outer_Full	23.10
n71	15	15	670.5	DFT	16QAM	Inner_Full	23.05
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Left	22.37
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Right	22.35
n71	15	15	670.5	DFT	16QAM	Outer_Full	22.14
n71	15	15	670.5	DFT	64QAM	Inner_Full	21.62
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Left	21.50
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Right	21.46
n71	15	15	670.5	DFT	64QAM	Outer_Full	21.70
n71	15	15	670.5	DFT	256QAM	Inner_Full	19.68
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Left	19.36
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Right	19.40
n71	15	15	670.5	DFT	256QAM	Outer_Full	19.55
n71	15	15	670.5	CP	QPSK	Inner_Full	22.56
n71	15	15	670.5	CP	QPSK	Edge_1RB_Left	21.20
n71	15	15	670.5	CP	QPSK	Edge_1RB_Right	21.06
n71	15	15	670.5	CP	QPSK	Outer_Full	21.09
n71	15	15	670.5	CP	16QAM	Inner_Full	22.04
n71	15	15	670.5	CP	16QAM	Edge_1RB_Left	21.54
n71	15	15	670.5	CP	16QAM	Edge_1RB_Right	21.46
n71	15	15	670.5	CP	16QAM	Outer_Full	21.12

n71	15	15	670.5	CP	64QAM	Inner_Full	20.63
n71	15	15	670.5	CP	64QAM	Edge_1RB_Left	20.46
n71	15	15	670.5	CP	64QAM	Edge_1RB_Right	20.39
n71	15	15	670.5	CP	64QAM	Outer_Full	20.62
n71	15	15	670.5	CP	256QAM	Inner_Full	17.64
n71	15	15	670.5	CP	256QAM	Edge_1RB_Left	17.49
n71	15	15	670.5	CP	256QAM	Edge_1RB_Right	17.49
n71	15	15	670.5	CP	256QAM	Outer_Full	17.49
n71	15	15	680.5	DFT	pi/2 BPSK	Inner_Full	24.04
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.59
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.38
n71	15	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.53
n71	15	15	680.5	DFT	QPSK	Inner_Full	24.06
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Left	23.10
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Right	22.76
n71	15	15	680.5	DFT	QPSK	Outer_Full	23.09
n71	15	15	680.5	DFT	16QAM	Inner_Full	23.08
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Left	22.45
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Right	22.17
n71	15	15	680.5	DFT	16QAM	Outer_Full	22.12
n71	15	15	680.5	DFT	64QAM	Inner_Full	21.61
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Left	21.50
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Right	21.33
n71	15	15	680.5	DFT	64QAM	Outer_Full	21.60
n71	15	15	680.5	DFT	256QAM	Inner_Full	19.56
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Left	19.35
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Right	19.16
n71	15	15	680.5	DFT	256QAM	Outer_Full	19.47
n71	15	15	680.5	CP	QPSK	Inner_Full	22.57
n71	15	15	680.5	CP	QPSK	Edge_1RB_Left	21.11
n71	15	15	680.5	CP	QPSK	Edge_1RB_Right	20.85
n71	15	15	680.5	CP	QPSK	Outer_Full	21.10
n71	15	15	680.5	CP	16QAM	Inner_Full	21.99
n71	15	15	680.5	CP	16QAM	Edge_1RB_Left	21.54
n71	15	15	680.5	CP	16QAM	Edge_1RB_Right	21.23
n71	15	15	680.5	CP	16QAM	Outer_Full	21.02
n71	15	15	680.5	CP	64QAM	Inner_Full	20.59
n71	15	15	680.5	CP	64QAM	Edge_1RB_Left	20.45
n71	15	15	680.5	CP	64QAM	Edge_1RB_Right	20.13
n71	15	15	680.5	CP	64QAM	Outer_Full	20.59
n71	15	15	680.5	CP	256QAM	Inner_Full	17.49

n71	15	15	680.5	CP	256QAM	Edge_1RB_Left	17.42
n71	15	15	680.5	CP	256QAM	Edge_1RB_Right	17.31
n71	15	15	680.5	CP	256QAM	Outer_Full	17.50
n71	15	15	690.5	DFT	pi/2 BPSK	Inner_Full	23.87
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.40
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.39
n71	15	15	690.5	DFT	pi/2 BPSK	Outer_Full	23.44
n71	15	15	690.5	DFT	QPSK	Inner_Full	23.91
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Left	22.93
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Right	22.92
n71	15	15	690.5	DFT	QPSK	Outer_Full	23.01
n71	15	15	690.5	DFT	16QAM	Inner_Full	22.90
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Left	22.26
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Right	22.23
n71	15	15	690.5	DFT	16QAM	Outer_Full	21.93
n71	15	15	690.5	DFT	64QAM	Inner_Full	21.43
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Left	21.32
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Right	21.36
n71	15	15	690.5	DFT	64QAM	Outer_Full	21.52
n71	15	15	690.5	DFT	256QAM	Inner_Full	19.47
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Left	19.16
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Right	19.26
n71	15	15	690.5	DFT	256QAM	Outer_Full	19.38
n71	15	15	690.5	CP	QPSK	Inner_Full	22.42
n71	15	15	690.5	CP	QPSK	Edge_1RB_Left	20.88
n71	15	15	690.5	CP	QPSK	Edge_1RB_Right	20.94
n71	15	15	690.5	CP	QPSK	Outer_Full	20.95
n71	15	15	690.5	CP	16QAM	Inner_Full	21.96
n71	15	15	690.5	CP	16QAM	Edge_1RB_Left	21.08
n71	15	15	690.5	CP	16QAM	Edge_1RB_Right	21.08
n71	15	15	690.5	CP	16QAM	Outer_Full	20.93
n71	15	15	690.5	CP	64QAM	Inner_Full	20.47
n71	15	15	690.5	CP	64QAM	Edge_1RB_Left	20.29
n71	15	15	690.5	CP	64QAM	Edge_1RB_Right	20.14
n71	15	15	690.5	CP	64QAM	Outer_Full	20.48
n71	15	15	690.5	CP	256QAM	Inner_Full	17.48
n71	15	15	690.5	CP	256QAM	Edge_1RB_Left	17.30
n71	15	15	690.5	CP	256QAM	Edge_1RB_Right	17.43
n71	15	15	690.5	CP	256QAM	Outer_Full	17.38
n71	20	15	673	DFT	pi/2 BPSK	Inner_Full	24.15
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Left	23.52

n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Right	23.38
n71	20	15	673	DFT	pi/2 BPSK	Outer_Full	23.65
n71	20	15	673	DFT	QPSK	Inner_Full	24.20
n71	20	15	673	DFT	QPSK	Edge_1RB_Left	22.99
n71	20	15	673	DFT	QPSK	Edge_1RB_Right	22.91
n71	20	15	673	DFT	QPSK	Outer_Full	23.11
n71	20	15	673	DFT	16QAM	Inner_Full	23.06
n71	20	15	673	DFT	16QAM	Edge_1RB_Left	22.38
n71	20	15	673	DFT	16QAM	Edge_1RB_Right	22.17
n71	20	15	673	DFT	16QAM	Outer_Full	22.15
n71	20	15	673	DFT	64QAM	Inner_Full	21.64
n71	20	15	673	DFT	64QAM	Edge_1RB_Left	21.49
n71	20	15	673	DFT	64QAM	Edge_1RB_Right	21.29
n71	20	15	673	DFT	64QAM	Outer_Full	21.70
n71	20	15	673	DFT	256QAM	Inner_Full	19.61
n71	20	15	673	DFT	256QAM	Edge_1RB_Left	19.18
n71	20	15	673	DFT	256QAM	Edge_1RB_Right	19.27
n71	20	15	673	DFT	256QAM	Outer_Full	19.68
n71	20	15	673	CP	QPSK	Inner_Full	22.63
n71	20	15	673	CP	QPSK	Edge_1RB_Left	21.09
n71	20	15	673	CP	QPSK	Edge_1RB_Right	20.92
n71	20	15	673	CP	QPSK	Outer_Full	21.16
n71	20	15	673	CP	16QAM	Inner_Full	22.08
n71	20	15	673	CP	16QAM	Edge_1RB_Left	21.55
n71	20	15	673	CP	16QAM	Edge_1RB_Right	21.38
n71	20	15	673	CP	16QAM	Outer_Full	21.12
n71	20	15	673	CP	64QAM	Inner_Full	20.65
n71	20	15	673	CP	64QAM	Edge_1RB_Left	20.41
n71	20	15	673	CP	64QAM	Edge_1RB_Right	20.13
n71	20	15	673	CP	64QAM	Outer_Full	20.60
n71	20	15	673	CP	256QAM	Inner_Full	17.53
n71	20	15	673	CP	256QAM	Edge_1RB_Left	17.30
n71	20	15	673	CP	256QAM	Edge_1RB_Right	17.30
n71	20	15	673	CP	256QAM	Outer_Full	17.70
n71	20	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.98
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.51
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.30
n71	20	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.52
n71	20	15	680.5	DFT	QPSK	Inner_Full	24.06
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Left	23.01
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Right	22.80

n71	20	15	680.5	DFT	QPSK	Outer_Full	23.06
n71	20	15	680.5	DFT	16QAM	Inner_Full	23.00
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Left	22.33
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Right	22.14
n71	20	15	680.5	DFT	16QAM	Outer_Full	22.00
n71	20	15	680.5	DFT	64QAM	Inner_Full	21.56
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Left	21.40
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Right	21.26
n71	20	15	680.5	DFT	64QAM	Outer_Full	21.56
n71	20	15	680.5	DFT	256QAM	Inner_Full	19.49
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Left	19.15
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Right	19.13
n71	20	15	680.5	DFT	256QAM	Outer_Full	19.57
n71	20	15	680.5	CP	QPSK	Inner_Full	22.53
n71	20	15	680.5	CP	QPSK	Edge_1RB_Left	21.04
n71	20	15	680.5	CP	QPSK	Edge_1RB_Right	20.87
n71	20	15	680.5	CP	QPSK	Outer_Full	21.11
n71	20	15	680.5	CP	16QAM	Inner_Full	22.00
n71	20	15	680.5	CP	16QAM	Edge_1RB_Left	21.50
n71	20	15	680.5	CP	16QAM	Edge_1RB_Right	21.22
n71	20	15	680.5	CP	16QAM	Outer_Full	20.95
n71	20	15	680.5	CP	64QAM	Inner_Full	20.61
n71	20	15	680.5	CP	64QAM	Edge_1RB_Left	20.33
n71	20	15	680.5	CP	64QAM	Edge_1RB_Right	20.16
n71	20	15	680.5	CP	64QAM	Outer_Full	20.52
n71	20	15	680.5	CP	256QAM	Inner_Full	17.41
n71	20	15	680.5	CP	256QAM	Edge_1RB_Left	17.32
n71	20	15	680.5	CP	256QAM	Edge_1RB_Right	17.23
n71	20	15	680.5	CP	256QAM	Outer_Full	17.51
n71	20	15	688	DFT	pi/2 BPSK	Inner_Full	24.04
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Left	23.55
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Right	23.45
n71	20	15	688	DFT	pi/2 BPSK	Outer_Full	23.44
n71	20	15	688	DFT	QPSK	Inner_Full	23.98
n71	20	15	688	DFT	QPSK	Edge_1RB_Left	23.03
n71	20	15	688	DFT	QPSK	Edge_1RB_Right	22.91
n71	20	15	688	DFT	QPSK	Outer_Full	22.91
n71	20	15	688	DFT	16QAM	Inner_Full	22.82
n71	20	15	688	DFT	16QAM	Edge_1RB_Left	22.36
n71	20	15	688	DFT	16QAM	Edge_1RB_Right	22.23
n71	20	15	688	DFT	16QAM	Outer_Full	21.94



I22Z61533-WMD04

n71	20	15	688	DFT	64QAM	Inner_Full	21.46
n71	20	15	688	DFT	64QAM	Edge_1RB_Left	21.44
n71	20	15	688	DFT	64QAM	Edge_1RB_Right	21.33
n71	20	15	688	DFT	64QAM	Outer_Full	21.50
n71	20	15	688	DFT	256QAM	Inner_Full	19.46
n71	20	15	688	DFT	256QAM	Edge_1RB_Left	19.23
n71	20	15	688	DFT	256QAM	Edge_1RB_Right	19.29
n71	20	15	688	DFT	256QAM	Outer_Full	19.43
n71	20	15	688	CP	QPSK	Inner_Full	22.33
n71	20	15	688	CP	QPSK	Edge_1RB_Left	21.16
n71	20	15	688	CP	QPSK	Edge_1RB_Right	20.89
n71	20	15	688	CP	QPSK	Outer_Full	20.95
n71	20	15	688	CP	16QAM	Inner_Full	21.86
n71	20	15	688	CP	16QAM	Edge_1RB_Left	21.55
n71	20	15	688	CP	16QAM	Edge_1RB_Right	21.39
n71	20	15	688	CP	16QAM	Outer_Full	20.99
n71	20	15	688	CP	64QAM	Inner_Full	20.47
n71	20	15	688	CP	64QAM	Edge_1RB_Left	20.39
n71	20	15	688	CP	64QAM	Edge_1RB_Right	20.15
n71	20	15	688	CP	64QAM	Outer_Full	20.46
n71	20	15	688	CP	256QAM	Inner_Full	17.35
n71	20	15	688	CP	256QAM	Edge_1RB_Left	17.38
n71	20	15	688	CP	256QAM	Edge_1RB_Right	17.33
n71	20	15	688	CP	256QAM	Outer_Full	17.37

n77L

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	25.48
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.41
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.58
n77L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	25.52
n77L	20	30	3460.02	DFT	QPSK	Inner_Full	25.58
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	22.42
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.46
n77L	20	30	3460.02	DFT	QPSK	Outer_Full	25.17
n77L	20	30	3460.02	DFT	16QAM	Inner_Full	25.20
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	22.73
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	22.49
n77L	20	30	3460.02	DFT	16QAM	Outer_Full	24.12
n77L	20	30	3460.02	DFT	64QAM	Inner_Full	23.70
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	22.13
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	22.17
n77L	20	30	3460.02	DFT	64QAM	Outer_Full	23.59
n77L	20	30	3460.02	DFT	256QAM	Inner_Full	21.44
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	21.26
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	21.42
n77L	20	30	3460.02	DFT	256QAM	Outer_Full	21.52
n77L	20	30	3460.02	CP	QPSK	Inner_Full	24.48
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	22.51
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	22.56
n77L	20	30	3460.02	CP	QPSK	Outer_Full	23.11
n77L	20	30	3460.02	CP	16QAM	Inner_Full	24.17
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	22.52
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	22.85
n77L	20	30	3460.02	CP	16QAM	Outer_Full	23.10
n77L	20	30	3460.02	CP	64QAM	Inner_Full	22.53
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	22.14
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	22.19
n77L	20	30	3460.02	CP	64QAM	Outer_Full	22.45
n77L	20	30	3460.02	CP	256QAM	Inner_Full	19.35
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	19.45
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	19.46
n77L	20	30	3460.02	CP	256QAM	Outer_Full	19.66
n77L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.93
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.04
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.11

n77L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.91
n77L	20	30	3500.01	DFT	QPSK	Inner_Full	25.95
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.08
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.88
n77L	20	30	3500.01	DFT	QPSK	Outer_Full	25.50
n77L	20	30	3500.01	DFT	16QAM	Inner_Full	25.71
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.08
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	23.22
n77L	20	30	3500.01	DFT	16QAM	Outer_Full	24.43
n77L	20	30	3500.01	DFT	64QAM	Inner_Full	24.01
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.45
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.58
n77L	20	30	3500.01	DFT	64QAM	Outer_Full	23.98
n77L	20	30	3500.01	DFT	256QAM	Inner_Full	22.14
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.75
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.95
n77L	20	30	3500.01	DFT	256QAM	Outer_Full	22.00
n77L	20	30	3500.01	CP	QPSK	Inner_Full	25.12
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	22.81
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	23.01
n77L	20	30	3500.01	CP	QPSK	Outer_Full	23.64
n77L	20	30	3500.01	CP	16QAM	Inner_Full	24.60
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	23.09
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	23.06
n77L	20	30	3500.01	CP	16QAM	Outer_Full	23.41
n77L	20	30	3500.01	CP	64QAM	Inner_Full	23.01
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	22.49
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	22.52
n77L	20	30	3500.01	CP	64QAM	Outer_Full	22.99
n77L	20	30	3500.01	CP	256QAM	Inner_Full	19.89
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	20.09
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	19.85
n77L	20	30	3500.01	CP	256QAM	Outer_Full	20.09
n77L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	25.31
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	22.49
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	22.42
n77L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	25.41
n77L	20	30	3540	DFT	QPSK	Inner_Full	25.39
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.48
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Right	22.35
n77L	20	30	3540	DFT	QPSK	Outer_Full	24.96

n77L	20	30	3540	DFT	16QAM	Inner_Full	24.87
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Left	22.55
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Right	22.60
n77L	20	30	3540	DFT	16QAM	Outer_Full	23.93
n77L	20	30	3540	DFT	64QAM	Inner_Full	23.37
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Left	22.06
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Right	22.11
n77L	20	30	3540	DFT	64QAM	Outer_Full	23.49
n77L	20	30	3540	DFT	256QAM	Inner_Full	21.17
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Left	21.38
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Right	21.30
n77L	20	30	3540	DFT	256QAM	Outer_Full	21.44
n77L	20	30	3540	CP	QPSK	Inner_Full	24.36
n77L	20	30	3540	CP	QPSK	Edge_1RB_Left	22.38
n77L	20	30	3540	CP	QPSK	Edge_1RB_Right	22.60
n77L	20	30	3540	CP	QPSK	Outer_Full	22.93
n77L	20	30	3540	CP	16QAM	Inner_Full	23.92
n77L	20	30	3540	CP	16QAM	Edge_1RB_Left	22.42
n77L	20	30	3540	CP	16QAM	Edge_1RB_Right	22.53
n77L	20	30	3540	CP	16QAM	Outer_Full	22.88
n77L	20	30	3540	CP	64QAM	Inner_Full	22.37
n77L	20	30	3540	CP	64QAM	Edge_1RB_Left	21.82
n77L	20	30	3540	CP	64QAM	Edge_1RB_Right	22.03
n77L	20	30	3540	CP	64QAM	Outer_Full	22.40
n77L	20	30	3540	CP	256QAM	Inner_Full	19.24
n77L	20	30	3540	CP	256QAM	Edge_1RB_Left	19.39
n77L	20	30	3540	CP	256QAM	Edge_1RB_Right	19.31
n77L	20	30	3540	CP	256QAM	Outer_Full	19.49
n77L	30	30	3465	DFT	pi/2 BPSK	Inner_Full	25.47
n77L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Left	22.52
n77L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Right	22.47
n77L	30	30	3465	DFT	pi/2 BPSK	Outer_Full	25.45
n77L	30	30	3465	DFT	QPSK	Inner_Full	25.55
n77L	30	30	3465	DFT	QPSK	Edge_1RB_Left	22.39
n77L	30	30	3465	DFT	QPSK	Edge_1RB_Right	22.57
n77L	30	30	3465	DFT	QPSK	Outer_Full	25.03
n77L	30	30	3465	DFT	16QAM	Inner_Full	24.89
n77L	30	30	3465	DFT	16QAM	Edge_1RB_Left	22.57
n77L	30	30	3465	DFT	16QAM	Edge_1RB_Right	22.60
n77L	30	30	3465	DFT	16QAM	Outer_Full	24.04
n77L	30	30	3465	DFT	64QAM	Inner_Full	23.28

n77L	30	30	3465	DFT	64QAM	Edge_1RB_Left	21.79
n77L	30	30	3465	DFT	64QAM	Edge_1RB_Right	22.11
n77L	30	30	3465	DFT	64QAM	Outer_Full	23.55
n77L	30	30	3465	DFT	256QAM	Inner_Full	21.39
n77L	30	30	3465	DFT	256QAM	Edge_1RB_Left	21.36
n77L	30	30	3465	DFT	256QAM	Edge_1RB_Right	21.36
n77L	30	30	3465	DFT	256QAM	Outer_Full	21.61
n77L	30	30	3465	CP	QPSK	Inner_Full	24.60
n77L	30	30	3465	CP	QPSK	Edge_1RB_Left	22.31
n77L	30	30	3465	CP	QPSK	Edge_1RB_Right	22.55
n77L	30	30	3465	CP	QPSK	Outer_Full	22.90
n77L	30	30	3465	CP	16QAM	Inner_Full	24.00
n77L	30	30	3465	CP	16QAM	Edge_1RB_Left	22.39
n77L	30	30	3465	CP	16QAM	Edge_1RB_Right	22.54
n77L	30	30	3465	CP	16QAM	Outer_Full	23.07
n77L	30	30	3465	CP	64QAM	Inner_Full	22.61
n77L	30	30	3465	CP	64QAM	Edge_1RB_Left	22.18
n77L	30	30	3465	CP	64QAM	Edge_1RB_Right	21.96
n77L	30	30	3465	CP	64QAM	Outer_Full	22.60
n77L	30	30	3465	CP	256QAM	Inner_Full	19.50
n77L	30	30	3465	CP	256QAM	Edge_1RB_Left	19.20
n77L	30	30	3465	CP	256QAM	Edge_1RB_Right	19.49
n77L	30	30	3465	CP	256QAM	Outer_Full	19.46
n77L	30	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.95
n77L	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.09
n77L	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.29
n77L	30	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.93
n77L	30	30	3500.01	DFT	QPSK	Inner_Full	25.97
n77L	30	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.24
n77L	30	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.99
n77L	30	30	3500.01	DFT	QPSK	Outer_Full	25.61
n77L	30	30	3500.01	DFT	16QAM	Inner_Full	25.77
n77L	30	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.05
n77L	30	30	3500.01	DFT	16QAM	Edge_1RB_Right	23.19
n77L	30	30	3500.01	DFT	16QAM	Outer_Full	24.66
n77L	30	30	3500.01	DFT	64QAM	Inner_Full	24.09
n77L	30	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.50
n77L	30	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.60
n77L	30	30	3500.01	DFT	64QAM	Outer_Full	24.34
n77L	30	30	3500.01	DFT	256QAM	Inner_Full	21.91
n77L	30	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.98

n77L	30	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.75
n77L	30	30	3500.01	DFT	256QAM	Outer_Full	22.06
n77L	30	30	3500.01	CP	QPSK	Inner_Full	25.14
n77L	30	30	3500.01	CP	QPSK	Edge_1RB_Left	22.93
n77L	30	30	3500.01	CP	QPSK	Edge_1RB_Right	22.83
n77L	30	30	3500.01	CP	QPSK	Outer_Full	23.40
n77L	30	30	3500.01	CP	16QAM	Inner_Full	24.53
n77L	30	30	3500.01	CP	16QAM	Edge_1RB_Left	22.76
n77L	30	30	3500.01	CP	16QAM	Edge_1RB_Right	22.93
n77L	30	30	3500.01	CP	16QAM	Outer_Full	23.39
n77L	30	30	3500.01	CP	64QAM	Inner_Full	22.95
n77L	30	30	3500.01	CP	64QAM	Edge_1RB_Left	22.43
n77L	30	30	3500.01	CP	64QAM	Edge_1RB_Right	22.34
n77L	30	30	3500.01	CP	64QAM	Outer_Full	23.06
n77L	30	30	3500.01	CP	256QAM	Inner_Full	19.88
n77L	30	30	3500.01	CP	256QAM	Edge_1RB_Left	19.60
n77L	30	30	3500.01	CP	256QAM	Edge_1RB_Right	19.89
n77L	30	30	3500.01	CP	256QAM	Outer_Full	20.10
n77L	30	30	3534.99	DFT	pi/2 BPSK	Inner_Full	25.61
n77L	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.83
n77L	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.78
n77L	30	30	3534.99	DFT	pi/2 BPSK	Outer_Full	25.75
n77L	30	30	3534.99	DFT	QPSK	Inner_Full	25.69
n77L	30	30	3534.99	DFT	QPSK	Edge_1RB_Left	22.93
n77L	30	30	3534.99	DFT	QPSK	Edge_1RB_Right	22.79
n77L	30	30	3534.99	DFT	QPSK	Outer_Full	25.21
n77L	30	30	3534.99	DFT	16QAM	Inner_Full	25.09
n77L	30	30	3534.99	DFT	16QAM	Edge_1RB_Left	23.16
n77L	30	30	3534.99	DFT	16QAM	Edge_1RB_Right	22.74
n77L	30	30	3534.99	DFT	16QAM	Outer_Full	24.19
n77L	30	30	3534.99	DFT	64QAM	Inner_Full	23.54
n77L	30	30	3534.99	DFT	64QAM	Edge_1RB_Left	22.75
n77L	30	30	3534.99	DFT	64QAM	Edge_1RB_Right	22.39
n77L	30	30	3534.99	DFT	64QAM	Outer_Full	23.68
n77L	30	30	3534.99	DFT	256QAM	Inner_Full	21.39
n77L	30	30	3534.99	DFT	256QAM	Edge_1RB_Left	21.73
n77L	30	30	3534.99	DFT	256QAM	Edge_1RB_Right	21.51
n77L	30	30	3534.99	DFT	256QAM	Outer_Full	21.44
n77L	30	30	3534.99	CP	QPSK	Inner_Full	24.48
n77L	30	30	3534.99	CP	QPSK	Edge_1RB_Left	22.87
n77L	30	30	3534.99	CP	QPSK	Edge_1RB_Right	22.71

n77L	30	30	3534.99	CP	QPSK	Outer_Full	23.03
n77L	30	30	3534.99	CP	16QAM	Inner_Full	23.97
n77L	30	30	3534.99	CP	16QAM	Edge_1RB_Left	22.89
n77L	30	30	3534.99	CP	16QAM	Edge_1RB_Right	22.76
n77L	30	30	3534.99	CP	16QAM	Outer_Full	22.96
n77L	30	30	3534.99	CP	64QAM	Inner_Full	22.49
n77L	30	30	3534.99	CP	64QAM	Edge_1RB_Left	22.23
n77L	30	30	3534.99	CP	64QAM	Edge_1RB_Right	22.07
n77L	30	30	3534.99	CP	64QAM	Outer_Full	22.60
n77L	30	30	3534.99	CP	256QAM	Inner_Full	19.46
n77L	30	30	3534.99	CP	256QAM	Edge_1RB_Left	19.81
n77L	30	30	3534.99	CP	256QAM	Edge_1RB_Right	19.56
n77L	30	30	3534.99	CP	256QAM	Outer_Full	19.63
n77L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	25.55
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.56
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.92
n77L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	25.75
n77L	40	30	3470.01	DFT	QPSK	Inner_Full	25.55
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	22.56
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	22.89
n77L	40	30	3470.01	DFT	QPSK	Outer_Full	25.04
n77L	40	30	3470.01	DFT	16QAM	Inner_Full	24.96
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	22.59
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	23.03
n77L	40	30	3470.01	DFT	16QAM	Outer_Full	24.24
n77L	40	30	3470.01	DFT	64QAM	Inner_Full	23.52
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	22.04
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	22.41
n77L	40	30	3470.01	DFT	64QAM	Outer_Full	23.57
n77L	40	30	3470.01	DFT	256QAM	Inner_Full	21.67
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	21.45
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	21.69
n77L	40	30	3470.01	DFT	256QAM	Outer_Full	21.70
n77L	40	30	3470.01	CP	QPSK	Inner_Full	24.75
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	22.51
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	22.98
n77L	40	30	3470.01	CP	QPSK	Outer_Full	23.01
n77L	40	30	3470.01	CP	16QAM	Inner_Full	24.07
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	22.90
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	23.00
n77L	40	30	3470.01	CP	16QAM	Outer_Full	23.22

n77L	40	30	3470.01	CP	64QAM	Inner_Full	22.51
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	22.23
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	22.45
n77L	40	30	3470.01	CP	64QAM	Outer_Full	22.64
n77L	40	30	3470.01	CP	256QAM	Inner_Full	19.47
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	19.33
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	19.82
n77L	40	30	3470.01	CP	256QAM	Outer_Full	19.82
n77L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.99
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.87
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.99
n77L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.91
n77L	40	30	3500.01	DFT	QPSK	Inner_Full	25.96
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.73
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.87
n77L	40	30	3500.01	DFT	QPSK	Outer_Full	25.42
n77L	40	30	3500.01	DFT	16QAM	Inner_Full	25.58
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.81
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.95
n77L	40	30	3500.01	DFT	16QAM	Outer_Full	24.44
n77L	40	30	3500.01	DFT	64QAM	Inner_Full	23.98
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.08
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.72
n77L	40	30	3500.01	DFT	64QAM	Outer_Full	24.13
n77L	40	30	3500.01	DFT	256QAM	Inner_Full	22.12
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.79
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.82
n77L	40	30	3500.01	DFT	256QAM	Outer_Full	21.93
n77L	40	30	3500.01	CP	QPSK	Inner_Full	25.16
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	22.93
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	23.05
n77L	40	30	3500.01	CP	QPSK	Outer_Full	23.48
n77L	40	30	3500.01	CP	16QAM	Inner_Full	24.60
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	22.74
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	22.98
n77L	40	30	3500.01	CP	16QAM	Outer_Full	23.62
n77L	40	30	3500.01	CP	64QAM	Inner_Full	22.99
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	22.42
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	22.58
n77L	40	30	3500.01	CP	64QAM	Outer_Full	23.08
n77L	40	30	3500.01	CP	256QAM	Inner_Full	19.98

n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	19.83
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	19.89
n77L	40	30	3500.01	CP	256QAM	Outer_Full	19.93
n77L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	25.71
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.32
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.93
n77L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	25.84
n77L	40	30	3529.98	DFT	QPSK	Inner_Full	25.68
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	23.30
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	22.84
n77L	40	30	3529.98	DFT	QPSK	Outer_Full	25.24
n77L	40	30	3529.98	DFT	16QAM	Inner_Full	25.20
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	23.35
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	22.85
n77L	40	30	3529.98	DFT	16QAM	Outer_Full	24.25
n77L	40	30	3529.98	DFT	64QAM	Inner_Full	23.85
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	22.91
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	22.17
n77L	40	30	3529.98	DFT	64QAM	Outer_Full	23.79
n77L	40	30	3529.98	DFT	256QAM	Inner_Full	21.61
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	21.88
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	21.50
n77L	40	30	3529.98	DFT	256QAM	Outer_Full	21.64
n77L	40	30	3529.98	CP	QPSK	Inner_Full	24.55
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	23.07
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	22.63
n77L	40	30	3529.98	CP	QPSK	Outer_Full	23.19
n77L	40	30	3529.98	CP	16QAM	Inner_Full	23.99
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	23.23
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	22.80
n77L	40	30	3529.98	CP	16QAM	Outer_Full	23.21
n77L	40	30	3529.98	CP	64QAM	Inner_Full	22.50
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	22.57
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	22.13
n77L	40	30	3529.98	CP	64QAM	Outer_Full	22.59
n77L	40	30	3529.98	CP	256QAM	Inner_Full	19.46
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	19.90
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	19.52
n77L	40	30	3529.98	CP	256QAM	Outer_Full	19.55
n77L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	25.48
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	22.20

n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	22.81
n77L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	25.57
n77L	60	30	3480	DFT	QPSK	Inner_Full	25.52
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Left	22.13
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Right	22.94
n77L	60	30	3480	DFT	QPSK	Outer_Full	25.05
n77L	60	30	3480	DFT	16QAM	Inner_Full	25.03
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Left	22.28
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Right	22.84
n77L	60	30	3480	DFT	16QAM	Outer_Full	24.13
n77L	60	30	3480	DFT	64QAM	Inner_Full	23.54
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Left	21.89
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Right	22.24
n77L	60	30	3480	DFT	64QAM	Outer_Full	23.57
n77L	60	30	3480	DFT	256QAM	Inner_Full	21.79
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Left	21.12
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Right	21.78
n77L	60	30	3480	DFT	256QAM	Outer_Full	21.70
n77L	60	30	3480	CP	QPSK	Inner_Full	24.55
n77L	60	30	3480	CP	QPSK	Edge_1RB_Left	22.21
n77L	60	30	3480	CP	QPSK	Edge_1RB_Right	22.93
n77L	60	30	3480	CP	QPSK	Outer_Full	23.11
n77L	60	30	3480	CP	16QAM	Inner_Full	24.08
n77L	60	30	3480	CP	16QAM	Edge_1RB_Left	22.21
n77L	60	30	3480	CP	16QAM	Edge_1RB_Right	23.14
n77L	60	30	3480	CP	16QAM	Outer_Full	23.02
n77L	60	30	3480	CP	64QAM	Inner_Full	22.64
n77L	60	30	3480	CP	64QAM	Edge_1RB_Left	21.75
n77L	60	30	3480	CP	64QAM	Edge_1RB_Right	22.27
n77L	60	30	3480	CP	64QAM	Outer_Full	22.70
n77L	60	30	3480	CP	256QAM	Inner_Full	19.53
n77L	60	30	3480	CP	256QAM	Edge_1RB_Left	19.26
n77L	60	30	3480	CP	256QAM	Edge_1RB_Right	19.80
n77L	60	30	3480	CP	256QAM	Outer_Full	19.51
n77L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.94
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.30
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.20
n77L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.75
n77L	60	30	3500.01	DFT	QPSK	Inner_Full	25.89
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.28
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.26

n77L	60	30	3500.01	DFT	QPSK	Outer_Full	25.16
n77L	60	30	3500.01	DFT	16QAM	Inner_Full	25.31
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.50
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.30
n77L	60	30	3500.01	DFT	16QAM	Outer_Full	24.05
n77L	60	30	3500.01	DFT	64QAM	Inner_Full	23.83
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.88
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.84
n77L	60	30	3500.01	DFT	64QAM	Outer_Full	23.79
n77L	60	30	3500.01	DFT	256QAM	Inner_Full	21.86
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.34
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.05
n77L	60	30	3500.01	DFT	256QAM	Outer_Full	21.60
n77L	60	30	3500.01	CP	QPSK	Inner_Full	24.92
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	22.36
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	22.30
n77L	60	30	3500.01	CP	QPSK	Outer_Full	23.17
n77L	60	30	3500.01	CP	16QAM	Inner_Full	24.43
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	22.62
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	22.71
n77L	60	30	3500.01	CP	16QAM	Outer_Full	23.17
n77L	60	30	3500.01	CP	64QAM	Inner_Full	23.02
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	21.85
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	21.87
n77L	60	30	3500.01	CP	64QAM	Outer_Full	22.61
n77L	60	30	3500.01	CP	256QAM	Inner_Full	19.77
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	19.43
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	19.29
n77L	60	30	3500.01	CP	256QAM	Outer_Full	19.63
n77L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	25.67
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.71
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.31
n77L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	25.65
n77L	60	30	3519.99	DFT	QPSK	Inner_Full	25.69
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	22.68
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	22.29
n77L	60	30	3519.99	DFT	QPSK	Outer_Full	25.30
n77L	60	30	3519.99	DFT	16QAM	Inner_Full	25.16
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	22.79
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	22.33
n77L	60	30	3519.99	DFT	16QAM	Outer_Full	23.94

n77L	60	30	3519.99	DFT	64QAM	Inner_Full	23.70
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	22.35
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	21.90
n77L	60	30	3519.99	DFT	64QAM	Outer_Full	23.56
n77L	60	30	3519.99	DFT	256QAM	Inner_Full	21.58
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	21.75
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	21.26
n77L	60	30	3519.99	DFT	256QAM	Outer_Full	21.82
n77L	60	30	3519.99	CP	QPSK	Inner_Full	24.77
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	22.81
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	22.42
n77L	60	30	3519.99	CP	QPSK	Outer_Full	23.11
n77L	60	30	3519.99	CP	16QAM	Inner_Full	24.13
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	22.73
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	22.32
n77L	60	30	3519.99	CP	16QAM	Outer_Full	23.08
n77L	60	30	3519.99	CP	64QAM	Inner_Full	22.89
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	22.15
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	21.91
n77L	60	30	3519.99	CP	64QAM	Outer_Full	22.45
n77L	60	30	3519.99	CP	256QAM	Inner_Full	19.74
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	19.71
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	19.31
n77L	60	30	3519.99	CP	256QAM	Outer_Full	19.50
n77L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	25.51
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.08
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.06
n77L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	25.62
n77L	80	30	3490.02	DFT	QPSK	Inner_Full	25.69
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	22.19
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	22.14
n77L	80	30	3490.02	DFT	QPSK	Outer_Full	24.96
n77L	80	30	3490.02	DFT	16QAM	Inner_Full	24.99
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	22.36
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	22.15
n77L	80	30	3490.02	DFT	16QAM	Outer_Full	23.84
n77L	80	30	3490.02	DFT	64QAM	Inner_Full	23.72
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	21.51
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	21.52
n77L	80	30	3490.02	DFT	64QAM	Outer_Full	23.40
n77L	80	30	3490.02	DFT	256QAM	Inner_Full	21.58

n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	20.93
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	21.25
n77L	80	30	3490.02	DFT	256QAM	Outer_Full	21.44
n77L	80	30	3490.02	CP	QPSK	Inner_Full	24.56
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	22.52
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	22.05
n77L	80	30	3490.02	CP	QPSK	Outer_Full	22.85
n77L	80	30	3490.02	CP	16QAM	Inner_Full	24.10
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	22.11
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	22.25
n77L	80	30	3490.02	CP	16QAM	Outer_Full	23.04
n77L	80	30	3490.02	CP	64QAM	Inner_Full	22.50
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	21.50
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	21.82
n77L	80	30	3490.02	CP	64QAM	Outer_Full	22.44
n77L	80	30	3490.02	CP	256QAM	Inner_Full	19.70
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	19.16
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	19.08
n77L	80	30	3490.02	CP	256QAM	Outer_Full	19.40
n77L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.73
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.37
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.05
n77L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.54
n77L	80	30	3500.01	DFT	QPSK	Inner_Full	25.64
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.30
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.95
n77L	80	30	3500.01	DFT	QPSK	Outer_Full	24.93
n77L	80	30	3500.01	DFT	16QAM	Inner_Full	25.16
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.44
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.37
n77L	80	30	3500.01	DFT	16QAM	Outer_Full	23.96
n77L	80	30	3500.01	DFT	64QAM	Inner_Full	23.70
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.70
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.59
n77L	80	30	3500.01	DFT	64QAM	Outer_Full	23.43
n77L	80	30	3500.01	DFT	256QAM	Inner_Full	21.82
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.03
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.88
n77L	80	30	3500.01	DFT	256QAM	Outer_Full	21.42
n77L	80	30	3500.01	CP	QPSK	Inner_Full	24.76
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	22.39

n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	22.08
n77L	80	30	3500.01	CP	QPSK	Outer_Full	22.83
n77L	80	30	3500.01	CP	16QAM	Inner_Full	24.18
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	22.59
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	22.43
n77L	80	30	3500.01	CP	16QAM	Outer_Full	23.00
n77L	80	30	3500.01	CP	64QAM	Inner_Full	22.76
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	21.86
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	21.61
n77L	80	30	3500.01	CP	64QAM	Outer_Full	22.42
n77L	80	30	3500.01	CP	256QAM	Inner_Full	19.55
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	19.27
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	19.12
n77L	80	30	3500.01	CP	256QAM	Outer_Full	19.58
n77L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	25.75
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	22.44
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	22.54
n77L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	25.42
n77L	80	30	3510	DFT	QPSK	Inner_Full	25.65
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Left	22.27
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Right	22.32
n77L	80	30	3510	DFT	QPSK	Outer_Full	25.03
n77L	80	30	3510	DFT	16QAM	Inner_Full	25.10
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Left	22.26
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Right	22.27
n77L	80	30	3510	DFT	16QAM	Outer_Full	24.16
n77L	80	30	3510	DFT	64QAM	Inner_Full	23.71
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Left	21.78
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Right	21.68
n77L	80	30	3510	DFT	64QAM	Outer_Full	23.51
n77L	80	30	3510	DFT	256QAM	Inner_Full	21.83
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Left	21.14
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Right	21.04
n77L	80	30	3510	DFT	256QAM	Outer_Full	21.27
n77L	80	30	3510	CP	QPSK	Inner_Full	24.74
n77L	80	30	3510	CP	QPSK	Edge_1RB_Left	22.42
n77L	80	30	3510	CP	QPSK	Edge_1RB_Right	22.43
n77L	80	30	3510	CP	QPSK	Outer_Full	23.08
n77L	80	30	3510	CP	16QAM	Inner_Full	24.04
n77L	80	30	3510	CP	16QAM	Edge_1RB_Left	22.41
n77L	80	30	3510	CP	16QAM	Edge_1RB_Right	22.46



I22Z61533-WMD04

n77L	80	30	3510	CP	16QAM	Outer_Full	22.92
n77L	80	30	3510	CP	64QAM	Inner_Full	22.63
n77L	80	30	3510	CP	64QAM	Edge_1RB_Left	21.63
n77L	80	30	3510	CP	64QAM	Edge_1RB_Right	21.67
n77L	80	30	3510	CP	64QAM	Outer_Full	22.49
n77L	80	30	3510	CP	256QAM	Inner_Full	19.57
n77L	80	30	3510	CP	256QAM	Edge_1RB_Left	19.23
n77L	80	30	3510	CP	256QAM	Edge_1RB_Right	18.94
n77L	80	30	3510	CP	256QAM	Outer_Full	19.58

n77H

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	POWER(dBm)
n77H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	25.28
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.39
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.84
n77H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	25.18
n77H	20	30	3710.01	DFT	QPSK	Inner_Full	25.22
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	22.53
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.83
n77H	20	30	3710.01	DFT	QPSK	Outer_Full	24.66
n77H	20	30	3710.01	DFT	16QAM	Inner_Full	24.81
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	22.53
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	21.93
n77H	20	30	3710.01	DFT	16QAM	Outer_Full	23.80
n77H	20	30	3710.01	DFT	64QAM	Inner_Full	23.16
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	21.92
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	21.59
n77H	20	30	3710.01	DFT	64QAM	Outer_Full	23.40
n77H	20	30	3710.01	DFT	256QAM	Inner_Full	21.18
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	21.40
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	20.87
n77H	20	30	3710.01	DFT	256QAM	Outer_Full	21.35
n77H	20	30	3710.01	CP	QPSK	Inner_Full	24.15
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	22.51
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	21.92
n77H	20	30	3710.01	CP	QPSK	Outer_Full	22.67
n77H	20	30	3710.01	CP	16QAM	Inner_Full	23.81
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	22.60
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	22.20
n77H	20	30	3710.01	CP	16QAM	Outer_Full	22.71
n77H	20	30	3710.01	CP	64QAM	Inner_Full	22.32
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	22.01
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	21.45
n77H	20	30	3710.01	CP	64QAM	Outer_Full	22.32
n77H	20	30	3710.01	CP	256QAM	Inner_Full	19.21
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	19.32
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	19.03
n77H	20	30	3710.01	CP	256QAM	Outer_Full	19.32
n77H	20	30	3840	DFT	pi/2 BPSK	Inner_Full	25.55
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.41
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.66

n77H	20	30	3840	DFT	pi/2 BPSK	Outer_Full	25.64
n77H	20	30	3840	DFT	QPSK	Inner_Full	25.56
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Left	22.37
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Right	22.64
n77H	20	30	3840	DFT	QPSK	Outer_Full	25.06
n77H	20	30	3840	DFT	16QAM	Inner_Full	25.20
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Left	22.45
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Right	22.81
n77H	20	30	3840	DFT	16QAM	Outer_Full	23.98
n77H	20	30	3840	DFT	64QAM	Inner_Full	23.59
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Left	21.89
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Right	22.13
n77H	20	30	3840	DFT	64QAM	Outer_Full	23.47
n77H	20	30	3840	DFT	256QAM	Inner_Full	21.59
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Left	21.15
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Right	21.48
n77H	20	30	3840	DFT	256QAM	Outer_Full	21.64
n77H	20	30	3840	CP	QPSK	Inner_Full	24.49
n77H	20	30	3840	CP	QPSK	Edge_1RB_Left	22.38
n77H	20	30	3840	CP	QPSK	Edge_1RB_Right	22.76
n77H	20	30	3840	CP	QPSK	Outer_Full	23.13
n77H	20	30	3840	CP	16QAM	Inner_Full	24.15
n77H	20	30	3840	CP	16QAM	Edge_1RB_Left	22.45
n77H	20	30	3840	CP	16QAM	Edge_1RB_Right	22.77
n77H	20	30	3840	CP	16QAM	Outer_Full	23.16
n77H	20	30	3840	CP	64QAM	Inner_Full	22.57
n77H	20	30	3840	CP	64QAM	Edge_1RB_Left	21.88
n77H	20	30	3840	CP	64QAM	Edge_1RB_Right	22.21
n77H	20	30	3840	CP	64QAM	Outer_Full	22.54
n77H	20	30	3840	CP	256QAM	Inner_Full	19.44
n77H	20	30	3840	CP	256QAM	Edge_1RB_Left	19.35
n77H	20	30	3840	CP	256QAM	Edge_1RB_Right	19.48
n77H	20	30	3840	CP	256QAM	Outer_Full	19.47
n77H	20	30	3969.99	DFT	pi/2 BPSK	Inner_Full	25.18
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.28
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.28
n77H	20	30	3969.99	DFT	pi/2 BPSK	Outer_Full	25.22
n77H	20	30	3969.99	DFT	QPSK	Inner_Full	25.12
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Left	22.37
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Right	22.14
n77H	20	30	3969.99	DFT	QPSK	Outer_Full	24.63

n77H	20	30	3969.99	DFT	16QAM	Inner_Full	24.60
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Left	22.32
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Right	22.20
n77H	20	30	3969.99	DFT	16QAM	Outer_Full	23.54
n77H	20	30	3969.99	DFT	64QAM	Inner_Full	23.06
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Left	22.05
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Right	21.70
n77H	20	30	3969.99	DFT	64QAM	Outer_Full	23.05
n77H	20	30	3969.99	DFT	256QAM	Inner_Full	21.26
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Left	21.13
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Right	21.01
n77H	20	30	3969.99	DFT	256QAM	Outer_Full	21.20
n77H	20	30	3969.99	CP	QPSK	Inner_Full	24.20
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Left	22.30
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Right	22.20
n77H	20	30	3969.99	CP	QPSK	Outer_Full	22.72
n77H	20	30	3969.99	CP	16QAM	Inner_Full	23.57
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Left	22.34
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Right	22.04
n77H	20	30	3969.99	CP	16QAM	Outer_Full	22.75
n77H	20	30	3969.99	CP	64QAM	Inner_Full	22.18
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Left	21.82
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Right	21.73
n77H	20	30	3969.99	CP	64QAM	Outer_Full	22.16
n77H	20	30	3969.99	CP	256QAM	Inner_Full	19.16
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Left	19.23
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Right	19.15
n77H	20	30	3969.99	CP	256QAM	Outer_Full	19.32
n77H	30	30	3715.02	DFT	pi/2 BPSK	Inner_Full	25.11
n77H	30	30	3715.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.50
n77H	30	30	3715.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.63
n77H	30	30	3715.02	DFT	pi/2 BPSK	Outer_Full	25.08
n77H	30	30	3715.02	DFT	QPSK	Inner_Full	25.02
n77H	30	30	3715.02	DFT	QPSK	Edge_1RB_Left	22.45
n77H	30	30	3715.02	DFT	QPSK	Edge_1RB_Right	21.61
n77H	30	30	3715.02	DFT	QPSK	Outer_Full	24.51
n77H	30	30	3715.02	DFT	16QAM	Inner_Full	24.57
n77H	30	30	3715.02	DFT	16QAM	Edge_1RB_Left	22.52
n77H	30	30	3715.02	DFT	16QAM	Edge_1RB_Right	21.81
n77H	30	30	3715.02	DFT	16QAM	Outer_Full	23.43
n77H	30	30	3715.02	DFT	64QAM	Inner_Full	22.86

n77H	30	30	3715.02	DFT	64QAM	Edge_1RB_Left	21.90
n77H	30	30	3715.02	DFT	64QAM	Edge_1RB_Right	21.19
n77H	30	30	3715.02	DFT	64QAM	Outer_Full	22.92
n77H	30	30	3715.02	DFT	256QAM	Inner_Full	20.97
n77H	30	30	3715.02	DFT	256QAM	Edge_1RB_Left	21.22
n77H	30	30	3715.02	DFT	256QAM	Edge_1RB_Right	20.42
n77H	30	30	3715.02	DFT	256QAM	Outer_Full	20.94
n77H	30	30	3715.02	CP	QPSK	Inner_Full	24.04
n77H	30	30	3715.02	CP	QPSK	Edge_1RB_Left	22.49
n77H	30	30	3715.02	CP	QPSK	Edge_1RB_Right	21.65
n77H	30	30	3715.02	CP	QPSK	Outer_Full	22.51
n77H	30	30	3715.02	CP	16QAM	Inner_Full	23.42
n77H	30	30	3715.02	CP	16QAM	Edge_1RB_Left	22.47
n77H	30	30	3715.02	CP	16QAM	Edge_1RB_Right	21.78
n77H	30	30	3715.02	CP	16QAM	Outer_Full	22.64
n77H	30	30	3715.02	CP	64QAM	Inner_Full	22.14
n77H	30	30	3715.02	CP	64QAM	Edge_1RB_Left	21.94
n77H	30	30	3715.02	CP	64QAM	Edge_1RB_Right	21.21
n77H	30	30	3715.02	CP	64QAM	Outer_Full	22.12
n77H	30	30	3715.02	CP	256QAM	Inner_Full	18.80
n77H	30	30	3715.02	CP	256QAM	Edge_1RB_Left	19.20
n77H	30	30	3715.02	CP	256QAM	Edge_1RB_Right	18.41
n77H	30	30	3715.02	CP	256QAM	Outer_Full	18.86
n77H	30	30	3840	DFT	pi/2 BPSK	Inner_Full	25.59
n77H	30	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.27
n77H	30	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.68
n77H	30	30	3840	DFT	pi/2 BPSK	Outer_Full	25.60
n77H	30	30	3840	DFT	QPSK	Inner_Full	25.64
n77H	30	30	3840	DFT	QPSK	Edge_1RB_Left	22.34
n77H	30	30	3840	DFT	QPSK	Edge_1RB_Right	22.67
n77H	30	30	3840	DFT	QPSK	Outer_Full	25.00
n77H	30	30	3840	DFT	16QAM	Inner_Full	24.96
n77H	30	30	3840	DFT	16QAM	Edge_1RB_Left	22.46
n77H	30	30	3840	DFT	16QAM	Edge_1RB_Right	22.86
n77H	30	30	3840	DFT	16QAM	Outer_Full	24.04
n77H	30	30	3840	DFT	64QAM	Inner_Full	23.35
n77H	30	30	3840	DFT	64QAM	Edge_1RB_Left	21.92
n77H	30	30	3840	DFT	64QAM	Edge_1RB_Right	22.20
n77H	30	30	3840	DFT	64QAM	Outer_Full	23.54
n77H	30	30	3840	DFT	256QAM	Inner_Full	21.55
n77H	30	30	3840	DFT	256QAM	Edge_1RB_Left	21.15

n77H	30	30	3840	DFT	256QAM	Edge_1RB_Right	21.60
n77H	30	30	3840	DFT	256QAM	Outer_Full	21.59
n77H	30	30	3840	CP	QPSK	Inner_Full	24.62
n77H	30	30	3840	CP	QPSK	Edge_1RB_Left	22.19
n77H	30	30	3840	CP	QPSK	Edge_1RB_Right	22.83
n77H	30	30	3840	CP	QPSK	Outer_Full	23.02
n77H	30	30	3840	CP	16QAM	Inner_Full	24.05
n77H	30	30	3840	CP	16QAM	Edge_1RB_Left	22.49
n77H	30	30	3840	CP	16QAM	Edge_1RB_Right	23.05
n77H	30	30	3840	CP	16QAM	Outer_Full	23.00
n77H	30	30	3840	CP	64QAM	Inner_Full	22.62
n77H	30	30	3840	CP	64QAM	Edge_1RB_Left	21.84
n77H	30	30	3840	CP	64QAM	Edge_1RB_Right	22.29
n77H	30	30	3840	CP	64QAM	Outer_Full	22.48
n77H	30	30	3840	CP	256QAM	Inner_Full	19.59
n77H	30	30	3840	CP	256QAM	Edge_1RB_Left	19.13
n77H	30	30	3840	CP	256QAM	Edge_1RB_Right	19.61
n77H	30	30	3840	CP	256QAM	Outer_Full	19.55
n77H	30	30	3964.98	DFT	pi/2 BPSK	Inner_Full	25.40
n77H	30	30	3964.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.69
n77H	30	30	3964.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.23
n77H	30	30	3964.98	DFT	pi/2 BPSK	Outer_Full	25.44
n77H	30	30	3964.98	DFT	QPSK	Inner_Full	25.41
n77H	30	30	3964.98	DFT	QPSK	Edge_1RB_Left	22.82
n77H	30	30	3964.98	DFT	QPSK	Edge_1RB_Right	22.08
n77H	30	30	3964.98	DFT	QPSK	Outer_Full	24.93
n77H	30	30	3964.98	DFT	16QAM	Inner_Full	24.84
n77H	30	30	3964.98	DFT	16QAM	Edge_1RB_Left	22.73
n77H	30	30	3964.98	DFT	16QAM	Edge_1RB_Right	22.40
n77H	30	30	3964.98	DFT	16QAM	Outer_Full	23.86
n77H	30	30	3964.98	DFT	64QAM	Inner_Full	23.37
n77H	30	30	3964.98	DFT	64QAM	Edge_1RB_Left	22.20
n77H	30	30	3964.98	DFT	64QAM	Edge_1RB_Right	21.60
n77H	30	30	3964.98	DFT	64QAM	Outer_Full	23.47
n77H	30	30	3964.98	DFT	256QAM	Inner_Full	21.32
n77H	30	30	3964.98	DFT	256QAM	Edge_1RB_Left	21.57
n77H	30	30	3964.98	DFT	256QAM	Edge_1RB_Right	21.12
n77H	30	30	3964.98	DFT	256QAM	Outer_Full	21.28
n77H	30	30	3964.98	CP	QPSK	Inner_Full	24.47
n77H	30	30	3964.98	CP	QPSK	Edge_1RB_Left	22.66
n77H	30	30	3964.98	CP	QPSK	Edge_1RB_Right	22.11

n77H	30	30	3964.98	CP	QPSK	Outer_Full	22.95
n77H	30	30	3964.98	CP	16QAM	Inner_Full	23.82
n77H	30	30	3964.98	CP	16QAM	Edge_1RB_Left	22.72
n77H	30	30	3964.98	CP	16QAM	Edge_1RB_Right	22.55
n77H	30	30	3964.98	CP	16QAM	Outer_Full	22.84
n77H	30	30	3964.98	CP	64QAM	Inner_Full	22.47
n77H	30	30	3964.98	CP	64QAM	Edge_1RB_Left	22.29
n77H	30	30	3964.98	CP	64QAM	Edge_1RB_Right	21.78
n77H	30	30	3964.98	CP	64QAM	Outer_Full	22.47
n77H	30	30	3964.98	CP	256QAM	Inner_Full	19.44
n77H	30	30	3964.98	CP	256QAM	Edge_1RB_Left	19.54
n77H	30	30	3964.98	CP	256QAM	Edge_1RB_Right	19.03
n77H	30	30	3964.98	CP	256QAM	Outer_Full	19.53
n77H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	24.97
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	22.76
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	21.54
n77H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	24.91
n77H	40	30	3720	DFT	QPSK	Inner_Full	24.98
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Left	22.70
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Right	21.52
n77H	40	30	3720	DFT	QPSK	Outer_Full	24.60
n77H	40	30	3720	DFT	16QAM	Inner_Full	24.40
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Left	22.79
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Right	21.66
n77H	40	30	3720	DFT	16QAM	Outer_Full	23.51
n77H	40	30	3720	DFT	64QAM	Inner_Full	22.98
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Left	21.86
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Right	21.31
n77H	40	30	3720	DFT	64QAM	Outer_Full	22.92
n77H	40	30	3720	DFT	256QAM	Inner_Full	20.81
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Left	21.50
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Right	20.43
n77H	40	30	3720	DFT	256QAM	Outer_Full	21.21
n77H	40	30	3720	CP	QPSK	Inner_Full	24.00
n77H	40	30	3720	CP	QPSK	Edge_1RB_Left	22.65
n77H	40	30	3720	CP	QPSK	Edge_1RB_Right	21.65
n77H	40	30	3720	CP	QPSK	Outer_Full	22.45
n77H	40	30	3720	CP	16QAM	Inner_Full	23.41
n77H	40	30	3720	CP	16QAM	Edge_1RB_Left	22.71
n77H	40	30	3720	CP	16QAM	Edge_1RB_Right	21.70
n77H	40	30	3720	CP	16QAM	Outer_Full	22.37

n77H	40	30	3720	CP	64QAM	Inner_Full	21.88
n77H	40	30	3720	CP	64QAM	Edge_1RB_Left	22.00
n77H	40	30	3720	CP	64QAM	Edge_1RB_Right	21.19
n77H	40	30	3720	CP	64QAM	Outer_Full	21.87
n77H	40	30	3720	CP	256QAM	Inner_Full	18.75
n77H	40	30	3720	CP	256QAM	Edge_1RB_Left	19.40
n77H	40	30	3720	CP	256QAM	Edge_1RB_Right	18.55
n77H	40	30	3720	CP	256QAM	Outer_Full	18.92
n77H	40	30	3840	DFT	pi/2 BPSK	Inner_Full	25.60
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.26
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.80
n77H	40	30	3840	DFT	pi/2 BPSK	Outer_Full	25.59
n77H	40	30	3840	DFT	QPSK	Inner_Full	25.65
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Left	22.19
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Right	22.78
n77H	40	30	3840	DFT	QPSK	Outer_Full	25.09
n77H	40	30	3840	DFT	16QAM	Inner_Full	25.05
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Left	22.50
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Right	22.97
n77H	40	30	3840	DFT	16QAM	Outer_Full	24.00
n77H	40	30	3840	DFT	64QAM	Inner_Full	23.63
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Left	21.77
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Right	22.31
n77H	40	30	3840	DFT	64QAM	Outer_Full	23.61
n77H	40	30	3840	DFT	256QAM	Inner_Full	21.48
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Left	21.16
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Right	21.80
n77H	40	30	3840	DFT	256QAM	Outer_Full	21.60
n77H	40	30	3840	CP	QPSK	Inner_Full	24.62
n77H	40	30	3840	CP	QPSK	Edge_1RB_Left	22.23
n77H	40	30	3840	CP	QPSK	Edge_1RB_Right	23.03
n77H	40	30	3840	CP	QPSK	Outer_Full	23.19
n77H	40	30	3840	CP	16QAM	Inner_Full	24.07
n77H	40	30	3840	CP	16QAM	Edge_1RB_Left	22.63
n77H	40	30	3840	CP	16QAM	Edge_1RB_Right	23.20
n77H	40	30	3840	CP	16QAM	Outer_Full	23.13
n77H	40	30	3840	CP	64QAM	Inner_Full	22.51
n77H	40	30	3840	CP	64QAM	Edge_1RB_Left	21.78
n77H	40	30	3840	CP	64QAM	Edge_1RB_Right	22.42
n77H	40	30	3840	CP	64QAM	Outer_Full	22.55
n77H	40	30	3840	CP	256QAM	Inner_Full	19.42

n77H	40	30	3840	CP	256QAM	Edge_1RB_Left	19.05
n77H	40	30	3840	CP	256QAM	Edge_1RB_Right	19.72
n77H	40	30	3840	CP	256QAM	Outer_Full	19.60
n77H	40	30	3960	DFT	pi/2 BPSK	Inner_Full	25.55
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Left	22.76
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Right	22.27
n77H	40	30	3960	DFT	pi/2 BPSK	Outer_Full	25.47
n77H	40	30	3960	DFT	QPSK	Inner_Full	25.48
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Left	22.84
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Right	22.25
n77H	40	30	3960	DFT	QPSK	Outer_Full	24.95
n77H	40	30	3960	DFT	16QAM	Inner_Full	24.96
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Left	22.84
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Right	22.31
n77H	40	30	3960	DFT	16QAM	Outer_Full	23.99
n77H	40	30	3960	DFT	64QAM	Inner_Full	23.49
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Left	22.24
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Right	21.67
n77H	40	30	3960	DFT	64QAM	Outer_Full	23.51
n77H	40	30	3960	DFT	256QAM	Inner_Full	21.42
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Left	21.59
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Right	21.10
n77H	40	30	3960	DFT	256QAM	Outer_Full	21.54
n77H	40	30	3960	CP	QPSK	Inner_Full	24.48
n77H	40	30	3960	CP	QPSK	Edge_1RB_Left	22.72
n77H	40	30	3960	CP	QPSK	Edge_1RB_Right	22.28
n77H	40	30	3960	CP	QPSK	Outer_Full	22.92
n77H	40	30	3960	CP	16QAM	Inner_Full	23.98
n77H	40	30	3960	CP	16QAM	Edge_1RB_Left	22.79
n77H	40	30	3960	CP	16QAM	Edge_1RB_Right	22.61
n77H	40	30	3960	CP	16QAM	Outer_Full	22.98
n77H	40	30	3960	CP	64QAM	Inner_Full	22.47
n77H	40	30	3960	CP	64QAM	Edge_1RB_Left	22.34
n77H	40	30	3960	CP	64QAM	Edge_1RB_Right	21.86
n77H	40	30	3960	CP	64QAM	Outer_Full	22.48
n77H	40	30	3960	CP	256QAM	Inner_Full	19.49
n77H	40	30	3960	CP	256QAM	Edge_1RB_Left	19.66
n77H	40	30	3960	CP	256QAM	Edge_1RB_Right	19.05
n77H	40	30	3960	CP	256QAM	Outer_Full	19.51
n77H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	24.50
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.33

n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.50
n77H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	24.75
n77H	60	30	3730.02	DFT	QPSK	Inner_Full	24.50
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	22.16
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	21.46
n77H	60	30	3730.02	DFT	QPSK	Outer_Full	24.13
n77H	60	30	3730.02	DFT	16QAM	Inner_Full	24.05
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	22.33
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	21.56
n77H	60	30	3730.02	DFT	16QAM	Outer_Full	23.12
n77H	60	30	3730.02	DFT	64QAM	Inner_Full	22.71
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	21.81
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	21.25
n77H	60	30	3730.02	DFT	64QAM	Outer_Full	22.77
n77H	60	30	3730.02	DFT	256QAM	Inner_Full	20.52
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	21.03
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	20.37
n77H	60	30	3730.02	DFT	256QAM	Outer_Full	20.68
n77H	60	30	3730.02	CP	QPSK	Inner_Full	23.53
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	22.12
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	21.54
n77H	60	30	3730.02	CP	QPSK	Outer_Full	22.28
n77H	60	30	3730.02	CP	16QAM	Inner_Full	22.97
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	22.26
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	21.97
n77H	60	30	3730.02	CP	16QAM	Outer_Full	22.17
n77H	60	30	3730.02	CP	64QAM	Inner_Full	21.47
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	21.62
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	21.29
n77H	60	30	3730.02	CP	64QAM	Outer_Full	21.80
n77H	60	30	3730.02	CP	256QAM	Inner_Full	18.41
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	18.95
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	18.63
n77H	60	30	3730.02	CP	256QAM	Outer_Full	18.51
n77H	60	30	3840	DFT	pi/2 BPSK	Inner_Full	25.31
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.72
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.48
n77H	60	30	3840	DFT	pi/2 BPSK	Outer_Full	25.33
n77H	60	30	3840	DFT	QPSK	Inner_Full	25.35
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Left	21.81
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Right	22.56

n77H	60	30	3840	DFT	QPSK	Outer_Full	24.93
n77H	60	30	3840	DFT	16QAM	Inner_Full	24.72
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Left	21.86
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Right	22.77
n77H	60	30	3840	DFT	16QAM	Outer_Full	23.73
n77H	60	30	3840	DFT	64QAM	Inner_Full	23.47
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Left	21.32
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Right	22.15
n77H	60	30	3840	DFT	64QAM	Outer_Full	23.25
n77H	60	30	3840	DFT	256QAM	Inner_Full	21.27
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Left	20.93
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Right	21.60
n77H	60	30	3840	DFT	256QAM	Outer_Full	21.40
n77H	60	30	3840	CP	QPSK	Inner_Full	24.34
n77H	60	30	3840	CP	QPSK	Edge_1RB_Left	21.65
n77H	60	30	3840	CP	QPSK	Edge_1RB_Right	22.62
n77H	60	30	3840	CP	QPSK	Outer_Full	22.92
n77H	60	30	3840	CP	16QAM	Inner_Full	23.79
n77H	60	30	3840	CP	16QAM	Edge_1RB_Left	21.93
n77H	60	30	3840	CP	16QAM	Edge_1RB_Right	22.74
n77H	60	30	3840	CP	16QAM	Outer_Full	22.72
n77H	60	30	3840	CP	64QAM	Inner_Full	22.25
n77H	60	30	3840	CP	64QAM	Edge_1RB_Left	21.38
n77H	60	30	3840	CP	64QAM	Edge_1RB_Right	22.31
n77H	60	30	3840	CP	64QAM	Outer_Full	22.27
n77H	60	30	3840	CP	256QAM	Inner_Full	19.29
n77H	60	30	3840	CP	256QAM	Edge_1RB_Left	18.58
n77H	60	30	3840	CP	256QAM	Edge_1RB_Right	19.62
n77H	60	30	3840	CP	256QAM	Outer_Full	19.23
n77H	60	30	3949.98	DFT	pi/2 BPSK	Inner_Full	25.34
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.32
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.90
n77H	60	30	3949.98	DFT	pi/2 BPSK	Outer_Full	25.25
n77H	60	30	3949.98	DFT	QPSK	Inner_Full	25.43
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Left	22.27
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Right	21.79
n77H	60	30	3949.98	DFT	QPSK	Outer_Full	24.54
n77H	60	30	3949.98	DFT	16QAM	Inner_Full	24.54
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Left	22.26
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Right	21.88
n77H	60	30	3949.98	DFT	16QAM	Outer_Full	23.45

n77H	60	30	3949.98	DFT	64QAM	Inner_Full	23.13
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Left	21.87
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Right	21.18
n77H	60	30	3949.98	DFT	64QAM	Outer_Full	23.01
n77H	60	30	3949.98	DFT	256QAM	Inner_Full	21.30
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Left	21.06
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Right	20.74
n77H	60	30	3949.98	DFT	256QAM	Outer_Full	21.22
n77H	60	30	3949.98	CP	QPSK	Inner_Full	24.19
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Left	22.27
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Right	21.96
n77H	60	30	3949.98	CP	QPSK	Outer_Full	22.73
n77H	60	30	3949.98	CP	16QAM	Inner_Full	23.52
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Left	22.28
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Right	21.94
n77H	60	30	3949.98	CP	16QAM	Outer_Full	22.62
n77H	60	30	3949.98	CP	64QAM	Inner_Full	22.43
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Left	21.89
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Right	21.54
n77H	60	30	3949.98	CP	64QAM	Outer_Full	22.25
n77H	60	30	3949.98	CP	256QAM	Inner_Full	19.28
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Left	19.13
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Right	18.85
n77H	60	30	3949.98	CP	256QAM	Outer_Full	19.29
n77H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	24.39
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.23
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.38
n77H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	24.55
n77H	80	30	3740.01	DFT	QPSK	Inner_Full	24.37
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	21.99
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	21.43
n77H	80	30	3740.01	DFT	QPSK	Outer_Full	23.96
n77H	80	30	3740.01	DFT	16QAM	Inner_Full	24.11
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	22.25
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	21.40
n77H	80	30	3740.01	DFT	16QAM	Outer_Full	23.00
n77H	80	30	3740.01	DFT	64QAM	Inner_Full	22.64
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	21.60
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	20.98
n77H	80	30	3740.01	DFT	64QAM	Outer_Full	22.53
n77H	80	30	3740.01	DFT	256QAM	Inner_Full	20.36

n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	20.90
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	20.10
n77H	80	30	3740.01	DFT	256QAM	Outer_Full	20.46
n77H	80	30	3740.01	CP	QPSK	Inner_Full	23.34
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	22.04
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	21.20
n77H	80	30	3740.01	CP	QPSK	Outer_Full	22.05
n77H	80	30	3740.01	CP	16QAM	Inner_Full	22.85
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	22.31
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	21.74
n77H	80	30	3740.01	CP	16QAM	Outer_Full	22.07
n77H	80	30	3740.01	CP	64QAM	Inner_Full	21.52
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	21.67
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	20.88
n77H	80	30	3740.01	CP	64QAM	Outer_Full	21.64
n77H	80	30	3740.01	CP	256QAM	Inner_Full	18.54
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	18.96
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	18.37
n77H	80	30	3740.01	CP	256QAM	Outer_Full	18.79
n77H	80	30	3840	DFT	pi/2 BPSK	Inner_Full	25.15
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.78
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.25
n77H	80	30	3840	DFT	pi/2 BPSK	Outer_Full	25.29
n77H	80	30	3840	DFT	QPSK	Inner_Full	25.23
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Left	21.72
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Right	22.20
n77H	80	30	3840	DFT	QPSK	Outer_Full	24.59
n77H	80	30	3840	DFT	16QAM	Inner_Full	24.72
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Left	21.76
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Right	22.38
n77H	80	30	3840	DFT	16QAM	Outer_Full	23.62
n77H	80	30	3840	DFT	64QAM	Inner_Full	23.12
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Left	21.44
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Right	21.83
n77H	80	30	3840	DFT	64QAM	Outer_Full	23.20
n77H	80	30	3840	DFT	256QAM	Inner_Full	21.14
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Left	20.74
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Right	21.46
n77H	80	30	3840	DFT	256QAM	Outer_Full	21.19
n77H	80	30	3840	CP	QPSK	Inner_Full	24.26
n77H	80	30	3840	CP	QPSK	Edge_1RB_Left	21.86

n77H	80	30	3840	CP	QPSK	Edge_1RB_Right	22.22
n77H	80	30	3840	CP	QPSK	Outer_Full	22.63
n77H	80	30	3840	CP	16QAM	Inner_Full	23.68
n77H	80	30	3840	CP	16QAM	Edge_1RB_Left	22.10
n77H	80	30	3840	CP	16QAM	Edge_1RB_Right	22.75
n77H	80	30	3840	CP	16QAM	Outer_Full	22.64
n77H	80	30	3840	CP	64QAM	Inner_Full	22.17
n77H	80	30	3840	CP	64QAM	Edge_1RB_Left	21.45
n77H	80	30	3840	CP	64QAM	Edge_1RB_Right	21.86
n77H	80	30	3840	CP	64QAM	Outer_Full	22.12
n77H	80	30	3840	CP	256QAM	Inner_Full	19.09
n77H	80	30	3840	CP	256QAM	Edge_1RB_Left	18.97
n77H	80	30	3840	CP	256QAM	Edge_1RB_Right	19.22
n77H	80	30	3840	CP	256QAM	Outer_Full	19.08
n77H	80	30	3939.99	DFT	pi/2 BPSK	Inner_Full	25.33
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.14
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.79
n77H	80	30	3939.99	DFT	pi/2 BPSK	Outer_Full	25.10
n77H	80	30	3939.99	DFT	QPSK	Inner_Full	25.22
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Left	21.93
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Right	21.65
n77H	80	30	3939.99	DFT	QPSK	Outer_Full	24.52
n77H	80	30	3939.99	DFT	16QAM	Inner_Full	24.55
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Left	22.18
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Right	21.69
n77H	80	30	3939.99	DFT	16QAM	Outer_Full	23.50
n77H	80	30	3939.99	DFT	64QAM	Inner_Full	23.04
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Left	21.48
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Right	21.16
n77H	80	30	3939.99	DFT	64QAM	Outer_Full	22.96
n77H	80	30	3939.99	DFT	256QAM	Inner_Full	21.31
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Left	20.75
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Right	20.39
n77H	80	30	3939.99	DFT	256QAM	Outer_Full	21.03
n77H	80	30	3939.99	CP	QPSK	Inner_Full	24.15
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Left	21.99
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Right	21.69
n77H	80	30	3939.99	CP	QPSK	Outer_Full	22.63
n77H	80	30	3939.99	CP	16QAM	Inner_Full	23.53
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Left	22.19
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Right	21.80

n77H	80	30	3939.99	CP	16QAM	Outer_Full	22.64
n77H	80	30	3939.99	CP	64QAM	Inner_Full	22.20
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Left	21.61
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Right	21.14
n77H	80	30	3939.99	CP	64QAM	Outer_Full	22.06
n77H	80	30	3939.99	CP	256QAM	Inner_Full	19.14
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Left	18.91
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Right	18.65
n77H	80	30	3939.99	CP	256QAM	Outer_Full	19.10
n77H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	24.48
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	22.12
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.77
n77H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	24.60
n77H	100	30	3750	DFT	QPSK	Inner_Full	24.38
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Left	22.24
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Right	21.68
n77H	100	30	3750	DFT	QPSK	Outer_Full	23.99
n77H	100	30	3750	DFT	16QAM	Inner_Full	23.89
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Left	22.21
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Right	21.86
n77H	100	30	3750	DFT	16QAM	Outer_Full	23.04
n77H	100	30	3750	DFT	64QAM	Inner_Full	22.35
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Left	21.73
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Right	21.19
n77H	100	30	3750	DFT	64QAM	Outer_Full	22.50
n77H	100	30	3750	DFT	256QAM	Inner_Full	20.56
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Left	21.11
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Right	20.71
n77H	100	30	3750	DFT	256QAM	Outer_Full	20.71
n77H	100	30	3750	CP	QPSK	Inner_Full	23.44
n77H	100	30	3750	CP	QPSK	Edge_1RB_Left	22.21
n77H	100	30	3750	CP	QPSK	Edge_1RB_Right	21.80
n77H	100	30	3750	CP	QPSK	Outer_Full	22.01
n77H	100	30	3750	CP	16QAM	Inner_Full	22.90
n77H	100	30	3750	CP	16QAM	Edge_1RB_Left	22.17
n77H	100	30	3750	CP	16QAM	Edge_1RB_Right	22.15
n77H	100	30	3750	CP	16QAM	Outer_Full	22.21
n77H	100	30	3750	CP	64QAM	Inner_Full	21.46
n77H	100	30	3750	CP	64QAM	Edge_1RB_Left	21.51
n77H	100	30	3750	CP	64QAM	Edge_1RB_Right	21.55
n77H	100	30	3750	CP	64QAM	Outer_Full	21.58

n77H	100	30	3750	CP	256QAM	Inner_Full	18.56
n77H	100	30	3750	CP	256QAM	Edge_1RB_Left	18.97
n77H	100	30	3750	CP	256QAM	Edge_1RB_Right	18.72
n77H	100	30	3750	CP	256QAM	Outer_Full	18.49
n77H	100	30	3840	DFT	pi/2 BPSK	Inner_Full	25.36
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.83
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.37
n77H	100	30	3840	DFT	pi/2 BPSK	Outer_Full	25.22
n77H	100	30	3840	DFT	QPSK	Inner_Full	25.30
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Left	21.82
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Right	22.22
n77H	100	30	3840	DFT	QPSK	Outer_Full	24.51
n77H	100	30	3840	DFT	16QAM	Inner_Full	24.65
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Left	21.71
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Right	22.16
n77H	100	30	3840	DFT	16QAM	Outer_Full	23.68
n77H	100	30	3840	DFT	64QAM	Inner_Full	23.12
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Left	21.38
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Right	21.77
n77H	100	30	3840	DFT	64QAM	Outer_Full	23.13
n77H	100	30	3840	DFT	256QAM	Inner_Full	21.28
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Left	20.68
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Right	21.06
n77H	100	30	3840	DFT	256QAM	Outer_Full	21.01
n77H	100	30	3840	CP	QPSK	Inner_Full	24.24
n77H	100	30	3840	CP	QPSK	Edge_1RB_Left	21.75
n77H	100	30	3840	CP	QPSK	Edge_1RB_Right	22.28
n77H	100	30	3840	CP	QPSK	Outer_Full	22.66
n77H	100	30	3840	CP	16QAM	Inner_Full	23.59
n77H	100	30	3840	CP	16QAM	Edge_1RB_Left	21.71
n77H	100	30	3840	CP	16QAM	Edge_1RB_Right	22.38
n77H	100	30	3840	CP	16QAM	Outer_Full	22.61
n77H	100	30	3840	CP	64QAM	Inner_Full	22.17
n77H	100	30	3840	CP	64QAM	Edge_1RB_Left	21.20
n77H	100	30	3840	CP	64QAM	Edge_1RB_Right	21.88
n77H	100	30	3840	CP	64QAM	Outer_Full	22.13
n77H	100	30	3840	CP	256QAM	Inner_Full	19.08
n77H	100	30	3840	CP	256QAM	Edge_1RB_Left	18.70
n77H	100	30	3840	CP	256QAM	Edge_1RB_Right	19.08
n77H	100	30	3840	CP	256QAM	Outer_Full	18.96
n77H	100	30	3930	DFT	pi/2 BPSK	Inner_Full	25.25

n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Left	22.23
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Right	21.79
n77H	100	30	3930	DFT	pi/2 BPSK	Outer_Full	25.05
n77H	100	30	3930	DFT	QPSK	Inner_Full	25.13
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Left	22.36
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Right	21.74
n77H	100	30	3930	DFT	QPSK	Outer_Full	24.55
n77H	100	30	3930	DFT	16QAM	Inner_Full	24.70
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Left	22.40
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Right	21.69
n77H	100	30	3930	DFT	16QAM	Outer_Full	23.60
n77H	100	30	3930	DFT	64QAM	Inner_Full	23.22
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Left	22.00
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Right	21.08
n77H	100	30	3930	DFT	64QAM	Outer_Full	23.07
n77H	100	30	3930	DFT	256QAM	Inner_Full	21.26
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Left	21.08
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Right	20.70
n77H	100	30	3930	DFT	256QAM	Outer_Full	21.04
n77H	100	30	3930	CP	QPSK	Inner_Full	24.26
n77H	100	30	3930	CP	QPSK	Edge_1RB_Left	22.19
n77H	100	30	3930	CP	QPSK	Edge_1RB_Right	21.83
n77H	100	30	3930	CP	QPSK	Outer_Full	22.67
n77H	100	30	3930	CP	16QAM	Inner_Full	23.69
n77H	100	30	3930	CP	16QAM	Edge_1RB_Left	22.46
n77H	100	30	3930	CP	16QAM	Edge_1RB_Right	22.09
n77H	100	30	3930	CP	16QAM	Outer_Full	22.70
n77H	100	30	3930	CP	64QAM	Inner_Full	22.14
n77H	100	30	3930	CP	64QAM	Edge_1RB_Left	21.89
n77H	100	30	3930	CP	64QAM	Edge_1RB_Right	21.49
n77H	100	30	3930	CP	64QAM	Outer_Full	22.12
n77H	100	30	3930	CP	256QAM	Inner_Full	19.12
n77H	100	30	3930	CP	256QAM	Edge_1RB_Left	19.23
n77H	100	30	3930	CP	256QAM	Edge_1RB_Right	18.60
n77H	100	30	3930	CP	256QAM	Outer_Full	19.18

A.1.3 Radiated

A.1.3.1 Description

This is the test for the maximum radiated power from the EUT.

NR n2/25: Part 24.232(c) specifies "Mobile and portable stations are limited to 2 watts EIRP".

NR n5/26(824MHz~849MHz): Part 22.913(a) specifies "The ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts".

NR n26(814MHz~824MHz):Part 90.635(b) specifies "The maximum output power of the transmitter for mobile stations is 100 watts".

NR n7/41: Part 27.50(h)(2) specifies "Mobile stations are limited to 2.0 watts EIRP".

NR n4/66: Part 27.50(d)(4) specifies "Fixed, mobile, and portable(handheld) stations operating in the 1710–1755 MHz band and mobile and portable stations operating in the 1695–1710 MHz and 1755–1780 MHz bands are limited to 1 watt EIRP".

NR n12/71: Part 27.50(c)(10) specifies "Portable stations(hand-held devices) in the 600 MHz uplink band and the 698–746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP".

A.1.3.2 Method of Measurement

According to KDB 412172 D01 and ANSI C63.26 the relevant equation for determining the maximum ERP or EIRP from the measured RF output power is given in Equation as follows:

$ERP \text{ or } EIRP = P_T + G_T - L_C$, $ERP = EIRP - 2.15$, where

ERP or EIRP effective radiated power or equivalent isotropically radiated power,
respectively

(expressed in the same units as P_{Mea} , e.g., dBm or dBW)

P_T = transmitter output power in dBm;

G_T = gain of the transmitting antenna, in dBd(ERP) or dBi(EIRP);

L_C = signal attenuation in the connecting cable between the transmitter and antenna, in dB.

The antenna gain provided by the client may affect the validity of the measurement results in this report, and the client shall bear the impact and consequences arising therefrom.

A.1.3.3 Measurement result

NR n25

Limit ≤ 33dBm(2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	EIRP(dBm) (Gt - Lc = -0.9)
n25	5	15	1852.5	DFT	pi/2 BPSK	Inner_Full	23.78	22.88
n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.30	22.40
n25	5	15	1852.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.30	22.40
n25	5	15	1852.5	DFT	pi/2 BPSK	Outer_Full	23.34	22.44
n25	5	15	1852.5	DFT	QPSK	Inner_Full	23.91	23.01
n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Left	22.96	22.06
n25	5	15	1852.5	DFT	QPSK	Edge_1RB_Right	22.91	22.01
n25	5	15	1852.5	DFT	QPSK	Outer_Full	22.89	21.99
n25	5	15	1852.5	DFT	16QAM	Inner_Full	22.98	22.08
n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Left	21.78	20.88
n25	5	15	1852.5	DFT	16QAM	Edge_1RB_Right	21.78	20.88
n25	5	15	1852.5	DFT	16QAM	Outer_Full	22.00	21.10
n25	5	15	1852.5	DFT	64QAM	Inner_Full	21.47	20.57
n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Left	21.28	20.38
n25	5	15	1852.5	DFT	64QAM	Edge_1RB_Right	21.22	20.32
n25	5	15	1852.5	DFT	64QAM	Outer_Full	21.53	20.63
n25	5	15	1852.5	DFT	256QAM	Inner_Full	19.36	18.46
n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Left	19.19	18.29
n25	5	15	1852.5	DFT	256QAM	Edge_1RB_Right	19.18	18.28
n25	5	15	1852.5	DFT	256QAM	Outer_Full	19.36	18.46
n25	5	15	1852.5	CP	QPSK	Inner_Full	22.35	21.45
n25	5	15	1852.5	CP	QPSK	Edge_1RB_Left	20.92	20.02
n25	5	15	1852.5	CP	QPSK	Edge_1RB_Right	20.89	19.99
n25	5	15	1852.5	CP	QPSK	Outer_Full	20.83	19.93
n25	5	15	1852.5	CP	16QAM	Inner_Full	21.99	21.09
n25	5	15	1852.5	CP	16QAM	Edge_1RB_Left	21.33	20.43
n25	5	15	1852.5	CP	16QAM	Edge_1RB_Right	21.39	20.49
n25	5	15	1852.5	CP	16QAM	Outer_Full	20.96	20.06
n25	5	15	1852.5	CP	64QAM	Inner_Full	20.33	19.43
n25	5	15	1852.5	CP	64QAM	Edge_1RB_Left	20.24	19.34
n25	5	15	1852.5	CP	64QAM	Edge_1RB_Right	20.17	19.27
n25	5	15	1852.5	CP	64QAM	Outer_Full	20.46	19.56
n25	5	15	1852.5	CP	256QAM	Inner_Full	17.50	16.60
n25	5	15	1852.5	CP	256QAM	Edge_1RB_Left	17.31	16.41
n25	5	15	1852.5	CP	256QAM	Edge_1RB_Right	17.27	16.37



I22Z61533-WMD04

n25	5	15	1852.5	CP	256QAM	Outer_Full	17.49	16.59
n25	5	15	1882.5	DFT	pi/2 BPSK	Inner_Full	24.13	23.23
n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.76	22.86
n25	5	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.67	22.77
n25	5	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.80	22.90
n25	5	15	1882.5	DFT	QPSK	Inner_Full	24.22	23.32
n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Left	23.28	22.38
n25	5	15	1882.5	DFT	QPSK	Edge_1RB_Right	23.19	22.29
n25	5	15	1882.5	DFT	QPSK	Outer_Full	23.30	22.40
n25	5	15	1882.5	DFT	16QAM	Inner_Full	23.30	22.40
n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.66	21.76
n25	5	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.51	21.61
n25	5	15	1882.5	DFT	16QAM	Outer_Full	22.25	21.35
n25	5	15	1882.5	DFT	64QAM	Inner_Full	21.81	20.91
n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.70	20.80
n25	5	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.66	20.76
n25	5	15	1882.5	DFT	64QAM	Outer_Full	21.91	21.01
n25	5	15	1882.5	DFT	256QAM	Inner_Full	19.77	18.87
n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.54	18.64
n25	5	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.45	18.55
n25	5	15	1882.5	DFT	256QAM	Outer_Full	19.75	18.85
n25	5	15	1882.5	CP	QPSK	Inner_Full	22.81	21.91
n25	5	15	1882.5	CP	QPSK	Edge_1RB_Left	21.21	20.31
n25	5	15	1882.5	CP	QPSK	Edge_1RB_Right	21.17	20.27
n25	5	15	1882.5	CP	QPSK	Outer_Full	21.22	20.32
n25	5	15	1882.5	CP	16QAM	Inner_Full	22.40	21.50
n25	5	15	1882.5	CP	16QAM	Edge_1RB_Left	21.72	20.82
n25	5	15	1882.5	CP	16QAM	Edge_1RB_Right	21.70	20.80
n25	5	15	1882.5	CP	16QAM	Outer_Full	21.25	20.35
n25	5	15	1882.5	CP	64QAM	Inner_Full	20.67	19.77
n25	5	15	1882.5	CP	64QAM	Edge_1RB_Left	20.62	19.72
n25	5	15	1882.5	CP	64QAM	Edge_1RB_Right	20.54	19.64
n25	5	15	1882.5	CP	64QAM	Outer_Full	20.81	19.91
n25	5	15	1882.5	CP	256QAM	Inner_Full	17.80	16.90
n25	5	15	1882.5	CP	256QAM	Edge_1RB_Left	17.66	16.76
n25	5	15	1882.5	CP	256QAM	Edge_1RB_Right	17.52	16.62
n25	5	15	1882.5	CP	256QAM	Outer_Full	17.75	16.85
n25	5	15	1912.5	DFT	pi/2 BPSK	Inner_Full	23.55	22.65
n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.02	22.12
n25	5	15	1912.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.69	21.79
n25	5	15	1912.5	DFT	pi/2 BPSK	Outer_Full	23.24	22.34

n25	5	15	1912.5	DFT	QPSK	Inner_Full	23.07	22.17
n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Left	22.67	21.77
n25	5	15	1912.5	DFT	QPSK	Edge_1RB_Right	22.36	21.46
n25	5	15	1912.5	DFT	QPSK	Outer_Full	22.15	21.25
n25	5	15	1912.5	DFT	16QAM	Inner_Full	22.03	21.13
n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Left	22.03	21.13
n25	5	15	1912.5	DFT	16QAM	Edge_1RB_Right	21.54	20.64
n25	5	15	1912.5	DFT	16QAM	Outer_Full	21.17	20.27
n25	5	15	1912.5	DFT	64QAM	Inner_Full	20.74	19.84
n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Left	21.20	20.30
n25	5	15	1912.5	DFT	64QAM	Edge_1RB_Right	20.67	19.77
n25	5	15	1912.5	DFT	64QAM	Outer_Full	20.87	19.97
n25	5	15	1912.5	DFT	256QAM	Inner_Full	19.17	18.27
n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Left	18.87	17.97
n25	5	15	1912.5	DFT	256QAM	Edge_1RB_Right	18.75	17.85
n25	5	15	1912.5	DFT	256QAM	Outer_Full	18.80	17.90
n25	5	15	1912.5	CP	QPSK	Inner_Full	21.71	20.81
n25	5	15	1912.5	CP	QPSK	Edge_1RB_Left	20.66	19.76
n25	5	15	1912.5	CP	QPSK	Edge_1RB_Right	20.23	19.33
n25	5	15	1912.5	CP	QPSK	Outer_Full	20.39	19.49
n25	5	15	1912.5	CP	16QAM	Inner_Full	21.21	20.31
n25	5	15	1912.5	CP	16QAM	Edge_1RB_Left	21.11	20.21
n25	5	15	1912.5	CP	16QAM	Edge_1RB_Right	20.42	19.52
n25	5	15	1912.5	CP	16QAM	Outer_Full	20.31	19.41
n25	5	15	1912.5	CP	64QAM	Inner_Full	20.11	19.21
n25	5	15	1912.5	CP	64QAM	Edge_1RB_Left	20.01	19.11
n25	5	15	1912.5	CP	64QAM	Edge_1RB_Right	19.87	18.97
n25	5	15	1912.5	CP	64QAM	Outer_Full	20.31	19.41
n25	5	15	1912.5	CP	256QAM	Inner_Full	17.24	16.34
n25	5	15	1912.5	CP	256QAM	Edge_1RB_Left	17.09	16.19
n25	5	15	1912.5	CP	256QAM	Edge_1RB_Right	17.07	16.17
n25	5	15	1912.5	CP	256QAM	Outer_Full	17.17	16.27
n25	10	15	1855	DFT	pi/2 BPSK	Inner_Full	24.18	23.28
n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Left	23.38	22.48
n25	10	15	1855	DFT	pi/2 BPSK	Edge_1RB_Right	23.47	22.57
n25	10	15	1855	DFT	pi/2 BPSK	Outer_Full	23.62	22.72
n25	10	15	1855	DFT	QPSK	Inner_Full	24.03	23.13
n25	10	15	1855	DFT	QPSK	Edge_1RB_Left	23.05	22.15
n25	10	15	1855	DFT	QPSK	Edge_1RB_Right	23.09	22.19
n25	10	15	1855	DFT	QPSK	Outer_Full	23.13	22.23
n25	10	15	1855	DFT	16QAM	Inner_Full	23.07	22.17



n25	10	15	1855	DFT	16QAM	Edge_1RB_Left	22.25	21.35
n25	10	15	1855	DFT	16QAM	Edge_1RB_Right	22.31	21.41
n25	10	15	1855	DFT	16QAM	Outer_Full	21.94	21.04
n25	10	15	1855	DFT	64QAM	Inner_Full	21.62	20.72
n25	10	15	1855	DFT	64QAM	Edge_1RB_Left	21.40	20.50
n25	10	15	1855	DFT	64QAM	Edge_1RB_Right	21.34	20.44
n25	10	15	1855	DFT	64QAM	Outer_Full	21.55	20.65
n25	10	15	1855	DFT	256QAM	Inner_Full	19.49	18.59
n25	10	15	1855	DFT	256QAM	Edge_1RB_Left	19.26	18.36
n25	10	15	1855	DFT	256QAM	Edge_1RB_Right	19.28	18.38
n25	10	15	1855	DFT	256QAM	Outer_Full	19.48	18.58
n25	10	15	1855	CP	QPSK	Inner_Full	22.68	21.78
n25	10	15	1855	CP	QPSK	Edge_1RB_Left	20.88	19.98
n25	10	15	1855	CP	QPSK	Edge_1RB_Right	21.06	20.16
n25	10	15	1855	CP	QPSK	Outer_Full	21.00	20.10
n25	10	15	1855	CP	16QAM	Inner_Full	22.15	21.25
n25	10	15	1855	CP	16QAM	Edge_1RB_Left	21.34	20.44
n25	10	15	1855	CP	16QAM	Edge_1RB_Right	21.35	20.45
n25	10	15	1855	CP	16QAM	Outer_Full	21.05	20.15
n25	10	15	1855	CP	64QAM	Inner_Full	20.60	19.70
n25	10	15	1855	CP	64QAM	Edge_1RB_Left	20.29	19.39
n25	10	15	1855	CP	64QAM	Edge_1RB_Right	20.40	19.50
n25	10	15	1855	CP	64QAM	Outer_Full	20.64	19.74
n25	10	15	1855	CP	256QAM	Inner_Full	17.52	16.62
n25	10	15	1855	CP	256QAM	Edge_1RB_Left	17.40	16.50
n25	10	15	1855	CP	256QAM	Edge_1RB_Right	17.54	16.64
n25	10	15	1855	CP	256QAM	Outer_Full	17.54	16.64
n25	10	15	1882.5	DFT	pi/2 BPSK	Inner_Full	24.31	23.41
n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.78	22.88
n25	10	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.67	22.77
n25	10	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.88	22.98
n25	10	15	1882.5	DFT	QPSK	Inner_Full	24.40	23.50
n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Left	23.25	22.35
n25	10	15	1882.5	DFT	QPSK	Edge_1RB_Right	23.22	22.32
n25	10	15	1882.5	DFT	QPSK	Outer_Full	23.40	22.50
n25	10	15	1882.5	DFT	16QAM	Inner_Full	23.35	22.45
n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.54	21.64
n25	10	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.53	21.63
n25	10	15	1882.5	DFT	16QAM	Outer_Full	22.22	21.32
n25	10	15	1882.5	DFT	64QAM	Inner_Full	22.01	21.11
n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.64	20.74



I22Z61533-WMD04

n25	10	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.50	20.60
n25	10	15	1882.5	DFT	64QAM	Outer_Full	21.82	20.92
n25	10	15	1882.5	DFT	256QAM	Inner_Full	19.77	18.87
n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.48	18.58
n25	10	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.40	18.50
n25	10	15	1882.5	DFT	256QAM	Outer_Full	19.82	18.92
n25	10	15	1882.5	CP	QPSK	Inner_Full	22.89	21.99
n25	10	15	1882.5	CP	QPSK	Edge_1RB_Left	21.33	20.43
n25	10	15	1882.5	CP	QPSK	Edge_1RB_Right	21.17	20.27
n25	10	15	1882.5	CP	QPSK	Outer_Full	21.27	20.37
n25	10	15	1882.5	CP	16QAM	Inner_Full	22.45	21.55
n25	10	15	1882.5	CP	16QAM	Edge_1RB_Left	21.76	20.86
n25	10	15	1882.5	CP	16QAM	Edge_1RB_Right	21.69	20.79
n25	10	15	1882.5	CP	16QAM	Outer_Full	21.31	20.41
n25	10	15	1882.5	CP	64QAM	Inner_Full	20.90	20.00
n25	10	15	1882.5	CP	64QAM	Edge_1RB_Left	20.61	19.71
n25	10	15	1882.5	CP	64QAM	Edge_1RB_Right	20.49	19.59
n25	10	15	1882.5	CP	64QAM	Outer_Full	20.86	19.96
n25	10	15	1882.5	CP	256QAM	Inner_Full	17.76	16.86
n25	10	15	1882.5	CP	256QAM	Edge_1RB_Left	17.72	16.82
n25	10	15	1882.5	CP	256QAM	Edge_1RB_Right	17.63	16.73
n25	10	15	1882.5	CP	256QAM	Outer_Full	17.83	16.93
n25	10	15	1910	DFT	pi/2 BPSK	Inner_Full	23.79	22.89
n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Left	23.20	22.30
n25	10	15	1910	DFT	pi/2 BPSK	Edge_1RB_Right	23.06	22.16
n25	10	15	1910	DFT	pi/2 BPSK	Outer_Full	23.35	22.45
n25	10	15	1910	DFT	QPSK	Inner_Full	24.03	23.13
n25	10	15	1910	DFT	QPSK	Edge_1RB_Left	22.77	21.87
n25	10	15	1910	DFT	QPSK	Edge_1RB_Right	22.43	21.53
n25	10	15	1910	DFT	QPSK	Outer_Full	23.12	22.22
n25	10	15	1910	DFT	16QAM	Inner_Full	22.98	22.08
n25	10	15	1910	DFT	16QAM	Edge_1RB_Left	22.07	21.17
n25	10	15	1910	DFT	16QAM	Edge_1RB_Right	21.60	20.70
n25	10	15	1910	DFT	16QAM	Outer_Full	21.46	20.56
n25	10	15	1910	DFT	64QAM	Inner_Full	21.12	20.22
n25	10	15	1910	DFT	64QAM	Edge_1RB_Left	21.12	20.22
n25	10	15	1910	DFT	64QAM	Edge_1RB_Right	20.71	19.81
n25	10	15	1910	DFT	64QAM	Outer_Full	21.00	20.10
n25	10	15	1910	DFT	256QAM	Inner_Full	19.22	18.32
n25	10	15	1910	DFT	256QAM	Edge_1RB_Left	19.03	18.13
n25	10	15	1910	DFT	256QAM	Edge_1RB_Right	19.01	18.11



I22Z61533-WMD04

n25	10	15	1910	DFT	256QAM	Outer_Full	19.29	18.39
n25	10	15	1910	CP	QPSK	Inner_Full	22.18	21.28
n25	10	15	1910	CP	QPSK	Edge_1RB_Left	20.77	19.87
n25	10	15	1910	CP	QPSK	Edge_1RB_Right	20.35	19.45
n25	10	15	1910	CP	QPSK	Outer_Full	20.83	19.93
n25	10	15	1910	CP	16QAM	Inner_Full	22.05	21.15
n25	10	15	1910	CP	16QAM	Edge_1RB_Left	21.29	20.39
n25	10	15	1910	CP	16QAM	Edge_1RB_Right	20.45	19.55
n25	10	15	1910	CP	16QAM	Outer_Full	20.79	19.89
n25	10	15	1910	CP	64QAM	Inner_Full	20.37	19.47
n25	10	15	1910	CP	64QAM	Edge_1RB_Left	20.11	19.21
n25	10	15	1910	CP	64QAM	Edge_1RB_Right	19.90	19.00
n25	10	15	1910	CP	64QAM	Outer_Full	20.43	19.53
n25	10	15	1910	CP	256QAM	Inner_Full	17.29	16.39
n25	10	15	1910	CP	256QAM	Edge_1RB_Left	17.14	16.24
n25	10	15	1910	CP	256QAM	Edge_1RB_Right	17.22	16.32
n25	10	15	1910	CP	256QAM	Outer_Full	17.23	16.33
n25	15	15	1857.5	DFT	pi/2 BPSK	Inner_Full	24.05	23.15
n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.57	22.67
n25	15	15	1857.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.53	22.63
n25	15	15	1857.5	DFT	pi/2 BPSK	Outer_Full	23.63	22.73
n25	15	15	1857.5	DFT	QPSK	Inner_Full	24.12	23.22
n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Left	23.12	22.22
n25	15	15	1857.5	DFT	QPSK	Edge_1RB_Right	23.12	22.22
n25	15	15	1857.5	DFT	QPSK	Outer_Full	23.14	22.24
n25	15	15	1857.5	DFT	16QAM	Inner_Full	23.05	22.15
n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Left	22.43	21.53
n25	15	15	1857.5	DFT	16QAM	Edge_1RB_Right	22.41	21.51
n25	15	15	1857.5	DFT	16QAM	Outer_Full	22.13	21.23
n25	15	15	1857.5	DFT	64QAM	Inner_Full	21.66	20.76
n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Left	21.46	20.56
n25	15	15	1857.5	DFT	64QAM	Edge_1RB_Right	21.45	20.55
n25	15	15	1857.5	DFT	64QAM	Outer_Full	21.70	20.80
n25	15	15	1857.5	DFT	256QAM	Inner_Full	19.61	18.71
n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Left	19.30	18.40
n25	15	15	1857.5	DFT	256QAM	Edge_1RB_Right	19.33	18.43
n25	15	15	1857.5	DFT	256QAM	Outer_Full	19.51	18.61
n25	15	15	1857.5	CP	QPSK	Inner_Full	22.53	21.63
n25	15	15	1857.5	CP	QPSK	Edge_1RB_Left	21.00	20.10
n25	15	15	1857.5	CP	QPSK	Edge_1RB_Right	21.00	20.10
n25	15	15	1857.5	CP	QPSK	Outer_Full	21.10	20.20



I22Z61533-WMD04

n25	15	15	1857.5	CP	16QAM	Inner_Full	22.12	21.22
n25	15	15	1857.5	CP	16QAM	Edge_1RB_Left	21.37	20.47
n25	15	15	1857.5	CP	16QAM	Edge_1RB_Right	21.30	20.40
n25	15	15	1857.5	CP	16QAM	Outer_Full	21.03	20.13
n25	15	15	1857.5	CP	64QAM	Inner_Full	20.62	19.72
n25	15	15	1857.5	CP	64QAM	Edge_1RB_Left	20.58	19.68
n25	15	15	1857.5	CP	64QAM	Edge_1RB_Right	20.50	19.60
n25	15	15	1857.5	CP	64QAM	Outer_Full	20.60	19.70
n25	15	15	1857.5	CP	256QAM	Inner_Full	17.55	16.65
n25	15	15	1857.5	CP	256QAM	Edge_1RB_Left	17.47	16.57
n25	15	15	1857.5	CP	256QAM	Edge_1RB_Right	17.42	16.52
n25	15	15	1857.5	CP	256QAM	Outer_Full	17.56	16.66
n25	15	15	1882.5	DFT	pi/2 BPSK	Inner_Full	24.31	23.41
n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.80	22.90
n25	15	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.60	22.70
n25	15	15	1882.5	DFT	pi/2 BPSK	Outer_Full	23.81	22.91
n25	15	15	1882.5	DFT	QPSK	Inner_Full	24.38	23.48
n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Left	23.34	22.44
n25	15	15	1882.5	DFT	QPSK	Edge_1RB_Right	23.24	22.34
n25	15	15	1882.5	DFT	QPSK	Outer_Full	23.33	22.43
n25	15	15	1882.5	DFT	16QAM	Inner_Full	23.33	22.43
n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.64	21.74
n25	15	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.47	21.57
n25	15	15	1882.5	DFT	16QAM	Outer_Full	22.31	21.41
n25	15	15	1882.5	DFT	64QAM	Inner_Full	21.95	21.05
n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.70	20.80
n25	15	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.50	20.60
n25	15	15	1882.5	DFT	64QAM	Outer_Full	21.89	20.99
n25	15	15	1882.5	DFT	256QAM	Inner_Full	19.84	18.94
n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.58	18.68
n25	15	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.40	18.50
n25	15	15	1882.5	DFT	256QAM	Outer_Full	19.79	18.89
n25	15	15	1882.5	CP	QPSK	Inner_Full	22.77	21.87
n25	15	15	1882.5	CP	QPSK	Edge_1RB_Left	21.26	20.36
n25	15	15	1882.5	CP	QPSK	Edge_1RB_Right	21.07	20.17
n25	15	15	1882.5	CP	QPSK	Outer_Full	21.29	20.39
n25	15	15	1882.5	CP	16QAM	Inner_Full	22.30	21.40
n25	15	15	1882.5	CP	16QAM	Edge_1RB_Left	21.83	20.93
n25	15	15	1882.5	CP	16QAM	Edge_1RB_Right	21.40	20.50
n25	15	15	1882.5	CP	16QAM	Outer_Full	21.30	20.40
n25	15	15	1882.5	CP	64QAM	Inner_Full	20.89	19.99



I22Z61533-WMD04

n25	15	15	1882.5	CP	64QAM	Edge_1RB_Left	20.64	19.74
n25	15	15	1882.5	CP	64QAM	Edge_1RB_Right	20.43	19.53
n25	15	15	1882.5	CP	64QAM	Outer_Full	20.80	19.90
n25	15	15	1882.5	CP	256QAM	Inner_Full	17.88	16.98
n25	15	15	1882.5	CP	256QAM	Edge_1RB_Left	17.66	16.76
n25	15	15	1882.5	CP	256QAM	Edge_1RB_Right	17.47	16.57
n25	15	15	1882.5	CP	256QAM	Outer_Full	17.80	16.90
n25	15	15	1907.5	DFT	pi/2 BPSK	Inner_Full	23.81	22.91
n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.31	22.41
n25	15	15	1907.5	DFT	pi/2 BPSK	Edge_1RB_Right	22.96	22.06
n25	15	15	1907.5	DFT	pi/2 BPSK	Outer_Full	23.44	22.54
n25	15	15	1907.5	DFT	QPSK	Inner_Full	24.06	23.16
n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Left	22.52	21.62
n25	15	15	1907.5	DFT	QPSK	Edge_1RB_Right	22.41	21.51
n25	15	15	1907.5	DFT	QPSK	Outer_Full	22.98	22.08
n25	15	15	1907.5	DFT	16QAM	Inner_Full	23.03	22.13
n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Left	21.39	20.49
n25	15	15	1907.5	DFT	16QAM	Edge_1RB_Right	21.68	20.78
n25	15	15	1907.5	DFT	16QAM	Outer_Full	21.60	20.70
n25	15	15	1907.5	DFT	64QAM	Inner_Full	21.27	20.37
n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Left	20.83	19.93
n25	15	15	1907.5	DFT	64QAM	Edge_1RB_Right	20.76	19.86
n25	15	15	1907.5	DFT	64QAM	Outer_Full	21.20	20.30
n25	15	15	1907.5	DFT	256QAM	Inner_Full	19.38	18.48
n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Left	19.22	18.32
n25	15	15	1907.5	DFT	256QAM	Edge_1RB_Right	18.78	17.88
n25	15	15	1907.5	DFT	256QAM	Outer_Full	19.34	18.44
n25	15	15	1907.5	CP	QPSK	Inner_Full	22.22	21.32
n25	15	15	1907.5	CP	QPSK	Edge_1RB_Left	20.84	19.94
n25	15	15	1907.5	CP	QPSK	Edge_1RB_Right	20.15	19.25
n25	15	15	1907.5	CP	QPSK	Outer_Full	20.75	19.85
n25	15	15	1907.5	CP	16QAM	Inner_Full	21.66	20.76
n25	15	15	1907.5	CP	16QAM	Edge_1RB_Left	21.05	20.15
n25	15	15	1907.5	CP	16QAM	Edge_1RB_Right	20.38	19.48
n25	15	15	1907.5	CP	16QAM	Outer_Full	20.85	19.95
n25	15	15	1907.5	CP	64QAM	Inner_Full	20.33	19.43
n25	15	15	1907.5	CP	64QAM	Edge_1RB_Left	20.19	19.29
n25	15	15	1907.5	CP	64QAM	Edge_1RB_Right	19.84	18.94
n25	15	15	1907.5	CP	64QAM	Outer_Full	20.33	19.43
n25	15	15	1907.5	CP	256QAM	Inner_Full	17.31	16.41
n25	15	15	1907.5	CP	256QAM	Edge_1RB_Left	17.35	16.45



I22Z61533-WMD04

n25	15	15	1907.5	CP	256QAM	Edge_1RB_Right	17.09	16.19
n25	15	15	1907.5	CP	256QAM	Outer_Full	17.30	16.40
n25	20	15	1860	DFT	pi/2 BPSK	Inner_Full	24.09	23.19
n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Left	23.39	22.49
n25	20	15	1860	DFT	pi/2 BPSK	Edge_1RB_Right	23.69	22.79
n25	20	15	1860	DFT	pi/2 BPSK	Outer_Full	23.59	22.69
n25	20	15	1860	DFT	QPSK	Inner_Full	24.08	23.18
n25	20	15	1860	DFT	QPSK	Edge_1RB_Left	22.97	22.07
n25	20	15	1860	DFT	QPSK	Edge_1RB_Right	23.23	22.33
n25	20	15	1860	DFT	QPSK	Outer_Full	23.12	22.22
n25	20	15	1860	DFT	16QAM	Inner_Full	23.06	22.16
n25	20	15	1860	DFT	16QAM	Edge_1RB_Left	22.29	21.39
n25	20	15	1860	DFT	16QAM	Edge_1RB_Right	22.46	21.56
n25	20	15	1860	DFT	16QAM	Outer_Full	22.16	21.26
n25	20	15	1860	DFT	64QAM	Inner_Full	21.57	20.67
n25	20	15	1860	DFT	64QAM	Edge_1RB_Left	21.33	20.43
n25	20	15	1860	DFT	64QAM	Edge_1RB_Right	21.58	20.68
n25	20	15	1860	DFT	64QAM	Outer_Full	21.59	20.69
n25	20	15	1860	DFT	256QAM	Inner_Full	19.47	18.57
n25	20	15	1860	DFT	256QAM	Edge_1RB_Left	19.25	18.35
n25	20	15	1860	DFT	256QAM	Edge_1RB_Right	19.49	18.59
n25	20	15	1860	DFT	256QAM	Outer_Full	19.55	18.65
n25	20	15	1860	CP	QPSK	Inner_Full	22.56	21.66
n25	20	15	1860	CP	QPSK	Edge_1RB_Left	20.90	20.00
n25	20	15	1860	CP	QPSK	Edge_1RB_Right	21.09	20.19
n25	20	15	1860	CP	QPSK	Outer_Full	21.01	20.11
n25	20	15	1860	CP	16QAM	Inner_Full	22.02	21.12
n25	20	15	1860	CP	16QAM	Edge_1RB_Left	21.44	20.54
n25	20	15	1860	CP	16QAM	Edge_1RB_Right	21.58	20.68
n25	20	15	1860	CP	16QAM	Outer_Full	21.14	20.24
n25	20	15	1860	CP	64QAM	Inner_Full	20.63	19.73
n25	20	15	1860	CP	64QAM	Edge_1RB_Left	20.29	19.39
n25	20	15	1860	CP	64QAM	Edge_1RB_Right	20.38	19.48
n25	20	15	1860	CP	64QAM	Outer_Full	20.63	19.73
n25	20	15	1860	CP	256QAM	Inner_Full	17.55	16.65
n25	20	15	1860	CP	256QAM	Edge_1RB_Left	17.44	16.54
n25	20	15	1860	CP	256QAM	Edge_1RB_Right	17.59	16.69
n25	20	15	1860	CP	256QAM	Outer_Full	17.62	16.72
n25	20	15	1882.5	DFT	pi/2 BPSK	Inner_Full	24.46	23.56
n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.77	22.87
n25	20	15	1882.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.65	22.75



I22Z61533-WMD04

n25	20	15	1882.5	DFT	pi/2 BPSK	Outer_Full	24.02	23.12
n25	20	15	1882.5	DFT	QPSK	Inner_Full	24.52	23.62
n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Left	23.39	22.49
n25	20	15	1882.5	DFT	QPSK	Edge_1RB_Right	23.26	22.36
n25	20	15	1882.5	DFT	QPSK	Outer_Full	23.55	22.65
n25	20	15	1882.5	DFT	16QAM	Inner_Full	23.51	22.61
n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Left	22.70	21.80
n25	20	15	1882.5	DFT	16QAM	Edge_1RB_Right	22.60	21.70
n25	20	15	1882.5	DFT	16QAM	Outer_Full	22.57	21.67
n25	20	15	1882.5	DFT	64QAM	Inner_Full	22.05	21.15
n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Left	21.72	20.82
n25	20	15	1882.5	DFT	64QAM	Edge_1RB_Right	21.66	20.76
n25	20	15	1882.5	DFT	64QAM	Outer_Full	22.02	21.12
n25	20	15	1882.5	DFT	256QAM	Inner_Full	19.95	19.05
n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Left	19.76	18.86
n25	20	15	1882.5	DFT	256QAM	Edge_1RB_Right	19.49	18.59
n25	20	15	1882.5	DFT	256QAM	Outer_Full	19.97	19.07
n25	20	15	1882.5	CP	QPSK	Inner_Full	22.94	22.04
n25	20	15	1882.5	CP	QPSK	Edge_1RB_Left	21.38	20.48
n25	20	15	1882.5	CP	QPSK	Edge_1RB_Right	21.16	20.26
n25	20	15	1882.5	CP	QPSK	Outer_Full	21.51	20.61
n25	20	15	1882.5	CP	16QAM	Inner_Full	22.55	21.65
n25	20	15	1882.5	CP	16QAM	Edge_1RB_Left	21.84	20.94
n25	20	15	1882.5	CP	16QAM	Edge_1RB_Right	21.68	20.78
n25	20	15	1882.5	CP	16QAM	Outer_Full	21.53	20.63
n25	20	15	1882.5	CP	64QAM	Inner_Full	21.15	20.25
n25	20	15	1882.5	CP	64QAM	Edge_1RB_Left	20.66	19.76
n25	20	15	1882.5	CP	64QAM	Edge_1RB_Right	20.53	19.63
n25	20	15	1882.5	CP	64QAM	Outer_Full	21.08	20.18
n25	20	15	1882.5	CP	256QAM	Inner_Full	18.00	17.10
n25	20	15	1882.5	CP	256QAM	Edge_1RB_Left	17.80	16.90
n25	20	15	1882.5	CP	256QAM	Edge_1RB_Right	17.67	16.77
n25	20	15	1882.5	CP	256QAM	Outer_Full	18.00	17.10
n25	20	15	1905	DFT	pi/2 BPSK	Inner_Full	23.88	22.98
n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Left	23.40	22.50
n25	20	15	1905	DFT	pi/2 BPSK	Edge_1RB_Right	22.98	22.08
n25	20	15	1905	DFT	pi/2 BPSK	Outer_Full	23.45	22.55
n25	20	15	1905	DFT	QPSK	Inner_Full	23.59	22.69
n25	20	15	1905	DFT	QPSK	Edge_1RB_Left	22.64	21.74
n25	20	15	1905	DFT	QPSK	Edge_1RB_Right	22.37	21.47
n25	20	15	1905	DFT	QPSK	Outer_Full	22.59	21.69



I22Z61533-WMD04

n25	20	15	1905	DFT	16QAM	Inner_Full	22.54	21.64
n25	20	15	1905	DFT	16QAM	Edge_1RB_Left	21.51	20.61
n25	20	15	1905	DFT	16QAM	Edge_1RB_Right	21.66	20.76
n25	20	15	1905	DFT	16QAM	Outer_Full	21.64	20.74
n25	20	15	1905	DFT	64QAM	Inner_Full	21.15	20.25
n25	20	15	1905	DFT	64QAM	Edge_1RB_Left	21.03	20.13
n25	20	15	1905	DFT	64QAM	Edge_1RB_Right	20.75	19.85
n25	20	15	1905	DFT	64QAM	Outer_Full	21.17	20.27
n25	20	15	1905	DFT	256QAM	Inner_Full	19.39	18.49
n25	20	15	1905	DFT	256QAM	Edge_1RB_Left	19.32	18.42
n25	20	15	1905	DFT	256QAM	Edge_1RB_Right	18.75	17.85
n25	20	15	1905	DFT	256QAM	Outer_Full	19.58	18.68
n25	20	15	1905	CP	QPSK	Inner_Full	22.20	21.30
n25	20	15	1905	CP	QPSK	Edge_1RB_Left	21.00	20.10
n25	20	15	1905	CP	QPSK	Edge_1RB_Right	20.17	19.27
n25	20	15	1905	CP	QPSK	Outer_Full	21.04	20.14
n25	20	15	1905	CP	16QAM	Inner_Full	21.56	20.66
n25	20	15	1905	CP	16QAM	Edge_1RB_Left	21.41	20.51
n25	20	15	1905	CP	16QAM	Edge_1RB_Right	20.39	19.49
n25	20	15	1905	CP	16QAM	Outer_Full	21.07	20.17
n25	20	15	1905	CP	64QAM	Inner_Full	20.40	19.50
n25	20	15	1905	CP	64QAM	Edge_1RB_Left	20.27	19.37
n25	20	15	1905	CP	64QAM	Edge_1RB_Right	19.84	18.94
n25	20	15	1905	CP	64QAM	Outer_Full	20.53	19.63
n25	20	15	1905	CP	256QAM	Inner_Full	17.36	16.46
n25	20	15	1905	CP	256QAM	Edge_1RB_Left	17.52	16.62
n25	20	15	1905	CP	256QAM	Edge_1RB_Right	17.16	16.26
n25	20	15	1905	CP	256QAM	Outer_Full	17.52	16.62

NR n26(824MHz~849MHz):
Limit ≤ 38.45dBm(7W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	ERP(dBm) (Gt - Lc = -4.5)
n26_Part22	5	15	826.5	DFT	pi/2 BPSK	Inner_Full	24.31	17.66
n26_Part22	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.82	17.17
n26_Part22	5	15	826.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.81	17.16
n26_Part22	5	15	826.5	DFT	pi/2 BPSK	Outer_Full	23.88	17.23
n26_Part22	5	15	826.5	DFT	QPSK	Inner_Full	24.35	17.70
n26_Part22	5	15	826.5	DFT	QPSK	Edge_1RB_Left	23.30	16.65
n26_Part22	5	15	826.5	DFT	QPSK	Edge_1RB_Right	23.38	16.73
n26_Part22	5	15	826.5	DFT	QPSK	Outer_Full	23.35	16.70
n26_Part22	5	15	826.5	DFT	16QAM	Inner_Full	23.36	16.71
n26_Part22	5	15	826.5	DFT	16QAM	Edge_1RB_Left	22.72	16.07
n26_Part22	5	15	826.5	DFT	16QAM	Edge_1RB_Right	22.70	16.05
n26_Part22	5	15	826.5	DFT	16QAM	Outer_Full	22.31	15.66
n26_Part22	5	15	826.5	DFT	64QAM	Inner_Full	21.98	15.33
n26_Part22	5	15	826.5	DFT	64QAM	Edge_1RB_Left	21.74	15.09
n26_Part22	5	15	826.5	DFT	64QAM	Edge_1RB_Right	21.76	15.11
n26_Part22	5	15	826.5	DFT	64QAM	Outer_Full	21.95	15.30
n26_Part22	5	15	826.5	DFT	256QAM	Inner_Full	19.85	13.20
n26_Part22	5	15	826.5	DFT	256QAM	Edge_1RB_Left	19.58	12.93
n26_Part22	5	15	826.5	DFT	256QAM	Edge_1RB_Right	19.68	13.03
n26_Part22	5	15	826.5	DFT	256QAM	Outer_Full	19.78	13.13
n26_Part22	5	15	826.5	CP	QPSK	Inner_Full	22.85	16.20
n26_Part22	5	15	826.5	CP	QPSK	Edge_1RB_Left	21.29	14.64
n26_Part22	5	15	826.5	CP	QPSK	Edge_1RB_Right	21.39	14.74
n26_Part22	5	15	826.5	CP	QPSK	Outer_Full	21.29	14.64
n26_Part22	5	15	826.5	CP	16QAM	Inner_Full	22.45	15.80
n26_Part22	5	15	826.5	CP	16QAM	Edge_1RB_Left	21.59	14.94
n26_Part22	5	15	826.5	CP	16QAM	Edge_1RB_Right	21.57	14.92
n26_Part22	5	15	826.5	CP	16QAM	Outer_Full	21.41	14.76
n26_Part22	5	15	826.5	CP	64QAM	Inner_Full	20.81	14.16
n26_Part22	5	15	826.5	CP	64QAM	Edge_1RB_Left	20.65	14.00
n26_Part22	5	15	826.5	CP	64QAM	Edge_1RB_Right	20.72	14.07
n26_Part22	5	15	826.5	CP	64QAM	Outer_Full	20.85	14.20
n26_Part22	5	15	826.5	CP	256QAM	Inner_Full	18.03	11.38
n26_Part22	5	15	826.5	CP	256QAM	Edge_1RB_Left	17.79	11.14
n26_Part22	5	15	826.5	CP	256QAM	Edge_1RB_Right	17.83	11.18
n26_Part22	5	15	826.5	CP	256QAM	Outer_Full	17.91	11.26

n26_Part22	5	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.26	17.61
n26_Part22	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.81	17.16
n26_Part22	5	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.78	17.13
n26_Part22	5	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.80	17.15
n26_Part22	5	15	836.5	DFT	QPSK	Inner_Full	24.31	17.66
n26_Part22	5	15	836.5	DFT	QPSK	Edge_1RB_Left	23.29	16.64
n26_Part22	5	15	836.5	DFT	QPSK	Edge_1RB_Right	23.31	16.66
n26_Part22	5	15	836.5	DFT	QPSK	Outer_Full	23.37	16.72
n26_Part22	5	15	836.5	DFT	16QAM	Inner_Full	23.32	16.67
n26_Part22	5	15	836.5	DFT	16QAM	Edge_1RB_Left	22.72	16.07
n26_Part22	5	15	836.5	DFT	16QAM	Edge_1RB_Right	22.71	16.06
n26_Part22	5	15	836.5	DFT	16QAM	Outer_Full	22.37	15.72
n26_Part22	5	15	836.5	DFT	64QAM	Inner_Full	21.88	15.23
n26_Part22	5	15	836.5	DFT	64QAM	Edge_1RB_Left	21.74	15.09
n26_Part22	5	15	836.5	DFT	64QAM	Edge_1RB_Right	21.66	15.01
n26_Part22	5	15	836.5	DFT	64QAM	Outer_Full	21.92	15.27
n26_Part22	5	15	836.5	DFT	256QAM	Inner_Full	19.82	13.17
n26_Part22	5	15	836.5	DFT	256QAM	Edge_1RB_Left	19.53	12.88
n26_Part22	5	15	836.5	DFT	256QAM	Edge_1RB_Right	19.65	13.00
n26_Part22	5	15	836.5	DFT	256QAM	Outer_Full	19.73	13.08
n26_Part22	5	15	836.5	CP	QPSK	Inner_Full	22.82	16.17
n26_Part22	5	15	836.5	CP	QPSK	Edge_1RB_Left	21.33	14.68
n26_Part22	5	15	836.5	CP	QPSK	Edge_1RB_Right	21.35	14.70
n26_Part22	5	15	836.5	CP	QPSK	Outer_Full	21.27	14.62
n26_Part22	5	15	836.5	CP	16QAM	Inner_Full	22.48	15.83
n26_Part22	5	15	836.5	CP	16QAM	Edge_1RB_Left	21.69	15.04
n26_Part22	5	15	836.5	CP	16QAM	Edge_1RB_Right	21.70	15.05
n26_Part22	5	15	836.5	CP	16QAM	Outer_Full	21.33	14.68
n26_Part22	5	15	836.5	CP	64QAM	Inner_Full	20.75	14.10
n26_Part22	5	15	836.5	CP	64QAM	Edge_1RB_Left	20.67	14.02
n26_Part22	5	15	836.5	CP	64QAM	Edge_1RB_Right	20.53	13.88
n26_Part22	5	15	836.5	CP	64QAM	Outer_Full	20.85	14.20
n26_Part22	5	15	836.5	CP	256QAM	Inner_Full	17.82	11.17
n26_Part22	5	15	836.5	CP	256QAM	Edge_1RB_Left	17.80	11.15
n26_Part22	5	15	836.5	CP	256QAM	Edge_1RB_Right	17.64	10.99
n26_Part22	5	15	836.5	CP	256QAM	Outer_Full	17.80	11.15
n26_Part22	5	15	846.5	DFT	pi/2 BPSK	Inner_Full	24.18	17.53
n26_Part22	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.67	17.02
n26_Part22	5	15	846.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.55	16.90
n26_Part22	5	15	846.5	DFT	pi/2 BPSK	Outer_Full	23.72	17.07
n26_Part22	5	15	846.5	DFT	QPSK	Inner_Full	24.20	17.55



I22Z61533-WMD04

n26_Part22	5	15	846.5	DFT	QPSK	Edge_1RB_Left	23.21	16.56
n26_Part22	5	15	846.5	DFT	QPSK	Edge_1RB_Right	23.11	16.46
n26_Part22	5	15	846.5	DFT	QPSK	Outer_Full	23.25	16.60
n26_Part22	5	15	846.5	DFT	16QAM	Inner_Full	23.29	16.64
n26_Part22	5	15	846.5	DFT	16QAM	Edge_1RB_Left	22.63	15.98
n26_Part22	5	15	846.5	DFT	16QAM	Edge_1RB_Right	22.44	15.79
n26_Part22	5	15	846.5	DFT	16QAM	Outer_Full	22.22	15.57
n26_Part22	5	15	846.5	DFT	64QAM	Inner_Full	21.82	15.17
n26_Part22	5	15	846.5	DFT	64QAM	Edge_1RB_Left	21.58	14.93
n26_Part22	5	15	846.5	DFT	64QAM	Edge_1RB_Right	21.52	14.87
n26_Part22	5	15	846.5	DFT	64QAM	Outer_Full	21.79	15.14
n26_Part22	5	15	846.5	DFT	256QAM	Inner_Full	19.62	12.97
n26_Part22	5	15	846.5	DFT	256QAM	Edge_1RB_Left	19.48	12.83
n26_Part22	5	15	846.5	DFT	256QAM	Edge_1RB_Right	19.36	12.71
n26_Part22	5	15	846.5	DFT	256QAM	Outer_Full	19.64	12.99
n26_Part22	5	15	846.5	CP	QPSK	Inner_Full	22.68	16.03
n26_Part22	5	15	846.5	CP	QPSK	Edge_1RB_Left	21.19	14.54
n26_Part22	5	15	846.5	CP	QPSK	Edge_1RB_Right	21.08	14.43
n26_Part22	5	15	846.5	CP	QPSK	Outer_Full	21.15	14.50
n26_Part22	5	15	846.5	CP	16QAM	Inner_Full	22.36	15.71
n26_Part22	5	15	846.5	CP	16QAM	Edge_1RB_Left	21.74	15.09
n26_Part22	5	15	846.5	CP	16QAM	Edge_1RB_Right	21.52	14.87
n26_Part22	5	15	846.5	CP	16QAM	Outer_Full	21.19	14.54
n26_Part22	5	15	846.5	CP	64QAM	Inner_Full	20.58	13.93
n26_Part22	5	15	846.5	CP	64QAM	Edge_1RB_Left	20.51	13.86
n26_Part22	5	15	846.5	CP	64QAM	Edge_1RB_Right	20.42	13.77
n26_Part22	5	15	846.5	CP	64QAM	Outer_Full	20.72	14.07
n26_Part22	5	15	846.5	CP	256QAM	Inner_Full	17.82	11.17
n26_Part22	5	15	846.5	CP	256QAM	Edge_1RB_Left	17.67	11.02
n26_Part22	5	15	846.5	CP	256QAM	Edge_1RB_Right	17.45	10.80
n26_Part22	5	15	846.5	CP	256QAM	Outer_Full	17.68	11.03
n26_Part22	10	15	829	DFT	pi/2 BPSK	Inner_Full	24.47	17.82
n26_Part22	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Left	23.70	17.05
n26_Part22	10	15	829	DFT	pi/2 BPSK	Edge_1RB_Right	23.77	17.12
n26_Part22	10	15	829	DFT	pi/2 BPSK	Outer_Full	23.89	17.24
n26_Part22	10	15	829	DFT	QPSK	Inner_Full	24.40	17.75
n26_Part22	10	15	829	DFT	QPSK	Edge_1RB_Left	23.31	16.66
n26_Part22	10	15	829	DFT	QPSK	Edge_1RB_Right	23.32	16.67
n26_Part22	10	15	829	DFT	QPSK	Outer_Full	23.41	16.76
n26_Part22	10	15	829	DFT	16QAM	Inner_Full	23.39	16.74
n26_Part22	10	15	829	DFT	16QAM	Edge_1RB_Left	22.55	15.90

n26_Part22	10	15	829	DFT	16QAM	Edge_1RB_Right	22.65	16.00
n26_Part22	10	15	829	DFT	16QAM	Outer_Full	22.33	15.68
n26_Part22	10	15	829	DFT	64QAM	Inner_Full	21.99	15.34
n26_Part22	10	15	829	DFT	64QAM	Edge_1RB_Left	21.60	14.95
n26_Part22	10	15	829	DFT	64QAM	Edge_1RB_Right	21.67	15.02
n26_Part22	10	15	829	DFT	64QAM	Outer_Full	21.84	15.19
n26_Part22	10	15	829	DFT	256QAM	Inner_Full	19.80	13.15
n26_Part22	10	15	829	DFT	256QAM	Edge_1RB_Left	19.52	12.87
n26_Part22	10	15	829	DFT	256QAM	Edge_1RB_Right	19.55	12.90
n26_Part22	10	15	829	DFT	256QAM	Outer_Full	19.79	13.14
n26_Part22	10	15	829	CP	QPSK	Inner_Full	22.91	16.26
n26_Part22	10	15	829	CP	QPSK	Edge_1RB_Left	21.25	14.60
n26_Part22	10	15	829	CP	QPSK	Edge_1RB_Right	21.31	14.66
n26_Part22	10	15	829	CP	QPSK	Outer_Full	21.32	14.67
n26_Part22	10	15	829	CP	16QAM	Inner_Full	22.44	15.79
n26_Part22	10	15	829	CP	16QAM	Edge_1RB_Left	21.69	15.04
n26_Part22	10	15	829	CP	16QAM	Edge_1RB_Right	21.75	15.10
n26_Part22	10	15	829	CP	16QAM	Outer_Full	21.40	14.75
n26_Part22	10	15	829	CP	64QAM	Inner_Full	20.85	14.20
n26_Part22	10	15	829	CP	64QAM	Edge_1RB_Left	20.57	13.92
n26_Part22	10	15	829	CP	64QAM	Edge_1RB_Right	20.77	14.12
n26_Part22	10	15	829	CP	64QAM	Outer_Full	20.87	14.22
n26_Part22	10	15	829	CP	256QAM	Inner_Full	17.91	11.26
n26_Part22	10	15	829	CP	256QAM	Edge_1RB_Left	17.65	11.00
n26_Part22	10	15	829	CP	256QAM	Edge_1RB_Right	17.84	11.19
n26_Part22	10	15	829	CP	256QAM	Outer_Full	17.80	11.15
n26_Part22	10	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.32	17.67
n26_Part22	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.86	17.21
n26_Part22	10	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.79	17.14
n26_Part22	10	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.83	17.18
n26_Part22	10	15	836.5	DFT	QPSK	Inner_Full	24.35	17.70
n26_Part22	10	15	836.5	DFT	QPSK	Edge_1RB_Left	23.39	16.74
n26_Part22	10	15	836.5	DFT	QPSK	Edge_1RB_Right	23.30	16.65
n26_Part22	10	15	836.5	DFT	QPSK	Outer_Full	23.37	16.72
n26_Part22	10	15	836.5	DFT	16QAM	Inner_Full	23.39	16.74
n26_Part22	10	15	836.5	DFT	16QAM	Edge_1RB_Left	22.71	16.06
n26_Part22	10	15	836.5	DFT	16QAM	Edge_1RB_Right	22.63	15.98
n26_Part22	10	15	836.5	DFT	16QAM	Outer_Full	22.31	15.66
n26_Part22	10	15	836.5	DFT	64QAM	Inner_Full	22.01	15.36
n26_Part22	10	15	836.5	DFT	64QAM	Edge_1RB_Left	21.77	15.12
n26_Part22	10	15	836.5	DFT	64QAM	Edge_1RB_Right	21.78	15.13

n26_Part22	10	15	836.5	DFT	64QAM	Outer_Full	21.91	15.26
n26_Part22	10	15	836.5	DFT	256QAM	Inner_Full	19.72	13.07
n26_Part22	10	15	836.5	DFT	256QAM	Edge_1RB_Left	19.60	12.95
n26_Part22	10	15	836.5	DFT	256QAM	Edge_1RB_Right	19.53	12.88
n26_Part22	10	15	836.5	DFT	256QAM	Outer_Full	19.85	13.20
n26_Part22	10	15	836.5	CP	QPSK	Inner_Full	22.88	16.23
n26_Part22	10	15	836.5	CP	QPSK	Edge_1RB_Left	21.39	14.74
n26_Part22	10	15	836.5	CP	QPSK	Edge_1RB_Right	21.34	14.69
n26_Part22	10	15	836.5	CP	QPSK	Outer_Full	21.30	14.65
n26_Part22	10	15	836.5	CP	16QAM	Inner_Full	22.46	15.81
n26_Part22	10	15	836.5	CP	16QAM	Edge_1RB_Left	21.93	15.28
n26_Part22	10	15	836.5	CP	16QAM	Edge_1RB_Right	21.89	15.24
n26_Part22	10	15	836.5	CP	16QAM	Outer_Full	21.37	14.72
n26_Part22	10	15	836.5	CP	64QAM	Inner_Full	20.89	14.24
n26_Part22	10	15	836.5	CP	64QAM	Edge_1RB_Left	20.72	14.07
n26_Part22	10	15	836.5	CP	64QAM	Edge_1RB_Right	20.69	14.04
n26_Part22	10	15	836.5	CP	64QAM	Outer_Full	20.87	14.22
n26_Part22	10	15	836.5	CP	256QAM	Inner_Full	17.82	11.17
n26_Part22	10	15	836.5	CP	256QAM	Edge_1RB_Left	17.72	11.07
n26_Part22	10	15	836.5	CP	256QAM	Edge_1RB_Right	17.75	11.10
n26_Part22	10	15	836.5	CP	256QAM	Outer_Full	17.87	11.22
n26_Part22	10	15	844	DFT	pi/2 BPSK	Inner_Full	24.26	17.61
n26_Part22	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Left	23.74	17.09
n26_Part22	10	15	844	DFT	pi/2 BPSK	Edge_1RB_Right	23.54	16.89
n26_Part22	10	15	844	DFT	pi/2 BPSK	Outer_Full	23.72	17.07
n26_Part22	10	15	844	DFT	QPSK	Inner_Full	24.23	17.58
n26_Part22	10	15	844	DFT	QPSK	Edge_1RB_Left	23.20	16.55
n26_Part22	10	15	844	DFT	QPSK	Edge_1RB_Right	23.10	16.45
n26_Part22	10	15	844	DFT	QPSK	Outer_Full	23.24	16.59
n26_Part22	10	15	844	DFT	16QAM	Inner_Full	23.30	16.65
n26_Part22	10	15	844	DFT	16QAM	Edge_1RB_Left	22.55	15.90
n26_Part22	10	15	844	DFT	16QAM	Edge_1RB_Right	22.45	15.80
n26_Part22	10	15	844	DFT	16QAM	Outer_Full	22.20	15.55
n26_Part22	10	15	844	DFT	64QAM	Inner_Full	21.82	15.17
n26_Part22	10	15	844	DFT	64QAM	Edge_1RB_Left	21.62	14.97
n26_Part22	10	15	844	DFT	64QAM	Edge_1RB_Right	21.51	14.86
n26_Part22	10	15	844	DFT	64QAM	Outer_Full	21.82	15.17
n26_Part22	10	15	844	DFT	256QAM	Inner_Full	19.73	13.08
n26_Part22	10	15	844	DFT	256QAM	Edge_1RB_Left	19.40	12.75
n26_Part22	10	15	844	DFT	256QAM	Edge_1RB_Right	19.39	12.74
n26_Part22	10	15	844	DFT	256QAM	Outer_Full	19.75	13.10

n26_Part22	10	15	844	CP	QPSK	Inner_Full	22.76	16.11
n26_Part22	10	15	844	CP	QPSK	Edge_1RB_Left	21.29	14.64
n26_Part22	10	15	844	CP	QPSK	Edge_1RB_Right	21.12	14.47
n26_Part22	10	15	844	CP	QPSK	Outer_Full	21.25	14.60
n26_Part22	10	15	844	CP	16QAM	Inner_Full	22.32	15.67
n26_Part22	10	15	844	CP	16QAM	Edge_1RB_Left	21.63	14.98
n26_Part22	10	15	844	CP	16QAM	Edge_1RB_Right	21.55	14.90
n26_Part22	10	15	844	CP	16QAM	Outer_Full	21.22	14.57
n26_Part22	10	15	844	CP	64QAM	Inner_Full	20.81	14.16
n26_Part22	10	15	844	CP	64QAM	Edge_1RB_Left	20.56	13.91
n26_Part22	10	15	844	CP	64QAM	Edge_1RB_Right	20.48	13.83
n26_Part22	10	15	844	CP	64QAM	Outer_Full	20.79	14.14
n26_Part22	10	15	844	CP	256QAM	Inner_Full	17.74	11.09
n26_Part22	10	15	844	CP	256QAM	Edge_1RB_Left	17.54	10.89
n26_Part22	10	15	844	CP	256QAM	Edge_1RB_Right	17.48	10.83
n26_Part22	10	15	844	CP	256QAM	Outer_Full	17.69	11.04
n26_Part22	15	15	831.5	DFT	pi/2 BPSK	Inner_Full	24.27	17.62
n26_Part22	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.72	17.07
n26_Part22	15	15	831.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.60	16.95
n26_Part22	15	15	831.5	DFT	pi/2 BPSK	Outer_Full	23.80	17.15
n26_Part22	15	15	831.5	DFT	QPSK	Inner_Full	24.34	17.69
n26_Part22	15	15	831.5	DFT	QPSK	Edge_1RB_Left	23.24	16.59
n26_Part22	15	15	831.5	DFT	QPSK	Edge_1RB_Right	23.14	16.49
n26_Part22	15	15	831.5	DFT	QPSK	Outer_Full	23.31	16.66
n26_Part22	15	15	831.5	DFT	16QAM	Inner_Full	23.34	16.69
n26_Part22	15	15	831.5	DFT	16QAM	Edge_1RB_Left	22.58	15.93
n26_Part22	15	15	831.5	DFT	16QAM	Edge_1RB_Right	22.45	15.80
n26_Part22	15	15	831.5	DFT	16QAM	Outer_Full	22.31	15.66
n26_Part22	15	15	831.5	DFT	64QAM	Inner_Full	21.88	15.23
n26_Part22	15	15	831.5	DFT	64QAM	Edge_1RB_Left	21.61	14.96
n26_Part22	15	15	831.5	DFT	64QAM	Edge_1RB_Right	21.46	14.81
n26_Part22	15	15	831.5	DFT	64QAM	Outer_Full	21.89	15.24
n26_Part22	15	15	831.5	DFT	256QAM	Inner_Full	19.85	13.20
n26_Part22	15	15	831.5	DFT	256QAM	Edge_1RB_Left	19.56	12.91
n26_Part22	15	15	831.5	DFT	256QAM	Edge_1RB_Right	19.49	12.84
n26_Part22	15	15	831.5	DFT	256QAM	Outer_Full	19.78	13.13
n26_Part22	15	15	831.5	CP	QPSK	Inner_Full	22.71	16.06
n26_Part22	15	15	831.5	CP	QPSK	Edge_1RB_Left	21.26	14.61
n26_Part22	15	15	831.5	CP	QPSK	Edge_1RB_Right	21.16	14.51
n26_Part22	15	15	831.5	CP	QPSK	Outer_Full	21.36	14.71
n26_Part22	15	15	831.5	CP	16QAM	Inner_Full	22.26	15.61



I22Z61533-WMD04

n26_Part22	15	15	831.5	CP	16QAM	Edge_1RB_Left	21.71	15.06
n26_Part22	15	15	831.5	CP	16QAM	Edge_1RB_Right	21.63	14.98
n26_Part22	15	15	831.5	CP	16QAM	Outer_Full	21.39	14.74
n26_Part22	15	15	831.5	CP	64QAM	Inner_Full	20.85	14.20
n26_Part22	15	15	831.5	CP	64QAM	Edge_1RB_Left	20.60	13.95
n26_Part22	15	15	831.5	CP	64QAM	Edge_1RB_Right	20.45	13.80
n26_Part22	15	15	831.5	CP	64QAM	Outer_Full	20.87	14.22
n26_Part22	15	15	831.5	CP	256QAM	Inner_Full	17.78	11.13
n26_Part22	15	15	831.5	CP	256QAM	Edge_1RB_Left	17.77	11.12
n26_Part22	15	15	831.5	CP	256QAM	Edge_1RB_Right	17.57	10.92
n26_Part22	15	15	831.5	CP	256QAM	Outer_Full	17.83	11.18
n26_Part22	15	15	836.5	DFT	pi/2 BPSK	Inner_Full	24.26	17.61
n26_Part22	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.76	17.11
n26_Part22	15	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.61	16.96
n26_Part22	15	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.78	17.13
n26_Part22	15	15	836.5	DFT	QPSK	Inner_Full	24.25	17.60
n26_Part22	15	15	836.5	DFT	QPSK	Edge_1RB_Left	23.31	16.66
n26_Part22	15	15	836.5	DFT	QPSK	Edge_1RB_Right	23.24	16.59
n26_Part22	15	15	836.5	DFT	QPSK	Outer_Full	23.27	16.62
n26_Part22	15	15	836.5	DFT	16QAM	Inner_Full	23.33	16.68
n26_Part22	15	15	836.5	DFT	16QAM	Edge_1RB_Left	22.73	16.08
n26_Part22	15	15	836.5	DFT	16QAM	Edge_1RB_Right	22.55	15.90
n26_Part22	15	15	836.5	DFT	16QAM	Outer_Full	22.27	15.62
n26_Part22	15	15	836.5	DFT	64QAM	Inner_Full	21.78	15.13
n26_Part22	15	15	836.5	DFT	64QAM	Edge_1RB_Left	21.67	15.02
n26_Part22	15	15	836.5	DFT	64QAM	Edge_1RB_Right	21.40	14.75
n26_Part22	15	15	836.5	DFT	64QAM	Outer_Full	21.84	15.19
n26_Part22	15	15	836.5	DFT	256QAM	Inner_Full	19.83	13.18
n26_Part22	15	15	836.5	DFT	256QAM	Edge_1RB_Left	19.69	13.04
n26_Part22	15	15	836.5	DFT	256QAM	Edge_1RB_Right	19.52	12.87
n26_Part22	15	15	836.5	DFT	256QAM	Outer_Full	19.71	13.06
n26_Part22	15	15	836.5	CP	QPSK	Inner_Full	22.76	16.11
n26_Part22	15	15	836.5	CP	QPSK	Edge_1RB_Left	21.39	14.74
n26_Part22	15	15	836.5	CP	QPSK	Edge_1RB_Right	21.18	14.53
n26_Part22	15	15	836.5	CP	QPSK	Outer_Full	21.27	14.62
n26_Part22	15	15	836.5	CP	16QAM	Inner_Full	22.27	15.62
n26_Part22	15	15	836.5	CP	16QAM	Edge_1RB_Left	21.83	15.18
n26_Part22	15	15	836.5	CP	16QAM	Edge_1RB_Right	21.67	15.02
n26_Part22	15	15	836.5	CP	16QAM	Outer_Full	21.23	14.58
n26_Part22	15	15	836.5	CP	64QAM	Inner_Full	20.78	14.13
n26_Part22	15	15	836.5	CP	64QAM	Edge_1RB_Left	20.75	14.10

n26_Part22	15	15	836.5	CP	64QAM	Edge_1RB_Right	20.36	13.71
n26_Part22	15	15	836.5	CP	64QAM	Outer_Full	20.83	14.18
n26_Part22	15	15	836.5	CP	256QAM	Inner_Full	17.76	11.11
n26_Part22	15	15	836.5	CP	256QAM	Edge_1RB_Left	17.81	11.16
n26_Part22	15	15	836.5	CP	256QAM	Edge_1RB_Right	17.50	10.85
n26_Part22	15	15	836.5	CP	256QAM	Outer_Full	17.75	11.10
n26_Part22	15	15	841.5	DFT	pi/2 BPSK	Inner_Full	24.14	17.49
n26_Part22	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.62	16.97
n26_Part22	15	15	841.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.48	16.83
n26_Part22	15	15	841.5	DFT	pi/2 BPSK	Outer_Full	23.66	17.01
n26_Part22	15	15	841.5	DFT	QPSK	Inner_Full	24.16	17.51
n26_Part22	15	15	841.5	DFT	QPSK	Edge_1RB_Left	23.20	16.55
n26_Part22	15	15	841.5	DFT	QPSK	Edge_1RB_Right	23.01	16.36
n26_Part22	15	15	841.5	DFT	QPSK	Outer_Full	23.13	16.48
n26_Part22	15	15	841.5	DFT	16QAM	Inner_Full	23.11	16.46
n26_Part22	15	15	841.5	DFT	16QAM	Edge_1RB_Left	22.59	15.94
n26_Part22	15	15	841.5	DFT	16QAM	Edge_1RB_Right	22.36	15.71
n26_Part22	15	15	841.5	DFT	16QAM	Outer_Full	22.17	15.52
n26_Part22	15	15	841.5	DFT	64QAM	Inner_Full	21.67	15.02
n26_Part22	15	15	841.5	DFT	64QAM	Edge_1RB_Left	21.65	15.00
n26_Part22	15	15	841.5	DFT	64QAM	Edge_1RB_Right	21.44	14.79
n26_Part22	15	15	841.5	DFT	64QAM	Outer_Full	21.76	15.11
n26_Part22	15	15	841.5	DFT	256QAM	Inner_Full	19.62	12.97
n26_Part22	15	15	841.5	DFT	256QAM	Edge_1RB_Left	19.46	12.81
n26_Part22	15	15	841.5	DFT	256QAM	Edge_1RB_Right	19.29	12.64
n26_Part22	15	15	841.5	DFT	256QAM	Outer_Full	19.62	12.97
n26_Part22	15	15	841.5	CP	QPSK	Inner_Full	22.56	15.91
n26_Part22	15	15	841.5	CP	QPSK	Edge_1RB_Left	21.27	14.62
n26_Part22	15	15	841.5	CP	QPSK	Edge_1RB_Right	20.97	14.32
n26_Part22	15	15	841.5	CP	QPSK	Outer_Full	21.08	14.43
n26_Part22	15	15	841.5	CP	16QAM	Inner_Full	22.14	15.49
n26_Part22	15	15	841.5	CP	16QAM	Edge_1RB_Left	21.73	15.08
n26_Part22	15	15	841.5	CP	16QAM	Edge_1RB_Right	21.40	14.75
n26_Part22	15	15	841.5	CP	16QAM	Outer_Full	21.12	14.47
n26_Part22	15	15	841.5	CP	64QAM	Inner_Full	20.62	13.97
n26_Part22	15	15	841.5	CP	64QAM	Edge_1RB_Left	20.52	13.87
n26_Part22	15	15	841.5	CP	64QAM	Edge_1RB_Right	20.27	13.62
n26_Part22	15	15	841.5	CP	64QAM	Outer_Full	20.63	13.98
n26_Part22	15	15	841.5	CP	256QAM	Inner_Full	17.61	10.96
n26_Part22	15	15	841.5	CP	256QAM	Edge_1RB_Left	17.69	11.04
n26_Part22	15	15	841.5	CP	256QAM	Edge_1RB_Right	17.44	10.79

n26_Part22	15	15	841.5	CP	256QAM	Outer_Full	17.63	10.98
n26_Part22	20	15	834	DFT	pi/2 BPSK	Inner_Full	24.23	17.58
n26_Part22	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Left	23.65	17.00
n26_Part22	20	15	834	DFT	pi/2 BPSK	Edge_1RB_Right	23.59	16.94
n26_Part22	20	15	834	DFT	pi/2 BPSK	Outer_Full	23.79	17.14
n26_Part22	20	15	834	DFT	QPSK	Inner_Full	24.31	17.66
n26_Part22	20	15	834	DFT	QPSK	Edge_1RB_Left	23.18	16.53
n26_Part22	20	15	834	DFT	QPSK	Edge_1RB_Right	23.02	16.37
n26_Part22	20	15	834	DFT	QPSK	Outer_Full	23.32	16.67
n26_Part22	20	15	834	DFT	16QAM	Inner_Full	23.22	16.57
n26_Part22	20	15	834	DFT	16QAM	Edge_1RB_Left	22.58	15.93
n26_Part22	20	15	834	DFT	16QAM	Edge_1RB_Right	22.38	15.73
n26_Part22	20	15	834	DFT	16QAM	Outer_Full	22.34	15.69
n26_Part22	20	15	834	DFT	64QAM	Inner_Full	21.81	15.16
n26_Part22	20	15	834	DFT	64QAM	Edge_1RB_Left	21.62	14.97
n26_Part22	20	15	834	DFT	64QAM	Edge_1RB_Right	21.40	14.75
n26_Part22	20	15	834	DFT	64QAM	Outer_Full	21.79	15.14
n26_Part22	20	15	834	DFT	256QAM	Inner_Full	19.71	13.06
n26_Part22	20	15	834	DFT	256QAM	Edge_1RB_Left	19.42	12.77
n26_Part22	20	15	834	DFT	256QAM	Edge_1RB_Right	19.39	12.74
n26_Part22	20	15	834	DFT	256QAM	Outer_Full	19.75	13.10
n26_Part22	20	15	834	CP	QPSK	Inner_Full	22.76	16.11
n26_Part22	20	15	834	CP	QPSK	Edge_1RB_Left	21.17	14.52
n26_Part22	20	15	834	CP	QPSK	Edge_1RB_Right	21.06	14.41
n26_Part22	20	15	834	CP	QPSK	Outer_Full	21.35	14.70
n26_Part22	20	15	834	CP	16QAM	Inner_Full	22.19	15.54
n26_Part22	20	15	834	CP	16QAM	Edge_1RB_Left	21.71	15.06
n26_Part22	20	15	834	CP	16QAM	Edge_1RB_Right	21.54	14.89
n26_Part22	20	15	834	CP	16QAM	Outer_Full	21.21	14.56
n26_Part22	20	15	834	CP	64QAM	Inner_Full	20.75	14.10
n26_Part22	20	15	834	CP	64QAM	Edge_1RB_Left	20.52	13.87
n26_Part22	20	15	834	CP	64QAM	Edge_1RB_Right	20.26	13.61
n26_Part22	20	15	834	CP	64QAM	Outer_Full	20.81	14.16
n26_Part22	20	15	834	CP	256QAM	Inner_Full	17.67	11.02
n26_Part22	20	15	834	CP	256QAM	Edge_1RB_Left	17.60	10.95
n26_Part22	20	15	834	CP	256QAM	Edge_1RB_Right	17.40	10.75
n26_Part22	20	15	834	CP	256QAM	Outer_Full	17.77	11.12
n26_Part22	20	15	836.5	DFT	pi/2 BPSK	Inner_Full	23.73	17.08
n26_Part22	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.35	16.70
n26_Part22	20	15	836.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.07	16.42
n26_Part22	20	15	836.5	DFT	pi/2 BPSK	Outer_Full	23.36	16.71



I22Z61533-WMD04

n26_Part22	20	15	836.5	DFT	QPSK	Inner_Full	23.76	17.11
n26_Part22	20	15	836.5	DFT	QPSK	Edge_1RB_Left	22.91	16.26
n26_Part22	20	15	836.5	DFT	QPSK	Edge_1RB_Right	22.70	16.05
n26_Part22	20	15	836.5	DFT	QPSK	Outer_Full	22.81	16.16
n26_Part22	20	15	836.5	DFT	16QAM	Inner_Full	22.70	16.05
n26_Part22	20	15	836.5	DFT	16QAM	Edge_1RB_Left	22.16	15.51
n26_Part22	20	15	836.5	DFT	16QAM	Edge_1RB_Right	21.93	15.28
n26_Part22	20	15	836.5	DFT	16QAM	Outer_Full	21.82	15.17
n26_Part22	20	15	836.5	DFT	64QAM	Inner_Full	21.34	14.69
n26_Part22	20	15	836.5	DFT	64QAM	Edge_1RB_Left	21.21	14.56
n26_Part22	20	15	836.5	DFT	64QAM	Edge_1RB_Right	20.98	14.33
n26_Part22	20	15	836.5	DFT	64QAM	Outer_Full	21.30	14.65
n26_Part22	20	15	836.5	DFT	256QAM	Inner_Full	19.20	12.55
n26_Part22	20	15	836.5	DFT	256QAM	Edge_1RB_Left	19.17	12.52
n26_Part22	20	15	836.5	DFT	256QAM	Edge_1RB_Right	19.00	12.35
n26_Part22	20	15	836.5	DFT	256QAM	Outer_Full	19.33	12.68
n26_Part22	20	15	836.5	CP	QPSK	Inner_Full	22.31	15.66
n26_Part22	20	15	836.5	CP	QPSK	Edge_1RB_Left	20.90	14.25
n26_Part22	20	15	836.5	CP	QPSK	Edge_1RB_Right	20.53	13.88
n26_Part22	20	15	836.5	CP	QPSK	Outer_Full	20.84	14.19
n26_Part22	20	15	836.5	CP	16QAM	Inner_Full	21.76	15.11
n26_Part22	20	15	836.5	CP	16QAM	Edge_1RB_Left	21.35	14.70
n26_Part22	20	15	836.5	CP	16QAM	Edge_1RB_Right	21.00	14.35
n26_Part22	20	15	836.5	CP	16QAM	Outer_Full	20.87	14.22
n26_Part22	20	15	836.5	CP	64QAM	Inner_Full	20.28	13.63
n26_Part22	20	15	836.5	CP	64QAM	Edge_1RB_Left	20.14	13.49
n26_Part22	20	15	836.5	CP	64QAM	Edge_1RB_Right	19.84	13.19
n26_Part22	20	15	836.5	CP	64QAM	Outer_Full	20.36	13.71
n26_Part22	20	15	836.5	CP	256QAM	Inner_Full	17.28	10.63
n26_Part22	20	15	836.5	CP	256QAM	Edge_1RB_Left	17.23	10.58
n26_Part22	20	15	836.5	CP	256QAM	Edge_1RB_Right	17.07	10.42
n26_Part22	20	15	836.5	CP	256QAM	Outer_Full	17.32	10.67
n26_Part22	20	15	839	DFT	pi/2 BPSK	Inner_Full	24.17	17.52
n26_Part22	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Left	23.78	17.13
n26_Part22	20	15	839	DFT	pi/2 BPSK	Edge_1RB_Right	23.45	16.80
n26_Part22	20	15	839	DFT	pi/2 BPSK	Outer_Full	23.76	17.11
n26_Part22	20	15	839	DFT	QPSK	Inner_Full	24.17	17.52
n26_Part22	20	15	839	DFT	QPSK	Edge_1RB_Left	23.36	16.71
n26_Part22	20	15	839	DFT	QPSK	Edge_1RB_Right	23.04	16.39
n26_Part22	20	15	839	DFT	QPSK	Outer_Full	23.27	16.62
n26_Part22	20	15	839	DFT	16QAM	Inner_Full	23.22	16.57



I22Z61533-WMD04

n26_Part22	20	15	839	DFT	16QAM	Edge_1RB_Left	22.25	15.60
n26_Part22	20	15	839	DFT	16QAM	Edge_1RB_Right	21.97	15.32
n26_Part22	20	15	839	DFT	16QAM	Outer_Full	22.30	15.65
n26_Part22	20	15	839	DFT	64QAM	Inner_Full	21.66	15.01
n26_Part22	20	15	839	DFT	64QAM	Edge_1RB_Left	21.63	14.98
n26_Part22	20	15	839	DFT	64QAM	Edge_1RB_Right	21.40	14.75
n26_Part22	20	15	839	DFT	64QAM	Outer_Full	21.74	15.09
n26_Part22	20	15	839	DFT	256QAM	Inner_Full	19.68	13.03
n26_Part22	20	15	839	DFT	256QAM	Edge_1RB_Left	19.61	12.96
n26_Part22	20	15	839	DFT	256QAM	Edge_1RB_Right	19.38	12.73
n26_Part22	20	15	839	DFT	256QAM	Outer_Full	19.70	13.05
n26_Part22	20	15	839	CP	QPSK	Inner_Full	22.73	16.08
n26_Part22	20	15	839	CP	QPSK	Edge_1RB_Left	21.35	14.70
n26_Part22	20	15	839	CP	QPSK	Edge_1RB_Right	20.92	14.27
n26_Part22	20	15	839	CP	QPSK	Outer_Full	21.29	14.64
n26_Part22	20	15	839	CP	16QAM	Inner_Full	22.14	15.49
n26_Part22	20	15	839	CP	16QAM	Edge_1RB_Left	21.86	15.21
n26_Part22	20	15	839	CP	16QAM	Edge_1RB_Right	21.46	14.81
n26_Part22	20	15	839	CP	16QAM	Outer_Full	21.24	14.59
n26_Part22	20	15	839	CP	64QAM	Inner_Full	20.70	14.05
n26_Part22	20	15	839	CP	64QAM	Edge_1RB_Left	20.58	13.93
n26_Part22	20	15	839	CP	64QAM	Edge_1RB_Right	20.27	13.62
n26_Part22	20	15	839	CP	64QAM	Outer_Full	20.73	14.08
n26_Part22	20	15	839	CP	256QAM	Inner_Full	17.58	10.93
n26_Part22	20	15	839	CP	256QAM	Edge_1RB_Left	17.66	11.01
n26_Part22	20	15	839	CP	256QAM	Edge_1RB_Right	17.40	10.75
n26_Part22	20	15	839	CP	256QAM	Outer_Full	17.70	11.05



NR n26(814MHz~824MHz)
Limit≤50dBm(100W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	ERP(dBm) (Gt - Lc = -4.5)
n26_Part90	5	15	816.5	DFT	pi/2 BPSK	Inner_Full	24.37	17.72
n26_Part90	5	15	816.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.76	17.11
n26_Part90	5	15	816.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.86	17.21
n26_Part90	5	15	816.5	DFT	pi/2 BPSK	Outer_Full	23.89	17.24
n26_Part90	5	15	816.5	DFT	QPSK	Inner_Full	24.42	17.77
n26_Part90	5	15	816.5	DFT	QPSK	Edge_1RB_Left	23.39	16.74
n26_Part90	5	15	816.5	DFT	QPSK	Edge_1RB_Right	23.45	16.80
n26_Part90	5	15	816.5	DFT	QPSK	Outer_Full	23.43	16.78
n26_Part90	5	15	816.5	DFT	16QAM	Inner_Full	23.43	16.78
n26_Part90	5	15	816.5	DFT	16QAM	Edge_1RB_Left	22.62	15.97
n26_Part90	5	15	816.5	DFT	16QAM	Edge_1RB_Right	22.67	16.02
n26_Part90	5	15	816.5	DFT	16QAM	Outer_Full	22.33	15.68
n26_Part90	5	15	816.5	DFT	64QAM	Inner_Full	21.97	15.32
n26_Part90	5	15	816.5	DFT	64QAM	Edge_1RB_Left	21.66	15.01
n26_Part90	5	15	816.5	DFT	64QAM	Edge_1RB_Right	21.67	15.02
n26_Part90	5	15	816.5	DFT	64QAM	Outer_Full	21.96	15.31
n26_Part90	5	15	816.5	DFT	256QAM	Inner_Full	19.93	13.28
n26_Part90	5	15	816.5	DFT	256QAM	Edge_1RB_Left	19.57	12.92
n26_Part90	5	15	816.5	DFT	256QAM	Edge_1RB_Right	19.65	13.00
n26_Part90	5	15	816.5	DFT	256QAM	Outer_Full	19.83	13.18
n26_Part90	5	15	816.5	CP	QPSK	Inner_Full	22.92	16.27
n26_Part90	5	15	816.5	CP	QPSK	Edge_1RB_Left	21.31	14.66
n26_Part90	5	15	816.5	CP	QPSK	Edge_1RB_Right	21.40	14.75
n26_Part90	5	15	816.5	CP	QPSK	Outer_Full	21.40	14.75
n26_Part90	5	15	816.5	CP	16QAM	Inner_Full	22.46	15.81
n26_Part90	5	15	816.5	CP	16QAM	Edge_1RB_Left	21.75	15.10
n26_Part90	5	15	816.5	CP	16QAM	Edge_1RB_Right	21.89	15.24
n26_Part90	5	15	816.5	CP	16QAM	Outer_Full	21.32	14.67
n26_Part90	5	15	816.5	CP	64QAM	Inner_Full	20.68	14.03
n26_Part90	5	15	816.5	CP	64QAM	Edge_1RB_Left	20.54	13.89
n26_Part90	5	15	816.5	CP	64QAM	Edge_1RB_Right	20.65	14.00
n26_Part90	5	15	816.5	CP	64QAM	Outer_Full	20.83	14.18
n26_Part90	5	15	816.5	CP	256QAM	Inner_Full	17.86	11.21
n26_Part90	5	15	816.5	CP	256QAM	Edge_1RB_Left	17.72	11.07
n26_Part90	5	15	816.5	CP	256QAM	Edge_1RB_Right	17.62	10.97
n26_Part90	5	15	816.5	CP	256QAM	Outer_Full	17.82	11.17

n26_Part90	5	15	819	DFT	pi/2 BPSK	Inner_Full	24.35	17.70
n26_Part90	5	15	819	DFT	pi/2 BPSK	Edge_1RB_Left	23.81	17.16
n26_Part90	5	15	819	DFT	pi/2 BPSK	Edge_1RB_Right	23.89	17.24
n26_Part90	5	15	819	DFT	pi/2 BPSK	Outer_Full	23.92	17.27
n26_Part90	5	15	819	DFT	QPSK	Inner_Full	24.41	17.76
n26_Part90	5	15	819	DFT	QPSK	Edge_1RB_Left	23.36	16.71
n26_Part90	5	15	819	DFT	QPSK	Edge_1RB_Right	23.39	16.74
n26_Part90	5	15	819	DFT	QPSK	Outer_Full	23.38	16.73
n26_Part90	5	15	819	DFT	16QAM	Inner_Full	23.44	16.79
n26_Part90	5	15	819	DFT	16QAM	Edge_1RB_Left	22.67	16.02
n26_Part90	5	15	819	DFT	16QAM	Edge_1RB_Right	22.71	16.06
n26_Part90	5	15	819	DFT	16QAM	Outer_Full	22.37	15.72
n26_Part90	5	15	819	DFT	64QAM	Inner_Full	21.88	15.23
n26_Part90	5	15	819	DFT	64QAM	Edge_1RB_Left	21.51	14.86
n26_Part90	5	15	819	DFT	64QAM	Edge_1RB_Right	21.77	15.12
n26_Part90	5	15	819	DFT	64QAM	Outer_Full	21.92	15.27
n26_Part90	5	15	819	DFT	256QAM	Inner_Full	19.81	13.16
n26_Part90	5	15	819	DFT	256QAM	Edge_1RB_Left	19.56	12.91
n26_Part90	5	15	819	DFT	256QAM	Edge_1RB_Right	19.64	12.99
n26_Part90	5	15	819	DFT	256QAM	Outer_Full	19.80	13.15
n26_Part90	5	15	819	CP	QPSK	Inner_Full	22.87	16.22
n26_Part90	5	15	819	CP	QPSK	Edge_1RB_Left	21.26	14.61
n26_Part90	5	15	819	CP	QPSK	Edge_1RB_Right	21.28	14.63
n26_Part90	5	15	819	CP	QPSK	Outer_Full	21.31	14.66
n26_Part90	5	15	819	CP	16QAM	Inner_Full	22.47	15.82
n26_Part90	5	15	819	CP	16QAM	Edge_1RB_Left	21.72	15.07
n26_Part90	5	15	819	CP	16QAM	Edge_1RB_Right	21.85	15.20
n26_Part90	5	15	819	CP	16QAM	Outer_Full	21.37	14.72
n26_Part90	5	15	819	CP	64QAM	Inner_Full	20.67	14.02
n26_Part90	5	15	819	CP	64QAM	Edge_1RB_Left	20.62	13.97
n26_Part90	5	15	819	CP	64QAM	Edge_1RB_Right	20.62	13.97
n26_Part90	5	15	819	CP	64QAM	Outer_Full	20.81	14.16
n26_Part90	5	15	819	CP	256QAM	Inner_Full	17.90	11.25
n26_Part90	5	15	819	CP	256QAM	Edge_1RB_Left	17.66	11.01
n26_Part90	5	15	819	CP	256QAM	Edge_1RB_Right	17.71	11.06
n26_Part90	5	15	819	CP	256QAM	Outer_Full	17.87	11.22
n26_Part90	5	15	821.5	DFT	pi/2 BPSK	Inner_Full	24.39	17.74
n26_Part90	5	15	821.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.84	17.19
n26_Part90	5	15	821.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.93	17.28
n26_Part90	5	15	821.5	DFT	pi/2 BPSK	Outer_Full	23.90	17.25
n26_Part90	5	15	821.5	DFT	QPSK	Inner_Full	24.37	17.72

n26_Part90	5	15	821.5	DFT	QPSK	Edge_1RB_Left	23.30	16.65
n26_Part90	5	15	821.5	DFT	QPSK	Edge_1RB_Right	23.35	16.70
n26_Part90	5	15	821.5	DFT	QPSK	Outer_Full	23.46	16.81
n26_Part90	5	15	821.5	DFT	16QAM	Inner_Full	23.39	16.74
n26_Part90	5	15	821.5	DFT	16QAM	Edge_1RB_Left	22.62	15.97
n26_Part90	5	15	821.5	DFT	16QAM	Edge_1RB_Right	22.66	16.01
n26_Part90	5	15	821.5	DFT	16QAM	Outer_Full	22.34	15.69
n26_Part90	5	15	821.5	DFT	64QAM	Inner_Full	21.99	15.34
n26_Part90	5	15	821.5	DFT	64QAM	Edge_1RB_Left	21.68	15.03
n26_Part90	5	15	821.5	DFT	64QAM	Edge_1RB_Right	21.70	15.05
n26_Part90	5	15	821.5	DFT	64QAM	Outer_Full	21.91	15.26
n26_Part90	5	15	821.5	DFT	256QAM	Inner_Full	19.83	13.18
n26_Part90	5	15	821.5	DFT	256QAM	Edge_1RB_Left	19.60	12.95
n26_Part90	5	15	821.5	DFT	256QAM	Edge_1RB_Right	19.57	12.92
n26_Part90	5	15	821.5	DFT	256QAM	Outer_Full	19.79	13.14
n26_Part90	5	15	821.5	CP	QPSK	Inner_Full	22.87	16.22
n26_Part90	5	15	821.5	CP	QPSK	Edge_1RB_Left	21.35	14.70
n26_Part90	5	15	821.5	CP	QPSK	Edge_1RB_Right	21.44	14.79
n26_Part90	5	15	821.5	CP	QPSK	Outer_Full	21.35	14.70
n26_Part90	5	15	821.5	CP	16QAM	Inner_Full	22.58	15.93
n26_Part90	5	15	821.5	CP	16QAM	Edge_1RB_Left	21.71	15.06
n26_Part90	5	15	821.5	CP	16QAM	Edge_1RB_Right	21.81	15.16
n26_Part90	5	15	821.5	CP	16QAM	Outer_Full	21.39	14.74
n26_Part90	5	15	821.5	CP	64QAM	Inner_Full	20.76	14.11
n26_Part90	5	15	821.5	CP	64QAM	Edge_1RB_Left	20.49	13.84
n26_Part90	5	15	821.5	CP	64QAM	Edge_1RB_Right	20.69	14.04
n26_Part90	5	15	821.5	CP	64QAM	Outer_Full	20.90	14.25
n26_Part90	5	15	821.5	CP	256QAM	Inner_Full	17.96	11.31
n26_Part90	5	15	821.5	CP	256QAM	Edge_1RB_Left	17.69	11.04
n26_Part90	5	15	821.5	CP	256QAM	Edge_1RB_Right	17.67	11.02
n26_Part90	5	15	821.5	CP	256QAM	Outer_Full	17.86	11.21
n26_Part90	10	15	819	DFT	pi/2 BPSK	Inner_Full	23.84	17.19
n26_Part90	10	15	819	DFT	pi/2 BPSK	Edge_1RB_Left	23.23	16.58
n26_Part90	10	15	819	DFT	pi/2 BPSK	Edge_1RB_Right	23.25	16.60
n26_Part90	10	15	819	DFT	pi/2 BPSK	Outer_Full	23.26	16.61
n26_Part90	10	15	819	DFT	QPSK	Inner_Full	23.82	17.17
n26_Part90	10	15	819	DFT	QPSK	Edge_1RB_Left	22.70	16.05
n26_Part90	10	15	819	DFT	QPSK	Edge_1RB_Right	22.86	16.21
n26_Part90	10	15	819	DFT	QPSK	Outer_Full	22.81	16.16
n26_Part90	10	15	819	DFT	16QAM	Inner_Full	22.71	16.06
n26_Part90	10	15	819	DFT	16QAM	Edge_1RB_Left	22.03	15.38



n26_Part90	10	15	819	DFT	16QAM	Edge_1RB_Right	21.99	15.34
n26_Part90	10	15	819	DFT	16QAM	Outer_Full	21.64	14.99
n26_Part90	10	15	819	DFT	64QAM	Inner_Full	21.33	14.68
n26_Part90	10	15	819	DFT	64QAM	Edge_1RB_Left	20.99	14.34
n26_Part90	10	15	819	DFT	64QAM	Edge_1RB_Right	21.13	14.48
n26_Part90	10	15	819	DFT	64QAM	Outer_Full	21.25	14.60
n26_Part90	10	15	819	DFT	256QAM	Inner_Full	19.31	12.66
n26_Part90	10	15	819	DFT	256QAM	Edge_1RB_Left	19.00	12.35
n26_Part90	10	15	819	DFT	256QAM	Edge_1RB_Right	19.02	12.37
n26_Part90	10	15	819	DFT	256QAM	Outer_Full	19.26	12.61
n26_Part90	10	15	819	CP	QPSK	Inner_Full	22.37	15.72
n26_Part90	10	15	819	CP	QPSK	Edge_1RB_Left	20.75	14.10
n26_Part90	10	15	819	CP	QPSK	Edge_1RB_Right	20.87	14.22
n26_Part90	10	15	819	CP	QPSK	Outer_Full	20.72	14.07
n26_Part90	10	15	819	CP	16QAM	Inner_Full	21.88	15.23
n26_Part90	10	15	819	CP	16QAM	Edge_1RB_Left	20.95	14.30
n26_Part90	10	15	819	CP	16QAM	Edge_1RB_Right	21.33	14.68
n26_Part90	10	15	819	CP	16QAM	Outer_Full	20.82	14.17
n26_Part90	10	15	819	CP	64QAM	Inner_Full	20.30	13.65
n26_Part90	10	15	819	CP	64QAM	Edge_1RB_Left	19.95	13.30
n26_Part90	10	15	819	CP	64QAM	Edge_1RB_Right	20.13	13.48
n26_Part90	10	15	819	CP	64QAM	Outer_Full	20.29	13.64
n26_Part90	10	15	819	CP	256QAM	Inner_Full	17.23	10.58
n26_Part90	10	15	819	CP	256QAM	Edge_1RB_Left	16.99	10.34
n26_Part90	10	15	819	CP	256QAM	Edge_1RB_Right	17.26	10.61
n26_Part90	10	15	819	CP	256QAM	Outer_Full	17.30	10.65

NR n30
Limit ≤ 24dBm/5MHz

BAND	BW (MHz)	SCS (kHz)	FREQ (MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power (dBm/5MHz)	EIRP (dBm/5MHz)	Margin
n30	5	15	2307.5	DFT	pi/2 BPSK	Inner_Full	23.66	21.46	2.54
n30	5	15	2310	DFT	pi/2 BPSK	Inner_Full	23.61	21.41	2.59
n30	5	15	2312.5	DFT	pi/2 BPSK	Inner_Full	23.71	21.51	2.49
n30	5	15	2307.5	DFT	QPSK	Inner_Full	23.69	21.49	2.51
n30	5	15	2310	DFT	QPSK	Inner_Full	23.57	21.37	2.63
n30	5	15	2312.5	DFT	QPSK	Inner_Full	23.43	21.23	2.77
n30	5	15	2307.5	DFT	16QAM	Inner_Full	22.67	20.47	3.53
n30	5	15	2310	DFT	16QAM	Inner_Full	22.68	20.48	3.52
n30	5	15	2312.5	DFT	16QAM	Inner_Full	22.71	20.51	3.49
n30	5	15	2307.5	DFT	64QAM	Inner_Full	21.22	19.02	4.98
n30	5	15	2310	DFT	64QAM	Inner_Full	21.22	19.02	4.98
n30	5	15	2312.5	DFT	64QAM	Inner_Full	21.24	19.04	4.96
n30	5	15	2307.5	DFT	256QAM	Inner_Full	19.15	16.95	7.05
n30	5	15	2310	DFT	256QAM	Inner_Full	19.04	16.84	7.16
n30	5	15	2312.5	DFT	256QAM	Inner_Full	19.14	16.94	7.06
n30	10	15	2310	DFT	pi/2 BPSK	Inner_Full	23.11	20.91	3.09
n30	10	15	2310	DFT	QPSK	Inner_Full	23.06	20.86	3.14
n30	10	15	2310	DFT	16QAM	Inner_Full	22.07	19.87	4.13
n30	10	15	2310	DFT	64QAM	Inner_Full	20.56	18.36	5.64
n30	10	15	2310	DFT	256QAM	Inner_Full	18.52	16.32	7.68



NR n41

Limit ≤ 33dBm(2W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	EIRP(dBm) (Gt - Lc = 1.4)
n41	20	30	2506.02	DFT	pi/2 BPSK	Inner_Full	25.27	26.67
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.48	22.88
n41	20	30	2506.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.87	23.27
n41	20	30	2506.02	DFT	pi/2 BPSK	Outer_Full	24.63	26.03
n41	20	30	2506.02	DFT	QPSK	Inner_Full	25.36	26.76
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Left	21.37	22.77
n41	20	30	2506.02	DFT	QPSK	Edge_1RB_Right	22.03	23.43
n41	20	30	2506.02	DFT	QPSK	Outer_Full	24.16	25.56
n41	20	30	2506.02	DFT	16QAM	Inner_Full	24.31	25.71
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Left	21.66	23.06
n41	20	30	2506.02	DFT	16QAM	Edge_1RB_Right	21.98	23.38
n41	20	30	2506.02	DFT	16QAM	Outer_Full	23.14	24.54
n41	20	30	2506.02	DFT	64QAM	Inner_Full	22.55	23.95
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Left	20.89	22.29
n41	20	30	2506.02	DFT	64QAM	Edge_1RB_Right	21.39	22.79
n41	20	30	2506.02	DFT	64QAM	Outer_Full	22.64	24.04
n41	20	30	2506.02	DFT	256QAM	Inner_Full	20.76	22.16
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Left	20.40	21.80
n41	20	30	2506.02	DFT	256QAM	Edge_1RB_Right	20.94	22.34
n41	20	30	2506.02	DFT	256QAM	Outer_Full	20.87	22.27
n41	20	30	2506.02	CP	QPSK	Inner_Full	23.76	25.16
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Left	21.61	23.01
n41	20	30	2506.02	CP	QPSK	Edge_1RB_Right	21.92	23.32
n41	20	30	2506.02	CP	QPSK	Outer_Full	22.19	23.59
n41	20	30	2506.02	CP	16QAM	Inner_Full	23.14	24.54
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Left	21.73	23.13
n41	20	30	2506.02	CP	16QAM	Edge_1RB_Right	22.32	23.72
n41	20	30	2506.02	CP	16QAM	Outer_Full	22.36	23.76
n41	20	30	2506.02	CP	64QAM	Inner_Full	21.61	23.01
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Left	21.41	22.81
n41	20	30	2506.02	CP	64QAM	Edge_1RB_Right	21.75	23.15
n41	20	30	2506.02	CP	64QAM	Outer_Full	21.92	23.32
n41	20	30	2506.02	CP	256QAM	Inner_Full	18.77	20.17
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Left	18.42	19.82
n41	20	30	2506.02	CP	256QAM	Edge_1RB_Right	18.89	20.29
n41	20	30	2506.02	CP	256QAM	Outer_Full	18.67	20.07
n41	20	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.19	27.59

n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.82	24.22
n41	20	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.32	23.72
n41	20	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.63	27.03
n41	20	30	2592.99	DFT	QPSK	Inner_Full	26.03	27.43
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.73	24.13
n41	20	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.61	24.01
n41	20	30	2592.99	DFT	QPSK	Outer_Full	25.21	26.61
n41	20	30	2592.99	DFT	16QAM	Inner_Full	25.23	26.63
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.84	24.24
n41	20	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.61	24.01
n41	20	30	2592.99	DFT	16QAM	Outer_Full	24.22	25.62
n41	20	30	2592.99	DFT	64QAM	Inner_Full	23.65	25.05
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.37	23.77
n41	20	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.21	23.61
n41	20	30	2592.99	DFT	64QAM	Outer_Full	23.59	24.99
n41	20	30	2592.99	DFT	256QAM	Inner_Full	21.42	22.82
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.44	22.84
n41	20	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.39	22.79
n41	20	30	2592.99	DFT	256QAM	Outer_Full	21.50	22.90
n41	20	30	2592.99	CP	QPSK	Inner_Full	24.59	25.99
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Left	22.77	24.17
n41	20	30	2592.99	CP	QPSK	Edge_1RB_Right	22.42	23.82
n41	20	30	2592.99	CP	QPSK	Outer_Full	23.06	24.46
n41	20	30	2592.99	CP	16QAM	Inner_Full	23.97	25.37
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Left	22.83	24.23
n41	20	30	2592.99	CP	16QAM	Edge_1RB_Right	22.59	23.99
n41	20	30	2592.99	CP	16QAM	Outer_Full	23.00	24.40
n41	20	30	2592.99	CP	64QAM	Inner_Full	22.73	24.13
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Left	22.24	23.64
n41	20	30	2592.99	CP	64QAM	Edge_1RB_Right	22.04	23.44
n41	20	30	2592.99	CP	64QAM	Outer_Full	22.72	24.12
n41	20	30	2592.99	CP	256QAM	Inner_Full	19.51	20.91
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Left	19.67	21.07
n41	20	30	2592.99	CP	256QAM	Edge_1RB_Right	19.68	21.08
n41	20	30	2592.99	CP	256QAM	Outer_Full	19.76	21.16
n41	20	30	2679.99	DFT	pi/2 BPSK	Inner_Full	25.89	27.29
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.92	24.32
n41	20	30	2679.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.12	23.52
n41	20	30	2679.99	DFT	pi/2 BPSK	Outer_Full	25.45	26.85
n41	20	30	2679.99	DFT	QPSK	Inner_Full	26.09	27.49
n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Left	22.78	24.18

n41	20	30	2679.99	DFT	QPSK	Edge_1RB_Right	22.27	23.67
n41	20	30	2679.99	DFT	QPSK	Outer_Full	25.09	26.49
n41	20	30	2679.99	DFT	16QAM	Inner_Full	24.87	26.27
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Left	22.93	24.33
n41	20	30	2679.99	DFT	16QAM	Edge_1RB_Right	22.06	23.46
n41	20	30	2679.99	DFT	16QAM	Outer_Full	23.91	25.31
n41	20	30	2679.99	DFT	64QAM	Inner_Full	23.58	24.98
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Left	22.24	23.64
n41	20	30	2679.99	DFT	64QAM	Edge_1RB_Right	21.57	22.97
n41	20	30	2679.99	DFT	64QAM	Outer_Full	23.46	24.86
n41	20	30	2679.99	DFT	256QAM	Inner_Full	21.58	22.98
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Left	21.65	23.05
n41	20	30	2679.99	DFT	256QAM	Edge_1RB_Right	21.02	22.42
n41	20	30	2679.99	DFT	256QAM	Outer_Full	21.57	22.97
n41	20	30	2679.99	CP	QPSK	Inner_Full	24.48	25.88
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Left	22.89	24.29
n41	20	30	2679.99	CP	QPSK	Edge_1RB_Right	22.33	23.73
n41	20	30	2679.99	CP	QPSK	Outer_Full	23.02	24.42
n41	20	30	2679.99	CP	16QAM	Inner_Full	23.94	25.34
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Left	22.95	24.35
n41	20	30	2679.99	CP	16QAM	Edge_1RB_Right	22.42	23.82
n41	20	30	2679.99	CP	16QAM	Outer_Full	22.94	24.34
n41	20	30	2679.99	CP	64QAM	Inner_Full	22.42	23.82
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Left	22.39	23.79
n41	20	30	2679.99	CP	64QAM	Edge_1RB_Right	22.01	23.41
n41	20	30	2679.99	CP	64QAM	Outer_Full	22.52	23.92
n41	20	30	2679.99	CP	256QAM	Inner_Full	19.66	21.06
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Left	19.65	21.05
n41	20	30	2679.99	CP	256QAM	Edge_1RB_Right	19.07	20.47
n41	20	30	2679.99	CP	256QAM	Outer_Full	19.44	20.84
n41	30	30	2511	DFT	pi/2 BPSK	Inner_Full	25.46	26.86
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Left	21.73	23.13
n41	30	30	2511	DFT	pi/2 BPSK	Edge_1RB_Right	22.67	24.07
n41	30	30	2511	DFT	pi/2 BPSK	Outer_Full	25.13	26.53
n41	30	30	2511	DFT	QPSK	Inner_Full	25.66	27.06
n41	30	30	2511	DFT	QPSK	Edge_1RB_Left	21.83	23.23
n41	30	30	2511	DFT	QPSK	Edge_1RB_Right	22.63	24.03
n41	30	30	2511	DFT	QPSK	Outer_Full	24.71	26.11
n41	30	30	2511	DFT	16QAM	Inner_Full	24.59	25.99
n41	30	30	2511	DFT	16QAM	Edge_1RB_Left	21.58	22.98
n41	30	30	2511	DFT	16QAM	Edge_1RB_Right	22.64	24.04

n41	30	30	2511	DFT	16QAM	Outer_Full	23.34	24.74
n41	30	30	2511	DFT	64QAM	Inner_Full	22.95	24.35
n41	30	30	2511	DFT	64QAM	Edge_1RB_Left	21.15	22.55
n41	30	30	2511	DFT	64QAM	Edge_1RB_Right	21.94	23.34
n41	30	30	2511	DFT	64QAM	Outer_Full	23.08	24.48
n41	30	30	2511	DFT	256QAM	Inner_Full	21.11	22.51
n41	30	30	2511	DFT	256QAM	Edge_1RB_Left	20.73	22.13
n41	30	30	2511	DFT	256QAM	Edge_1RB_Right	21.51	22.91
n41	30	30	2511	DFT	256QAM	Outer_Full	21.19	22.59
n41	30	30	2511	CP	QPSK	Inner_Full	24.13	25.53
n41	30	30	2511	CP	QPSK	Edge_1RB_Left	21.88	23.28
n41	30	30	2511	CP	QPSK	Edge_1RB_Right	22.42	23.82
n41	30	30	2511	CP	QPSK	Outer_Full	22.38	23.78
n41	30	30	2511	CP	16QAM	Inner_Full	23.48	24.88
n41	30	30	2511	CP	16QAM	Edge_1RB_Left	22.11	23.51
n41	30	30	2511	CP	16QAM	Edge_1RB_Right	22.79	24.19
n41	30	30	2511	CP	16QAM	Outer_Full	22.71	24.11
n41	30	30	2511	CP	64QAM	Inner_Full	22.01	23.41
n41	30	30	2511	CP	64QAM	Edge_1RB_Left	21.51	22.91
n41	30	30	2511	CP	64QAM	Edge_1RB_Right	21.86	23.26
n41	30	30	2511	CP	64QAM	Outer_Full	22.18	23.58
n41	30	30	2511	CP	256QAM	Inner_Full	19.12	20.52
n41	30	30	2511	CP	256QAM	Edge_1RB_Left	18.79	20.19
n41	30	30	2511	CP	256QAM	Edge_1RB_Right	19.53	20.93
n41	30	30	2511	CP	256QAM	Outer_Full	19.00	20.40
n41	30	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.00	27.40
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.87	24.27
n41	30	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.49	23.89
n41	30	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.48	26.88
n41	30	30	2592.99	DFT	QPSK	Inner_Full	26.25	27.65
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.62	24.02
n41	30	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.38	23.78
n41	30	30	2592.99	DFT	QPSK	Outer_Full	25.24	26.64
n41	30	30	2592.99	DFT	16QAM	Inner_Full	25.04	26.44
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.92	24.32
n41	30	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.77	24.17
n41	30	30	2592.99	DFT	16QAM	Outer_Full	23.96	25.36
n41	30	30	2592.99	DFT	64QAM	Inner_Full	23.46	24.86
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.28	23.68
n41	30	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.97	23.37
n41	30	30	2592.99	DFT	64QAM	Outer_Full	23.66	25.06



n41	30	30	2592.99	DFT	256QAM	Inner_Full	21.86	23.26
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.87	23.27
n41	30	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.76	23.16
n41	30	30	2592.99	DFT	256QAM	Outer_Full	21.72	23.12
n41	30	30	2592.99	CP	QPSK	Inner_Full	24.82	26.22
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Left	22.71	24.11
n41	30	30	2592.99	CP	QPSK	Edge_1RB_Right	22.73	24.13
n41	30	30	2592.99	CP	QPSK	Outer_Full	23.19	24.59
n41	30	30	2592.99	CP	16QAM	Inner_Full	24.22	25.62
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Left	22.95	24.35
n41	30	30	2592.99	CP	16QAM	Edge_1RB_Right	22.98	24.38
n41	30	30	2592.99	CP	16QAM	Outer_Full	23.27	24.67
n41	30	30	2592.99	CP	64QAM	Inner_Full	22.70	24.10
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Left	22.50	23.90
n41	30	30	2592.99	CP	64QAM	Edge_1RB_Right	22.29	23.69
n41	30	30	2592.99	CP	64QAM	Outer_Full	22.89	24.29
n41	30	30	2592.99	CP	256QAM	Inner_Full	19.49	20.89
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Left	19.64	21.04
n41	30	30	2592.99	CP	256QAM	Edge_1RB_Right	19.75	21.15
n41	30	30	2592.99	CP	256QAM	Outer_Full	19.89	21.29
n41	30	30	2674.98	DFT	pi/2 BPSK	Inner_Full	26.49	27.89
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.89	24.29
n41	30	30	2674.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.38	23.78
n41	30	30	2674.98	DFT	pi/2 BPSK	Outer_Full	25.81	27.21
n41	30	30	2674.98	DFT	QPSK	Inner_Full	26.28	27.68
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Left	22.85	24.25
n41	30	30	2674.98	DFT	QPSK	Edge_1RB_Right	22.43	23.83
n41	30	30	2674.98	DFT	QPSK	Outer_Full	25.36	26.76
n41	30	30	2674.98	DFT	16QAM	Inner_Full	25.19	26.59
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Left	22.99	24.39
n41	30	30	2674.98	DFT	16QAM	Edge_1RB_Right	22.53	23.93
n41	30	30	2674.98	DFT	16QAM	Outer_Full	24.43	25.83
n41	30	30	2674.98	DFT	64QAM	Inner_Full	23.73	25.13
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Left	22.34	23.74
n41	30	30	2674.98	DFT	64QAM	Edge_1RB_Right	21.88	23.28
n41	30	30	2674.98	DFT	64QAM	Outer_Full	23.83	25.23
n41	30	30	2674.98	DFT	256QAM	Inner_Full	21.93	23.33
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Left	21.88	23.28
n41	30	30	2674.98	DFT	256QAM	Edge_1RB_Right	21.46	22.86
n41	30	30	2674.98	DFT	256QAM	Outer_Full	21.99	23.39
n41	30	30	2674.98	CP	QPSK	Inner_Full	24.68	26.08

n41	30	30	2674.98	CP	QPSK	Edge_1RB_Left	22.98	24.38
n41	30	30	2674.98	CP	QPSK	Edge_1RB_Right	22.43	23.83
n41	30	30	2674.98	CP	QPSK	Outer_Full	23.43	24.83
n41	30	30	2674.98	CP	16QAM	Inner_Full	24.40	25.80
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Left	22.93	24.33
n41	30	30	2674.98	CP	16QAM	Edge_1RB_Right	22.68	24.08
n41	30	30	2674.98	CP	16QAM	Outer_Full	23.25	24.65
n41	30	30	2674.98	CP	64QAM	Inner_Full	22.89	24.29
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Left	22.46	23.86
n41	30	30	2674.98	CP	64QAM	Edge_1RB_Right	22.10	23.50
n41	30	30	2674.98	CP	64QAM	Outer_Full	22.66	24.06
n41	30	30	2674.98	CP	256QAM	Inner_Full	19.85	21.25
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Left	19.65	21.05
n41	30	30	2674.98	CP	256QAM	Edge_1RB_Right	19.42	20.82
n41	30	30	2674.98	CP	256QAM	Outer_Full	19.65	21.05
n41	40	30	2516.01	DFT	pi/2 BPSK	Inner_Full	25.43	26.83
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.97	23.37
n41	40	30	2516.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.40	23.80
n41	40	30	2516.01	DFT	pi/2 BPSK	Outer_Full	25.21	26.61
n41	40	30	2516.01	DFT	QPSK	Inner_Full	25.68	27.08
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Left	21.87	23.27
n41	40	30	2516.01	DFT	QPSK	Edge_1RB_Right	22.43	23.83
n41	40	30	2516.01	DFT	QPSK	Outer_Full	24.67	26.07
n41	40	30	2516.01	DFT	16QAM	Inner_Full	24.68	26.08
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Left	22.04	23.44
n41	40	30	2516.01	DFT	16QAM	Edge_1RB_Right	22.36	23.76
n41	40	30	2516.01	DFT	16QAM	Outer_Full	23.66	25.06
n41	40	30	2516.01	DFT	64QAM	Inner_Full	22.99	24.39
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Left	21.23	22.63
n41	40	30	2516.01	DFT	64QAM	Edge_1RB_Right	22.19	23.59
n41	40	30	2516.01	DFT	64QAM	Outer_Full	23.24	24.64
n41	40	30	2516.01	DFT	256QAM	Inner_Full	20.91	22.31
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Left	20.80	22.20
n41	40	30	2516.01	DFT	256QAM	Edge_1RB_Right	21.35	22.75
n41	40	30	2516.01	DFT	256QAM	Outer_Full	21.23	22.63
n41	40	30	2516.01	CP	QPSK	Inner_Full	24.16	25.56
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Left	21.89	23.29
n41	40	30	2516.01	CP	QPSK	Edge_1RB_Right	22.67	24.07
n41	40	30	2516.01	CP	QPSK	Outer_Full	22.60	24.00
n41	40	30	2516.01	CP	16QAM	Inner_Full	23.70	25.10
n41	40	30	2516.01	CP	16QAM	Edge_1RB_Left	21.98	23.38



n41	40	30	2516.01	CP	16QAM	Edge_1RB_Right	22.79	24.19
n41	40	30	2516.01	CP	16QAM	Outer_Full	22.81	24.21
n41	40	30	2516.01	CP	64QAM	Inner_Full	22.26	23.66
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Left	21.25	22.65
n41	40	30	2516.01	CP	64QAM	Edge_1RB_Right	22.12	23.52
n41	40	30	2516.01	CP	64QAM	Outer_Full	22.15	23.55
n41	40	30	2516.01	CP	256QAM	Inner_Full	19.13	20.53
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Left	18.70	20.10
n41	40	30	2516.01	CP	256QAM	Edge_1RB_Right	19.52	20.92
n41	40	30	2516.01	CP	256QAM	Outer_Full	18.98	20.38
n41	40	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.20	27.60
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.87	24.27
n41	40	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.67	24.07
n41	40	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.76	27.16
n41	40	30	2592.99	DFT	QPSK	Inner_Full	26.21	27.61
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.80	24.20
n41	40	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.62	24.02
n41	40	30	2592.99	DFT	QPSK	Outer_Full	24.99	26.39
n41	40	30	2592.99	DFT	16QAM	Inner_Full	25.17	26.57
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.99	24.39
n41	40	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.82	24.22
n41	40	30	2592.99	DFT	16QAM	Outer_Full	24.17	25.57
n41	40	30	2592.99	DFT	64QAM	Inner_Full	23.82	25.22
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.48	23.88
n41	40	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.13	23.53
n41	40	30	2592.99	DFT	64QAM	Outer_Full	23.57	24.97
n41	40	30	2592.99	DFT	256QAM	Inner_Full	21.45	22.85
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.54	22.94
n41	40	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.32	22.72
n41	40	30	2592.99	DFT	256QAM	Outer_Full	21.56	22.96
n41	40	30	2592.99	CP	QPSK	Inner_Full	24.67	26.07
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Left	22.96	24.36
n41	40	30	2592.99	CP	QPSK	Edge_1RB_Right	22.41	23.81
n41	40	30	2592.99	CP	QPSK	Outer_Full	23.33	24.73
n41	40	30	2592.99	CP	16QAM	Inner_Full	24.29	25.69
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Left	22.99	24.39
n41	40	30	2592.99	CP	16QAM	Edge_1RB_Right	22.62	24.02
n41	40	30	2592.99	CP	16QAM	Outer_Full	23.39	24.79
n41	40	30	2592.99	CP	64QAM	Inner_Full	22.85	24.25
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Left	22.48	23.88
n41	40	30	2592.99	CP	64QAM	Edge_1RB_Right	22.28	23.68



n41	40	30	2592.99	CP	64QAM	Outer_Full	22.56	23.96
n41	40	30	2592.99	CP	256QAM	Inner_Full	19.60	21.00
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Left	19.72	21.12
n41	40	30	2592.99	CP	256QAM	Edge_1RB_Right	19.66	21.06
n41	40	30	2592.99	CP	256QAM	Outer_Full	19.89	21.29
n41	40	30	2670	DFT	pi/2 BPSK	Inner_Full	26.49	27.89
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Left	22.66	24.06
n41	40	30	2670	DFT	pi/2 BPSK	Edge_1RB_Right	22.55	23.95
n41	40	30	2670	DFT	pi/2 BPSK	Outer_Full	25.66	27.06
n41	40	30	2670	DFT	QPSK	Inner_Full	26.21	27.61
n41	40	30	2670	DFT	QPSK	Edge_1RB_Left	22.37	23.77
n41	40	30	2670	DFT	QPSK	Edge_1RB_Right	22.47	23.87
n41	40	30	2670	DFT	QPSK	Outer_Full	25.19	26.59
n41	40	30	2670	DFT	16QAM	Inner_Full	25.24	26.64
n41	40	30	2670	DFT	16QAM	Edge_1RB_Left	22.85	24.25
n41	40	30	2670	DFT	16QAM	Edge_1RB_Right	22.46	23.86
n41	40	30	2670	DFT	16QAM	Outer_Full	24.20	25.60
n41	40	30	2670	DFT	64QAM	Inner_Full	23.99	25.39
n41	40	30	2670	DFT	64QAM	Edge_1RB_Left	22.37	23.77
n41	40	30	2670	DFT	64QAM	Edge_1RB_Right	21.81	23.21
n41	40	30	2670	DFT	64QAM	Outer_Full	23.93	25.33
n41	40	30	2670	DFT	256QAM	Inner_Full	21.95	23.35
n41	40	30	2670	DFT	256QAM	Edge_1RB_Left	21.56	22.96
n41	40	30	2670	DFT	256QAM	Edge_1RB_Right	21.25	22.65
n41	40	30	2670	DFT	256QAM	Outer_Full	21.67	23.07
n41	40	30	2670	CP	QPSK	Inner_Full	24.80	26.20
n41	40	30	2670	CP	QPSK	Edge_1RB_Left	22.51	23.91
n41	40	30	2670	CP	QPSK	Edge_1RB_Right	22.25	23.65
n41	40	30	2670	CP	QPSK	Outer_Full	23.30	24.70
n41	40	30	2670	CP	16QAM	Inner_Full	24.18	25.58
n41	40	30	2670	CP	16QAM	Edge_1RB_Left	22.82	24.22
n41	40	30	2670	CP	16QAM	Edge_1RB_Right	22.54	23.94
n41	40	30	2670	CP	16QAM	Outer_Full	23.13	24.53
n41	40	30	2670	CP	64QAM	Inner_Full	22.77	24.17
n41	40	30	2670	CP	64QAM	Edge_1RB_Left	22.50	23.90
n41	40	30	2670	CP	64QAM	Edge_1RB_Right	22.08	23.48
n41	40	30	2670	CP	64QAM	Outer_Full	22.75	24.15
n41	40	30	2670	CP	256QAM	Inner_Full	19.76	21.16
n41	40	30	2670	CP	256QAM	Edge_1RB_Left	19.50	20.90
n41	40	30	2670	CP	256QAM	Edge_1RB_Right	19.34	20.74
n41	40	30	2670	CP	256QAM	Outer_Full	19.64	21.04

n41	50	30	2521.02	DFT	pi/2 BPSK	Inner_Full	25.70	27.10
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.46	22.86
n41	50	30	2521.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.10	23.50
n41	50	30	2521.02	DFT	pi/2 BPSK	Outer_Full	25.17	26.57
n41	50	30	2521.02	DFT	QPSK	Inner_Full	25.55	26.95
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Left	21.37	22.77
n41	50	30	2521.02	DFT	QPSK	Edge_1RB_Right	22.17	23.57
n41	50	30	2521.02	DFT	QPSK	Outer_Full	24.31	25.71
n41	50	30	2521.02	DFT	16QAM	Inner_Full	24.50	25.90
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Left	21.47	22.87
n41	50	30	2521.02	DFT	16QAM	Edge_1RB_Right	22.43	23.83
n41	50	30	2521.02	DFT	16QAM	Outer_Full	23.48	24.88
n41	50	30	2521.02	DFT	64QAM	Inner_Full	23.18	24.58
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Left	21.04	22.44
n41	50	30	2521.02	DFT	64QAM	Edge_1RB_Right	21.87	23.27
n41	50	30	2521.02	DFT	64QAM	Outer_Full	23.21	24.61
n41	50	30	2521.02	DFT	256QAM	Inner_Full	21.07	22.47
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Left	20.66	22.06
n41	50	30	2521.02	DFT	256QAM	Edge_1RB_Right	21.24	22.64
n41	50	30	2521.02	DFT	256QAM	Outer_Full	21.33	22.73
n41	50	30	2521.02	CP	QPSK	Inner_Full	24.24	25.64
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Left	21.60	23.00
n41	50	30	2521.02	CP	QPSK	Edge_1RB_Right	22.60	24.00
n41	50	30	2521.02	CP	QPSK	Outer_Full	22.74	24.14
n41	50	30	2521.02	CP	16QAM	Inner_Full	23.77	25.17
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Left	21.86	23.26
n41	50	30	2521.02	CP	16QAM	Edge_1RB_Right	22.66	24.06
n41	50	30	2521.02	CP	16QAM	Outer_Full	22.73	24.13
n41	50	30	2521.02	CP	64QAM	Inner_Full	22.30	23.70
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Left	21.31	22.71
n41	50	30	2521.02	CP	64QAM	Edge_1RB_Right	22.05	23.45
n41	50	30	2521.02	CP	64QAM	Outer_Full	22.16	23.56
n41	50	30	2521.02	CP	256QAM	Inner_Full	18.86	20.26
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Left	18.58	19.98
n41	50	30	2521.02	CP	256QAM	Edge_1RB_Right	19.42	20.82
n41	50	30	2521.02	CP	256QAM	Outer_Full	19.20	20.60
n41	50	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.17	27.57
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.65	24.05
n41	50	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.50	23.90
n41	50	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.49	26.89
n41	50	30	2592.99	DFT	QPSK	Inner_Full	26.17	27.57



I22Z61533-WMD04

n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.56	23.96
n41	50	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.35	23.75
n41	50	30	2592.99	DFT	QPSK	Outer_Full	25.17	26.57
n41	50	30	2592.99	DFT	16QAM	Inner_Full	24.95	26.35
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.76	24.16
n41	50	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.39	23.79
n41	50	30	2592.99	DFT	16QAM	Outer_Full	24.27	25.67
n41	50	30	2592.99	DFT	64QAM	Inner_Full	23.58	24.98
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Left	22.10	23.50
n41	50	30	2592.99	DFT	64QAM	Edge_1RB_Right	22.03	23.43
n41	50	30	2592.99	DFT	64QAM	Outer_Full	23.77	25.17
n41	50	30	2592.99	DFT	256QAM	Inner_Full	21.77	23.17
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.53	22.93
n41	50	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.50	22.90
n41	50	30	2592.99	DFT	256QAM	Outer_Full	21.79	23.19
n41	50	30	2592.99	CP	QPSK	Inner_Full	24.71	26.11
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Left	22.80	24.20
n41	50	30	2592.99	CP	QPSK	Edge_1RB_Right	22.33	23.73
n41	50	30	2592.99	CP	QPSK	Outer_Full	23.09	24.49
n41	50	30	2592.99	CP	16QAM	Inner_Full	24.22	25.62
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Left	22.59	23.99
n41	50	30	2592.99	CP	16QAM	Edge_1RB_Right	22.55	23.95
n41	50	30	2592.99	CP	16QAM	Outer_Full	23.04	24.44
n41	50	30	2592.99	CP	64QAM	Inner_Full	22.62	24.02
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Left	22.29	23.69
n41	50	30	2592.99	CP	64QAM	Edge_1RB_Right	21.91	23.31
n41	50	30	2592.99	CP	64QAM	Outer_Full	22.66	24.06
n41	50	30	2592.99	CP	256QAM	Inner_Full	19.46	20.86
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Left	19.52	20.92
n41	50	30	2592.99	CP	256QAM	Edge_1RB_Right	19.41	20.81
n41	50	30	2592.99	CP	256QAM	Outer_Full	19.35	20.75
n41	50	30	2664.99	DFT	pi/2 BPSK	Inner_Full	26.23	27.63
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.12	23.52
n41	50	30	2664.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.31	23.71
n41	50	30	2664.99	DFT	pi/2 BPSK	Outer_Full	25.62	27.02
n41	50	30	2664.99	DFT	QPSK	Inner_Full	26.30	27.70
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Left	22.36	23.76
n41	50	30	2664.99	DFT	QPSK	Edge_1RB_Right	21.99	23.39
n41	50	30	2664.99	DFT	QPSK	Outer_Full	25.24	26.64
n41	50	30	2664.99	DFT	16QAM	Inner_Full	25.34	26.74
n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Left	22.44	23.84

n41	50	30	2664.99	DFT	16QAM	Edge_1RB_Right	22.52	23.92
n41	50	30	2664.99	DFT	16QAM	Outer_Full	24.07	25.47
n41	50	30	2664.99	DFT	64QAM	Inner_Full	23.61	25.01
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Left	22.05	23.45
n41	50	30	2664.99	DFT	64QAM	Edge_1RB_Right	21.85	23.25
n41	50	30	2664.99	DFT	64QAM	Outer_Full	23.69	25.09
n41	50	30	2664.99	DFT	256QAM	Inner_Full	21.72	23.12
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Left	21.35	22.75
n41	50	30	2664.99	DFT	256QAM	Edge_1RB_Right	20.85	22.25
n41	50	30	2664.99	DFT	256QAM	Outer_Full	21.63	23.03
n41	50	30	2664.99	CP	QPSK	Inner_Full	24.90	26.30
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Left	22.34	23.74
n41	50	30	2664.99	CP	QPSK	Edge_1RB_Right	22.24	23.64
n41	50	30	2664.99	CP	QPSK	Outer_Full	23.02	24.42
n41	50	30	2664.99	CP	16QAM	Inner_Full	24.12	25.52
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Left	22.42	23.82
n41	50	30	2664.99	CP	16QAM	Edge_1RB_Right	22.35	23.75
n41	50	30	2664.99	CP	16QAM	Outer_Full	22.88	24.28
n41	50	30	2664.99	CP	64QAM	Inner_Full	22.87	24.27
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Left	22.25	23.65
n41	50	30	2664.99	CP	64QAM	Edge_1RB_Right	22.10	23.50
n41	50	30	2664.99	CP	64QAM	Outer_Full	22.82	24.22
n41	50	30	2664.99	CP	256QAM	Inner_Full	19.96	21.36
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Left	19.58	20.98
n41	50	30	2664.99	CP	256QAM	Edge_1RB_Right	19.17	20.57
n41	50	30	2664.99	CP	256QAM	Outer_Full	19.62	21.02
n41	60	30	2526	DFT	pi/2 BPSK	Inner_Full	25.46	26.86
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Left	21.39	22.79
n41	60	30	2526	DFT	pi/2 BPSK	Edge_1RB_Right	22.10	23.50
n41	60	30	2526	DFT	pi/2 BPSK	Outer_Full	24.99	26.39
n41	60	30	2526	DFT	QPSK	Inner_Full	25.73	27.13
n41	60	30	2526	DFT	QPSK	Edge_1RB_Left	21.60	23.00
n41	60	30	2526	DFT	QPSK	Edge_1RB_Right	22.29	23.69
n41	60	30	2526	DFT	QPSK	Outer_Full	24.37	25.77
n41	60	30	2526	DFT	16QAM	Inner_Full	24.77	26.17
n41	60	30	2526	DFT	16QAM	Edge_1RB_Left	21.83	23.23
n41	60	30	2526	DFT	16QAM	Edge_1RB_Right	22.28	23.68
n41	60	30	2526	DFT	16QAM	Outer_Full	23.45	24.85
n41	60	30	2526	DFT	64QAM	Inner_Full	23.17	24.57
n41	60	30	2526	DFT	64QAM	Edge_1RB_Left	21.21	22.61
n41	60	30	2526	DFT	64QAM	Edge_1RB_Right	21.91	23.31



I22Z61533-WMD04

n41	60	30	2526	DFT	64QAM	Outer_Full	23.30	24.70
n41	60	30	2526	DFT	256QAM	Inner_Full	21.08	22.48
n41	60	30	2526	DFT	256QAM	Edge_1RB_Left	20.66	22.06
n41	60	30	2526	DFT	256QAM	Edge_1RB_Right	20.82	22.22
n41	60	30	2526	DFT	256QAM	Outer_Full	21.25	22.65
n41	60	30	2526	CP	QPSK	Inner_Full	24.18	25.58
n41	60	30	2526	CP	QPSK	Edge_1RB_Left	21.67	23.07
n41	60	30	2526	CP	QPSK	Edge_1RB_Right	22.25	23.65
n41	60	30	2526	CP	QPSK	Outer_Full	22.49	23.89
n41	60	30	2526	CP	16QAM	Inner_Full	23.78	25.18
n41	60	30	2526	CP	16QAM	Edge_1RB_Left	21.80	23.20
n41	60	30	2526	CP	16QAM	Edge_1RB_Right	22.49	23.89
n41	60	30	2526	CP	16QAM	Outer_Full	22.48	23.88
n41	60	30	2526	CP	64QAM	Inner_Full	22.41	23.81
n41	60	30	2526	CP	64QAM	Edge_1RB_Left	21.22	22.62
n41	60	30	2526	CP	64QAM	Edge_1RB_Right	21.85	23.25
n41	60	30	2526	CP	64QAM	Outer_Full	22.11	23.51
n41	60	30	2526	CP	256QAM	Inner_Full	19.32	20.72
n41	60	30	2526	CP	256QAM	Edge_1RB_Left	18.20	19.60
n41	60	30	2526	CP	256QAM	Edge_1RB_Right	19.04	20.44
n41	60	30	2526	CP	256QAM	Outer_Full	19.22	20.62
n41	60	30	2592.99	DFT	pi/2 BPSK	Inner_Full	26.11	27.51
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.20	23.60
n41	60	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.43	23.83
n41	60	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.60	27.00
n41	60	30	2592.99	DFT	QPSK	Inner_Full	26.10	27.50
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.44	23.84
n41	60	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.30	23.70
n41	60	30	2592.99	DFT	QPSK	Outer_Full	24.98	26.38
n41	60	30	2592.99	DFT	16QAM	Inner_Full	24.85	26.25
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.62	24.02
n41	60	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.60	24.00
n41	60	30	2592.99	DFT	16QAM	Outer_Full	24.17	25.57
n41	60	30	2592.99	DFT	64QAM	Inner_Full	23.86	25.26
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.90	23.30
n41	60	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.88	23.28
n41	60	30	2592.99	DFT	64QAM	Outer_Full	23.37	24.77
n41	60	30	2592.99	DFT	256QAM	Inner_Full	21.40	22.80
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.43	22.83
n41	60	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.17	22.57
n41	60	30	2592.99	DFT	256QAM	Outer_Full	21.52	22.92

n41	60	30	2592.99	CP	QPSK	Inner_Full	24.70	26.10
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Left	22.54	23.94
n41	60	30	2592.99	CP	QPSK	Edge_1RB_Right	22.29	23.69
n41	60	30	2592.99	CP	QPSK	Outer_Full	23.16	24.56
n41	60	30	2592.99	CP	16QAM	Inner_Full	24.26	25.66
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Left	22.59	23.99
n41	60	30	2592.99	CP	16QAM	Edge_1RB_Right	22.46	23.86
n41	60	30	2592.99	CP	16QAM	Outer_Full	23.04	24.44
n41	60	30	2592.99	CP	64QAM	Inner_Full	22.84	24.24
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Left	22.19	23.59
n41	60	30	2592.99	CP	64QAM	Edge_1RB_Right	21.87	23.27
n41	60	30	2592.99	CP	64QAM	Outer_Full	22.58	23.98
n41	60	30	2592.99	CP	256QAM	Inner_Full	19.80	21.20
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Left	19.42	20.82
n41	60	30	2592.99	CP	256QAM	Edge_1RB_Right	19.28	20.68
n41	60	30	2592.99	CP	256QAM	Outer_Full	19.71	21.11
n41	60	30	2659.98	DFT	pi/2 BPSK	Inner_Full	26.12	27.52
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.46	23.86
n41	60	30	2659.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.23	23.63
n41	60	30	2659.98	DFT	pi/2 BPSK	Outer_Full	25.57	26.97
n41	60	30	2659.98	DFT	QPSK	Inner_Full	26.04	27.44
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Left	22.45	23.85
n41	60	30	2659.98	DFT	QPSK	Edge_1RB_Right	22.15	23.55
n41	60	30	2659.98	DFT	QPSK	Outer_Full	24.94	26.34
n41	60	30	2659.98	DFT	16QAM	Inner_Full	25.16	26.56
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Left	22.42	23.82
n41	60	30	2659.98	DFT	16QAM	Edge_1RB_Right	22.41	23.81
n41	60	30	2659.98	DFT	16QAM	Outer_Full	23.98	25.38
n41	60	30	2659.98	DFT	64QAM	Inner_Full	23.64	25.04
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Left	21.96	23.36
n41	60	30	2659.98	DFT	64QAM	Edge_1RB_Right	21.70	23.10
n41	60	30	2659.98	DFT	64QAM	Outer_Full	23.69	25.09
n41	60	30	2659.98	DFT	256QAM	Inner_Full	21.48	22.88
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Left	21.26	22.66
n41	60	30	2659.98	DFT	256QAM	Edge_1RB_Right	20.97	22.37
n41	60	30	2659.98	DFT	256QAM	Outer_Full	21.50	22.90
n41	60	30	2659.98	CP	QPSK	Inner_Full	24.55	25.95
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Left	22.44	23.84
n41	60	30	2659.98	CP	QPSK	Edge_1RB_Right	22.17	23.57
n41	60	30	2659.98	CP	QPSK	Outer_Full	23.22	24.62
n41	60	30	2659.98	CP	16QAM	Inner_Full	23.99	25.39



n41	60	30	2659.98	CP	16QAM	Edge_1RB_Left	22.73	24.13
n41	60	30	2659.98	CP	16QAM	Edge_1RB_Right	22.48	23.88
n41	60	30	2659.98	CP	16QAM	Outer_Full	23.11	24.51
n41	60	30	2659.98	CP	64QAM	Inner_Full	22.89	24.29
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Left	22.13	23.53
n41	60	30	2659.98	CP	64QAM	Edge_1RB_Right	21.77	23.17
n41	60	30	2659.98	CP	64QAM	Outer_Full	22.68	24.08
n41	60	30	2659.98	CP	256QAM	Inner_Full	19.48	20.88
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Left	19.24	20.64
n41	60	30	2659.98	CP	256QAM	Edge_1RB_Right	19.09	20.49
n41	60	30	2659.98	CP	256QAM	Outer_Full	19.43	20.83
n41	80	30	2536.02	DFT	pi/2 BPSK	Inner_Full	25.43	26.83
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Left	21.62	23.02
n41	80	30	2536.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.73	24.13
n41	80	30	2536.02	DFT	pi/2 BPSK	Outer_Full	25.05	26.45
n41	80	30	2536.02	DFT	QPSK	Inner_Full	25.79	27.19
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Left	21.52	22.92
n41	80	30	2536.02	DFT	QPSK	Edge_1RB_Right	22.30	23.70
n41	80	30	2536.02	DFT	QPSK	Outer_Full	24.72	26.12
n41	80	30	2536.02	DFT	16QAM	Inner_Full	24.52	25.92
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Left	21.29	22.69
n41	80	30	2536.02	DFT	16QAM	Edge_1RB_Right	22.57	23.97
n41	80	30	2536.02	DFT	16QAM	Outer_Full	23.37	24.77
n41	80	30	2536.02	DFT	64QAM	Inner_Full	23.16	24.56
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Left	21.09	22.49
n41	80	30	2536.02	DFT	64QAM	Edge_1RB_Right	22.13	23.53
n41	80	30	2536.02	DFT	64QAM	Outer_Full	23.13	24.53
n41	80	30	2536.02	DFT	256QAM	Inner_Full	20.93	22.33
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Left	20.41	21.81
n41	80	30	2536.02	DFT	256QAM	Edge_1RB_Right	21.34	22.74
n41	80	30	2536.02	DFT	256QAM	Outer_Full	21.11	22.51
n41	80	30	2536.02	CP	QPSK	Inner_Full	24.03	25.43
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Left	21.56	22.96
n41	80	30	2536.02	CP	QPSK	Edge_1RB_Right	22.52	23.92
n41	80	30	2536.02	CP	QPSK	Outer_Full	22.66	24.06
n41	80	30	2536.02	CP	16QAM	Inner_Full	23.79	25.19
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Left	21.58	22.98
n41	80	30	2536.02	CP	16QAM	Edge_1RB_Right	22.78	24.18
n41	80	30	2536.02	CP	16QAM	Outer_Full	22.51	23.91
n41	80	30	2536.02	CP	64QAM	Inner_Full	21.98	23.38
n41	80	30	2536.02	CP	64QAM	Edge_1RB_Left	21.13	22.53



n41	80	30	2536.02	CP	64QAM	Edge_1RB_Right	22.09	23.49
n41	80	30	2536.02	CP	64QAM	Outer_Full	21.90	23.30
n41	80	30	2536.02	CP	256QAM	Inner_Full	19.13	20.53
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Left	18.14	19.54
n41	80	30	2536.02	CP	256QAM	Edge_1RB_Right	19.51	20.91
n41	80	30	2536.02	CP	256QAM	Outer_Full	19.17	20.57
n41	80	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.96	27.36
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.13	23.53
n41	80	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.35	23.75
n41	80	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.29	26.69
n41	80	30	2592.99	DFT	QPSK	Inner_Full	25.95	27.35
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.03	23.43
n41	80	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.30	23.70
n41	80	30	2592.99	DFT	QPSK	Outer_Full	24.63	26.03
n41	80	30	2592.99	DFT	16QAM	Inner_Full	24.90	26.30
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.27	23.67
n41	80	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.41	23.81
n41	80	30	2592.99	DFT	16QAM	Outer_Full	23.92	25.32
n41	80	30	2592.99	DFT	64QAM	Inner_Full	23.50	24.90
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.36	22.76
n41	80	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.68	23.08
n41	80	30	2592.99	DFT	64QAM	Outer_Full	23.21	24.61
n41	80	30	2592.99	DFT	256QAM	Inner_Full	21.63	23.03
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.06	22.46
n41	80	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.36	22.76
n41	80	30	2592.99	DFT	256QAM	Outer_Full	21.62	23.02
n41	80	30	2592.99	CP	QPSK	Inner_Full	24.39	25.79
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Left	21.88	23.28
n41	80	30	2592.99	CP	QPSK	Edge_1RB_Right	22.45	23.85
n41	80	30	2592.99	CP	QPSK	Outer_Full	22.68	24.08
n41	80	30	2592.99	CP	16QAM	Inner_Full	24.10	25.50
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Left	22.04	23.44
n41	80	30	2592.99	CP	16QAM	Edge_1RB_Right	22.51	23.91
n41	80	30	2592.99	CP	16QAM	Outer_Full	22.99	24.39
n41	80	30	2592.99	CP	64QAM	Inner_Full	22.54	23.94
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Left	21.70	23.10
n41	80	30	2592.99	CP	64QAM	Edge_1RB_Right	21.82	23.22
n41	80	30	2592.99	CP	64QAM	Outer_Full	22.07	23.47
n41	80	30	2592.99	CP	256QAM	Inner_Full	19.29	20.69
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Left	18.82	20.22
n41	80	30	2592.99	CP	256QAM	Edge_1RB_Right	19.04	20.44



I22Z61533-WMD04

n41	80	30	2592.99	CP	256QAM	Outer_Full	19.47	20.87
n41	80	30	2649.99	DFT	pi/2 BPSK	Inner_Full	25.94	27.34
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.27	23.67
n41	80	30	2649.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.96	23.36
n41	80	30	2649.99	DFT	pi/2 BPSK	Outer_Full	25.36	26.76
n41	80	30	2649.99	DFT	QPSK	Inner_Full	25.99	27.39
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Left	22.19	23.59
n41	80	30	2649.99	DFT	QPSK	Edge_1RB_Right	21.73	23.13
n41	80	30	2649.99	DFT	QPSK	Outer_Full	24.75	26.15
n41	80	30	2649.99	DFT	16QAM	Inner_Full	24.94	26.34
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Left	22.30	23.70
n41	80	30	2649.99	DFT	16QAM	Edge_1RB_Right	22.15	23.55
n41	80	30	2649.99	DFT	16QAM	Outer_Full	23.81	25.21
n41	80	30	2649.99	DFT	64QAM	Inner_Full	23.55	24.95
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Left	21.64	23.04
n41	80	30	2649.99	DFT	64QAM	Edge_1RB_Right	21.72	23.12
n41	80	30	2649.99	DFT	64QAM	Outer_Full	23.31	24.71
n41	80	30	2649.99	DFT	256QAM	Inner_Full	21.54	22.94
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Left	21.27	22.67
n41	80	30	2649.99	DFT	256QAM	Edge_1RB_Right	21.09	22.49
n41	80	30	2649.99	DFT	256QAM	Outer_Full	21.30	22.70
n41	80	30	2649.99	CP	QPSK	Inner_Full	24.37	25.77
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Left	22.27	23.67
n41	80	30	2649.99	CP	QPSK	Edge_1RB_Right	22.23	23.63
n41	80	30	2649.99	CP	QPSK	Outer_Full	22.85	24.25
n41	80	30	2649.99	CP	16QAM	Inner_Full	24.05	25.45
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Left	22.35	23.75
n41	80	30	2649.99	CP	16QAM	Edge_1RB_Right	22.19	23.59
n41	80	30	2649.99	CP	16QAM	Outer_Full	23.04	24.44
n41	80	30	2649.99	CP	64QAM	Inner_Full	22.52	23.92
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Left	21.98	23.38
n41	80	30	2649.99	CP	64QAM	Edge_1RB_Right	21.82	23.22
n41	80	30	2649.99	CP	64QAM	Outer_Full	22.37	23.77
n41	80	30	2649.99	CP	256QAM	Inner_Full	19.48	20.88
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Left	19.12	20.52
n41	80	30	2649.99	CP	256QAM	Edge_1RB_Right	19.01	20.41
n41	80	30	2649.99	CP	256QAM	Outer_Full	19.36	20.76
n41	90	30	2541	DFT	pi/2 BPSK	Inner_Full	25.53	26.93
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Left	21.40	22.80
n41	90	30	2541	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	23.82
n41	90	30	2541	DFT	pi/2 BPSK	Outer_Full	25.16	26.56

n41	90	30	2541	DFT	QPSK	Inner_Full	25.56	26.96
n41	90	30	2541	DFT	QPSK	Edge_1RB_Left	21.45	22.85
n41	90	30	2541	DFT	QPSK	Edge_1RB_Right	22.57	23.97
n41	90	30	2541	DFT	QPSK	Outer_Full	24.72	26.12
n41	90	30	2541	DFT	16QAM	Inner_Full	24.71	26.11
n41	90	30	2541	DFT	16QAM	Edge_1RB_Left	21.75	23.15
n41	90	30	2541	DFT	16QAM	Edge_1RB_Right	22.75	24.15
n41	90	30	2541	DFT	16QAM	Outer_Full	23.46	24.86
n41	90	30	2541	DFT	64QAM	Inner_Full	23.01	24.41
n41	90	30	2541	DFT	64QAM	Edge_1RB_Left	20.58	21.98
n41	90	30	2541	DFT	64QAM	Edge_1RB_Right	21.82	23.22
n41	90	30	2541	DFT	64QAM	Outer_Full	23.17	24.57
n41	90	30	2541	DFT	256QAM	Inner_Full	21.31	22.71
n41	90	30	2541	DFT	256QAM	Edge_1RB_Left	19.90	21.30
n41	90	30	2541	DFT	256QAM	Edge_1RB_Right	21.22	22.62
n41	90	30	2541	DFT	256QAM	Outer_Full	20.94	22.34
n41	90	30	2541	CP	QPSK	Inner_Full	24.08	25.48
n41	90	30	2541	CP	QPSK	Edge_1RB_Left	21.09	22.49
n41	90	30	2541	CP	QPSK	Edge_1RB_Right	22.51	23.91
n41	90	30	2541	CP	QPSK	Outer_Full	22.71	24.11
n41	90	30	2541	CP	16QAM	Inner_Full	23.52	24.92
n41	90	30	2541	CP	16QAM	Edge_1RB_Left	21.73	23.13
n41	90	30	2541	CP	16QAM	Edge_1RB_Right	22.58	23.98
n41	90	30	2541	CP	16QAM	Outer_Full	22.61	24.01
n41	90	30	2541	CP	64QAM	Inner_Full	21.96	23.36
n41	90	30	2541	CP	64QAM	Edge_1RB_Left	21.23	22.63
n41	90	30	2541	CP	64QAM	Edge_1RB_Right	22.03	23.43
n41	90	30	2541	CP	64QAM	Outer_Full	21.94	23.34
n41	90	30	2541	CP	256QAM	Inner_Full	19.23	20.63
n41	90	30	2541	CP	256QAM	Edge_1RB_Left	18.23	19.63
n41	90	30	2541	CP	256QAM	Edge_1RB_Right	19.23	20.63
n41	90	30	2541	CP	256QAM	Outer_Full	19.24	20.64
n41	90	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.98	27.38
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	21.89	23.29
n41	90	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.02	23.42
n41	90	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.43	26.83
n41	90	30	2592.99	DFT	QPSK	Inner_Full	25.99	27.39
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.04	23.44
n41	90	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.07	23.47
n41	90	30	2592.99	DFT	QPSK	Outer_Full	24.67	26.07
n41	90	30	2592.99	DFT	16QAM	Inner_Full	24.68	26.08



I22Z61533-WMD04

n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.42	23.82
n41	90	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.55	23.95
n41	90	30	2592.99	DFT	16QAM	Outer_Full	23.83	25.23
n41	90	30	2592.99	DFT	64QAM	Inner_Full	23.55	24.95
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.67	23.07
n41	90	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.97	23.37
n41	90	30	2592.99	DFT	64QAM	Outer_Full	23.06	24.46
n41	90	30	2592.99	DFT	256QAM	Inner_Full	21.16	22.56
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.03	22.43
n41	90	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.34	22.74
n41	90	30	2592.99	DFT	256QAM	Outer_Full	21.41	22.81
n41	90	30	2592.99	CP	QPSK	Inner_Full	24.48	25.88
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Left	21.96	23.36
n41	90	30	2592.99	CP	QPSK	Edge_1RB_Right	22.42	23.82
n41	90	30	2592.99	CP	QPSK	Outer_Full	22.89	24.29
n41	90	30	2592.99	CP	16QAM	Inner_Full	23.86	25.26
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Left	22.29	23.69
n41	90	30	2592.99	CP	16QAM	Edge_1RB_Right	22.59	23.99
n41	90	30	2592.99	CP	16QAM	Outer_Full	22.79	24.19
n41	90	30	2592.99	CP	64QAM	Inner_Full	22.54	23.94
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Left	21.48	22.88
n41	90	30	2592.99	CP	64QAM	Edge_1RB_Right	21.92	23.32
n41	90	30	2592.99	CP	64QAM	Outer_Full	22.41	23.81
n41	90	30	2592.99	CP	256QAM	Inner_Full	19.51	20.91
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Left	18.79	20.19
n41	90	30	2592.99	CP	256QAM	Edge_1RB_Right	19.25	20.65
n41	90	30	2592.99	CP	256QAM	Outer_Full	19.39	20.79
n41	90	30	2644.98	DFT	pi/2 BPSK	Inner_Full	25.94	27.34
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.40	23.80
n41	90	30	2644.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.14	23.54
n41	90	30	2644.98	DFT	pi/2 BPSK	Outer_Full	25.44	26.84
n41	90	30	2644.98	DFT	QPSK	Inner_Full	25.99	27.39
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Left	22.11	23.51
n41	90	30	2644.98	DFT	QPSK	Edge_1RB_Right	22.10	23.50
n41	90	30	2644.98	DFT	QPSK	Outer_Full	24.98	26.38
n41	90	30	2644.98	DFT	16QAM	Inner_Full	24.95	26.35
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Left	22.29	23.69
n41	90	30	2644.98	DFT	16QAM	Edge_1RB_Right	22.24	23.64
n41	90	30	2644.98	DFT	16QAM	Outer_Full	23.68	25.08
n41	90	30	2644.98	DFT	64QAM	Inner_Full	23.51	24.91
n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Left	21.69	23.09

n41	90	30	2644.98	DFT	64QAM	Edge_1RB_Right	21.50	22.90
n41	90	30	2644.98	DFT	64QAM	Outer_Full	23.49	24.89
n41	90	30	2644.98	DFT	256QAM	Inner_Full	21.20	22.60
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Left	21.26	22.66
n41	90	30	2644.98	DFT	256QAM	Edge_1RB_Right	21.03	22.43
n41	90	30	2644.98	DFT	256QAM	Outer_Full	21.45	22.85
n41	90	30	2644.98	CP	QPSK	Inner_Full	24.37	25.77
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Left	22.15	23.55
n41	90	30	2644.98	CP	QPSK	Edge_1RB_Right	21.97	23.37
n41	90	30	2644.98	CP	QPSK	Outer_Full	22.63	24.03
n41	90	30	2644.98	CP	16QAM	Inner_Full	23.92	25.32
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Left	22.40	23.80
n41	90	30	2644.98	CP	16QAM	Edge_1RB_Right	22.57	23.97
n41	90	30	2644.98	CP	16QAM	Outer_Full	22.98	24.38
n41	90	30	2644.98	CP	64QAM	Inner_Full	22.41	23.81
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Left	21.84	23.24
n41	90	30	2644.98	CP	64QAM	Edge_1RB_Right	21.71	23.11
n41	90	30	2644.98	CP	64QAM	Outer_Full	22.19	23.59
n41	90	30	2644.98	CP	256QAM	Inner_Full	19.30	20.70
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Left	19.28	20.68
n41	90	30	2644.98	CP	256QAM	Edge_1RB_Right	19.04	20.44
n41	90	30	2644.98	CP	256QAM	Outer_Full	19.55	20.95
n41	100	30	2546.01	DFT	pi/2 BPSK	Inner_Full	25.70	27.10
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Left	21.46	22.86
n41	100	30	2546.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.43	23.83
n41	100	30	2546.01	DFT	pi/2 BPSK	Outer_Full	25.11	26.51
n41	100	30	2546.01	DFT	QPSK	Inner_Full	25.53	26.93
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Left	21.45	22.85
n41	100	30	2546.01	DFT	QPSK	Edge_1RB_Right	22.32	23.72
n41	100	30	2546.01	DFT	QPSK	Outer_Full	24.60	26.00
n41	100	30	2546.01	DFT	16QAM	Inner_Full	24.68	26.08
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Left	21.47	22.87
n41	100	30	2546.01	DFT	16QAM	Edge_1RB_Right	22.34	23.74
n41	100	30	2546.01	DFT	16QAM	Outer_Full	23.47	24.87
n41	100	30	2546.01	DFT	64QAM	Inner_Full	23.09	24.49
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Left	20.98	22.38
n41	100	30	2546.01	DFT	64QAM	Edge_1RB_Right	21.79	23.19
n41	100	30	2546.01	DFT	64QAM	Outer_Full	23.20	24.60
n41	100	30	2546.01	DFT	256QAM	Inner_Full	20.92	22.32
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Left	20.36	21.76
n41	100	30	2546.01	DFT	256QAM	Edge_1RB_Right	21.15	22.55



n41	100	30	2546.01	DFT	256QAM	Outer_Full	21.15	22.55
n41	100	30	2546.01	CP	QPSK	Inner_Full	24.14	25.54
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Left	21.59	22.99
n41	100	30	2546.01	CP	QPSK	Edge_1RB_Right	22.60	24.00
n41	100	30	2546.01	CP	QPSK	Outer_Full	22.68	24.08
n41	100	30	2546.01	CP	16QAM	Inner_Full	23.75	25.15
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Left	21.60	23.00
n41	100	30	2546.01	CP	16QAM	Edge_1RB_Right	22.56	23.96
n41	100	30	2546.01	CP	16QAM	Outer_Full	22.78	24.18
n41	100	30	2546.01	CP	64QAM	Inner_Full	22.27	23.67
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Left	21.12	22.52
n41	100	30	2546.01	CP	64QAM	Edge_1RB_Right	22.07	23.47
n41	100	30	2546.01	CP	64QAM	Outer_Full	22.03	23.43
n41	100	30	2546.01	CP	256QAM	Inner_Full	19.03	20.43
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Left	18.12	19.52
n41	100	30	2546.01	CP	256QAM	Edge_1RB_Right	19.53	20.93
n41	100	30	2546.01	CP	256QAM	Outer_Full	19.15	20.55
n41	100	30	2592.99	DFT	pi/2 BPSK	Inner_Full	25.99	27.39
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.09	23.49
n41	100	30	2592.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.45	23.85
n41	100	30	2592.99	DFT	pi/2 BPSK	Outer_Full	25.27	26.67
n41	100	30	2592.99	DFT	QPSK	Inner_Full	25.89	27.29
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Left	22.06	23.46
n41	100	30	2592.99	DFT	QPSK	Edge_1RB_Right	22.14	23.54
n41	100	30	2592.99	DFT	QPSK	Outer_Full	24.54	25.94
n41	100	30	2592.99	DFT	16QAM	Inner_Full	24.75	26.15
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Left	22.20	23.60
n41	100	30	2592.99	DFT	16QAM	Edge_1RB_Right	22.63	24.03
n41	100	30	2592.99	DFT	16QAM	Outer_Full	23.85	25.25
n41	100	30	2592.99	DFT	64QAM	Inner_Full	23.50	24.90
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Left	21.77	23.17
n41	100	30	2592.99	DFT	64QAM	Edge_1RB_Right	21.88	23.28
n41	100	30	2592.99	DFT	64QAM	Outer_Full	23.38	24.78
n41	100	30	2592.99	DFT	256QAM	Inner_Full	21.64	23.04
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Left	21.25	22.65
n41	100	30	2592.99	DFT	256QAM	Edge_1RB_Right	21.25	22.65
n41	100	30	2592.99	DFT	256QAM	Outer_Full	21.35	22.75
n41	100	30	2592.99	CP	QPSK	Inner_Full	24.49	25.89
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Left	22.15	23.55
n41	100	30	2592.99	CP	QPSK	Edge_1RB_Right	22.43	23.83
n41	100	30	2592.99	CP	QPSK	Outer_Full	22.86	24.26



I22Z61533-WMD04

n41	100	30	2592.99	CP	16QAM	Inner_Full	23.96	25.36
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Left	22.25	23.65
n41	100	30	2592.99	CP	16QAM	Edge_1RB_Right	22.42	23.82
n41	100	30	2592.99	CP	16QAM	Outer_Full	22.69	24.09
n41	100	30	2592.99	CP	64QAM	Inner_Full	22.31	23.71
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Left	21.93	23.33
n41	100	30	2592.99	CP	64QAM	Edge_1RB_Right	21.89	23.29
n41	100	30	2592.99	CP	64QAM	Outer_Full	22.37	23.77
n41	100	30	2592.99	CP	256QAM	Inner_Full	19.37	20.77
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Left	18.88	20.28
n41	100	30	2592.99	CP	256QAM	Edge_1RB_Right	19.19	20.59
n41	100	30	2592.99	CP	256QAM	Outer_Full	19.14	20.54
n41	100	30	2640	DFT	pi/2 BPSK	Inner_Full	25.87	27.27
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Left	22.42	23.82
n41	100	30	2640	DFT	pi/2 BPSK	Edge_1RB_Right	22.21	23.61
n41	100	30	2640	DFT	pi/2 BPSK	Outer_Full	25.43	26.83
n41	100	30	2640	DFT	QPSK	Inner_Full	25.88	27.28
n41	100	30	2640	DFT	QPSK	Edge_1RB_Left	22.41	23.81
n41	100	30	2640	DFT	QPSK	Edge_1RB_Right	21.89	23.29
n41	100	30	2640	DFT	QPSK	Outer_Full	24.74	26.14
n41	100	30	2640	DFT	16QAM	Inner_Full	24.85	26.25
n41	100	30	2640	DFT	16QAM	Edge_1RB_Left	22.36	23.76
n41	100	30	2640	DFT	16QAM	Edge_1RB_Right	22.30	23.70
n41	100	30	2640	DFT	16QAM	Outer_Full	23.73	25.13
n41	100	30	2640	DFT	64QAM	Inner_Full	23.39	24.79
n41	100	30	2640	DFT	64QAM	Edge_1RB_Left	21.78	23.18
n41	100	30	2640	DFT	64QAM	Edge_1RB_Right	21.52	22.92
n41	100	30	2640	DFT	64QAM	Outer_Full	23.42	24.82
n41	100	30	2640	DFT	256QAM	Inner_Full	21.44	22.84
n41	100	30	2640	DFT	256QAM	Edge_1RB_Left	21.56	22.96
n41	100	30	2640	DFT	256QAM	Edge_1RB_Right	21.17	22.57
n41	100	30	2640	DFT	256QAM	Outer_Full	21.54	22.94
n41	100	30	2640	CP	QPSK	Inner_Full	24.34	25.74
n41	100	30	2640	CP	QPSK	Edge_1RB_Left	22.42	23.82
n41	100	30	2640	CP	QPSK	Edge_1RB_Right	21.76	23.16
n41	100	30	2640	CP	QPSK	Outer_Full	22.89	24.29
n41	100	30	2640	CP	16QAM	Inner_Full	23.80	25.20
n41	100	30	2640	CP	16QAM	Edge_1RB_Left	22.43	23.83
n41	100	30	2640	CP	16QAM	Edge_1RB_Right	22.09	23.49
n41	100	30	2640	CP	16QAM	Outer_Full	22.73	24.13
n41	100	30	2640	CP	64QAM	Inner_Full	22.25	23.65



I22Z61533-WMD04

n41	100	30	2640	CP	64QAM	Edge_1RB_Left	22.00	23.40
n41	100	30	2640	CP	64QAM	Edge_1RB_Right	21.59	22.99
n41	100	30	2640	CP	64QAM	Outer_Full	22.21	23.61
n41	100	30	2640	CP	256QAM	Inner_Full	19.09	20.49
n41	100	30	2640	CP	256QAM	Edge_1RB_Left	19.31	20.71
n41	100	30	2640	CP	256QAM	Edge_1RB_Right	19.05	20.45
n41	100	30	2640	CP	256QAM	Outer_Full	19.25	20.65

NR n66
Limit ≤ 30dBm(1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	EIRP(dBm) (Gt - Lc = -1.35)
n66	5	15	1712.5	DFT	pi/2 BPSK	Inner_Full	23.94	22.59
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.38	22.03
n66	5	15	1712.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.44	22.09
n66	5	15	1712.5	DFT	pi/2 BPSK	Outer_Full	23.36	22.01
n66	5	15	1712.5	DFT	QPSK	Inner_Full	23.83	22.48
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Left	22.83	21.48
n66	5	15	1712.5	DFT	QPSK	Edge_1RB_Right	22.89	21.54
n66	5	15	1712.5	DFT	QPSK	Outer_Full	22.91	21.56
n66	5	15	1712.5	DFT	16QAM	Inner_Full	22.91	21.56
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Left	22.13	20.78
n66	5	15	1712.5	DFT	16QAM	Edge_1RB_Right	22.12	20.77
n66	5	15	1712.5	DFT	16QAM	Outer_Full	21.88	20.53
n66	5	15	1712.5	DFT	64QAM	Inner_Full	21.44	20.09
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Left	21.25	19.90
n66	5	15	1712.5	DFT	64QAM	Edge_1RB_Right	21.27	19.92
n66	5	15	1712.5	DFT	64QAM	Outer_Full	21.56	20.21
n66	5	15	1712.5	DFT	256QAM	Inner_Full	19.49	18.14
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Left	19.06	17.71
n66	5	15	1712.5	DFT	256QAM	Edge_1RB_Right	19.03	17.68
n66	5	15	1712.5	DFT	256QAM	Outer_Full	19.28	17.93
n66	5	15	1712.5	CP	QPSK	Inner_Full	22.51	21.16
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Left	20.89	19.54
n66	5	15	1712.5	CP	QPSK	Edge_1RB_Right	20.80	19.45
n66	5	15	1712.5	CP	QPSK	Outer_Full	20.82	19.47
n66	5	15	1712.5	CP	16QAM	Inner_Full	22.06	20.71
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Left	21.21	19.86
n66	5	15	1712.5	CP	16QAM	Edge_1RB_Right	21.32	19.97
n66	5	15	1712.5	CP	16QAM	Outer_Full	20.86	19.51
n66	5	15	1712.5	CP	64QAM	Inner_Full	20.30	18.95
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Left	20.10	18.75
n66	5	15	1712.5	CP	64QAM	Edge_1RB_Right	20.10	18.75
n66	5	15	1712.5	CP	64QAM	Outer_Full	20.47	19.12
n66	5	15	1712.5	CP	256QAM	Inner_Full	17.48	16.13
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Left	17.23	15.88
n66	5	15	1712.5	CP	256QAM	Edge_1RB_Right	17.16	15.81
n66	5	15	1712.5	CP	256QAM	Outer_Full	17.41	16.06

n66	5	15	1745	DFT	pi/2 BPSK	Inner_Full	24.32	22.97
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.74	22.39
n66	5	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.69	22.34
n66	5	15	1745	DFT	pi/2 BPSK	Outer_Full	23.80	22.45
n66	5	15	1745	DFT	QPSK	Inner_Full	24.31	22.96
n66	5	15	1745	DFT	QPSK	Edge_1RB_Left	23.21	21.86
n66	5	15	1745	DFT	QPSK	Edge_1RB_Right	23.25	21.90
n66	5	15	1745	DFT	QPSK	Outer_Full	23.33	21.98
n66	5	15	1745	DFT	16QAM	Inner_Full	23.35	22.00
n66	5	15	1745	DFT	16QAM	Edge_1RB_Left	22.53	21.18
n66	5	15	1745	DFT	16QAM	Edge_1RB_Right	22.58	21.23
n66	5	15	1745	DFT	16QAM	Outer_Full	22.31	20.96
n66	5	15	1745	DFT	64QAM	Inner_Full	21.93	20.58
n66	5	15	1745	DFT	64QAM	Edge_1RB_Left	21.65	20.30
n66	5	15	1745	DFT	64QAM	Edge_1RB_Right	21.71	20.36
n66	5	15	1745	DFT	64QAM	Outer_Full	21.95	20.60
n66	5	15	1745	DFT	256QAM	Inner_Full	19.74	18.39
n66	5	15	1745	DFT	256QAM	Edge_1RB_Left	19.45	18.10
n66	5	15	1745	DFT	256QAM	Edge_1RB_Right	19.48	18.13
n66	5	15	1745	DFT	256QAM	Outer_Full	19.79	18.44
n66	5	15	1745	CP	QPSK	Inner_Full	22.88	21.53
n66	5	15	1745	CP	QPSK	Edge_1RB_Left	21.25	19.90
n66	5	15	1745	CP	QPSK	Edge_1RB_Right	21.28	19.93
n66	5	15	1745	CP	QPSK	Outer_Full	21.29	19.94
n66	5	15	1745	CP	16QAM	Inner_Full	22.51	21.16
n66	5	15	1745	CP	16QAM	Edge_1RB_Left	21.70	20.35
n66	5	15	1745	CP	16QAM	Edge_1RB_Right	21.71	20.36
n66	5	15	1745	CP	16QAM	Outer_Full	21.34	19.99
n66	5	15	1745	CP	64QAM	Inner_Full	20.81	19.46
n66	5	15	1745	CP	64QAM	Edge_1RB_Left	20.53	19.18
n66	5	15	1745	CP	64QAM	Edge_1RB_Right	20.54	19.19
n66	5	15	1745	CP	64QAM	Outer_Full	20.88	19.53
n66	5	15	1745	CP	256QAM	Inner_Full	17.85	16.50
n66	5	15	1745	CP	256QAM	Edge_1RB_Left	17.66	16.31
n66	5	15	1745	CP	256QAM	Edge_1RB_Right	17.62	16.27
n66	5	15	1745	CP	256QAM	Outer_Full	17.79	16.44
n66	5	15	1777.5	DFT	pi/2 BPSK	Inner_Full	24.07	22.72
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.45	22.10
n66	5	15	1777.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.48	22.13
n66	5	15	1777.5	DFT	pi/2 BPSK	Outer_Full	23.54	22.19
n66	5	15	1777.5	DFT	QPSK	Inner_Full	24.06	22.71



I22Z61533-WMD04

n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Left	22.94	21.59
n66	5	15	1777.5	DFT	QPSK	Edge_1RB_Right	23.02	21.67
n66	5	15	1777.5	DFT	QPSK	Outer_Full	23.06	21.71
n66	5	15	1777.5	DFT	16QAM	Inner_Full	23.05	21.70
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Left	22.23	20.88
n66	5	15	1777.5	DFT	16QAM	Edge_1RB_Right	22.34	20.99
n66	5	15	1777.5	DFT	16QAM	Outer_Full	22.00	20.65
n66	5	15	1777.5	DFT	64QAM	Inner_Full	21.62	20.27
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Left	21.36	20.01
n66	5	15	1777.5	DFT	64QAM	Edge_1RB_Right	21.41	20.06
n66	5	15	1777.5	DFT	64QAM	Outer_Full	21.69	20.34
n66	5	15	1777.5	DFT	256QAM	Inner_Full	19.49	18.14
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Left	19.19	17.84
n66	5	15	1777.5	DFT	256QAM	Edge_1RB_Right	19.25	17.90
n66	5	15	1777.5	DFT	256QAM	Outer_Full	19.46	18.11
n66	5	15	1777.5	CP	QPSK	Inner_Full	22.46	21.11
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Left	20.96	19.61
n66	5	15	1777.5	CP	QPSK	Edge_1RB_Right	20.99	19.64
n66	5	15	1777.5	CP	QPSK	Outer_Full	20.98	19.63
n66	5	15	1777.5	CP	16QAM	Inner_Full	22.20	20.85
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Left	21.45	20.10
n66	5	15	1777.5	CP	16QAM	Edge_1RB_Right	21.39	20.04
n66	5	15	1777.5	CP	16QAM	Outer_Full	21.00	19.65
n66	5	15	1777.5	CP	64QAM	Inner_Full	20.37	19.02
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Left	20.23	18.88
n66	5	15	1777.5	CP	64QAM	Edge_1RB_Right	20.34	18.99
n66	5	15	1777.5	CP	64QAM	Outer_Full	20.55	19.20
n66	5	15	1777.5	CP	256QAM	Inner_Full	17.56	16.21
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Left	17.30	15.95
n66	5	15	1777.5	CP	256QAM	Edge_1RB_Right	17.36	16.01
n66	5	15	1777.5	CP	256QAM	Outer_Full	17.48	16.13
n66	10	15	1715	DFT	pi/2 BPSK	Inner_Full	24.08	22.73
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Left	23.44	22.09
n66	10	15	1715	DFT	pi/2 BPSK	Edge_1RB_Right	23.44	22.09
n66	10	15	1715	DFT	pi/2 BPSK	Outer_Full	23.59	22.24
n66	10	15	1715	DFT	QPSK	Inner_Full	24.08	22.73
n66	10	15	1715	DFT	QPSK	Edge_1RB_Left	22.98	21.63
n66	10	15	1715	DFT	QPSK	Edge_1RB_Right	23.01	21.66
n66	10	15	1715	DFT	QPSK	Outer_Full	23.06	21.71
n66	10	15	1715	DFT	16QAM	Inner_Full	22.95	21.60
n66	10	15	1715	DFT	16QAM	Edge_1RB_Left	22.20	20.85



I22Z61533-WMD04

n66	10	15	1715	DFT	16QAM	Edge_1RB_Right	22.32	20.97
n66	10	15	1715	DFT	16QAM	Outer_Full	21.88	20.53
n66	10	15	1715	DFT	64QAM	Inner_Full	21.61	20.26
n66	10	15	1715	DFT	64QAM	Edge_1RB_Left	21.33	19.98
n66	10	15	1715	DFT	64QAM	Edge_1RB_Right	21.34	19.99
n66	10	15	1715	DFT	64QAM	Outer_Full	21.50	20.15
n66	10	15	1715	DFT	256QAM	Inner_Full	19.46	18.11
n66	10	15	1715	DFT	256QAM	Edge_1RB_Left	19.10	17.75
n66	10	15	1715	DFT	256QAM	Edge_1RB_Right	19.33	17.98
n66	10	15	1715	DFT	256QAM	Outer_Full	19.53	18.18
n66	10	15	1715	CP	QPSK	Inner_Full	22.56	21.21
n66	10	15	1715	CP	QPSK	Edge_1RB_Left	20.98	19.63
n66	10	15	1715	CP	QPSK	Edge_1RB_Right	21.07	19.72
n66	10	15	1715	CP	QPSK	Outer_Full	21.03	19.68
n66	10	15	1715	CP	16QAM	Inner_Full	22.19	20.84
n66	10	15	1715	CP	16QAM	Edge_1RB_Left	21.41	20.06
n66	10	15	1715	CP	16QAM	Edge_1RB_Right	21.53	20.18
n66	10	15	1715	CP	16QAM	Outer_Full	20.97	19.62
n66	10	15	1715	CP	64QAM	Inner_Full	20.50	19.15
n66	10	15	1715	CP	64QAM	Edge_1RB_Left	20.28	18.93
n66	10	15	1715	CP	64QAM	Edge_1RB_Right	20.37	19.02
n66	10	15	1715	CP	64QAM	Outer_Full	20.52	19.17
n66	10	15	1715	CP	256QAM	Inner_Full	17.45	16.10
n66	10	15	1715	CP	256QAM	Edge_1RB_Left	17.30	15.95
n66	10	15	1715	CP	256QAM	Edge_1RB_Right	17.33	15.98
n66	10	15	1715	CP	256QAM	Outer_Full	17.49	16.14
n66	10	15	1745	DFT	pi/2 BPSK	Inner_Full	24.28	22.93
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.63	22.28
n66	10	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.70	22.35
n66	10	15	1745	DFT	pi/2 BPSK	Outer_Full	23.80	22.45
n66	10	15	1745	DFT	QPSK	Inner_Full	24.35	23.00
n66	10	15	1745	DFT	QPSK	Edge_1RB_Left	23.23	21.88
n66	10	15	1745	DFT	QPSK	Edge_1RB_Right	23.26	21.91
n66	10	15	1745	DFT	QPSK	Outer_Full	23.35	22.00
n66	10	15	1745	DFT	16QAM	Inner_Full	23.35	22.00
n66	10	15	1745	DFT	16QAM	Edge_1RB_Left	22.57	21.22
n66	10	15	1745	DFT	16QAM	Edge_1RB_Right	22.48	21.13
n66	10	15	1745	DFT	16QAM	Outer_Full	22.16	20.81
n66	10	15	1745	DFT	64QAM	Inner_Full	21.98	20.63
n66	10	15	1745	DFT	64QAM	Edge_1RB_Left	21.50	20.15
n66	10	15	1745	DFT	64QAM	Edge_1RB_Right	21.63	20.28



n66	10	15	1745	DFT	64QAM	Outer_Full	21.78	20.43
n66	10	15	1745	DFT	256QAM	Inner_Full	19.74	18.39
n66	10	15	1745	DFT	256QAM	Edge_1RB_Left	19.48	18.13
n66	10	15	1745	DFT	256QAM	Edge_1RB_Right	19.48	18.13
n66	10	15	1745	DFT	256QAM	Outer_Full	19.69	18.34
n66	10	15	1745	CP	QPSK	Inner_Full	22.86	21.51
n66	10	15	1745	CP	QPSK	Edge_1RB_Left	21.18	19.83
n66	10	15	1745	CP	QPSK	Edge_1RB_Right	21.42	20.07
n66	10	15	1745	CP	QPSK	Outer_Full	21.28	19.93
n66	10	15	1745	CP	16QAM	Inner_Full	22.43	21.08
n66	10	15	1745	CP	16QAM	Edge_1RB_Left	21.62	20.27
n66	10	15	1745	CP	16QAM	Edge_1RB_Right	21.79	20.44
n66	10	15	1745	CP	16QAM	Outer_Full	21.19	19.84
n66	10	15	1745	CP	64QAM	Inner_Full	20.87	19.52
n66	10	15	1745	CP	64QAM	Edge_1RB_Left	20.56	19.21
n66	10	15	1745	CP	64QAM	Edge_1RB_Right	20.63	19.28
n66	10	15	1745	CP	64QAM	Outer_Full	20.74	19.39
n66	10	15	1745	CP	256QAM	Inner_Full	17.79	16.44
n66	10	15	1745	CP	256QAM	Edge_1RB_Left	17.62	16.27
n66	10	15	1745	CP	256QAM	Edge_1RB_Right	17.67	16.32
n66	10	15	1745	CP	256QAM	Outer_Full	17.64	16.29
n66	10	15	1775	DFT	pi/2 BPSK	Inner_Full	24.09	22.74
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Left	23.45	22.10
n66	10	15	1775	DFT	pi/2 BPSK	Edge_1RB_Right	23.53	22.18
n66	10	15	1775	DFT	pi/2 BPSK	Outer_Full	23.54	22.19
n66	10	15	1775	DFT	QPSK	Inner_Full	24.06	22.71
n66	10	15	1775	DFT	QPSK	Edge_1RB_Left	22.94	21.59
n66	10	15	1775	DFT	QPSK	Edge_1RB_Right	23.09	21.74
n66	10	15	1775	DFT	QPSK	Outer_Full	23.06	21.71
n66	10	15	1775	DFT	16QAM	Inner_Full	23.05	21.70
n66	10	15	1775	DFT	16QAM	Edge_1RB_Left	21.93	20.58
n66	10	15	1775	DFT	16QAM	Edge_1RB_Right	22.00	20.65
n66	10	15	1775	DFT	16QAM	Outer_Full	22.01	20.66
n66	10	15	1775	DFT	64QAM	Inner_Full	21.70	20.35
n66	10	15	1775	DFT	64QAM	Edge_1RB_Left	21.40	20.05
n66	10	15	1775	DFT	64QAM	Edge_1RB_Right	21.51	20.16
n66	10	15	1775	DFT	64QAM	Outer_Full	21.59	20.24
n66	10	15	1775	DFT	256QAM	Inner_Full	19.46	18.11
n66	10	15	1775	DFT	256QAM	Edge_1RB_Left	19.17	17.82
n66	10	15	1775	DFT	256QAM	Edge_1RB_Right	19.34	17.99
n66	10	15	1775	DFT	256QAM	Outer_Full	19.44	18.09

n66	10	15	1775	CP	QPSK	Inner_Full	22.61	21.26
n66	10	15	1775	CP	QPSK	Edge_1RB_Left	20.96	19.61
n66	10	15	1775	CP	QPSK	Edge_1RB_Right	21.04	19.69
n66	10	15	1775	CP	QPSK	Outer_Full	21.00	19.65
n66	10	15	1775	CP	16QAM	Inner_Full	22.04	20.69
n66	10	15	1775	CP	16QAM	Edge_1RB_Left	21.43	20.08
n66	10	15	1775	CP	16QAM	Edge_1RB_Right	21.29	19.94
n66	10	15	1775	CP	16QAM	Outer_Full	21.04	19.69
n66	10	15	1775	CP	64QAM	Inner_Full	20.56	19.21
n66	10	15	1775	CP	64QAM	Edge_1RB_Left	20.24	18.89
n66	10	15	1775	CP	64QAM	Edge_1RB_Right	20.36	19.01
n66	10	15	1775	CP	64QAM	Outer_Full	20.54	19.19
n66	10	15	1775	CP	256QAM	Inner_Full	17.52	16.17
n66	10	15	1775	CP	256QAM	Edge_1RB_Left	17.32	15.97
n66	10	15	1775	CP	256QAM	Edge_1RB_Right	17.46	16.11
n66	10	15	1775	CP	256QAM	Outer_Full	17.47	16.12
n66	15	15	1717.5	DFT	pi/2 BPSK	Inner_Full	23.88	22.53
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.31	21.96
n66	15	15	1717.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.50	22.15
n66	15	15	1717.5	DFT	pi/2 BPSK	Outer_Full	23.49	22.14
n66	15	15	1717.5	DFT	QPSK	Inner_Full	23.96	22.61
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Left	22.92	21.57
n66	15	15	1717.5	DFT	QPSK	Edge_1RB_Right	23.05	21.70
n66	15	15	1717.5	DFT	QPSK	Outer_Full	23.03	21.68
n66	15	15	1717.5	DFT	16QAM	Inner_Full	22.92	21.57
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Left	22.23	20.88
n66	15	15	1717.5	DFT	16QAM	Edge_1RB_Right	22.36	21.01
n66	15	15	1717.5	DFT	16QAM	Outer_Full	22.03	20.68
n66	15	15	1717.5	DFT	64QAM	Inner_Full	21.52	20.17
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Left	21.26	19.91
n66	15	15	1717.5	DFT	64QAM	Edge_1RB_Right	21.39	20.04
n66	15	15	1717.5	DFT	64QAM	Outer_Full	21.51	20.16
n66	15	15	1717.5	DFT	256QAM	Inner_Full	19.49	18.14
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Left	19.16	17.81
n66	15	15	1717.5	DFT	256QAM	Edge_1RB_Right	19.30	17.95
n66	15	15	1717.5	DFT	256QAM	Outer_Full	19.37	18.02
n66	15	15	1717.5	CP	QPSK	Inner_Full	22.44	21.09
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Left	20.94	19.59
n66	15	15	1717.5	CP	QPSK	Edge_1RB_Right	20.95	19.60
n66	15	15	1717.5	CP	QPSK	Outer_Full	20.94	19.59
n66	15	15	1717.5	CP	16QAM	Inner_Full	21.97	20.62

n66	15	15	1717.5	CP	16QAM	Edge_1RB_Left	21.35	20.00
n66	15	15	1717.5	CP	16QAM	Edge_1RB_Right	21.47	20.12
n66	15	15	1717.5	CP	16QAM	Outer_Full	20.94	19.59
n66	15	15	1717.5	CP	64QAM	Inner_Full	20.54	19.19
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Left	20.21	18.86
n66	15	15	1717.5	CP	64QAM	Edge_1RB_Right	20.32	18.97
n66	15	15	1717.5	CP	64QAM	Outer_Full	20.54	19.19
n66	15	15	1717.5	CP	256QAM	Inner_Full	17.46	16.11
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Left	17.24	15.89
n66	15	15	1717.5	CP	256QAM	Edge_1RB_Right	17.35	16.00
n66	15	15	1717.5	CP	256QAM	Outer_Full	17.51	16.16
n66	15	15	1745	DFT	pi/2 BPSK	Inner_Full	24.22	22.87
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.50	22.15
n66	15	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.69	22.34
n66	15	15	1745	DFT	pi/2 BPSK	Outer_Full	23.70	22.35
n66	15	15	1745	DFT	QPSK	Inner_Full	24.26	22.91
n66	15	15	1745	DFT	QPSK	Edge_1RB_Left	23.12	21.77
n66	15	15	1745	DFT	QPSK	Edge_1RB_Right	23.22	21.87
n66	15	15	1745	DFT	QPSK	Outer_Full	23.24	21.89
n66	15	15	1745	DFT	16QAM	Inner_Full	23.22	21.87
n66	15	15	1745	DFT	16QAM	Edge_1RB_Left	22.42	21.07
n66	15	15	1745	DFT	16QAM	Edge_1RB_Right	22.55	21.20
n66	15	15	1745	DFT	16QAM	Outer_Full	22.24	20.89
n66	15	15	1745	DFT	64QAM	Inner_Full	21.73	20.38
n66	15	15	1745	DFT	64QAM	Edge_1RB_Left	21.54	20.19
n66	15	15	1745	DFT	64QAM	Edge_1RB_Right	21.54	20.19
n66	15	15	1745	DFT	64QAM	Outer_Full	21.82	20.47
n66	15	15	1745	DFT	256QAM	Inner_Full	19.72	18.37
n66	15	15	1745	DFT	256QAM	Edge_1RB_Left	19.34	17.99
n66	15	15	1745	DFT	256QAM	Edge_1RB_Right	19.46	18.11
n66	15	15	1745	DFT	256QAM	Outer_Full	19.68	18.33
n66	15	15	1745	CP	QPSK	Inner_Full	22.66	21.31
n66	15	15	1745	CP	QPSK	Edge_1RB_Left	21.11	19.76
n66	15	15	1745	CP	QPSK	Edge_1RB_Right	21.16	19.81
n66	15	15	1745	CP	QPSK	Outer_Full	21.25	19.90
n66	15	15	1745	CP	16QAM	Inner_Full	22.20	20.85
n66	15	15	1745	CP	16QAM	Edge_1RB_Left	21.63	20.28
n66	15	15	1745	CP	16QAM	Edge_1RB_Right	21.69	20.34
n66	15	15	1745	CP	16QAM	Outer_Full	21.17	19.82
n66	15	15	1745	CP	64QAM	Inner_Full	20.78	19.43
n66	15	15	1745	CP	64QAM	Edge_1RB_Left	20.39	19.04

n66	15	15	1745	CP	64QAM	Edge_1RB_Right	20.52	19.17
n66	15	15	1745	CP	64QAM	Outer_Full	20.77	19.42
n66	15	15	1745	CP	256QAM	Inner_Full	17.69	16.34
n66	15	15	1745	CP	256QAM	Edge_1RB_Left	17.44	16.09
n66	15	15	1745	CP	256QAM	Edge_1RB_Right	17.57	16.22
n66	15	15	1745	CP	256QAM	Outer_Full	17.66	16.31
n66	15	15	1772.5	DFT	pi/2 BPSK	Inner_Full	23.93	22.58
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.34	21.99
n66	15	15	1772.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.42	22.07
n66	15	15	1772.5	DFT	pi/2 BPSK	Outer_Full	23.47	22.12
n66	15	15	1772.5	DFT	QPSK	Inner_Full	23.94	22.59
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Left	22.92	21.57
n66	15	15	1772.5	DFT	QPSK	Edge_1RB_Right	23.07	21.72
n66	15	15	1772.5	DFT	QPSK	Outer_Full	22.95	21.60
n66	15	15	1772.5	DFT	16QAM	Inner_Full	22.97	21.62
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Left	22.22	20.87
n66	15	15	1772.5	DFT	16QAM	Edge_1RB_Right	22.36	21.01
n66	15	15	1772.5	DFT	16QAM	Outer_Full	21.97	20.62
n66	15	15	1772.5	DFT	64QAM	Inner_Full	21.48	20.13
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Left	21.27	19.92
n66	15	15	1772.5	DFT	64QAM	Edge_1RB_Right	21.42	20.07
n66	15	15	1772.5	DFT	64QAM	Outer_Full	21.55	20.20
n66	15	15	1772.5	DFT	256QAM	Inner_Full	19.48	18.13
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Left	19.12	17.77
n66	15	15	1772.5	DFT	256QAM	Edge_1RB_Right	19.24	17.89
n66	15	15	1772.5	DFT	256QAM	Outer_Full	19.35	18.00
n66	15	15	1772.5	CP	QPSK	Inner_Full	22.39	21.04
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Left	20.95	19.60
n66	15	15	1772.5	CP	QPSK	Edge_1RB_Right	20.97	19.62
n66	15	15	1772.5	CP	QPSK	Outer_Full	20.97	19.62
n66	15	15	1772.5	CP	16QAM	Inner_Full	21.91	20.56
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Left	21.45	20.10
n66	15	15	1772.5	CP	16QAM	Edge_1RB_Right	21.48	20.13
n66	15	15	1772.5	CP	16QAM	Outer_Full	20.96	19.61
n66	15	15	1772.5	CP	64QAM	Inner_Full	20.41	19.06
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Left	20.20	18.85
n66	15	15	1772.5	CP	64QAM	Edge_1RB_Right	20.34	18.99
n66	15	15	1772.5	CP	64QAM	Outer_Full	20.49	19.14
n66	15	15	1772.5	CP	256QAM	Inner_Full	17.46	16.11
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Left	17.26	15.91
n66	15	15	1772.5	CP	256QAM	Edge_1RB_Right	17.37	16.02



n66	15	15	1772.5	CP	256QAM	Outer_Full	17.39	16.04
n66	20	15	1720	DFT	pi/2 BPSK	Inner_Full	23.90	22.55
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Left	23.33	21.98
n66	20	15	1720	DFT	pi/2 BPSK	Edge_1RB_Right	23.44	22.09
n66	20	15	1720	DFT	pi/2 BPSK	Outer_Full	23.48	22.13
n66	20	15	1720	DFT	QPSK	Inner_Full	24.03	22.68
n66	20	15	1720	DFT	QPSK	Edge_1RB_Left	22.96	21.61
n66	20	15	1720	DFT	QPSK	Edge_1RB_Right	23.07	21.72
n66	20	15	1720	DFT	QPSK	Outer_Full	23.04	21.69
n66	20	15	1720	DFT	16QAM	Inner_Full	22.84	21.49
n66	20	15	1720	DFT	16QAM	Edge_1RB_Left	22.16	20.81
n66	20	15	1720	DFT	16QAM	Edge_1RB_Right	22.28	20.93
n66	20	15	1720	DFT	16QAM	Outer_Full	21.95	20.60
n66	20	15	1720	DFT	64QAM	Inner_Full	21.45	20.10
n66	20	15	1720	DFT	64QAM	Edge_1RB_Left	21.28	19.93
n66	20	15	1720	DFT	64QAM	Edge_1RB_Right	21.42	20.07
n66	20	15	1720	DFT	64QAM	Outer_Full	21.47	20.12
n66	20	15	1720	DFT	256QAM	Inner_Full	19.42	18.07
n66	20	15	1720	DFT	256QAM	Edge_1RB_Left	19.07	17.72
n66	20	15	1720	DFT	256QAM	Edge_1RB_Right	19.21	17.86
n66	20	15	1720	DFT	256QAM	Outer_Full	19.43	18.08
n66	20	15	1720	CP	QPSK	Inner_Full	22.45	21.10
n66	20	15	1720	CP	QPSK	Edge_1RB_Left	20.86	19.51
n66	20	15	1720	CP	QPSK	Edge_1RB_Right	20.92	19.57
n66	20	15	1720	CP	QPSK	Outer_Full	21.02	19.67
n66	20	15	1720	CP	16QAM	Inner_Full	21.92	20.57
n66	20	15	1720	CP	16QAM	Edge_1RB_Left	21.37	20.02
n66	20	15	1720	CP	16QAM	Edge_1RB_Right	21.38	20.03
n66	20	15	1720	CP	16QAM	Outer_Full	21.03	19.68
n66	20	15	1720	CP	64QAM	Inner_Full	20.51	19.16
n66	20	15	1720	CP	64QAM	Edge_1RB_Left	20.24	18.89
n66	20	15	1720	CP	64QAM	Edge_1RB_Right	20.32	18.97
n66	20	15	1720	CP	64QAM	Outer_Full	20.49	19.14
n66	20	15	1720	CP	256QAM	Inner_Full	17.38	16.03
n66	20	15	1720	CP	256QAM	Edge_1RB_Left	17.24	15.89
n66	20	15	1720	CP	256QAM	Edge_1RB_Right	17.31	15.96
n66	20	15	1720	CP	256QAM	Outer_Full	17.48	16.13
n66	20	15	1745	DFT	pi/2 BPSK	Inner_Full	24.33	22.98
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Left	23.64	22.29
n66	20	15	1745	DFT	pi/2 BPSK	Edge_1RB_Right	23.67	22.32
n66	20	15	1745	DFT	pi/2 BPSK	Outer_Full	23.78	22.43

n66	20	15	1745	DFT	QPSK	Inner_Full	24.35	23.00
n66	20	15	1745	DFT	QPSK	Edge_1RB_Left	23.29	21.94
n66	20	15	1745	DFT	QPSK	Edge_1RB_Right	23.30	21.95
n66	20	15	1745	DFT	QPSK	Outer_Full	23.31	21.96
n66	20	15	1745	DFT	16QAM	Inner_Full	23.25	21.90
n66	20	15	1745	DFT	16QAM	Edge_1RB_Left	22.50	21.15
n66	20	15	1745	DFT	16QAM	Edge_1RB_Right	22.54	21.19
n66	20	15	1745	DFT	16QAM	Outer_Full	22.34	20.99
n66	20	15	1745	DFT	64QAM	Inner_Full	21.76	20.41
n66	20	15	1745	DFT	64QAM	Edge_1RB_Left	21.61	20.26
n66	20	15	1745	DFT	64QAM	Edge_1RB_Right	21.68	20.33
n66	20	15	1745	DFT	64QAM	Outer_Full	21.86	20.51
n66	20	15	1745	DFT	256QAM	Inner_Full	19.75	18.40
n66	20	15	1745	DFT	256QAM	Edge_1RB_Left	19.43	18.08
n66	20	15	1745	DFT	256QAM	Edge_1RB_Right	19.53	18.18
n66	20	15	1745	DFT	256QAM	Outer_Full	19.79	18.44
n66	20	15	1745	CP	QPSK	Inner_Full	22.79	21.44
n66	20	15	1745	CP	QPSK	Edge_1RB_Left	21.22	19.87
n66	20	15	1745	CP	QPSK	Edge_1RB_Right	21.26	19.91
n66	20	15	1745	CP	QPSK	Outer_Full	21.31	19.96
n66	20	15	1745	CP	16QAM	Inner_Full	22.30	20.95
n66	20	15	1745	CP	16QAM	Edge_1RB_Left	21.55	20.20
n66	20	15	1745	CP	16QAM	Edge_1RB_Right	21.70	20.35
n66	20	15	1745	CP	16QAM	Outer_Full	21.33	19.98
n66	20	15	1745	CP	64QAM	Inner_Full	20.79	19.44
n66	20	15	1745	CP	64QAM	Edge_1RB_Left	20.50	19.15
n66	20	15	1745	CP	64QAM	Edge_1RB_Right	20.56	19.21
n66	20	15	1745	CP	64QAM	Outer_Full	20.87	19.52
n66	20	15	1745	CP	256QAM	Inner_Full	17.83	16.48
n66	20	15	1745	CP	256QAM	Edge_1RB_Left	17.68	16.33
n66	20	15	1745	CP	256QAM	Edge_1RB_Right	17.62	16.27
n66	20	15	1745	CP	256QAM	Outer_Full	17.87	16.52
n66	20	15	1770	DFT	pi/2 BPSK	Inner_Full	23.91	22.56
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Left	23.36	22.01
n66	20	15	1770	DFT	pi/2 BPSK	Edge_1RB_Right	23.52	22.17
n66	20	15	1770	DFT	pi/2 BPSK	Outer_Full	23.48	22.13
n66	20	15	1770	DFT	QPSK	Inner_Full	24.01	22.66
n66	20	15	1770	DFT	QPSK	Edge_1RB_Left	23.05	21.70
n66	20	15	1770	DFT	QPSK	Edge_1RB_Right	23.07	21.72
n66	20	15	1770	DFT	QPSK	Outer_Full	23.03	21.68
n66	20	15	1770	DFT	16QAM	Inner_Full	22.89	21.54

n66	20	15	1770	DFT	16QAM	Edge_1RB_Left	22.34	20.99
n66	20	15	1770	DFT	16QAM	Edge_1RB_Right	22.41	21.06
n66	20	15	1770	DFT	16QAM	Outer_Full	22.03	20.68
n66	20	15	1770	DFT	64QAM	Inner_Full	21.50	20.15
n66	20	15	1770	DFT	64QAM	Edge_1RB_Left	21.40	20.05
n66	20	15	1770	DFT	64QAM	Edge_1RB_Right	21.42	20.07
n66	20	15	1770	DFT	64QAM	Outer_Full	21.55	20.20
n66	20	15	1770	DFT	256QAM	Inner_Full	19.39	18.04
n66	20	15	1770	DFT	256QAM	Edge_1RB_Left	19.27	17.92
n66	20	15	1770	DFT	256QAM	Edge_1RB_Right	19.24	17.89
n66	20	15	1770	DFT	256QAM	Outer_Full	19.50	18.15
n66	20	15	1770	CP	QPSK	Inner_Full	22.44	21.09
n66	20	15	1770	CP	QPSK	Edge_1RB_Left	20.97	19.62
n66	20	15	1770	CP	QPSK	Edge_1RB_Right	21.02	19.67
n66	20	15	1770	CP	QPSK	Outer_Full	20.99	19.64
n66	20	15	1770	CP	16QAM	Inner_Full	21.90	20.55
n66	20	15	1770	CP	16QAM	Edge_1RB_Left	21.49	20.14
n66	20	15	1770	CP	16QAM	Edge_1RB_Right	21.60	20.25
n66	20	15	1770	CP	16QAM	Outer_Full	21.00	19.65
n66	20	15	1770	CP	64QAM	Inner_Full	20.55	19.20
n66	20	15	1770	CP	64QAM	Edge_1RB_Left	20.34	18.99
n66	20	15	1770	CP	64QAM	Edge_1RB_Right	20.27	18.92
n66	20	15	1770	CP	64QAM	Outer_Full	20.62	19.27
n66	20	15	1770	CP	256QAM	Inner_Full	17.43	16.08
n66	20	15	1770	CP	256QAM	Edge_1RB_Left	17.41	16.06
n66	20	15	1770	CP	256QAM	Edge_1RB_Right	17.42	16.07
n66	20	15	1770	CP	256QAM	Outer_Full	17.54	16.19



NR n70

Limit ≤ 30dBm(1W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	EIRP(dBm) (Gt - Lc = -1.6)
n70	5	15	1697.5	DFT	pi/2 BPSK	Inner_Full	24.11	22.51
n70	5	15	1697.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.62	22.02
n70	5	15	1697.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.51	21.91
n70	5	15	1697.5	DFT	pi/2 BPSK	Outer_Full	23.67	22.07
n70	5	15	1697.5	DFT	QPSK	Inner_Full	24.16	22.56
n70	5	15	1697.5	DFT	QPSK	Edge_1RB_Left	23.22	21.62
n70	5	15	1697.5	DFT	QPSK	Edge_1RB_Right	23.21	21.61
n70	5	15	1697.5	DFT	QPSK	Outer_Full	23.19	21.59
n70	5	15	1697.5	DFT	16QAM	Inner_Full	23.27	21.67
n70	5	15	1697.5	DFT	16QAM	Edge_1RB_Left	22.09	20.49
n70	5	15	1697.5	DFT	16QAM	Edge_1RB_Right	22.00	20.40
n70	5	15	1697.5	DFT	16QAM	Outer_Full	22.27	20.67
n70	5	15	1697.5	DFT	64QAM	Inner_Full	21.79	20.19
n70	5	15	1697.5	DFT	64QAM	Edge_1RB_Left	21.49	19.89
n70	5	15	1697.5	DFT	64QAM	Edge_1RB_Right	21.47	19.87
n70	5	15	1697.5	DFT	64QAM	Outer_Full	21.80	20.20
n70	5	15	1697.5	DFT	256QAM	Inner_Full	19.67	18.07
n70	5	15	1697.5	DFT	256QAM	Edge_1RB_Left	19.40	17.80
n70	5	15	1697.5	DFT	256QAM	Edge_1RB_Right	19.37	17.77
n70	5	15	1697.5	DFT	256QAM	Outer_Full	19.66	18.06
n70	5	15	1697.5	CP	QPSK	Inner_Full	22.72	21.12
n70	5	15	1697.5	CP	QPSK	Edge_1RB_Left	21.10	19.50
n70	5	15	1697.5	CP	QPSK	Edge_1RB_Right	21.07	19.47
n70	5	15	1697.5	CP	QPSK	Outer_Full	21.11	19.51
n70	5	15	1697.5	CP	16QAM	Inner_Full	22.31	20.71
n70	5	15	1697.5	CP	16QAM	Edge_1RB_Left	21.51	19.91
n70	5	15	1697.5	CP	16QAM	Edge_1RB_Right	21.57	19.97
n70	5	15	1697.5	CP	16QAM	Outer_Full	21.14	19.54
n70	5	15	1697.5	CP	64QAM	Inner_Full	20.60	19.00
n70	5	15	1697.5	CP	64QAM	Edge_1RB_Left	20.49	18.89
n70	5	15	1697.5	CP	64QAM	Edge_1RB_Right	20.37	18.77
n70	5	15	1697.5	CP	64QAM	Outer_Full	20.75	19.15
n70	5	15	1697.5	CP	256QAM	Inner_Full	17.73	16.13
n70	5	15	1697.5	CP	256QAM	Edge_1RB_Left	17.55	15.95
n70	5	15	1697.5	CP	256QAM	Edge_1RB_Right	17.50	15.90
n70	5	15	1697.5	CP	256QAM	Outer_Full	17.75	16.15



n70	5	15	1702.5	DFT	pi/2 BPSK	Inner_Full	24.03	22.43
n70	5	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.38	21.78
n70	5	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.43	21.83
n70	5	15	1702.5	DFT	pi/2 BPSK	Outer_Full	23.54	21.94
n70	5	15	1702.5	DFT	QPSK	Inner_Full	24.04	22.44
n70	5	15	1702.5	DFT	QPSK	Edge_1RB_Left	23.04	21.44
n70	5	15	1702.5	DFT	QPSK	Edge_1RB_Right	23.06	21.46
n70	5	15	1702.5	DFT	QPSK	Outer_Full	23.05	21.45
n70	5	15	1702.5	DFT	16QAM	Inner_Full	23.16	21.56
n70	5	15	1702.5	DFT	16QAM	Edge_1RB_Left	21.91	20.31
n70	5	15	1702.5	DFT	16QAM	Edge_1RB_Right	21.90	20.30
n70	5	15	1702.5	DFT	16QAM	Outer_Full	22.09	20.49
n70	5	15	1702.5	DFT	64QAM	Inner_Full	21.65	20.05
n70	5	15	1702.5	DFT	64QAM	Edge_1RB_Left	21.42	19.82
n70	5	15	1702.5	DFT	64QAM	Edge_1RB_Right	21.31	19.71
n70	5	15	1702.5	DFT	64QAM	Outer_Full	21.69	20.09
n70	5	15	1702.5	DFT	256QAM	Inner_Full	19.54	17.94
n70	5	15	1702.5	DFT	256QAM	Edge_1RB_Left	19.20	17.60
n70	5	15	1702.5	DFT	256QAM	Edge_1RB_Right	19.25	17.65
n70	5	15	1702.5	DFT	256QAM	Outer_Full	19.52	17.92
n70	5	15	1702.5	CP	QPSK	Inner_Full	22.61	21.01
n70	5	15	1702.5	CP	QPSK	Edge_1RB_Left	20.97	19.37
n70	5	15	1702.5	CP	QPSK	Edge_1RB_Right	20.91	19.31
n70	5	15	1702.5	CP	QPSK	Outer_Full	20.98	19.38
n70	5	15	1702.5	CP	16QAM	Inner_Full	22.18	20.58
n70	5	15	1702.5	CP	16QAM	Edge_1RB_Left	21.27	19.67
n70	5	15	1702.5	CP	16QAM	Edge_1RB_Right	21.51	19.91
n70	5	15	1702.5	CP	16QAM	Outer_Full	21.01	19.41
n70	5	15	1702.5	CP	64QAM	Inner_Full	20.46	18.86
n70	5	15	1702.5	CP	64QAM	Edge_1RB_Left	20.35	18.75
n70	5	15	1702.5	CP	64QAM	Edge_1RB_Right	20.31	18.71
n70	5	15	1702.5	CP	64QAM	Outer_Full	20.63	19.03
n70	5	15	1702.5	CP	256QAM	Inner_Full	17.64	16.04
n70	5	15	1702.5	CP	256QAM	Edge_1RB_Left	17.39	15.79
n70	5	15	1702.5	CP	256QAM	Edge_1RB_Right	17.32	15.72
n70	5	15	1702.5	CP	256QAM	Outer_Full	17.52	15.92
n70	5	15	1707.5	DFT	pi/2 BPSK	Inner_Full	24.02	22.42
n70	5	15	1707.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.43	21.83
n70	5	15	1707.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.49	21.89
n70	5	15	1707.5	DFT	pi/2 BPSK	Outer_Full	23.59	21.99
n70	5	15	1707.5	DFT	QPSK	Inner_Full	24.12	22.52

n70	5	15	1707.5	DFT	QPSK	Edge_1RB_Left	23.01	21.41
n70	5	15	1707.5	DFT	QPSK	Edge_1RB_Right	23.03	21.43
n70	5	15	1707.5	DFT	QPSK	Outer_Full	23.12	21.52
n70	5	15	1707.5	DFT	16QAM	Inner_Full	23.15	21.55
n70	5	15	1707.5	DFT	16QAM	Edge_1RB_Left	22.30	20.70
n70	5	15	1707.5	DFT	16QAM	Edge_1RB_Right	22.27	20.67
n70	5	15	1707.5	DFT	16QAM	Outer_Full	21.99	20.39
n70	5	15	1707.5	DFT	64QAM	Inner_Full	21.73	20.13
n70	5	15	1707.5	DFT	64QAM	Edge_1RB_Left	21.44	19.84
n70	5	15	1707.5	DFT	64QAM	Edge_1RB_Right	21.42	19.82
n70	5	15	1707.5	DFT	64QAM	Outer_Full	21.74	20.14
n70	5	15	1707.5	DFT	256QAM	Inner_Full	19.49	17.89
n70	5	15	1707.5	DFT	256QAM	Edge_1RB_Left	19.28	17.68
n70	5	15	1707.5	DFT	256QAM	Edge_1RB_Right	19.29	17.69
n70	5	15	1707.5	DFT	256QAM	Outer_Full	19.53	17.93
n70	5	15	1707.5	CP	QPSK	Inner_Full	22.58	20.98
n70	5	15	1707.5	CP	QPSK	Edge_1RB_Left	21.03	19.43
n70	5	15	1707.5	CP	QPSK	Edge_1RB_Right	21.03	19.43
n70	5	15	1707.5	CP	QPSK	Outer_Full	20.96	19.36
n70	5	15	1707.5	CP	16QAM	Inner_Full	22.21	20.61
n70	5	15	1707.5	CP	16QAM	Edge_1RB_Left	21.53	19.93
n70	5	15	1707.5	CP	16QAM	Edge_1RB_Right	21.41	19.81
n70	5	15	1707.5	CP	16QAM	Outer_Full	21.05	19.45
n70	5	15	1707.5	CP	64QAM	Inner_Full	20.52	18.92
n70	5	15	1707.5	CP	64QAM	Edge_1RB_Left	20.31	18.71
n70	5	15	1707.5	CP	64QAM	Edge_1RB_Right	20.34	18.74
n70	5	15	1707.5	CP	64QAM	Outer_Full	20.61	19.01
n70	5	15	1707.5	CP	256QAM	Inner_Full	17.69	16.09
n70	5	15	1707.5	CP	256QAM	Edge_1RB_Left	17.34	15.74
n70	5	15	1707.5	CP	256QAM	Edge_1RB_Right	17.36	15.76
n70	5	15	1707.5	CP	256QAM	Outer_Full	17.58	15.98
n70	10	15	1700	DFT	pi/2 BPSK	Inner_Full	24.12	22.52
n70	10	15	1700	DFT	pi/2 BPSK	Edge_1RB_Left	23.57	21.97
n70	10	15	1700	DFT	pi/2 BPSK	Edge_1RB_Right	23.45	21.85
n70	10	15	1700	DFT	pi/2 BPSK	Outer_Full	23.61	22.01
n70	10	15	1700	DFT	QPSK	Inner_Full	24.18	22.58
n70	10	15	1700	DFT	QPSK	Edge_1RB_Left	23.20	21.60
n70	10	15	1700	DFT	QPSK	Edge_1RB_Right	23.08	21.48
n70	10	15	1700	DFT	QPSK	Outer_Full	23.12	21.52
n70	10	15	1700	DFT	16QAM	Inner_Full	23.14	21.54
n70	10	15	1700	DFT	16QAM	Edge_1RB_Left	22.52	20.92



I22Z61533-WMD04

n70	10	15	1700	DFT	16QAM	Edge_1RB_Right	22.30	20.70
n70	10	15	1700	DFT	16QAM	Outer_Full	22.06	20.46
n70	10	15	1700	DFT	64QAM	Inner_Full	21.73	20.13
n70	10	15	1700	DFT	64QAM	Edge_1RB_Left	21.55	19.95
n70	10	15	1700	DFT	64QAM	Edge_1RB_Right	21.43	19.83
n70	10	15	1700	DFT	64QAM	Outer_Full	21.65	20.05
n70	10	15	1700	DFT	256QAM	Inner_Full	19.60	18.00
n70	10	15	1700	DFT	256QAM	Edge_1RB_Left	19.38	17.78
n70	10	15	1700	DFT	256QAM	Edge_1RB_Right	19.30	17.70
n70	10	15	1700	DFT	256QAM	Outer_Full	19.63	18.03
n70	10	15	1700	CP	QPSK	Inner_Full	22.60	21.00
n70	10	15	1700	CP	QPSK	Edge_1RB_Left	21.13	19.53
n70	10	15	1700	CP	QPSK	Edge_1RB_Right	21.01	19.41
n70	10	15	1700	CP	QPSK	Outer_Full	21.08	19.48
n70	10	15	1700	CP	16QAM	Inner_Full	22.23	20.63
n70	10	15	1700	CP	16QAM	Edge_1RB_Left	21.65	20.05
n70	10	15	1700	CP	16QAM	Edge_1RB_Right	21.56	19.96
n70	10	15	1700	CP	16QAM	Outer_Full	21.13	19.53
n70	10	15	1700	CP	64QAM	Inner_Full	20.68	19.08
n70	10	15	1700	CP	64QAM	Edge_1RB_Left	20.46	18.86
n70	10	15	1700	CP	64QAM	Edge_1RB_Right	20.43	18.83
n70	10	15	1700	CP	64QAM	Outer_Full	20.71	19.11
n70	10	15	1700	CP	256QAM	Inner_Full	17.62	16.02
n70	10	15	1700	CP	256QAM	Edge_1RB_Left	17.56	15.96
n70	10	15	1700	CP	256QAM	Edge_1RB_Right	17.49	15.89
n70	10	15	1700	CP	256QAM	Outer_Full	17.63	16.03
n70	10	15	1702.5	DFT	pi/2 BPSK	Inner_Full	24.04	22.44
n70	10	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.53	21.93
n70	10	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.50	21.90
n70	10	15	1702.5	DFT	pi/2 BPSK	Outer_Full	23.57	21.97
n70	10	15	1702.5	DFT	QPSK	Inner_Full	24.17	22.57
n70	10	15	1702.5	DFT	QPSK	Edge_1RB_Left	23.16	21.56
n70	10	15	1702.5	DFT	QPSK	Edge_1RB_Right	23.06	21.46
n70	10	15	1702.5	DFT	QPSK	Outer_Full	23.10	21.50
n70	10	15	1702.5	DFT	16QAM	Inner_Full	23.10	21.50
n70	10	15	1702.5	DFT	16QAM	Edge_1RB_Left	22.48	20.88
n70	10	15	1702.5	DFT	16QAM	Edge_1RB_Right	22.28	20.68
n70	10	15	1702.5	DFT	16QAM	Outer_Full	22.03	20.43
n70	10	15	1702.5	DFT	64QAM	Inner_Full	21.78	20.18
n70	10	15	1702.5	DFT	64QAM	Edge_1RB_Left	21.49	19.89
n70	10	15	1702.5	DFT	64QAM	Edge_1RB_Right	21.39	19.79



I22Z61533-WMD04

n70	10	15	1702.5	DFT	64QAM	Outer_Full	21.64	20.04
n70	10	15	1702.5	DFT	256QAM	Inner_Full	19.48	17.88
n70	10	15	1702.5	DFT	256QAM	Edge_1RB_Left	19.28	17.68
n70	10	15	1702.5	DFT	256QAM	Edge_1RB_Right	19.21	17.61
n70	10	15	1702.5	DFT	256QAM	Outer_Full	19.52	17.92
n70	10	15	1702.5	CP	QPSK	Inner_Full	22.58	20.98
n70	10	15	1702.5	CP	QPSK	Edge_1RB_Left	21.01	19.41
n70	10	15	1702.5	CP	QPSK	Edge_1RB_Right	21.01	19.41
n70	10	15	1702.5	CP	QPSK	Outer_Full	21.07	19.47
n70	10	15	1702.5	CP	16QAM	Inner_Full	22.11	20.51
n70	10	15	1702.5	CP	16QAM	Edge_1RB_Left	21.51	19.91
n70	10	15	1702.5	CP	16QAM	Edge_1RB_Right	21.52	19.92
n70	10	15	1702.5	CP	16QAM	Outer_Full	21.10	19.50
n70	10	15	1702.5	CP	64QAM	Inner_Full	20.65	19.05
n70	10	15	1702.5	CP	64QAM	Edge_1RB_Left	20.42	18.82
n70	10	15	1702.5	CP	64QAM	Edge_1RB_Right	20.32	18.72
n70	10	15	1702.5	CP	64QAM	Outer_Full	20.59	18.99
n70	10	15	1702.5	CP	256QAM	Inner_Full	17.58	15.98
n70	10	15	1702.5	CP	256QAM	Edge_1RB_Left	17.44	15.84
n70	10	15	1702.5	CP	256QAM	Edge_1RB_Right	17.46	15.86
n70	10	15	1702.5	CP	256QAM	Outer_Full	17.51	15.91
n70	10	15	1705	DFT	pi/2 BPSK	Inner_Full	24.14	22.54
n70	10	15	1705	DFT	pi/2 BPSK	Edge_1RB_Left	23.54	21.94
n70	10	15	1705	DFT	pi/2 BPSK	Edge_1RB_Right	23.53	21.93
n70	10	15	1705	DFT	pi/2 BPSK	Outer_Full	23.66	22.06
n70	10	15	1705	DFT	QPSK	Inner_Full	24.13	22.53
n70	10	15	1705	DFT	QPSK	Edge_1RB_Left	23.15	21.55
n70	10	15	1705	DFT	QPSK	Edge_1RB_Right	23.08	21.48
n70	10	15	1705	DFT	QPSK	Outer_Full	23.20	21.60
n70	10	15	1705	DFT	16QAM	Inner_Full	23.17	21.57
n70	10	15	1705	DFT	16QAM	Edge_1RB_Left	22.47	20.87
n70	10	15	1705	DFT	16QAM	Edge_1RB_Right	22.43	20.83
n70	10	15	1705	DFT	16QAM	Outer_Full	22.02	20.42
n70	10	15	1705	DFT	64QAM	Inner_Full	21.75	20.15
n70	10	15	1705	DFT	64QAM	Edge_1RB_Left	21.53	19.93
n70	10	15	1705	DFT	64QAM	Edge_1RB_Right	21.46	19.86
n70	10	15	1705	DFT	64QAM	Outer_Full	21.64	20.04
n70	10	15	1705	DFT	256QAM	Inner_Full	19.55	17.95
n70	10	15	1705	DFT	256QAM	Edge_1RB_Left	19.37	17.77
n70	10	15	1705	DFT	256QAM	Edge_1RB_Right	19.31	17.71
n70	10	15	1705	DFT	256QAM	Outer_Full	19.59	17.99

n70	10	15	1705	CP	QPSK	Inner_Full	22.65	21.05
n70	10	15	1705	CP	QPSK	Edge_1RB_Left	21.02	19.42
n70	10	15	1705	CP	QPSK	Edge_1RB_Right	20.97	19.37
n70	10	15	1705	CP	QPSK	Outer_Full	21.06	19.46
n70	10	15	1705	CP	16QAM	Inner_Full	22.28	20.68
n70	10	15	1705	CP	16QAM	Edge_1RB_Left	21.46	19.86
n70	10	15	1705	CP	16QAM	Edge_1RB_Right	21.41	19.81
n70	10	15	1705	CP	16QAM	Outer_Full	21.10	19.50
n70	10	15	1705	CP	64QAM	Inner_Full	20.71	19.11
n70	10	15	1705	CP	64QAM	Edge_1RB_Left	20.42	18.82
n70	10	15	1705	CP	64QAM	Edge_1RB_Right	20.44	18.84
n70	10	15	1705	CP	64QAM	Outer_Full	20.67	19.07
n70	10	15	1705	CP	256QAM	Inner_Full	17.66	16.06
n70	10	15	1705	CP	256QAM	Edge_1RB_Left	17.56	15.96
n70	10	15	1705	CP	256QAM	Edge_1RB_Right	17.61	16.01
n70	10	15	1705	CP	256QAM	Outer_Full	17.58	15.98
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	23.98	22.38
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.46	21.86
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.37	21.77
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	23.57	21.97
n70	15	15	1702.5	DFT	QPSK	Inner_Full	23.97	22.37
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	23.03	21.43
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	22.93	21.33
n70	15	15	1702.5	DFT	QPSK	Outer_Full	23.01	21.41
n70	15	15	1702.5	DFT	16QAM	Inner_Full	23.02	21.42
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	22.34	20.74
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	22.26	20.66
n70	15	15	1702.5	DFT	16QAM	Outer_Full	22.02	20.42
n70	15	15	1702.5	DFT	64QAM	Inner_Full	21.53	19.93
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	21.37	19.77
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	21.31	19.71
n70	15	15	1702.5	DFT	64QAM	Outer_Full	21.58	19.98
n70	15	15	1702.5	DFT	256QAM	Inner_Full	19.47	17.87
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	19.29	17.69
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	19.17	17.57
n70	15	15	1702.5	DFT	256QAM	Outer_Full	19.49	17.89
n70	15	15	1702.5	CP	QPSK	Inner_Full	22.44	20.84
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	21.04	19.44
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	20.91	19.31
n70	15	15	1702.5	CP	QPSK	Outer_Full	20.97	19.37
n70	15	15	1702.5	CP	16QAM	Inner_Full	21.87	20.27

n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	21.56	19.96
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	21.36	19.76
n70	15	15	1702.5	CP	16QAM	Outer_Full	20.99	19.39
n70	15	15	1702.5	CP	64QAM	Inner_Full	20.55	18.95
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	20.36	18.76
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	20.21	18.61
n70	15	15	1702.5	CP	64QAM	Outer_Full	20.54	18.94
n70	15	15	1702.5	CP	256QAM	Inner_Full	17.47	15.87
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	17.38	15.78
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	17.31	15.71
n70	15	15	1702.5	CP	256QAM	Outer_Full	17.41	15.81
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	24.22	22.62
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.69	22.09
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.63	22.03
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	23.73	22.13
n70	15	15	1702.5	DFT	QPSK	Inner_Full	24.23	22.63
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	23.25	21.65
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	23.20	21.60
n70	15	15	1702.5	DFT	QPSK	Outer_Full	23.26	21.66
n70	15	15	1702.5	DFT	16QAM	Inner_Full	23.29	21.69
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	22.57	20.97
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	22.45	20.85
n70	15	15	1702.5	DFT	16QAM	Outer_Full	22.28	20.68
n70	15	15	1702.5	DFT	64QAM	Inner_Full	21.81	20.21
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	21.63	20.03
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	21.58	19.98
n70	15	15	1702.5	DFT	64QAM	Outer_Full	21.87	20.27
n70	15	15	1702.5	DFT	256QAM	Inner_Full	19.69	18.09
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	19.52	17.92
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	19.39	17.79
n70	15	15	1702.5	DFT	256QAM	Outer_Full	19.66	18.06
n70	15	15	1702.5	CP	QPSK	Inner_Full	22.67	21.07
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	21.30	19.70
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	21.10	19.50
n70	15	15	1702.5	CP	QPSK	Outer_Full	21.24	19.64
n70	15	15	1702.5	CP	16QAM	Inner_Full	22.24	20.64
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	21.90	20.30
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	21.63	20.03
n70	15	15	1702.5	CP	16QAM	Outer_Full	21.27	19.67
n70	15	15	1702.5	CP	64QAM	Inner_Full	20.76	19.16
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	20.59	18.99



n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	20.48	18.88
n70	15	15	1702.5	CP	64QAM	Outer_Full	20.82	19.22
n70	15	15	1702.5	CP	256QAM	Inner_Full	17.79	16.19
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	17.65	16.05
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	17.51	15.91
n70	15	15	1702.5	CP	256QAM	Outer_Full	17.67	16.07
n70	15	15	1702.5	DFT	pi/2 BPSK	Inner_Full	24.01	22.41
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.43	21.83
n70	15	15	1702.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.45	21.85
n70	15	15	1702.5	DFT	pi/2 BPSK	Outer_Full	23.50	21.90
n70	15	15	1702.5	DFT	QPSK	Inner_Full	23.99	22.39
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Left	23.08	21.48
n70	15	15	1702.5	DFT	QPSK	Edge_1RB_Right	23.00	21.40
n70	15	15	1702.5	DFT	QPSK	Outer_Full	23.05	21.45
n70	15	15	1702.5	DFT	16QAM	Inner_Full	22.97	21.37
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Left	21.95	20.35
n70	15	15	1702.5	DFT	16QAM	Edge_1RB_Right	21.80	20.20
n70	15	15	1702.5	DFT	16QAM	Outer_Full	22.06	20.46
n70	15	15	1702.5	DFT	64QAM	Inner_Full	21.59	19.99
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Left	21.38	19.78
n70	15	15	1702.5	DFT	64QAM	Edge_1RB_Right	21.32	19.72
n70	15	15	1702.5	DFT	64QAM	Outer_Full	21.56	19.96
n70	15	15	1702.5	DFT	256QAM	Inner_Full	19.45	17.85
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Left	19.29	17.69
n70	15	15	1702.5	DFT	256QAM	Edge_1RB_Right	19.15	17.55
n70	15	15	1702.5	DFT	256QAM	Outer_Full	19.47	17.87
n70	15	15	1702.5	CP	QPSK	Inner_Full	22.43	20.83
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Left	21.02	19.42
n70	15	15	1702.5	CP	QPSK	Edge_1RB_Right	20.90	19.30
n70	15	15	1702.5	CP	QPSK	Outer_Full	20.97	19.37
n70	15	15	1702.5	CP	16QAM	Inner_Full	21.97	20.37
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Left	21.54	19.94
n70	15	15	1702.5	CP	16QAM	Edge_1RB_Right	21.42	19.82
n70	15	15	1702.5	CP	16QAM	Outer_Full	21.07	19.47
n70	15	15	1702.5	CP	64QAM	Inner_Full	20.55	18.95
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Left	20.36	18.76
n70	15	15	1702.5	CP	64QAM	Edge_1RB_Right	20.16	18.56
n70	15	15	1702.5	CP	64QAM	Outer_Full	20.54	18.94
n70	15	15	1702.5	CP	256QAM	Inner_Full	17.46	15.86
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Left	17.47	15.87
n70	15	15	1702.5	CP	256QAM	Edge_1RB_Right	17.29	15.69



I22Z61533-WMD04

n70	15	15	1702.5	CP	256QAM	Outer_Full	17.49	15.89
-----	----	----	--------	----	--------	------------	-------	-------

NR n71
Limit ≤ 34.77dBm(3W)

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	ERP(dBm) (Gt - Lc = -4.8)
n71	5	15	665.5	DFT	pi/2 BPSK	Inner_Full	24.17	17.22
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.58	16.63
n71	5	15	665.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.61	16.66
n71	5	15	665.5	DFT	pi/2 BPSK	Outer_Full	23.73	16.78
n71	5	15	665.5	DFT	QPSK	Inner_Full	24.18	17.23
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Left	23.21	16.26
n71	5	15	665.5	DFT	QPSK	Edge_1RB_Right	23.18	16.23
n71	5	15	665.5	DFT	QPSK	Outer_Full	23.11	16.16
n71	5	15	665.5	DFT	16QAM	Inner_Full	23.21	16.26
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Left	22.50	15.55
n71	5	15	665.5	DFT	16QAM	Edge_1RB_Right	22.53	15.58
n71	5	15	665.5	DFT	16QAM	Outer_Full	22.11	15.16
n71	5	15	665.5	DFT	64QAM	Inner_Full	21.78	14.83
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Left	21.55	14.60
n71	5	15	665.5	DFT	64QAM	Edge_1RB_Right	21.62	14.67
n71	5	15	665.5	DFT	64QAM	Outer_Full	21.77	14.82
n71	5	15	665.5	DFT	256QAM	Inner_Full	19.67	12.72
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Left	19.42	12.47
n71	5	15	665.5	DFT	256QAM	Edge_1RB_Right	19.39	12.44
n71	5	15	665.5	DFT	256QAM	Outer_Full	19.59	12.64
n71	5	15	665.5	CP	QPSK	Inner_Full	22.57	15.62
n71	5	15	665.5	CP	QPSK	Edge_1RB_Left	21.13	14.18
n71	5	15	665.5	CP	QPSK	Edge_1RB_Right	21.21	14.26
n71	5	15	665.5	CP	QPSK	Outer_Full	21.15	14.20
n71	5	15	665.5	CP	16QAM	Inner_Full	22.25	15.30
n71	5	15	665.5	CP	16QAM	Edge_1RB_Left	21.63	14.68
n71	5	15	665.5	CP	16QAM	Edge_1RB_Right	21.57	14.62
n71	5	15	665.5	CP	16QAM	Outer_Full	21.11	14.16
n71	5	15	665.5	CP	64QAM	Inner_Full	20.59	13.64
n71	5	15	665.5	CP	64QAM	Edge_1RB_Left	20.56	13.61
n71	5	15	665.5	CP	64QAM	Edge_1RB_Right	20.55	13.60
n71	5	15	665.5	CP	64QAM	Outer_Full	20.64	13.69
n71	5	15	665.5	CP	256QAM	Inner_Full	17.72	10.77
n71	5	15	665.5	CP	256QAM	Edge_1RB_Left	17.50	10.55
n71	5	15	665.5	CP	256QAM	Edge_1RB_Right	17.49	10.54
n71	5	15	665.5	CP	256QAM	Outer_Full	17.62	10.67

n71	5	15	680.5	DFT	pi/2 BPSK	Inner_Full	24.20	17.25
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.46	16.51
n71	5	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.44	16.49
n71	5	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.63	16.68
n71	5	15	680.5	DFT	QPSK	Inner_Full	24.24	17.29
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Left	23.02	16.07
n71	5	15	680.5	DFT	QPSK	Edge_1RB_Right	22.97	16.02
n71	5	15	680.5	DFT	QPSK	Outer_Full	23.08	16.13
n71	5	15	680.5	DFT	16QAM	Inner_Full	23.14	16.19
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Left	22.33	15.38
n71	5	15	680.5	DFT	16QAM	Edge_1RB_Right	22.29	15.34
n71	5	15	680.5	DFT	16QAM	Outer_Full	22.06	15.11
n71	5	15	680.5	DFT	64QAM	Inner_Full	21.69	14.74
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Left	21.43	14.48
n71	5	15	680.5	DFT	64QAM	Edge_1RB_Right	21.44	14.49
n71	5	15	680.5	DFT	64QAM	Outer_Full	21.72	14.77
n71	5	15	680.5	DFT	256QAM	Inner_Full	19.70	12.75
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Left	19.30	12.35
n71	5	15	680.5	DFT	256QAM	Edge_1RB_Right	19.28	12.33
n71	5	15	680.5	DFT	256QAM	Outer_Full	19.59	12.64
n71	5	15	680.5	CP	QPSK	Inner_Full	22.62	15.67
n71	5	15	680.5	CP	QPSK	Edge_1RB_Left	21.08	14.13
n71	5	15	680.5	CP	QPSK	Edge_1RB_Right	21.04	14.09
n71	5	15	680.5	CP	QPSK	Outer_Full	21.07	14.12
n71	5	15	680.5	CP	16QAM	Inner_Full	22.31	15.36
n71	5	15	680.5	CP	16QAM	Edge_1RB_Left	21.44	14.49
n71	5	15	680.5	CP	16QAM	Edge_1RB_Right	21.50	14.55
n71	5	15	680.5	CP	16QAM	Outer_Full	21.13	14.18
n71	5	15	680.5	CP	64QAM	Inner_Full	20.51	13.56
n71	5	15	680.5	CP	64QAM	Edge_1RB_Left	20.39	13.44
n71	5	15	680.5	CP	64QAM	Edge_1RB_Right	20.36	13.41
n71	5	15	680.5	CP	64QAM	Outer_Full	20.64	13.69
n71	5	15	680.5	CP	256QAM	Inner_Full	17.72	10.77
n71	5	15	680.5	CP	256QAM	Edge_1RB_Left	17.45	10.50
n71	5	15	680.5	CP	256QAM	Edge_1RB_Right	17.44	10.49
n71	5	15	680.5	CP	256QAM	Outer_Full	17.60	10.65
n71	5	15	695.5	DFT	pi/2 BPSK	Inner_Full	24.11	17.16
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.48	16.53
n71	5	15	695.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.48	16.53
n71	5	15	695.5	DFT	pi/2 BPSK	Outer_Full	23.61	16.66
n71	5	15	695.5	DFT	QPSK	Inner_Full	24.13	17.18



I22Z61533-WMD04

n71	5	15	695.5	DFT	QPSK	Edge_1RB_Left	23.06	16.11
n71	5	15	695.5	DFT	QPSK	Edge_1RB_Right	23.00	16.05
n71	5	15	695.5	DFT	QPSK	Outer_Full	23.10	16.15
n71	5	15	695.5	DFT	16QAM	Inner_Full	23.13	16.18
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Left	22.30	15.35
n71	5	15	695.5	DFT	16QAM	Edge_1RB_Right	22.36	15.41
n71	5	15	695.5	DFT	16QAM	Outer_Full	22.11	15.16
n71	5	15	695.5	DFT	64QAM	Inner_Full	21.75	14.80
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Left	21.35	14.40
n71	5	15	695.5	DFT	64QAM	Edge_1RB_Right	21.38	14.43
n71	5	15	695.5	DFT	64QAM	Outer_Full	21.75	14.80
n71	5	15	695.5	DFT	256QAM	Inner_Full	19.60	12.65
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Left	19.32	12.37
n71	5	15	695.5	DFT	256QAM	Edge_1RB_Right	19.25	12.30
n71	5	15	695.5	DFT	256QAM	Outer_Full	19.56	12.61
n71	5	15	695.5	CP	QPSK	Inner_Full	22.66	15.71
n71	5	15	695.5	CP	QPSK	Edge_1RB_Left	21.12	14.17
n71	5	15	695.5	CP	QPSK	Edge_1RB_Right	21.03	14.08
n71	5	15	695.5	CP	QPSK	Outer_Full	21.08	14.13
n71	5	15	695.5	CP	16QAM	Inner_Full	22.26	15.31
n71	5	15	695.5	CP	16QAM	Edge_1RB_Left	21.48	14.53
n71	5	15	695.5	CP	16QAM	Edge_1RB_Right	21.39	14.44
n71	5	15	695.5	CP	16QAM	Outer_Full	21.05	14.10
n71	5	15	695.5	CP	64QAM	Inner_Full	20.58	13.63
n71	5	15	695.5	CP	64QAM	Edge_1RB_Left	20.40	13.45
n71	5	15	695.5	CP	64QAM	Edge_1RB_Right	20.28	13.33
n71	5	15	695.5	CP	64QAM	Outer_Full	20.64	13.69
n71	5	15	695.5	CP	256QAM	Inner_Full	17.70	10.75
n71	5	15	695.5	CP	256QAM	Edge_1RB_Left	17.35	10.40
n71	5	15	695.5	CP	256QAM	Edge_1RB_Right	17.41	10.46
n71	5	15	695.5	CP	256QAM	Outer_Full	17.64	10.69
n71	10	15	668	DFT	pi/2 BPSK	Inner_Full	24.21	17.26
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Left	23.64	16.69
n71	10	15	668	DFT	pi/2 BPSK	Edge_1RB_Right	23.62	16.67
n71	10	15	668	DFT	pi/2 BPSK	Outer_Full	23.69	16.74
n71	10	15	668	DFT	QPSK	Inner_Full	24.25	17.30
n71	10	15	668	DFT	QPSK	Edge_1RB_Left	23.10	16.15
n71	10	15	668	DFT	QPSK	Edge_1RB_Right	23.15	16.20
n71	10	15	668	DFT	QPSK	Outer_Full	23.16	16.21
n71	10	15	668	DFT	16QAM	Inner_Full	23.15	16.20
n71	10	15	668	DFT	16QAM	Edge_1RB_Left	22.47	15.52



I22Z61533-WMD04

n71	10	15	668	DFT	16QAM	Edge_1RB_Right	22.49	15.54
n71	10	15	668	DFT	16QAM	Outer_Full	22.12	15.17
n71	10	15	668	DFT	64QAM	Inner_Full	21.79	14.84
n71	10	15	668	DFT	64QAM	Edge_1RB_Left	21.60	14.65
n71	10	15	668	DFT	64QAM	Edge_1RB_Right	21.64	14.69
n71	10	15	668	DFT	64QAM	Outer_Full	21.72	14.77
n71	10	15	668	DFT	256QAM	Inner_Full	19.62	12.67
n71	10	15	668	DFT	256QAM	Edge_1RB_Left	19.42	12.47
n71	10	15	668	DFT	256QAM	Edge_1RB_Right	19.35	12.40
n71	10	15	668	DFT	256QAM	Outer_Full	19.65	12.70
n71	10	15	668	CP	QPSK	Inner_Full	22.72	15.77
n71	10	15	668	CP	QPSK	Edge_1RB_Left	21.17	14.22
n71	10	15	668	CP	QPSK	Edge_1RB_Right	21.24	14.29
n71	10	15	668	CP	QPSK	Outer_Full	21.07	14.12
n71	10	15	668	CP	16QAM	Inner_Full	22.13	15.18
n71	10	15	668	CP	16QAM	Edge_1RB_Left	21.61	14.66
n71	10	15	668	CP	16QAM	Edge_1RB_Right	21.60	14.65
n71	10	15	668	CP	16QAM	Outer_Full	21.15	14.20
n71	10	15	668	CP	64QAM	Inner_Full	20.71	13.76
n71	10	15	668	CP	64QAM	Edge_1RB_Left	20.43	13.48
n71	10	15	668	CP	64QAM	Edge_1RB_Right	20.53	13.58
n71	10	15	668	CP	64QAM	Outer_Full	20.71	13.76
n71	10	15	668	CP	256QAM	Inner_Full	17.72	10.77
n71	10	15	668	CP	256QAM	Edge_1RB_Left	17.43	10.48
n71	10	15	668	CP	256QAM	Edge_1RB_Right	17.57	10.62
n71	10	15	668	CP	256QAM	Outer_Full	17.65	10.70
n71	10	15	680.5	DFT	pi/2 BPSK	Inner_Full	24.15	17.20
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.56	16.61
n71	10	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.53	16.58
n71	10	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.63	16.68
n71	10	15	680.5	DFT	QPSK	Inner_Full	24.20	17.25
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Left	23.06	16.11
n71	10	15	680.5	DFT	QPSK	Edge_1RB_Right	22.96	16.01
n71	10	15	680.5	DFT	QPSK	Outer_Full	23.15	16.20
n71	10	15	680.5	DFT	16QAM	Inner_Full	23.15	16.20
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Left	22.48	15.53
n71	10	15	680.5	DFT	16QAM	Edge_1RB_Right	22.38	15.43
n71	10	15	680.5	DFT	16QAM	Outer_Full	22.00	15.05
n71	10	15	680.5	DFT	64QAM	Inner_Full	21.75	14.80
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Left	21.53	14.58
n71	10	15	680.5	DFT	64QAM	Edge_1RB_Right	21.42	14.47

n71	10	15	680.5	DFT	64QAM	Outer_Full	21.61	14.66
n71	10	15	680.5	DFT	256QAM	Inner_Full	19.58	12.63
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Left	19.34	12.39
n71	10	15	680.5	DFT	256QAM	Edge_1RB_Right	19.15	12.20
n71	10	15	680.5	DFT	256QAM	Outer_Full	19.66	12.71
n71	10	15	680.5	CP	QPSK	Inner_Full	22.67	15.72
n71	10	15	680.5	CP	QPSK	Edge_1RB_Left	21.20	14.25
n71	10	15	680.5	CP	QPSK	Edge_1RB_Right	21.11	14.16
n71	10	15	680.5	CP	QPSK	Outer_Full	21.15	14.20
n71	10	15	680.5	CP	16QAM	Inner_Full	22.18	15.23
n71	10	15	680.5	CP	16QAM	Edge_1RB_Left	21.57	14.62
n71	10	15	680.5	CP	16QAM	Edge_1RB_Right	21.57	14.62
n71	10	15	680.5	CP	16QAM	Outer_Full	21.11	14.16
n71	10	15	680.5	CP	64QAM	Inner_Full	20.66	13.71
n71	10	15	680.5	CP	64QAM	Edge_1RB_Left	20.43	13.48
n71	10	15	680.5	CP	64QAM	Edge_1RB_Right	20.42	13.47
n71	10	15	680.5	CP	64QAM	Outer_Full	20.68	13.73
n71	10	15	680.5	CP	256QAM	Inner_Full	17.66	10.71
n71	10	15	680.5	CP	256QAM	Edge_1RB_Left	17.48	10.53
n71	10	15	680.5	CP	256QAM	Edge_1RB_Right	17.44	10.49
n71	10	15	680.5	CP	256QAM	Outer_Full	17.59	10.64
n71	10	15	693	DFT	pi/2 BPSK	Inner_Full	24.05	17.10
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Left	23.48	16.53
n71	10	15	693	DFT	pi/2 BPSK	Edge_1RB_Right	23.49	16.54
n71	10	15	693	DFT	pi/2 BPSK	Outer_Full	23.45	16.50
n71	10	15	693	DFT	QPSK	Inner_Full	24.03	17.08
n71	10	15	693	DFT	QPSK	Edge_1RB_Left	23.04	16.09
n71	10	15	693	DFT	QPSK	Edge_1RB_Right	23.01	16.06
n71	10	15	693	DFT	QPSK	Outer_Full	22.94	15.99
n71	10	15	693	DFT	16QAM	Inner_Full	22.99	16.04
n71	10	15	693	DFT	16QAM	Edge_1RB_Left	22.36	15.41
n71	10	15	693	DFT	16QAM	Edge_1RB_Right	22.34	15.39
n71	10	15	693	DFT	16QAM	Outer_Full	21.89	14.94
n71	10	15	693	DFT	64QAM	Inner_Full	21.56	14.61
n71	10	15	693	DFT	64QAM	Edge_1RB_Left	21.39	14.44
n71	10	15	693	DFT	64QAM	Edge_1RB_Right	21.36	14.41
n71	10	15	693	DFT	64QAM	Outer_Full	21.50	14.55
n71	10	15	693	DFT	256QAM	Inner_Full	19.48	12.53
n71	10	15	693	DFT	256QAM	Edge_1RB_Left	19.33	12.38
n71	10	15	693	DFT	256QAM	Edge_1RB_Right	19.27	12.32
n71	10	15	693	DFT	256QAM	Outer_Full	19.43	12.48

n71	10	15	693	CP	QPSK	Inner_Full	22.53	15.58
n71	10	15	693	CP	QPSK	Edge_1RB_Left	21.06	14.11
n71	10	15	693	CP	QPSK	Edge_1RB_Right	21.07	14.12
n71	10	15	693	CP	QPSK	Outer_Full	20.92	13.97
n71	10	15	693	CP	16QAM	Inner_Full	22.03	15.08
n71	10	15	693	CP	16QAM	Edge_1RB_Left	21.45	14.50
n71	10	15	693	CP	16QAM	Edge_1RB_Right	21.56	14.61
n71	10	15	693	CP	16QAM	Outer_Full	20.89	13.94
n71	10	15	693	CP	64QAM	Inner_Full	20.52	13.57
n71	10	15	693	CP	64QAM	Edge_1RB_Left	20.28	13.33
n71	10	15	693	CP	64QAM	Edge_1RB_Right	20.47	13.52
n71	10	15	693	CP	64QAM	Outer_Full	20.48	13.53
n71	10	15	693	CP	256QAM	Inner_Full	17.45	10.50
n71	10	15	693	CP	256QAM	Edge_1RB_Left	17.35	10.40
n71	10	15	693	CP	256QAM	Edge_1RB_Right	17.42	10.47
n71	10	15	693	CP	256QAM	Outer_Full	17.43	10.48
n71	15	15	670.5	DFT	pi/2 BPSK	Inner_Full	24.09	17.14
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.55	16.60
n71	15	15	670.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.52	16.57
n71	15	15	670.5	DFT	pi/2 BPSK	Outer_Full	23.59	16.64
n71	15	15	670.5	DFT	QPSK	Inner_Full	24.14	17.19
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Left	23.12	16.17
n71	15	15	670.5	DFT	QPSK	Edge_1RB_Right	23.01	16.06
n71	15	15	670.5	DFT	QPSK	Outer_Full	23.10	16.15
n71	15	15	670.5	DFT	16QAM	Inner_Full	23.05	16.10
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Left	22.37	15.42
n71	15	15	670.5	DFT	16QAM	Edge_1RB_Right	22.35	15.40
n71	15	15	670.5	DFT	16QAM	Outer_Full	22.14	15.19
n71	15	15	670.5	DFT	64QAM	Inner_Full	21.62	14.67
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Left	21.50	14.55
n71	15	15	670.5	DFT	64QAM	Edge_1RB_Right	21.46	14.51
n71	15	15	670.5	DFT	64QAM	Outer_Full	21.70	14.75
n71	15	15	670.5	DFT	256QAM	Inner_Full	19.68	12.73
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Left	19.36	12.41
n71	15	15	670.5	DFT	256QAM	Edge_1RB_Right	19.40	12.45
n71	15	15	670.5	DFT	256QAM	Outer_Full	19.55	12.60
n71	15	15	670.5	CP	QPSK	Inner_Full	22.56	15.61
n71	15	15	670.5	CP	QPSK	Edge_1RB_Left	21.20	14.25
n71	15	15	670.5	CP	QPSK	Edge_1RB_Right	21.06	14.11
n71	15	15	670.5	CP	QPSK	Outer_Full	21.09	14.14
n71	15	15	670.5	CP	16QAM	Inner_Full	22.04	15.09

n71	15	15	670.5	CP	16QAM	Edge_1RB_Left	21.54	14.59
n71	15	15	670.5	CP	16QAM	Edge_1RB_Right	21.46	14.51
n71	15	15	670.5	CP	16QAM	Outer_Full	21.12	14.17
n71	15	15	670.5	CP	64QAM	Inner_Full	20.63	13.68
n71	15	15	670.5	CP	64QAM	Edge_1RB_Left	20.46	13.51
n71	15	15	670.5	CP	64QAM	Edge_1RB_Right	20.39	13.44
n71	15	15	670.5	CP	64QAM	Outer_Full	20.62	13.67
n71	15	15	670.5	CP	256QAM	Inner_Full	17.64	10.69
n71	15	15	670.5	CP	256QAM	Edge_1RB_Left	17.49	10.54
n71	15	15	670.5	CP	256QAM	Edge_1RB_Right	17.49	10.54
n71	15	15	670.5	CP	256QAM	Outer_Full	17.49	10.54
n71	15	15	680.5	DFT	pi/2 BPSK	Inner_Full	24.04	17.09
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.59	16.64
n71	15	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.38	16.43
n71	15	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.53	16.58
n71	15	15	680.5	DFT	QPSK	Inner_Full	24.06	17.11
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Left	23.10	16.15
n71	15	15	680.5	DFT	QPSK	Edge_1RB_Right	22.76	15.81
n71	15	15	680.5	DFT	QPSK	Outer_Full	23.09	16.14
n71	15	15	680.5	DFT	16QAM	Inner_Full	23.08	16.13
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Left	22.45	15.50
n71	15	15	680.5	DFT	16QAM	Edge_1RB_Right	22.17	15.22
n71	15	15	680.5	DFT	16QAM	Outer_Full	22.12	15.17
n71	15	15	680.5	DFT	64QAM	Inner_Full	21.61	14.66
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Left	21.50	14.55
n71	15	15	680.5	DFT	64QAM	Edge_1RB_Right	21.33	14.38
n71	15	15	680.5	DFT	64QAM	Outer_Full	21.60	14.65
n71	15	15	680.5	DFT	256QAM	Inner_Full	19.56	12.61
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Left	19.35	12.40
n71	15	15	680.5	DFT	256QAM	Edge_1RB_Right	19.16	12.21
n71	15	15	680.5	DFT	256QAM	Outer_Full	19.47	12.52
n71	15	15	680.5	CP	QPSK	Inner_Full	22.57	15.62
n71	15	15	680.5	CP	QPSK	Edge_1RB_Left	21.11	14.16
n71	15	15	680.5	CP	QPSK	Edge_1RB_Right	20.85	13.90
n71	15	15	680.5	CP	QPSK	Outer_Full	21.10	14.15
n71	15	15	680.5	CP	16QAM	Inner_Full	21.99	15.04
n71	15	15	680.5	CP	16QAM	Edge_1RB_Left	21.54	14.59
n71	15	15	680.5	CP	16QAM	Edge_1RB_Right	21.23	14.28
n71	15	15	680.5	CP	16QAM	Outer_Full	21.02	14.07
n71	15	15	680.5	CP	64QAM	Inner_Full	20.59	13.64
n71	15	15	680.5	CP	64QAM	Edge_1RB_Left	20.45	13.50

n71	15	15	680.5	CP	64QAM	Edge_1RB_Right	20.13	13.18
n71	15	15	680.5	CP	64QAM	Outer_Full	20.59	13.64
n71	15	15	680.5	CP	256QAM	Inner_Full	17.49	10.54
n71	15	15	680.5	CP	256QAM	Edge_1RB_Left	17.42	10.47
n71	15	15	680.5	CP	256QAM	Edge_1RB_Right	17.31	10.36
n71	15	15	680.5	CP	256QAM	Outer_Full	17.50	10.55
n71	15	15	690.5	DFT	pi/2 BPSK	Inner_Full	23.87	16.92
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.40	16.45
n71	15	15	690.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.39	16.44
n71	15	15	690.5	DFT	pi/2 BPSK	Outer_Full	23.44	16.49
n71	15	15	690.5	DFT	QPSK	Inner_Full	23.91	16.96
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Left	22.93	15.98
n71	15	15	690.5	DFT	QPSK	Edge_1RB_Right	22.92	15.97
n71	15	15	690.5	DFT	QPSK	Outer_Full	23.01	16.06
n71	15	15	690.5	DFT	16QAM	Inner_Full	22.90	15.95
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Left	22.26	15.31
n71	15	15	690.5	DFT	16QAM	Edge_1RB_Right	22.23	15.28
n71	15	15	690.5	DFT	16QAM	Outer_Full	21.93	14.98
n71	15	15	690.5	DFT	64QAM	Inner_Full	21.43	14.48
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Left	21.32	14.37
n71	15	15	690.5	DFT	64QAM	Edge_1RB_Right	21.36	14.41
n71	15	15	690.5	DFT	64QAM	Outer_Full	21.52	14.57
n71	15	15	690.5	DFT	256QAM	Inner_Full	19.47	12.52
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Left	19.16	12.21
n71	15	15	690.5	DFT	256QAM	Edge_1RB_Right	19.26	12.31
n71	15	15	690.5	DFT	256QAM	Outer_Full	19.38	12.43
n71	15	15	690.5	CP	QPSK	Inner_Full	22.42	15.47
n71	15	15	690.5	CP	QPSK	Edge_1RB_Left	20.88	13.93
n71	15	15	690.5	CP	QPSK	Edge_1RB_Right	20.94	13.99
n71	15	15	690.5	CP	QPSK	Outer_Full	20.95	14.00
n71	15	15	690.5	CP	16QAM	Inner_Full	21.96	15.01
n71	15	15	690.5	CP	16QAM	Edge_1RB_Left	21.08	14.13
n71	15	15	690.5	CP	16QAM	Edge_1RB_Right	21.08	14.13
n71	15	15	690.5	CP	16QAM	Outer_Full	20.93	13.98
n71	15	15	690.5	CP	64QAM	Inner_Full	20.47	13.52
n71	15	15	690.5	CP	64QAM	Edge_1RB_Left	20.29	13.34
n71	15	15	690.5	CP	64QAM	Edge_1RB_Right	20.14	13.19
n71	15	15	690.5	CP	64QAM	Outer_Full	20.48	13.53
n71	15	15	690.5	CP	256QAM	Inner_Full	17.48	10.53
n71	15	15	690.5	CP	256QAM	Edge_1RB_Left	17.30	10.35
n71	15	15	690.5	CP	256QAM	Edge_1RB_Right	17.43	10.48

n71	15	15	690.5	CP	256QAM	Outer_Full	17.38	10.43
n71	20	15	673	DFT	pi/2 BPSK	Inner_Full	24.15	17.20
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Left	23.52	16.57
n71	20	15	673	DFT	pi/2 BPSK	Edge_1RB_Right	23.38	16.43
n71	20	15	673	DFT	pi/2 BPSK	Outer_Full	23.65	16.70
n71	20	15	673	DFT	QPSK	Inner_Full	24.20	17.25
n71	20	15	673	DFT	QPSK	Edge_1RB_Left	22.99	16.04
n71	20	15	673	DFT	QPSK	Edge_1RB_Right	22.91	15.96
n71	20	15	673	DFT	QPSK	Outer_Full	23.11	16.16
n71	20	15	673	DFT	16QAM	Inner_Full	23.06	16.11
n71	20	15	673	DFT	16QAM	Edge_1RB_Left	22.38	15.43
n71	20	15	673	DFT	16QAM	Edge_1RB_Right	22.17	15.22
n71	20	15	673	DFT	16QAM	Outer_Full	22.15	15.20
n71	20	15	673	DFT	64QAM	Inner_Full	21.64	14.69
n71	20	15	673	DFT	64QAM	Edge_1RB_Left	21.49	14.54
n71	20	15	673	DFT	64QAM	Edge_1RB_Right	21.29	14.34
n71	20	15	673	DFT	64QAM	Outer_Full	21.70	14.75
n71	20	15	673	DFT	256QAM	Inner_Full	19.61	12.66
n71	20	15	673	DFT	256QAM	Edge_1RB_Left	19.18	12.23
n71	20	15	673	DFT	256QAM	Edge_1RB_Right	19.27	12.32
n71	20	15	673	DFT	256QAM	Outer_Full	19.68	12.73
n71	20	15	673	CP	QPSK	Inner_Full	22.63	15.68
n71	20	15	673	CP	QPSK	Edge_1RB_Left	21.09	14.14
n71	20	15	673	CP	QPSK	Edge_1RB_Right	20.92	13.97
n71	20	15	673	CP	QPSK	Outer_Full	21.16	14.21
n71	20	15	673	CP	16QAM	Inner_Full	22.08	15.13
n71	20	15	673	CP	16QAM	Edge_1RB_Left	21.55	14.60
n71	20	15	673	CP	16QAM	Edge_1RB_Right	21.38	14.43
n71	20	15	673	CP	16QAM	Outer_Full	21.12	14.17
n71	20	15	673	CP	64QAM	Inner_Full	20.65	13.70
n71	20	15	673	CP	64QAM	Edge_1RB_Left	20.41	13.46
n71	20	15	673	CP	64QAM	Edge_1RB_Right	20.13	13.18
n71	20	15	673	CP	64QAM	Outer_Full	20.60	13.65
n71	20	15	673	CP	256QAM	Inner_Full	17.53	10.58
n71	20	15	673	CP	256QAM	Edge_1RB_Left	17.30	10.35
n71	20	15	673	CP	256QAM	Edge_1RB_Right	17.30	10.35
n71	20	15	673	CP	256QAM	Outer_Full	17.70	10.75
n71	20	15	680.5	DFT	pi/2 BPSK	Inner_Full	23.98	17.03
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Left	23.51	16.56
n71	20	15	680.5	DFT	pi/2 BPSK	Edge_1RB_Right	23.30	16.35
n71	20	15	680.5	DFT	pi/2 BPSK	Outer_Full	23.52	16.57

n71	20	15	680.5	DFT	QPSK	Inner_Full	24.06	17.11
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Left	23.01	16.06
n71	20	15	680.5	DFT	QPSK	Edge_1RB_Right	22.80	15.85
n71	20	15	680.5	DFT	QPSK	Outer_Full	23.06	16.11
n71	20	15	680.5	DFT	16QAM	Inner_Full	23.00	16.05
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Left	22.33	15.38
n71	20	15	680.5	DFT	16QAM	Edge_1RB_Right	22.14	15.19
n71	20	15	680.5	DFT	16QAM	Outer_Full	22.00	15.05
n71	20	15	680.5	DFT	64QAM	Inner_Full	21.56	14.61
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Left	21.40	14.45
n71	20	15	680.5	DFT	64QAM	Edge_1RB_Right	21.26	14.31
n71	20	15	680.5	DFT	64QAM	Outer_Full	21.56	14.61
n71	20	15	680.5	DFT	256QAM	Inner_Full	19.49	12.54
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Left	19.15	12.20
n71	20	15	680.5	DFT	256QAM	Edge_1RB_Right	19.13	12.18
n71	20	15	680.5	DFT	256QAM	Outer_Full	19.57	12.62
n71	20	15	680.5	CP	QPSK	Inner_Full	22.53	15.58
n71	20	15	680.5	CP	QPSK	Edge_1RB_Left	21.04	14.09
n71	20	15	680.5	CP	QPSK	Edge_1RB_Right	20.87	13.92
n71	20	15	680.5	CP	QPSK	Outer_Full	21.11	14.16
n71	20	15	680.5	CP	16QAM	Inner_Full	22.00	15.05
n71	20	15	680.5	CP	16QAM	Edge_1RB_Left	21.50	14.55
n71	20	15	680.5	CP	16QAM	Edge_1RB_Right	21.22	14.27
n71	20	15	680.5	CP	16QAM	Outer_Full	20.95	14.00
n71	20	15	680.5	CP	64QAM	Inner_Full	20.61	13.66
n71	20	15	680.5	CP	64QAM	Edge_1RB_Left	20.33	13.38
n71	20	15	680.5	CP	64QAM	Edge_1RB_Right	20.16	13.21
n71	20	15	680.5	CP	64QAM	Outer_Full	20.52	13.57
n71	20	15	680.5	CP	256QAM	Inner_Full	17.41	10.46
n71	20	15	680.5	CP	256QAM	Edge_1RB_Left	17.32	10.37
n71	20	15	680.5	CP	256QAM	Edge_1RB_Right	17.23	10.28
n71	20	15	680.5	CP	256QAM	Outer_Full	17.51	10.56
n71	20	15	688	DFT	pi/2 BPSK	Inner_Full	24.04	17.09
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Left	23.55	16.60
n71	20	15	688	DFT	pi/2 BPSK	Edge_1RB_Right	23.45	16.50
n71	20	15	688	DFT	pi/2 BPSK	Outer_Full	23.44	16.49
n71	20	15	688	DFT	QPSK	Inner_Full	23.98	17.03
n71	20	15	688	DFT	QPSK	Edge_1RB_Left	23.03	16.08
n71	20	15	688	DFT	QPSK	Edge_1RB_Right	22.91	15.96
n71	20	15	688	DFT	QPSK	Outer_Full	22.91	15.96
n71	20	15	688	DFT	16QAM	Inner_Full	22.82	15.87



I22Z61533-WMD04

n71	20	15	688	DFT	16QAM	Edge_1RB_Left	22.36	15.41
n71	20	15	688	DFT	16QAM	Edge_1RB_Right	22.23	15.28
n71	20	15	688	DFT	16QAM	Outer_Full	21.94	14.99
n71	20	15	688	DFT	64QAM	Inner_Full	21.46	14.51
n71	20	15	688	DFT	64QAM	Edge_1RB_Left	21.44	14.49
n71	20	15	688	DFT	64QAM	Edge_1RB_Right	21.33	14.38
n71	20	15	688	DFT	64QAM	Outer_Full	21.50	14.55
n71	20	15	688	DFT	256QAM	Inner_Full	19.46	12.51
n71	20	15	688	DFT	256QAM	Edge_1RB_Left	19.23	12.28
n71	20	15	688	DFT	256QAM	Edge_1RB_Right	19.29	12.34
n71	20	15	688	DFT	256QAM	Outer_Full	19.43	12.48
n71	20	15	688	CP	QPSK	Inner_Full	22.33	15.38
n71	20	15	688	CP	QPSK	Edge_1RB_Left	21.16	14.21
n71	20	15	688	CP	QPSK	Edge_1RB_Right	20.89	13.94
n71	20	15	688	CP	QPSK	Outer_Full	20.95	14.00
n71	20	15	688	CP	16QAM	Inner_Full	21.86	14.91
n71	20	15	688	CP	16QAM	Edge_1RB_Left	21.55	14.60
n71	20	15	688	CP	16QAM	Edge_1RB_Right	21.39	14.44
n71	20	15	688	CP	16QAM	Outer_Full	20.99	14.04
n71	20	15	688	CP	64QAM	Inner_Full	20.47	13.52
n71	20	15	688	CP	64QAM	Edge_1RB_Left	20.39	13.44
n71	20	15	688	CP	64QAM	Edge_1RB_Right	20.15	13.20
n71	20	15	688	CP	64QAM	Outer_Full	20.46	13.51
n71	20	15	688	CP	256QAM	Inner_Full	17.35	10.40
n71	20	15	688	CP	256QAM	Edge_1RB_Left	17.38	10.43
n71	20	15	688	CP	256QAM	Edge_1RB_Right	17.33	10.38
n71	20	15	688	CP	256QAM	Outer_Full	17.37	10.42

NR n77L

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	EIRP(dBm) (Gt - Lc = -1.3)
n77L	20	30	3460.02	DFT	pi/2 BPSK	Inner_Full	25.48	24.18
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.41	21.11
n77L	20	30	3460.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.58	21.28
n77L	20	30	3460.02	DFT	pi/2 BPSK	Outer_Full	25.52	24.22
n77L	20	30	3460.02	DFT	QPSK	Inner_Full	25.58	24.28
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Left	22.42	21.12
n77L	20	30	3460.02	DFT	QPSK	Edge_1RB_Right	22.46	21.16
n77L	20	30	3460.02	DFT	QPSK	Outer_Full	25.17	23.87
n77L	20	30	3460.02	DFT	16QAM	Inner_Full	25.20	23.90
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Left	22.73	21.43
n77L	20	30	3460.02	DFT	16QAM	Edge_1RB_Right	22.49	21.19
n77L	20	30	3460.02	DFT	16QAM	Outer_Full	24.12	22.82
n77L	20	30	3460.02	DFT	64QAM	Inner_Full	23.70	22.40
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Left	22.13	20.83
n77L	20	30	3460.02	DFT	64QAM	Edge_1RB_Right	22.17	20.87
n77L	20	30	3460.02	DFT	64QAM	Outer_Full	23.59	22.29
n77L	20	30	3460.02	DFT	256QAM	Inner_Full	21.44	20.14
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Left	21.26	19.96
n77L	20	30	3460.02	DFT	256QAM	Edge_1RB_Right	21.42	20.12
n77L	20	30	3460.02	DFT	256QAM	Outer_Full	21.52	20.22
n77L	20	30	3460.02	CP	QPSK	Inner_Full	24.48	23.18
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Left	22.51	21.21
n77L	20	30	3460.02	CP	QPSK	Edge_1RB_Right	22.56	21.26
n77L	20	30	3460.02	CP	QPSK	Outer_Full	23.11	21.81
n77L	20	30	3460.02	CP	16QAM	Inner_Full	24.17	22.87
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Left	22.52	21.22
n77L	20	30	3460.02	CP	16QAM	Edge_1RB_Right	22.85	21.55
n77L	20	30	3460.02	CP	16QAM	Outer_Full	23.10	21.80
n77L	20	30	3460.02	CP	64QAM	Inner_Full	22.53	21.23
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Left	22.14	20.84
n77L	20	30	3460.02	CP	64QAM	Edge_1RB_Right	22.19	20.89
n77L	20	30	3460.02	CP	64QAM	Outer_Full	22.45	21.15
n77L	20	30	3460.02	CP	256QAM	Inner_Full	19.35	18.05
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Left	19.45	18.15
n77L	20	30	3460.02	CP	256QAM	Edge_1RB_Right	19.46	18.16
n77L	20	30	3460.02	CP	256QAM	Outer_Full	19.66	18.36
n77L	20	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.93	24.63

n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.04	21.74
n77L	20	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.11	21.81
n77L	20	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.91	24.61
n77L	20	30	3500.01	DFT	QPSK	Inner_Full	25.95	24.65
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.08	21.78
n77L	20	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.88	21.58
n77L	20	30	3500.01	DFT	QPSK	Outer_Full	25.50	24.20
n77L	20	30	3500.01	DFT	16QAM	Inner_Full	25.71	24.41
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.08	21.78
n77L	20	30	3500.01	DFT	16QAM	Edge_1RB_Right	23.22	21.92
n77L	20	30	3500.01	DFT	16QAM	Outer_Full	24.43	23.13
n77L	20	30	3500.01	DFT	64QAM	Inner_Full	24.01	22.71
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.45	21.15
n77L	20	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.58	21.28
n77L	20	30	3500.01	DFT	64QAM	Outer_Full	23.98	22.68
n77L	20	30	3500.01	DFT	256QAM	Inner_Full	22.14	20.84
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.75	20.45
n77L	20	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.95	20.65
n77L	20	30	3500.01	DFT	256QAM	Outer_Full	22.00	20.70
n77L	20	30	3500.01	CP	QPSK	Inner_Full	25.12	23.82
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Left	22.81	21.51
n77L	20	30	3500.01	CP	QPSK	Edge_1RB_Right	23.01	21.71
n77L	20	30	3500.01	CP	QPSK	Outer_Full	23.64	22.34
n77L	20	30	3500.01	CP	16QAM	Inner_Full	24.60	23.30
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Left	23.09	21.79
n77L	20	30	3500.01	CP	16QAM	Edge_1RB_Right	23.06	21.76
n77L	20	30	3500.01	CP	16QAM	Outer_Full	23.41	22.11
n77L	20	30	3500.01	CP	64QAM	Inner_Full	23.01	21.71
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Left	22.49	21.19
n77L	20	30	3500.01	CP	64QAM	Edge_1RB_Right	22.52	21.22
n77L	20	30	3500.01	CP	64QAM	Outer_Full	22.99	21.69
n77L	20	30	3500.01	CP	256QAM	Inner_Full	19.89	18.59
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Left	20.09	18.79
n77L	20	30	3500.01	CP	256QAM	Edge_1RB_Right	19.85	18.55
n77L	20	30	3500.01	CP	256QAM	Outer_Full	20.09	18.79
n77L	20	30	3540	DFT	pi/2 BPSK	Inner_Full	25.31	24.01
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Left	22.49	21.19
n77L	20	30	3540	DFT	pi/2 BPSK	Edge_1RB_Right	22.42	21.12
n77L	20	30	3540	DFT	pi/2 BPSK	Outer_Full	25.41	24.11
n77L	20	30	3540	DFT	QPSK	Inner_Full	25.39	24.09
n77L	20	30	3540	DFT	QPSK	Edge_1RB_Left	22.48	21.18

n77L	20	30	3540	DFT	QPSK	Edge_1RB_Right	22.35	21.05
n77L	20	30	3540	DFT	QPSK	Outer_Full	24.96	23.66
n77L	20	30	3540	DFT	16QAM	Inner_Full	24.87	23.57
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Left	22.55	21.25
n77L	20	30	3540	DFT	16QAM	Edge_1RB_Right	22.60	21.30
n77L	20	30	3540	DFT	16QAM	Outer_Full	23.93	22.63
n77L	20	30	3540	DFT	64QAM	Inner_Full	23.37	22.07
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Left	22.06	20.76
n77L	20	30	3540	DFT	64QAM	Edge_1RB_Right	22.11	20.81
n77L	20	30	3540	DFT	64QAM	Outer_Full	23.49	22.19
n77L	20	30	3540	DFT	256QAM	Inner_Full	21.17	19.87
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Left	21.38	20.08
n77L	20	30	3540	DFT	256QAM	Edge_1RB_Right	21.30	20.00
n77L	20	30	3540	DFT	256QAM	Outer_Full	21.44	20.14
n77L	20	30	3540	CP	QPSK	Inner_Full	24.36	23.06
n77L	20	30	3540	CP	QPSK	Edge_1RB_Left	22.38	21.08
n77L	20	30	3540	CP	QPSK	Edge_1RB_Right	22.60	21.30
n77L	20	30	3540	CP	QPSK	Outer_Full	22.93	21.63
n77L	20	30	3540	CP	16QAM	Inner_Full	23.92	22.62
n77L	20	30	3540	CP	16QAM	Edge_1RB_Left	22.42	21.12
n77L	20	30	3540	CP	16QAM	Edge_1RB_Right	22.53	21.23
n77L	20	30	3540	CP	16QAM	Outer_Full	22.88	21.58
n77L	20	30	3540	CP	64QAM	Inner_Full	22.37	21.07
n77L	20	30	3540	CP	64QAM	Edge_1RB_Left	21.82	20.52
n77L	20	30	3540	CP	64QAM	Edge_1RB_Right	22.03	20.73
n77L	20	30	3540	CP	64QAM	Outer_Full	22.40	21.10
n77L	20	30	3540	CP	256QAM	Inner_Full	19.24	17.94
n77L	20	30	3540	CP	256QAM	Edge_1RB_Left	19.39	18.09
n77L	20	30	3540	CP	256QAM	Edge_1RB_Right	19.31	18.01
n77L	20	30	3540	CP	256QAM	Outer_Full	19.49	18.19
n77L	30	30	3465	DFT	pi/2 BPSK	Inner_Full	25.47	24.17
n77L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Left	22.52	21.22
n77L	30	30	3465	DFT	pi/2 BPSK	Edge_1RB_Right	22.47	21.17
n77L	30	30	3465	DFT	pi/2 BPSK	Outer_Full	25.45	24.15
n77L	30	30	3465	DFT	QPSK	Inner_Full	25.55	24.25
n77L	30	30	3465	DFT	QPSK	Edge_1RB_Left	22.39	21.09
n77L	30	30	3465	DFT	QPSK	Edge_1RB_Right	22.57	21.27
n77L	30	30	3465	DFT	QPSK	Outer_Full	25.03	23.73
n77L	30	30	3465	DFT	16QAM	Inner_Full	24.89	23.59
n77L	30	30	3465	DFT	16QAM	Edge_1RB_Left	22.57	21.27
n77L	30	30	3465	DFT	16QAM	Edge_1RB_Right	22.60	21.30

n77L	30	30	3465	DFT	16QAM	Outer_Full	24.04	22.74
n77L	30	30	3465	DFT	64QAM	Inner_Full	23.28	21.98
n77L	30	30	3465	DFT	64QAM	Edge_1RB_Left	21.79	20.49
n77L	30	30	3465	DFT	64QAM	Edge_1RB_Right	22.11	20.81
n77L	30	30	3465	DFT	64QAM	Outer_Full	23.55	22.25
n77L	30	30	3465	DFT	256QAM	Inner_Full	21.39	20.09
n77L	30	30	3465	DFT	256QAM	Edge_1RB_Left	21.36	20.06
n77L	30	30	3465	DFT	256QAM	Edge_1RB_Right	21.36	20.06
n77L	30	30	3465	DFT	256QAM	Outer_Full	21.61	20.31
n77L	30	30	3465	CP	QPSK	Inner_Full	24.60	23.30
n77L	30	30	3465	CP	QPSK	Edge_1RB_Left	22.31	21.01
n77L	30	30	3465	CP	QPSK	Edge_1RB_Right	22.55	21.25
n77L	30	30	3465	CP	QPSK	Outer_Full	22.90	21.60
n77L	30	30	3465	CP	16QAM	Inner_Full	24.00	22.70
n77L	30	30	3465	CP	16QAM	Edge_1RB_Left	22.39	21.09
n77L	30	30	3465	CP	16QAM	Edge_1RB_Right	22.54	21.24
n77L	30	30	3465	CP	16QAM	Outer_Full	23.07	21.77
n77L	30	30	3465	CP	64QAM	Inner_Full	22.61	21.31
n77L	30	30	3465	CP	64QAM	Edge_1RB_Left	22.18	20.88
n77L	30	30	3465	CP	64QAM	Edge_1RB_Right	21.96	20.66
n77L	30	30	3465	CP	64QAM	Outer_Full	22.60	21.30
n77L	30	30	3465	CP	256QAM	Inner_Full	19.50	18.20
n77L	30	30	3465	CP	256QAM	Edge_1RB_Left	19.20	17.90
n77L	30	30	3465	CP	256QAM	Edge_1RB_Right	19.49	18.19
n77L	30	30	3465	CP	256QAM	Outer_Full	19.46	18.16
n77L	30	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.95	24.65
n77L	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	23.09	21.79
n77L	30	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	23.29	21.99
n77L	30	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.93	24.63
n77L	30	30	3500.01	DFT	QPSK	Inner_Full	25.97	24.67
n77L	30	30	3500.01	DFT	QPSK	Edge_1RB_Left	23.24	21.94
n77L	30	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.99	21.69
n77L	30	30	3500.01	DFT	QPSK	Outer_Full	25.61	24.31
n77L	30	30	3500.01	DFT	16QAM	Inner_Full	25.77	24.47
n77L	30	30	3500.01	DFT	16QAM	Edge_1RB_Left	23.05	21.75
n77L	30	30	3500.01	DFT	16QAM	Edge_1RB_Right	23.19	21.89
n77L	30	30	3500.01	DFT	16QAM	Outer_Full	24.66	23.36
n77L	30	30	3500.01	DFT	64QAM	Inner_Full	24.09	22.79
n77L	30	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.50	21.20
n77L	30	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.60	21.30
n77L	30	30	3500.01	DFT	64QAM	Outer_Full	24.34	23.04

n77L	30	30	3500.01	DFT	256QAM	Inner_Full	21.91	20.61
n77L	30	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.98	20.68
n77L	30	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.75	20.45
n77L	30	30	3500.01	DFT	256QAM	Outer_Full	22.06	20.76
n77L	30	30	3500.01	CP	QPSK	Inner_Full	25.14	23.84
n77L	30	30	3500.01	CP	QPSK	Edge_1RB_Left	22.93	21.63
n77L	30	30	3500.01	CP	QPSK	Edge_1RB_Right	22.83	21.53
n77L	30	30	3500.01	CP	QPSK	Outer_Full	23.40	22.10
n77L	30	30	3500.01	CP	16QAM	Inner_Full	24.53	23.23
n77L	30	30	3500.01	CP	16QAM	Edge_1RB_Left	22.76	21.46
n77L	30	30	3500.01	CP	16QAM	Edge_1RB_Right	22.93	21.63
n77L	30	30	3500.01	CP	16QAM	Outer_Full	23.39	22.09
n77L	30	30	3500.01	CP	64QAM	Inner_Full	22.95	21.65
n77L	30	30	3500.01	CP	64QAM	Edge_1RB_Left	22.43	21.13
n77L	30	30	3500.01	CP	64QAM	Edge_1RB_Right	22.34	21.04
n77L	30	30	3500.01	CP	64QAM	Outer_Full	23.06	21.76
n77L	30	30	3500.01	CP	256QAM	Inner_Full	19.88	18.58
n77L	30	30	3500.01	CP	256QAM	Edge_1RB_Left	19.60	18.30
n77L	30	30	3500.01	CP	256QAM	Edge_1RB_Right	19.89	18.59
n77L	30	30	3500.01	CP	256QAM	Outer_Full	20.10	18.80
n77L	30	30	3534.99	DFT	pi/2 BPSK	Inner_Full	25.61	24.31
n77L	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.83	21.53
n77L	30	30	3534.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.78	21.48
n77L	30	30	3534.99	DFT	pi/2 BPSK	Outer_Full	25.75	24.45
n77L	30	30	3534.99	DFT	QPSK	Inner_Full	25.69	24.39
n77L	30	30	3534.99	DFT	QPSK	Edge_1RB_Left	22.93	21.63
n77L	30	30	3534.99	DFT	QPSK	Edge_1RB_Right	22.79	21.49
n77L	30	30	3534.99	DFT	QPSK	Outer_Full	25.21	23.91
n77L	30	30	3534.99	DFT	16QAM	Inner_Full	25.09	23.79
n77L	30	30	3534.99	DFT	16QAM	Edge_1RB_Left	23.16	21.86
n77L	30	30	3534.99	DFT	16QAM	Edge_1RB_Right	22.74	21.44
n77L	30	30	3534.99	DFT	16QAM	Outer_Full	24.19	22.89
n77L	30	30	3534.99	DFT	64QAM	Inner_Full	23.54	22.24
n77L	30	30	3534.99	DFT	64QAM	Edge_1RB_Left	22.75	21.45
n77L	30	30	3534.99	DFT	64QAM	Edge_1RB_Right	22.39	21.09
n77L	30	30	3534.99	DFT	64QAM	Outer_Full	23.68	22.38
n77L	30	30	3534.99	DFT	256QAM	Inner_Full	21.39	20.09
n77L	30	30	3534.99	DFT	256QAM	Edge_1RB_Left	21.73	20.43
n77L	30	30	3534.99	DFT	256QAM	Edge_1RB_Right	21.51	20.21
n77L	30	30	3534.99	DFT	256QAM	Outer_Full	21.44	20.14
n77L	30	30	3534.99	CP	QPSK	Inner_Full	24.48	23.18



n77L	30	30	3534.99	CP	QPSK	Edge_1RB_Left	22.87	21.57
n77L	30	30	3534.99	CP	QPSK	Edge_1RB_Right	22.71	21.41
n77L	30	30	3534.99	CP	QPSK	Outer_Full	23.03	21.73
n77L	30	30	3534.99	CP	16QAM	Inner_Full	23.97	22.67
n77L	30	30	3534.99	CP	16QAM	Edge_1RB_Left	22.89	21.59
n77L	30	30	3534.99	CP	16QAM	Edge_1RB_Right	22.76	21.46
n77L	30	30	3534.99	CP	16QAM	Outer_Full	22.96	21.66
n77L	30	30	3534.99	CP	64QAM	Inner_Full	22.49	21.19
n77L	30	30	3534.99	CP	64QAM	Edge_1RB_Left	22.23	20.93
n77L	30	30	3534.99	CP	64QAM	Edge_1RB_Right	22.07	20.77
n77L	30	30	3534.99	CP	64QAM	Outer_Full	22.60	21.30
n77L	30	30	3534.99	CP	256QAM	Inner_Full	19.46	18.16
n77L	30	30	3534.99	CP	256QAM	Edge_1RB_Left	19.81	18.51
n77L	30	30	3534.99	CP	256QAM	Edge_1RB_Right	19.56	18.26
n77L	30	30	3534.99	CP	256QAM	Outer_Full	19.63	18.33
n77L	40	30	3470.01	DFT	pi/2 BPSK	Inner_Full	25.55	24.25
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.56	21.26
n77L	40	30	3470.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.92	21.62
n77L	40	30	3470.01	DFT	pi/2 BPSK	Outer_Full	25.75	24.45
n77L	40	30	3470.01	DFT	QPSK	Inner_Full	25.55	24.25
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Left	22.56	21.26
n77L	40	30	3470.01	DFT	QPSK	Edge_1RB_Right	22.89	21.59
n77L	40	30	3470.01	DFT	QPSK	Outer_Full	25.04	23.74
n77L	40	30	3470.01	DFT	16QAM	Inner_Full	24.96	23.66
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Left	22.59	21.29
n77L	40	30	3470.01	DFT	16QAM	Edge_1RB_Right	23.03	21.73
n77L	40	30	3470.01	DFT	16QAM	Outer_Full	24.24	22.94
n77L	40	30	3470.01	DFT	64QAM	Inner_Full	23.52	22.22
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Left	22.04	20.74
n77L	40	30	3470.01	DFT	64QAM	Edge_1RB_Right	22.41	21.11
n77L	40	30	3470.01	DFT	64QAM	Outer_Full	23.57	22.27
n77L	40	30	3470.01	DFT	256QAM	Inner_Full	21.67	20.37
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Left	21.45	20.15
n77L	40	30	3470.01	DFT	256QAM	Edge_1RB_Right	21.69	20.39
n77L	40	30	3470.01	DFT	256QAM	Outer_Full	21.70	20.40
n77L	40	30	3470.01	CP	QPSK	Inner_Full	24.75	23.45
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Left	22.51	21.21
n77L	40	30	3470.01	CP	QPSK	Edge_1RB_Right	22.98	21.68
n77L	40	30	3470.01	CP	QPSK	Outer_Full	23.01	21.71
n77L	40	30	3470.01	CP	16QAM	Inner_Full	24.07	22.77
n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Left	22.90	21.60

n77L	40	30	3470.01	CP	16QAM	Edge_1RB_Right	23.00	21.70
n77L	40	30	3470.01	CP	16QAM	Outer_Full	23.22	21.92
n77L	40	30	3470.01	CP	64QAM	Inner_Full	22.51	21.21
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Left	22.23	20.93
n77L	40	30	3470.01	CP	64QAM	Edge_1RB_Right	22.45	21.15
n77L	40	30	3470.01	CP	64QAM	Outer_Full	22.64	21.34
n77L	40	30	3470.01	CP	256QAM	Inner_Full	19.47	18.17
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Left	19.33	18.03
n77L	40	30	3470.01	CP	256QAM	Edge_1RB_Right	19.82	18.52
n77L	40	30	3470.01	CP	256QAM	Outer_Full	19.82	18.52
n77L	40	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.99	24.69
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.87	21.57
n77L	40	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.99	21.69
n77L	40	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.91	24.61
n77L	40	30	3500.01	DFT	QPSK	Inner_Full	25.96	24.66
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.73	21.43
n77L	40	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.87	21.57
n77L	40	30	3500.01	DFT	QPSK	Outer_Full	25.42	24.12
n77L	40	30	3500.01	DFT	16QAM	Inner_Full	25.58	24.28
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.81	21.51
n77L	40	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.95	21.65
n77L	40	30	3500.01	DFT	16QAM	Outer_Full	24.44	23.14
n77L	40	30	3500.01	DFT	64QAM	Inner_Full	23.98	22.68
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Left	22.08	20.78
n77L	40	30	3500.01	DFT	64QAM	Edge_1RB_Right	22.72	21.42
n77L	40	30	3500.01	DFT	64QAM	Outer_Full	24.13	22.83
n77L	40	30	3500.01	DFT	256QAM	Inner_Full	22.12	20.82
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.79	20.49
n77L	40	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.82	20.52
n77L	40	30	3500.01	DFT	256QAM	Outer_Full	21.93	20.63
n77L	40	30	3500.01	CP	QPSK	Inner_Full	25.16	23.86
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Left	22.93	21.63
n77L	40	30	3500.01	CP	QPSK	Edge_1RB_Right	23.05	21.75
n77L	40	30	3500.01	CP	QPSK	Outer_Full	23.48	22.18
n77L	40	30	3500.01	CP	16QAM	Inner_Full	24.60	23.30
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Left	22.74	21.44
n77L	40	30	3500.01	CP	16QAM	Edge_1RB_Right	22.98	21.68
n77L	40	30	3500.01	CP	16QAM	Outer_Full	23.62	22.32
n77L	40	30	3500.01	CP	64QAM	Inner_Full	22.99	21.69
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Left	22.42	21.12
n77L	40	30	3500.01	CP	64QAM	Edge_1RB_Right	22.58	21.28

n77L	40	30	3500.01	CP	64QAM	Outer_Full	23.08	21.78
n77L	40	30	3500.01	CP	256QAM	Inner_Full	19.98	18.68
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Left	19.83	18.53
n77L	40	30	3500.01	CP	256QAM	Edge_1RB_Right	19.89	18.59
n77L	40	30	3500.01	CP	256QAM	Outer_Full	19.93	18.63
n77L	40	30	3529.98	DFT	pi/2 BPSK	Inner_Full	25.71	24.41
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Left	23.32	22.02
n77L	40	30	3529.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.93	21.63
n77L	40	30	3529.98	DFT	pi/2 BPSK	Outer_Full	25.84	24.54
n77L	40	30	3529.98	DFT	QPSK	Inner_Full	25.68	24.38
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Left	23.30	22.00
n77L	40	30	3529.98	DFT	QPSK	Edge_1RB_Right	22.84	21.54
n77L	40	30	3529.98	DFT	QPSK	Outer_Full	25.24	23.94
n77L	40	30	3529.98	DFT	16QAM	Inner_Full	25.20	23.90
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Left	23.35	22.05
n77L	40	30	3529.98	DFT	16QAM	Edge_1RB_Right	22.85	21.55
n77L	40	30	3529.98	DFT	16QAM	Outer_Full	24.25	22.95
n77L	40	30	3529.98	DFT	64QAM	Inner_Full	23.85	22.55
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Left	22.91	21.61
n77L	40	30	3529.98	DFT	64QAM	Edge_1RB_Right	22.17	20.87
n77L	40	30	3529.98	DFT	64QAM	Outer_Full	23.79	22.49
n77L	40	30	3529.98	DFT	256QAM	Inner_Full	21.61	20.31
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Left	21.88	20.58
n77L	40	30	3529.98	DFT	256QAM	Edge_1RB_Right	21.50	20.20
n77L	40	30	3529.98	DFT	256QAM	Outer_Full	21.64	20.34
n77L	40	30	3529.98	CP	QPSK	Inner_Full	24.55	23.25
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Left	23.07	21.77
n77L	40	30	3529.98	CP	QPSK	Edge_1RB_Right	22.63	21.33
n77L	40	30	3529.98	CP	QPSK	Outer_Full	23.19	21.89
n77L	40	30	3529.98	CP	16QAM	Inner_Full	23.99	22.69
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Left	23.23	21.93
n77L	40	30	3529.98	CP	16QAM	Edge_1RB_Right	22.80	21.50
n77L	40	30	3529.98	CP	16QAM	Outer_Full	23.21	21.91
n77L	40	30	3529.98	CP	64QAM	Inner_Full	22.50	21.20
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Left	22.57	21.27
n77L	40	30	3529.98	CP	64QAM	Edge_1RB_Right	22.13	20.83
n77L	40	30	3529.98	CP	64QAM	Outer_Full	22.59	21.29
n77L	40	30	3529.98	CP	256QAM	Inner_Full	19.46	18.16
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Left	19.90	18.60
n77L	40	30	3529.98	CP	256QAM	Edge_1RB_Right	19.52	18.22
n77L	40	30	3529.98	CP	256QAM	Outer_Full	19.55	18.25

n77L	60	30	3480	DFT	pi/2 BPSK	Inner_Full	25.48	24.18
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Left	22.20	20.90
n77L	60	30	3480	DFT	pi/2 BPSK	Edge_1RB_Right	22.81	21.51
n77L	60	30	3480	DFT	pi/2 BPSK	Outer_Full	25.57	24.27
n77L	60	30	3480	DFT	QPSK	Inner_Full	25.52	24.22
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Left	22.13	20.83
n77L	60	30	3480	DFT	QPSK	Edge_1RB_Right	22.94	21.64
n77L	60	30	3480	DFT	QPSK	Outer_Full	25.05	23.75
n77L	60	30	3480	DFT	16QAM	Inner_Full	25.03	23.73
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Left	22.28	20.98
n77L	60	30	3480	DFT	16QAM	Edge_1RB_Right	22.84	21.54
n77L	60	30	3480	DFT	16QAM	Outer_Full	24.13	22.83
n77L	60	30	3480	DFT	64QAM	Inner_Full	23.54	22.24
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Left	21.89	20.59
n77L	60	30	3480	DFT	64QAM	Edge_1RB_Right	22.24	20.94
n77L	60	30	3480	DFT	64QAM	Outer_Full	23.57	22.27
n77L	60	30	3480	DFT	256QAM	Inner_Full	21.79	20.49
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Left	21.12	19.82
n77L	60	30	3480	DFT	256QAM	Edge_1RB_Right	21.78	20.48
n77L	60	30	3480	DFT	256QAM	Outer_Full	21.70	20.40
n77L	60	30	3480	CP	QPSK	Inner_Full	24.55	23.25
n77L	60	30	3480	CP	QPSK	Edge_1RB_Left	22.21	20.91
n77L	60	30	3480	CP	QPSK	Edge_1RB_Right	22.93	21.63
n77L	60	30	3480	CP	QPSK	Outer_Full	23.11	21.81
n77L	60	30	3480	CP	16QAM	Inner_Full	24.08	22.78
n77L	60	30	3480	CP	16QAM	Edge_1RB_Left	22.21	20.91
n77L	60	30	3480	CP	16QAM	Edge_1RB_Right	23.14	21.84
n77L	60	30	3480	CP	16QAM	Outer_Full	23.02	21.72
n77L	60	30	3480	CP	64QAM	Inner_Full	22.64	21.34
n77L	60	30	3480	CP	64QAM	Edge_1RB_Left	21.75	20.45
n77L	60	30	3480	CP	64QAM	Edge_1RB_Right	22.27	20.97
n77L	60	30	3480	CP	64QAM	Outer_Full	22.70	21.40
n77L	60	30	3480	CP	256QAM	Inner_Full	19.53	18.23
n77L	60	30	3480	CP	256QAM	Edge_1RB_Left	19.26	17.96
n77L	60	30	3480	CP	256QAM	Edge_1RB_Right	19.80	18.50
n77L	60	30	3480	CP	256QAM	Outer_Full	19.51	18.21
n77L	60	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.94	24.64
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.30	21.00
n77L	60	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.20	20.90
n77L	60	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.75	24.45
n77L	60	30	3500.01	DFT	QPSK	Inner_Full	25.89	24.59

n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.28	20.98
n77L	60	30	3500.01	DFT	QPSK	Edge_1RB_Right	22.26	20.96
n77L	60	30	3500.01	DFT	QPSK	Outer_Full	25.16	23.86
n77L	60	30	3500.01	DFT	16QAM	Inner_Full	25.31	24.01
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.50	21.20
n77L	60	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.30	21.00
n77L	60	30	3500.01	DFT	16QAM	Outer_Full	24.05	22.75
n77L	60	30	3500.01	DFT	64QAM	Inner_Full	23.83	22.53
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.88	20.58
n77L	60	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.84	20.54
n77L	60	30	3500.01	DFT	64QAM	Outer_Full	23.79	22.49
n77L	60	30	3500.01	DFT	256QAM	Inner_Full	21.86	20.56
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.34	20.04
n77L	60	30	3500.01	DFT	256QAM	Edge_1RB_Right	21.05	19.75
n77L	60	30	3500.01	DFT	256QAM	Outer_Full	21.60	20.30
n77L	60	30	3500.01	CP	QPSK	Inner_Full	24.92	23.62
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Left	22.36	21.06
n77L	60	30	3500.01	CP	QPSK	Edge_1RB_Right	22.30	21.00
n77L	60	30	3500.01	CP	QPSK	Outer_Full	23.17	21.87
n77L	60	30	3500.01	CP	16QAM	Inner_Full	24.43	23.13
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Left	22.62	21.32
n77L	60	30	3500.01	CP	16QAM	Edge_1RB_Right	22.71	21.41
n77L	60	30	3500.01	CP	16QAM	Outer_Full	23.17	21.87
n77L	60	30	3500.01	CP	64QAM	Inner_Full	23.02	21.72
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Left	21.85	20.55
n77L	60	30	3500.01	CP	64QAM	Edge_1RB_Right	21.87	20.57
n77L	60	30	3500.01	CP	64QAM	Outer_Full	22.61	21.31
n77L	60	30	3500.01	CP	256QAM	Inner_Full	19.77	18.47
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Left	19.43	18.13
n77L	60	30	3500.01	CP	256QAM	Edge_1RB_Right	19.29	17.99
n77L	60	30	3500.01	CP	256QAM	Outer_Full	19.63	18.33
n77L	60	30	3519.99	DFT	pi/2 BPSK	Inner_Full	25.67	24.37
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.71	21.41
n77L	60	30	3519.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.31	21.01
n77L	60	30	3519.99	DFT	pi/2 BPSK	Outer_Full	25.65	24.35
n77L	60	30	3519.99	DFT	QPSK	Inner_Full	25.69	24.39
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Left	22.68	21.38
n77L	60	30	3519.99	DFT	QPSK	Edge_1RB_Right	22.29	20.99
n77L	60	30	3519.99	DFT	QPSK	Outer_Full	25.30	24.00
n77L	60	30	3519.99	DFT	16QAM	Inner_Full	25.16	23.86
n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Left	22.79	21.49

n77L	60	30	3519.99	DFT	16QAM	Edge_1RB_Right	22.33	21.03
n77L	60	30	3519.99	DFT	16QAM	Outer_Full	23.94	22.64
n77L	60	30	3519.99	DFT	64QAM	Inner_Full	23.70	22.40
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Left	22.35	21.05
n77L	60	30	3519.99	DFT	64QAM	Edge_1RB_Right	21.90	20.60
n77L	60	30	3519.99	DFT	64QAM	Outer_Full	23.56	22.26
n77L	60	30	3519.99	DFT	256QAM	Inner_Full	21.58	20.28
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Left	21.75	20.45
n77L	60	30	3519.99	DFT	256QAM	Edge_1RB_Right	21.26	19.96
n77L	60	30	3519.99	DFT	256QAM	Outer_Full	21.82	20.52
n77L	60	30	3519.99	CP	QPSK	Inner_Full	24.77	23.47
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Left	22.81	21.51
n77L	60	30	3519.99	CP	QPSK	Edge_1RB_Right	22.42	21.12
n77L	60	30	3519.99	CP	QPSK	Outer_Full	23.11	21.81
n77L	60	30	3519.99	CP	16QAM	Inner_Full	24.13	22.83
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Left	22.73	21.43
n77L	60	30	3519.99	CP	16QAM	Edge_1RB_Right	22.32	21.02
n77L	60	30	3519.99	CP	16QAM	Outer_Full	23.08	21.78
n77L	60	30	3519.99	CP	64QAM	Inner_Full	22.89	21.59
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Left	22.15	20.85
n77L	60	30	3519.99	CP	64QAM	Edge_1RB_Right	21.91	20.61
n77L	60	30	3519.99	CP	64QAM	Outer_Full	22.45	21.15
n77L	60	30	3519.99	CP	256QAM	Inner_Full	19.74	18.44
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Left	19.71	18.41
n77L	60	30	3519.99	CP	256QAM	Edge_1RB_Right	19.31	18.01
n77L	60	30	3519.99	CP	256QAM	Outer_Full	19.50	18.20
n77L	80	30	3490.02	DFT	pi/2 BPSK	Inner_Full	25.51	24.21
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.08	20.78
n77L	80	30	3490.02	DFT	pi/2 BPSK	Edge_1RB_Right	22.06	20.76
n77L	80	30	3490.02	DFT	pi/2 BPSK	Outer_Full	25.62	24.32
n77L	80	30	3490.02	DFT	QPSK	Inner_Full	25.69	24.39
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Left	22.19	20.89
n77L	80	30	3490.02	DFT	QPSK	Edge_1RB_Right	22.14	20.84
n77L	80	30	3490.02	DFT	QPSK	Outer_Full	24.96	23.66
n77L	80	30	3490.02	DFT	16QAM	Inner_Full	24.99	23.69
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Left	22.36	21.06
n77L	80	30	3490.02	DFT	16QAM	Edge_1RB_Right	22.15	20.85
n77L	80	30	3490.02	DFT	16QAM	Outer_Full	23.84	22.54
n77L	80	30	3490.02	DFT	64QAM	Inner_Full	23.72	22.42
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Left	21.51	20.21
n77L	80	30	3490.02	DFT	64QAM	Edge_1RB_Right	21.52	20.22

n77L	80	30	3490.02	DFT	64QAM	Outer_Full	23.40	22.10
n77L	80	30	3490.02	DFT	256QAM	Inner_Full	21.58	20.28
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Left	20.93	19.63
n77L	80	30	3490.02	DFT	256QAM	Edge_1RB_Right	21.25	19.95
n77L	80	30	3490.02	DFT	256QAM	Outer_Full	21.44	20.14
n77L	80	30	3490.02	CP	QPSK	Inner_Full	24.56	23.26
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Left	22.52	21.22
n77L	80	30	3490.02	CP	QPSK	Edge_1RB_Right	22.05	20.75
n77L	80	30	3490.02	CP	QPSK	Outer_Full	22.85	21.55
n77L	80	30	3490.02	CP	16QAM	Inner_Full	24.10	22.80
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Left	22.11	20.81
n77L	80	30	3490.02	CP	16QAM	Edge_1RB_Right	22.25	20.95
n77L	80	30	3490.02	CP	16QAM	Outer_Full	23.04	21.74
n77L	80	30	3490.02	CP	64QAM	Inner_Full	22.50	21.20
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Left	21.50	20.20
n77L	80	30	3490.02	CP	64QAM	Edge_1RB_Right	21.82	20.52
n77L	80	30	3490.02	CP	64QAM	Outer_Full	22.44	21.14
n77L	80	30	3490.02	CP	256QAM	Inner_Full	19.70	18.40
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Left	19.16	17.86
n77L	80	30	3490.02	CP	256QAM	Edge_1RB_Right	19.08	17.78
n77L	80	30	3490.02	CP	256QAM	Outer_Full	19.40	18.10
n77L	80	30	3500.01	DFT	pi/2 BPSK	Inner_Full	25.73	24.43
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.37	21.07
n77L	80	30	3500.01	DFT	pi/2 BPSK	Edge_1RB_Right	22.05	20.75
n77L	80	30	3500.01	DFT	pi/2 BPSK	Outer_Full	25.54	24.24
n77L	80	30	3500.01	DFT	QPSK	Inner_Full	25.64	24.34
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Left	22.30	21.00
n77L	80	30	3500.01	DFT	QPSK	Edge_1RB_Right	21.95	20.65
n77L	80	30	3500.01	DFT	QPSK	Outer_Full	24.93	23.63
n77L	80	30	3500.01	DFT	16QAM	Inner_Full	25.16	23.86
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Left	22.44	21.14
n77L	80	30	3500.01	DFT	16QAM	Edge_1RB_Right	22.37	21.07
n77L	80	30	3500.01	DFT	16QAM	Outer_Full	23.96	22.66
n77L	80	30	3500.01	DFT	64QAM	Inner_Full	23.70	22.40
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Left	21.70	20.40
n77L	80	30	3500.01	DFT	64QAM	Edge_1RB_Right	21.59	20.29
n77L	80	30	3500.01	DFT	64QAM	Outer_Full	23.43	22.13
n77L	80	30	3500.01	DFT	256QAM	Inner_Full	21.82	20.52
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Left	21.03	19.73
n77L	80	30	3500.01	DFT	256QAM	Edge_1RB_Right	20.88	19.58
n77L	80	30	3500.01	DFT	256QAM	Outer_Full	21.42	20.12

n77L	80	30	3500.01	CP	QPSK	Inner_Full	24.76	23.46
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Left	22.39	21.09
n77L	80	30	3500.01	CP	QPSK	Edge_1RB_Right	22.08	20.78
n77L	80	30	3500.01	CP	QPSK	Outer_Full	22.83	21.53
n77L	80	30	3500.01	CP	16QAM	Inner_Full	24.18	22.88
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Left	22.59	21.29
n77L	80	30	3500.01	CP	16QAM	Edge_1RB_Right	22.43	21.13
n77L	80	30	3500.01	CP	16QAM	Outer_Full	23.00	21.70
n77L	80	30	3500.01	CP	64QAM	Inner_Full	22.76	21.46
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Left	21.86	20.56
n77L	80	30	3500.01	CP	64QAM	Edge_1RB_Right	21.61	20.31
n77L	80	30	3500.01	CP	64QAM	Outer_Full	22.42	21.12
n77L	80	30	3500.01	CP	256QAM	Inner_Full	19.55	18.25
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Left	19.27	17.97
n77L	80	30	3500.01	CP	256QAM	Edge_1RB_Right	19.12	17.82
n77L	80	30	3500.01	CP	256QAM	Outer_Full	19.58	18.28
n77L	80	30	3510	DFT	pi/2 BPSK	Inner_Full	25.75	24.45
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Left	22.44	21.14
n77L	80	30	3510	DFT	pi/2 BPSK	Edge_1RB_Right	22.54	21.24
n77L	80	30	3510	DFT	pi/2 BPSK	Outer_Full	25.42	24.12
n77L	80	30	3510	DFT	QPSK	Inner_Full	25.65	24.35
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Left	22.27	20.97
n77L	80	30	3510	DFT	QPSK	Edge_1RB_Right	22.32	21.02
n77L	80	30	3510	DFT	QPSK	Outer_Full	25.03	23.73
n77L	80	30	3510	DFT	16QAM	Inner_Full	25.10	23.80
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Left	22.26	20.96
n77L	80	30	3510	DFT	16QAM	Edge_1RB_Right	22.27	20.97
n77L	80	30	3510	DFT	16QAM	Outer_Full	24.16	22.86
n77L	80	30	3510	DFT	64QAM	Inner_Full	23.71	22.41
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Left	21.78	20.48
n77L	80	30	3510	DFT	64QAM	Edge_1RB_Right	21.68	20.38
n77L	80	30	3510	DFT	64QAM	Outer_Full	23.51	22.21
n77L	80	30	3510	DFT	256QAM	Inner_Full	21.83	20.53
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Left	21.14	19.84
n77L	80	30	3510	DFT	256QAM	Edge_1RB_Right	21.04	19.74
n77L	80	30	3510	DFT	256QAM	Outer_Full	21.27	19.97
n77L	80	30	3510	CP	QPSK	Inner_Full	24.74	23.44
n77L	80	30	3510	CP	QPSK	Edge_1RB_Left	22.42	21.12
n77L	80	30	3510	CP	QPSK	Edge_1RB_Right	22.43	21.13
n77L	80	30	3510	CP	QPSK	Outer_Full	23.08	21.78
n77L	80	30	3510	CP	16QAM	Inner_Full	24.04	22.74



I22Z61533-WMD04

n77L	80	30	3510	CP	16QAM	Edge_1RB_Left	22.41	21.11
n77L	80	30	3510	CP	16QAM	Edge_1RB_Right	22.46	21.16
n77L	80	30	3510	CP	16QAM	Outer_Full	22.92	21.62
n77L	80	30	3510	CP	64QAM	Inner_Full	22.63	21.33
n77L	80	30	3510	CP	64QAM	Edge_1RB_Left	21.63	20.33
n77L	80	30	3510	CP	64QAM	Edge_1RB_Right	21.67	20.37
n77L	80	30	3510	CP	64QAM	Outer_Full	22.49	21.19
n77L	80	30	3510	CP	256QAM	Inner_Full	19.57	18.27
n77L	80	30	3510	CP	256QAM	Edge_1RB_Left	19.23	17.93
n77L	80	30	3510	CP	256QAM	Edge_1RB_Right	18.94	17.64
n77L	80	30	3510	CP	256QAM	Outer_Full	19.58	18.28

NR n77H

BAND	BW(MHz)	SCS(kHz)	FREQ(MHz)	OFDM	MODULATION	RB LOCATION	Conducted Power(dBm)	EIRP(dBm) (Gt - Lc = -1.3)
n77H	20	30	3710.01	DFT	pi/2 BPSK	Inner_Full	25.28	23.98
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.39	21.09
n77H	20	30	3710.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.84	20.54
n77H	20	30	3710.01	DFT	pi/2 BPSK	Outer_Full	25.18	23.88
n77H	20	30	3710.01	DFT	QPSK	Inner_Full	25.22	23.92
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Left	22.53	21.23
n77H	20	30	3710.01	DFT	QPSK	Edge_1RB_Right	21.83	20.53
n77H	20	30	3710.01	DFT	QPSK	Outer_Full	24.66	23.36
n77H	20	30	3710.01	DFT	16QAM	Inner_Full	24.81	23.51
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Left	22.53	21.23
n77H	20	30	3710.01	DFT	16QAM	Edge_1RB_Right	21.93	20.63
n77H	20	30	3710.01	DFT	16QAM	Outer_Full	23.80	22.50
n77H	20	30	3710.01	DFT	64QAM	Inner_Full	23.16	21.86
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Left	21.92	20.62
n77H	20	30	3710.01	DFT	64QAM	Edge_1RB_Right	21.59	20.29
n77H	20	30	3710.01	DFT	64QAM	Outer_Full	23.40	22.10
n77H	20	30	3710.01	DFT	256QAM	Inner_Full	21.18	19.88
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Left	21.40	20.10
n77H	20	30	3710.01	DFT	256QAM	Edge_1RB_Right	20.87	19.57
n77H	20	30	3710.01	DFT	256QAM	Outer_Full	21.35	20.05
n77H	20	30	3710.01	CP	QPSK	Inner_Full	24.15	22.85
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Left	22.51	21.21
n77H	20	30	3710.01	CP	QPSK	Edge_1RB_Right	21.92	20.62
n77H	20	30	3710.01	CP	QPSK	Outer_Full	22.67	21.37
n77H	20	30	3710.01	CP	16QAM	Inner_Full	23.81	22.51
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Left	22.60	21.30
n77H	20	30	3710.01	CP	16QAM	Edge_1RB_Right	22.20	20.90
n77H	20	30	3710.01	CP	16QAM	Outer_Full	22.71	21.41
n77H	20	30	3710.01	CP	64QAM	Inner_Full	22.32	21.02
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Left	22.01	20.71
n77H	20	30	3710.01	CP	64QAM	Edge_1RB_Right	21.45	20.15
n77H	20	30	3710.01	CP	64QAM	Outer_Full	22.32	21.02
n77H	20	30	3710.01	CP	256QAM	Inner_Full	19.21	17.91
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Left	19.32	18.02
n77H	20	30	3710.01	CP	256QAM	Edge_1RB_Right	19.03	17.73
n77H	20	30	3710.01	CP	256QAM	Outer_Full	19.32	18.02
n77H	20	30	3840	DFT	pi/2 BPSK	Inner_Full	25.55	24.25

n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.41	21.11
n77H	20	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.66	21.36
n77H	20	30	3840	DFT	pi/2 BPSK	Outer_Full	25.64	24.34
n77H	20	30	3840	DFT	QPSK	Inner_Full	25.56	24.26
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Left	22.37	21.07
n77H	20	30	3840	DFT	QPSK	Edge_1RB_Right	22.64	21.34
n77H	20	30	3840	DFT	QPSK	Outer_Full	25.06	23.76
n77H	20	30	3840	DFT	16QAM	Inner_Full	25.20	23.90
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Left	22.45	21.15
n77H	20	30	3840	DFT	16QAM	Edge_1RB_Right	22.81	21.51
n77H	20	30	3840	DFT	16QAM	Outer_Full	23.98	22.68
n77H	20	30	3840	DFT	64QAM	Inner_Full	23.59	22.29
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Left	21.89	20.59
n77H	20	30	3840	DFT	64QAM	Edge_1RB_Right	22.13	20.83
n77H	20	30	3840	DFT	64QAM	Outer_Full	23.47	22.17
n77H	20	30	3840	DFT	256QAM	Inner_Full	21.59	20.29
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Left	21.15	19.85
n77H	20	30	3840	DFT	256QAM	Edge_1RB_Right	21.48	20.18
n77H	20	30	3840	DFT	256QAM	Outer_Full	21.64	20.34
n77H	20	30	3840	CP	QPSK	Inner_Full	24.49	23.19
n77H	20	30	3840	CP	QPSK	Edge_1RB_Left	22.38	21.08
n77H	20	30	3840	CP	QPSK	Edge_1RB_Right	22.76	21.46
n77H	20	30	3840	CP	QPSK	Outer_Full	23.13	21.83
n77H	20	30	3840	CP	16QAM	Inner_Full	24.15	22.85
n77H	20	30	3840	CP	16QAM	Edge_1RB_Left	22.45	21.15
n77H	20	30	3840	CP	16QAM	Edge_1RB_Right	22.77	21.47
n77H	20	30	3840	CP	16QAM	Outer_Full	23.16	21.86
n77H	20	30	3840	CP	64QAM	Inner_Full	22.57	21.27
n77H	20	30	3840	CP	64QAM	Edge_1RB_Left	21.88	20.58
n77H	20	30	3840	CP	64QAM	Edge_1RB_Right	22.21	20.91
n77H	20	30	3840	CP	64QAM	Outer_Full	22.54	21.24
n77H	20	30	3840	CP	256QAM	Inner_Full	19.44	18.14
n77H	20	30	3840	CP	256QAM	Edge_1RB_Left	19.35	18.05
n77H	20	30	3840	CP	256QAM	Edge_1RB_Right	19.48	18.18
n77H	20	30	3840	CP	256QAM	Outer_Full	19.47	18.17
n77H	20	30	3969.99	DFT	pi/2 BPSK	Inner_Full	25.18	23.88
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.28	20.98
n77H	20	30	3969.99	DFT	pi/2 BPSK	Edge_1RB_Right	22.28	20.98
n77H	20	30	3969.99	DFT	pi/2 BPSK	Outer_Full	25.22	23.92
n77H	20	30	3969.99	DFT	QPSK	Inner_Full	25.12	23.82
n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Left	22.37	21.07

n77H	20	30	3969.99	DFT	QPSK	Edge_1RB_Right	22.14	20.84
n77H	20	30	3969.99	DFT	QPSK	Outer_Full	24.63	23.33
n77H	20	30	3969.99	DFT	16QAM	Inner_Full	24.60	23.30
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Left	22.32	21.02
n77H	20	30	3969.99	DFT	16QAM	Edge_1RB_Right	22.20	20.90
n77H	20	30	3969.99	DFT	16QAM	Outer_Full	23.54	22.24
n77H	20	30	3969.99	DFT	64QAM	Inner_Full	23.06	21.76
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Left	22.05	20.75
n77H	20	30	3969.99	DFT	64QAM	Edge_1RB_Right	21.70	20.40
n77H	20	30	3969.99	DFT	64QAM	Outer_Full	23.05	21.75
n77H	20	30	3969.99	DFT	256QAM	Inner_Full	21.26	19.96
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Left	21.13	19.83
n77H	20	30	3969.99	DFT	256QAM	Edge_1RB_Right	21.01	19.71
n77H	20	30	3969.99	DFT	256QAM	Outer_Full	21.20	19.90
n77H	20	30	3969.99	CP	QPSK	Inner_Full	24.20	22.90
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Left	22.30	21.00
n77H	20	30	3969.99	CP	QPSK	Edge_1RB_Right	22.20	20.90
n77H	20	30	3969.99	CP	QPSK	Outer_Full	22.72	21.42
n77H	20	30	3969.99	CP	16QAM	Inner_Full	23.57	22.27
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Left	22.34	21.04
n77H	20	30	3969.99	CP	16QAM	Edge_1RB_Right	22.04	20.74
n77H	20	30	3969.99	CP	16QAM	Outer_Full	22.75	21.45
n77H	20	30	3969.99	CP	64QAM	Inner_Full	22.18	20.88
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Left	21.82	20.52
n77H	20	30	3969.99	CP	64QAM	Edge_1RB_Right	21.73	20.43
n77H	20	30	3969.99	CP	64QAM	Outer_Full	22.16	20.86
n77H	20	30	3969.99	CP	256QAM	Inner_Full	19.16	17.86
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Left	19.23	17.93
n77H	20	30	3969.99	CP	256QAM	Edge_1RB_Right	19.15	17.85
n77H	20	30	3969.99	CP	256QAM	Outer_Full	19.32	18.02
n77H	30	30	3715.02	DFT	pi/2 BPSK	Inner_Full	25.11	23.81
n77H	30	30	3715.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.50	21.20
n77H	30	30	3715.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.63	20.33
n77H	30	30	3715.02	DFT	pi/2 BPSK	Outer_Full	25.08	23.78
n77H	30	30	3715.02	DFT	QPSK	Inner_Full	25.02	23.72
n77H	30	30	3715.02	DFT	QPSK	Edge_1RB_Left	22.45	21.15
n77H	30	30	3715.02	DFT	QPSK	Edge_1RB_Right	21.61	20.31
n77H	30	30	3715.02	DFT	QPSK	Outer_Full	24.51	23.21
n77H	30	30	3715.02	DFT	16QAM	Inner_Full	24.57	23.27
n77H	30	30	3715.02	DFT	16QAM	Edge_1RB_Left	22.52	21.22
n77H	30	30	3715.02	DFT	16QAM	Edge_1RB_Right	21.81	20.51

n77H	30	30	3715.02	DFT	16QAM	Outer_Full	23.43	22.13
n77H	30	30	3715.02	DFT	64QAM	Inner_Full	22.86	21.56
n77H	30	30	3715.02	DFT	64QAM	Edge_1RB_Left	21.90	20.60
n77H	30	30	3715.02	DFT	64QAM	Edge_1RB_Right	21.19	19.89
n77H	30	30	3715.02	DFT	64QAM	Outer_Full	22.92	21.62
n77H	30	30	3715.02	DFT	256QAM	Inner_Full	20.97	19.67
n77H	30	30	3715.02	DFT	256QAM	Edge_1RB_Left	21.22	19.92
n77H	30	30	3715.02	DFT	256QAM	Edge_1RB_Right	20.42	19.12
n77H	30	30	3715.02	DFT	256QAM	Outer_Full	20.94	19.64
n77H	30	30	3715.02	CP	QPSK	Inner_Full	24.04	22.74
n77H	30	30	3715.02	CP	QPSK	Edge_1RB_Left	22.49	21.19
n77H	30	30	3715.02	CP	QPSK	Edge_1RB_Right	21.65	20.35
n77H	30	30	3715.02	CP	QPSK	Outer_Full	22.51	21.21
n77H	30	30	3715.02	CP	16QAM	Inner_Full	23.42	22.12
n77H	30	30	3715.02	CP	16QAM	Edge_1RB_Left	22.47	21.17
n77H	30	30	3715.02	CP	16QAM	Edge_1RB_Right	21.78	20.48
n77H	30	30	3715.02	CP	16QAM	Outer_Full	22.64	21.34
n77H	30	30	3715.02	CP	64QAM	Inner_Full	22.14	20.84
n77H	30	30	3715.02	CP	64QAM	Edge_1RB_Left	21.94	20.64
n77H	30	30	3715.02	CP	64QAM	Edge_1RB_Right	21.21	19.91
n77H	30	30	3715.02	CP	64QAM	Outer_Full	22.12	20.82
n77H	30	30	3715.02	CP	256QAM	Inner_Full	18.80	17.50
n77H	30	30	3715.02	CP	256QAM	Edge_1RB_Left	19.20	17.90
n77H	30	30	3715.02	CP	256QAM	Edge_1RB_Right	18.41	17.11
n77H	30	30	3715.02	CP	256QAM	Outer_Full	18.86	17.56
n77H	30	30	3840	DFT	pi/2 BPSK	Inner_Full	25.59	24.29
n77H	30	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.27	20.97
n77H	30	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.68	21.38
n77H	30	30	3840	DFT	pi/2 BPSK	Outer_Full	25.60	24.30
n77H	30	30	3840	DFT	QPSK	Inner_Full	25.64	24.34
n77H	30	30	3840	DFT	QPSK	Edge_1RB_Left	22.34	21.04
n77H	30	30	3840	DFT	QPSK	Edge_1RB_Right	22.67	21.37
n77H	30	30	3840	DFT	QPSK	Outer_Full	25.00	23.70
n77H	30	30	3840	DFT	16QAM	Inner_Full	24.96	23.66
n77H	30	30	3840	DFT	16QAM	Edge_1RB_Left	22.46	21.16
n77H	30	30	3840	DFT	16QAM	Edge_1RB_Right	22.86	21.56
n77H	30	30	3840	DFT	16QAM	Outer_Full	24.04	22.74
n77H	30	30	3840	DFT	64QAM	Inner_Full	23.35	22.05
n77H	30	30	3840	DFT	64QAM	Edge_1RB_Left	21.92	20.62
n77H	30	30	3840	DFT	64QAM	Edge_1RB_Right	22.20	20.90
n77H	30	30	3840	DFT	64QAM	Outer_Full	23.54	22.24



n77H	30	30	3840	DFT	256QAM	Inner_Full	21.55	20.25
n77H	30	30	3840	DFT	256QAM	Edge_1RB_Left	21.15	19.85
n77H	30	30	3840	DFT	256QAM	Edge_1RB_Right	21.60	20.30
n77H	30	30	3840	DFT	256QAM	Outer_Full	21.59	20.29
n77H	30	30	3840	CP	QPSK	Inner_Full	24.62	23.32
n77H	30	30	3840	CP	QPSK	Edge_1RB_Left	22.19	20.89
n77H	30	30	3840	CP	QPSK	Edge_1RB_Right	22.83	21.53
n77H	30	30	3840	CP	QPSK	Outer_Full	23.02	21.72
n77H	30	30	3840	CP	16QAM	Inner_Full	24.05	22.75
n77H	30	30	3840	CP	16QAM	Edge_1RB_Left	22.49	21.19
n77H	30	30	3840	CP	16QAM	Edge_1RB_Right	23.05	21.75
n77H	30	30	3840	CP	16QAM	Outer_Full	23.00	21.70
n77H	30	30	3840	CP	64QAM	Inner_Full	22.62	21.32
n77H	30	30	3840	CP	64QAM	Edge_1RB_Left	21.84	20.54
n77H	30	30	3840	CP	64QAM	Edge_1RB_Right	22.29	20.99
n77H	30	30	3840	CP	64QAM	Outer_Full	22.48	21.18
n77H	30	30	3840	CP	256QAM	Inner_Full	19.59	18.29
n77H	30	30	3840	CP	256QAM	Edge_1RB_Left	19.13	17.83
n77H	30	30	3840	CP	256QAM	Edge_1RB_Right	19.61	18.31
n77H	30	30	3840	CP	256QAM	Outer_Full	19.55	18.25
n77H	30	30	3964.98	DFT	pi/2 BPSK	Inner_Full	25.40	24.10
n77H	30	30	3964.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.69	21.39
n77H	30	30	3964.98	DFT	pi/2 BPSK	Edge_1RB_Right	22.23	20.93
n77H	30	30	3964.98	DFT	pi/2 BPSK	Outer_Full	25.44	24.14
n77H	30	30	3964.98	DFT	QPSK	Inner_Full	25.41	24.11
n77H	30	30	3964.98	DFT	QPSK	Edge_1RB_Left	22.82	21.52
n77H	30	30	3964.98	DFT	QPSK	Edge_1RB_Right	22.08	20.78
n77H	30	30	3964.98	DFT	QPSK	Outer_Full	24.93	23.63
n77H	30	30	3964.98	DFT	16QAM	Inner_Full	24.84	23.54
n77H	30	30	3964.98	DFT	16QAM	Edge_1RB_Left	22.73	21.43
n77H	30	30	3964.98	DFT	16QAM	Edge_1RB_Right	22.40	21.10
n77H	30	30	3964.98	DFT	16QAM	Outer_Full	23.86	22.56
n77H	30	30	3964.98	DFT	64QAM	Inner_Full	23.37	22.07
n77H	30	30	3964.98	DFT	64QAM	Edge_1RB_Left	22.20	20.90
n77H	30	30	3964.98	DFT	64QAM	Edge_1RB_Right	21.60	20.30
n77H	30	30	3964.98	DFT	64QAM	Outer_Full	23.47	22.17
n77H	30	30	3964.98	DFT	256QAM	Inner_Full	21.32	20.02
n77H	30	30	3964.98	DFT	256QAM	Edge_1RB_Left	21.57	20.27
n77H	30	30	3964.98	DFT	256QAM	Edge_1RB_Right	21.12	19.82
n77H	30	30	3964.98	DFT	256QAM	Outer_Full	21.28	19.98
n77H	30	30	3964.98	CP	QPSK	Inner_Full	24.47	23.17

n77H	30	30	3964.98	CP	QPSK	Edge_1RB_Left	22.66	21.36
n77H	30	30	3964.98	CP	QPSK	Edge_1RB_Right	22.11	20.81
n77H	30	30	3964.98	CP	QPSK	Outer_Full	22.95	21.65
n77H	30	30	3964.98	CP	16QAM	Inner_Full	23.82	22.52
n77H	30	30	3964.98	CP	16QAM	Edge_1RB_Left	22.72	21.42
n77H	30	30	3964.98	CP	16QAM	Edge_1RB_Right	22.55	21.25
n77H	30	30	3964.98	CP	16QAM	Outer_Full	22.84	21.54
n77H	30	30	3964.98	CP	64QAM	Inner_Full	22.47	21.17
n77H	30	30	3964.98	CP	64QAM	Edge_1RB_Left	22.29	20.99
n77H	30	30	3964.98	CP	64QAM	Edge_1RB_Right	21.78	20.48
n77H	30	30	3964.98	CP	64QAM	Outer_Full	22.47	21.17
n77H	30	30	3964.98	CP	256QAM	Inner_Full	19.44	18.14
n77H	30	30	3964.98	CP	256QAM	Edge_1RB_Left	19.54	18.24
n77H	30	30	3964.98	CP	256QAM	Edge_1RB_Right	19.03	17.73
n77H	30	30	3964.98	CP	256QAM	Outer_Full	19.53	18.23
n77H	40	30	3720	DFT	pi/2 BPSK	Inner_Full	24.97	23.67
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Left	22.76	21.46
n77H	40	30	3720	DFT	pi/2 BPSK	Edge_1RB_Right	21.54	20.24
n77H	40	30	3720	DFT	pi/2 BPSK	Outer_Full	24.91	23.61
n77H	40	30	3720	DFT	QPSK	Inner_Full	24.98	23.68
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Left	22.70	21.40
n77H	40	30	3720	DFT	QPSK	Edge_1RB_Right	21.52	20.22
n77H	40	30	3720	DFT	QPSK	Outer_Full	24.60	23.30
n77H	40	30	3720	DFT	16QAM	Inner_Full	24.40	23.10
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Left	22.79	21.49
n77H	40	30	3720	DFT	16QAM	Edge_1RB_Right	21.66	20.36
n77H	40	30	3720	DFT	16QAM	Outer_Full	23.51	22.21
n77H	40	30	3720	DFT	64QAM	Inner_Full	22.98	21.68
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Left	21.86	20.56
n77H	40	30	3720	DFT	64QAM	Edge_1RB_Right	21.31	20.01
n77H	40	30	3720	DFT	64QAM	Outer_Full	22.92	21.62
n77H	40	30	3720	DFT	256QAM	Inner_Full	20.81	19.51
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Left	21.50	20.20
n77H	40	30	3720	DFT	256QAM	Edge_1RB_Right	20.43	19.13
n77H	40	30	3720	DFT	256QAM	Outer_Full	21.21	19.91
n77H	40	30	3720	CP	QPSK	Inner_Full	24.00	22.70
n77H	40	30	3720	CP	QPSK	Edge_1RB_Left	22.65	21.35
n77H	40	30	3720	CP	QPSK	Edge_1RB_Right	21.65	20.35
n77H	40	30	3720	CP	QPSK	Outer_Full	22.45	21.15
n77H	40	30	3720	CP	16QAM	Inner_Full	23.41	22.11
n77H	40	30	3720	CP	16QAM	Edge_1RB_Left	22.71	21.41



I22Z61533-WMD04

n77H	40	30	3720	CP	16QAM	Edge_1RB_Right	21.70	20.40
n77H	40	30	3720	CP	16QAM	Outer_Full	22.37	21.07
n77H	40	30	3720	CP	64QAM	Inner_Full	21.88	20.58
n77H	40	30	3720	CP	64QAM	Edge_1RB_Left	22.00	20.70
n77H	40	30	3720	CP	64QAM	Edge_1RB_Right	21.19	19.89
n77H	40	30	3720	CP	64QAM	Outer_Full	21.87	20.57
n77H	40	30	3720	CP	256QAM	Inner_Full	18.75	17.45
n77H	40	30	3720	CP	256QAM	Edge_1RB_Left	19.40	18.10
n77H	40	30	3720	CP	256QAM	Edge_1RB_Right	18.55	17.25
n77H	40	30	3720	CP	256QAM	Outer_Full	18.92	17.62
n77H	40	30	3840	DFT	pi/2 BPSK	Inner_Full	25.60	24.30
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	22.26	20.96
n77H	40	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.80	21.50
n77H	40	30	3840	DFT	pi/2 BPSK	Outer_Full	25.59	24.29
n77H	40	30	3840	DFT	QPSK	Inner_Full	25.65	24.35
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Left	22.19	20.89
n77H	40	30	3840	DFT	QPSK	Edge_1RB_Right	22.78	21.48
n77H	40	30	3840	DFT	QPSK	Outer_Full	25.09	23.79
n77H	40	30	3840	DFT	16QAM	Inner_Full	25.05	23.75
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Left	22.50	21.20
n77H	40	30	3840	DFT	16QAM	Edge_1RB_Right	22.97	21.67
n77H	40	30	3840	DFT	16QAM	Outer_Full	24.00	22.70
n77H	40	30	3840	DFT	64QAM	Inner_Full	23.63	22.33
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Left	21.77	20.47
n77H	40	30	3840	DFT	64QAM	Edge_1RB_Right	22.31	21.01
n77H	40	30	3840	DFT	64QAM	Outer_Full	23.61	22.31
n77H	40	30	3840	DFT	256QAM	Inner_Full	21.48	20.18
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Left	21.16	19.86
n77H	40	30	3840	DFT	256QAM	Edge_1RB_Right	21.80	20.50
n77H	40	30	3840	DFT	256QAM	Outer_Full	21.60	20.30
n77H	40	30	3840	CP	QPSK	Inner_Full	24.62	23.32
n77H	40	30	3840	CP	QPSK	Edge_1RB_Left	22.23	20.93
n77H	40	30	3840	CP	QPSK	Edge_1RB_Right	23.03	21.73
n77H	40	30	3840	CP	QPSK	Outer_Full	23.19	21.89
n77H	40	30	3840	CP	16QAM	Inner_Full	24.07	22.77
n77H	40	30	3840	CP	16QAM	Edge_1RB_Left	22.63	21.33
n77H	40	30	3840	CP	16QAM	Edge_1RB_Right	23.20	21.90
n77H	40	30	3840	CP	16QAM	Outer_Full	23.13	21.83
n77H	40	30	3840	CP	64QAM	Inner_Full	22.51	21.21
n77H	40	30	3840	CP	64QAM	Edge_1RB_Left	21.78	20.48
n77H	40	30	3840	CP	64QAM	Edge_1RB_Right	22.42	21.12

n77H	40	30	3840	CP	64QAM	Outer_Full	22.55	21.25
n77H	40	30	3840	CP	256QAM	Inner_Full	19.42	18.12
n77H	40	30	3840	CP	256QAM	Edge_1RB_Left	19.05	17.75
n77H	40	30	3840	CP	256QAM	Edge_1RB_Right	19.72	18.42
n77H	40	30	3840	CP	256QAM	Outer_Full	19.60	18.30
n77H	40	30	3960	DFT	pi/2 BPSK	Inner_Full	25.55	24.25
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Left	22.76	21.46
n77H	40	30	3960	DFT	pi/2 BPSK	Edge_1RB_Right	22.27	20.97
n77H	40	30	3960	DFT	pi/2 BPSK	Outer_Full	25.47	24.17
n77H	40	30	3960	DFT	QPSK	Inner_Full	25.48	24.18
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Left	22.84	21.54
n77H	40	30	3960	DFT	QPSK	Edge_1RB_Right	22.25	20.95
n77H	40	30	3960	DFT	QPSK	Outer_Full	24.95	23.65
n77H	40	30	3960	DFT	16QAM	Inner_Full	24.96	23.66
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Left	22.84	21.54
n77H	40	30	3960	DFT	16QAM	Edge_1RB_Right	22.31	21.01
n77H	40	30	3960	DFT	16QAM	Outer_Full	23.99	22.69
n77H	40	30	3960	DFT	64QAM	Inner_Full	23.49	22.19
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Left	22.24	20.94
n77H	40	30	3960	DFT	64QAM	Edge_1RB_Right	21.67	20.37
n77H	40	30	3960	DFT	64QAM	Outer_Full	23.51	22.21
n77H	40	30	3960	DFT	256QAM	Inner_Full	21.42	20.12
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Left	21.59	20.29
n77H	40	30	3960	DFT	256QAM	Edge_1RB_Right	21.10	19.80
n77H	40	30	3960	DFT	256QAM	Outer_Full	21.54	20.24
n77H	40	30	3960	CP	QPSK	Inner_Full	24.48	23.18
n77H	40	30	3960	CP	QPSK	Edge_1RB_Left	22.72	21.42
n77H	40	30	3960	CP	QPSK	Edge_1RB_Right	22.28	20.98
n77H	40	30	3960	CP	QPSK	Outer_Full	22.92	21.62
n77H	40	30	3960	CP	16QAM	Inner_Full	23.98	22.68
n77H	40	30	3960	CP	16QAM	Edge_1RB_Left	22.79	21.49
n77H	40	30	3960	CP	16QAM	Edge_1RB_Right	22.61	21.31
n77H	40	30	3960	CP	16QAM	Outer_Full	22.98	21.68
n77H	40	30	3960	CP	64QAM	Inner_Full	22.47	21.17
n77H	40	30	3960	CP	64QAM	Edge_1RB_Left	22.34	21.04
n77H	40	30	3960	CP	64QAM	Edge_1RB_Right	21.86	20.56
n77H	40	30	3960	CP	64QAM	Outer_Full	22.48	21.18
n77H	40	30	3960	CP	256QAM	Inner_Full	19.49	18.19
n77H	40	30	3960	CP	256QAM	Edge_1RB_Left	19.66	18.36
n77H	40	30	3960	CP	256QAM	Edge_1RB_Right	19.05	17.75
n77H	40	30	3960	CP	256QAM	Outer_Full	19.51	18.21



I22Z61533-WMD04

n77H	60	30	3730.02	DFT	pi/2 BPSK	Inner_Full	24.50	23.20
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Left	22.33	21.03
n77H	60	30	3730.02	DFT	pi/2 BPSK	Edge_1RB_Right	21.50	20.20
n77H	60	30	3730.02	DFT	pi/2 BPSK	Outer_Full	24.75	23.45
n77H	60	30	3730.02	DFT	QPSK	Inner_Full	24.50	23.20
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Left	22.16	20.86
n77H	60	30	3730.02	DFT	QPSK	Edge_1RB_Right	21.46	20.16
n77H	60	30	3730.02	DFT	QPSK	Outer_Full	24.13	22.83
n77H	60	30	3730.02	DFT	16QAM	Inner_Full	24.05	22.75
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Left	22.33	21.03
n77H	60	30	3730.02	DFT	16QAM	Edge_1RB_Right	21.56	20.26
n77H	60	30	3730.02	DFT	16QAM	Outer_Full	23.12	21.82
n77H	60	30	3730.02	DFT	64QAM	Inner_Full	22.71	21.41
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Left	21.81	20.51
n77H	60	30	3730.02	DFT	64QAM	Edge_1RB_Right	21.25	19.95
n77H	60	30	3730.02	DFT	64QAM	Outer_Full	22.77	21.47
n77H	60	30	3730.02	DFT	256QAM	Inner_Full	20.52	19.22
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Left	21.03	19.73
n77H	60	30	3730.02	DFT	256QAM	Edge_1RB_Right	20.37	19.07
n77H	60	30	3730.02	DFT	256QAM	Outer_Full	20.68	19.38
n77H	60	30	3730.02	CP	QPSK	Inner_Full	23.53	22.23
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Left	22.12	20.82
n77H	60	30	3730.02	CP	QPSK	Edge_1RB_Right	21.54	20.24
n77H	60	30	3730.02	CP	QPSK	Outer_Full	22.28	20.98
n77H	60	30	3730.02	CP	16QAM	Inner_Full	22.97	21.67
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Left	22.26	20.96
n77H	60	30	3730.02	CP	16QAM	Edge_1RB_Right	21.97	20.67
n77H	60	30	3730.02	CP	16QAM	Outer_Full	22.17	20.87
n77H	60	30	3730.02	CP	64QAM	Inner_Full	21.47	20.17
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Left	21.62	20.32
n77H	60	30	3730.02	CP	64QAM	Edge_1RB_Right	21.29	19.99
n77H	60	30	3730.02	CP	64QAM	Outer_Full	21.80	20.50
n77H	60	30	3730.02	CP	256QAM	Inner_Full	18.41	17.11
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Left	18.95	17.65
n77H	60	30	3730.02	CP	256QAM	Edge_1RB_Right	18.63	17.33
n77H	60	30	3730.02	CP	256QAM	Outer_Full	18.51	17.21
n77H	60	30	3840	DFT	pi/2 BPSK	Inner_Full	25.31	24.01
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.72	20.42
n77H	60	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.48	21.18
n77H	60	30	3840	DFT	pi/2 BPSK	Outer_Full	25.33	24.03
n77H	60	30	3840	DFT	QPSK	Inner_Full	25.35	24.05

n77H	60	30	3840	DFT	QPSK	Edge_1RB_Left	21.81	20.51
n77H	60	30	3840	DFT	QPSK	Edge_1RB_Right	22.56	21.26
n77H	60	30	3840	DFT	QPSK	Outer_Full	24.93	23.63
n77H	60	30	3840	DFT	16QAM	Inner_Full	24.72	23.42
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Left	21.86	20.56
n77H	60	30	3840	DFT	16QAM	Edge_1RB_Right	22.77	21.47
n77H	60	30	3840	DFT	16QAM	Outer_Full	23.73	22.43
n77H	60	30	3840	DFT	64QAM	Inner_Full	23.47	22.17
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Left	21.32	20.02
n77H	60	30	3840	DFT	64QAM	Edge_1RB_Right	22.15	20.85
n77H	60	30	3840	DFT	64QAM	Outer_Full	23.25	21.95
n77H	60	30	3840	DFT	256QAM	Inner_Full	21.27	19.97
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Left	20.93	19.63
n77H	60	30	3840	DFT	256QAM	Edge_1RB_Right	21.60	20.30
n77H	60	30	3840	DFT	256QAM	Outer_Full	21.40	20.10
n77H	60	30	3840	CP	QPSK	Inner_Full	24.34	23.04
n77H	60	30	3840	CP	QPSK	Edge_1RB_Left	21.65	20.35
n77H	60	30	3840	CP	QPSK	Edge_1RB_Right	22.62	21.32
n77H	60	30	3840	CP	QPSK	Outer_Full	22.92	21.62
n77H	60	30	3840	CP	16QAM	Inner_Full	23.79	22.49
n77H	60	30	3840	CP	16QAM	Edge_1RB_Left	21.93	20.63
n77H	60	30	3840	CP	16QAM	Edge_1RB_Right	22.74	21.44
n77H	60	30	3840	CP	16QAM	Outer_Full	22.72	21.42
n77H	60	30	3840	CP	64QAM	Inner_Full	22.25	20.95
n77H	60	30	3840	CP	64QAM	Edge_1RB_Left	21.38	20.08
n77H	60	30	3840	CP	64QAM	Edge_1RB_Right	22.31	21.01
n77H	60	30	3840	CP	64QAM	Outer_Full	22.27	20.97
n77H	60	30	3840	CP	256QAM	Inner_Full	19.29	17.99
n77H	60	30	3840	CP	256QAM	Edge_1RB_Left	18.58	17.28
n77H	60	30	3840	CP	256QAM	Edge_1RB_Right	19.62	18.32
n77H	60	30	3840	CP	256QAM	Outer_Full	19.23	17.93
n77H	60	30	3949.98	DFT	pi/2 BPSK	Inner_Full	25.34	24.04
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Left	22.32	21.02
n77H	60	30	3949.98	DFT	pi/2 BPSK	Edge_1RB_Right	21.90	20.60
n77H	60	30	3949.98	DFT	pi/2 BPSK	Outer_Full	25.25	23.95
n77H	60	30	3949.98	DFT	QPSK	Inner_Full	25.43	24.13
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Left	22.27	20.97
n77H	60	30	3949.98	DFT	QPSK	Edge_1RB_Right	21.79	20.49
n77H	60	30	3949.98	DFT	QPSK	Outer_Full	24.54	23.24
n77H	60	30	3949.98	DFT	16QAM	Inner_Full	24.54	23.24
n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Left	22.26	20.96

n77H	60	30	3949.98	DFT	16QAM	Edge_1RB_Right	21.88	20.58
n77H	60	30	3949.98	DFT	16QAM	Outer_Full	23.45	22.15
n77H	60	30	3949.98	DFT	64QAM	Inner_Full	23.13	21.83
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Left	21.87	20.57
n77H	60	30	3949.98	DFT	64QAM	Edge_1RB_Right	21.18	19.88
n77H	60	30	3949.98	DFT	64QAM	Outer_Full	23.01	21.71
n77H	60	30	3949.98	DFT	256QAM	Inner_Full	21.30	20.00
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Left	21.06	19.76
n77H	60	30	3949.98	DFT	256QAM	Edge_1RB_Right	20.74	19.44
n77H	60	30	3949.98	DFT	256QAM	Outer_Full	21.22	19.92
n77H	60	30	3949.98	CP	QPSK	Inner_Full	24.19	22.89
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Left	22.27	20.97
n77H	60	30	3949.98	CP	QPSK	Edge_1RB_Right	21.96	20.66
n77H	60	30	3949.98	CP	QPSK	Outer_Full	22.73	21.43
n77H	60	30	3949.98	CP	16QAM	Inner_Full	23.52	22.22
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Left	22.28	20.98
n77H	60	30	3949.98	CP	16QAM	Edge_1RB_Right	21.94	20.64
n77H	60	30	3949.98	CP	16QAM	Outer_Full	22.62	21.32
n77H	60	30	3949.98	CP	64QAM	Inner_Full	22.43	21.13
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Left	21.89	20.59
n77H	60	30	3949.98	CP	64QAM	Edge_1RB_Right	21.54	20.24
n77H	60	30	3949.98	CP	64QAM	Outer_Full	22.25	20.95
n77H	60	30	3949.98	CP	256QAM	Inner_Full	19.28	17.98
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Left	19.13	17.83
n77H	60	30	3949.98	CP	256QAM	Edge_1RB_Right	18.85	17.55
n77H	60	30	3949.98	CP	256QAM	Outer_Full	19.29	17.99
n77H	80	30	3740.01	DFT	pi/2 BPSK	Inner_Full	24.39	23.09
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Left	22.23	20.93
n77H	80	30	3740.01	DFT	pi/2 BPSK	Edge_1RB_Right	21.38	20.08
n77H	80	30	3740.01	DFT	pi/2 BPSK	Outer_Full	24.55	23.25
n77H	80	30	3740.01	DFT	QPSK	Inner_Full	24.37	23.07
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Left	21.99	20.69
n77H	80	30	3740.01	DFT	QPSK	Edge_1RB_Right	21.43	20.13
n77H	80	30	3740.01	DFT	QPSK	Outer_Full	23.96	22.66
n77H	80	30	3740.01	DFT	16QAM	Inner_Full	24.11	22.81
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Left	22.25	20.95
n77H	80	30	3740.01	DFT	16QAM	Edge_1RB_Right	21.40	20.10
n77H	80	30	3740.01	DFT	16QAM	Outer_Full	23.00	21.70
n77H	80	30	3740.01	DFT	64QAM	Inner_Full	22.64	21.34
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Left	21.60	20.30
n77H	80	30	3740.01	DFT	64QAM	Edge_1RB_Right	20.98	19.68

n77H	80	30	3740.01	DFT	64QAM	Outer_Full	22.53	21.23
n77H	80	30	3740.01	DFT	256QAM	Inner_Full	20.36	19.06
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Left	20.90	19.60
n77H	80	30	3740.01	DFT	256QAM	Edge_1RB_Right	20.10	18.80
n77H	80	30	3740.01	DFT	256QAM	Outer_Full	20.46	19.16
n77H	80	30	3740.01	CP	QPSK	Inner_Full	23.34	22.04
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Left	22.04	20.74
n77H	80	30	3740.01	CP	QPSK	Edge_1RB_Right	21.20	19.90
n77H	80	30	3740.01	CP	QPSK	Outer_Full	22.05	20.75
n77H	80	30	3740.01	CP	16QAM	Inner_Full	22.85	21.55
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Left	22.31	21.01
n77H	80	30	3740.01	CP	16QAM	Edge_1RB_Right	21.74	20.44
n77H	80	30	3740.01	CP	16QAM	Outer_Full	22.07	20.77
n77H	80	30	3740.01	CP	64QAM	Inner_Full	21.52	20.22
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Left	21.67	20.37
n77H	80	30	3740.01	CP	64QAM	Edge_1RB_Right	20.88	19.58
n77H	80	30	3740.01	CP	64QAM	Outer_Full	21.64	20.34
n77H	80	30	3740.01	CP	256QAM	Inner_Full	18.54	17.24
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Left	18.96	17.66
n77H	80	30	3740.01	CP	256QAM	Edge_1RB_Right	18.37	17.07
n77H	80	30	3740.01	CP	256QAM	Outer_Full	18.79	17.49
n77H	80	30	3840	DFT	pi/2 BPSK	Inner_Full	25.15	23.85
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.78	20.48
n77H	80	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.25	20.95
n77H	80	30	3840	DFT	pi/2 BPSK	Outer_Full	25.29	23.99
n77H	80	30	3840	DFT	QPSK	Inner_Full	25.23	23.93
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Left	21.72	20.42
n77H	80	30	3840	DFT	QPSK	Edge_1RB_Right	22.20	20.90
n77H	80	30	3840	DFT	QPSK	Outer_Full	24.59	23.29
n77H	80	30	3840	DFT	16QAM	Inner_Full	24.72	23.42
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Left	21.76	20.46
n77H	80	30	3840	DFT	16QAM	Edge_1RB_Right	22.38	21.08
n77H	80	30	3840	DFT	16QAM	Outer_Full	23.62	22.32
n77H	80	30	3840	DFT	64QAM	Inner_Full	23.12	21.82
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Left	21.44	20.14
n77H	80	30	3840	DFT	64QAM	Edge_1RB_Right	21.83	20.53
n77H	80	30	3840	DFT	64QAM	Outer_Full	23.20	21.90
n77H	80	30	3840	DFT	256QAM	Inner_Full	21.14	19.84
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Left	20.74	19.44
n77H	80	30	3840	DFT	256QAM	Edge_1RB_Right	21.46	20.16
n77H	80	30	3840	DFT	256QAM	Outer_Full	21.19	19.89

n77H	80	30	3840	CP	QPSK	Inner_Full	24.26	22.96
n77H	80	30	3840	CP	QPSK	Edge_1RB_Left	21.86	20.56
n77H	80	30	3840	CP	QPSK	Edge_1RB_Right	22.22	20.92
n77H	80	30	3840	CP	QPSK	Outer_Full	22.63	21.33
n77H	80	30	3840	CP	16QAM	Inner_Full	23.68	22.38
n77H	80	30	3840	CP	16QAM	Edge_1RB_Left	22.10	20.80
n77H	80	30	3840	CP	16QAM	Edge_1RB_Right	22.75	21.45
n77H	80	30	3840	CP	16QAM	Outer_Full	22.64	21.34
n77H	80	30	3840	CP	64QAM	Inner_Full	22.17	20.87
n77H	80	30	3840	CP	64QAM	Edge_1RB_Left	21.45	20.15
n77H	80	30	3840	CP	64QAM	Edge_1RB_Right	21.86	20.56
n77H	80	30	3840	CP	64QAM	Outer_Full	22.12	20.82
n77H	80	30	3840	CP	256QAM	Inner_Full	19.09	17.79
n77H	80	30	3840	CP	256QAM	Edge_1RB_Left	18.97	17.67
n77H	80	30	3840	CP	256QAM	Edge_1RB_Right	19.22	17.92
n77H	80	30	3840	CP	256QAM	Outer_Full	19.08	17.78
n77H	80	30	3939.99	DFT	pi/2 BPSK	Inner_Full	25.33	24.03
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Left	22.14	20.84
n77H	80	30	3939.99	DFT	pi/2 BPSK	Edge_1RB_Right	21.79	20.49
n77H	80	30	3939.99	DFT	pi/2 BPSK	Outer_Full	25.10	23.80
n77H	80	30	3939.99	DFT	QPSK	Inner_Full	25.22	23.92
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Left	21.93	20.63
n77H	80	30	3939.99	DFT	QPSK	Edge_1RB_Right	21.65	20.35
n77H	80	30	3939.99	DFT	QPSK	Outer_Full	24.52	23.22
n77H	80	30	3939.99	DFT	16QAM	Inner_Full	24.55	23.25
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Left	22.18	20.88
n77H	80	30	3939.99	DFT	16QAM	Edge_1RB_Right	21.69	20.39
n77H	80	30	3939.99	DFT	16QAM	Outer_Full	23.50	22.20
n77H	80	30	3939.99	DFT	64QAM	Inner_Full	23.04	21.74
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Left	21.48	20.18
n77H	80	30	3939.99	DFT	64QAM	Edge_1RB_Right	21.16	19.86
n77H	80	30	3939.99	DFT	64QAM	Outer_Full	22.96	21.66
n77H	80	30	3939.99	DFT	256QAM	Inner_Full	21.31	20.01
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Left	20.75	19.45
n77H	80	30	3939.99	DFT	256QAM	Edge_1RB_Right	20.39	19.09
n77H	80	30	3939.99	DFT	256QAM	Outer_Full	21.03	19.73
n77H	80	30	3939.99	CP	QPSK	Inner_Full	24.15	22.85
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Left	21.99	20.69
n77H	80	30	3939.99	CP	QPSK	Edge_1RB_Right	21.69	20.39
n77H	80	30	3939.99	CP	QPSK	Outer_Full	22.63	21.33
n77H	80	30	3939.99	CP	16QAM	Inner_Full	23.53	22.23

n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Left	22.19	20.89
n77H	80	30	3939.99	CP	16QAM	Edge_1RB_Right	21.80	20.50
n77H	80	30	3939.99	CP	16QAM	Outer_Full	22.64	21.34
n77H	80	30	3939.99	CP	64QAM	Inner_Full	22.20	20.90
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Left	21.61	20.31
n77H	80	30	3939.99	CP	64QAM	Edge_1RB_Right	21.14	19.84
n77H	80	30	3939.99	CP	64QAM	Outer_Full	22.06	20.76
n77H	80	30	3939.99	CP	256QAM	Inner_Full	19.14	17.84
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Left	18.91	17.61
n77H	80	30	3939.99	CP	256QAM	Edge_1RB_Right	18.65	17.35
n77H	80	30	3939.99	CP	256QAM	Outer_Full	19.10	17.80
n77H	100	30	3750	DFT	pi/2 BPSK	Inner_Full	24.48	23.18
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Left	22.12	20.82
n77H	100	30	3750	DFT	pi/2 BPSK	Edge_1RB_Right	21.77	20.47
n77H	100	30	3750	DFT	pi/2 BPSK	Outer_Full	24.60	23.30
n77H	100	30	3750	DFT	QPSK	Inner_Full	24.38	23.08
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Left	22.24	20.94
n77H	100	30	3750	DFT	QPSK	Edge_1RB_Right	21.68	20.38
n77H	100	30	3750	DFT	QPSK	Outer_Full	23.99	22.69
n77H	100	30	3750	DFT	16QAM	Inner_Full	23.89	22.59
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Left	22.21	20.91
n77H	100	30	3750	DFT	16QAM	Edge_1RB_Right	21.86	20.56
n77H	100	30	3750	DFT	16QAM	Outer_Full	23.04	21.74
n77H	100	30	3750	DFT	64QAM	Inner_Full	22.35	21.05
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Left	21.73	20.43
n77H	100	30	3750	DFT	64QAM	Edge_1RB_Right	21.19	19.89
n77H	100	30	3750	DFT	64QAM	Outer_Full	22.50	21.20
n77H	100	30	3750	DFT	256QAM	Inner_Full	20.56	19.26
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Left	21.11	19.81
n77H	100	30	3750	DFT	256QAM	Edge_1RB_Right	20.71	19.41
n77H	100	30	3750	DFT	256QAM	Outer_Full	20.71	19.41
n77H	100	30	3750	CP	QPSK	Inner_Full	23.44	22.14
n77H	100	30	3750	CP	QPSK	Edge_1RB_Left	22.21	20.91
n77H	100	30	3750	CP	QPSK	Edge_1RB_Right	21.80	20.50
n77H	100	30	3750	CP	QPSK	Outer_Full	22.01	20.71
n77H	100	30	3750	CP	16QAM	Inner_Full	22.90	21.60
n77H	100	30	3750	CP	16QAM	Edge_1RB_Left	22.17	20.87
n77H	100	30	3750	CP	16QAM	Edge_1RB_Right	22.15	20.85
n77H	100	30	3750	CP	16QAM	Outer_Full	22.21	20.91
n77H	100	30	3750	CP	64QAM	Inner_Full	21.46	20.16
n77H	100	30	3750	CP	64QAM	Edge_1RB_Left	21.51	20.21

n77H	100	30	3750	CP	64QAM	Edge_1RB_Right	21.55	20.25
n77H	100	30	3750	CP	64QAM	Outer_Full	21.58	20.28
n77H	100	30	3750	CP	256QAM	Inner_Full	18.56	17.26
n77H	100	30	3750	CP	256QAM	Edge_1RB_Left	18.97	17.67
n77H	100	30	3750	CP	256QAM	Edge_1RB_Right	18.72	17.42
n77H	100	30	3750	CP	256QAM	Outer_Full	18.49	17.19
n77H	100	30	3840	DFT	pi/2 BPSK	Inner_Full	25.36	24.06
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Left	21.83	20.53
n77H	100	30	3840	DFT	pi/2 BPSK	Edge_1RB_Right	22.37	21.07
n77H	100	30	3840	DFT	pi/2 BPSK	Outer_Full	25.22	23.92
n77H	100	30	3840	DFT	QPSK	Inner_Full	25.30	24.00
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Left	21.82	20.52
n77H	100	30	3840	DFT	QPSK	Edge_1RB_Right	22.22	20.92
n77H	100	30	3840	DFT	QPSK	Outer_Full	24.51	23.21
n77H	100	30	3840	DFT	16QAM	Inner_Full	24.65	23.35
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Left	21.71	20.41
n77H	100	30	3840	DFT	16QAM	Edge_1RB_Right	22.16	20.86
n77H	100	30	3840	DFT	16QAM	Outer_Full	23.68	22.38
n77H	100	30	3840	DFT	64QAM	Inner_Full	23.12	21.82
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Left	21.38	20.08
n77H	100	30	3840	DFT	64QAM	Edge_1RB_Right	21.77	20.47
n77H	100	30	3840	DFT	64QAM	Outer_Full	23.13	21.83
n77H	100	30	3840	DFT	256QAM	Inner_Full	21.28	19.98
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Left	20.68	19.38
n77H	100	30	3840	DFT	256QAM	Edge_1RB_Right	21.06	19.76
n77H	100	30	3840	DFT	256QAM	Outer_Full	21.01	19.71
n77H	100	30	3840	CP	QPSK	Inner_Full	24.24	22.94
n77H	100	30	3840	CP	QPSK	Edge_1RB_Left	21.75	20.45
n77H	100	30	3840	CP	QPSK	Edge_1RB_Right	22.28	20.98
n77H	100	30	3840	CP	QPSK	Outer_Full	22.66	21.36
n77H	100	30	3840	CP	16QAM	Inner_Full	23.59	22.29
n77H	100	30	3840	CP	16QAM	Edge_1RB_Left	21.71	20.41
n77H	100	30	3840	CP	16QAM	Edge_1RB_Right	22.38	21.08
n77H	100	30	3840	CP	16QAM	Outer_Full	22.61	21.31
n77H	100	30	3840	CP	64QAM	Inner_Full	22.17	20.87
n77H	100	30	3840	CP	64QAM	Edge_1RB_Left	21.20	19.90
n77H	100	30	3840	CP	64QAM	Edge_1RB_Right	21.88	20.58
n77H	100	30	3840	CP	64QAM	Outer_Full	22.13	20.83
n77H	100	30	3840	CP	256QAM	Inner_Full	19.08	17.78
n77H	100	30	3840	CP	256QAM	Edge_1RB_Left	18.70	17.40
n77H	100	30	3840	CP	256QAM	Edge_1RB_Right	19.08	17.78

n77H	100	30	3840	CP	256QAM	Outer_Full	18.96	17.66
n77H	100	30	3930	DFT	pi/2 BPSK	Inner_Full	25.25	23.95
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Left	22.23	20.93
n77H	100	30	3930	DFT	pi/2 BPSK	Edge_1RB_Right	21.79	20.49
n77H	100	30	3930	DFT	pi/2 BPSK	Outer_Full	25.05	23.75
n77H	100	30	3930	DFT	QPSK	Inner_Full	25.13	23.83
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Left	22.36	21.06
n77H	100	30	3930	DFT	QPSK	Edge_1RB_Right	21.74	20.44
n77H	100	30	3930	DFT	QPSK	Outer_Full	24.55	23.25
n77H	100	30	3930	DFT	16QAM	Inner_Full	24.70	23.40
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Left	22.40	21.10
n77H	100	30	3930	DFT	16QAM	Edge_1RB_Right	21.69	20.39
n77H	100	30	3930	DFT	16QAM	Outer_Full	23.60	22.30
n77H	100	30	3930	DFT	64QAM	Inner_Full	23.22	21.92
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Left	22.00	20.70
n77H	100	30	3930	DFT	64QAM	Edge_1RB_Right	21.08	19.78
n77H	100	30	3930	DFT	64QAM	Outer_Full	23.07	21.77
n77H	100	30	3930	DFT	256QAM	Inner_Full	21.26	19.96
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Left	21.08	19.78
n77H	100	30	3930	DFT	256QAM	Edge_1RB_Right	20.70	19.40
n77H	100	30	3930	DFT	256QAM	Outer_Full	21.04	19.74
n77H	100	30	3930	CP	QPSK	Inner_Full	24.26	22.96
n77H	100	30	3930	CP	QPSK	Edge_1RB_Left	22.19	20.89
n77H	100	30	3930	CP	QPSK	Edge_1RB_Right	21.83	20.53
n77H	100	30	3930	CP	QPSK	Outer_Full	22.67	21.37
n77H	100	30	3930	CP	16QAM	Inner_Full	23.69	22.39
n77H	100	30	3930	CP	16QAM	Edge_1RB_Left	22.46	21.16
n77H	100	30	3930	CP	16QAM	Edge_1RB_Right	22.09	20.79
n77H	100	30	3930	CP	16QAM	Outer_Full	22.70	21.40
n77H	100	30	3930	CP	64QAM	Inner_Full	22.14	20.84
n77H	100	30	3930	CP	64QAM	Edge_1RB_Left	21.89	20.59
n77H	100	30	3930	CP	64QAM	Edge_1RB_Right	21.49	20.19
n77H	100	30	3930	CP	64QAM	Outer_Full	22.12	20.82
n77H	100	30	3930	CP	256QAM	Inner_Full	19.12	17.82
n77H	100	30	3930	CP	256QAM	Edge_1RB_Left	19.23	17.93
n77H	100	30	3930	CP	256QAM	Edge_1RB_Right	18.60	17.30
n77H	100	30	3930	CP	256QAM	Outer_Full	19.18	17.88

Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.764$ dB, $k = 2$.

A.2 Emission Limit


A.2.1 Measurement Method

The measurements procedures in TIA-603E-2016 are used. This measurement is carried out in fully anechoic chamber FAC-3.


The spectrum was scanned from 30 MHz to the 10th harmonic of the highest frequency generated within the equipment, which is the transmitted carrier. The resolution bandwidth is set 1MHz. The spectrum was scanned with the mobile station transmitting at carrier frequencies that pertain to low, mid and high channels of each LTE Band.

The procedure of radiated spurious emissions is as follows:

1. EUT was placed on a 1.5-meter-high non-conductive stand at a 3-meter test distance from the receive antenna. A receiving antenna was placed on the antenna mast 3 meters from the EUT for emission measurements. The height of receiving antenna is 1.5m. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the EUT through 360 and adjusting the receiving antenna polarization. The radiated emission measurements of all non-harmonic and harmonics of the transmit frequency through the 10th harmonic were measured with peak detector.



2. The EUT is then put into continuously transmitting mode at its maximum power level during the test. And the maximum value of the receiver should be recorded as (Pr).
3. The EUT shall be replaced by a substitution antenna. The test setup refers to figure below.



In the chamber, a substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (P_{Mea}) is applied to the input of the

substitution antenna. Adjust the level of the signal generator output until the value of the receiver reaches the previously recorded (P_r). The power of signal source (P_{Mea}) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.

4. The Path loss (P_{pl}) between the Signal Source with the Substitution Antenna and the Substitution Antenna Gain (G_a) should be recorded after test.

An amplifier should be connected in for the test.

The Path loss (P_{pl}) is the summation of the cable loss and the gain of the amplifier.

The measurement results are obtained as described below:

$$\text{Power (EIRP)} = P_{Mea} - P_{pl} + G_a$$

5. This value is EIRP since the measurement is calibrated using an antenna of known gain (unit: dBi) and known input power.
6. ERP can be calculated from EIRP by subtracting the gain of the dipole, $ERP = EIRP - 2.15\text{dB}$.

A.2.2 Measurement Limit

NR n2/25: Part 24.238 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

NR n5/n26(824MHz~849MHz): Part 22.917 specify that the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

NR n26(814MHz~824MHz): Part 90.691 states that out-of-band emission requirement shall apply only to the "outer" channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows: For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz. For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $43 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz. NR n7/41: Part 27.53(m) specifies for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

NR n66: Part 27.53(h) specify that the power of any emission outside of the authorized operating



I22Z61533-WMD04

frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

NR n71: Part 27.53(g) states for operations in the 600 MHz band and the 698–746 MHz band, the power of any emission outside a licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, by at least $43 + 10 \log(P)$ dB. Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

A.2.3 Measurement Results

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies of each LTE Band. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of each LTE Band into any of the other blocks. The equipment must still, however, meet emissions requirements with the carrier at all frequencies over which it is capable of operating and it is the manufacturer's responsibility to verify this. The range of evaluated frequency is from 30MHz to 26GHz.

DC 66A_n5A, CH165300

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1648.51	-54.93	3.56	5.23	2.15	-55.41	-13.00	42.41	H
2479.50	-47.16	4.60	6.04	2.15	-47.87	-13.00	34.87	H
3302.27	-64.04	5.29	7.73	2.15	-63.75	-13.00	50.75	V
4134.50	-57.58	6.06	9.03	2.15	-56.76	-13.00	43.76	V
4961.16	-59.49	6.67	9.86	2.15	-58.45	-13.00	45.45	V
5771.10	-59.16	7.23	10.55	2.15	-57.99	-13.00	44.99	H

DC 66A_n5A, CH167300

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1673.01	-52.90	3.58	5.19	2.15	-53.44	-13.00	40.44	H
2523.00	-47.43	4.65	6.14	2.15	-48.09	-13.00	35.09	H
3358.68	-63.12	5.33	7.86	2.15	-62.74	-13.00	49.74	V
4186.73	-58.34	6.18	9.09	2.15	-57.58	-13.00	44.58	H
5011.30	-60.14	6.58	9.92	2.15	-58.95	-13.00	45.95	H
5844.23	-58.03	7.22	10.53	2.15	-56.87	-13.00	43.87	V

DC 66A_n5A, CH169300

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1693.01	-44.61	3.59	5.15	2.15	-45.20	-13.00	32.20	H
2543.00	-46.67	4.66	6.18	2.15	-47.30	-13.00	34.30	H
3396.98	-63.24	5.36	7.95	2.15	-62.80	-13.00	49.80	V
4223.64	-57.77	6.26	9.12	2.15	-57.06	-13.00	44.06	H
5080.94	-59.10	6.72	10.01	2.15	-57.96	-13.00	44.96	V
5911.09	-56.26	7.43	10.52	2.15	-55.32	-13.00	42.32	V

DC 66A_n30A, CH461500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
4615.01	-52.74	6.45	9.52	-49.67	-13.00	36.67	V
6894.01	-55.79	7.76	11.47	-52.08	-13.00	39.08	V
9242.01	-53.42	9.02	13.25	-49.19	-13.00	36.19	V
11512.00	-49.75	9.81	13.10	-46.46	-13.00	33.46	H
13857.00	-44.79	10.72	14.41	-41.10	-13.00	28.10	H
16148.00	-42.89	11.79	13.67	-41.01	-13.00	28.01	H

DC 66A_n30A, CH462000

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
4620.01	-54.22	6.45	9.52	-51.15	-13.00	38.15	V
6917.01	-55.66	7.73	11.50	-51.89	-13.00	38.89	V
9231.01	-53.36	9.00	13.24	-49.12	-13.00	36.12	V
11531.00	-49.12	9.81	13.09	-45.84	-13.00	32.84	V
13886.00	-44.81	10.78	14.43	-41.16	-13.00	28.16	H
16192.00	-42.66	11.74	13.66	-40.74	-13.00	27.74	H

DC 66A_n30A, CH462500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
4625.01	-53.55	6.44	9.53	-50.46	-13.00	37.46	V
6944.01	-55.18	7.87	11.53	-51.52	-13.00	38.52	V
9234.01	-52.75	9.00	13.24	-48.51	-13.00	35.51	V
11560.00	-50.27	9.80	13.09	-46.98	-13.00	33.98	V
13903.00	-44.27	10.80	14.44	-40.63	-13.00	27.63	H
16207.00	-42.07	11.74	13.66	-40.15	-13.00	27.15	H

DC 12A_n2A, CH370500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3678.01	-60.20	6.48	8.45	-58.23	-13.00	45.23	V
5551.01	-59.65	7.18	10.59	-56.24	-13.00	43.24	V
7420.01	-54.35	8.17	12.10	-50.42	-13.00	37.42	V
9234.01	-52.92	9.00	13.24	-48.68	-13.00	35.68	V
11095.00	-50.28	9.85	13.18	-46.95	-13.00	33.95	V
12978.00	-48.22	10.48	13.49	-45.21	-13.00	32.21	H

DC 12A_n2A, CH376000

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3721.01	-60.52	6.38	8.51	-58.39	-13.00	45.39	V
5583.01	-59.78	7.22	10.58	-56.42	-13.00	43.42	H
7407.01	-54.54	8.14	12.09	-50.59	-13.00	37.59	V
9283.01	-53.66	9.11	13.27	-49.50	-13.00	36.50	V
11096.00	-50.52	9.84	13.18	-47.18	-13.00	34.18	V
12979.00	-47.77	10.47	13.49	-44.75	-13.00	31.75	V

DC 12A_n2A, CH381500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3817.01	-61.81	6.09	8.64	-59.26	-13.00	46.26	V
5738.01	-58.93	7.28	10.55	-55.66	-13.00	42.66	H
7600.01	-54.79	7.97	12.28	-50.48	-13.00	37.48	V
9560.01	-53.35	9.32	13.34	-49.33	-13.00	36.33	V
11420.00	-49.47	10.01	13.12	-46.36	-13.00	33.36	V
13363.00	-43.84	10.57	14.01	-40.40	-13.00	27.40	V

DC 12A_n66A, CH342500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3442.01	-73.06	5.41	8.06	-70.41	-13.00	57.41	H
5123.01	-70.15	6.84	10.07	-66.92	-13.00	53.92	V
6848.01	-64.88	7.83	11.42	-61.29	-13.00	48.29	V
8572.01	-64.28	8.54	13.01	-59.81	-13.00	46.81	V
10294.01	-61.90	9.62	13.02	-58.50	-13.00	45.50	V
12004.00	-58.83	10.06	13.00	-55.89	-13.00	42.89	V

DC 12A_n66A, CH347500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3475.01	-72.22	5.47	8.14	-69.55	-13.00	56.55	H
5200.01	-71.02	6.96	10.18	-67.80	-13.00	54.80	H
6969.01	-65.61	8.06	11.56	-62.11	-13.00	49.11	V
8673.01	-65.03	8.40	13.03	-60.40	-13.00	47.40	V
10444.01	-61.05	9.74	13.08	-57.71	-13.00	44.71	V
12167.00	-59.30	10.15	13.07	-56.38	-13.00	43.38	V

DC 12A_n66A, CH352500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3509.01	-72.52	5.54	8.21	-69.85	-13.00	56.85	H
5242.01	-71.00	7.00	10.24	-67.76	-13.00	54.76	V
6997.01	-64.73	8.27	11.60	-61.40	-13.00	48.40	V
8735.01	-64.09	8.46	13.05	-59.50	-13.00	46.50	V
10453.01	-60.82	9.72	13.08	-57.46	-13.00	44.46	V
12212.00	-59.10	10.05	13.08	-56.07	-13.00	43.07	V

DC 66A_n25A,BPSK,CH370500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3705.01	-58.55	6.42	8.49	-56.48	-13.00	43.48	V
5557.01	-54.73	7.19	10.59	-51.33	-13.00	38.33	H
7436.01	-54.29	8.22	12.12	-50.39	-13.00	37.39	V
9257.01	-53.29	9.06	13.25	-49.10	-13.00	36.10	V
11087.00	-50.99	9.86	13.18	-47.67	-13.00	34.67	V
12965.00	-47.16	10.48	13.48	-44.16	-13.00	31.16	H

DC 66A_n25A,BPSK,CH376500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3765.01	-58.38	6.25	8.57	-56.06	-13.00	43.06	V
5647.01	-52.71	7.27	10.57	-49.41	-13.00	36.41	H
7518.01	-54.37	8.32	12.21	-50.48	-13.00	37.48	V
9389.01	-54.13	9.05	13.33	-49.85	-13.00	36.85	V
11304.00	-49.58	10.00	13.14	-46.44	-13.00	33.44	V
13150.00	-44.17	10.72	13.71	-41.18	-13.00	28.18	V

DC 66A_n25A,BPSK,CH382500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3825.01	-60.84	6.06	8.66	-58.24	-13.00	45.24	V
5737.01	-56.08	7.28	10.55	-52.81	-13.00	39.81	H
7649.01	-54.35	8.20	12.32	-50.23	-13.00	37.23	V
9556.01	-54.15	9.34	13.34	-50.15	-13.00	37.15	V
11472.00	-49.55	9.88	13.11	-46.32	-13.00	33.32	V
13396.00	-44.44	10.57	14.05	-40.96	-13.00	27.96	H

DC 2A_n71A,BPSK,CH133100

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1320.51	-55.80	3.14	4.57	2.15	-56.52	-13.00	43.52	H
2008.00	-49.84	4.08	4.62	2.15	-51.45	-13.00	38.45	H
2673.00	-45.62	4.76	6.41	2.15	-46.12	-13.00	33.12	H
3315.50	-61.15	5.29	7.76	2.15	-60.83	-13.00	47.83	H
3991.04	-59.05	6.07	8.89	2.15	-58.38	-13.00	45.38	H
4672.84	-58.30	6.48	9.57	2.15	-57.36	-13.00	44.36	V

DC 2A_n71A,BPSK,CH136100

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1358.51	-56.57	3.18	4.76	2.15	-57.14	-13.00	44.14	H
2029.00	-50.52	4.13	4.69	2.15	-52.11	-13.00	39.11	H
2719.00	-44.26	4.80	6.49	2.15	-44.72	-13.00	31.72	H
3416.48	-61.13	5.38	8.00	2.15	-60.66	-13.00	47.66	V
4089.23	-58.14	6.04	8.99	2.15	-57.34	-13.00	44.34	V
4758.50	-58.55	6.59	9.66	2.15	-57.63	-13.00	44.63	V

DC 2A_n71A,BPSK,CH139100

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1382.01	-56.44	3.21	4.89	2.15	-56.91	-13.00	43.91	H
2098.50	-50.60	4.19	4.90	2.15	-52.04	-13.00	39.04	V
2777.50	-46.24	4.88	6.60	2.15	-46.67	-13.00	33.67	H
3469.41	-60.33	5.46	8.13	2.15	-59.81	-13.00	46.81	H
4176.29	-56.93	6.15	9.08	2.15	-56.15	-13.00	43.15	H
4870.62	-57.16	6.72	9.77	2.15	-56.26	-13.00	43.26	V

SA n2,BPSK,CH370500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
2572.00	-44.22	4.68	6.23	-42.67	-13.00	29.67	H
6477.01	-57.50	7.53	10.98	-54.05	-13.00	41.05	V
7796.01	-55.20	8.29	12.44	-51.05	-13.00	38.05	V
9087.01	-53.98	8.97	13.15	-49.80	-13.00	36.80	V
10375.01	-50.39	9.76	13.05	-47.10	-13.00	34.10	V
11661.00	-49.78	9.68	13.07	-46.39	-13.00	33.39	V

SA n2,BPSK,CH376000

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
2616.00	-43.45	4.71	6.31	-41.85	-13.00	28.85	V
6490.01	-57.68	7.52	10.99	-54.21	-13.00	41.21	H
7765.01	-55.45	8.34	12.41	-51.38	-13.00	38.38	V
9057.01	-53.83	9.05	13.13	-49.75	-13.00	36.75	V
10348.01	-51.16	9.72	13.04	-47.84	-13.00	34.84	V
11658.00	-49.98	9.69	13.07	-46.60	-13.00	33.60	V

SA n2,BPSK,CH381500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
2594.00	-43.82	4.70	6.27	-42.25	-13.00	29.25	V
6453.01	-57.80	7.55	10.95	-54.40	-13.00	41.40	V
7753.01	-55.63	8.35	12.40	-51.58	-13.00	38.58	V
9048.01	-53.21	9.07	13.13	-49.15	-13.00	36.15	V
10370.01	-50.56	9.75	13.05	-47.26	-13.00	34.26	V
11683.00	-49.92	9.64	13.06	-46.50	-13.00	33.50	V

SA n5,BPSK,CH165300

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1429.01	-55.92	3.27	5.13	2.15	-56.21	-13.00	43.21	H
2112.00	-49.91	4.20	4.94	2.15	-51.32	-13.00	38.32	V
2819.00	-45.05	4.94	6.67	2.15	-45.47	-13.00	32.47	V
3542.54	-58.19	5.75	8.26	2.15	-57.83	-13.00	44.83	V
4243.14	-58.02	6.25	9.14	2.15	-57.28	-13.00	44.28	V
4961.16	-57.49	6.67	9.86	2.15	-56.45	-13.00	43.45	V

SA n5,BPSK,CH167300

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1425.01	-55.23	3.27	5.11	2.15	-55.54	-13.00	42.54	H
2116.00	-49.86	4.21	4.95	2.15	-51.27	-13.00	38.27	H
2819.00	-44.79	4.94	6.67	2.15	-45.21	-13.00	32.21	H
3545.32	-59.16	5.77	8.26	2.15	-58.82	-13.00	45.82	V
4243.84	-57.47	6.25	9.14	2.15	-56.73	-13.00	43.73	H
4966.03	-57.65	6.66	9.87	2.15	-56.59	-13.00	43.59	V

SA n5,BPSK,CH169300

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1412.01	-56.52	3.25	5.04	2.15	-56.88	-13.00	43.88	H
2125.50	-49.94	4.22	4.98	2.15	-51.33	-13.00	38.33	H
2821.00	-44.72	4.94	6.68	2.15	-45.13	-13.00	32.13	H
3552.29	-58.72	5.85	8.27	2.15	-58.45	-13.00	45.45	V
4247.32	-56.86	6.24	9.15	2.15	-56.10	-13.00	43.10	H
4951.41	-57.31	6.69	9.85	2.15	-56.30	-13.00	43.30	V

SA n25,BPSK,CH370500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3705.01	-57.75	6.42	8.49	-55.68	-13.00	42.68	H
5557.01	-48.24	7.19	10.59	-44.84	-13.00	31.84	H
7411.01	-53.24	8.15	12.09	-49.30	-13.00	36.30	H
9292.01	-51.35	9.13	13.28	-47.20	-13.00	34.20	V
11110.00	-49.92	9.79	13.18	-46.53	-13.00	33.53	V
12969.00	-47.69	10.48	13.48	-44.69	-13.00	31.69	H

SA n25,BPSK,CH376500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3765.01	-58.64	6.25	8.57	-56.32	-13.00	43.32	H
5649.01	-46.76	7.27	10.57	-43.46	-13.00	30.46	H
7519.01	-53.60	8.31	12.22	-49.69	-13.00	36.69	V
9390.01	-53.40	9.05	13.33	-49.12	-13.00	36.12	H
11311.00	-49.81	10.00	13.14	-46.67	-13.00	33.67	V
13155.00	-45.13	10.69	13.72	-42.10	-13.00	29.10	V

SA n25,BPSK,CH382500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3825.01	-59.65	6.06	8.66	-57.05	-13.00	44.05	H
5738.01	-47.77	7.28	10.55	-44.50	-13.00	31.50	H
7650.01	-54.01	8.20	12.32	-49.89	-13.00	36.89	H
9567.01	-53.48	9.30	13.33	-49.45	-13.00	36.45	V
11492.00	-49.39	9.83	13.10	-46.12	-13.00	33.12	V
13410.00	-43.71	10.57	14.07	-40.21	-13.00	27.21	H

SA n26 Part 90,BPSK,CH163300

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1427.01	-56.01	3.27	5.12	2.15	-56.31	-13.00	43.31	H
2125.00	-49.66	4.22	4.98	2.15	-51.05	-13.00	38.05	H
2816.00	-45.40	4.94	6.67	2.15	-45.82	-13.00	32.82	V
3534.88	-57.70	5.67	8.25	2.15	-57.27	-13.00	44.27	V
4245.23	-57.63	6.24	9.15	2.15	-56.87	-13.00	43.87	V
4950.71	-57.10	6.69	9.85	2.15	-56.09	-13.00		V

SA n26 Part 90,BPSK,CH163800

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1411.01	-56.38	3.25	5.04	2.15	-56.74	-13.00	43.74	H
2134.00	-49.98	4.23	5.00	2.15	-51.36	-13.00	38.36	H
2841.50	-45.36	4.95	6.71	2.15	-45.75	-13.00	32.75	H
3548.80	-58.78	5.81	8.27	2.15	-58.47	-13.00	45.47	V
4248.02	-57.52	6.24	9.15	2.15	-56.76	-13.00	43.76	H
4948.62	-56.80	6.69	9.85	2.15	-55.79	-13.00	42.79	V

SA n26 Part 90,BPSK,CH164300

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1417.51	-56.08	3.26	5.07	2.15	-56.42	-13.00	43.42	H
2131.00	-50.02	4.22	4.99	2.15	-51.40	-13.00	38.40	H
2824.50	-45.48	4.95	6.68	2.15	-45.90	-13.00	32.90	H
3552.29	-58.50	5.85	8.27	2.15	-58.23	-13.00	45.23	V
4240.36	-57.79	6.25	9.14	2.15	-57.05	-13.00	44.05	V
4959.07	-57.29	6.67	9.86	2.15	-56.25	-13.00	43.25	H

SA n26 Part 22,BPSK,CH165300

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1429.51	-55.45	3.27	5.13	2.15	-55.74	-13.00	42.74	H
2134.50	-49.48	4.23	5.00	2.15	-50.86	-13.00	37.86	H
2824.00	-45.91	4.95	6.68	2.15	-46.33	-13.00	33.33	H
3543.93	-58.33	5.76	8.26	2.15	-57.98	-13.00	44.98	V
4246.62	-57.71	6.24	9.15	2.15	-56.95	-13.00	43.95	V
4944.44	-57.08	6.70	9.84	2.15	-56.09	-13.00	43.09	V

SA n26 Part 22,BPSK,CH167300

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1423.51	-55.04	3.27	5.10	2.15	-55.36	-13.00	42.36	H
2136.50	-49.47	4.23	5.01	2.15	-50.84	-13.00	37.84	H
2816.50	-45.74	4.94	6.67	2.15	-46.16	-13.00	33.16	H
3550.89	-58.04	5.83	8.27	2.15	-57.75	-13.00	44.75	V
4243.14	-57.90	6.25	9.14	2.15	-57.16	-13.00	44.16	V
4954.19	-57.64	6.68	9.85	2.15	-56.62	-13.00	43.62	V

SA n26 Part 22,BPSK,CH169300

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Correction	Peak ERP (dBm)	Limit (dBm)	Margin (dB)	Polorization
1412.01	-56.06	3.25	5.04	2.15	-56.42	-13.00	43.42	H
2128.50	-49.49	4.22	4.99	2.15	-50.87	-13.00	37.87	H
2840.00	-45.56	4.95	6.71	2.15	-45.95	-13.00	32.95	H
3552.29	-58.69	5.85	8.27	2.15	-58.42	-13.00	45.42	V
4239.66	-57.38	6.25	9.14	2.15	-56.64	-13.00	43.64	H
4954.89	-57.48	6.68	9.85	2.15	-56.46	-13.00	43.46	V

SA n30, BPSK,CH461500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
4620.02	-55.01	6.45	9.52	-51.94	-40.00	11.94	H
6935.01	-65.79	7.80	11.52	-62.07	-40.00	22.07	V
9240.01	-62.67	9.02	13.24	-58.45	-40.00	18.45	V
11531.01	-59.89	9.81	13.09	-56.61	-40.00	16.61	V
13879.01	-54.95	10.76	14.43	-51.28	-40.00	11.28	H
16175.00	-53.05	11.76	13.66	-51.15	-40.00	11.15	H

SA n30, BPSK,CH462000

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
4615.02	-53.95	6.45	9.52	-50.88	-40.00	10.88	H
6923.01	-65.88	7.72	11.51	-62.09	-40.00	22.09	V
9232.01	-62.99	9.00	13.24	-58.75	-40.00	18.75	V
11538.01	-60.01	9.81	13.09	-56.73	-40.00	16.73	V
13875.01	-55.12	10.75	14.43	-51.44	-40.00	11.44	H
16167.00	-52.99	11.77	13.67	-51.09	-40.00	11.09	H

SA n30, BPSK,CH462500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
4625.02	-55.73	6.44	9.53	-52.64	-40.00	12.64	H
6930.01	-65.93	7.76	11.52	-62.17	-40.00	22.17	V
9253.01	-62.55	9.05	13.25	-58.35	-40.00	18.35	V
11534.01	-59.96	9.81	13.09	-56.68	-40.00	16.68	V
13878.01	-55.11	10.76	14.43	-51.44	-40.00	11.44	H
16168.00	-53.12	11.77	13.67	-51.22	-40.00	11.22	H

SA n66,BPSK,CH342500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3506.01	-72.06	5.53	8.21	-69.38	-13.00	56.38	H
5228.01	-70.56	7.00	10.22	-67.34	-13.00	54.34	H
6993.01	-64.83	8.24	11.59	-61.48	-13.00	48.48	V
8743.01	-63.82	8.49	13.05	-59.26	-13.00	46.26	V
10459.01	-60.85	9.71	13.08	-57.48	-13.00	44.48	V
12228.00	-59.03	10.04	13.09	-55.98	-13.00	42.98	V

SA n66,BPSK,CH349000

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3490.01	-69.05	5.50	8.18	-66.37	-13.00	53.37	H
5237.01	-67.33	7.00	10.23	-64.10	-13.00	51.10	V
6980.01	-64.61	8.14	11.58	-61.17	-13.00	48.17	V
8741.01	-63.91	8.48	13.05	-59.34	-13.00	46.34	V
10465.01	-60.90	9.70	13.09	-57.51	-13.00	44.51	V
12229.00	-58.90	10.04	13.09	-55.85	-13.00	42.85	V

SA n66,BPSK,CH355500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3555.01	-66.04	5.87	8.28	-63.63	-13.00	50.63	H
5332.01	-60.46	6.97	10.36	-57.07	-13.00	44.07	H
7113.01	-64.65	8.16	11.74	-61.07	-13.00	48.07	H
8900.01	-64.16	8.85	13.08	-59.93	-13.00	46.93	V
10656.00	-61.36	9.29	13.13	-57.52	-13.00	44.52	V
12424.00	-58.93	10.38	13.17	-56.14	-13.00	43.14	V

SA n70,BPSK,CH339500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3386.01	-63.00	5.35	7.93	-60.42	-13.00	47.42	V
5094.01	-57.15	6.76	10.03	-53.88	-13.00	40.88	V
6782.01	-54.31	7.92	11.34	-50.89	-13.00	37.89	V
8460.01	-53.79	8.66	12.97	-49.48	-13.00	36.48	V
10198.01	-53.21	9.30	12.98	-49.53	-13.00	36.53	V
11853.00	-48.73	10.33	13.03	-46.03	-13.00	33.03	V

SA n70,BPSK,CH340500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3405.01	-60.69	5.37	7.97	-58.09	-13.00	45.09	H
5108.01	-51.47	6.79	10.05	-48.21	-13.00	35.21	V
6825.01	-54.50	7.86	11.39	-50.97	-13.00	37.97	V
8505.01	-53.87	8.66	13.00	-49.53	-13.00	36.53	V
10185.01	-52.76	9.33	12.97	-49.12	-13.00	36.12	H
11898.00	-48.95	10.51	13.02	-46.44	-13.00	33.44	H

SA n70,BPSK,CH341500

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
3440.01	-62.89	5.41	8.06	-60.24	-13.00	47.24	V
5125.01	-56.59	6.84	10.08	-53.35	-13.00	40.35	H
6842.01	-53.65	7.84	11.41	-50.08	-13.00	37.08	V
8530.01	-53.88	8.62	13.01	-49.49	-13.00	36.49	V
10260.01	-52.03	9.51	13.00	-48.54	-13.00	35.54	V
11978.00	-48.45	10.15	13.00	-45.60	-13.00	32.60	V

DC 2A_n41A,BPSK,CH501204

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
4997.01	-59.18	6.61	9.90	-55.89	-25.00	30.89	H
7518.01	-53.71	8.32	12.21	-49.82	-25.00	24.82	V
10048.01	-53.02	9.32	12.92	-49.42	-25.00	24.42	H
12514.00	-48.16	10.21	13.21	-45.16	-25.00	20.16	H
15013.00	-42.75	11.23	13.99	-39.99	-25.00	14.99	V
17550.00	-39.49	12.92	14.97	-37.44	-25.00	12.44	H

DC 2A_n41A,BPSK,CH518598

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
5169.01	-59.53	6.91	10.14	-56.30	-25.00	31.30	H
7760.01	-55.25	8.34	12.41	-51.18	-25.00	26.18	V
10361.01	-50.18	9.74	13.04	-46.88	-25.00	21.88	V
12992.00	-47.48	10.47	13.50	-44.45	-25.00	19.45	V
15574.00	-43.89	11.50	13.70	-41.69	-25.00	16.69	H
16876.00	-39.89	12.02	13.75	-38.16	-25.00	13.16	V

DC 2A_n41A,BPSK,CH535998

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
5362.01	-60.33	6.91	10.41	-56.83	-25.00	31.83	V
8029.01	-54.16	8.32	12.62	-49.86	-25.00	24.86	V
10744.00	-51.35	9.41	13.15	-47.61	-25.00	22.61	V
13400.00	-44.08	10.57	14.06	-40.59	-25.00	15.59	H
16098.00	-42.44	11.85	13.68	-40.61	-25.00	15.61	H
17408.00	-39.64	12.52	14.70	-37.46	-25.00	12.46	H

SA n41,BPSK,CH501204

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
5035.01	-59.20	6.59	9.95	-55.84	-25.00	30.84	V
7513.01	-53.75	8.34	12.21	-49.88	-25.00	24.88	V
10040.01	-53.38	9.29	12.92	-49.75	-25.00	24.75	H
12523.00	-47.92	10.24	13.21	-44.95	-25.00	19.95	V
15021.00	-43.49	11.24	13.99	-40.74	-25.00	15.74	H
17543.00	-39.95	12.89	14.96	-37.88	-25.00	12.88	H

SA n41,BPSK,CH518598

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
5186.01	-55.25	6.94	10.16	-52.03	-25.00	27.03	H
7806.01	-55.51	8.30	12.44	-51.37	-25.00	26.37	V
10348.01	-50.74	9.72	13.04	-47.42	-25.00	22.42	V
12987.00	-48.33	10.47	13.49	-45.31	-25.00	20.31	H
15536.00	-44.15	11.52	13.70	-41.97	-25.00	16.97	H
16871.00	-40.42	12.03	13.75	-38.70	-25.00	13.70	H

SA n41,BPSK,CH535998

Frequency (MHz)	SG (dBm)	CableLoss (dB)	AntennaGain (dBi)	Peak EIRP (dBm)	Limit (dBm)	Margin (dB)	Polorization
5333.01	-60.20	6.97	10.37	-56.80	-25.00	31.80	V
8044.01	-53.36	8.32	12.64	-49.04	-25.00	24.04	V
10715.00	-50.95	9.34	13.14	-47.15	-25.00	22.15	V
13381.00	-43.54	10.57	14.03	-40.08	-25.00	15.08	V
16106.00	-41.58	11.85	13.68	-39.75	-25.00	14.75	H
17448.00	-39.37	12.61	14.79	-37.19	-25.00	12.19	H

Note: The maximum value of expanded measurement uncertainty for this test item is $U = 4.69$ dB, $k = 2$.

A.3 Frequency Stability

A.3.1 Method of Measurement

Frequency stability is a measure of the frequency drift due to temperature and supply voltage variations, with reference to the frequency measured at +20 °C and rated supply voltage. Two reference points are established at the applicable unwanted emissions limit using a RBW equal to the RBW required by the unwanted emissions specification of the applicable regulatory standard. These reference points measured using the lowest and highest channel of operation shall be identified as F_L and F_H respectively.

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a “call mode”. This is accomplished with the use of MT8000A.

1. Measure the carrier frequency at room temperature.
2. Subject the EUT to overnight soak at -30°C.
3. With the EUT, powered via nominal voltage, connected to the MT8000A, and in a simulated call on middle channel for each NR band, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
4. Repeat the above measurements at 10°C increments from -30°C to +50°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
5. Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1.5 hours unpowered, to allow any self-heating to stabilize, before continuing.
6. Subject the EUT to overnight soak at +50°C.
7. With the EUT, powered via nominal voltage, connected to the MT8000A and in a simulated call on the center channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
8. Repeat the above measurements at 10 °C decrements from +50°C to -30°C. Allow at least 1.5 hours at each temperature, unpowered, before making measurements.
9. At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. As this transceiver is considered "Hand carried, battery powered equipment" Section 2.1055(d)(2) applies. This requires that the lower voltage for frequency stability testing be specified by the manufacturer. This transceiver is specified to operate with an input voltage of the lower, higher and nominal voltage. Operation above or below these voltage limits is prohibited by transceiver software in order to prevent improper operation as well as to protect components from overstress.

A.3.2 Measurement results

n25

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	1850.272	1913.624		
50				2.30	0.0012
40				-4.20	0.0022
30				2.90	0.0015
10				4.80	0.0025
0				0.50	0.0003
-10				-2.60	0.0014
-20				2.30	0.0012
-30				2.80	0.0015

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	1850.272	1913.624	5.80	0.0031
4.2				1.00	0.0005

n26_Part22

Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	824.272	847.624		
50				-4.20	0.0050
40				-5.50	0.0066
30				-5.00	0.0060
10				-7.00	0.0084
0				-2.80	0.0033
-10				-2.30	0.0027
-20				-0.30	0.0004
-30				-3.10	0.0037

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	824.272	847.624	-4.00	0.0048
4.2				-3.30	0.0039

n26_Part90
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	814.224	823.456		
50				-4.80	0.0059
40				-4.70	0.0057
30				-5.80	0.0071
10				-6.10	0.0074
0				-4.20	0.0051
-10				-7.60	0.0093
-20				-6.70	0.0082
-30				-6.40	0.0078

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	814.224	823.456	-4.40	0.0054
4.2				-6.10	0.0074

n30
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	2305.280	2314.340		
50				-6.50	0.0028
40				-7.90	0.0034
30				-9.50	0.0041
10				-4.20	0.0018
0				-11.80	0.0051
-10				-7.80	0.0034
-20				-14.50	0.0063
-30				-7.30	0.0032

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	2305.280	2314.340	-5.50	0.0024
4.2				-4.00	0.0017

n41
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	2496.704	2688.144		
50				-10.90	0.0042
40				-4.80	0.0019
30				20.30	0.0078
10				11.90	0.0046
0				1.10	0.0004
-10				8.70	0.0034
-20				7.30	0.0028
-30				6.60	0.0025

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	2496.704	2688.144	8.50	0.0033
4.2				-8.80	0.0034

n66
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	1710.272	1778.640		
50				-9.90	0.0057
40				-4.30	0.0025
30				-6.60	0.0038
10				-3.30	0.0019
0				-8.40	0.0048
-10				-9.40	0.0054
-20				-4.30	0.0025
-30				-3.30	0.0019

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	1710.272	1778.640	-9.00	0.0052
4.2				0.20	0.0001

n70
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	1695.176	1709.072		
50				-0.20	0.0001
40				-4.40	0.0026
30				-6.20	0.0036
10				-2.60	0.0015
0				-3.20	0.0019
-10				-1.50	0.0009
-20				-5.40	0.0032
-30				0.10	0.0001

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	1695.176	1709.072	2.30	0.0014
4.2				-2.90	0.0017

n71
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	663.432	696.464		
50				-1.60	0.0024
40				-5.10	0.0075
30				-2.60	0.0038
10				0.00	0.0000
0				2.70	0.0040
-10				1.30	0.0019
-20				-3.00	0.0044
-30				-6.60	0.0097

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	663.432	696.464	-4.60	0.0068
4.2				-2.10	0.0031

n77L
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	3450.432	3549.200		
50				0.00	0.0000
40				-4.70	0.0013
30				-2.60	0.0007
10				-6.70	0.0019
0				-9.60	0.0027
-10				-1.30	0.0004
-20				-12.80	0.0037
-30				-20.00	0.0057

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	3450.432	3549.200	-3.70	0.0011
4.2				3.70	0.0011

n77H
Frequency Error vs Temperature

Temperature(°C)	Voltage(V)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
20	3.85	3700.352	3978.528		
50				-26.90	0.0070
40				-11.20	0.0029
30				-3.10	0.0008
10				-13.50	0.0035
0				-15.70	0.0041
-10				5.70	0.0015
-20				-10.20	0.0027
-30				-6.00	0.0016

Frequency Error vs Voltage

Voltage(V)	Temperature(°C)	FL(MHz)	FH(MHz)	Offset(Hz)	Frequency error(ppm)
3.6	20	3700.352	3978.528	-25.30	0.0066
4.2				11.40	0.0030

Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.047 \text{ kHz}$, $k = 2$.

A.4 Occupied Bandwidth

Occupied bandwidth measurements are only provided for selected frequencies in order to reduce the amount of submitted data. Data were taken at the mid frequencies frequency. The table below lists the measured 99% BW. Spectrum analyzer plots are included on the following pages.


The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The frequency span for the spectrum analyzer shall be set wide enough to capture all modulation products including the emission skirts.
- b) The nominal IF filter 3 dB bandwidth (RBW) shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times$ RBW.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) Set the detection mode to peak, and the trace mode to max-hold.

n25
n25,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	4.506	4.521

n25,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n25,5MHz Bandwidth,DFT-s-QPSK (99% BW)




n25,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	8.988	9.029

n25,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




11:30:14 26.08.2022

n25,10MHz Bandwidth,DFT-s-QPSK (99% BW)


11:30:29 26.08.2022



n25,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	13.494	13.466

n25,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n25,15MHz Bandwidth,DFT-s-QPSK (99% BW)


n25,20MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	17.998	18.035

n25,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n25,20MHz Bandwidth,DFT-s-QPSK (99% BW)



n26_Part22
 n26_Part22,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	4.501	4.514

n26_Part22,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)





n26_Part22,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n26_Part22,10MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	8.991	9.011

n26_Part22,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n26_Part22,10MHz Bandwidth,DFT-s-QPSK (99% BW)


n26_Part22,15MHz(99%)



Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	13.449	13.461

n26_Part22,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n26_Part22,15MHz Bandwidth,DFT-s-QPSK (99% BW)


n26_Part22,20MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	17.948	17.978

n26_Part22,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n26_Part22,20MHz Bandwidth,DFT-s-QPSK (99% BW)



n26_Part90
n26_Part90,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
819	4.513	4.524

n26_Part90,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)





n26_Part90,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n26_Part90,10MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
819	8.978	9.008

n26_Part90,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n26_Part90,10MHz Bandwidth,DFT-s-QPSK (99% BW)



n30
n30,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2310	4.521	4.517

n30,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)





n30,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n30,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2310	8.995	9.032


n30,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n30,10MHz Bandwidth,DFT-s-QPSK (99% BW)


n41


n41,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	18.050	18.065

n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)





n41,20MHz Bandwidth,DFT-s-QPSK (99% BW)





n41,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	26.992	26.964

n41,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n41,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	35.970	36.087

n41,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n41,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	46.070	46.106

n41,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,50MHz Bandwidth,DFT-s-QPSK (99% BW)


n41,60MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	58.004	58.140

n41,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,60MHz Bandwidth,DFT-s-QPSK (99% BW)


n41,80MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	77.665	77.559

n41,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)


n41,80MHz Bandwidth,DFT-s-QPSK (99% BW)


n41,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	87.077	87.220

n41,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




14:24:52 26.08.2022

n41,90MHz Bandwidth,DFT-s-QPSK (99% BW)


14:25:07 26.08.2022

n41,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	96.726	96.766

n41,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n41,100MHz Bandwidth,DFT-s-QPSK (99% BW)


n66
n66,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.501	4.524

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n66,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n66,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	8.997	9.031


n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n66,10MHz Bandwidth,DFT-s-QPSK (99% BW)


n66,15MHz(99%)



Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	13.484	13.471

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n66,15MHz Bandwidth,DFT-s-QPSK (99% BW)


n66,20MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	18.051	18.065

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n66,20MHz Bandwidth,DFT-s-QPSK (99% BW)



n70
n70,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	4.527	4.512

n70,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n70,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n70,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	8.982	9.028

n70,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)


n70,10MHz Bandwidth,DFT-s-QPSK (99% BW)


n70,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	13.465	13.478

n70,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)


11:34:44 26.08.2022


n70,15MHz Bandwidth,DFT-s-QPSK (99% BW)


11:34:59 26.08.2022


n71
n71,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4.489	4.513

n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n71,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n71,10MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	8.970	8.997

n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)


n71,10MHz Bandwidth,DFT-s-QPSK (99% BW)


n71,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	13.434	13.457

n71,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




13:24:31 26.08.2022

n71,15MHz Bandwidth,DFT-s-QPSK (99% BW)


13:24:47 26.08.2022

n71,20MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	17.973	17.962

n71,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n71,20MHz Bandwidth,DFT-s-QPSK (99% BW)



n77L
 n77L,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	18.019	18.055

n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)





n77L,20MHz Bandwidth,DFT-s-QPSK (99% BW)





n77L,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	26.874	26.901

n77L,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77L,30MHz Bandwidth,DFT-s-QPSK (99% BW)


n77L,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	35.935	35.995

n77L,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77L,40MHz Bandwidth,DFT-s-QPSK (99% BW)



n77L,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	57.948	57.944

n77L,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)





n77L,60MHz Bandwidth,DFT-s-QPSK (99% BW)



n77L,80MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	77.644	77.549

n77L,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77L,80MHz Bandwidth,DFT-s-QPSK (99% BW)



n77H
n77H,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	18.014	17.977

n77H,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)





n77H,20MHz Bandwidth,DFT-s-QPSK (99% BW)



n77H,30MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	26.921	26.855

n77H,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,30MHz Bandwidth,DFT-s-QPSK (99% BW)


n77H,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	35.921	35.980


n77H,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,40MHz Bandwidth,DFT-s-QPSK (99% BW)


n77H,60MHz(99%)



Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	57.849	57.985

n77H,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,60MHz Bandwidth,DFT-s-QPSK (99% BW)


n77H,80MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	77.563	77.470

n77H,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,80MHz Bandwidth,DFT-s-QPSK (99% BW)


n77H,100MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	96.748	96.882

n77H,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)

n77H,100MHz Bandwidth,DFT-s-QPSK (99% BW)


Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.626$ kHz, $k = 2$.

A.5 Emission Bandwidth

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.

The measurement method is from ANSI C63.26:


- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times$ RBW.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.

n25

n25,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	5.035	5.005

n25,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n25,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n25,10MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	9.680	9.770

n25,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n25,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	14.431	14.341

n25,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n25,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	19.181	19.181

n25,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n25,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n26_Part22
n26_Part22,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	5.035	5.005

n26_Part22,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n26_Part22,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n26_Part22,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	9.740	9.650

n26_Part22,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n26_Part22,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n26_Part22,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	14.341	14.386

n26_Part22,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n26_Part22,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n26_Part22,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
836.5	19.121	19.181

n26_Part22,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n26_Part22,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n26_Part90
n26_Part90,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
819	5.035	5.020

n26_Part90,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n26_Part90,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n26_Part90,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
819	9.740	9.740


n26_Part90,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n26_Part90,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n30

n30,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2310	5.050	5.020

n30,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n30,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n30,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2310	9.770	9.710

n30,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)


n30,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n41


n41,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	19.660	19.481

n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)





n41,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)





n41,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	28.412	28.501

n41,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n41,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	38.360	38.480


n41,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n41,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	48.850	48.700

n41,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




14:33:14 26.08.2022

n41,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


14:33:29 26.08.2022

n41,60MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	60.600	60.780

n41,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n41,80MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	82.240	82.480

n41,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n41,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	92.250	92.250


n41,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n41,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n41,100MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	101.900	101.900

n41,100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)


14:36:41 26.08.2022

n41,100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



14:36:56 26.08.2022

n66

n66,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	5.005	5.020

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66,10MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	9.770	9.710

n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66,15MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	14.476	14.341

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n66,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n66,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	19.181	19.301

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)


n66,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n70


n70,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	4.975	4.975

n70,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n70,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n70,10MHz(-26dBc)



Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	9.650	9.680

n70,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n70,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n70,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1702.5	14.341	14.431

n70,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n70,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)


n71


n71,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4.975	4.975

n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	9.680	9.650

n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)

n71,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)
