



n41
n41,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	58.012	58.000

n41,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n41,60MHz Bandwidth,DFT-s-QPSK (99% BW)




n41
n41,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	64.670	64.453

n41,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n41,70MHz Bandwidth,DFT-s-QPSK (99% BW)




n41


n41,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	77.800	77.725

n41,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n41,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n41
n41,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	87.286	87.059

n41,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n41,90MHz Bandwidth,DFT-s-QPSK (99% BW)



n41
n41,100MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	96.703	96.625

n41,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



14:04:51 22.05.2023

n41,100MHz Bandwidth,DFT-s-QPSK (99% BW)



14:05:08 22.05.2023


n66
n66,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.499	4.500

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n66,5MHz Bandwidth,DFT-s-QPSK (99% BW)




n66
n66,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	8.989	9.026

n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n66,10MHz Bandwidth,DFT-s-QPSK (99% BW)



n66
n66,15MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	13.494	13.463

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



10:48:47 22.05.2023

n66,15MHz Bandwidth,DFT-s-QPSK (99% BW)




10:49:03 22.05.2023

n66
n66,20MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	17.983	18.051

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



10:50:19 22.05.2023

n66,20MHz Bandwidth,DFT-s-QPSK (99% BW)



10:50:36 22.05.2023

n66
n66,25MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	22.974	22.982

n66,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



10:51:41 22.05.2023

n66,25MHz Bandwidth,DFT-s-QPSK (99% BW)




10:51:57 22.05.2023

n66
n66,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	28.614	28.633

n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n66
n66,35MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	32.204	32.237

n66,35MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n66,35MHz Bandwidth,DFT-s-QPSK (99% BW)



n66
n66,40MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	38.841	38.904

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



10:56:09 22.05.2023

n66,40MHz Bandwidth,DFT-s-QPSK (99% BW)



10:56:26 22.05.2023


n66
n66,45MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	43.123	43.074

n66,45MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n66,45MHz Bandwidth,DFT-s-QPSK (99% BW)



n66
n66,50MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	48.419	48.355

n66,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



10:58:41 22.05.2023

n66,50MHz Bandwidth,DFT-s-QPSK (99% BW)




10:58:57 22.05.2023


n71
n71,5MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4.494	4.503

n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n71,5MHz Bandwidth,DFT-s-QPSK (99% BW)



n71
n71,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	8.979	9.017

n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n71,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n71
n71,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	13.458	13.437

n71,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n71,15MHz Bandwidth,DFT-s-QPSK (99% BW)




n71
n71,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	17.981	17.953

n71,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n71,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	8.617	8.618

n77L,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	12.982	12.890

n77L,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,15MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	18.009	17.988

n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	23.040	22.957

n77L,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,25MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	26.901	26.882

n77L,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,35MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	32.206	32.225

n77L,35MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,35MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	36.130	35.973

n77L,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,45MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	38.942	38.908

n77L,45MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,45MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	45.954	45.851

n77L,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,50MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	57.773	57.997

n77L,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,60MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	64.506	64.327

n77L,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,70MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	77.513	77.654

n77L,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n77L
n77L,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	87.345	87.125

n77L,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77L,90MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	8.608	8.625

n77H,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,10MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,15MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	12.971	12.933

n77H,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,15MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	18.012	18.000

n77H,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	22.974	23.036

n77H,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,25MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,30MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	26.897	26.894

n77H,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,30MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,35MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	32.151	32.256

n77H,35MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,35MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	35.986	35.978

n77H,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,45MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	38.865	38.832

n77H,45MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,45MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	45.915	45.797

n77H,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,50MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	57.721	57.968

n77H,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,60MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,70MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	64.395	64.389

n77H,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,70MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	77.565	77.465

n77H,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n77H,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H
n77H,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	87.440	86.959

n77H,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n77H,90MHz Bandwidth,DFT-s-QPSK (99% BW)




n77H

n77H,100MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3840	96.804	96.608

n77H,100MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



16:28:31 22.05.2023

n77H,100MHz Bandwidth,DFT-s-QPSK (99% BW)




16:28:48 22.05.2023

n78L
n78L,10MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	8.624	8.633

n78L,10MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n78L,10MHz Bandwidth,DFT-s-QPSK (99% BW)



n78L
n78L,15MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	12.944	12.933

n78L,15MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



16:30:28 22.05.2023

n78L,15MHz Bandwidth,DFT-s-QPSK (99% BW)




16:30:45 22.05.2023


n78L
n78L,20MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	18.032	18.051

n78L,20MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n78L,20MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L
n78L,25MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	22.959	23.029

n78L,25MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n78L,25MHz Bandwidth,DFT-s-QPSK (99% BW)



n78L
n78L,30MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	26.939	26.826

n78L,30MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



16:33:17 22.05.2023

n78L,30MHz Bandwidth,DFT-s-QPSK (99% BW)




16:33:34 22.05.2023


n78L
n78L,35MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	32.230	32.208

n78L,35MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n78L,35MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L
n78L,40MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	36.118	35.969

n78L,40MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n78L,40MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L
n78L,45MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	38.925	38.827

n78L,45MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n78L,45MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L
n78L,50MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	45.956	45.907

n78L,50MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n78L,50MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L
n78L,60MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	57.867	58.029

n78L,60MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n78L,60MHz Bandwidth,DFT-s-QPSK (99% BW)



n78L
n78L,70MHz(99%)


Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	64.477	64.298

n78L,70MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



16:38:53 22.05.2023

n78L,70MHz Bandwidth,DFT-s-QPSK (99% BW)




16:39:10 22.05.2023


n78L
n78L,80MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	77.666	77.466

n78L,80MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)




n78L,80MHz Bandwidth,DFT-s-QPSK (99% BW)




n78L
n78L,90MHz(99%)

Frequency (MHz)	Occupied Bandwidth (99%) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	87.207	86.977

n78L,90MHz Bandwidth,DFT-s-pi/2 BPSK (99% BW)



n78L,90MHz Bandwidth,DFT-s-QPSK (99% BW)



Note: The maximum value of expanded measurement uncertainty for this test item is $U = 0.626$ kHz, $k = 2$.

A.5 Emission Bandwidth

The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. Table below lists the measured -26dBc BW. Spectrum analyzer plots are included on the following pages.


The measurement method is from ANSI C63.26:

- a) The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be wide enough to see sufficient roll off of the signal to make the measurement.
- b) The nominal RBW shall be in the range of 1% to 5% of the anticipated OBW, and the VBW shall be set $\geq 3 \times$ RBW.
- c) Set the reference level of the instrument as required to prevent the signal amplitude from exceeding the maximum spectrum analyzer input mixer level for linear operation.
- d) The dynamic range of the spectrum analyzer at the selected RBW shall be more than 10 dB below the target “-X dB” requirement, i.e., if the requirement calls for measuring the -26 dB OBW, the spectrum analyzer noise floor at the selected RBW shall be at least 36 dB below the reference level.
- e) Set spectrum analyzer detection mode to peak, and the trace mode to max hold.

n7
n7,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	4.945	4.990

n7,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n7,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n7

n7,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	9.680	9.830

n7,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n7,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n7

n7,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	14.431	14.476

n7,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n7,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n7


n7,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	19.540	19.780

n7,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n7,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n7


n7,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	24.500	24.500

n7,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n7,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n7


n7,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	30.030	30.030

n7,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n7,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n7
n7,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	34.200	34.300

n7,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n7,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n7


n7,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	41.240	41.480

n7,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n7,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n7

n7,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2535	51.100	51.100

n7,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n7,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25
n25,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	4.945	4.945

n25,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25


n25,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	9.680	9.770

n25,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n25


n25,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	14.386	14.431

n25,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n25,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25
n25,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	19.481	19.421

n25,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n25


n25,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	24.351	24.575

n25,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n25,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n25
n25,30MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	29.940	29.940

n25,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



11:10:30 22.05.2023

n25,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




11:10:46 22.05.2023

n25
n25,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	33.990	33.990

n25,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



11:11:25 22.05.2023

n25,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



11:11:42 22.05.2023

n25

n25,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	41.120	41.240

n25,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25


n25,45MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	45.580	45.720

n25,45MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,45MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n25
n25,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1882.5	51.250	50.950

n25,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n25,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	9.590	9.650

n41,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	14.251	14.431

n41,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	19.301	19.421

n41,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	24.426	24.351

n41,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	28.412	28.771

n41,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n41


n41,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	33.670	33.880

n41,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	38.600	38.840

n41,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41

n41,45MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	42.890	42.890

n41,45MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



15:05:13 22.05.2023

n41,45MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




14:30:03 22.05.2023

n41


n41,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	49.150	49.300

n41,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41

n41,60MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	60.780	60.780

n41,60MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



14:31:41 22.05.2023

n41,60MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




14:31:58 22.05.2023

n41


n41,70MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	68.180	68.390

n41,70MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,70MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,80MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	82.480	82.240

n41,80MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,80MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,90MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	91.980	92.520

n41,90MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,90MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n41


n41,100MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
2592.99	101.600	102.200

n41,100MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n41,100MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66
n66,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	4.960	4.930

n66,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66


n66,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	9.770	9.800

n66,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	14.386	14.476

n66,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	19.421	19.540

n66,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66

n66,25MHz(-26dBc)


Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	24.500	24.500

n66,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



11:18:54 22.05.2023

n66,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




11:19:10 22.05.2023

n66


n66,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	30.030	30.030

n66,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	34.090	34.300

n66,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66


n66,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	41.120	41.240

n66,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n66


n66,45MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	45.720	45.720

n66,45MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n66,45MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n66
n66,50MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
1745	51.400	50.950

n66,50MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)




n66,50MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n71
n71,5MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	4.945	4.945

n71,5MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,5MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71


n71,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	9.740	9.770

n71,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71


n71,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	14.386	14.476

n71,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)



n71


n71,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
680.5	19.301	19.481

n71,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n71,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,10MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	9.530	9.560

n77L,10MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,10MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,15MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	14.296	14.296

n77L,15MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,15MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,20MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	19.181	19.660

n77L,20MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,20MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,25MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	24.725	24.500

n77L,25MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,25MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,30MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	28.412	28.771

n77L,30MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,30MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L


n77L,35MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	34.410	34.200

n77L,35MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,35MHz Bandwidth,DFT-s-QPSK (-26dBc BW)




n77L

n77L,40MHz(-26dBc)

Frequency (MHz)	Emission Bandwidth (-26dBc) (MHz)	
	DFT-s-pi/2 BPSK	DFT-s-QPSK
3500.01	38.600	38.720

n77L,40MHz Bandwidth,DFT-s-pi/2 BPSK (-26dBc BW)



n77L,40MHz Bandwidth,DFT-s-QPSK (-26dBc BW)

