

Appendix B.13

E-UTRA Band 41

Table of Contents

1. MAIN TEST INSTRUMENTS	3
2. MEASUREMENT UNCERTAINTY	3
3. EFFECTIVE (ISOTROPIC) RADIATED POWER	4
3.1. TEST RESULT	4
4. PEAK-TO-AVERAGE RATIO(CCDF)	9
4.1. TEST RESULT	9
4.2. TEST PLOTS	9
5. MODULATION CHARACTERISTICS	12
5.1. TEST BAND = LTE BAND 41.....	12
5.2. TEST MODE = LTE /TM1 20MHZ	12
5.2.1. TEST CHANNEL = MCH	12
5.3. TEST MODE = LTE /TM2 20MHZ	13
5.3.1. TEST CHANNEL = MCH	13
6. 26DB BANDWIDTH AND OCCUPIED BANDWIDTH	14
6.1. TEST RESULT	14
6.2. TEST PLOTS	15
7. BAND EDGE COMPLIANCE	23
7.1. TEST PLOTS	23
8. SPURIOUS EMISSION AT ANTENNA TERMINAL	34
8.1. TEST PLOTS	34
9. FREQUENCY STABILITY	39
9.1. FREQUENCY VS VOLTAGE	39
9.2. FREQUENCY VS TEMPERATURE	40

1. Main Test Instruments

RE in Chamber					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018/3/13	2021/3/12
Spectrum Analyzer (20Hz-43GHz)	Rohde & Schwarz	FSU43	SEM004-08	2019/3/2	2020/3/1
BiConiLog Antenna (26-3000MHz)	ETS-Lindgren	3142C	SEM003-01	2017/6/27	2020/6/26
Horn Antenna (800MHz-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018/4/13	2021/4/12
Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2017/10/17	2020/10/16
Amplifier (0.1-1300MHz)	HP	8447D	SEM005-02	2018/9/2	2019/9/2
Low Noise Amplifier (100MHz-18GHz)	Black Diamond Series	BDLNA-0118-352810	SEM005-05	2018/9/2	2019/9/2
Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	EMC2063	2018/10/20	2019/10/19
Pre-amplifier (26-40GHz)	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2019/3/2	2020/3/1
Band filter	N/A	N/A	N/A	N/A	N/A
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2018/7/12	2019/7/11
Wideband Radio Communication Tester	Anritsu	MT8821C	6201462742	2019/4/3	2020/4/3
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	W005-02	2019/1/13	2020/1/12

RF conducted test					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date	Cal.Due date
				(yyyy-mm-dd)	(yyyy-mm-dd)
Dual Output Mobile Communication DC Source	Agilent Technologies Inc	66311B	W009-09	2018/11/2	2019/11/1
Signal Analyzer	Rohde & Schwarz	FSV	W005-02	2019/3/2	2020/3/1
Coaxial Cable	SGS	N/A	SEM031-01	2018/7/12	2019/7/11
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2018/11/2	2019/11/1
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	HTC-1	W006-17	2018/11/2	2019/11/1
Temperature Chamber	GIANT FORCE	ICT-150-40-CP-AR	W027-03	2018/11/2	2019/11/1
Wideband Radio Communication Tester	Anritsu	MT8821C	6201462742	2019/3/2	2020/3/1
Wideband Radio Communication Tester	Rohde & Schwarz	CMW500	W005-02	2018/11/2	2019/11/1

2. Measurement Uncertainty

For a 95% confidence level ($k = 2$), the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 as following:

Test Item	Extended Uncertainty	Data
Transmit Output Power Data	Power [dBm]	$U = \pm 0.37$ dB
Bandwidth	Magnitude [%]	$U = \pm 0.2\%$
Band Edge Compliance	Disturbance Power [dBm]	$U = \pm 2.0$ dB
Spurious Emissions, Conducted	Disturbance Power [dBm]	$U = \pm 2.0$ dB
Frequency Stability	Frequency Accuracy [ppm]	$U = \pm 0.24$ ppm

3. Effective (Isotropic) Radiated Power

3.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Conducted Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
Band41	5MHz	QPSK	39675	1RB#0	22.78	26.78	33.00	PASS
Band41	5MHz	QPSK	39675	1RB#12	23.00	27.00	33.00	PASS
Band41	5MHz	QPSK	39675	1RB#24	22.60	26.60	33.00	PASS
Band41	5MHz	QPSK	39675	12RB#0	21.75	25.75	33.00	PASS
Band41	5MHz	QPSK	39675	12RB#6	21.72	25.72	33.00	PASS
Band41	5MHz	QPSK	39675	12RB#13	21.29	25.29	33.00	PASS
Band41	5MHz	QPSK	39675	25RB#0	21.75	25.75	33.00	PASS
Band41	5MHz	QPSK	40620	1RB#0	22.70	26.70	33.00	PASS
Band41	5MHz	QPSK	40620	1RB#12	22.67	26.67	33.00	PASS
Band41	5MHz	QPSK	40620	1RB#24	22.56	26.56	33.00	PASS
Band41	5MHz	QPSK	40620	12RB#0	21.69	25.69	33.00	PASS
Band41	5MHz	QPSK	40620	12RB#6	21.66	25.66	33.00	PASS
Band41	5MHz	QPSK	40620	12RB#13	21.52	25.52	33.00	PASS
Band41	5MHz	QPSK	40620	25RB#0	21.68	25.68	33.00	PASS
Band41	5MHz	QPSK	41565	1RB#0	22.77	26.77	33.00	PASS
Band41	5MHz	QPSK	41565	1RB#12	22.77	26.77	33.00	PASS
Band41	5MHz	QPSK	41565	1RB#24	22.69	26.69	33.00	PASS
Band41	5MHz	QPSK	41565	12RB#0	21.82	25.82	33.00	PASS
Band41	5MHz	QPSK	41565	12RB#6	21.90	25.90	33.00	PASS
Band41	5MHz	QPSK	41565	12RB#13	21.86	25.86	33.00	PASS
Band41	5MHz	QPSK	41565	25RB#0	21.82	25.82	33.00	PASS
Band41	5MHz	16QAM	39675	1RB#0	22.09	26.09	33.00	PASS
Band41	5MHz	16QAM	39675	1RB#12	22.42	26.42	33.00	PASS
Band41	5MHz	16QAM	39675	1RB#24	21.85	25.85	33.00	PASS
Band41	5MHz	16QAM	39675	12RB#0	20.86	24.86	33.00	PASS
Band41	5MHz	16QAM	39675	12RB#6	20.76	24.76	33.00	PASS
Band41	5MHz	16QAM	39675	12RB#13	20.71	24.71	33.00	PASS
Band41	5MHz	16QAM	39675	25RB#0	20.78	24.78	33.00	PASS
Band41	5MHz	16QAM	40620	1RB#0	21.86	25.86	33.00	PASS
Band41	5MHz	16QAM	40620	1RB#12	21.83	25.83	33.00	PASS
Band41	5MHz	16QAM	40620	1RB#24	21.78	25.78	33.00	PASS
Band41	5MHz	16QAM	40620	12RB#0	20.72	24.72	33.00	PASS
Band41	5MHz	16QAM	40620	12RB#6	20.71	24.71	33.00	PASS
Band41	5MHz	16QAM	40620	12RB#13	20.63	24.63	33.00	PASS
Band41	5MHz	16QAM	40620	25RB#0	20.65	24.65	33.00	PASS
Band41	5MHz	16QAM	41565	1RB#0	22.04	26.04	33.00	PASS
Band41	5MHz	16QAM	41565	1RB#12	22.08	26.08	33.00	PASS

Band41	5MHz	16QAM	41565	1RB#24	21.99	25.99	33.00	PASS
Band41	5MHz	16QAM	41565	12RB#0	20.90	24.90	33.00	PASS
Band41	5MHz	16QAM	41565	12RB#6	20.98	24.98	33.00	PASS
Band41	5MHz	16QAM	41565	12RB#13	20.89	24.89	33.00	PASS
Band41	5MHz	16QAM	41565	25RB#0	20.88	24.88	33.00	PASS
Band41	10MHz	QPSK	39700	1RB#0	22.62	26.62	33.00	PASS
Band41	10MHz	QPSK	39700	1RB#24	22.82	26.82	33.00	PASS
Band41	10MHz	QPSK	39700	1RB#49	22.55	26.55	33.00	PASS
Band41	10MHz	QPSK	39700	25RB#0	21.95	25.95	33.00	PASS
Band41	10MHz	QPSK	39700	25RB#12	21.96	25.96	33.00	PASS
Band41	10MHz	QPSK	39700	25RB#25	21.84	25.84	33.00	PASS
Band41	10MHz	QPSK	39700	50RB#0	21.79	25.79	33.00	PASS
Band41	10MHz	QPSK	40620	1RB#0	22.52	26.52	33.00	PASS
Band41	10MHz	QPSK	40620	1RB#24	22.50	26.50	33.00	PASS
Band41	10MHz	QPSK	40620	1RB#49	22.22	26.22	33.00	PASS
Band41	10MHz	QPSK	40620	25RB#0	21.49	25.49	33.00	PASS
Band41	10MHz	QPSK	40620	25RB#12	21.62	25.62	33.00	PASS
Band41	10MHz	QPSK	40620	25RB#25	21.49	25.49	33.00	PASS
Band41	10MHz	QPSK	40620	50RB#0	21.52	25.52	33.00	PASS
Band41	10MHz	QPSK	41540	1RB#0	22.50	26.50	33.00	PASS
Band41	10MHz	QPSK	41540	1RB#24	22.56	26.56	33.00	PASS
Band41	10MHz	QPSK	41540	1RB#49	22.45	26.45	33.00	PASS
Band41	10MHz	QPSK	41540	25RB#0	21.64	25.64	33.00	PASS
Band41	10MHz	QPSK	41540	25RB#12	21.74	25.74	33.00	PASS
Band41	10MHz	QPSK	41540	25RB#25	21.72	25.72	33.00	PASS
Band41	10MHz	QPSK	41540	50RB#0	21.71	25.71	33.00	PASS
Band41	10MHz	16QAM	39700	1RB#0	22.05	26.05	33.00	PASS
Band41	10MHz	16QAM	39700	1RB#24	22.00	26.00	33.00	PASS
Band41	10MHz	16QAM	39700	1RB#49	21.93	25.93	33.00	PASS
Band41	10MHz	16QAM	39700	25RB#0	20.98	24.98	33.00	PASS
Band41	10MHz	16QAM	39700	25RB#12	21.03	25.03	33.00	PASS
Band41	10MHz	16QAM	39700	25RB#25	20.84	24.84	33.00	PASS
Band41	10MHz	16QAM	39700	50RB#0	20.93	24.93	33.00	PASS
Band41	10MHz	16QAM	40620	1RB#0	21.66	25.66	33.00	PASS
Band41	10MHz	16QAM	40620	1RB#24	21.72	25.72	33.00	PASS
Band41	10MHz	16QAM	40620	1RB#49	21.67	25.67	33.00	PASS
Band41	10MHz	16QAM	40620	25RB#0	20.49	24.49	33.00	PASS
Band41	10MHz	16QAM	40620	25RB#12	20.61	24.61	33.00	PASS
Band41	10MHz	16QAM	40620	25RB#25	20.52	24.52	33.00	PASS
Band41	10MHz	16QAM	40620	50RB#0	20.59	24.59	33.00	PASS
Band41	10MHz	16QAM	41540	1RB#0	21.79	25.79	33.00	PASS
Band41	10MHz	16QAM	41540	1RB#24	21.78	25.78	33.00	PASS
Band41	10MHz	16QAM	41540	1RB#49	21.84	25.84	33.00	PASS
Band41	10MHz	16QAM	41540	25RB#0	20.73	24.73	33.00	PASS

Band41	10MHz	16QAM	41540	25RB#12	20.80	24.80	33.00	PASS
Band41	10MHz	16QAM	41540	25RB#25	20.83	24.83	33.00	PASS
Band41	10MHz	16QAM	41540	50RB#0	20.73	24.73	33.00	PASS
Band41	15MHz	QPSK	39725	1RB#0	22.18	26.18	33.00	PASS
Band41	15MHz	QPSK	39725	1RB#38	22.33	26.33	33.00	PASS
Band41	15MHz	QPSK	39725	1RB#74	22.00	26.00	33.00	PASS
Band41	15MHz	QPSK	39725	36RB#0	21.68	25.68	33.00	PASS
Band41	15MHz	QPSK	39725	36RB#18	21.73	25.73	33.00	PASS
Band41	15MHz	QPSK	39725	36RB#39	21.82	25.82	33.00	PASS
Band41	15MHz	QPSK	39725	75RB#0	21.73	25.73	33.00	PASS
Band41	15MHz	QPSK	40620	1RB#0	22.11	26.11	33.00	PASS
Band41	15MHz	QPSK	40620	1RB#38	22.27	26.27	33.00	PASS
Band41	15MHz	QPSK	40620	1RB#74	21.90	25.90	33.00	PASS
Band41	15MHz	QPSK	40620	36RB#0	21.40	25.40	33.00	PASS
Band41	15MHz	QPSK	40620	36RB#18	21.62	25.62	33.00	PASS
Band41	15MHz	QPSK	40620	36RB#39	21.57	25.57	33.00	PASS
Band41	15MHz	QPSK	40620	75RB#0	21.60	25.60	33.00	PASS
Band41	15MHz	QPSK	41515	1RB#0	22.08	26.08	33.00	PASS
Band41	15MHz	QPSK	41515	1RB#38	22.36	26.36	33.00	PASS
Band41	15MHz	QPSK	41515	1RB#74	21.83	25.83	33.00	PASS
Band41	15MHz	QPSK	41515	36RB#0	21.57	25.57	33.00	PASS
Band41	15MHz	QPSK	41515	36RB#18	21.66	25.66	33.00	PASS
Band41	15MHz	QPSK	41515	36RB#39	21.72	25.72	33.00	PASS
Band41	15MHz	QPSK	41515	75RB#0	21.56	25.56	33.00	PASS
Band41	15MHz	16QAM	39725	1RB#0	21.51	25.51	33.00	PASS
Band41	15MHz	16QAM	39725	1RB#38	21.72	25.72	33.00	PASS
Band41	15MHz	16QAM	39725	1RB#74	21.24	25.24	33.00	PASS
Band41	15MHz	16QAM	39725	36RB#0	20.78	24.78	33.00	PASS
Band41	15MHz	16QAM	39725	36RB#18	20.82	24.82	33.00	PASS
Band41	15MHz	16QAM	39725	36RB#39	20.89	24.89	33.00	PASS
Band41	15MHz	16QAM	39725	75RB#0	20.73	24.73	33.00	PASS
Band41	15MHz	16QAM	40620	1RB#0	21.08	25.08	33.00	PASS
Band41	15MHz	16QAM	40620	1RB#38	21.75	25.75	33.00	PASS
Band41	15MHz	16QAM	40620	1RB#74	21.17	25.17	33.00	PASS
Band41	15MHz	16QAM	40620	36RB#0	20.46	24.46	33.00	PASS
Band41	15MHz	16QAM	40620	36RB#18	20.74	24.74	33.00	PASS
Band41	15MHz	16QAM	40620	36RB#39	20.66	24.66	33.00	PASS
Band41	15MHz	16QAM	40620	75RB#0	20.61	24.61	33.00	PASS
Band41	15MHz	16QAM	41515	1RB#0	21.21	25.21	33.00	PASS
Band41	15MHz	16QAM	41515	1RB#38	21.67	25.67	33.00	PASS
Band41	15MHz	16QAM	41515	1RB#74	20.99	24.99	33.00	PASS
Band41	15MHz	16QAM	41515	36RB#0	20.60	24.60	33.00	PASS
Band41	15MHz	16QAM	41515	36RB#18	20.74	24.74	33.00	PASS
Band41	15MHz	16QAM	41515	36RB#39	20.86	24.86	33.00	PASS

Band41	15MHz	16QAM	41515	75RB#0	20.76	24.76	33.00	PASS
Band41	20MHz	QPSK	39750	1RB#0	22.44	26.44	33.00	PASS
Band41	20MHz	QPSK	39750	1RB#49	22.54	26.54	33.00	PASS
Band41	20MHz	QPSK	39750	1RB#99	21.97	25.97	33.00	PASS
Band41	20MHz	QPSK	39750	50RB#0	21.55	25.55	33.00	PASS
Band41	20MHz	QPSK	39750	50RB#25	21.68	25.68	33.00	PASS
Band41	20MHz	QPSK	39750	50RB#50	21.46	25.46	33.00	PASS
Band41	20MHz	QPSK	39750	100RB#0	21.58	25.58	33.00	PASS
Band41	20MHz	QPSK	40620	1RB#0	22.17	26.17	33.00	PASS
Band41	20MHz	QPSK	40620	1RB#49	22.41	26.41	33.00	PASS
Band41	20MHz	QPSK	40620	1RB#99	21.92	25.92	33.00	PASS
Band41	20MHz	QPSK	40620	50RB#0	21.44	25.44	33.00	PASS
Band41	20MHz	QPSK	40620	50RB#25	21.56	25.56	33.00	PASS
Band41	20MHz	QPSK	40620	50RB#50	21.36	25.36	33.00	PASS
Band41	20MHz	QPSK	40620	100RB#0	21.47	25.47	33.00	PASS
Band41	20MHz	QPSK	41490	1RB#0	21.80	25.80	33.00	PASS
Band41	20MHz	QPSK	41490	1RB#49	22.18	26.18	33.00	PASS
Band41	20MHz	QPSK	41490	1RB#99	21.82	25.82	33.00	PASS
Band41	20MHz	QPSK	41490	50RB#0	21.45	25.45	33.00	PASS
Band41	20MHz	QPSK	41490	50RB#25	21.57	25.57	33.00	PASS
Band41	20MHz	QPSK	41490	50RB#50	21.54	25.54	33.00	PASS
Band41	20MHz	QPSK	41490	100RB#0	21.48	25.48	33.00	PASS
Band41	20MHz	16QAM	39750	1RB#0	21.70	25.70	33.00	PASS
Band41	20MHz	16QAM	39750	1RB#49	21.78	25.78	33.00	PASS
Band41	20MHz	16QAM	39750	1RB#99	21.16	25.16	33.00	PASS
Band41	20MHz	16QAM	39750	50RB#0	20.62	24.62	33.00	PASS
Band41	20MHz	16QAM	39750	50RB#25	20.76	24.76	33.00	PASS
Band41	20MHz	16QAM	39750	50RB#50	20.54	24.54	33.00	PASS
Band41	20MHz	16QAM	39750	100RB#0	20.63	24.63	33.00	PASS
Band41	20MHz	16QAM	40620	1RB#0	21.25	25.25	33.00	PASS
Band41	20MHz	16QAM	40620	1RB#49	21.68	25.68	33.00	PASS
Band41	20MHz	16QAM	40620	1RB#99	21.14	25.14	33.00	PASS
Band41	20MHz	16QAM	40620	50RB#0	20.49	24.49	33.00	PASS
Band41	20MHz	16QAM	40620	50RB#25	20.66	24.66	33.00	PASS
Band41	20MHz	16QAM	40620	50RB#50	20.42	24.42	33.00	PASS
Band41	20MHz	16QAM	40620	100RB#0	20.53	24.53	33.00	PASS
Band41	20MHz	16QAM	41490	1RB#0	20.94	24.94	33.00	PASS
Band41	20MHz	16QAM	41490	1RB#49	21.63	25.63	33.00	PASS
Band41	20MHz	16QAM	41490	1RB#99	21.06	25.06	33.00	PASS
Band41	20MHz	16QAM	41490	50RB#0	20.52	24.52	33.00	PASS
Band41	20MHz	16QAM	41490	50RB#25	20.67	24.67	33.00	PASS
Band41	20MHz	16QAM	41490	50RB#50	20.60	24.60	33.00	PASS
Band41	20MHz	16QAM	41490	100RB#0	20.58	24.58	33.00	PASS

Remark:

a: For getting the EIRP (Efficient Isotropic Radiated Power), the following formula should be taken to calculate it,

$$\text{ERP [dBm]} = \text{Conducted Power [dBm]} + \text{Gain [dBd]}$$


$$\text{EIRP [dBm]} = \text{Conducted Power [dBm]} + \text{Gain [dBi]}$$

4. Peak-to-Average Ratio(CCDF)


4.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band41	20MHz	QPSK	39750	100RB#0	7.45	13	PASS
Band41	20MHz	QPSK	40620	100RB#0	7.74	13	PASS
Band41	20MHz	QPSK	41490	100RB#0	9.10	13	PASS
Band41	20MHz	16QAM	39750	100RB#0	7.45	13	PASS
Band41	20MHz	16QAM	40620	100RB#0	9.10	13	PASS
Band41	20MHz	16QAM	41490	100RB#0	9.28	13	PASS


4.2. Test Plots




Band41_20MHz_QPSK_41490_100RB#0




Band41_20MHz_16QAM_39750_100RB#0



Band41_20MHz_16QAM_40620_100RB#0






5. Modulation Characteristics

5.1. Test BAND = LTE Band 41


5.2. Test Mode = LTE /TM1 20MHz

5.2.1. Test Channel = MCH



5.3. Test Mode = LTE /TM2 20MHz

5.3.1. Test Channel = MCH




6. 26dB Bandwidth and Occupied Bandwidth


6.1. Test Result

BAND	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band41	5MHz	QPSK	39675	25RB#0	4.466	4.900	PASS
Band41	5MHz	QPSK	40620	25RB#0	4.476	4.900	PASS
Band41	5MHz	QPSK	41565	25RB#0	4.466	4.980	PASS
Band41	5MHz	16QAM	39675	25RB#0	4.496	4.970	PASS
Band41	5MHz	16QAM	40620	25RB#0	4.496	4.840	PASS
Band41	5MHz	16QAM	41565	25RB#0	4.476	4.930	PASS
Band41	10MHz	QPSK	39700	50RB#0	8.911	9.680	PASS
Band41	10MHz	QPSK	40620	50RB#0	8.891	9.740	PASS
Band41	10MHz	QPSK	41540	50RB#0	8.911	9.720	PASS
Band41	10MHz	16QAM	39700	50RB#0	8.911	9.720	PASS
Band41	10MHz	16QAM	40620	50RB#0	8.911	9.680	PASS
Band41	10MHz	16QAM	41540	50RB#0	8.911	9.840	PASS
Band41	15MHz	QPSK	39725	75RB#0	13.487	15.420	PASS
Band41	15MHz	QPSK	40620	75RB#0	13.457	15.510	PASS
Band41	15MHz	QPSK	41515	75RB#0	13.457	15.750	PASS
Band41	15MHz	16QAM	39725	75RB#0	13.457	15.180	PASS
Band41	15MHz	16QAM	40620	75RB#0	13.457	15.630	PASS
Band41	15MHz	16QAM	41515	75RB#0	13.457	15.510	PASS
Band41	20MHz	QPSK	39750	100RB#0	17.942	19.800	PASS
Band41	20MHz	QPSK	40620	100RB#0	17.902	19.840	PASS
Band41	20MHz	QPSK	41490	100RB#0	17.942	19.880	PASS
Band41	20MHz	16QAM	39750	100RB#0	17.862	19.360	PASS
Band41	20MHz	16QAM	40620	100RB#0	17.862	19.320	PASS
Band41	20MHz	16QAM	41490	100RB#0	17.902	19.320	PASS

6.2. Test Plots




Band41_5MHz_16QAM_39675_25RB#0




Date:12 JUN 2019 09:57:11

Band41_5MHz_16QAM_40620_25RB#0




Date:12 JUN 2019 09:58:02

Band41_5MHz_16QAM_41565_25RB#0




Date:12 JUN 2019 09:58:41

Band41_10MHz_QPSK_39700_50RB#0




Date: 12 JUN 2019 09:58:56

Band41_10MHz_QPSK_40620_50RB#0




Date: 12 JUN 2019 09:59:22

Band41_10MHz_QPSK_41540_50RB#0




Date: 12 JUN 2019 09:59:47

Band41_10MHz_16QAM_39700_50RB#0




Date: 12 JUN 2019 09:59:09

Band41_10MHz_16QAM_40620_50RB#0




Date: 12 JUN 2019 09:59:34

Band41_10MHz_16QAM_41540_50RB#0




Date: 12 JUN 2019 10:00:00

Band41_15MHz_QPSK_39725_75RB#0




Date:12 JUN 2019 10:00:15

Band41_15MHz_QPSK_40620_75RB#0




Date:12 JUN 2019 10:00:42

Band41_15MHz_QPSK_41515_75RB#0




Date:12 JUN 2019 10:01:08

Band41_15MHz_16QAM_39725_75RB#0




Date: 12 JUN 2019 10:00:30

Band41_15MHz_16QAM_40620_75RB#0




Date: 12 JUN 2019 10:00:55

Band41_15MHz_16QAM_41515_75RB#0




Date: 12 JUN 2019 10:01:21

Band41_20MHz_QPSK_39750_100RB#0




Date: 12 JUN 2019 10:01:37

Band41_20MHz_QPSK_40620_100RB#0




Date: 12 JUN 2019 10:02:09

Band41_20MHz_QPSK_41490_100RB#0




Date: 12 JUN 2019 10:02:34


Band41_20MHz_16QAM_39750_100RB#0



Band41_20MHz_16QAM_40620_100RB#0





Band41_20MHz_16QAM_41490_100RB#0




7. Band Edge Compliance

7.1. Test Plots




Band41_5MHz_QPSK_41565_1RB#24




Date: 12 JUN 2019 10:04:31

Band41_5MHz_QPSK_41565_25RB#0




Date: 12 JUN 2019 10:05:11

Band41_5MHz_16QAM_39675_1RB#0




Date: 12 JUN 2019 10:03:29

Band41_5MHz_16QAM_39675_25RB#0




Date: 12 JUN 2019 10:04:59

Band41_5MHz_16QAM_41565_1RB#24




Date: 12 JUN 2019 10:04:51

Band41_5MHz_16QAM_41565_25RB#0




Date: 12 JUN 2019 10:05:31

Band41_10MHz_QPSK_39700_1RB#0




Date: 12 JUN 2019 10:05:54

Band41_10MHz_QPSK_39700_50RB#0




Date: 12 JUN 2019 10:06:34

Band41_10MHz_QPSK_41540_1RB#49




Date: 12 JUN 2019 10:07:17

Band41_10MHz_QPSK_41540_50RB#0




Date: 12 JUN 2019 10:07:57

Band41_10MHz_16QAM_39700_1RB#0




Date: 12 JUN 2019 10:06:14

Band41_10MHz_16QAM_39700_50RB#0




Date: 12 JUN 2019 10:06:55


Band41_10MHz_16QAM_41540_1RB#49




Band41_10MHz_16QAM_41540_50RB#0



Band41_15MHz_QPSK_39725_1RB#0




Band41_15MHz_QPSK_39725_75RB#0




Date: 12 JUN 2019 10:09:20

Band41_15MHz_QPSK_41515_1RB#74




Date: 12 JUN 2019 10:10:02

Band41_15MHz_QPSK_41515_75RB#0




Date: 12 JUN 2019 10:10:42


Band41_15MHz_16QAM_39725_1RB#0




Band41_15MHz_16QAM_39725_75RB#0



Band41_15MHz_16QAM_41515_1RB#74




Band41_15MHz_16QAM_41515_75RB#0




Date: 12 JUN 2019 10:11:03

Band41_20MHz_QPSK_39750_1RB#0




Date: 12 JUN 2019 10:11:25

Band41_20MHz_QPSK_39750_100RB#0




Date: 12 JUN 2019 10:12:05

Band41_20MHz_QPSK_41490_1RB#99




Date: 12 JUN 2019 10:12:47

Band41_20MHz_QPSK_41490_100RB#0




Date: 12 JUN 2019 10:13:28

Band41_20MHz_16QAM_39750_1RB#0




Date: 12 JUN 2019 10:11:45

Band41_20MHz_16QAM_39750_100RB#0




Date: 12 JUN 2019 10:12:25

Band41_20MHz_16QAM_41490_1RB#99



Date: 12 JUN 2019 10:13:07

Band41_20MHz_16QAM_41490_100RB#0




Date: 12 JUN 2019 10:13:48

8. Spurious Emission at Antenna Terminal


Remark1: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Remark2: only the worst case data displayed in this report.


8.1. Test Plots




Band41_20MHz_QPSK_40620_1RB#0




Band41_20MHz_QPSK_40620_1RB#0




Band41_20MHz_QPSK_41490_1RB#0




Band41_20MHz_QPSK_41490_1RB#0




Band41_20MHz_16QAM_39750_1RB#0




Band41_20MHz_16QAM_39750_1RB#0




Band41_20MHz_16QAM_40620_1RB#0




Band41_20MHz_16QAM_40620_1RB#0



Band41_20MHz_16QAM_41490_1RB#0





9. Frequency Stability

9.1. Frequency Vs Voltage

Voltage										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band41	20MHz	QPSK	39750	100RB#0	VL	NT	-1.70	-0.000678	±2.5	PASS
Band41	20MHz	QPSK	39750	100RB#0	VN	NT	-1.10	-0.000439	±2.5	PASS
Band41	20MHz	QPSK	39750	100RB#0	VH	NT	-5.90	-0.002354	±2.5	PASS
Band41	20MHz	QPSK	40620	100RB#0	VL	NT	-1.70	-0.000656	±2.5	PASS
Band41	20MHz	QPSK	40620	100RB#0	VN	NT	-2.60	-0.001003	±2.5	PASS
Band41	20MHz	QPSK	40620	100RB#0	VH	NT	-5.40	-0.002083	±2.5	PASS
Band41	20MHz	QPSK	41490	100RB#0	VL	NT	-4.20	-0.001567	±2.5	PASS
Band41	20MHz	QPSK	41490	100RB#0	VN	NT	-6.40	-0.002388	±2.5	PASS
Band41	20MHz	QPSK	41490	100RB#0	VH	NT	-2.50	-0.000933	±2.5	PASS
Band41	20MHz	16QAM	39750	100RB#0	VL	NT	-5.60	-0.002235	±2.5	PASS
Band41	20MHz	16QAM	39750	100RB#0	VN	NT	-1.20	-0.000479	±2.5	PASS
Band41	20MHz	16QAM	39750	100RB#0	VH	NT	-6.80	-0.002713	±2.5	PASS
Band41	20MHz	16QAM	40620	100RB#0	VL	NT	-1.50	-0.000578	±2.5	PASS
Band41	20MHz	16QAM	40620	100RB#0	VN	NT	-1.90	-0.000733	±2.5	PASS
Band41	20MHz	16QAM	40620	100RB#0	VH	NT	-2.60	-0.001003	±2.5	PASS
Band41	20MHz	16QAM	41490	100RB#0	VL	NT	0.60	0.000224	±2.5	PASS
Band41	20MHz	16QAM	41490	100RB#0	VN	NT	-1.40	-0.000522	±2.5	PASS
Band41	20MHz	16QAM	41490	100RB#0	VH	NT	-5.80	-0.002164	±2.5	PASS

9.2. Frequency Vs Temperature

Temperature										
BAND	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band41	20MHz	QPSK	39750	100RB#0	NV	-30	-0.80	-0.000319	±2.5	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	-20	-4.50	-0.001796	±2.5	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	0	-4.60	-0.001836	±2.5	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	10	-5.10	-0.002035	±2.5	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	20	-0.30	-0.000120	±2.5	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	30	-5.90	-0.002354	±2.5	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	40	-3.20	-0.001277	±2.5	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	50	-0.50	-0.000200	±2.5	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	-30	-5.90	-0.002275	±2.5	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	-20	-1.80	-0.000694	±2.5	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	0	-0.40	-0.000154	±2.5	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	10	-3.70	-0.001427	±2.5	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	20	-1.00	-0.000386	±2.5	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	30	-1.70	-0.000656	±2.5	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	40	-3.10	-0.001196	±2.5	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	50	-1.60	-0.000617	±2.5	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	-30	0.00	0.000000	±2.5	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	-20	-4.40	-0.001642	±2.5	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	0	1.00	0.000373	±2.5	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	10	-4.40	-0.001642	±2.5	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	20	-1.10	-0.000410	±2.5	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	30	-3.70	-0.001381	±2.5	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	40	0.00	0.000000	±2.5	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	50	-1.20	-0.000448	±2.5	PASS
Band41	20MHz	16QAM	39750	100RB#0	NV	-30	-1.10	-0.000439	±2.5	PASS
Band41	20MHz	16QAM	39750	100RB#0	NV	-20	-1.80	-0.000718	±2.5	PASS
Band41	20MHz	16QAM	39750	100RB#0	NV	0	-5.30	-0.002115	±2.5	PASS
Band41	20MHz	16QAM	39750	100RB#0	NV	10	0.40	0.000160	±2.5	PASS
Band41	20MHz	16QAM	39750	100RB#0	NV	20	-2.10	-0.000838	±2.5	PASS
Band41	20MHz	16QAM	39750	100RB#0	NV	30	-4.70	-0.001875	±2.5	PASS
Band41	20MHz	16QAM	39750	100RB#0	NV	40	-2.20	-0.000878	±2.5	PASS
Band41	20MHz	16QAM	39750	100RB#0	NV	50	-6.50	-0.002594	±2.5	PASS
Band41	20MHz	16QAM	40620	100RB#0	NV	-30	-0.60	-0.000231	±2.5	PASS
Band41	20MHz	16QAM	40620	100RB#0	NV	-20	-1.60	-0.000617	±2.5	PASS
Band41	20MHz	16QAM	40620	100RB#0	NV	0	-5.50	-0.002121	±2.5	PASS
Band41	20MHz	16QAM	40620	100RB#0	NV	10	-2.30	-0.000887	±2.5	PASS
Band41	20MHz	16QAM	40620	100RB#0	NV	20	-6.30	-0.002430	±2.5	PASS
Band41	20MHz	16QAM	40620	100RB#0	NV	30	-0.30	-0.000116	±2.5	PASS
Band41	20MHz	16QAM	40620	100RB#0	NV	40	-5.90	-0.002275	±2.5	PASS

Band41	20MHz	16QAM	40620	100RB#0	NV	50	-6.80	-0.002622	±2.5	PASS
Band41	20MHz	16QAM	41490	100RB#0	NV	-30	-6.60	-0.002463	±2.5	PASS
Band41	20MHz	16QAM	41490	100RB#0	NV	-20	0.20	0.000075	±2.5	PASS
Band41	20MHz	16QAM	41490	100RB#0	NV	0	-1.00	-0.000373	±2.5	PASS
Band41	20MHz	16QAM	41490	100RB#0	NV	10	-6.90	-0.002575	±2.5	PASS
Band41	20MHz	16QAM	41490	100RB#0	NV	20	-4.50	-0.001679	±2.5	PASS
Band41	20MHz	16QAM	41490	100RB#0	NV	30	-1.90	-0.000709	±2.5	PASS
Band41	20MHz	16QAM	41490	100RB#0	NV	40	-0.70	-0.000261	±2.5	PASS
Band41	20MHz	16QAM	41490	100RB#0	NV	50	-2.90	-0.001082	±2.5	PASS

The End