

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 B2\_1.4MHz\_EIRP

### 1.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1850.7	1	0	22.29	0.45	22.74	<=33.01	Pass		
			2	22.33	0.45	22.78	<=33.01	Pass		
			5	22.27	0.45	22.72	<=33.01	Pass		
		3	0	22.29	0.45	22.74	<=33.01	Pass		
			2	22.33	0.45	22.78	<=33.01	Pass		
			3	22.27	0.45	22.72	<=33.01	Pass		
		6	0	21.29	0.45	21.74	<=33.01	Pass		
		1880	1	0	22.02	0.45	22.47	<=33.01	Pass	
				2	22.06	0.45	22.51	<=33.01	Pass	
	5			22.05	0.45	22.5	<=33.01	Pass		
	3		0	22.04	0.45	22.49	<=33.01	Pass		
			2	22.02	0.45	22.47	<=33.01	Pass		
			3	21.97	0.45	22.42	<=33.01	Pass		
	6		0	21.01	0.45	21.46	<=33.01	Pass		
	1909.3		1	0	21.91	0.45	22.36	<=33.01	Pass	
				2	22.00	0.45	22.45	<=33.01	Pass	
		5		22.02	0.45	22.47	<=33.01	Pass		
		3	0	22.01	0.45	22.46	<=33.01	Pass		
			2	22.02	0.45	22.47	<=33.01	Pass		
			3	22.08	0.45	22.53	<=33.01	Pass		
		6	0	21.01	0.45	21.46	<=33.01	Pass		
		16QAM	1850.7	1	0	20.83	0.45	21.28	<=33.01	Pass
					2	20.79	0.45	21.24	<=33.01	Pass
	5				20.81	0.45	21.26	<=33.01	Pass	
3	0			21.23	0.45	21.68	<=33.01	Pass		
	2			21.17	0.45	21.62	<=33.01	Pass		
	3			21.26	0.45	21.71	<=33.01	Pass		
6	0			20.36	0.45	20.81	<=33.01	Pass		
1880	1			0	21.10	0.45	21.55	<=33.01	Pass	
				2	21.11	0.45	21.56	<=33.01	Pass	
			5	21.03	0.45	21.48	<=33.01	Pass		
	3		0	20.99	0.45	21.44	<=33.01	Pass		
			2	21.01	0.45	21.46	<=33.01	Pass		
			3	20.97	0.45	21.42	<=33.01	Pass		
	6		0	20.08	0.45	20.53	<=33.01	Pass		
	1909.3		1	0	21.21	0.45	21.66	<=33.01	Pass	
				2	21.12	0.45	21.57	<=33.01	Pass	
5				21.23	0.45	21.68	<=33.01	Pass		
3			0	20.92	0.45	21.37	<=33.01	Pass		
			2	21.19	0.45	21.64	<=33.01	Pass		
			3	21.25	0.45	21.7	<=33.01	Pass		
6			0	20.23	0.45	20.68	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

## 1.2 B2\_3MHz\_EIRP

### 1.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dbi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	22.24	0.45	22.69	<=33.01	Pass
			7	22.25	0.45	22.7	<=33.01	Pass
			14	22.17	0.45	22.62	<=33.01	Pass
		8	0	21.39	0.45	21.84	<=33.01	Pass
			4	21.40	0.45	21.85	<=33.01	Pass
			7	21.19	0.45	21.64	<=33.01	Pass
	15	0	21.37	0.45	21.82	<=33.01	Pass	
	1880	1	0	22.01	0.45	22.46	<=33.01	Pass
			7	21.97	0.45	22.42	<=33.01	Pass
			14	22.05	0.45	22.5	<=33.01	Pass
		8	0	21.07	0.45	21.52	<=33.01	Pass
			4	21.13	0.45	21.58	<=33.01	Pass
			7	20.98	0.45	21.43	<=33.01	Pass
	15	0	21.10	0.45	21.55	<=33.01	Pass	
	1908.5	1	0	22.02	0.45	22.47	<=33.01	Pass
			7	22.01	0.45	22.46	<=33.01	Pass
			14	21.96	0.45	22.41	<=33.01	Pass
		8	0	21.01	0.45	21.46	<=33.01	Pass
4			20.99	0.45	21.44	<=33.01	Pass	
7			20.99	0.45	21.44	<=33.01	Pass	
15	0	21.05	0.45	21.5	<=33.01	Pass		
16QAM	1851.5	1	0	21.80	0.45	22.25	<=33.01	Pass
			7	21.75	0.45	22.2	<=33.01	Pass
			14	21.67	0.45	22.12	<=33.01	Pass
		8	0	20.65	0.45	21.1	<=33.01	Pass
			4	20.68	0.45	21.13	<=33.01	Pass
			7	20.62	0.45	21.07	<=33.01	Pass
	15	0	20.49	0.45	20.94	<=33.01	Pass	
	1880	1	0	21.59	0.45	22.04	<=33.01	Pass
			7	21.58	0.45	22.03	<=33.01	Pass
			14	21.55	0.45	22	<=33.01	Pass
		8	0	20.20	0.45	20.65	<=33.01	Pass
			4	20.26	0.45	20.71	<=33.01	Pass
			7	20.24	0.45	20.69	<=33.01	Pass
	15	0	20.09	0.45	20.54	<=33.01	Pass	
	1908.5	1	0	20.54	0.45	20.99	<=33.01	Pass
			7	20.49	0.45	20.94	<=33.01	Pass
			14	20.45	0.45	20.9	<=33.01	Pass
		8	0	20.20	0.45	20.65	<=33.01	Pass
4			20.28	0.45	20.73	<=33.01	Pass	
7			20.21	0.45	20.66	<=33.01	Pass	
15	0	20.13	0.45	20.58	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

## 1.3 B2\_5MHz\_EIRP

### 1.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1852.5	1	0	22.39	0.45	22.84	<=33.01	Pass		
			13	22.45	0.45	22.9	<=33.01	Pass		
			24	22.28	0.45	22.73	<=33.01	Pass		
		12	0	21.32	0.45	21.77	<=33.01	Pass		
			6	21.43	0.45	21.88	<=33.01	Pass		
			13	21.29	0.45	21.74	<=33.01	Pass		
		25	0	21.32	0.45	21.77	<=33.01	Pass		
		1880	1	0	21.96	0.45	22.41	<=33.01	Pass	
				13	22.07	0.45	22.52	<=33.01	Pass	
	24			21.91	0.45	22.36	<=33.01	Pass		
	12		0	20.92	0.45	21.37	<=33.01	Pass		
			6	21.00	0.45	21.45	<=33.01	Pass		
			13	20.96	0.45	21.41	<=33.01	Pass		
	25		0	20.88	0.45	21.33	<=33.01	Pass		
	1907.5		1	0	21.73	0.45	22.18	<=33.01	Pass	
				13	21.87	0.45	22.32	<=33.01	Pass	
		24		21.73	0.45	22.18	<=33.01	Pass		
		12	0	20.66	0.45	21.11	<=33.01	Pass		
			6	20.76	0.45	21.21	<=33.01	Pass		
			13	20.69	0.45	21.14	<=33.01	Pass		
		25	0	20.66	0.45	21.11	<=33.01	Pass		
		16QAM	1852.5	1	0	21.37	0.45	21.82	<=33.01	Pass
					13	21.45	0.45	21.9	<=33.01	Pass
	24				21.31	0.45	21.76	<=33.01	Pass	
12	0			20.37	0.45	20.82	<=33.01	Pass		
	6			20.40	0.45	20.85	<=33.01	Pass		
	13			20.31	0.45	20.76	<=33.01	Pass		
25	0			20.40	0.45	20.85	<=33.01	Pass		
1880	1			0	21.05	0.45	21.5	<=33.01	Pass	
				13	21.14	0.45	21.59	<=33.01	Pass	
			24	21.03	0.45	21.48	<=33.01	Pass		
	12		0	19.90	0.45	20.35	<=33.01	Pass		
			6	20.06	0.45	20.51	<=33.01	Pass		
			13	19.99	0.45	20.44	<=33.01	Pass		
	25		0	19.87	0.45	20.32	<=33.01	Pass		
	1907.5		1	0	20.47	0.45	20.92	<=33.01	Pass	
				13	20.58	0.45	21.03	<=33.01	Pass	
24				20.52	0.45	20.97	<=33.01	Pass		
12			0	19.62	0.45	20.07	<=33.01	Pass		
			6	19.73	0.45	20.18	<=33.01	Pass		
			13	19.68	0.45	20.13	<=33.01	Pass		
25			0	19.71	0.45	20.16	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

### 1.4 B2\_10MHz\_EIRP

#### 1.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTNV
-----------------------------------

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1855	1	0	22.48	0.45	22.93	<=33.01	Pass		
			25	22.57	0.45	23.02	<=33.01	Pass		
			49	22.31	0.45	22.76	<=33.01	Pass		
		25	0	21.46	0.45	21.91	<=33.01	Pass		
			13	21.39	0.45	21.84	<=33.01	Pass		
			25	21.25	0.45	21.7	<=33.01	Pass		
		50	0	21.38	0.45	21.83	<=33.01	Pass		
		1880	1	0	22.05	0.45	22.5	<=33.01	Pass	
				25	22.26	0.45	22.71	<=33.01	Pass	
	49			21.96	0.45	22.41	<=33.01	Pass		
	25		0	20.91	0.45	21.36	<=33.01	Pass		
			13	21.00	0.45	21.45	<=33.01	Pass		
			25	21.08	0.45	21.53	<=33.01	Pass		
	50		0	21.01	0.45	21.46	<=33.01	Pass		
	1905		1	0	21.76	0.45	22.21	<=33.01	Pass	
				25	22.02	0.45	22.47	<=33.01	Pass	
		49		21.75	0.45	22.2	<=33.01	Pass		
		25	0	20.67	0.45	21.12	<=33.01	Pass		
			13	20.76	0.45	21.21	<=33.01	Pass		
			25	20.79	0.45	21.24	<=33.01	Pass		
		50	0	20.72	0.45	21.17	<=33.01	Pass		
		16QAM	1855	1	0	21.37	0.45	21.82	<=33.01	Pass
					25	21.51	0.45	21.96	<=33.01	Pass
	49				21.33	0.45	21.78	<=33.01	Pass	
25	0			20.53	0.45	20.98	<=33.01	Pass		
	13			20.46	0.45	20.91	<=33.01	Pass		
	25			20.41	0.45	20.86	<=33.01	Pass		
50	0			20.45	0.45	20.9	<=33.01	Pass		
1880	1			0	21.09	0.45	21.54	<=33.01	Pass	
				25	21.26	0.45	21.71	<=33.01	Pass	
			49	21.06	0.45	21.51	<=33.01	Pass		
	25		0	19.97	0.45	20.42	<=33.01	Pass		
			13	20.01	0.45	20.46	<=33.01	Pass		
			25	20.13	0.45	20.58	<=33.01	Pass		
	50		0	20.04	0.45	20.49	<=33.01	Pass		
	1905		1	0	21.19	0.45	21.64	<=33.01	Pass	
				25	21.29	0.45	21.74	<=33.01	Pass	
49				21.16	0.45	21.61	<=33.01	Pass		
25			0	19.73	0.45	20.18	<=33.01	Pass		
			13	19.77	0.45	20.22	<=33.01	Pass		
			25	19.84	0.45	20.29	<=33.01	Pass		
50			0	19.74	0.45	20.19	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

## 1.5 B2\_15MHz\_EIRP

### 1.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	22.30	0.45	22.75	<=33.01	Pass
			38	22.33	0.45	22.78	<=33.01	Pass

		36	74	22.06	0.45	22.51	<=33.01	Pass	
			0	21.48	0.45	21.93	<=33.01	Pass	
			18	21.33	0.45	21.78	<=33.01	Pass	
			39	21.14	0.45	21.59	<=33.01	Pass	
		75	0	21.30	0.45	21.75	<=33.01	Pass	
		1880	1	0	21.92	0.45	22.37	<=33.01	Pass
				38	22.06	0.45	22.51	<=33.01	Pass
	74			21.76	0.45	22.21	<=33.01	Pass	
	36		0	21.01	0.45	21.46	<=33.01	Pass	
			18	21.11	0.45	21.56	<=33.01	Pass	
			39	21.09	0.45	21.54	<=33.01	Pass	
	75		0	21.04	0.45	21.49	<=33.01	Pass	
	1902.5	1	0	21.61	0.45	22.06	<=33.01	Pass	
			38	21.86	0.45	22.31	<=33.01	Pass	
			74	21.58	0.45	22.03	<=33.01	Pass	
		36	0	20.83	0.45	21.28	<=33.01	Pass	
			18	20.82	0.45	21.27	<=33.01	Pass	
			39	20.87	0.45	21.32	<=33.01	Pass	
		75	0	20.81	0.45	21.26	<=33.01	Pass	
	16QAM	1857.5	1	0	21.49	0.45	21.94	<=33.01	Pass
				38	21.71	0.45	22.16	<=33.01	Pass
74				21.50	0.45	21.95	<=33.01	Pass	
36			0	20.42	0.45	20.87	<=33.01	Pass	
			18	20.32	0.45	20.77	<=33.01	Pass	
			39	20.17	0.45	20.62	<=33.01	Pass	
75			0	20.25	0.45	20.7	<=33.01	Pass	
1880		1	0	21.02	0.45	21.47	<=33.01	Pass	
			38	21.08	0.45	21.53	<=33.01	Pass	
			74	20.87	0.45	21.32	<=33.01	Pass	
		36	0	19.93	0.45	20.38	<=33.01	Pass	
			18	20.04	0.45	20.49	<=33.01	Pass	
			39	20.02	0.45	20.47	<=33.01	Pass	
		75	0	20.00	0.45	20.45	<=33.01	Pass	
1902.5		1	0	21.24	0.45	21.69	<=33.01	Pass	
			38	21.18	0.45	21.63	<=33.01	Pass	
			74	20.99	0.45	21.44	<=33.01	Pass	
		36	0	19.83	0.45	20.28	<=33.01	Pass	
			18	19.82	0.45	20.27	<=33.01	Pass	
			39	19.83	0.45	20.28	<=33.01	Pass	
		75	0	19.83	0.45	20.28	<=33.01	Pass	
Note1: EIRP=Conducted Power+Antenna Gain									

## 1.6 B2\_20MHz\_EIRP

### 1.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	22.11	0.45	22.56	<=33.01	Pass
			50	22.40	0.45	22.85	<=33.01	Pass
			99	21.87	0.45	22.32	<=33.01	Pass
		50	0	21.48	0.45	21.93	<=33.01	Pass
			25	21.26	0.45	21.71	<=33.01	Pass
			50	21.04	0.45	21.49	<=33.01	Pass

16QAM	1880	100	0	21.35	0.45	21.8	<=33.01	Pass	
			1	0	21.82	0.45	22.27	<=33.01	Pass
				50	22.17	0.45	22.62	<=33.01	Pass
				99	21.61	0.45	22.06	<=33.01	Pass
		50	0	20.89	0.45	21.34	<=33.01	Pass	
			25	20.94	0.45	21.39	<=33.01	Pass	
			50	20.95	0.45	21.4	<=33.01	Pass	
		100	0	20.95	0.45	21.4	<=33.01	Pass	
		1900	1	0	21.56	0.45	22.01	<=33.01	Pass
				50	21.97	0.45	22.42	<=33.01	Pass
				99	21.47	0.45	21.92	<=33.01	Pass
				0	20.98	0.45	21.43	<=33.01	Pass
	50		25	20.81	0.45	21.26	<=33.01	Pass	
			50	20.86	0.45	21.31	<=33.01	Pass	
			0	20.96	0.45	21.41	<=33.01	Pass	
	1860		1	0	21.53	0.45	21.98	<=33.01	Pass
				50	21.97	0.45	22.42	<=33.01	Pass
				99	21.37	0.45	21.82	<=33.01	Pass
				0	20.53	0.45	20.98	<=33.01	Pass
			50	25	20.39	0.45	20.84	<=33.01	Pass
		50		20.12	0.45	20.57	<=33.01	Pass	
		0		20.41	0.45	20.86	<=33.01	Pass	
		1880	1	0	20.96	0.45	21.41	<=33.01	Pass
				50	21.20	0.45	21.65	<=33.01	Pass
99				20.83	0.45	21.28	<=33.01	Pass	
0				19.89	0.45	20.34	<=33.01	Pass	
50			25	19.99	0.45	20.44	<=33.01	Pass	
	50		20.00	0.45	20.45	<=33.01	Pass		
	0		19.99	0.45	20.44	<=33.01	Pass		
1900	1		0	20.82	0.45	21.27	<=33.01	Pass	
			50	21.15	0.45	21.6	<=33.01	Pass	
			99	20.63	0.45	21.08	<=33.01	Pass	
			0	20.10	0.45	20.55	<=33.01	Pass	
	50		25	19.86	0.45	20.31	<=33.01	Pass	
		50	19.86	0.45	20.31	<=33.01	Pass		
		0	20.01	0.45	20.46	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

## 2. Frequency Stability

### 2.1 B2\_1.4MHz

#### 2.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1850.7	6	0	20	3.27	-1.059	-0.0006	-2.5 to 2.5	Pass	
					3.85	-10.800	-0.0058	-2.5 to 2.5	Pass	
					4.43	-6.909	-0.0037	-2.5 to 2.5	Pass	
				-30	3.85	-5.236	-0.0028	-2.5 to 2.5	Pass	
					-20	3.85	-13.046	-0.0070	-2.5 to 2.5	Pass
					-10	3.85	-6.638	-0.0036	-2.5 to 2.5	Pass
					0	3.85	-8.726	-0.0047	-2.5 to 2.5	Pass

				10	3.85	-10.829	-0.0059	-2.5 to 2.5	Pass			
				30	3.85	-12.689	-0.0069	-2.5 to 2.5	Pass			
				40	3.85	-13.089	-0.0071	-2.5 to 2.5	Pass			
				50	3.85	-13.747	-0.0074	-2.5 to 2.5	Pass			
				20	3.27	-6.709	-0.0036	-2.5 to 2.5	Pass			
	1880	6	0	20	3.85	-15.135	-0.0081	-2.5 to 2.5	Pass			
				4.43	-8.183	-0.0044	-2.5 to 2.5	Pass				
				-30	3.85	-10.228	-0.0054	-2.5 to 2.5	Pass			
				-20	3.85	-9.871	-0.0053	-2.5 to 2.5	Pass			
				-10	3.85	-5.565	-0.0030	-2.5 to 2.5	Pass			
				0	3.85	-15.707	-0.0084	-2.5 to 2.5	Pass			
				10	3.85	-9.842	-0.0052	-2.5 to 2.5	Pass			
				30	3.85	-5.350	-0.0028	-2.5 to 2.5	Pass			
				40	3.85	-10.071	-0.0054	-2.5 to 2.5	Pass			
				50	3.85	-13.618	-0.0072	-2.5 to 2.5	Pass			
				1909.3	6	0	20	3.27	-7.224	-0.0038	-2.5 to 2.5	Pass
							3.85	-8.755	-0.0046	-2.5 to 2.5	Pass	
							4.43	-1.974	-0.0010	-2.5 to 2.5	Pass	
							-30	3.85	-3.805	-0.0020	-2.5 to 2.5	Pass
							-20	3.85	-8.640	-0.0045	-2.5 to 2.5	Pass
-10	3.85	-8.540	-0.0045				-2.5 to 2.5	Pass				
0	3.85	-8.397	-0.0044				-2.5 to 2.5	Pass				
10	3.85	-0.343	-0.0002				-2.5 to 2.5	Pass				
30	3.85	-9.756	-0.0051				-2.5 to 2.5	Pass				
40	3.85	-8.497	-0.0045				-2.5 to 2.5	Pass				
50	3.85	-0.987	-0.0005				-2.5 to 2.5	Pass				
16QAM	1850.7	6	0				20	3.27	-3.691	-0.0020	-2.5 to 2.5	Pass
							3.85	-6.294	-0.0034	-2.5 to 2.5	Pass	
							4.43	-9.727	-0.0053	-2.5 to 2.5	Pass	
							-30	3.85	-7.396	-0.0040	-2.5 to 2.5	Pass
				-20	3.85	-6.466	-0.0035	-2.5 to 2.5	Pass			
				-10	3.85	-1.602	-0.0009	-2.5 to 2.5	Pass			
				0	3.85	-4.749	-0.0026	-2.5 to 2.5	Pass			
				10	3.85	-8.612	-0.0047	-2.5 to 2.5	Pass			
				30	3.85	-8.898	-0.0048	-2.5 to 2.5	Pass			
				40	3.85	-10.600	-0.0057	-2.5 to 2.5	Pass			
	50	3.85	-7.224	-0.0039	-2.5 to 2.5	Pass						
	1880	6	0	20	3.27	-7.510	-0.0040	-2.5 to 2.5	Pass			
				3.85	-9.313	-0.0050	-2.5 to 2.5	Pass				
				4.43	-13.132	-0.0070	-2.5 to 2.5	Pass				
				-30	3.85	-14.305	-0.0076	-2.5 to 2.5	Pass			
				-20	3.85	-8.841	-0.0047	-2.5 to 2.5	Pass			
				-10	3.85	-12.445	-0.0066	-2.5 to 2.5	Pass			
				0	3.85	-14.534	-0.0077	-2.5 to 2.5	Pass			
				10	3.85	-11.544	-0.0061	-2.5 to 2.5	Pass			
				30	3.85	-8.655	-0.0046	-2.5 to 2.5	Pass			
40				3.85	-1.473	-0.0008	-2.5 to 2.5	Pass				
50	3.85	0.930	0.0005	-2.5 to 2.5	Pass							
1909.3	6	0	20	3.27	-7.653	-0.0040	-2.5 to 2.5	Pass				
			3.85	-8.254	-0.0043	-2.5 to 2.5	Pass					
			4.43	-1.330	-0.0007	-2.5 to 2.5	Pass					
			-30	3.85	-4.935	-0.0026	-2.5 to 2.5	Pass				
			-20	3.85	0.958	0.0005	-2.5 to 2.5	Pass				
			-10	3.85	-6.051	-0.0032	-2.5 to 2.5	Pass				
			0	3.85	3.319	0.0017	-2.5 to 2.5	Pass				
			10	3.85	-11.573	-0.0061	-2.5 to 2.5	Pass				
			30	3.85	-5.980	-0.0031	-2.5 to 2.5	Pass				

				40	3.85	-3.920	-0.0021	-2.5 to 2.5	Pass
				50	3.85	-9.155	-0.0048	-2.5 to 2.5	Pass

## 2.2 B2\_3MHz

### 2.2.1 Test Result

Band: 2 / Bandwidth: 3MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1851.5	15	0	20	3.27	-9.398	-0.0051	-2.5 to 2.5	Pass	
					3.85	-9.484	-0.0051	-2.5 to 2.5	Pass	
					4.43	-6.022	-0.0033	-2.5 to 2.5	Pass	
				-30	3.85	-7.596	-0.0041	-2.5 to 2.5	Pass	
					-20	3.85	-4.005	-0.0022	-2.5 to 2.5	Pass
						3.85	-10.886	-0.0059	-2.5 to 2.5	Pass
				0	3.85	-10.915	-0.0059	-2.5 to 2.5	Pass	
					10	3.85	-7.267	-0.0039	-2.5 to 2.5	Pass
				30	3.85	-4.721	-0.0025	-2.5 to 2.5	Pass	
	40	3.85	-9.527		-0.0051	-2.5 to 2.5	Pass			
	50	3.85	-6.638	-0.0036	-2.5 to 2.5	Pass				
	1880	15	0	20	3.27	-5.779	-0.0031	-2.5 to 2.5	Pass	
					3.85	-10.214	-0.0054	-2.5 to 2.5	Pass	
					4.43	-5.264	-0.0028	-2.5 to 2.5	Pass	
				-30	3.85	-1.845	-0.0010	-2.5 to 2.5	Pass	
					-20	3.85	-6.022	-0.0032	-2.5 to 2.5	Pass
						3.85	-16.737	-0.0089	-2.5 to 2.5	Pass
				0	3.85	-10.986	-0.0058	-2.5 to 2.5	Pass	
					10	3.85	-3.977	-0.0021	-2.5 to 2.5	Pass
				30	3.85	-6.981	-0.0037	-2.5 to 2.5	Pass	
	40	3.85	-5.522		-0.0029	-2.5 to 2.5	Pass			
	50	3.85	-5.107	-0.0027	-2.5 to 2.5	Pass				
	1908.5	15	0	20	3.27	-1.059	-0.0006	-2.5 to 2.5	Pass	
					3.85	-8.354	-0.0044	-2.5 to 2.5	Pass	
					4.43	-10.657	-0.0056	-2.5 to 2.5	Pass	
				-30	3.85	-8.168	-0.0043	-2.5 to 2.5	Pass	
					-20	3.85	-5.894	-0.0031	-2.5 to 2.5	Pass
3.85						-8.540	-0.0045	-2.5 to 2.5	Pass	
0				3.85	-9.727	-0.0051	-2.5 to 2.5	Pass		
				10	3.85	-10.457	-0.0055	-2.5 to 2.5	Pass	
30				3.85	-8.998	-0.0047	-2.5 to 2.5	Pass		
	40	3.85	-3.448	-0.0018	-2.5 to 2.5	Pass				
50	3.85	-5.107	-0.0027	-2.5 to 2.5	Pass					
16QAM	1851.5	15	0	20	3.27	-6.723	-0.0036	-2.5 to 2.5	Pass	
					3.85	-6.609	-0.0036	-2.5 to 2.5	Pass	
					4.43	-10.242	-0.0055	-2.5 to 2.5	Pass	
				-30	3.85	-2.418	-0.0013	-2.5 to 2.5	Pass	
					-20	3.85	-7.424	-0.0040	-2.5 to 2.5	Pass
						3.85	-3.090	-0.0017	-2.5 to 2.5	Pass
				0	3.85	-13.647	-0.0074	-2.5 to 2.5	Pass	
					10	3.85	-8.454	-0.0046	-2.5 to 2.5	Pass
				30	3.85	-4.535	-0.0024	-2.5 to 2.5	Pass	
	40	3.85	-11.129		-0.0060	-2.5 to 2.5	Pass			
	50	3.85	-9.012	-0.0049	-2.5 to 2.5	Pass				
	1880	15	0	20	3.27	-4.334	-0.0023	-2.5 to 2.5	Pass	



					3.85	-6.781	-0.0036	-2.5 to 2.5	Pass	
					4.43	-9.813	-0.0052	-2.5 to 2.5	Pass	
				-30	3.85	-6.280	-0.0033	-2.5 to 2.5	Pass	
				-20	3.85	-4.392	-0.0023	-2.5 to 2.5	Pass	
				-10	3.85	-10.815	-0.0058	-2.5 to 2.5	Pass	
				0	3.85	-13.275	-0.0071	-2.5 to 2.5	Pass	
				10	3.85	-5.465	-0.0029	-2.5 to 2.5	Pass	
				30	3.85	-9.584	-0.0051	-2.5 to 2.5	Pass	
				40	3.85	-5.364	-0.0029	-2.5 to 2.5	Pass	
	50	3.85	-12.617	-0.0067	-2.5 to 2.5	Pass				
	1908.5	15	0	20		3.27	-13.003	-0.0068	-2.5 to 2.5	Pass
						3.85	-6.223	-0.0033	-2.5 to 2.5	Pass
						4.43	-1.416	-0.0007	-2.5 to 2.5	Pass
				-30	3.85	-2.689	-0.0014	-2.5 to 2.5	Pass	
				-20	3.85	-7.653	-0.0040	-2.5 to 2.5	Pass	
				-10	3.85	-6.838	-0.0036	-2.5 to 2.5	Pass	
				0	3.85	-8.841	-0.0046	-2.5 to 2.5	Pass	
				10	3.85	-9.298	-0.0049	-2.5 to 2.5	Pass	
				30	3.85	-5.751	-0.0030	-2.5 to 2.5	Pass	
40				3.85	-13.375	-0.0070	-2.5 to 2.5	Pass		
50	3.85	-2.718	-0.0014	-2.5 to 2.5	Pass					

## 2.3 B2\_5MHz

### 2.3.1 Test Result

Band: 2 / Bandwidth: 5MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1852.5	25	0	20		3.27	-5.350	-0.0029	-2.5 to 2.5	Pass
						3.85	-6.967	-0.0038	-2.5 to 2.5	Pass
						4.43	-6.294	-0.0034	-2.5 to 2.5	Pass
				-30	3.85	-8.340	-0.0045	-2.5 to 2.5	Pass	
				-20	3.85	-9.441	-0.0051	-2.5 to 2.5	Pass	
				-10	3.85	-6.580	-0.0036	-2.5 to 2.5	Pass	
				0	3.85	-7.253	-0.0039	-2.5 to 2.5	Pass	
				10	3.85	-9.956	-0.0054	-2.5 to 2.5	Pass	
				30	3.85	-11.144	-0.0060	-2.5 to 2.5	Pass	
				40	3.85	-6.709	-0.0036	-2.5 to 2.5	Pass	
	50	3.85	-10.557	-0.0057	-2.5 to 2.5	Pass				
	1880	25	0	20		3.27	-9.556	-0.0051	-2.5 to 2.5	Pass
						3.85	-11.673	-0.0062	-2.5 to 2.5	Pass
						4.43	-7.238	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-6.537	-0.0035	-2.5 to 2.5	Pass	
				-20	3.85	-4.234	-0.0023	-2.5 to 2.5	Pass	
				-10	3.85	-0.901	-0.0005	-2.5 to 2.5	Pass	
				0	3.85	-3.791	-0.0020	-2.5 to 2.5	Pass	
				10	3.85	-9.069	-0.0048	-2.5 to 2.5	Pass	
				30	3.85	-2.117	-0.0011	-2.5 to 2.5	Pass	
				40	3.85	-7.424	-0.0039	-2.5 to 2.5	Pass	
	50	3.85	-6.967	-0.0037	-2.5 to 2.5	Pass				
	1907.5	25	0	20		3.27	-6.924	-0.0036	-2.5 to 2.5	Pass
						3.85	-11.673	-0.0061	-2.5 to 2.5	Pass
						4.43	-9.542	-0.0050	-2.5 to 2.5	Pass
				-30	3.85	-9.112	-0.0048	-2.5 to 2.5	Pass	

				-20	3.85	-6.180	-0.0032	-2.5 to 2.5	Pass			
				-10	3.85	-6.523	-0.0034	-2.5 to 2.5	Pass			
				0	3.85	-8.526	-0.0045	-2.5 to 2.5	Pass			
				10	3.85	-5.021	-0.0026	-2.5 to 2.5	Pass			
				30	3.85	-7.896	-0.0041	-2.5 to 2.5	Pass			
				40	3.85	-8.411	-0.0044	-2.5 to 2.5	Pass			
				50	3.85	-8.812	-0.0046	-2.5 to 2.5	Pass			
16QAM	1852.5	25	0	20	3.27	-7.739	-0.0042	-2.5 to 2.5	Pass			
					3.85	-7.796	-0.0042	-2.5 to 2.5	Pass			
					4.43	-7.539	-0.0041	-2.5 to 2.5	Pass			
				-30	3.85	-13.833	-0.0075	-2.5 to 2.5	Pass			
				-20	3.85	-13.361	-0.0072	-2.5 to 2.5	Pass			
				-10	3.85	-10.285	-0.0056	-2.5 to 2.5	Pass			
				0	3.85	-3.920	-0.0021	-2.5 to 2.5	Pass			
				10	3.85	-5.665	-0.0031	-2.5 to 2.5	Pass			
				30	3.85	-3.834	-0.0021	-2.5 to 2.5	Pass			
				40	3.85	-4.377	-0.0024	-2.5 to 2.5	Pass			
				50	3.85	-9.370	-0.0051	-2.5 to 2.5	Pass			
				1880	25	0	20	3.27	-12.374	-0.0066	-2.5 to 2.5	Pass
								3.85	-4.063	-0.0022	-2.5 to 2.5	Pass
								4.43	-3.405	-0.0018	-2.5 to 2.5	Pass
							-30	3.85	-11.444	-0.0061	-2.5 to 2.5	Pass
	-20	3.85	-8.755				-0.0047	-2.5 to 2.5	Pass			
	-10	3.85	-5.579				-0.0030	-2.5 to 2.5	Pass			
	0	3.85	-4.320				-0.0023	-2.5 to 2.5	Pass			
	10	3.85	-12.031				-0.0064	-2.5 to 2.5	Pass			
	30	3.85	-1.860				-0.0010	-2.5 to 2.5	Pass			
	40	3.85	-8.812				-0.0047	-2.5 to 2.5	Pass			
	50	3.85	-6.266				-0.0033	-2.5 to 2.5	Pass			
	1907.5	25	0				20	3.27	-0.072	0.0000	-2.5 to 2.5	Pass
								3.85	-6.580	-0.0034	-2.5 to 2.5	Pass
								4.43	-4.048	-0.0021	-2.5 to 2.5	Pass
							-30	3.85	-6.866	-0.0036	-2.5 to 2.5	Pass
				-20	3.85	-5.779	-0.0030	-2.5 to 2.5	Pass			
				-10	3.85	-3.977	-0.0021	-2.5 to 2.5	Pass			
				0	3.85	-5.965	-0.0031	-2.5 to 2.5	Pass			
				10	3.85	-3.490	-0.0018	-2.5 to 2.5	Pass			
30				3.85	-1.988	-0.0010	-2.5 to 2.5	Pass				
40				3.85	-8.211	-0.0043	-2.5 to 2.5	Pass				
50				3.85	-6.781	-0.0036	-2.5 to 2.5	Pass				

## 2.4 B2\_10MHz

### 2.4.1 Test Result

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	-3.376	-0.0018	-2.5 to 2.5	Pass
					3.85	-4.535	-0.0024	-2.5 to 2.5	Pass
					4.43	1.473	0.0008	-2.5 to 2.5	Pass
				-30	3.85	-1.431	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	-2.689	-0.0014	-2.5 to 2.5	Pass
				-10	3.85	-4.306	-0.0023	-2.5 to 2.5	Pass
				0	3.85	-7.095	-0.0038	-2.5 to 2.5	Pass

	1880	50	0	10	3.85	-7.253	-0.0039	-2.5 to 2.5	Pass
				30	3.85	-5.865	-0.0032	-2.5 to 2.5	Pass
				40	3.85	-2.174	-0.0012	-2.5 to 2.5	Pass
				50	3.85	-2.246	-0.0012	-2.5 to 2.5	Pass
				20	3.27	-7.854	-0.0042	-2.5 to 2.5	Pass
					3.85	-2.432	-0.0013	-2.5 to 2.5	Pass
					4.43	-9.727	-0.0052	-2.5 to 2.5	Pass
				-30	3.85	-4.935	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	5.193	0.0028	-2.5 to 2.5	Pass
				-10	3.85	-3.462	-0.0018	-2.5 to 2.5	Pass
				0	3.85	-3.648	-0.0019	-2.5 to 2.5	Pass
				10	3.85	-5.636	-0.0030	-2.5 to 2.5	Pass
	30	3.85	-2.675	-0.0014	-2.5 to 2.5	Pass			
	40	3.85	-4.621	-0.0025	-2.5 to 2.5	Pass			
	50	3.85	-6.609	-0.0035	-2.5 to 2.5	Pass			
	1905	50	0	20	3.27	-5.693	-0.0030	-2.5 to 2.5	Pass
					3.85	-7.510	-0.0039	-2.5 to 2.5	Pass
					4.43	-7.367	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-5.894	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	-4.320	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	-11.387	-0.0060	-2.5 to 2.5	Pass
				0	3.85	-7.739	-0.0041	-2.5 to 2.5	Pass
				10	3.85	-5.636	-0.0030	-2.5 to 2.5	Pass
				30	3.85	-3.891	-0.0020	-2.5 to 2.5	Pass
40				3.85	-3.519	-0.0018	-2.5 to 2.5	Pass	
50				3.85	-3.862	-0.0020	-2.5 to 2.5	Pass	
16QAM				1855	50	0	20	3.27	-2.189
	3.85	-6.924	-0.0037					-2.5 to 2.5	Pass
	4.43	-3.805	-0.0021					-2.5 to 2.5	Pass
	-30	3.85	-5.894				-0.0032	-2.5 to 2.5	Pass
	-20	3.85	-4.807				-0.0026	-2.5 to 2.5	Pass
	-10	3.85	-1.273				-0.0007	-2.5 to 2.5	Pass
	0	3.85	-4.735				-0.0026	-2.5 to 2.5	Pass
	10	3.85	-4.134				-0.0022	-2.5 to 2.5	Pass
	30	3.85	-3.004				-0.0016	-2.5 to 2.5	Pass
	40	3.85	-3.004				-0.0016	-2.5 to 2.5	Pass
	50	3.85	-2.174				-0.0012	-2.5 to 2.5	Pass
	1880	50	0				20	3.27	-6.537
				3.85	-5.794	-0.0031		-2.5 to 2.5	Pass
				4.43	-10.085	-0.0054		-2.5 to 2.5	Pass
				-30	3.85	-3.934	-0.0021	-2.5 to 2.5	Pass
				-20	3.85	-2.761	-0.0015	-2.5 to 2.5	Pass
				-10	3.85	-2.947	-0.0016	-2.5 to 2.5	Pass
				0	3.85	-11.702	-0.0062	-2.5 to 2.5	Pass
				10	3.85	0.858	0.0005	-2.5 to 2.5	Pass
				30	3.85	-7.782	-0.0041	-2.5 to 2.5	Pass
				40	3.85	-11.630	-0.0062	-2.5 to 2.5	Pass
				50	3.85	-5.407	-0.0029	-2.5 to 2.5	Pass
				1905	50	0	20	3.27	-3.619
	3.85	-7.997	-0.0042					-2.5 to 2.5	Pass
4.43	-2.203	-0.0012	-2.5 to 2.5					Pass	
-30	3.85	-7.696	-0.0040				-2.5 to 2.5	Pass	
-20	3.85	-0.172	-0.0001				-2.5 to 2.5	Pass	
-10	3.85	-6.523	-0.0034				-2.5 to 2.5	Pass	
0	3.85	-7.353	-0.0039				-2.5 to 2.5	Pass	
10	3.85	-10.114	-0.0053				-2.5 to 2.5	Pass	
30	3.85	-6.652	-0.0035				-2.5 to 2.5	Pass	

				40	3.85	-8.783	-0.0046	-2.5 to 2.5	Pass
				50	3.85	-4.106	-0.0022	-2.5 to 2.5	Pass

## 2.5 B2\_15MHz

### 2.5.1 Test Result

Band: 2 / Bandwidth: 15MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1857.5	75	0	20	3.27	-6.752	-0.0036	-2.5 to 2.5	Pass	
					3.85	-3.018	-0.0016	-2.5 to 2.5	Pass	
					4.43	-6.881	-0.0037	-2.5 to 2.5	Pass	
				-30	3.85	-5.922	-0.0032	-2.5 to 2.5	Pass	
					-20	3.85	-3.948	-0.0021	-2.5 to 2.5	Pass
						3.85	-4.349	-0.0023	-2.5 to 2.5	Pass
				0	3.85	-2.246	-0.0012	-2.5 to 2.5	Pass	
					10	3.85	-0.801	-0.0004	-2.5 to 2.5	Pass
				30	3.85	-3.762	-0.0020	-2.5 to 2.5	Pass	
	40	3.85	-3.319		-0.0018	-2.5 to 2.5	Pass			
	50	3.85	-4.935	-0.0027	-2.5 to 2.5	Pass				
	1880	75	0	20	3.27	1.831	0.0010	-2.5 to 2.5	Pass	
					3.85	-4.721	-0.0025	-2.5 to 2.5	Pass	
					4.43	-3.061	-0.0016	-2.5 to 2.5	Pass	
				-30	3.85	-0.973	-0.0005	-2.5 to 2.5	Pass	
					-20	3.85	-7.968	-0.0042	-2.5 to 2.5	Pass
						3.85	-4.978	-0.0026	-2.5 to 2.5	Pass
				0	3.85	-8.168	-0.0043	-2.5 to 2.5	Pass	
					10	3.85	-3.047	-0.0016	-2.5 to 2.5	Pass
				30	3.85	-6.766	-0.0036	-2.5 to 2.5	Pass	
	40	3.85	-2.689		-0.0014	-2.5 to 2.5	Pass			
	50	3.85	-6.323	-0.0034	-2.5 to 2.5	Pass				
	1902.5	75	0	20	3.27	-4.091	-0.0022	-2.5 to 2.5	Pass	
					3.85	-5.536	-0.0029	-2.5 to 2.5	Pass	
					4.43	-3.190	-0.0017	-2.5 to 2.5	Pass	
				-30	3.85	-4.492	-0.0024	-2.5 to 2.5	Pass	
					-20	3.85	-2.847	-0.0015	-2.5 to 2.5	Pass
3.85						-3.362	-0.0018	-2.5 to 2.5	Pass	
-10				3.85	0.472	0.0002	-2.5 to 2.5	Pass		
				10	3.85	-8.411	-0.0044	-2.5 to 2.5	Pass	
30				3.85	-6.094	-0.0032	-2.5 to 2.5	Pass		
	40	3.85	-6.237	-0.0033	-2.5 to 2.5	Pass				
50	3.85	-3.905	-0.0021	-2.5 to 2.5	Pass					
16QAM	1857.5	75	0	20	3.27	-5.708	-0.0031	-2.5 to 2.5	Pass	
					3.85	-3.390	-0.0018	-2.5 to 2.5	Pass	
					4.43	-7.782	-0.0042	-2.5 to 2.5	Pass	
				-30	3.85	-9.127	-0.0049	-2.5 to 2.5	Pass	
					-20	3.85	-7.968	-0.0043	-2.5 to 2.5	Pass
						3.85	-6.638	-0.0036	-2.5 to 2.5	Pass
				-10	3.85	-5.808	-0.0031	-2.5 to 2.5	Pass	
					10	3.85	-0.529	-0.0003	-2.5 to 2.5	Pass
				30	3.85	-3.877	-0.0021	-2.5 to 2.5	Pass	
	40	3.85	1.101		0.0006	-2.5 to 2.5	Pass			
	50	3.85	-1.602	-0.0009	-2.5 to 2.5	Pass				
	1880	75	0	20	3.27	-4.349	-0.0023	-2.5 to 2.5	Pass	

					3.85	-1.645	-0.0009	-2.5 to 2.5	Pass	
					4.43	-3.362	-0.0018	-2.5 to 2.5	Pass	
				-30	3.85	0.429	0.0002	-2.5 to 2.5	Pass	
				-20	3.85	-2.990	-0.0016	-2.5 to 2.5	Pass	
				-10	3.85	-7.911	-0.0042	-2.5 to 2.5	Pass	
				0	3.85	-6.552	-0.0035	-2.5 to 2.5	Pass	
				10	3.85	-2.575	-0.0014	-2.5 to 2.5	Pass	
				30	3.85	-3.533	-0.0019	-2.5 to 2.5	Pass	
				40	3.85	-1.945	-0.0010	-2.5 to 2.5	Pass	
	50	3.85	-0.315	-0.0002	-2.5 to 2.5	Pass				
	1902.5	75	0	20		3.27	-5.579	-0.0029	-2.5 to 2.5	Pass
						3.85	-5.980	-0.0031	-2.5 to 2.5	Pass
						4.43	-3.662	-0.0019	-2.5 to 2.5	Pass
				-30	3.85	-4.106	-0.0022	-2.5 to 2.5	Pass	
				-20	3.85	-5.693	-0.0030	-2.5 to 2.5	Pass	
				-10	3.85	-2.117	-0.0011	-2.5 to 2.5	Pass	
				0	3.85	-2.904	-0.0015	-2.5 to 2.5	Pass	
				10	3.85	-5.264	-0.0028	-2.5 to 2.5	Pass	
				30	3.85	-4.506	-0.0024	-2.5 to 2.5	Pass	
40				3.85	-9.198	-0.0048	-2.5 to 2.5	Pass		
50	3.85	-5.894	-0.0031	-2.5 to 2.5	Pass					

## 2.6 B2\_20MHz

### 2.6.1 Test Result

Band: 2 / Bandwidth: 20MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1860	100	0	20		3.27	-1.760	-0.0009	-2.5 to 2.5	Pass
						3.85	-1.817	-0.0010	-2.5 to 2.5	Pass
						4.43	-1.502	-0.0008	-2.5 to 2.5	Pass
				-30	3.85	-4.649	-0.0025	-2.5 to 2.5	Pass	
				-20	3.85	-1.631	-0.0009	-2.5 to 2.5	Pass	
				-10	3.85	-1.717	-0.0009	-2.5 to 2.5	Pass	
				0	3.85	-6.452	-0.0035	-2.5 to 2.5	Pass	
				10	3.85	-3.934	-0.0021	-2.5 to 2.5	Pass	
				30	3.85	-6.037	-0.0032	-2.5 to 2.5	Pass	
				40	3.85	-6.723	-0.0036	-2.5 to 2.5	Pass	
	50	3.85	-3.691	-0.0020	-2.5 to 2.5	Pass				
	1880	100	0	20		3.27	-7.524	-0.0040	-2.5 to 2.5	Pass
						3.85	-4.592	-0.0024	-2.5 to 2.5	Pass
						4.43	-8.068	-0.0043	-2.5 to 2.5	Pass
				-30	3.85	-12.474	-0.0066	-2.5 to 2.5	Pass	
				-20	3.85	-6.709	-0.0036	-2.5 to 2.5	Pass	
				-10	3.85	-3.519	-0.0019	-2.5 to 2.5	Pass	
				0	3.85	-5.422	-0.0029	-2.5 to 2.5	Pass	
				10	3.85	-1.059	-0.0006	-2.5 to 2.5	Pass	
				30	3.85	-8.125	-0.0043	-2.5 to 2.5	Pass	
				40	3.85	-4.106	-0.0022	-2.5 to 2.5	Pass	
	50	3.85	-0.186	-0.0001	-2.5 to 2.5	Pass				
	1900	100	0	20		3.27	-4.563	-0.0024	-2.5 to 2.5	Pass
						3.85	-8.454	-0.0044	-2.5 to 2.5	Pass
						4.43	-8.812	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-3.462	-0.0018	-2.5 to 2.5	Pass	

				-20	3.85	-7.267	-0.0038	-2.5 to 2.5	Pass
				-10	3.85	-5.450	-0.0029	-2.5 to 2.5	Pass
				0	3.85	-9.999	-0.0053	-2.5 to 2.5	Pass
				10	3.85	-5.808	-0.0031	-2.5 to 2.5	Pass
				30	3.85	-9.112	-0.0048	-2.5 to 2.5	Pass
				40	3.85	-4.764	-0.0025	-2.5 to 2.5	Pass
				50	3.85	-7.868	-0.0041	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	-6.151	-0.0033	-2.5 to 2.5	Pass
					3.85	-2.732	-0.0015	-2.5 to 2.5	Pass
					4.43	-4.492	-0.0024	-2.5 to 2.5	Pass
				-30	3.85	-7.167	-0.0039	-2.5 to 2.5	Pass
				-20	3.85	-6.080	-0.0033	-2.5 to 2.5	Pass
				-10	3.85	-3.619	-0.0019	-2.5 to 2.5	Pass
				0	3.85	-3.648	-0.0020	-2.5 to 2.5	Pass
				10	3.85	-8.640	-0.0046	-2.5 to 2.5	Pass
				30	3.85	-9.899	-0.0053	-2.5 to 2.5	Pass
				40	3.85	-7.410	-0.0040	-2.5 to 2.5	Pass
	50	3.85	-10.729	-0.0058	-2.5 to 2.5	Pass			
	1880	100	0	20	3.27	-11.387	-0.0061	-2.5 to 2.5	Pass
					3.85	-8.011	-0.0043	-2.5 to 2.5	Pass
					4.43	-2.747	-0.0015	-2.5 to 2.5	Pass
				-30	3.85	-12.360	-0.0066	-2.5 to 2.5	Pass
				-20	3.85	-10.328	-0.0055	-2.5 to 2.5	Pass
				-10	3.85	-8.941	-0.0048	-2.5 to 2.5	Pass
				0	3.85	-3.591	-0.0019	-2.5 to 2.5	Pass
				10	3.85	-8.912	-0.0047	-2.5 to 2.5	Pass
				30	3.85	-2.847	-0.0015	-2.5 to 2.5	Pass
				40	3.85	-9.198	-0.0049	-2.5 to 2.5	Pass
	50	3.85	0.272	0.0001	-2.5 to 2.5	Pass			
	1900	100	0	20	3.27	-7.339	-0.0039	-2.5 to 2.5	Pass
					3.85	-10.672	-0.0056	-2.5 to 2.5	Pass
					4.43	-5.894	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	-3.805	-0.0020	-2.5 to 2.5	Pass
				-20	3.85	-4.063	-0.0021	-2.5 to 2.5	Pass
				-10	3.85	-2.789	-0.0015	-2.5 to 2.5	Pass
				0	3.85	-1.216	-0.0006	-2.5 to 2.5	Pass
				10	3.85	-4.706	-0.0025	-2.5 to 2.5	Pass
30				3.85	-2.890	-0.0015	-2.5 to 2.5	Pass	
40				3.85	-2.460	-0.0013	-2.5 to 2.5	Pass	
50	3.85	-1.674	-0.0009	-2.5 to 2.5	Pass				


### 3. Modulation Characteristics

#### 3.1 B2\_1.4MHz

##### 3.1.1 Test Result

Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	6	0	Refer To Test Graph		Pass
16QAM	1880	6	0	Refer To Test Graph		Pass

### 3.1.2 Test Graph




## 3.2 B2\_3MHz

### 3.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	15	0	Refer To Test Graph		Pass
16QAM	1880	15	0	Refer To Test Graph		Pass



### 3.2.2 Test Graph




### 3.3 B2\_5MHz

#### 3.3.1 Test Result

Band: 2 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	25	0	Refer To Test Graph		Pass
16QAM	1880	25	0	Refer To Test Graph		Pass

### 3.3.2 Test Graph




### 3.4 B2\_10MHz

#### 3.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

### 3.4.2 Test Graph




### 3.5 B2\_15MHz

#### 3.5.1 Test Result

Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass

### 3.5.2 Test Graph




### 3.6 B2\_20MHz

#### 3.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass



### 3.6.2 Test Graph



## 4. 99% & 26dB Bandwidth


### 4.1 Band2\_OBW

#### 4.1.1 Test Result


Band: 2 / NTNV						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	1850.7	6	0	1.115	Pass
		1880	6	0	1.117	Pass
		1909.3	6	0	1.081	Pass
	16QAM	1850.7	6	0	1.104	Pass
		1880	6	0	1.111	Pass
		1909.3	6	0	1.111	Pass
3	QPSK	1851.5	15	0	2.758	Pass
		1880	15	0	2.761	Pass
		1908.5	15	0	2.756	Pass
	16QAM	1851.5	15	0	2.762	Pass
		1880	15	0	2.754	Pass
		1908.5	15	0	2.764	Pass
5	QPSK	1852.5	25	0	4.562	Pass
		1880	25	0	4.560	Pass
		1907.5	25	0	4.542	Pass
	16QAM	1852.5	25	0	4.527	Pass
		1880	25	0	4.560	Pass
		1907.5	25	0	4.572	Pass
10	QPSK	1855	50	0	9.081	Pass
		1880	50	0	9.043	Pass
		1905	50	0	9.070	Pass
	16QAM	1855	50	0	9.031	Pass
		1880	50	0	9.074	Pass
		1905	50	0	9.037	Pass
15	QPSK	1857.5	75	0	13.606	Pass
		1880	75	0	13.552	Pass
		1902.5	75	0	13.582	Pass
	16QAM	1857.5	75	0	13.623	Pass
		1880	75	0	13.598	Pass
		1902.5	75	0	13.530	Pass
20	QPSK	1860	100	0	18.183	Pass
		1880	100	0	18.106	Pass
		1900	100	0	18.124	Pass
	16QAM	1860	100	0	18.202	Pass
		1880	100	0	18.082	Pass
		1900	100	0	18.112	Pass

#### 4.1.2 Test Graph


Band2_1.4MHz_QPSK_LCH_1850.7MHz_RB_6_0_NTNV
---




Band2\_1.4MHz\_QPSK\_MCH\_1880MHz\_RB\_6\_0\_NTNV




Band2\_1.4MHz\_QPSK\_HCH\_1909.3MHz\_RB\_6\_0\_NTNV




Band2\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV




Band2\_1.4MHz\_16QAM\_MCH\_1880MHz\_RB\_6\_0\_NTNV




Band2\_1.4MHz\_16QAM\_HCH\_1909.3MHz\_RB\_6\_0\_NTNV




Band2\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV




Band2\_3MHz\_QPSK\_MCH\_1880MHz\_RB\_15\_0\_NTNV




Band2\_3MHz\_QPSK\_HCH\_1908.5MHz\_RB\_15\_0\_NTNV




Band2\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV



Band2\_3MHz\_16QAM\_MCH\_1880MHz\_RB\_15\_0\_NTNV




Band2\_3MHz\_16QAM\_HCH\_1908.5MHz\_RB\_15\_0\_NTNV




Band2\_5MHz\_QPSK\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV







Band2\_5MHz\_QPSK\_MCH\_1880MHz\_RB\_25\_0\_NTNV




Band2\_5MHz\_QPSK\_HCH\_1907.5MHz\_RB\_25\_0\_NTNV




Band2\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Band2\_5MHz\_16QAM\_MCH\_1880MHz\_RB\_25\_0\_NTNV




Band2\_5MHz\_16QAM\_HCH\_1907.5MHz\_RB\_25\_0\_NTNV




Band2\_10MHz\_QPSK\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Band2\_10MHz\_QPSK\_MCH\_1880MHz\_RB\_50\_0\_NTNV




Band2\_10MHz\_QPSK\_HCH\_1905MHz\_RB\_50\_0\_NTNV




Band2\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Band2\_10MHz\_16QAM\_MCH\_1880MHz\_RB\_50\_0\_NTNV




Band2\_10MHz\_16QAM\_HCH\_1905MHz\_RB\_50\_0\_NTNV




Band2\_15MHz\_QPSK\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Band2\_15MHz\_QPSK\_MCH\_1880MHz\_RB\_75\_0\_NTNV



Band2\_15MHz\_QPSK\_HCH\_1902.5MHz\_RB\_75\_0\_NTNV




Band2\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Band2\_15MHz\_16QAM\_MCH\_1880MHz\_RB\_75\_0\_NTNV







Band2\_15MHz\_16QAM\_HCH\_1902.5MHz\_RB\_75\_0\_NTNV




Band2\_20MHz\_QPSK\_LCH\_1860MHz\_RB\_100\_0\_NTNV




Band2\_20MHz\_QPSK\_MCH\_1880MHz\_RB\_100\_0\_NTNV




Band2\_20MHz\_QPSK\_HCH\_1900MHz\_RB\_100\_0\_NTNV




Band2\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_100\_0\_NTNV



Band2\_20MHz\_16QAM\_MCH\_1880MHz\_RB\_100\_0\_NTNV



Band2\_20MHz\_16QAM\_HCH\_1900MHz\_RB\_100\_0\_NTNV




4.2 Band2\_XDB

#### 4.2.1 Test Result


Band: 2 / NTVN						
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)	Verdict
			Size	Offset	Result	
1.4	QPSK	1850.7	6	0	1.275	Pass
		1880	6	0	1.276	Pass
		1909.3	6	0	1.241	Pass
	16QAM	1850.7	6	0	1.272	Pass
		1880	6	0	1.270	Pass
		1909.3	6	0	1.271	Pass
3	QPSK	1851.5	15	0	3.107	Pass
		1880	15	0	3.099	Pass
		1908.5	15	0	3.098	Pass
	16QAM	1851.5	15	0	3.115	Pass
		1880	15	0	3.096	Pass
		1908.5	15	0	3.134	Pass
5	QPSK	1852.5	25	0	5.044	Pass
		1880	25	0	5.047	Pass
		1907.5	25	0	5.045	Pass
	16QAM	1852.5	25	0	5.036	Pass
		1880	25	0	5.076	Pass
		1907.5	25	0	5.063	Pass
10	QPSK	1855	50	0	10.047	Pass
		1880	50	0	9.995	Pass
		1905	50	0	10.013	Pass
	16QAM	1855	50	0	10.048	Pass
		1880	50	0	10.055	Pass
		1905	50	0	10.043	Pass
15	QPSK	1857.5	75	0	15.095	Pass
		1880	75	0	15.055	Pass
		1902.5	75	0	15.143	Pass
	16QAM	1857.5	75	0	15.121	Pass
		1880	75	0	15.191	Pass
		1902.5	75	0	14.751	Pass
20	QPSK	1860	100	0	19.940	Pass
		1880	100	0	19.945	Pass
		1900	100	0	19.993	Pass
	16QAM	1860	100	0	20.051	Pass
		1880	100	0	19.888	Pass
		1900	100	0	20.003	Pass

#### 4.2.2 Test Graph


Band2\_1.4MHz\_QPSK\_LCH\_1850.7MHz\_RB\_6\_0\_NTVN




Band2\_1.4MHz\_QPSK\_MCH\_1880MHz\_RB\_6\_0\_NTNV




Band2\_1.4MHz\_QPSK\_HCH\_1909.3MHz\_RB\_6\_0\_NTNV




Band2\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV



Band2\_1.4MHz\_16QAM\_MCH\_1880MHz\_RB\_6\_0\_NTNV




Band2\_1.4MHz\_16QAM\_HCH\_1909.3MHz\_RB\_6\_0\_NTNV




Band2\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV







Band2\_3MHz\_QPSK\_MCH\_1880MHz\_RB\_15\_0\_NTNV




Band2\_3MHz\_QPSK\_HCH\_1908.5MHz\_RB\_15\_0\_NTNV




Band2\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV




Band2\_3MHz\_16QAM\_MCH\_1880MHz\_RB\_15\_0\_NTNV




Band2\_3MHz\_16QAM\_HCH\_1908.5MHz\_RB\_15\_0\_NTNV




Band2\_5MHz\_QPSK\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Band2\_5MHz\_QPSK\_MCH\_1880MHz\_RB\_25\_0\_NTNV




Band2\_5MHz\_QPSK\_HCH\_1907.5MHz\_RB\_25\_0\_NTNV




Band2\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Band2\_5MHz\_16QAM\_MCH\_1880MHz\_RB\_25\_0\_NTNV




Band2\_5MHz\_16QAM\_HCH\_1907.5MHz\_RB\_25\_0\_NTNV




Band2\_10MHz\_QPSK\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Band2\_10MHz\_QPSK\_MCH\_1880MHz\_RB\_50\_0\_NTNV



Band2\_10MHz\_QPSK\_HCH\_1905MHz\_RB\_50\_0\_NTNV




Band2\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Band2\_10MHz\_16QAM\_MCH\_1880MHz\_RB\_50\_0\_NTNV







Band2\_10MHz\_16QAM\_HCH\_1905MHz\_RB\_50\_0\_NTNV




Band2\_15MHz\_QPSK\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Band2\_15MHz\_QPSK\_MCH\_1880MHz\_RB\_75\_0\_NTNV




Band2\_15MHz\_QPSK\_HCH\_1902.5MHz\_RB\_75\_0\_NTNV




Band2\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Band2\_15MHz\_16QAM\_MCH\_1880MHz\_RB\_75\_0\_NTNV




Band2\_15MHz\_16QAM\_HCH\_1902.5MHz\_RB\_75\_0\_NTNV




Band2\_20MHz\_QPSK\_LCH\_1860MHz\_RB\_100\_0\_NTNV




Band2\_20MHz\_QPSK\_MCH\_1880MHz\_RB\_100\_0\_NTNV




Band2\_20MHz\_QPSK\_HCH\_1900MHz\_RB\_100\_0\_NTNV




Band2\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_100\_0\_NTNV



Band2\_20MHz\_16QAM\_MCH\_1880MHz\_RB\_100\_0\_NTNV



Band2\_20MHz\_16QAM\_HCH\_1900MHz\_RB\_100\_0\_NTNV



## 5. Peak-Average Ratio


### 5.1 B2\_1.4MHz

#### 5.1.1 Test Result


Band: 2 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	4.60	<=13	Pass
	1880	6	0	4.11	<=13	Pass
	1909.3	6	0	4.54	<=13	Pass
16QAM	1850.7	6	0	5.42	<=13	Pass
	1880	6	0	4.99	<=13	Pass
	1909.3	6	0	5.41	<=13	Pass




### 5.1.2 Test Graph




Band2\_1.4MHz\_QPSK\_HCH\_1909.3MHz\_RB\_6\_0\_NTNV




Band2\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV



Band2\_1.4MHz\_16QAM\_MCH\_1880MHz\_RB\_6\_0\_NTNV



Band2\_1.4MHz\_16QAM\_HCH\_1909.3MHz\_RB\_6\_0\_NTNV




## 5.2 B2\_3MHz


### 5.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	4.77	<=13	Pass
	1880	15	0	4.21	<=13	Pass
	1908.5	15	0	4.44	<=13	Pass
16QAM	1851.5	15	0	5.59	<=13	Pass
	1880	15	0	5.09	<=13	Pass
	1908.5	15	0	5.28	<=13	Pass


### 5.2.2 Test Graph




Band2\_3MHz\_QPSK\_HCH\_1908.5MHz\_RB\_15\_0\_NTNV




Band2\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV



Band2\_3MHz\_16QAM\_MCH\_1880MHz\_RB\_15\_0\_NTNV



Band2\_3MHz\_16QAM\_HCH\_1908.5MHz\_RB\_15\_0\_NTNV




## 5.3 B2\_5MHz

### 5.3.1 Test Result


Band: 2 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.17	<=13	Pass
	1880	25	0	4.77	<=13	Pass
	1907.5	25	0	4.74	<=13	Pass
16QAM	1852.5	25	0	5.88	<=13	Pass
	1880	25	0	5.47	<=13	Pass
	1907.5	25	0	5.43	<=13	Pass




### 5.3.2 Test Graph




Band2\_5MHz\_QPSK\_HCH\_1907.5MHz\_RB\_25\_0\_NTNV




Band2\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV



Band2\_5MHz\_16QAM\_MCH\_1880MHz\_RB\_25\_0\_NTNV



Band2\_5MHz\_16QAM\_HCH\_1907.5MHz\_RB\_25\_0\_NTNV




## 5.4 B2\_10MHz


### 5.4.1 Test Result

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.41	<=13	Pass
	1880	50	0	4.83	<=13	Pass
	1905	50	0	4.86	<=13	Pass
16QAM	1855	50	0	6.16	<=13	Pass
	1880	50	0	5.57	<=13	Pass
	1905	50	0	5.56	<=13	Pass


### 5.4.2 Test Graph




Band2\_10MHz\_QPSK\_HCH\_1905MHz\_RB\_50\_0\_NTNV




Band2\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_50\_0\_NTNV



Band2\_10MHz\_16QAM\_MCH\_1880MHz\_RB\_50\_0\_NTNV



Band2\_10MHz\_16QAM\_HCH\_1905MHz\_RB\_50\_0\_NTNV




## 5.5 B2\_15MHz

### 5.5.1 Test Result


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.39	<=13	Pass
	1880	75	0	5.01	<=13	Pass
	1902.5	75	0	5.26	<=13	Pass
16QAM	1857.5	75	0	6.16	<=13	Pass
	1880	75	0	5.80	<=13	Pass
	1902.5	75	0	5.95	<=13	Pass




### 5.5.2 Test Graph




Band2\_15MHz\_QPSK\_HCH\_1902.5MHz\_RB\_75\_0\_NTNV




Band2\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV



Band2\_15MHz\_16QAM\_MCH\_1880MHz\_RB\_75\_0\_NTNV



Band2\_15MHz\_16QAM\_HCH\_1902.5MHz\_RB\_75\_0\_NTNV




## 5.6 B2\_20MHz


### 5.6.1 Test Result

Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.65	<=13	Pass
	1880	100	0	5.17	<=13	Pass
	1900	100	0	5.51	<=13	Pass
16QAM	1860	100	0	6.36	<=13	Pass
	1880	100	0	5.89	<=13	Pass
	1900	100	0	6.21	<=13	Pass


### 5.6.2 Test Graph




Band2\_20MHz\_QPSK\_HCH\_1900MHz\_RB\_100\_0\_NTNV




Band2\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_100\_0\_NTNV



Band2\_20MHz\_16QAM\_MCH\_1880MHz\_RB\_100\_0\_NTNV



Band2\_20MHz\_16QAM\_HCH\_1900MHz\_RB\_100\_0\_NTNV



## 6. Spurious Emission



### 6.1 B2\_1.4MHz

#### 6.1.1 Test Result


Band: 2 / Bandwidth: 1.4MHz / NTNV							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	1850.7	1	0	Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass	
	1880	1	0	Refer To Test Graph		Pass	
		1909.3	1	0	Refer To Test Graph		Pass
				5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass	
16QAM	1850.7	1	0	Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass	
	1880	1	0	Refer To Test Graph		Pass	
		1909.3	1	0	Refer To Test Graph		Pass
				5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass	




### 6.1.2 Test Graph




Band2\_1.4MHz\_QPSK\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_QPSK\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_QPSK\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_QPSK\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_QPSK\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV




Band2\_1.4MHz\_QPSK\_MCH\_1880MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_QPSK\_MCH\_1880MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_QPSK\_MCH\_1880MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_QPSK\_MCH\_1880MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_QPSK\_MCH\_1880MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_QPSK\_HCH\_1909.3MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_QPSK\_HCH\_1909.3MHz\_RB\_1\_0\_NTNV



Band2\_1.4MHz\_QPSK\_HCH\_1909.3MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_QPSK\_HCH\_1909.3MHz\_RB\_1\_0\_NTNV






Band2\_1.4MHz\_QPSK\_HCH\_1909.3MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_QPSK\_HCH\_1909.3MHz\_RB\_1\_5\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1908.5	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.006	-31.53	-13	Pass
1911	1911.5	1	/	2	1911.136	-61.59	-13	Pass


Band2\_1.4MHz\_QPSK\_HCH\_1909.3MHz\_RB\_6\_0\_NTV




Band2\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_1\_0\_NTV




Band2\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV



Band2\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.908	-47.71	-13	Pass
1849	1850	0.013	/	2	1850.000	-32.88	-13	Pass
1850	1851.5	0.013	/	/	/	/	/	/


Band2\_1.4MHz\_16QAM\_MCH\_1880MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_16QAM\_MCH\_1880MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_16QAM\_MCH\_1880MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_16QAM\_MCH\_1880MHz\_RB\_1\_0\_NTNV



Band2\_1.4MHz\_16QAM\_MCH\_1880MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_16QAM\_HCH\_1909.3MHz\_RB\_1\_0\_NTNV







Band2\_1.4MHz\_16QAM\_HCH\_1909.3MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_16QAM\_HCH\_1909.3MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_16QAM\_HCH\_1909.3MHz\_RB\_1\_0\_NTNV




Band2\_1.4MHz\_16QAM\_HCH\_1909.3MHz\_RB\_1\_0\_NTNV



Band2\_1.4MHz\_16QAM\_HCH\_1909.3MHz\_RB\_1\_5\_NTNV



Band2\_1.4MHz\_16QAM\_HCH\_1909.3MHz\_RB\_6\_0\_NTNV





## 6.2 B2\_3MHz


### 6.2.1 Test Result

Band: 2 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	1880	1	0	Refer To Test Graph		Pass
	1908.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass


### 6.2.2 Test Graph




Band2\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV




Band2\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV




Band2\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV




Band2\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV



Band2\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV




Band2\_3MHz\_QPSK\_MCH\_1880MHz\_RB\_1\_0\_NTNV







Band2\_3MHz\_QPSK\_MCH\_1880MHz\_RB\_1\_0\_NTNV




Band2\_3MHz\_QPSK\_MCH\_1880MHz\_RB\_1\_0\_NTNV




Band2\_3MHz\_QPSK\_MCH\_1880MHz\_RB\_1\_0\_NTNV




Band2\_3MHz\_QPSK\_MCH\_1880MHz\_RB\_1\_0\_NTNV




Band2\_3MHz\_QPSK\_HCH\_1908.5MHz\_RB\_1\_0\_NTNV




Band2\_3MHz\_QPSK\_HCH\_1908.5MHz\_RB\_1\_0\_NTNV




Band2\_3MHz\_QPSK\_HCH\_1908.5MHz\_RB\_1\_0\_NTNV




Band2\_3MHz\_QPSK\_HCH\_1908.5MHz\_RB\_1\_0\_NTNV



Band2\_3MHz\_QPSK\_HCH\_1908.5MHz\_RB\_1\_0\_NTNV




Band2\_3MHz\_QPSK\_HCH\_1908.5MHz\_RB\_1\_14\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.003	/	1	1910.000	-30.57	-13	Pass
1910	1911	0.003	CHP	2	1911.001	-29.36	-13	Pass

Band2\_3MHz\_QPSK\_HCH\_1908.5MHz\_RB\_15\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1907	1910	0.03	/	/	/	/	/	/
1910	1911	0.03	/	1	1910.018	-29.75	-13	Pass
1911	1913	1	CHP	2	1911.002	-20.41	-13	Pass

Band2\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.498	-33.54	-13	Pass
1849	1850	0.003	/	2	1850.000	-31.89	-13	Pass
1850	1853	0.003	/	/	/	/	/	/


Band2\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV



Band2\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV



Band2\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV



Band2\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV

