

## 1. Effective (Isotropic) Radiated Power Output Data

### 1.1 Test Result

#### 1.1.1 B26a\_1.4MHz\_ERP

| Band: 26a / Bandwidth: 1.4MHz / NTNV |                 |               |        |                       |            |           |         |         |
|--------------------------------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
| Modulation                           | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|                                      |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK                                 | 814.7           | 1             | 0      | 21.77                 | -1.56      | 18.06     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 21.71                 | -1.56      | 18.00     | <=38.45 | Pass    |
|                                      |                 |               | 5      | 21.85                 | -1.56      | 18.14     | <=38.45 | Pass    |
|                                      |                 | 3             | 0      | 21.81                 | -1.56      | 18.10     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 21.70                 | -1.56      | 17.99     | <=38.45 | Pass    |
|                                      |                 |               | 3      | 21.75                 | -1.56      | 18.04     | <=38.45 | Pass    |
|                                      |                 | 6             | 0      | 20.73                 | -1.56      | 17.02     | <=38.45 | Pass    |
|                                      | 819             | 1             | 0      | 21.62                 | -1.56      | 17.91     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 21.69                 | -1.56      | 17.98     | <=38.45 | Pass    |
|                                      |                 |               | 5      | 21.73                 | -1.56      | 18.02     | <=38.45 | Pass    |
|                                      |                 | 3             | 0      | 21.70                 | -1.56      | 17.99     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 21.60                 | -1.56      | 17.89     | <=38.45 | Pass    |
|                                      |                 |               | 3      | 21.63                 | -1.56      | 17.92     | <=38.45 | Pass    |
|                                      |                 | 6             | 0      | 20.65                 | -1.56      | 16.94     | <=38.45 | Pass    |
|                                      | 823.3           | 1             | 0      | 21.57                 | -1.56      | 17.86     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 21.72                 | -1.56      | 18.01     | <=38.45 | Pass    |
|                                      |                 |               | 5      | 21.60                 | -1.56      | 17.89     | <=38.45 | Pass    |
|                                      |                 | 3             | 0      | 21.72                 | -1.56      | 18.01     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 21.59                 | -1.56      | 17.88     | <=38.45 | Pass    |
|                                      |                 |               | 3      | 21.59                 | -1.56      | 17.88     | <=38.45 | Pass    |
|                                      |                 | 6             | 0      | 20.70                 | -1.56      | 16.99     | <=38.45 | Pass    |
| 16QAM                                | 814.7           | 1             | 0      | 21.20                 | -1.56      | 17.49     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 20.56                 | -1.56      | 16.85     | <=38.45 | Pass    |
|                                      |                 |               | 5      | 20.59                 | -1.56      | 16.88     | <=38.45 | Pass    |
|                                      |                 | 3             | 0      | 20.88                 | -1.56      | 17.17     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 20.66                 | -1.56      | 16.95     | <=38.45 | Pass    |
|                                      |                 |               | 3      | 20.87                 | -1.56      | 17.16     | <=38.45 | Pass    |
|                                      |                 | 6             | 0      | 19.84                 | -1.56      | 16.13     | <=38.45 | Pass    |
|                                      | 819             | 1             | 0      | 21.14                 | -1.56      | 17.43     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 20.52                 | -1.56      | 16.81     | <=38.45 | Pass    |
|                                      |                 |               | 5      | 21.13                 | -1.56      | 17.42     | <=38.45 | Pass    |
|                                      |                 | 3             | 0      | 20.55                 | -1.56      | 16.84     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 20.80                 | -1.56      | 17.09     | <=38.45 | Pass    |
|                                      |                 |               | 3      | 20.61                 | -1.56      | 16.90     | <=38.45 | Pass    |
|                                      |                 | 6             | 0      | 19.72                 | -1.56      | 16.01     | <=38.45 | Pass    |
|                                      | 823.3           | 1             | 0      | 20.78                 | -1.56      | 17.07     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 20.20                 | -1.56      | 16.49     | <=38.45 | Pass    |
|                                      |                 |               | 5      | 21.24                 | -1.56      | 17.53     | <=38.45 | Pass    |
|                                      |                 | 3             | 0      | 20.70                 | -1.56      | 16.99     | <=38.45 | Pass    |
|                                      |                 |               | 2      | 20.79                 | -1.56      | 17.08     | <=38.45 | Pass    |
|                                      |                 |               | 3      | 20.85                 | -1.56      | 17.14     | <=38.45 | Pass    |
|                                      |                 | 6             | 0      | 19.76                 | -1.56      | 16.05     | <=38.45 | Pass    |

Note1: ERP=Conducted Power+Antenna Gain-2.15

#### 1.1.2 B26a\_3MHz\_ERP

| Band: 26a / Bandwidth: 3MHz / NTNV |  |  |  |  |  |  |  |  |
|------------------------------------|--|--|--|--|--|--|--|--|
|------------------------------------|--|--|--|--|--|--|--|--|

| Modulation | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
|            |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK       | 815.5           | 1             | 0      | 21.87                 | -1.56      | 18.16     | <=38.45 | Pass    |
|            |                 |               | 7      | 21.71                 | -1.56      | 18.00     | <=38.45 | Pass    |
|            |                 |               | 14     | 21.72                 | -1.56      | 18.01     | <=38.45 | Pass    |
|            |                 | 8             | 0      | 20.68                 | -1.56      | 16.97     | <=38.45 | Pass    |
|            |                 |               | 4      | 20.77                 | -1.56      | 17.06     | <=38.45 | Pass    |
|            |                 |               | 7      | 20.70                 | -1.56      | 16.99     | <=38.45 | Pass    |
|            |                 | 15            | 0      | 20.70                 | -1.56      | 16.99     | <=38.45 | Pass    |
|            | 819             | 1             | 0      | 21.65                 | -1.56      | 17.94     | <=38.45 | Pass    |
|            |                 |               | 7      | 21.74                 | -1.56      | 18.03     | <=38.45 | Pass    |
|            |                 |               | 14     | 21.71                 | -1.56      | 18.00     | <=38.45 | Pass    |
|            |                 | 8             | 0      | 20.70                 | -1.56      | 16.99     | <=38.45 | Pass    |
|            |                 |               | 4      | 20.73                 | -1.56      | 17.02     | <=38.45 | Pass    |
|            |                 |               | 7      | 20.64                 | -1.56      | 16.93     | <=38.45 | Pass    |
|            |                 | 15            | 0      | 20.69                 | -1.56      | 16.98     | <=38.45 | Pass    |
|            | 822.5           | 1             | 0      | 21.63                 | -1.56      | 17.92     | <=38.45 | Pass    |
|            |                 |               | 7      | 21.73                 | -1.56      | 18.02     | <=38.45 | Pass    |
|            |                 |               | 14     | 21.68                 | -1.56      | 17.97     | <=38.45 | Pass    |
|            |                 | 8             | 0      | 20.59                 | -1.56      | 16.88     | <=38.45 | Pass    |
|            |                 |               | 4      | 20.73                 | -1.56      | 17.02     | <=38.45 | Pass    |
|            |                 |               | 7      | 20.66                 | -1.56      | 16.95     | <=38.45 | Pass    |
|            |                 | 15            | 0      | 20.70                 | -1.56      | 16.99     | <=38.45 | Pass    |
| 16QAM      | 815.5           | 1             | 0      | 21.05                 | -1.56      | 17.34     | <=38.45 | Pass    |
|            |                 |               | 7      | 21.17                 | -1.56      | 17.46     | <=38.45 | Pass    |
|            |                 |               | 14     | 20.51                 | -1.56      | 16.80     | <=38.45 | Pass    |
|            |                 | 8             | 0      | 20.01                 | -1.56      | 16.30     | <=38.45 | Pass    |
|            |                 |               | 4      | 19.80                 | -1.56      | 16.09     | <=38.45 | Pass    |
|            |                 |               | 7      | 19.98                 | -1.56      | 16.27     | <=38.45 | Pass    |
|            |                 | 15            | 0      | 19.78                 | -1.56      | 16.07     | <=38.45 | Pass    |
|            | 819             | 1             | 0      | 20.20                 | -1.56      | 16.49     | <=38.45 | Pass    |
|            |                 |               | 7      | 21.05                 | -1.56      | 17.34     | <=38.45 | Pass    |
|            |                 |               | 14     | 21.71                 | -1.56      | 18.00     | <=38.45 | Pass    |
|            |                 | 8             | 0      | 19.92                 | -1.56      | 16.21     | <=38.45 | Pass    |
|            |                 |               | 4      | 19.92                 | -1.56      | 16.21     | <=38.45 | Pass    |
|            |                 |               | 7      | 19.81                 | -1.56      | 16.10     | <=38.45 | Pass    |
|            |                 | 15            | 0      | 19.76                 | -1.56      | 16.05     | <=38.45 | Pass    |
|            | 822.5           | 1             | 0      | 20.80                 | -1.56      | 17.09     | <=38.45 | Pass    |
|            |                 |               | 7      | 20.44                 | -1.56      | 16.73     | <=38.45 | Pass    |
|            |                 |               | 14     | 21.09                 | -1.56      | 17.38     | <=38.45 | Pass    |
|            |                 | 8             | 0      | 19.79                 | -1.56      | 16.08     | <=38.45 | Pass    |
|            |                 |               | 4      | 19.98                 | -1.56      | 16.27     | <=38.45 | Pass    |
|            |                 |               | 7      | 19.90                 | -1.56      | 16.19     | <=38.45 | Pass    |
|            |                 | 15            | 0      | 19.86                 | -1.56      | 16.15     | <=38.45 | Pass    |

Note1: ERP=Conducted Power+Antenna Gain-2.15

### 1.1.3 B26a\_5MHz\_ERP

| Band: 26a / Bandwidth: 5MHz / NTV |                 |               |        |                       |            |           |         |         |
|-----------------------------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
| Modulation                        | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|                                   |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK                              | 816.5           | 1             | 0      | 21.61                 | -1.56      | 17.90     | <=38.45 | Pass    |
|                                   |                 |               | 13     | 21.52                 | -1.56      | 17.81     | <=38.45 | Pass    |
|                                   |                 |               | 24     | 21.66                 | -1.56      | 17.95     | <=38.45 | Pass    |
|                                   |                 | 12            | 0      | 20.77                 | -1.56      | 17.06     | <=38.45 | Pass    |
|                                   |                 |               | 6      | 20.69                 | -1.56      | 16.98     | <=38.45 | Pass    |
|                                   |                 |               | 13     | 20.55                 | -1.56      | 16.84     | <=38.45 | Pass    |
|                                   |                 |               |        |                       |            |           |         |         |

|       |       |    |    |       |       |       |         |      |
|-------|-------|----|----|-------|-------|-------|---------|------|
| 16QAM | 819   | 25 | 0  | 20.65 | -1.56 | 16.94 | <=38.45 | Pass |
|       |       |    | 0  | 21.57 | -1.56 | 17.86 | <=38.45 | Pass |
|       |       |    | 13 | 21.50 | -1.56 | 17.79 | <=38.45 | Pass |
|       |       |    | 24 | 21.65 | -1.56 | 17.94 | <=38.45 | Pass |
|       |       | 12 | 0  | 20.63 | -1.56 | 16.92 | <=38.45 | Pass |
|       |       |    | 6  | 20.67 | -1.56 | 16.96 | <=38.45 | Pass |
|       |       |    | 13 | 20.71 | -1.56 | 17.00 | <=38.45 | Pass |
|       |       | 25 | 0  | 20.68 | -1.56 | 16.97 | <=38.45 | Pass |
|       | 821.5 | 1  | 0  | 21.63 | -1.56 | 17.92 | <=38.45 | Pass |
|       |       |    | 13 | 21.58 | -1.56 | 17.87 | <=38.45 | Pass |
|       |       |    | 24 | 21.53 | -1.56 | 17.82 | <=38.45 | Pass |
|       |       |    | 0  | 20.77 | -1.56 | 17.06 | <=38.45 | Pass |
|       |       | 12 | 6  | 20.73 | -1.56 | 17.02 | <=38.45 | Pass |
|       |       |    | 13 | 20.75 | -1.56 | 17.04 | <=38.45 | Pass |
|       |       |    | 25 | 20.71 | -1.56 | 17.00 | <=38.45 | Pass |
|       | 816.5 | 1  | 0  | 19.87 | -1.56 | 16.16 | <=38.45 | Pass |
|       |       |    | 13 | 20.61 | -1.56 | 16.90 | <=38.45 | Pass |
|       |       |    | 24 | 20.74 | -1.56 | 17.03 | <=38.45 | Pass |
|       |       |    | 0  | 19.74 | -1.56 | 16.03 | <=38.45 | Pass |
|       |       | 12 | 6  | 19.84 | -1.56 | 16.13 | <=38.45 | Pass |
|       |       |    | 13 | 19.74 | -1.56 | 16.03 | <=38.45 | Pass |
|       |       |    | 25 | 19.83 | -1.56 | 16.12 | <=38.45 | Pass |
|       | 819   | 1  | 0  | 20.72 | -1.56 | 17.01 | <=38.45 | Pass |
|       |       |    | 13 | 19.72 | -1.56 | 16.01 | <=38.45 | Pass |
|       |       |    | 24 | 20.75 | -1.56 | 17.04 | <=38.45 | Pass |
|       |       |    | 0  | 19.83 | -1.56 | 16.12 | <=38.45 | Pass |
|       |       | 12 | 6  | 19.81 | -1.56 | 16.10 | <=38.45 | Pass |
|       |       |    | 13 | 19.76 | -1.56 | 16.05 | <=38.45 | Pass |
|       |       |    | 25 | 19.92 | -1.56 | 16.21 | <=38.45 | Pass |
|       | 821.5 | 1  | 0  | 20.74 | -1.56 | 17.03 | <=38.45 | Pass |
|       |       |    | 13 | 19.70 | -1.56 | 15.99 | <=38.45 | Pass |
|       |       |    | 24 | 20.81 | -1.56 | 17.10 | <=38.45 | Pass |
|       |       |    | 0  | 19.67 | -1.56 | 15.96 | <=38.45 | Pass |
|       |       | 12 | 6  | 19.73 | -1.56 | 16.02 | <=38.45 | Pass |
|       |       |    | 13 | 19.80 | -1.56 | 16.09 | <=38.45 | Pass |
|       |       |    | 25 | 19.87 | -1.56 | 16.16 | <=38.45 | Pass |

Note1: ERP=Conducted Power+Antenna Gain-2.15

#### 1.1.4 B26a\_10MHz\_ERP

| Band: 26a / Bandwidth: 10MHz / NTNV |                 |               |        |                       |            |           |         |         |
|-------------------------------------|-----------------|---------------|--------|-----------------------|------------|-----------|---------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation |        | Conducted Power (dBm) | Gain (dBi) | ERP (dBm) |         | Verdict |
|                                     |                 | Size          | Offset |                       |            | Result    | Limit   |         |
| QPSK                                | 819             | 1             | 0      | 21.77                 | -1.56      | 18.06     | <=38.45 | Pass    |
|                                     |                 |               | 25     | 21.68                 | -1.56      | 17.97     | <=38.45 | Pass    |
|                                     |                 |               | 49     | 21.53                 | -1.56      | 17.82     | <=38.45 | Pass    |
|                                     |                 | 25            | 0      | 20.59                 | -1.56      | 16.88     | <=38.45 | Pass    |
|                                     |                 |               | 13     | 20.68                 | -1.56      | 16.97     | <=38.45 | Pass    |
|                                     |                 |               | 25     | 20.64                 | -1.56      | 16.93     | <=38.45 | Pass    |
|                                     |                 | 50            | 0      | 20.69                 | -1.56      | 16.98     | <=38.45 | Pass    |
|                                     |                 | 16QAM         | 819    | 1                     | 0          | 20.41     | -1.56   | 16.70   |
| 25                                  | 20.83           |               |        |                       | -1.56      | 17.12     | <=38.45 | Pass    |
| 49                                  | 20.77           |               |        |                       | -1.56      | 17.06     | <=38.45 | Pass    |
| 25                                  | 0               |               |        | 19.90                 | -1.56      | 16.19     | <=38.45 | Pass    |
|                                     | 13              |               |        | 19.81                 | -1.56      | 16.10     | <=38.45 | Pass    |
|                                     | 25              |               |        | 19.87                 | -1.56      | 16.16     | <=38.45 | Pass    |
| 50                                  | 0               |               |        | 19.78                 | -1.56      | 16.07     | <=38.45 | Pass    |

Note1: ERP=Conducted Power+Antenna Gain-2.15

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 B26a\_1.4MHz

| Band: 26a / Bandwidth: 1.4MHz |                 |               |        |            |               |                  |                       |             |         |
|-------------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                    | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                               |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                          | 814.7           | 6             | 0      | 20         | 3.27          | -20.299          | -0.0249               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 3.85          | -12.689          | -0.0156               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 4.43          | -24.490          | -0.0301               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -30        | 3.85          | -26.035          | -0.0320               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -20        | 3.85          | -21.300          | -0.0261               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -10        | 3.85          | -16.465          | -0.0202               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 0          | 3.85          | 17.467           | 0.0214                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 10         | 3.85          | 37.823           | 0.0464                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 30         | 3.85          | 8.039            | 0.0099                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 40         | 3.85          | 20.442           | 0.0251                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 50         | 3.85          | 33.374           | 0.0410                | -2.5 to 2.5 | Pass    |
|                               | 819             | 6             | 0      | 20         | 3.27          | -4.463           | -0.0054               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 3.85          | -11.916          | -0.0145               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 4.43          | -12.803          | -0.0156               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -30        | 3.85          | -14.420          | -0.0176               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -20        | 3.85          | -15.135          | -0.0185               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -10        | 3.85          | -15.807          | -0.0193               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 0          | 3.85          | -16.093          | -0.0196               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 10         | 3.85          | -14.949          | -0.0183               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 30         | 3.85          | -15.821          | -0.0193               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 40         | 3.85          | -14.720          | -0.0180               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 50         | 3.85          | -16.451          | -0.0201               | -2.5 to 2.5 | Pass    |
|                               | 823.3           | 6             | 0      | 20         | 3.27          | 2.804            | 0.0034                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 3.85          | 1.330            | 0.0016                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 4.43          | 2.804            | 0.0034                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -30        | 3.85          | 2.689            | 0.0033                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -20        | 3.85          | -3.104           | -0.0038               | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -10        | 3.85          | 1.416            | 0.0017                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 0          | 3.85          | 2.789            | 0.0034                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 10         | 3.85          | 5.064            | 0.0062                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 30         | 3.85          | 7.453            | 0.0091                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 40         | 3.85          | 9.642            | 0.0117                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 50         | 3.85          | 10.829           | 0.0132                | -2.5 to 2.5 | Pass    |
| 16QAM                         | 814.7           | 6             | 0      | 20         | 3.27          | 2.890            | 0.0035                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 3.85          | 1.044            | 0.0013                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        |            | 4.43          | 2.732            | 0.0034                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -30        | 3.85          | 6.309            | 0.0077                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -20        | 3.85          | 4.864            | 0.0060                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | -10        | 3.85          | 16.122           | 0.0198                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 0          | 3.85          | 28.152           | 0.0346                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 10         | 3.85          | 38.495           | 0.0473                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 30         | 3.85          | 46.577           | 0.0572                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 40         | 3.85          | 6.151            | 0.0076                | -2.5 to 2.5 | Pass    |
|                               |                 |               |        | 50         | 3.85          | 14.663           | 0.0180                | -2.5 to 2.5 | Pass    |
|                               | 819             | 6             | 0      | 20         | 3.27          | -7.052           | -0.0086               | -2.5 to 2.5 | Pass    |

|  |       |   |   |     |      |         |         |             |      |
|--|-------|---|---|-----|------|---------|---------|-------------|------|
|  |       |   |   |     | 3.85 | -20.013 | -0.0244 | -2.5 to 2.5 | Pass |
|  |       |   |   |     | 4.43 | -26.422 | -0.0323 | -2.5 to 2.5 | Pass |
|  |       |   |   | -30 | 3.85 | -31.643 | -0.0386 | -2.5 to 2.5 | Pass |
|  |       |   |   | -20 | 3.85 | -36.821 | -0.0450 | -2.5 to 2.5 | Pass |
|  |       |   |   | -10 | 3.85 | -40.040 | -0.0489 | -2.5 to 2.5 | Pass |
|  |       |   |   | 0   | 3.85 | -43.645 | -0.0533 | -2.5 to 2.5 | Pass |
|  |       |   |   | 10  | 3.85 | -46.463 | -0.0567 | -2.5 to 2.5 | Pass |
|  |       |   |   | 30  | 3.85 | -49.868 | -0.0609 | -2.5 to 2.5 | Pass |
|  |       |   |   | 40  | 3.85 | -1.774  | -0.0022 | -2.5 to 2.5 | Pass |
|  |       |   |   | 50  | 3.85 | -3.433  | -0.0042 | -2.5 to 2.5 | Pass |
|  | 823.3 | 6 | 0 | 20  | 3.27 | 1.945   | 0.0024  | -2.5 to 2.5 | Pass |
|  |       |   |   |     | 3.85 | -3.247  | -0.0039 | -2.5 to 2.5 | Pass |
|  |       |   |   |     | 4.43 | -2.174  | -0.0026 | -2.5 to 2.5 | Pass |
|  |       |   |   | -30 | 3.85 | -2.217  | -0.0027 | -2.5 to 2.5 | Pass |
|  |       |   |   | -20 | 3.85 | -1.202  | -0.0015 | -2.5 to 2.5 | Pass |
|  |       |   |   | -10 | 3.85 | 0.501   | 0.0006  | -2.5 to 2.5 | Pass |
|  |       |   |   | 0   | 3.85 | 0.687   | 0.0008  | -2.5 to 2.5 | Pass |
|  |       |   |   | 10  | 3.85 | -0.644  | -0.0008 | -2.5 to 2.5 | Pass |
|  |       |   |   | 30  | 3.85 | 2.975   | 0.0036  | -2.5 to 2.5 | Pass |
|  |       |   |   | 40  | 3.85 | 2.260   | 0.0027  | -2.5 to 2.5 | Pass |
|  |       |   |   | 50  | 3.85 | 0.701   | 0.0009  | -2.5 to 2.5 | Pass |

### 2.1.2 B26a\_3MHz

| Band: 26a / Bandwidth: 3MHz |                 |               |        |            |               |                  |                       |             |         |
|-----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                  | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                             |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                        | 815.5           | 15            | 0      | 20         | 3.27          | 5.479            | 0.0067                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -11.759          | -0.0144               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -42.715          | -0.0524               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | -5.851           | -0.0072               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -16.866          | -0.0207               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | -27.423          | -0.0336               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -33.517          | -0.0411               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | -39.926          | -0.0490               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | -45.190          | -0.0554               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | 1.373            | 0.0017                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -1.445           | -0.0018               | -2.5 to 2.5 | Pass    |
|                             | 819             | 15            | 0      | 20         | 3.27          | 3.848            | 0.0047                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | 3.648            | 0.0045                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | 7.181            | 0.0088                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | 6.480            | 0.0079                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | 5.107            | 0.0062                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | 6.795            | 0.0083                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | 7.024            | 0.0086                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | 7.610            | 0.0093                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | 7.310            | 0.0089                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | 8.025            | 0.0098                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | 6.838            | 0.0083                | -2.5 to 2.5 | Pass    |
|                             | 822.5           | 15            | 0      | 20         | 3.27          | 1.616            | 0.0020                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -1.101           | -0.0013               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -0.629           | -0.0008               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | 0.057            | 0.0001                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | 1.059            | 0.0013                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | 0.672            | 0.0008                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | 6.223            | 0.0076                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | 2.017            | 0.0025                | -2.5 to 2.5 | Pass    |

|       |       |    |   |     |      |         |         |             |      |
|-------|-------|----|---|-----|------|---------|---------|-------------|------|
| 16QAM | 815.5 | 15 | 0 | 30  | 3.85 | 1.187   | 0.0014  | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | 2.432   | 0.0030  | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | 2.446   | 0.0030  | -2.5 to 2.5 | Pass |
|       |       |    |   | 20  | 3.27 | -3.033  | -0.0037 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | -9.899  | -0.0121 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | -13.318 | -0.0163 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -13.804 | -0.0169 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -14.162 | -0.0174 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -15.736 | -0.0193 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | -17.352 | -0.0213 | -2.5 to 2.5 | Pass |
|       | 819   | 15 | 0 | 10  | 3.85 | -17.810 | -0.0218 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -19.083 | -0.0234 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -24.405 | -0.0299 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -26.894 | -0.0330 | -2.5 to 2.5 | Pass |
|       |       |    |   | 20  | 3.27 | 1.688   | 0.0021  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | -4.234  | -0.0052 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | -2.332  | -0.0028 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -1.287  | -0.0016 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -1.731  | -0.0021 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -2.103  | -0.0026 | -2.5 to 2.5 | Pass |
|       | 822.5 | 15 | 0 | 0   | 3.85 | -1.874  | -0.0023 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -3.233  | -0.0039 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -2.704  | -0.0033 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -1.574  | -0.0019 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -0.901  | -0.0011 | -2.5 to 2.5 | Pass |
|       |       |    |   | 20  | 3.27 | 1.631   | 0.0020  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | -2.761  | -0.0034 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | -3.662  | -0.0045 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -3.462  | -0.0042 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -2.260  | -0.0027 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -2.975  | -0.0036 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | -2.604  | -0.0032 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -6.652  | -0.0081 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -2.775  | -0.0034 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -2.189  | -0.0027 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -2.046  | -0.0025 | -2.5 to 2.5 | Pass |

### 2.1.3 B26a\_5MHz

| Band: 26a / Bandwidth: 5MHz |                 |               |        |            |               |                  |                       |             |         |
|-----------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------------|---------|
| Modulation                  | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |             | Verdict |
|                             |                 | Size          | Offset |            |               |                  | Result                | Limit       |         |
| QPSK                        | 816.5           | 25            | 0      | 20         | 3.27          | 9.341            | 0.0114                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -7.768           | -0.0095               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -21.343          | -0.0261               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | -35.934          | -0.0440               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -20        | 3.85          | -2.303           | -0.0028               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -10        | 3.85          | -11.973          | -0.0147               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 0          | 3.85          | -21.229          | -0.0260               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 10         | 3.85          | -28.410          | -0.0348               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 30         | 3.85          | -33.603          | -0.0412               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 40         | 3.85          | -37.451          | -0.0459               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | 50         | 3.85          | -41.971          | -0.0514               | -2.5 to 2.5 | Pass    |
|                             | 819             | 25            | 0      | 20         | 3.27          | 4.148            | 0.0051                | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 3.85          | -4.435           | -0.0054               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        |            | 4.43          | -5.107           | -0.0062               | -2.5 to 2.5 | Pass    |
|                             |                 |               |        | -30        | 3.85          | -6.051           | -0.0074               | -2.5 to 2.5 | Pass    |

|       |       |    |   |     |      |         |         |             |      |
|-------|-------|----|---|-----|------|---------|---------|-------------|------|
| 16QAM | 821.5 | 25 | 0 | -20 | 3.85 | -13.747 | -0.0168 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -17.838 | -0.0218 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | -20.628 | -0.0252 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -21.229 | -0.0259 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -23.332 | -0.0285 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -23.947 | -0.0292 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -26.035 | -0.0318 | -2.5 to 2.5 | Pass |
|       |       |    |   | 20  | 3.27 | 1.702   | 0.0021  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | -2.275  | -0.0028 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | -2.418  | -0.0029 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -3.891  | -0.0047 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -5.093  | -0.0062 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -5.279  | -0.0064 | -2.5 to 2.5 | Pass |
|       | 816.5 | 25 | 0 | 0   | 3.85 | -5.779  | -0.0070 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -6.008  | -0.0073 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -5.364  | -0.0065 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -5.021  | -0.0061 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -5.507  | -0.0067 | -2.5 to 2.5 | Pass |
|       |       |    |   | 20  | 3.27 | 4.964   | 0.0061  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | 0.429   | 0.0005  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | -1.502  | -0.0018 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -2.089  | -0.0026 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -3.719  | -0.0046 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -4.034  | -0.0049 | -2.5 to 2.5 | Pass |
|       | 819   | 25 | 0 | 0   | 3.85 | -5.822  | -0.0071 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -5.064  | -0.0062 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -7.625  | -0.0093 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -6.080  | -0.0074 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -7.768  | -0.0095 | -2.5 to 2.5 | Pass |
|       |       |    |   | 20  | 3.27 | 5.307   | 0.0065  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | 4.907   | 0.0060  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | 6.137   | 0.0075  | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | 8.125   | 0.0099  | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | 9.942   | 0.0121  | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | 11.716  | 0.0143  | -2.5 to 2.5 | Pass |
|       | 821.5 | 25 | 0 | 0   | 3.85 | 13.232  | 0.0162  | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | 13.747  | 0.0168  | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | 17.438  | 0.0213  | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | 17.295  | 0.0211  | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | 17.738  | 0.0217  | -2.5 to 2.5 | Pass |
|       |       |    |   | 20  | 3.27 | 1.016   | 0.0012  | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 3.85 | -6.638  | -0.0081 | -2.5 to 2.5 | Pass |
|       |       |    |   |     | 4.43 | -6.766  | -0.0082 | -2.5 to 2.5 | Pass |
|       |       |    |   | -30 | 3.85 | -9.027  | -0.0110 | -2.5 to 2.5 | Pass |
|       |       |    |   | -20 | 3.85 | -10.629 | -0.0129 | -2.5 to 2.5 | Pass |
|       |       |    |   | -10 | 3.85 | -10.057 | -0.0122 | -2.5 to 2.5 | Pass |
|       |       |    |   | 0   | 3.85 | -11.559 | -0.0141 | -2.5 to 2.5 | Pass |
|       |       |    |   | 10  | 3.85 | -11.516 | -0.0140 | -2.5 to 2.5 | Pass |
|       |       |    |   | 30  | 3.85 | -13.132 | -0.0160 | -2.5 to 2.5 | Pass |
|       |       |    |   | 40  | 3.85 | -13.361 | -0.0163 | -2.5 to 2.5 | Pass |
|       |       |    |   | 50  | 3.85 | -13.576 | -0.0165 | -2.5 to 2.5 | Pass |

## 2.1.4 B26a\_10MHz

| Band: 26a / Bandwidth: 10MHz |                 |               |        |            |               |                  |                       |       |         |
|------------------------------|-----------------|---------------|--------|------------|---------------|------------------|-----------------------|-------|---------|
| Modulation                   | Frequency (MHz) | RB Allocation |        | Temp. (°C) | Voltage (VDC) | Freq. Error (Hz) | Freq. vs. Rated (ppm) |       | Verdict |
|                              |                 | Size          | Offset |            |               |                  | Result                | Limit |         |

|       |     |    |   |     |      |         |         |             |      |
|-------|-----|----|---|-----|------|---------|---------|-------------|------|
| QPSK  | 819 | 50 | 0 | 20  | 3.27 | -0.501  | -0.0006 | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 3.85 | -6.094  | -0.0074 | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 4.43 | -6.595  | -0.0081 | -2.5 to 2.5 | Pass |
|       |     |    |   | -30 | 3.85 | -9.212  | -0.0112 | -2.5 to 2.5 | Pass |
|       |     |    |   | -20 | 3.85 | -9.441  | -0.0115 | -2.5 to 2.5 | Pass |
|       |     |    |   | -10 | 3.85 | -8.340  | -0.0102 | -2.5 to 2.5 | Pass |
|       |     |    |   | 0   | 3.85 | -9.713  | -0.0119 | -2.5 to 2.5 | Pass |
|       |     |    |   | 10  | 3.85 | -9.499  | -0.0116 | -2.5 to 2.5 | Pass |
|       |     |    |   | 30  | 3.85 | -9.770  | -0.0119 | -2.5 to 2.5 | Pass |
|       |     |    |   | 40  | 3.85 | -10.142 | -0.0124 | -2.5 to 2.5 | Pass |
| 16QAM | 819 | 50 | 0 | 20  | 3.27 | -2.561  | -0.0031 | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 3.85 | -5.951  | -0.0073 | -2.5 to 2.5 | Pass |
|       |     |    |   |     | 4.43 | -6.223  | -0.0076 | -2.5 to 2.5 | Pass |
|       |     |    |   | -30 | 3.85 | -5.851  | -0.0071 | -2.5 to 2.5 | Pass |
|       |     |    |   | -20 | 3.85 | -5.693  | -0.0070 | -2.5 to 2.5 | Pass |
|       |     |    |   | -10 | 3.85 | -5.808  | -0.0071 | -2.5 to 2.5 | Pass |
|       |     |    |   | 0   | 3.85 | -4.163  | -0.0051 | -2.5 to 2.5 | Pass |
|       |     |    |   | 10  | 3.85 | -5.307  | -0.0065 | -2.5 to 2.5 | Pass |
|       |     |    |   | 30  | 3.85 | -4.864  | -0.0059 | -2.5 to 2.5 | Pass |
|       |     |    |   | 40  | 3.85 | -5.207  | -0.0064 | -2.5 to 2.5 | Pass |
|       |     |    |   | 50  | 3.85 | -3.633  | -0.0044 | -2.5 to 2.5 | Pass |

### 3. Modulation Characteristics

#### 3.1 Test Result

##### 3.1.1 B26a\_1.4MHz

| Band: 26a / Bandwidth: 1.4MHz / NTNV |                 |               |        |                            |       |         |
|--------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                           | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                      |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                                 | 819             | 6             | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                                | 819             | 6             | 0      | Refer To Test Graph        |       | Pass    |

##### 3.1.2 B26a\_3MHz

| Band: 26a / Bandwidth: 3MHz / NTNv |                 |               |        |                            |       |         |
|------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                    |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                               | 819             | 15            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                              | 819             | 15            | 0      | Refer To Test Graph        |       | Pass    |

##### 3.1.3 B26a\_5MHz


| Band: 26a / Bandwidth: 5MHz / NTNV |                 |               |        |                            |       |         |
|------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                    |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                               | 819             | 25            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                              | 819             | 25            | 0      | Refer To Test Graph        |       | Pass    |

### 3.1.4 B26a\_10MHz


| Band: 26a / Bandwidth: 10MHz / NTNV |                 |               |        |                            |       |         |
|-------------------------------------|-----------------|---------------|--------|----------------------------|-------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation |        | Modulation Characteristics |       | Verdict |
|                                     |                 | Size          | Offset | Result                     | Limit |         |
| QPSK                                | 819             | 50            | 0      | Refer To Test Graph        |       | Pass    |
| 16QAM                               | 819             | 50            | 0      | Refer To Test Graph        |       | Pass    |

## 3.2 Test Graph


### 3.2.1 B26a\_1.4MHz




### 3.2.2 B26a\_3MHz



### 3.2.3 B26a\_5MHz



### 3.2.4 B26a\_10MHz



## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band26a\_OBW

| Band: 26a / NTNV |            |                 |               |        |                              |       |         |
|------------------|------------|-----------------|---------------|--------|------------------------------|-------|---------|
| Bandwidth (MHz)  | Modulation | Frequency (MHz) | RB Allocation |        | 99% Occupied Bandwidth (MHz) |       | Verdict |
|                  |            |                 | Size          | Offset | Result                       | Limit |         |
| 1.4              | QPSK       | 814.7           | 6             | 0      | 1.118                        | /     | Pass    |
|                  |            | 819             | 6             | 0      | 1.117                        | /     | Pass    |
|                  |            | 823.3           | 6             | 0      | 1.116                        | /     | Pass    |
|                  | 16QAM      | 814.7           | 6             | 0      | 1.112                        | /     | Pass    |
|                  |            | 819             | 6             | 0      | 1.109                        | /     | Pass    |
|                  |            | 823.3           | 6             | 0      | 1.109                        | /     | Pass    |
| 3                | QPSK       | 815.5           | 15            | 0      | 2.760                        | /     | Pass    |
|                  |            | 819             | 15            | 0      | 2.758                        | /     | Pass    |
|                  |            | 822.5           | 15            | 0      | 2.766                        | /     | Pass    |
|                  | 16QAM      | 815.5           | 15            | 0      | 2.750                        | /     | Pass    |
|                  |            | 819             | 15            | 0      | 2.762                        | /     | Pass    |
|                  |            | 822.5           | 15            | 0      | 2.753                        | /     | Pass    |
| 5                | QPSK       | 816.5           | 25            | 0      | 4.539                        | /     | Pass    |
|                  |            | 819             | 25            | 0      | 4.535                        | /     | Pass    |
|                  |            | 821.5           | 25            | 0      | 4.555                        | /     | Pass    |
|                  | 16QAM      | 816.5           | 25            | 0      | 4.557                        | /     | Pass    |
|                  |            | 819             | 25            | 0      | 4.548                        | /     | Pass    |
|                  |            | 821.5           | 25            | 0      | 4.563                        | /     | Pass    |
| 10               | QPSK       | 819             | 50            | 0      | 9.037                        | /     | Pass    |
|                  | 16QAM      | 819             | 50            | 0      | 9.041                        | /     | Pass    |

#### 4.1.2 Band26a\_XDB


| Band: 26a / NTNV |            |                 |               |        |                      |       |         |
|------------------|------------|-----------------|---------------|--------|----------------------|-------|---------|
| Bandwidth (MHz)  | Modulation | Frequency (MHz) | RB Allocation |        | 26dB Bandwidth (MHz) |       | Verdict |
|                  |            |                 | Size          | Offset | Result               | Limit |         |
| 1.4              | QPSK       | 814.7           | 6             | 0      | 1.271                | /     | Pass    |
|                  |            | 819             | 6             | 0      | 1.278                | /     | Pass    |
|                  |            | 823.3           | 6             | 0      | 1.270                | /     | Pass    |
|                  | 16QAM      | 814.7           | 6             | 0      | 1.272                | /     | Pass    |
|                  |            | 819             | 6             | 0      | 1.272                | /     | Pass    |
|                  |            | 823.3           | 6             | 0      | 1.268                | /     | Pass    |
| 3                | QPSK       | 815.5           | 15            | 0      | 3.087                | /     | Pass    |
|                  |            | 819             | 15            | 0      | 3.073                | /     | Pass    |
|                  |            | 822.5           | 15            | 0      | 3.100                | /     | Pass    |
|                  | 16QAM      | 815.5           | 15            | 0      | 3.114                | /     | Pass    |
|                  |            | 819             | 15            | 0      | 3.120                | /     | Pass    |
|                  |            | 822.5           | 15            | 0      | 3.112                | /     | Pass    |
| 5                | QPSK       | 816.5           | 25            | 0      | 5.084                | /     | Pass    |
|                  |            | 819             | 25            | 0      | 5.042                | /     | Pass    |
|                  |            | 821.5           | 25            | 0      | 5.054                | /     | Pass    |
|                  | 16QAM      | 816.5           | 25            | 0      | 5.042                | /     | Pass    |
|                  |            | 819             | 25            | 0      | 5.046                | /     | Pass    |
|                  |            | 821.5           | 25            | 0      | 5.057                | /     | Pass    |
| 10               | QPSK       | 819             | 50            | 0      | 10.012               | /     | Pass    |

|  |       |     |    |   |        |   |      |
|--|-------|-----|----|---|--------|---|------|
|  | 16QAM | 819 | 50 | 0 | 10.064 | / | Pass |
|--|-------|-----|----|---|--------|---|------|




## 4.2 Test Graph


### 4.2.1 Band26a\_OBW




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Band26a\_3MHz\_QPSK\_MCH\_819MHz\_RB\_15\_0\_NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




Band26a\_3MHz\_16QAM\_LCH\_815.5MHz\_RB\_15\_0\_NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 25 0 NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV




Band26a\_10MHz\_QPSK\_MCH\_819MHz\_RB\_50\_0\_NTNV




Band26a\_10MHz\_16QAM\_MCH\_819MHz\_RB\_50\_0\_NTNV




#### 4.2.2 Band26a\_XDB




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTN




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 15 0 NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 25 0 NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Band26a\_5MHz\_16QAM\_LCH\_816.5MHz\_RB\_25\_0\_NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV



Band26a 10MHz QPSK MCH 819MHz RB 50 0 NTNV



Band26a 10MHz 16QAM MCH 819MHz RB 50 0 NTNV



## 5. Peak-Average Ratio

### 5.1 Test Result

#### 5.1.1 B26a\_1.4MHz

| Band: 26a / Bandwidth: 1.4MHz / NTNV |                 |               |        |                         |       |         |
|--------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                           | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                      |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                                 | 814.7           | 6             | 0      | 5.58                    | <=13  | Pass    |
|                                      | 819             | 6             | 0      | 5.63                    | <=13  | Pass    |
|                                      | 823.3           | 6             | 0      | 5.87                    | <=13  | Pass    |
| 16QAM                                | 814.7           | 6             | 0      | 6.31                    | <=13  | Pass    |
|                                      | 819             | 6             | 0      | 6.39                    | <=13  | Pass    |
|                                      | 823.3           | 6             | 0      | 6.58                    | <=13  | Pass    |

#### 5.1.2 B26a\_3MHz

| Band: 26a / Bandwidth: 3MHz / NTNV |                 |               |        |                         |       |         |
|------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                    |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                               | 815.5           | 15            | 0      | 5.60                    | <=13  | Pass    |
|                                    | 819             | 15            | 0      | 5.60                    | <=13  | Pass    |
|                                    | 822.5           | 15            | 0      | 5.85                    | <=13  | Pass    |
| 16QAM                              | 815.5           | 15            | 0      | 6.41                    | <=13  | Pass    |
|                                    | 819             | 15            | 0      | 6.44                    | <=13  | Pass    |
|                                    | 822.5           | 15            | 0      | 6.62                    | <=13  | Pass    |

#### 5.1.3 B26a\_5MHz


| Band: 26a / Bandwidth: 5MHz / NTNV |                 |               |        |                         |       |         |
|------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                    |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                               | 816.5           | 25            | 0      | 5.64                    | <=13  | Pass    |
|                                    | 819             | 25            | 0      | 5.67                    | <=13  | Pass    |
|                                    | 821.5           | 25            | 0      | 5.77                    | <=13  | Pass    |
| 16QAM                              | 816.5           | 25            | 0      | 6.32                    | <=13  | Pass    |
|                                    | 819             | 25            | 0      | 6.41                    | <=13  | Pass    |
|                                    | 821.5           | 25            | 0      | 6.49                    | <=13  | Pass    |

#### 5.1.4 B26a\_10MHz


| Band: 26a / Bandwidth: 10MHz / NTNV |                 |               |        |                         |       |         |
|-------------------------------------|-----------------|---------------|--------|-------------------------|-------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation |        | Peak-Average Ratio (dB) |       | Verdict |
|                                     |                 | Size          | Offset | Result                  | Limit |         |
| QPSK                                | 819             | 50            | 0      | 5.65                    | <=13  | Pass    |
| 16QAM                               | 819             | 50            | 0      | 6.42                    | <=13  | Pass    |

## 5.2 Test Graph

### 5.2.1 B26a\_1.4MHz




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




2024-10-14 09:06:08

Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTNV




2024-10-14 08:59:33

Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




2024-10-14 09:05:08

Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




2024-10-14 09:06:38

## 5.2.2 B26a\_3MHz




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




2024-10-14 09:09:28

Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




2024-10-14 09:08:00

Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




2024-10-14 09:08:58

Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




2024-10-14 09:09:58

### 5.2.3 B26a\_5MHz




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTV




2024-10-14 09:12:52

Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTV




2024-10-14 09:11:21

Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




2024-10-14 09:12:22

Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV



2024-10-14 09:13:22

## 5.2.4 B26a\_10MHz



## 6. Spurious Emission

### 6.1 Test Result

#### 6.1.1 B26a\_1.4MHz

| Band: 26a / Bandwidth: 1.4MHz / NTNV |                 |               |        |                     |       |         |
|--------------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                           | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                      |                 | Size          | Offset | Result              | Limit |         |
| QPSK                                 | 814.7           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                      |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
|                                      | 819             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                      | 823.3           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                      |                 |               | 5      | Refer To Test Graph |       | Pass    |
|                                      |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                                | 814.7           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                      |                 | 6             | 0      | Refer To Test Graph |       | Pass    |
|                                      | 819             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                      | 823.3           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                      |                 |               | 5      | Refer To Test Graph |       | Pass    |
|                                      |                 | 6             | 0      | Refer To Test Graph |       | Pass    |

#### 6.1.2 B26a\_3MHz

| Band: 26a / Bandwidth: 3MHz / NTNV |                 |               |        |                     |       |         |
|------------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                    |                 | Size          | Offset | Result              | Limit |         |
| QPSK                               | 815.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 819             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    | 822.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 14     | Refer To Test Graph |       | Pass    |
|                                    |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                              | 815.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 15            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 819             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    | 822.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 14     | Refer To Test Graph |       | Pass    |
|                                    |                 | 15            | 0      | Refer To Test Graph |       | Pass    |

#### 6.1.3 B26a\_5MHz

| Band: 26a / Bandwidth: 5MHz / NTNV |                 |               |        |                     |       |         |
|------------------------------------|-----------------|---------------|--------|---------------------|-------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   |       | Verdict |
|                                    |                 | Size          | Offset | Result              | Limit |         |
| QPSK                               | 816.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
|                                    | 819             | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    | 821.5           | 1             | 0      | Refer To Test Graph |       | Pass    |
|                                    |                 |               | 24     | Refer To Test Graph |       | Pass    |
|                                    |                 | 25            | 0      | Refer To Test Graph |       | Pass    |
| 16QAM                              | 816.5           | 1             | 0      | Refer To Test Graph |       | Pass    |


|  |       |    |    |                     |      |
|--|-------|----|----|---------------------|------|
|  |       | 25 | 0  | Refer To Test Graph | Pass |
|  | 819   | 1  | 0  | Refer To Test Graph | Pass |
|  | 821.5 | 1  | 0  | Refer To Test Graph | Pass |
|  |       |    | 24 | Refer To Test Graph | Pass |
|  |       | 25 | 0  | Refer To Test Graph | Pass |

## 6.1.4 B26a\_10MHz


| Band: 26a / Bandwidth: 10MHz / NTN |                 |               |        |                     |         |
|------------------------------------|-----------------|---------------|--------|---------------------|---------|
| Modulation                         | Frequency (MHz) | RB Allocation |        | Spurious Emission   | Verdict |
|                                    |                 | Size          | Offset | Result              | Limit   |
| QPSK                               | 819             | 1             | 0      | Refer To Test Graph | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph | Pass    |
|                                    | 819             | 1             | 49     | Refer To Test Graph | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph | Pass    |
| 16QAM                              | 819             | 1             | 0      | Refer To Test Graph | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph | Pass    |
|                                    | 819             | 1             | 49     | Refer To Test Graph | Pass    |
|                                    |                 | 50            | 0      | Refer To Test Graph | Pass    |

## 6.2 Test Graph


### 6.2.1 B26a\_1.4MHz




Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV



## Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV




## Band26a 1.4MHz QPSK LCH 814.7MHz RB 6 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 812.5       | 813        | 0.1       | CHP    | 1          | 812.947    | -40.92      | -13         | Pass   |
| 813         | 813.963    | 0.013     | CHP    | 2          | 813.894    | -40.09      | -13         | Pass   |
| 813.963     | 814        | 0.013     | CHP    | 3          | 813.992    | -39.69      | -20         | Pass   |
| 814         | 815.5      | 0.013     | CHP    | /          | /          | /           | /           | /      |


Band26a\_1.4MHz\_QPSK\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_QPSK\_MCH\_819MHz\_RB\_1\_0\_NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTN



Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTN




## Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 5 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 822.5       | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.001    | -44.38      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.043    | -47.81      | -13         | Pass   |
| 825         | 825.5      | 0.1       | CHP    | 3          | 825.052    | -54.84      | -13         | Pass   |

## Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 822.5       | 824        | 0.013     | CHP    | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.013     | CHP    | 1          | 824.038    | -42.27      | -20         | Pass   |
| 824.038     | 825        | 0.013     | CHP    | 2          | 824.039    | -42.33      | -13         | Pass   |
| 825         | 825.5      | 0.1       | CHP    | 3          | 825.063    | -42.59      | -13         | Pass   |

Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 812.5       | 813        | 0.1       | CHP    | 1          | 812.948    | -55.27      | -13         | Pass   |
| 813         | 813.963    | 0.003     | /      | 2          | 813.961    | -46.46      | -13         | Pass   |
| 813.963     | 814        | 0.003     | /      | 3          | 813.968    | -42.55      | -20         | Pass   |
| 814         | 815.5      | 0.003     | /      | /          | /          | /           | /           | /      |


Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTNV



Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 812.5       | 813        | 0.1       | CHP    | 1          | 812.944    | -41.25      | -13         | Pass   |
| 813         | 813.963    | 0.013     | CHP    | 2          | 813.889    | -39.98      | -13         | Pass   |
| 813.963     | 814        | 0.013     | CHP    | 3          | 813.968    | -40.92      | -20         | Pass   |
| 814         | 815.5      | 0.013     | CHP    | /          | /          | /           | /           | /      |


Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a\_1.4MHz\_16QAM\_HCH\_823.3MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_HCH\_823.3MHz\_RB\_1\_0\_NTNV




Band26a\_1.4MHz\_16QAM\_HCH\_823.3MHz\_RB\_1\_0\_NTNV



Band26a\_1.4MHz\_16QAM\_HCH\_823.3MHz\_RB\_1\_0\_NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 5 NTN



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 822.5       | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.003    | -45.63      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.045    | -46.20      | -13         | Pass   |
| 825         | 825.5      | 0.1       | CHP    | 3          | 825.052    | -55.71      | -13         | Pass   |


Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 822.5       | 824        | 0.013     | CHP    | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.013     | CHP    | 1          | 824.001    | -42.57      | -20         | Pass   |
| 824.038     | 825        | 0.013     | CHP    | 2          | 824.042    | -42.57      | -13         | Pass   |
| 825         | 825.5      | 0.1       | CHP    | 3          | 825.093    | -42.05      | -13         | Pass   |

## 6.2.2 B26a\_3MHz


Band26a\_3MHz\_QPSK\_LCH\_815.5MHz\_RB\_1\_0\_NTNV




Band26a\_3MHz\_QPSK\_LCH\_815.5MHz\_RB\_1\_0\_NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV



Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 811         | 813        | 0.1       | CHP    | 1          | 812.782    | -38.88      | -13         | Pass   |
| 813         | 813.963    | 0.031     | CHP    | 2          | 813.958    | -33.13      | -13         | Pass   |
| 813.963     | 814        | 0.031     | CHP    | 3          | 813.994    | -27.99      | -20         | Pass   |
| 814         | 817        | 0.031     | CHP    | /          | /          | /           | /           | /      |


Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a\_3MHz\_QPSK\_HCH\_822.5MHz\_RB\_1\_0\_NTNV




Band26a\_3MHz\_QPSK\_HCH\_822.5MHz\_RB\_1\_0\_NTNV




Band26a\_3MHz\_QPSK\_HCH\_822.5MHz\_RB\_1\_0\_NTNV




Band26a\_3MHz\_QPSK\_HCH\_822.5MHz\_RB\_1\_0\_NTNV




## Band26a 3MHz QPSK HCH 822.5MHz RB 1 14 NTV



## Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTV




## Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 811         | 813        | 0.1       | CHP    | 1          | 812.947    | -51.54      | -13         | Pass   |
| 813         | 813.963    | 0.003     | /      | 2          | 813.955    | -34.80      | -13         | Pass   |
| 813.963     | 814        | 0.003     | /      | 3          | 813.997    | -27.50      | -20         | Pass   |
| 814         | 817        | 0.003     | /      | /          | /          | /           | /           | /      |


## Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV




Band26a\_3MHz\_16QAM\_LCH\_815.5MHz\_RB\_1\_0\_NTNV



Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTV




Band26a\_3MHz\_16QAM\_LCH\_815.5MHz\_RB\_15\_0\_NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 811         | 813        | 0.1       | CHP    | 1          | 812.938    | -38.59      | -13         | Pass   |
| 813         | 813.963    | 0.031     | CHP    | 2          | 813.958    | -33.68      | -13         | Pass   |
| 813.963     | 814        | 0.031     | CHP    | 3          | 813.994    | -28.53      | -20         | Pass   |
| 814         | 817        | 0.031     | CHP    | /          | /          | /           | /           | /      |


Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV



Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 14 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 821         | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.001    | -29.17      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.042    | -34.98      | -13         | Pass   |
| 825         | 827        | 0.1       | CHP    | 3          | 825.052    | -55.48      | -13         | Pass   |

Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 821         | 824        | 0.031     | CHP    | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.031     | CHP    | 1          | 824.006    | -30.87      | -20         | Pass   |
| 824.038     | 825        | 0.031     | CHP    | 2          | 824.042    | -35.76      | -13         | Pass   |
| 825         | 827        | 0.1       | CHP    | 3          | 825.056    | -40.37      | -13         | Pass   |


### 6.2.3 B26a\_5MHz




Band26a 5MHz QPSK LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 1 0 NTNV



Band26a 5MHz QPSK LCH 816.5MHz RB 1 0 NTN




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTN




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 809         | 813        | 0.1       | CHP    | 1          | 812.940    | -39.49      | -13         | Pass   |
| 813         | 813.963    | 0.051     | CHP    | 2          | 813.960    | -36.21      | -13         | Pass   |
| 813.963     | 814        | 0.051     | CHP    | 3          | 813.990    | -34.65      | -20         | Pass   |
| 814         | 819        | 0.051     | CHP    | /          | /          | /           | /           | /      |


Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a\_5MHz\_QPSK\_HCH\_821.5MHz\_RB\_1\_0\_NTNV




Band26a\_5MHz\_QPSK\_HCH\_821.5MHz\_RB\_1\_0\_NTNV




Band26a\_5MHz\_QPSK\_HCH\_821.5MHz\_RB\_1\_0\_NTNV



Band26a\_5MHz\_QPSK\_HCH\_821.5MHz\_RB\_1\_0\_NTNV




## Band26a 5MHz QPSK HCH 821.5MHz RB 1 24 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 819         | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.001    | -36.34      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.038    | -40.34      | -13         | Pass   |
| 825         | 829        | 0.1       | CHP    | 3          | 825.050    | -55.39      | -13         | Pass   |

## Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 819         | 824        | 0.051     | CHP    | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.051     | CHP    | 1          | 824.010    | -36.82      | -20         | Pass   |
| 824.038     | 825        | 0.051     | CHP    | 2          | 824.040    | -39.77      | -13         | Pass   |
| 825         | 829        | 0.1       | CHP    | 3          | 825.170    | -42.81      | -13         | Pass   |

Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 809         | 813        | 0.1       | CHP    | 1          | 812.948    | -54.90      | -13         | Pass   |
| 813         | 813.963    | 0.003     | /      | 2          | 813.962    | -41.10      | -13         | Pass   |
| 813.963     | 814        | 0.003     | /      | 3          | 813.988    | -37.09      | -20         | Pass   |
| 814         | 819        | 0.003     | /      | /          | /          | /           | /           | /      |


Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV



Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTV




Band26a\_5MHz\_16QAM\_LCH\_816.5MHz\_RB\_25\_0\_NTV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 809         | 813        | 0.1       | CHP    | 1          | 812.750    | -39.87      | -13         | Pass   |
| 813         | 813.963    | 0.05      | CHP    | 2          | 813.960    | -39.32      | -13         | Pass   |
| 813.963     | 814        | 0.05      | CHP    | 3          | 813.990    | -36.71      | -20         | Pass   |
| 814         | 819        | 0.05      | CHP    | /          | /          | /           | /           | /      |


Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV



Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 24 NTNV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 819         | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.001    | -37.13      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.044    | -42.36      | -13         | Pass   |
| 825         | 829        | 0.1       | CHP    | 3          | 825.050    | -57.17      | -13         | Pass   |


Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 819         | 824        | 0.051     | CHP    | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.051     | CHP    | 1          | 824.010    | -38.17      | -20         | Pass   |
| 824.038     | 825        | 0.051     | CHP    | 2          | 824.040    | -40.57      | -13         | Pass   |
| 825         | 829        | 0.1       | CHP    | 3          | 825.100    | -41.61      | -13         | Pass   |

## 6.2.4 B26a\_10MHz


Band26a\_10MHz\_QPSK\_LCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_10MHz\_QPSK\_LCH\_819MHz\_RB\_1\_0\_NTNV




Band26a 10MHz QPSK LCH 819MHz RB 1 0 NTN




Band26a 10MHz QPSK LCH 819MHz RB 1 0 NTN



Band26a 10MHz QPSK LCH 819MHz RB 1 0 NTNV




Band26a\_10MHz\_QPSK\_LCH\_819MHz\_RB\_50\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 804         | 813        | 0.1       | /      | 1          | 812.680    | -40.95      | -13         | Pass   |
| 813         | 813.963    | 0.101     | CHP    | 2          | 813.960    | -39.10      | -13         | Pass   |
| 813.963     | 814        | 0.101     | CHP    | 3          | 813.980    | -38.45      | -20         | Pass   |
| 814         | 824        | 0.101     | CHP    | /          | /          | /           | /           | /      |


## Band26a\_10MHz\_QPSK\_HCH\_819MHz\_RB\_1\_49\_NTNV



## Band26a\_10MHz\_QPSK\_HCH\_819MHz\_RB\_50\_0\_NTNV




## Band26a\_10MHz\_16QAM\_LCH\_819MHz\_RB\_1\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 804         | 813        | 0.1       | CHP    | 1          | 812.947    | -54.93      | -13         | Pass   |
| 813         | 813.963    | 0.003     | /      | 2          | 813.957    | -44.48      | -13         | Pass   |
| 813.963     | 814        | 0.003     | /      | 3          | 813.997    | -41.99      | -20         | Pass   |
| 814         | 824        | 0.003     | /      | /          | /          | /           | /           | /      |


## Band26a\_10MHz\_16QAM\_LCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_10MHz\_16QAM\_LCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_10MHz\_16QAM\_LCH\_819MHz\_RB\_1\_0\_NTNV



Band26a\_10MHz\_16QAM\_LCH\_819MHz\_RB\_1\_0\_NTNV




Band26a\_10MHz\_16QAM\_LCH\_819MHz\_RB\_50\_0\_NTNV




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 804         | 813        | 0.1       | /      | 1          | 811.740    | -40.12      | -13         | Pass   |
| 813         | 813.963    | 0.1       | /      | 2          | 813.960    | -40.23      | -13         | Pass   |
| 813.963     | 814        | 0.1       | /      | 3          | 813.980    | -39.47      | -20         | Pass   |
| 814         | 824        | 0.1       | /      | /          | /          | /           | /           | /      |

## Band26a 10MHz 16QAM HCH 819MHz RB 1 49 NTNV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 814         | 824        | 0.003     | /      | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.003     | /      | 1          | 824.013    | -41.95      | -20         | Pass   |
| 824.038     | 825        | 0.003     | /      | 2          | 824.040    | -44.51      | -13         | Pass   |
| 825         | 834        | 0.1       | CHP    | 3          | 832.250    | -55.07      | -13         | Pass   |

## Band26a 10MHz 16QAM HCH 819MHz RB 50 0 NTNV



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 814         | 824        | 0.101     | CHP    | /          | /          | /           | /           | /      |
| 824         | 824.038    | 0.101     | CHP    | 1          | 824.020    | -39.80      | -20         | Pass   |
| 824.038     | 825        | 0.101     | CHP    | 2          | 824.040    | -40.62      | -13         | Pass   |
| 825         | 834        | 0.1       | /      | 3          | 825.160    | -42.80      | -13         | Pass   |