

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B41_5MHz_EIRP

Band: 41 / Bandwidth: 5MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2498.5	1	0	20.41	1.67	22.08	<=33.01	Pass
			13	20.58	1.67	22.25	<=33.01	Pass
			24	20.53	1.67	22.20	<=33.01	Pass
		12	0	19.47	1.67	21.14	<=33.01	Pass
			6	19.56	1.67	21.23	<=33.01	Pass
			13	19.54	1.67	21.21	<=33.01	Pass
		25	0	19.50	1.67	21.17	<=33.01	Pass
	2593	1	0	20.79	1.67	22.46	<=33.01	Pass
			13	20.85	1.67	22.52	<=33.01	Pass
			24	20.84	1.67	22.51	<=33.01	Pass
		12	0	19.98	1.67	21.65	<=33.01	Pass
			6	19.88	1.67	21.55	<=33.01	Pass
			13	19.89	1.67	21.56	<=33.01	Pass
		25	0	19.96	1.67	21.63	<=33.01	Pass
	2687.5	1	0	21.01	1.67	22.68	<=33.01	Pass
			13	20.98	1.67	22.65	<=33.01	Pass
			24	21.13	1.67	22.80	<=33.01	Pass
		12	0	20.11	1.67	21.78	<=33.01	Pass
			6	20.08	1.67	21.75	<=33.01	Pass
			13	20.10	1.67	21.77	<=33.01	Pass
		25	0	19.98	1.67	21.65	<=33.01	Pass
16QAM	2498.5	1	0	19.38	1.67	21.05	<=33.01	Pass
			13	19.53	1.67	21.20	<=33.01	Pass
			24	19.51	1.67	21.18	<=33.01	Pass
		12	0	18.55	1.67	20.22	<=33.01	Pass
			6	18.50	1.67	20.17	<=33.01	Pass
			13	18.54	1.67	20.21	<=33.01	Pass
		25	0	18.58	1.67	20.25	<=33.01	Pass
	2593	1	0	20.78	1.67	22.45	<=33.01	Pass
			13	20.73	1.67	22.40	<=33.01	Pass
			24	20.78	1.67	22.45	<=33.01	Pass
		12	0	19.08	1.67	20.75	<=33.01	Pass
			6	19.07	1.67	20.74	<=33.01	Pass
			13	18.91	1.67	20.58	<=33.01	Pass
		25	0	19.14	1.67	20.81	<=33.01	Pass
	2687.5	1	0	20.05	1.67	21.72	<=33.01	Pass
			13	20.11	1.67	21.78	<=33.01	Pass
			24	20.22	1.67	21.89	<=33.01	Pass
		12	0	18.54	1.67	20.21	<=33.01	Pass
			6	18.89	1.67	20.56	<=33.01	Pass
			13	18.56	1.67	20.23	<=33.01	Pass
		25	0	19.36	1.67	21.03	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B41_10MHz_EIRP

Band: 41 / Bandwidth: 10MHz / NTN								
-----------------------------------	--	--	--	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2501	1	0	20.51	1.67	22.18	<=33.01	Pass
			25	20.56	1.67	22.23	<=33.01	Pass
			49	20.48	1.67	22.15	<=33.01	Pass
		25	0	19.46	1.67	21.13	<=33.01	Pass
			13	19.58	1.67	21.25	<=33.01	Pass
			25	19.56	1.67	21.23	<=33.01	Pass
		50	0	19.61	1.67	21.28	<=33.01	Pass
	2593	1	0	21.01	1.67	22.68	<=33.01	Pass
			25	21.02	1.67	22.69	<=33.01	Pass
			49	20.94	1.67	22.61	<=33.01	Pass
		25	0	19.64	1.67	21.31	<=33.01	Pass
			13	20.02	1.67	21.69	<=33.01	Pass
			25	19.96	1.67	21.63	<=33.01	Pass
		50	0	20.04	1.67	21.71	<=33.01	Pass
	2685	1	0	21.43	1.67	23.10	<=33.01	Pass
			25	20.92	1.67	22.59	<=33.01	Pass
			49	21.43	1.67	23.10	<=33.01	Pass
		25	0	20.07	1.67	21.74	<=33.01	Pass
			13	19.99	1.67	21.66	<=33.01	Pass
			25	20.06	1.67	21.73	<=33.01	Pass
		50	0	19.91	1.67	21.58	<=33.01	Pass
16QAM	2501	1	0	19.92	1.67	21.59	<=33.01	Pass
			25	19.45	1.67	21.12	<=33.01	Pass
			49	19.56	1.67	21.23	<=33.01	Pass
		25	0	18.87	1.67	20.54	<=33.01	Pass
			13	18.94	1.67	20.61	<=33.01	Pass
			25	18.90	1.67	20.57	<=33.01	Pass
		50	0	18.63	1.67	20.30	<=33.01	Pass
	2593	1	0	20.70	1.67	22.37	<=33.01	Pass
			25	21.12	1.67	22.79	<=33.01	Pass
			49	20.53	1.67	22.20	<=33.01	Pass
		25	0	19.26	1.67	20.93	<=33.01	Pass
			13	19.18	1.67	20.85	<=33.01	Pass
			25	19.08	1.67	20.75	<=33.01	Pass
		50	0	19.60	1.67	21.27	<=33.01	Pass
	2685	1	0	19.66	1.67	21.33	<=33.01	Pass
			25	19.45	1.67	21.12	<=33.01	Pass
			49	20.95	1.67	22.62	<=33.01	Pass
		25	0	19.42	1.67	21.09	<=33.01	Pass
			13	19.33	1.67	21.00	<=33.01	Pass
			25	18.50	1.67	20.17	<=33.01	Pass
		50	0	19.26	1.67	20.93	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B41_15MHz_EIRP

Band: 41 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2503.5	1	0	20.48	1.67	22.15	<=33.01	Pass
			38	20.44	1.67	22.11	<=33.01	Pass
			74	20.67	1.67	22.34	<=33.01	Pass
		36	0	19.57	1.67	21.24	<=33.01	Pass
			18	19.61	1.67	21.28	<=33.01	Pass
			39	19.61	1.67	21.28	<=33.01	Pass

16QAM	2593	75	0	19.55	1.67	21.22	<=33.01	Pass
			0	21.14	1.67	22.81	<=33.01	Pass
			38	21.13	1.67	22.80	<=33.01	Pass
			74	20.97	1.67	22.64	<=33.01	Pass
		36	0	20.03	1.67	21.70	<=33.01	Pass
			18	19.80	1.67	21.47	<=33.01	Pass
			39	20.04	1.67	21.71	<=33.01	Pass
		75	0	20.01	1.67	21.68	<=33.01	Pass
	2682.5	1	0	21.17	1.67	22.84	<=33.01	Pass
			38	21.19	1.67	22.86	<=33.01	Pass
			74	21.09	1.67	22.76	<=33.01	Pass
			0	20.07	1.67	21.74	<=33.01	Pass
		36	18	20.04	1.67	21.71	<=33.01	Pass
			39	20.12	1.67	21.79	<=33.01	Pass
			75	20.09	1.67	21.76	<=33.01	Pass
	2503.5	1	0	19.67	1.67	21.34	<=33.01	Pass
			38	19.64	1.67	21.31	<=33.01	Pass
			74	19.77	1.67	21.44	<=33.01	Pass
			0	18.62	1.67	20.29	<=33.01	Pass
		36	18	18.68	1.67	20.35	<=33.01	Pass
			39	18.86	1.67	20.53	<=33.01	Pass
			75	18.59	1.67	20.26	<=33.01	Pass
	2593	1	0	20.33	1.67	22.00	<=33.01	Pass
			38	20.63	1.67	22.30	<=33.01	Pass
			74	20.63	1.67	22.30	<=33.01	Pass
			0	18.66	1.67	20.33	<=33.01	Pass
		36	18	19.03	1.67	20.70	<=33.01	Pass
			39	19.12	1.67	20.79	<=33.01	Pass
			75	18.97	1.67	20.64	<=33.01	Pass
	2682.5	1	0	20.21	1.67	21.88	<=33.01	Pass
			38	20.11	1.67	21.78	<=33.01	Pass
			74	20.24	1.67	21.91	<=33.01	Pass
			0	19.18	1.67	20.85	<=33.01	Pass
		36	18	19.29	1.67	20.96	<=33.01	Pass
			39	19.31	1.67	20.98	<=33.01	Pass
			75	19.39	1.67	21.06	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B41_20MHz_EIRP

Band: 41 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2506	1	0	20.59	1.67	22.26	<=33.01	Pass
			50	20.61	1.67	22.28	<=33.01	Pass
			99	20.89	1.67	22.56	<=33.01	Pass
		50	0	19.55	1.67	21.22	<=33.01	Pass
			25	19.66	1.67	21.33	<=33.01	Pass
			50	19.62	1.67	21.29	<=33.01	Pass
		100	0	19.63	1.67	21.30	<=33.01	Pass
	2593	1	0	20.97	1.67	22.64	<=33.01	Pass
			50	20.83	1.67	22.50	<=33.01	Pass
			99	20.77	1.67	22.44	<=33.01	Pass
		50	0	20.10	1.67	21.77	<=33.01	Pass
			25	19.96	1.67	21.63	<=33.01	Pass
			50	19.89	1.67	21.56	<=33.01	Pass
		100	0	20.03	1.67	21.70	<=33.01	Pass

16QAM	2680	1	0	20.91	1.67	22.58	<=33.01	Pass
			50	20.87	1.67	22.54	<=33.01	Pass
			99	21.07	1.67	22.74	<=33.01	Pass
		50	0	20.04	1.67	21.71	<=33.01	Pass
			25	20.06	1.67	21.73	<=33.01	Pass
			50	20.03	1.67	21.70	<=33.01	Pass
		100	0	20.07	1.67	21.74	<=33.01	Pass
	2506	1	0	20.44	1.67	22.11	<=33.01	Pass
			50	20.49	1.67	22.16	<=33.01	Pass
			99	20.47	1.67	22.14	<=33.01	Pass
		50	0	18.79	1.67	20.46	<=33.01	Pass
			25	18.82	1.67	20.49	<=33.01	Pass
			50	18.95	1.67	20.62	<=33.01	Pass
		100	0	18.82	1.67	20.49	<=33.01	Pass
	2593	1	0	19.98	1.67	21.65	<=33.01	Pass
			50	19.94	1.67	21.61	<=33.01	Pass
			99	20.20	1.67	21.87	<=33.01	Pass
		50	0	19.16	1.67	20.83	<=33.01	Pass
			25	19.14	1.67	20.81	<=33.01	Pass
			50	19.30	1.67	20.97	<=33.01	Pass
		100	0	19.13	1.67	20.80	<=33.01	Pass
	2680	1	0	21.22	1.67	22.89	<=33.01	Pass
			50	21.12	1.67	22.79	<=33.01	Pass
			99	21.29	1.67	22.96	<=33.01	Pass
		50	0	19.32	1.67	20.99	<=33.01	Pass
			25	19.24	1.67	20.91	<=33.01	Pass
			50	19.46	1.67	21.13	<=33.01	Pass
		100	0	19.30	1.67	20.97	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2498.5	25	0	20	3.27	21.315	0.0085	-2.5 to 2.5	Pass
					3.85	32.358	0.0130	-2.5 to 2.5	Pass
					4.43	42.057	0.0168	-2.5 to 2.5	Pass
				-30	3.85	-6.766	-0.0027	-2.5 to 2.5	Pass
				-20	3.85	2.317	0.0009	-2.5 to 2.5	Pass
				-10	3.85	6.108	0.0024	-2.5 to 2.5	Pass
				0	3.85	20.828	0.0083	-2.5 to 2.5	Pass
				10	3.85	33.889	0.0136	-2.5 to 2.5	Pass
				30	3.85	44.761	0.0179	-2.5 to 2.5	Pass
				40	3.85	0.114	0.0000	-2.5 to 2.5	Pass
				50	3.85	15.135	0.0061	-2.5 to 2.5	Pass
	2593	25	0	20	3.27	-3.619	-0.0014	-2.5 to 2.5	Pass
					3.85	4.106	0.0016	-2.5 to 2.5	Pass
					4.43	13.046	0.0050	-2.5 to 2.5	Pass
				-30	3.85	17.366	0.0067	-2.5 to 2.5	Pass
				-20	3.85	25.749	0.0099	-2.5 to 2.5	Pass
				-10	3.85	29.554	0.0114	-2.5 to 2.5	Pass

16QAM	2687.5	25	0	0	3.85	33.674	0.0130	-2.5 to 2.5	Pass
				10	3.85	37.379	0.0144	-2.5 to 2.5	Pass
				30	3.85	40.526	0.0156	-2.5 to 2.5	Pass
				40	3.85	21.086	0.0081	-2.5 to 2.5	Pass
				50	3.85	2.003	0.0008	-2.5 to 2.5	Pass
	2498.5	25	0	20	3.27	37.122	0.0138	-2.5 to 2.5	Pass
					3.85	39.711	0.0148	-2.5 to 2.5	Pass
					4.43	4.950	0.0018	-2.5 to 2.5	Pass
				-30	3.85	-10.614	-0.0039	-2.5 to 2.5	Pass
				-20	3.85	-6.609	-0.0025	-2.5 to 2.5	Pass
				-10	3.85	0.629	0.0002	-2.5 to 2.5	Pass
				0	3.85	2.403	0.0009	-2.5 to 2.5	Pass
				10	3.85	19.369	0.0072	-2.5 to 2.5	Pass
				30	3.85	21.429	0.0080	-2.5 to 2.5	Pass
				40	3.85	29.697	0.0111	-2.5 to 2.5	Pass
				50	3.85	29.211	0.0109	-2.5 to 2.5	Pass
				20	3.27	32.129	0.0129	-2.5 to 2.5	Pass
					3.85	44.446	0.0178	-2.5 to 2.5	Pass
					4.43	38.137	0.0153	-2.5 to 2.5	Pass
				-30	3.85	3.591	0.0014	-2.5 to 2.5	Pass
				-20	3.85	-22.402	-0.0090	-2.5 to 2.5	Pass
				-10	3.85	-37.193	-0.0149	-2.5 to 2.5	Pass
				0	3.85	-29.683	-0.0119	-2.5 to 2.5	Pass
				10	3.85	10.142	0.0041	-2.5 to 2.5	Pass
				30	3.85	30.270	0.0121	-2.5 to 2.5	Pass
				40	3.85	-14.133	-0.0057	-2.5 to 2.5	Pass
				50	3.85	-3.848	-0.0015	-2.5 to 2.5	Pass
16QAM	2593	25	0	20	3.27	9.356	0.0036	-2.5 to 2.5	Pass
					3.85	18.296	0.0071	-2.5 to 2.5	Pass
					4.43	28.596	0.0110	-2.5 to 2.5	Pass
				-30	3.85	36.607	0.0141	-2.5 to 2.5	Pass
				-20	3.85	-20.928	-0.0081	-2.5 to 2.5	Pass
				-10	3.85	-4.048	-0.0016	-2.5 to 2.5	Pass
				0	3.85	-38.166	-0.0147	-2.5 to 2.5	Pass
				10	3.85	-24.662	-0.0095	-2.5 to 2.5	Pass
				30	3.85	10.228	0.0039	-2.5 to 2.5	Pass
				40	3.85	25.249	0.0097	-2.5 to 2.5	Pass
				50	3.85	41.685	0.0161	-2.5 to 2.5	Pass
				20	3.27	37.422	0.0139	-2.5 to 2.5	Pass
					3.85	12.960	0.0048	-2.5 to 2.5	Pass
					4.43	32.516	0.0121	-2.5 to 2.5	Pass
				-30	3.85	12.674	0.0047	-2.5 to 2.5	Pass
				-20	3.85	30.770	0.0114	-2.5 to 2.5	Pass
				-10	3.85	-11.544	-0.0043	-2.5 to 2.5	Pass
				0	3.85	5.364	0.0020	-2.5 to 2.5	Pass
				10	3.85	17.681	0.0066	-2.5 to 2.5	Pass
				30	3.85	33.288	0.0124	-2.5 to 2.5	Pass
				40	3.85	20.242	0.0075	-2.5 to 2.5	Pass
				50	3.85	27.809	0.0103	-2.5 to 2.5	Pass

2.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2501	50	0	20	3.27	22.645	0.0091	-2.5 to 2.5	Pass
					3.85	32.845	0.0131	-2.5 to 2.5	Pass

16QAM					4.43	34.819	0.0139	-2.5 to 2.5	Pass
				-30	3.85	32.730	0.0131	-2.5 to 2.5	Pass
				-20	3.85	32.072	0.0128	-2.5 to 2.5	Pass
				-10	3.85	40.569	0.0162	-2.5 to 2.5	Pass
				0	3.85	48.923	0.0196	-2.5 to 2.5	Pass
				10	3.85	14.577	0.0058	-2.5 to 2.5	Pass
				30	3.85	22.416	0.0090	-2.5 to 2.5	Pass
				40	3.85	33.202	0.0133	-2.5 to 2.5	Pass
				50	3.85	15.864	0.0063	-2.5 to 2.5	Pass
	2593	50	0	20	3.27	9.356	0.0036	-2.5 to 2.5	Pass
					3.85	1.459	0.0006	-2.5 to 2.5	Pass
					4.43	-20.256	-0.0078	-2.5 to 2.5	Pass
				-30	3.85	-36.864	-0.0142	-2.5 to 2.5	Pass
				-20	3.85	-8.912	-0.0034	-2.5 to 2.5	Pass
				-10	3.85	-27.909	-0.0108	-2.5 to 2.5	Pass
				0	3.85	-34.633	-0.0134	-2.5 to 2.5	Pass
				10	3.85	-49.667	-0.0192	-2.5 to 2.5	Pass
				30	3.85	6.952	0.0027	-2.5 to 2.5	Pass
				40	3.85	-9.584	-0.0037	-2.5 to 2.5	Pass
				50	3.85	-31.199	-0.0120	-2.5 to 2.5	Pass
	2685	50	0	20	3.27	-0.658	-0.0002	-2.5 to 2.5	Pass
					3.85	-41.413	-0.0154	-2.5 to 2.5	Pass
					4.43	-17.352	-0.0065	-2.5 to 2.5	Pass
				-30	3.85	-27.037	-0.0101	-2.5 to 2.5	Pass
				-20	3.85	-49.639	-0.0185	-2.5 to 2.5	Pass
				-10	3.85	-32.129	-0.0120	-2.5 to 2.5	Pass
				0	3.85	-27.695	-0.0103	-2.5 to 2.5	Pass
				10	3.85	-47.193	-0.0176	-2.5 to 2.5	Pass
				30	3.85	-38.981	-0.0145	-2.5 to 2.5	Pass
				40	3.85	-26.536	-0.0099	-2.5 to 2.5	Pass
				50	3.85	-38.552	-0.0144	-2.5 to 2.5	Pass
	2501	50	0	20	3.27	12.102	0.0048	-2.5 to 2.5	Pass
					3.85	40.398	0.0162	-2.5 to 2.5	Pass
					4.43	6.137	0.0025	-2.5 to 2.5	Pass
				-30	3.85	37.751	0.0151	-2.5 to 2.5	Pass
				-20	3.85	13.161	0.0053	-2.5 to 2.5	Pass
				-10	3.85	37.365	0.0149	-2.5 to 2.5	Pass
				0	3.85	32.172	0.0129	-2.5 to 2.5	Pass
				10	3.85	5.064	0.0020	-2.5 to 2.5	Pass
				30	3.85	23.847	0.0095	-2.5 to 2.5	Pass
				40	3.85	28.410	0.0114	-2.5 to 2.5	Pass
				50	3.85	22.817	0.0091	-2.5 to 2.5	Pass
	2593	50	0	20	3.27	-17.366	-0.0067	-2.5 to 2.5	Pass
					3.85	-21.915	-0.0085	-2.5 to 2.5	Pass
					4.43	-37.050	-0.0143	-2.5 to 2.5	Pass
				-30	3.85	-24.834	-0.0096	-2.5 to 2.5	Pass
				-20	3.85	-17.195	-0.0066	-2.5 to 2.5	Pass
				-10	3.85	-26.851	-0.0104	-2.5 to 2.5	Pass
				0	3.85	-41.699	-0.0161	-2.5 to 2.5	Pass
				10	3.85	-41.513	-0.0160	-2.5 to 2.5	Pass
				30	3.85	-28.081	-0.0108	-2.5 to 2.5	Pass
				40	3.85	-25.921	-0.0100	-2.5 to 2.5	Pass
				50	3.85	-23.189	-0.0089	-2.5 to 2.5	Pass
	2685	50	0	20	3.27	3.920	0.0015	-2.5 to 2.5	Pass
					3.85	14.019	0.0052	-2.5 to 2.5	Pass
					4.43	23.317	0.0087	-2.5 to 2.5	Pass
				-30	3.85	27.766	0.0103	-2.5 to 2.5	Pass
				-20	3.85	31.457	0.0117	-2.5 to 2.5	Pass
				-10	3.85	34.661	0.0129	-2.5 to 2.5	Pass

			0	3.85	37.251	0.0139	-2.5 to 2.5	Pass
			10	3.85	37.537	0.0140	-2.5 to 2.5	Pass
			30	3.85	34.204	0.0127	-2.5 to 2.5	Pass
			40	3.85	38.838	0.0145	-2.5 to 2.5	Pass
			50	3.85	33.288	0.0124	-2.5 to 2.5	Pass

2.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2503.5	75	0	20	3.27	3.433	0.0014	-2.5 to 2.5	Pass
					3.85	-43.402	-0.0173	-2.5 to 2.5	Pass
					4.43	-14.191	-0.0057	-2.5 to 2.5	Pass
				-30	3.85	-31.729	-0.0127	-2.5 to 2.5	Pass
				-20	3.85	-17.037	-0.0068	-2.5 to 2.5	Pass
				-10	3.85	-47.979	-0.0192	-2.5 to 2.5	Pass
				0	3.85	-5.836	-0.0023	-2.5 to 2.5	Pass
				10	3.85	-25.921	-0.0104	-2.5 to 2.5	Pass
				30	3.85	-37.308	-0.0149	-2.5 to 2.5	Pass
				40	3.85	-28.110	-0.0112	-2.5 to 2.5	Pass
				50	3.85	-39.711	-0.0159	-2.5 to 2.5	Pass
	2593	75	0	20	3.27	7.539	0.0029	-2.5 to 2.5	Pass
					3.85	-30.785	-0.0119	-2.5 to 2.5	Pass
					4.43	-42.901	-0.0165	-2.5 to 2.5	Pass
				-30	3.85	-23.332	-0.0090	-2.5 to 2.5	Pass
				-20	3.85	-29.998	-0.0116	-2.5 to 2.5	Pass
				-10	3.85	-44.775	-0.0173	-2.5 to 2.5	Pass
				0	3.85	-10.600	-0.0041	-2.5 to 2.5	Pass
				10	3.85	-30.899	-0.0119	-2.5 to 2.5	Pass
				30	3.85	-18.868	-0.0073	-2.5 to 2.5	Pass
				40	3.85	-10.386	-0.0040	-2.5 to 2.5	Pass
				50	3.85	-30.327	-0.0117	-2.5 to 2.5	Pass
	2682.5	75	0	20	3.27	19.884	0.0074	-2.5 to 2.5	Pass
					3.85	0.958	0.0004	-2.5 to 2.5	Pass
					4.43	-31.686	-0.0118	-2.5 to 2.5	Pass
				-30	3.85	-17.438	-0.0065	-2.5 to 2.5	Pass
				-20	3.85	-49.138	-0.0183	-2.5 to 2.5	Pass
				-10	3.85	-9.613	-0.0036	-2.5 to 2.5	Pass
				0	3.85	-19.641	-0.0073	-2.5 to 2.5	Pass
				10	3.85	-31.028	-0.0116	-2.5 to 2.5	Pass
				30	3.85	-39.639	-0.0148	-2.5 to 2.5	Pass
				40	3.85	-31.514	-0.0117	-2.5 to 2.5	Pass
				50	3.85	-40.541	-0.0151	-2.5 to 2.5	Pass
16QAM	2503.5	75	0	20	3.27	-47.293	-0.0189	-2.5 to 2.5	Pass
					3.85	-43.044	-0.0172	-2.5 to 2.5	Pass
					4.43	-34.518	-0.0138	-2.5 to 2.5	Pass
				-30	3.85	-30.828	-0.0123	-2.5 to 2.5	Pass
				-20	3.85	-22.516	-0.0090	-2.5 to 2.5	Pass
				-10	3.85	-14.691	-0.0059	-2.5 to 2.5	Pass
				0	3.85	-7.939	-0.0032	-2.5 to 2.5	Pass
				10	3.85	4.234	0.0017	-2.5 to 2.5	Pass
				30	3.85	11.959	0.0048	-2.5 to 2.5	Pass
				40	3.85	15.364	0.0061	-2.5 to 2.5	Pass
				50	3.85	19.798	0.0079	-2.5 to 2.5	Pass
	2593	75	0	20	3.27	-13.433	-0.0052	-2.5 to 2.5	Pass
					3.85	-8.712	-0.0034	-2.5 to 2.5	Pass

					4.43	-0.257	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	-1.788	-0.0007	-2.5 to 2.5	Pass
				-20	3.85	6.380	0.0025	-2.5 to 2.5	Pass
				-10	3.85	-0.601	-0.0002	-2.5 to 2.5	Pass
				0	3.85	4.163	0.0016	-2.5 to 2.5	Pass
				10	3.85	-0.372	-0.0001	-2.5 to 2.5	Pass
				30	3.85	-5.279	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-1.860	-0.0007	-2.5 to 2.5	Pass
				50	3.85	1.616	0.0006	-2.5 to 2.5	Pass
	2682.5	75	0	20	3.27	15.821	0.0059	-2.5 to 2.5	Pass
					3.85	11.015	0.0041	-2.5 to 2.5	Pass
					4.43	19.798	0.0074	-2.5 to 2.5	Pass
				-30	3.85	17.366	0.0065	-2.5 to 2.5	Pass
				-20	3.85	29.469	0.0110	-2.5 to 2.5	Pass
				-10	3.85	35.992	0.0134	-2.5 to 2.5	Pass
				0	3.85	37.894	0.0141	-2.5 to 2.5	Pass
				10	3.85	10.328	0.0039	-2.5 to 2.5	Pass
				30	3.85	-14.448	-0.0054	-2.5 to 2.5	Pass
				40	3.85	-6.194	-0.0023	-2.5 to 2.5	Pass
				50	3.85	-5.050	-0.0019	-2.5 to 2.5	Pass

2.1.4 B41_20MHz

Band: 41 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2506	100	0	20	3.27	10.672	0.0043	-2.5 to 2.5	Pass
					3.85	-31.071	-0.0124	-2.5 to 2.5	Pass
					4.43	-17.924	-0.0072	-2.5 to 2.5	Pass
				-30	3.85	-47.479	-0.0189	-2.5 to 2.5	Pass
				-20	3.85	-37.937	-0.0151	-2.5 to 2.5	Pass
				-10	3.85	-34.261	-0.0137	-2.5 to 2.5	Pass
				0	3.85	-21.400	-0.0085	-2.5 to 2.5	Pass
				10	3.85	-44.045	-0.0176	-2.5 to 2.5	Pass
				30	3.85	5.322	0.0021	-2.5 to 2.5	Pass
				40	3.85	43.831	0.0175	-2.5 to 2.5	Pass
	2593	100	0	20	3.27	-8.197	-0.0032	-2.5 to 2.5	Pass
					3.85	-34.976	-0.0135	-2.5 to 2.5	Pass
					4.43	-26.879	-0.0104	-2.5 to 2.5	Pass
				-30	3.85	-32.530	-0.0125	-2.5 to 2.5	Pass
				-20	3.85	-19.913	-0.0077	-2.5 to 2.5	Pass
				-10	3.85	-32.916	-0.0127	-2.5 to 2.5	Pass
				0	3.85	-35.133	-0.0135	-2.5 to 2.5	Pass
				10	3.85	-17.867	-0.0069	-2.5 to 2.5	Pass
				30	3.85	-39.940	-0.0154	-2.5 to 2.5	Pass
				40	3.85	-21.415	-0.0083	-2.5 to 2.5	Pass
	2680	100	0	20	3.27	-1.316	-0.0005	-2.5 to 2.5	Pass
					3.85	-30.699	-0.0115	-2.5 to 2.5	Pass
					4.43	-23.189	-0.0087	-2.5 to 2.5	Pass
				-30	3.85	-32.201	-0.0120	-2.5 to 2.5	Pass
				-20	3.85	-39.268	-0.0147	-2.5 to 2.5	Pass
				-10	3.85	-21.801	-0.0081	-2.5 to 2.5	Pass
				0	3.85	-28.553	-0.0107	-2.5 to 2.5	Pass
				10	3.85	-19.884	-0.0074	-2.5 to 2.5	Pass
				30	3.85	-20.857	-0.0078	-2.5 to 2.5	Pass

16QAM	2506	100	0	40	3.85	-34.075	-0.0127	-2.5 to 2.5	Pass
				50	3.85	-37.766	-0.0141	-2.5 to 2.5	Pass
				20	3.27	11.945	0.0048	-2.5 to 2.5	Pass
					3.85	36.407	0.0145	-2.5 to 2.5	Pass
					4.43	34.018	0.0136	-2.5 to 2.5	Pass
				-30	3.85	28.954	0.0116	-2.5 to 2.5	Pass
				-20	3.85	15.593	0.0062	-2.5 to 2.5	Pass
				-10	3.85	29.955	0.0120	-2.5 to 2.5	Pass
				0	3.85	3.204	0.0013	-2.5 to 2.5	Pass
				10	3.85	14.920	0.0060	-2.5 to 2.5	Pass
	2593	100	0	30	3.85	24.576	0.0098	-2.5 to 2.5	Pass
				40	3.85	43.917	0.0175	-2.5 to 2.5	Pass
				50	3.85	18.597	0.0074	-2.5 to 2.5	Pass
				20	3.27	-11.015	-0.0042	-2.5 to 2.5	Pass
					3.85	7.253	0.0028	-2.5 to 2.5	Pass
					4.43	12.717	0.0049	-2.5 to 2.5	Pass
				-30	3.85	18.196	0.0070	-2.5 to 2.5	Pass
				-20	3.85	27.852	0.0107	-2.5 to 2.5	Pass
				-10	3.85	30.942	0.0119	-2.5 to 2.5	Pass
				0	3.85	34.862	0.0134	-2.5 to 2.5	Pass
	2680	100	0	10	3.85	37.308	0.0144	-2.5 to 2.5	Pass
				30	3.85	44.646	0.0172	-2.5 to 2.5	Pass
				40	3.85	6.495	0.0025	-2.5 to 2.5	Pass
				50	3.85	3.247	0.0013	-2.5 to 2.5	Pass
				20	3.27	-31.972	-0.0119	-2.5 to 2.5	Pass
					3.85	-40.269	-0.0150	-2.5 to 2.5	Pass
					4.43	0.658	0.0002	-2.5 to 2.5	Pass
				-30	3.85	-20.356	-0.0076	-2.5 to 2.5	Pass
				-20	3.85	-30.427	-0.0114	-2.5 to 2.5	Pass
				-10	3.85	-42.086	-0.0157	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics	
		Size	Offset	Result	Limit
QPSK	2593	25	0	Refer To Test Graph	
16QAM	2593	25	0	Refer To Test Graph	

3.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics	
		Size	Offset	Result	Limit
QPSK	2593	50	0	Refer To Test Graph	
16QAM	2593	50	0	Refer To Test Graph	

3.1.3 B41_15MHz


Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	75	0	Refer To Test Graph		Pass
16QAM	2593	75	0	Refer To Test Graph		Pass

3.1.4 B41_20MHz


Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2593	100	0	Refer To Test Graph		Pass
16QAM	2593	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B41_5MHz




3.2.2 B41_10MHz



3.2.3 B41_15MHz



3.2.4 B41_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band41_OBW

Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2498.5	25	0	4.540	/	Pass
		2593	25	0	4.539	/	Pass
		2687.5	25	0	4.576	/	Pass
	16QAM	2498.5	25	0	4.549	/	Pass
		2593	25	0	4.599	/	Pass
		2687.5	25	0	4.565	/	Pass
10	QPSK	2501	50	0	9.032	/	Pass
		2593	50	0	9.051	/	Pass
		2685	50	0	9.076	/	Pass
	16QAM	2501	50	0	9.057	/	Pass
		2593	50	0	9.059	/	Pass
		2685	50	0	9.090	/	Pass
15	QPSK	2503.5	75	0	13.639	/	Pass
		2593	75	0	13.564	/	Pass
		2682.5	75	0	13.626	/	Pass
	16QAM	2503.5	75	0	13.639	/	Pass
		2593	75	0	13.604	/	Pass
		2682.5	75	0	13.605	/	Pass
20	QPSK	2506	100	0	18.147	/	Pass
		2593	100	0	18.130	/	Pass
		2680	100	0	18.172	/	Pass
	16QAM	2506	100	0	18.163	/	Pass
		2593	100	0	18.210	/	Pass
		2680	100	0	18.104	/	Pass


4.1.2 Band41_XDB

Band: 41 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2498.5	25	0	5.178	/	Pass
		2593	25	0	5.207	/	Pass
		2687.5	25	0	5.572	/	Pass
	16QAM	2498.5	25	0	5.044	/	Pass
		2593	25	0	5.106	/	Pass
		2687.5	25	0	4.859	/	Pass
10	QPSK	2501	50	0	9.785	/	Pass
		2593	50	0	10.110	/	Pass
		2685	50	0	10.621	/	Pass
	16QAM	2501	50	0	9.993	/	Pass
		2593	50	0	10.066	/	Pass
		2685	50	0	10.607	/	Pass
15	QPSK	2503.5	75	0	16.581	/	Pass
		2593	75	0	15.010	/	Pass
		2682.5	75	0	14.936	/	Pass


20	16QAM	2503.5	75	0	15.649	/	Pass
		2593	75	0	15.971	/	Pass
		2682.5	75	0	15.428	/	Pass
	QPSK	2506	100	0	19.431	/	Pass
		2593	100	0	20.566	/	Pass
		2680	100	0	20.250	/	Pass
	16QAM	2506	100	0	20.172	/	Pass
		2593	100	0	22.274	/	Pass
		2680	100	0	20.075	/	Pass

4.2 Test Graph


4.2.1 Band41_OBW




Band41 5MHz QPSK HCH 2687.5MHz RB 25 0 NTNV




Band41 5MHz 16QAM LCH 2498.5MHz RB 25 0 NTNV




Band41 5MHz 16QAM MCH 2593MHz RB 25 0 NTNV




Band41 5MHz 16QAM HCH 2687.5MHz RB 25 0 NTNV




Band41 10MHz QPSK LCH 2501MHz RB 50 0 NTV




Band41 10MHz QPSK MCH 2593MHz RB 50 0 NTV




Band41 10MHz QPSK HCH 2685MHz RB 50 0 NTV




Band41 10MHz 16QAM LCH 2501MHz RB 50 0 NTV




Band41 10MHz 16QAM MCH 2593MHz RB 50 0 NTNV




Band41 10MHz 16QAM HCH 2685MHz RB 50 0 NTNV




Band41 15MHz QPSK LCH 2503.5MHz RB 75 0 NTNV




Band41 15MHz QPSK MCH 2593MHz RB 75 0 NTNV




Band41 15MHz QPSK HCH 2682.5MHz RB 75 0 NTN




Band41 15MHz 16QAM LCH 2503.5MHz RB 75 0 NTN




Band41 15MHz 16QAM MCH 2593MHz RB 75 0 NTNV




Band41 15MHz 16QAM HCH 2682.5MHz RB 75 0 NTNV




Band41 20MHz QPSK LCH 2506MHz RB 100 0 NTNV




Band41 20MHz QPSK MCH 2593MHz RB 100 0 NTNV




Band41 20MHz QPSK HCH 2680MHz RB 100 0 NTN




Band41_20MHz_16QAM_LCH_2506MHz_RB_100_0 NTN




Band41 20MHz 16QAM MCH 2593MHz RB 100 0 NTNV




Band41 20MHz 16QAM HCH 2680MHz RB 100 0 NTNV




4.2.2 Band41_XDB




Band41 5MHz QPSK HCH 2687.5MHz RB 25 0 NTNV




Band41 5MHz 16QAM LCH 2498.5MHz RB 25 0 NTNV




Band41 5MHz 16QAM MCH 2593MHz RB 25 0 NTV




Band41 5MHz 16QAM HCH 2687.5MHz RB 25 0 NTV




Band41 10MHz QPSK LCH 2501MHz RB 50 0 NTV




Band41 10MHz QPSK MCH 2593MHz RB 50 0 NTV




Band41 10MHz QPSK HCH 2685MHz RB 50 0 NTNV




Band41 10MHz 16QAM LCH 2501MHz RB 50 0 NTNV




Band41 10MHz 16QAM MCH 2593MHz RB 50 0 NTN




Band41 10MHz 16QAM HCH 2685MHz RB 50 0 NTN




Band41 15MHz QPSK LCH 2503.5MHz RB 75 0 NTN




Band41 15MHz QPSK MCH 2593MHz RB 75 0 NTN




Band41 15MHz QPSK HCH 2682.5MHz RB 75 0 NTN




Band41 15MHz 16QAM LCH 2503.5MHz RB 75 0 NTN




Band41 15MHz 16QAM MCH 2593MHz RB 75 0 NTNV




Band41 15MHz 16QAM HCH 2682.5MHz RB 75 0 NTNV




Band41 20MHz QPSK LCH 2506MHz RB 100 0 NTV




Band41 20MHz QPSK MCH 2593MHz RB 100 0 NTV




Band41 20MHz QPSK HCH 2680MHz RB 100 0 NTN




Band41_20MHz_16QAM_LCH_2506MHz_RB_100_0_NTN



Band41 20MHz 16QAM MCH 2593MHz RB 100 0 NTNV



Band41 20MHz 16QAM HCH 2680MHz RB 100 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2498.5	25	0	7.58	<=13	Pass
	2593	25	0	7.53	<=13	Pass
	2687.5	25	0	7.72	<=13	Pass
16QAM	2498.5	25	0	8.03	<=13	Pass
	2593	25	0	8.28	<=13	Pass
	2687.5	25	0	8.50	<=13	Pass

5.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2501	50	0	7.68	<=13	Pass
	2593	50	0	7.86	<=13	Pass
	2685	50	0	7.88	<=13	Pass
16QAM	2501	50	0	8.40	<=13	Pass
	2593	50	0	8.41	<=13	Pass
	2685	50	0	8.48	<=13	Pass

5.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2503.5	75	0	7.87	<=13	Pass
	2593	75	0	7.81	<=13	Pass
	2682.5	75	0	8.05	<=13	Pass
16QAM	2503.5	75	0	8.28	<=13	Pass
	2593	75	0	8.53	<=13	Pass
	2682.5	75	0	8.43	<=13	Pass

5.1.4 B41_20MHz


Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2506	100	0	7.50	<=13	Pass
	2593	100	0	7.58	<=13	Pass
	2680	100	0	7.93	<=13	Pass
16QAM	2506	100	0	8.34	<=13	Pass
	2593	100	0	8.28	<=13	Pass

	2680	100	0	8.54	<=13	Pass
--	------	-----	---	------	------	------




5.2 Test Graph


5.2.1 B41_5MHz




Band41 5MHz QPSK HCH 2687.5MHz RB 25 0 NTNV



Band41 5MHz 16QAM LCH 2498.5MHz RB 25 0 NTNV




Band41 5MHz 16QAM MCH 2593MHz RB 25 0 NTNV




2024-10-14 09:19:24

Band41 5MHz 16QAM HCH 2687.5MHz RB 25 0 NTNV




2024-10-14 09:20:01


5.2.2 B41_10MHz




Band41 10MHz QPSK HCH 2685MHz RB 50 0 NTNV



Band41 10MHz 16QAM LCH 2501MHz RB 50 0 NTNV




Band41 10MHz 16QAM MCH 2593MHz RB 50 0 NTNV




2024-10-14 09:21:43

Band41 10MHz 16QAM HCH 2685MHz RB 50 0 NTNV




2024-10-14 09:22:21

5.2.3 B41_15MHz




Band41 15MHz QPSK HCH 2682.5MHz RB 75 0 NTN




2024-10-14 09:24:08

Band41 15MHz 16QAM LCH 2503.5MHz RB 75 0 NTN




2024-10-14 09:23:17

Band41 15MHz 16QAM MCH 2593MHz RB 75 0 NTN




2024-10-14 09:23:49

Band41 15MHz 16QAM HCH 2682.5MHz RB 75 0 NTN




2024-10-14 09:24:21

5.2.4 B41_20MHz




Band41 20MHz QPSK HCH 2680MHz RB 100 0 NTNV




2024-10-14 09:26:04

Band41 20MHz 16QAM LCH 2506MHz RB 100 0 NTNV




2024-10-14 09:25:15

Band41 20MHz 16QAM MCH 2593MHz RB 100 0 NTNV



2024-10-14 09:25:46

Band41 20MHz 16QAM HCH 2680MHz RB 100 0 NTNV



2024-10-14 09:26:17

6. Spurious Emission

6.1 Test Result

6.1.1 B41_5MHz

Band: 41 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2498.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2687.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	2498.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2687.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

6.1.2 B41_10MHz

Band: 41 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2501	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2685	1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	2501	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2685	1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.3 B41_15MHz

Band: 41 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2503.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	2682.5	1	0	Refer To Test Graph		Pass
		1	74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	2503.5	1	0	Refer To Test Graph		Pass


		75	0	Refer To Test Graph	Pass
	2593	1	0	Refer To Test Graph	Pass
	2682.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

6.1.4 B41_20MHz


Band: 41 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2506	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2680	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass
16QAM	2506	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	2593	1	0	Refer To Test Graph		Pass
	2680	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
			0	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 B41_5MHz




Band41 5MHz QPSK LCH 2498.5MHz RB 1 0 NTNV




Band41 5MHz QPSK LCH 2498.5MHz RB 1 0 NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_1_0_NTNV



Band41 5MHz QPSK LCH 2498.5MHz RB 1 0 NTNV




Band41_5MHz_QPSK_LCH_2498.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.494	-48.37	-25	Pass
2490.5	2495	1	CHP	2	2494.490	-41.69	-13	Pass
2495	2496	0.1	/	3	2495.397	-44.34	-13	Pass
2496	2503.5	0.104	CHP	/	/	/	/	/


Band41 5MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 5MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 5MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 5MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_QPSK_MCH_2593MHz_RB_1_0_NTNV




Band41 5MHz QPSK HCH 2687.5MHz RB 1 0 NTV




Band41 5MHz QPSK HCH 2687.5MHz RB 1 0 NTV




Band41 5MHz QPSK HCH 2687.5MHz RB 1 0 NTV




Band41 5MHz QPSK HCH 2687.5MHz RB 1 0 NTV




Band41 5MHz QPSK HCH 2687.5MHz RB 1 0 NTNV



Band41 5MHz QPSK HCH 2687.5MHz RB 1 0 NTNV




Band41 5MHz QPSK HCH 2687.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2682.5	2690	0.1	/	/	/	/	/	/
2690	2691	0.1	/	1	2690.025	-33.44	-10	Pass
2691	2695	1	CHP	2	2691.125	-41.11	-10	Pass
2695	2696	1	CHP	3	2695.425	-50.14	-13	Pass
2696	2707.5	1	CHP	4	2696.175	-49.70	-25	Pass

Band41 5MHz QPSK HCH 2687.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2682.5	2690	0.111	CHP	/	/	/	/	/
2690	2691	0.111	CHP	1	2690.025	-39.93	-10	Pass
2691	2695	1	CHP	2	2691.500	-35.73	-10	Pass
2695	2696	1	CHP	3	2695.025	-45.55	-13	Pass
2696	2707.5	1	CHP	4	2696.025	-47.37	-25	Pass

Band41 5MHz 16QAM LCH 2498.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.457	-49.13	-25	Pass
2490.5	2495	1	CHP	2	2494.564	-39.79	-13	Pass
2495	2496	0.1	/	3	2495.767	-26.86	-13	Pass
2496	2503.5	0.1	/	/	/	/	/	/


Band41 5MHz 16QAM LCH 2498.5MHz RB 1 0 NTNV




Band41 5MHz 16QAM LCH 2498.5MHz RB 1 0 NTV




Band41 5MHz 16QAM LCH 2498.5MHz RB 1 0 NTV




Band41 5MHz 16QAM LCH 2498.5MHz RB 1 0 NTNV




Band41 5MHz 16QAM LCH 2498.5MHz RB 1 0 NTNV



Band41 5MHz 16QAM LCH 2498.5MHz RB 1 0 NTV




Band41 5MHz 16QAM LCH 2498.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.494	-48.64	-25	Pass
2490.5	2495	1	CHP	2	2493.769	-41.75	-13	Pass
2495	2496	0.1	/	3	2495.434	-40.50	-13	Pass
2496	2503.5	0.101	CHP	/	/	/	/	/


Band41_5MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41_5MHz_16QAM_MCH_2593MHz_RB_1_0_NTNV




Band41 5MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 5MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 5MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 5MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 5MHz 16QAM HCH 2687.5MHz RB 1 0 NTNV




Band41 5MHz 16QAM HCH 2687.5MHz RB 1 0 NTNV




Band41 5MHz 16QAM HCH 2687.5MHz RB 1 0 NTNV




Band41 5MHz 16QAM HCH 2687.5MHz RB 1 0 NTNV




Band41 5MHz 16QAM HCH 2687.5MHz RB 1 0 NTNV



Band41 5MHz 16QAM HCH 2687.5MHz RB 1 0 NTNV




Band41 5MHz 16QAM HCH 2687.5MHz RB 1 24 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2682.5	2690	0.1	/	/	/	/	/	/
2690	2691	0.1	/	1	2690.050	-29.18	-10	Pass
2691	2695	1	CHP	2	2691.425	-43.56	-10	Pass
2695	2696	1	CHP	3	2695.025	-50.82	-13	Pass
2696	2707.5	1	CHP	4	2696.500	-50.42	-25	Pass


Band41 5MHz 16QAM HCH 2687.5MHz RB 25 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2682.5	2690	0.1	/	/	/	/	/	/
2690	2691	0.1	/	1	2690.100	-41.15	-10	Pass
2691	2695	1	CHP	2	2691.500	-36.40	-10	Pass
2695	2696	1	CHP	3	2695.025	-46.43	-13	Pass
2696	2707.5	1	CHP	4	2696.175	-47.79	-25	Pass


6.2.2 B41_10MHz

Band41 10MHz QPSK LCH 2501MHz RB 1 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2489.472	-44.70	-25	Pass
2490.5	2495	1	CHP	2	2494.490	-37.33	-13	Pass
2495	2496	0.2	/	3	2495.972	-29.63	-13	Pass
2496	2511	0.2	/	/	/	/	/	/


Band41 10MHz QPSK LCH 2501MHz RB 1 0 NTN




Band41 10MHz QPSK LCH 2501MHz RB 1 0 NTNV




Band41 10MHz QPSK LCH 2501MHz RB 1 0 NTNV




Band41 10MHz QPSK LCH 2501MHz RB 1 0 NTNV




Band41 10MHz QPSK LCH 2501MHz RB 1 0 NTNV



Band41 10MHz QPSK LCH 2501MHz RB 1 0 NTNV




Band41 10MHz QPSK LCH 2501MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.382	-43.65	-25	Pass
2490.5	2495	1	CHP	2	2493.788	-41.27	-13	Pass
2495	2496	0.2	/	3	2495.998	-28.70	-13	Pass
2496	2511	0.2	/	/	/	/	/	/


Band41 10MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 10MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 10MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 10MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 10MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 10MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 10MHz QPSK HCH 2685MHz RB 1 0 NTNV




Band41 10MHz QPSK HCH 2685MHz RB 1 0 NTNV




Band41 10MHz QPSK HCH 2685MHz RB 1 0 NTN




Band41_10MHz_QPSK_HCH_2685MHz_RB_1_0 NTN




Band41 10MHz QPSK HCH 2685MHz RB 1 0 NTN



Band41 10MHz QPSK HCH 2685MHz RB 1 0 NTN




Band41 10MHz QPSK HCH 2685MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.2	/	/	/	/	/	/
2690	2691	0.2	/	1	2690.030	-30.25	-10	Pass
2691	2695	1	CHP	2	2691.500	-45.43	-10	Pass
2695	2700	1	CHP	3	2696.450	-46.93	-13	Pass
2700	2705	1	CHP	4	2701.760	-51.05	-25	Pass

Band41 10MHz QPSK HCH 2685MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.212	CHP	/	/	/	/	/
2690	2691	0.212	CHP	1	2690.030	-40.64	-10	Pass
2691	2695	1	CHP	2	2691.500	-37.82	-10	Pass
2695	2700	1	CHP	3	2695.280	-40.56	-13	Pass
2700	2705	1	CHP	4	2701.430	-47.46	-25	Pass

Band41 10MHz 16QAM LCH 2501MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2487.574	-46.53	-25	Pass
2490.5	2495	1	CHP	2	2494.490	-48.36	-13	Pass
2495	2496	0.2	/	3	2495.998	-23.04	-13	Pass
2496	2511	0.2	/	/	/	/	/	/


Band41 10MHz 16QAM LCH 2501MHz RB 1 0 NTV




Band41 10MHz 16QAM LCH 2501MHz RB 1 0 NTNV




Band41 10MHz 16QAM LCH 2501MHz RB 1 0 NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_1_0_NTNV




Band41_10MHz_16QAM_LCH_2501MHz_RB_1_0_NTNV



Band41 10MHz 16QAM LCH 2501MHz RB 1 0 NTV




Band41 10MHz 16QAM LCH 2501MHz RB 50 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.460	-43.37	-25	Pass
2490.5	2495	1	CHP	2	2494.490	-41.92	-13	Pass
2495	2496	0.2	/	3	2495.010	-45.40	-13	Pass
2496	2511	0.2	/	/	/	/	/	/


Band41 10MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 10MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 10MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 10MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 10MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 10MHz 16QAM MCH 2593MHz RB 1 0 NTNV




Band41 10MHz 16QAM HCH 2685MHz RB 1 0 NTV




Band41 10MHz 16QAM HCH 2685MHz RB 1 0 NTV




Band41 10MHz 16QAM HCH 2685MHz RB 1 0 NTV




Band41 10MHz 16QAM HCH 2685MHz RB 1 0 NTV




Band41 10MHz 16QAM HCH 2685MHz RB 1 0 NTNV



Band41 10MHz 16QAM HCH 2685MHz RB 1 0 NTNV




Band41 10MHz 16QAM HCH 2685MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.2	/	/	/	/	/	/
2690	2691	0.2	/	1	2690.090	-35.08	-10	Pass
2691	2695	1	CHP	2	2692.550	-46.26	-10	Pass
2695	2700	1	CHP	3	2698.310	-49.69	-13	Pass
2700	2705	1	CHP	4	2700.260	-51.32	-25	Pass

Band41 10MHz 16QAM HCH 2685MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2675	2690	0.212	CHP	/	/	/	/	/
2690	2691	0.212	CHP	1	2690.090	-42.91	-10	Pass
2691	2695	1	CHP	2	2691.500	-37.97	-10	Pass
2695	2700	1	CHP	3	2695.010	-41.12	-13	Pass
2700	2705	1	CHP	4	2700.290	-48.05	-25	Pass


6.2.3 B41_15MHz




Band41 15MHz QPSK LCH 2503.5MHz RB 1 0 NTV




Band41 15MHz QPSK LCH 2503.5MHz RB 1 0 NTV




Band41 15MHz QPSK LCH 2503.5MHz RB 1 0 NTNV




Band41 15MHz QPSK LCH 2503.5MHz RB 1 0 NTNV



Band41 15MHz QPSK LCH 2503.5MHz RB 1 0 NTV




Band41 15MHz QPSK LCH 2503.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.910	-44.75	-25	Pass
2490.5	2495	1	CHP	2	2494.883	-36.64	-13	Pass
2495	2496	0.3	/	3	2495.787	-39.54	-13	Pass
2496	2518.5	0.332	CHP	/	/	/	/	/


Band41 15MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 15MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 15MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 15MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 15MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 15MHz QPSK MCH 2593MHz RB 1 0 NTNV




Band41 15MHz QPSK HCH 2682.5MHz RB 1 0 NTNV




Band41 15MHz QPSK HCH 2682.5MHz RB 1 0 NTNV




Band41 15MHz QPSK HCH 2682.5MHz RB 1 0 NTNV




Band41 15MHz QPSK HCH 2682.5MHz RB 1 0 NTNV




Band41 15MHz QPSK HCH 2682.5MHz RB 1 0 NTNV



Band41 15MHz QPSK HCH 2682.5MHz RB 1 0 NTNV




Band41 15MHz QPSK HCH 2682.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2667.5	2690	0.3	/	/	/	/	/	/
2690	2691	0.3	/	1	2690.005	-31.31	-10	Pass
2691	2695	1	CHP	2	2692.035	-47.66	-10	Pass
2695	2702.5	1	CHP	3	2702.010	-47.00	-13	Pass

Band41 15MHz QPSK HCH 2682.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2667.5	2690	0.3	/	/	/	/	/	/
2690	2691	0.3	/	1	2690.705	-37.59	-10	Pass
2691	2695	1	CHP	2	2691.930	-38.10	-10	Pass
2695	2702.5	1	CHP	3	2696.480	-40.60	-13	Pass

Band41 15MHz 16QAM LCH 2503.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2486.541	-44.97	-25	Pass
2490.5	2495	1	CHP	2	2492.738	-35.74	-13	Pass
2495	2496	0.3	/	3	2495.988	-24.93	-13	Pass
2496	2518.5	0.3	/	/	/	/	/	/


Band41 15MHz 16QAM LCH 2503.5MHz RB 1 0 NTNV




Band41 15MHz 16QAM LCH 2503.5MHz RB 1 0 NTNV



Band41 15MHz 16QAM LCH 2503.5MHz RB 1 0 NTNV



Band41 15MHz 16QAM LCH 2503.5MHz RB 1 0 NTNV



Band41 15MHz 16QAM LCH 2503.5MHz RB 1 0 NTNV

