

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B71_5MHz_ERP

Band: 71 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	665.5	1	0	21.12	-1.19	17.78	<=34.77	Pass
			13	21.21	-1.19	17.87	<=34.77	Pass
			24	21.12	-1.19	17.78	<=34.77	Pass
		12	0	20.17	-1.19	16.83	<=34.77	Pass
			6	20.02	-1.19	16.68	<=34.77	Pass
			13	20.06	-1.19	16.72	<=34.77	Pass
		25	0	20.04	-1.19	16.70	<=34.77	Pass
	680.5	1	0	21.08	-1.19	17.74	<=34.77	Pass
			13	21.23	-1.19	17.89	<=34.77	Pass
			24	21.22	-1.19	17.88	<=34.77	Pass
		12	0	20.41	-1.19	17.07	<=34.77	Pass
			6	20.37	-1.19	17.03	<=34.77	Pass
			13	20.29	-1.19	16.95	<=34.77	Pass
		25	0	20.42	-1.19	17.08	<=34.77	Pass
	695.5	1	0	21.26	-1.19	17.92	<=34.77	Pass
			13	21.50	-1.19	18.16	<=34.77	Pass
			24	21.32	-1.19	17.98	<=34.77	Pass
		12	0	20.34	-1.19	17.00	<=34.77	Pass
			6	20.47	-1.19	17.13	<=34.77	Pass
			13	20.36	-1.19	17.02	<=34.77	Pass
		25	0	20.45	-1.19	17.11	<=34.77	Pass
16QAM	665.5	1	0	20.21	-1.19	16.87	<=34.77	Pass
			13	20.09	-1.19	16.75	<=34.77	Pass
			24	20.45	-1.19	17.11	<=34.77	Pass
		12	0	19.28	-1.19	15.94	<=34.77	Pass
			6	18.99	-1.19	15.65	<=34.77	Pass
			13	19.02	-1.19	15.68	<=34.77	Pass
		25	0	19.06	-1.19	15.72	<=34.77	Pass
	680.5	1	0	19.77	-1.19	16.43	<=34.77	Pass
			13	19.93	-1.19	16.59	<=34.77	Pass
			24	19.88	-1.19	16.54	<=34.77	Pass
		12	0	19.38	-1.19	16.04	<=34.77	Pass
			6	19.35	-1.19	16.01	<=34.77	Pass
			13	19.32	-1.19	15.98	<=34.77	Pass
		25	0	19.43	-1.19	16.09	<=34.77	Pass
	695.5	1	0	20.46	-1.19	17.12	<=34.77	Pass
			13	20.51	-1.19	17.17	<=34.77	Pass
			24	20.28	-1.19	16.94	<=34.77	Pass
		12	0	19.49	-1.19	16.15	<=34.77	Pass
			6	19.47	-1.19	16.13	<=34.77	Pass
			13	19.39	-1.19	16.05	<=34.77	Pass
		25	0	19.54	-1.19	16.20	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B71_10MHz_ERP

Band: 71 / Bandwidth: 10MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	668	1	0	21.11	-1.19	17.77	<=34.77	Pass
			25	21.20	-1.19	17.86	<=34.77	Pass
			49	21.29	-1.19	17.95	<=34.77	Pass
		25	0	20.00	-1.19	16.66	<=34.77	Pass
			13	20.44	-1.19	17.10	<=34.77	Pass
			25	20.21	-1.19	16.87	<=34.77	Pass
		50	0	20.43	-1.19	17.09	<=34.77	Pass
	680.5	1	0	21.22	-1.19	17.88	<=34.77	Pass
			25	21.36	-1.19	18.02	<=34.77	Pass
			49	21.40	-1.19	18.06	<=34.77	Pass
		25	0	20.33	-1.19	16.99	<=34.77	Pass
			13	20.38	-1.19	17.04	<=34.77	Pass
			25	20.27	-1.19	16.93	<=34.77	Pass
		50	0	20.42	-1.19	17.08	<=34.77	Pass
	693	1	0	21.36	-1.19	18.02	<=34.77	Pass
			25	21.37	-1.19	18.03	<=34.77	Pass
			49	21.57	-1.19	18.23	<=34.77	Pass
		25	0	20.35	-1.19	17.01	<=34.77	Pass
			13	20.43	-1.19	17.09	<=34.77	Pass
			25	20.39	-1.19	17.05	<=34.77	Pass
16QAM	668	1	0	19.67	-1.19	16.33	<=34.77	Pass
			25	19.99	-1.19	16.65	<=34.77	Pass
			49	19.81	-1.19	16.47	<=34.77	Pass
		25	0	19.07	-1.19	15.73	<=34.77	Pass
			13	19.49	-1.19	16.15	<=34.77	Pass
			25	19.42	-1.19	16.08	<=34.77	Pass
		50	0	19.43	-1.19	16.09	<=34.77	Pass
	680.5	1	0	20.28	-1.19	16.94	<=34.77	Pass
			25	20.51	-1.19	17.17	<=34.77	Pass
			49	20.46	-1.19	17.12	<=34.77	Pass
		25	0	19.54	-1.19	16.20	<=34.77	Pass
			13	19.49	-1.19	16.15	<=34.77	Pass
			25	19.53	-1.19	16.19	<=34.77	Pass
		50	0	19.46	-1.19	16.12	<=34.77	Pass
	693	1	0	20.17	-1.19	16.83	<=34.77	Pass
			25	20.30	-1.19	16.96	<=34.77	Pass
			49	20.28	-1.19	16.94	<=34.77	Pass
		25	0	19.48	-1.19	16.14	<=34.77	Pass
			13	19.47	-1.19	16.13	<=34.77	Pass
			25	19.50	-1.19	16.16	<=34.77	Pass
		50	0	19.48	-1.19	16.14	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B71_15MHz_ERP

Band: 71 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	670.5	1	0	21.06	-1.19	17.72	<=34.77	Pass
			38	21.10	-1.19	17.76	<=34.77	Pass
			74	21.15	-1.19	17.81	<=34.77	Pass
		36	0	20.43	-1.19	17.09	<=34.77	Pass
			18	20.32	-1.19	16.98	<=34.77	Pass
			39	20.47	-1.19	17.13	<=34.77	Pass

16QAM	680.5	75	0	20.31	-1.19	16.97	<=34.77	Pass	
			0	21.32	-1.19	17.98	<=34.77	Pass	
		1	38	21.38	-1.19	18.04	<=34.77	Pass	
			74	21.48	-1.19	18.14	<=34.77	Pass	
			0	20.08	-1.19	16.74	<=34.77	Pass	
		36	18	20.28	-1.19	16.94	<=34.77	Pass	
			39	20.25	-1.19	16.91	<=34.77	Pass	
			75	0	20.46	-1.19	17.12	<=34.77	Pass
		690.5	1	0	21.37	-1.19	18.03	<=34.77	Pass
				38	21.41	-1.19	18.07	<=34.77	Pass
	74			21.47	-1.19	18.13	<=34.77	Pass	
	36		0	20.34	-1.19	17.00	<=34.77	Pass	
			18	20.50	-1.19	17.16	<=34.77	Pass	
			39	20.33	-1.19	16.99	<=34.77	Pass	
	75		0	20.36	-1.19	17.02	<=34.77	Pass	
	670.5		1	0	20.09	-1.19	16.75	<=34.77	Pass
38		20.23		-1.19	16.89	<=34.77	Pass		
74		20.22		-1.19	16.88	<=34.77	Pass		
0		19.38		-1.19	16.04	<=34.77	Pass		
18		19.32		-1.19	15.98	<=34.77	Pass		
39		19.51		-1.19	16.17	<=34.77	Pass		
75		0	19.31	-1.19	15.97	<=34.77	Pass		
680.5		1	0	20.53	-1.19	17.19	<=34.77	Pass	
			38	20.46	-1.19	17.12	<=34.77	Pass	
			74	20.47	-1.19	17.13	<=34.77	Pass	
		36	0	19.55	-1.19	16.21	<=34.77	Pass	
			18	19.49	-1.19	16.15	<=34.77	Pass	
			39	19.49	-1.19	16.15	<=34.77	Pass	
		75	0	19.34	-1.19	16.00	<=34.77	Pass	
690.5		1	0	19.98	-1.19	16.64	<=34.77	Pass	
			38	20.19	-1.19	16.85	<=34.77	Pass	
			74	20.11	-1.19	16.77	<=34.77	Pass	
		36	0	19.52	-1.19	16.18	<=34.77	Pass	
			18	19.61	-1.19	16.27	<=34.77	Pass	
			39	19.55	-1.19	16.21	<=34.77	Pass	
		75	0	19.61	-1.19	16.27	<=34.77	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B71_20MHz_ERP

Band: 71 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	673	1	0	21.08	-1.19	17.74	<=34.77	Pass
			50	21.26	-1.19	17.92	<=34.77	Pass
			99	21.44	-1.19	18.10	<=34.77	Pass
			0	20.37	-1.19	17.03	<=34.77	Pass
		50	25	20.27	-1.19	16.93	<=34.77	Pass
			50	20.30	-1.19	16.96	<=34.77	Pass
			0	20.16	-1.19	16.82	<=34.77	Pass
			0	21.43	-1.19	18.09	<=34.77	Pass
		1	50	21.37	-1.19	18.03	<=34.77	Pass
			99	21.52	-1.19	18.18	<=34.77	Pass
			0	20.10	-1.19	16.76	<=34.77	Pass
			25	20.22	-1.19	16.88	<=34.77	Pass
	683	50	50	20.32	-1.19	16.98	<=34.77	Pass
			0	20.26	-1.19	16.92	<=34.77	Pass

16QAM	688	1	0	20.98	-1.19	17.64	<=34.77	Pass
			50	21.27	-1.19	17.93	<=34.77	Pass
			99	21.38	-1.19	18.04	<=34.77	Pass
		50	0	20.32	-1.19	16.98	<=34.77	Pass
			25	20.26	-1.19	16.92	<=34.77	Pass
			50	20.32	-1.19	16.98	<=34.77	Pass
		100	0	20.36	-1.19	17.02	<=34.77	Pass
	673	1	0	19.88	-1.19	16.54	<=34.77	Pass
			50	20.01	-1.19	16.67	<=34.77	Pass
			99	20.15	-1.19	16.81	<=34.77	Pass
		50	0	19.36	-1.19	16.02	<=34.77	Pass
			25	19.34	-1.19	16.00	<=34.77	Pass
			50	19.55	-1.19	16.21	<=34.77	Pass
		100	0	19.33	-1.19	15.99	<=34.77	Pass
	683	1	0	20.54	-1.19	17.20	<=34.77	Pass
			50	20.42	-1.19	17.08	<=34.77	Pass
			99	20.58	-1.19	17.24	<=34.77	Pass
		50	0	19.50	-1.19	16.16	<=34.77	Pass
			25	19.43	-1.19	16.09	<=34.77	Pass
			50	19.59	-1.19	16.25	<=34.77	Pass
		100	0	19.31	-1.19	15.97	<=34.77	Pass
	688	1	0	19.71	-1.19	16.37	<=34.77	Pass
			50	19.80	-1.19	16.46	<=34.77	Pass
			99	20.04	-1.19	16.70	<=34.77	Pass
		50	0	19.47	-1.19	16.13	<=34.77	Pass
			25	19.59	-1.19	16.25	<=34.77	Pass
			50	19.59	-1.19	16.25	<=34.77	Pass
		100	0	19.45	-1.19	16.11	<=34.77	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B71_5MHz

Band: 71 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	665.5	25	0	20	3.27	-17.352	-0.0261	-2.5 to 2.5	Pass
					3.85	-21.715	-0.0326	-2.5 to 2.5	Pass
					4.43	-18.997	-0.0285	-2.5 to 2.5	Pass
				-30	3.85	-16.594	-0.0249	-2.5 to 2.5	Pass
					3.85	-15.907	-0.0239	-2.5 to 2.5	Pass
					3.85	-13.919	-0.0209	-2.5 to 2.5	Pass
				0	3.85	-12.932	-0.0194	-2.5 to 2.5	Pass
					3.85	-10.715	-0.0161	-2.5 to 2.5	Pass
					3.85	-10.386	-0.0156	-2.5 to 2.5	Pass
				40	3.85	-8.440	-0.0127	-2.5 to 2.5	Pass
					3.85	-6.881	-0.0103	-2.5 to 2.5	Pass
					3.85	-4.950	-0.0073	-2.5 to 2.5	Pass
	680.5	25	0	20	3.27	-0.572	-0.0008	-2.5 to 2.5	Pass
					3.85	-4.678	-0.0069	-2.5 to 2.5	Pass
					4.43	-5.493	-0.0081	-2.5 to 2.5	Pass
				-30	3.85	-4.878	-0.0072	-2.5 to 2.5	Pass
					3.85	-5.708	-0.0084	-2.5 to 2.5	Pass
					3.85	-4.950	-0.0073	-2.5 to 2.5	Pass

16QAM	695.5	25	0	0	3.85	-4.978	-0.0073	-2.5 to 2.5	Pass
				10	3.85	-4.549	-0.0067	-2.5 to 2.5	Pass
				30	3.85	-5.522	-0.0081	-2.5 to 2.5	Pass
				40	3.85	-5.736	-0.0084	-2.5 to 2.5	Pass
				50	3.85	-5.407	-0.0079	-2.5 to 2.5	Pass
				20	3.27	8.569	0.0123	-2.5 to 2.5	Pass
					3.85	10.543	0.0152	-2.5 to 2.5	Pass
					4.43	12.374	0.0178	-2.5 to 2.5	Pass
				-30	3.85	14.319	0.0206	-2.5 to 2.5	Pass
				-20	3.85	16.766	0.0241	-2.5 to 2.5	Pass
				-10	3.85	18.668	0.0268	-2.5 to 2.5	Pass
				0	3.85	20.800	0.0299	-2.5 to 2.5	Pass
				10	3.85	23.189	0.0333	-2.5 to 2.5	Pass
				30	3.85	25.005	0.0360	-2.5 to 2.5	Pass
				40	3.85	26.264	0.0378	-2.5 to 2.5	Pass
				50	3.85	28.768	0.0414	-2.5 to 2.5	Pass
	665.5	25	0	20	3.27	-4.621	-0.0069	-2.5 to 2.5	Pass
					3.85	-7.181	-0.0108	-2.5 to 2.5	Pass
					4.43	-10.743	-0.0161	-2.5 to 2.5	Pass
				-30	3.85	-14.191	-0.0213	-2.5 to 2.5	Pass
				-20	3.85	-17.352	-0.0261	-2.5 to 2.5	Pass
				-10	3.85	-25.678	-0.0386	-2.5 to 2.5	Pass
				0	3.85	-32.659	-0.0491	-2.5 to 2.5	Pass
				10	3.85	-38.924	-0.0585	-2.5 to 2.5	Pass
				30	3.85	-41.685	-0.0626	-2.5 to 2.5	Pass
				40	3.85	-43.931	-0.0660	-2.5 to 2.5	Pass
				50	3.85	-46.377	-0.0697	-2.5 to 2.5	Pass
	680.5	25	0	20	3.27	-5.722	-0.0084	-2.5 to 2.5	Pass
					3.85	-6.437	-0.0095	-2.5 to 2.5	Pass
					4.43	-6.995	-0.0103	-2.5 to 2.5	Pass
				-30	3.85	-8.426	-0.0124	-2.5 to 2.5	Pass
				-20	3.85	-8.841	-0.0130	-2.5 to 2.5	Pass
				-10	3.85	-8.540	-0.0125	-2.5 to 2.5	Pass
				0	3.85	-8.969	-0.0132	-2.5 to 2.5	Pass
				10	3.85	-8.769	-0.0129	-2.5 to 2.5	Pass
				30	3.85	-8.554	-0.0126	-2.5 to 2.5	Pass
				40	3.85	-8.311	-0.0122	-2.5 to 2.5	Pass
				50	3.85	-7.968	-0.0117	-2.5 to 2.5	Pass
	695.5	25	0	20	3.27	30.856	0.0444	-2.5 to 2.5	Pass
					3.85	29.769	0.0428	-2.5 to 2.5	Pass
					4.43	30.284	0.0435	-2.5 to 2.5	Pass
				-30	3.85	29.011	0.0417	-2.5 to 2.5	Pass
				-20	3.85	29.097	0.0418	-2.5 to 2.5	Pass
				-10	3.85	28.725	0.0413	-2.5 to 2.5	Pass
				0	3.85	28.110	0.0404	-2.5 to 2.5	Pass
				10	3.85	28.195	0.0405	-2.5 to 2.5	Pass
				30	3.85	27.652	0.0398	-2.5 to 2.5	Pass
				40	3.85	27.752	0.0399	-2.5 to 2.5	Pass
				50	3.85	27.809	0.0400	-2.5 to 2.5	Pass

2.1.2 B71_10MHz

Band: 71 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	668	50	0	20	3.27	-0.014	0.0000	-2.5 to 2.5	Pass
					3.85	-17.080	-0.0256	-2.5 to 2.5	Pass

					4.43	-30.227	-0.0453	-2.5 to 2.5	Pass
				-30	3.85	-41.199	-0.0617	-2.5 to 2.5	Pass
				-20	3.85	-49.295	-0.0738	-2.5 to 2.5	Pass
				-10	3.85	0.186	0.0003	-2.5 to 2.5	Pass
				0	3.85	-2.604	-0.0039	-2.5 to 2.5	Pass
				10	3.85	-4.034	-0.0060	-2.5 to 2.5	Pass
				30	3.85	-4.578	-0.0069	-2.5 to 2.5	Pass
				40	3.85	-3.405	-0.0051	-2.5 to 2.5	Pass
				50	3.85	-2.375	-0.0036	-2.5 to 2.5	Pass
	680.5	50	0	20	3.27	-3.104	-0.0046	-2.5 to 2.5	Pass
					3.85	-4.106	-0.0060	-2.5 to 2.5	Pass
					4.43	-3.333	-0.0049	-2.5 to 2.5	Pass
				-30	3.85	-3.147	-0.0046	-2.5 to 2.5	Pass
				-20	3.85	-0.315	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	0.186	0.0003	-2.5 to 2.5	Pass
				0	3.85	1.402	0.0021	-2.5 to 2.5	Pass
				10	3.85	2.317	0.0034	-2.5 to 2.5	Pass
				30	3.85	3.376	0.0050	-2.5 to 2.5	Pass
				40	3.85	4.120	0.0061	-2.5 to 2.5	Pass
				50	3.85	4.592	0.0067	-2.5 to 2.5	Pass
	693	50	0	20	3.27	3.119	0.0045	-2.5 to 2.5	Pass
					3.85	0.944	0.0014	-2.5 to 2.5	Pass
					4.43	1.974	0.0028	-2.5 to 2.5	Pass
				-30	3.85	3.119	0.0045	-2.5 to 2.5	Pass
				-20	3.85	4.449	0.0064	-2.5 to 2.5	Pass
				-10	3.85	5.436	0.0078	-2.5 to 2.5	Pass
				0	3.85	8.755	0.0126	-2.5 to 2.5	Pass
				10	3.85	15.206	0.0219	-2.5 to 2.5	Pass
				30	3.85	19.383	0.0280	-2.5 to 2.5	Pass
				40	3.85	22.073	0.0319	-2.5 to 2.5	Pass
				50	3.85	23.217	0.0335	-2.5 to 2.5	Pass
16QAM	668	50	0	20	3.27	-0.629	-0.0009	-2.5 to 2.5	Pass
					3.85	0.129	0.0002	-2.5 to 2.5	Pass
					4.43	0.501	0.0008	-2.5 to 2.5	Pass
				-30	3.85	1.073	0.0016	-2.5 to 2.5	Pass
				-20	3.85	1.431	0.0021	-2.5 to 2.5	Pass
				-10	3.85	2.389	0.0036	-2.5 to 2.5	Pass
				0	3.85	2.460	0.0037	-2.5 to 2.5	Pass
				10	3.85	3.004	0.0045	-2.5 to 2.5	Pass
				30	3.85	1.774	0.0027	-2.5 to 2.5	Pass
				40	3.85	3.161	0.0047	-2.5 to 2.5	Pass
				50	3.85	3.891	0.0058	-2.5 to 2.5	Pass
	680.5	50	0	20	3.27	5.693	0.0084	-2.5 to 2.5	Pass
					3.85	4.592	0.0067	-2.5 to 2.5	Pass
					4.43	2.689	0.0040	-2.5 to 2.5	Pass
				-30	3.85	0.772	0.0011	-2.5 to 2.5	Pass
				-20	3.85	-1.545	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	-2.418	-0.0036	-2.5 to 2.5	Pass
				0	3.85	-4.778	-0.0070	-2.5 to 2.5	Pass
				10	3.85	-10.271	-0.0151	-2.5 to 2.5	Pass
				30	3.85	-12.703	-0.0187	-2.5 to 2.5	Pass
				40	3.85	-14.663	-0.0215	-2.5 to 2.5	Pass
				50	3.85	-14.992	-0.0220	-2.5 to 2.5	Pass
	693	50	0	20	3.27	25.134	0.0363	-2.5 to 2.5	Pass
					3.85	26.178	0.0378	-2.5 to 2.5	Pass
					4.43	23.389	0.0338	-2.5 to 2.5	Pass
				-30	3.85	30.470	0.0440	-2.5 to 2.5	Pass
				-20	3.85	32.129	0.0464	-2.5 to 2.5	Pass
				-10	3.85	30.055	0.0434	-2.5 to 2.5	Pass

				0	3.85	28.553	0.0412	-2.5 to 2.5	Pass
				10	3.85	28.825	0.0416	-2.5 to 2.5	Pass
				30	3.85	28.453	0.0411	-2.5 to 2.5	Pass
				40	3.85	27.595	0.0398	-2.5 to 2.5	Pass
				50	3.85	26.336	0.0380	-2.5 to 2.5	Pass

2.1.3 B71_15MHz

Band: 71 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	670.5	75	0	20	3.27	5.350	0.0080	-2.5 to 2.5	Pass
					3.85	-5.264	-0.0079	-2.5 to 2.5	Pass
					4.43	-14.949	-0.0223	-2.5 to 2.5	Pass
				-30	3.85	-22.144	-0.0330	-2.5 to 2.5	Pass
				-20	3.85	-28.253	-0.0421	-2.5 to 2.5	Pass
				-10	3.85	-32.487	-0.0485	-2.5 to 2.5	Pass
				0	3.85	-35.391	-0.0528	-2.5 to 2.5	Pass
				10	3.85	-36.936	-0.0551	-2.5 to 2.5	Pass
				30	3.85	-39.196	-0.0585	-2.5 to 2.5	Pass
				40	3.85	-39.725	-0.0592	-2.5 to 2.5	Pass
				50	3.85	-38.424	-0.0573	-2.5 to 2.5	Pass
	680.5	75	0	20	3.27	3.877	0.0057	-2.5 to 2.5	Pass
					3.85	1.016	0.0015	-2.5 to 2.5	Pass
					4.43	1.373	0.0020	-2.5 to 2.5	Pass
				-30	3.85	1.974	0.0029	-2.5 to 2.5	Pass
				-20	3.85	1.502	0.0022	-2.5 to 2.5	Pass
				-10	3.85	3.018	0.0044	-2.5 to 2.5	Pass
				0	3.85	2.775	0.0041	-2.5 to 2.5	Pass
				10	3.85	2.561	0.0038	-2.5 to 2.5	Pass
				30	3.85	2.418	0.0036	-2.5 to 2.5	Pass
				40	3.85	-1.259	-0.0019	-2.5 to 2.5	Pass
				50	3.85	3.734	0.0055	-2.5 to 2.5	Pass
	690.5	75	0	20	3.27	-0.043	-0.0001	-2.5 to 2.5	Pass
					3.85	1.674	0.0024	-2.5 to 2.5	Pass
					4.43	3.948	0.0057	-2.5 to 2.5	Pass
				-30	3.85	7.296	0.0106	-2.5 to 2.5	Pass
				-20	3.85	9.985	0.0145	-2.5 to 2.5	Pass
				-10	3.85	12.846	0.0186	-2.5 to 2.5	Pass
				0	3.85	15.278	0.0221	-2.5 to 2.5	Pass
				10	3.85	17.796	0.0258	-2.5 to 2.5	Pass
				30	3.85	19.856	0.0288	-2.5 to 2.5	Pass
				40	3.85	23.718	0.0343	-2.5 to 2.5	Pass
				50	3.85	26.407	0.0382	-2.5 to 2.5	Pass
16QAM	670.5	75	0	20	3.27	-37.780	-0.0563	-2.5 to 2.5	Pass
					3.85	-38.080	-0.0568	-2.5 to 2.5	Pass
					4.43	-38.710	-0.0577	-2.5 to 2.5	Pass
				-30	3.85	-37.594	-0.0561	-2.5 to 2.5	Pass
				-20	3.85	-40.770	-0.0608	-2.5 to 2.5	Pass
				-10	3.85	-41.113	-0.0613	-2.5 to 2.5	Pass
				0	3.85	-41.099	-0.0613	-2.5 to 2.5	Pass
				10	3.85	-42.000	-0.0626	-2.5 to 2.5	Pass
				30	3.85	-42.229	-0.0630	-2.5 to 2.5	Pass
				40	3.85	-42.443	-0.0633	-2.5 to 2.5	Pass
				50	3.85	-42.329	-0.0631	-2.5 to 2.5	Pass
	680.5	75	0	20	3.27	5.236	0.0077	-2.5 to 2.5	Pass
					3.85	6.766	0.0099	-2.5 to 2.5	Pass

					4.43	5.722	0.0084	-2.5 to 2.5	Pass
				-30	3.85	6.080	0.0089	-2.5 to 2.5	Pass
				-20	3.85	6.566	0.0096	-2.5 to 2.5	Pass
				-10	3.85	6.180	0.0091	-2.5 to 2.5	Pass
				0	3.85	6.666	0.0098	-2.5 to 2.5	Pass
				10	3.85	7.081	0.0104	-2.5 to 2.5	Pass
				30	3.85	6.695	0.0098	-2.5 to 2.5	Pass
				40	3.85	6.022	0.0088	-2.5 to 2.5	Pass
				50	3.85	5.007	0.0074	-2.5 to 2.5	Pass
	690.5	75	0	20	3.27	28.882	0.0418	-2.5 to 2.5	Pass
					3.85	28.939	0.0419	-2.5 to 2.5	Pass
					4.43	28.539	0.0413	-2.5 to 2.5	Pass
				-30	3.85	27.423	0.0397	-2.5 to 2.5	Pass
				-20	3.85	26.822	0.0388	-2.5 to 2.5	Pass
				-10	3.85	25.907	0.0375	-2.5 to 2.5	Pass
				0	3.85	25.992	0.0376	-2.5 to 2.5	Pass
				10	3.85	25.978	0.0376	-2.5 to 2.5	Pass
				30	3.85	25.749	0.0373	-2.5 to 2.5	Pass
				40	3.85	26.193	0.0379	-2.5 to 2.5	Pass
				50	3.85	25.549	0.0370	-2.5 to 2.5	Pass

2.1.4 B71_20MHz

Band: 71 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	673	100	0	20	3.27	4.220	0.0063	-2.5 to 2.5	Pass
					3.85	-7.138	-0.0106	-2.5 to 2.5	Pass
					4.43	-16.437	-0.0244	-2.5 to 2.5	Pass
				-30	3.85	-23.661	-0.0352	-2.5 to 2.5	Pass
				-20	3.85	-27.967	-0.0416	-2.5 to 2.5	Pass
				-10	3.85	-31.343	-0.0466	-2.5 to 2.5	Pass
				0	3.85	-33.531	-0.0498	-2.5 to 2.5	Pass
				10	3.85	-33.689	-0.0501	-2.5 to 2.5	Pass
				30	3.85	-35.305	-0.0525	-2.5 to 2.5	Pass
				40	3.85	-36.507	-0.0542	-2.5 to 2.5	Pass
				50	3.85	-35.505	-0.0528	-2.5 to 2.5	Pass
				20	3.27	4.506	0.0066	-2.5 to 2.5	Pass
					3.85	2.561	0.0037	-2.5 to 2.5	Pass
					4.43	2.017	0.0030	-2.5 to 2.5	Pass
				-30	3.85	-0.343	-0.0005	-2.5 to 2.5	Pass
	683	100	0	-20	3.85	1.502	0.0022	-2.5 to 2.5	Pass
				-10	3.85	3.076	0.0045	-2.5 to 2.5	Pass
				0	3.85	4.592	0.0067	-2.5 to 2.5	Pass
				10	3.85	5.050	0.0074	-2.5 to 2.5	Pass
				30	3.85	6.166	0.0090	-2.5 to 2.5	Pass
				40	3.85	6.351	0.0093	-2.5 to 2.5	Pass
				50	3.85	7.982	0.0117	-2.5 to 2.5	Pass
				20	3.27	-1.388	-0.0020	-2.5 to 2.5	Pass
					3.85	0.472	0.0007	-2.5 to 2.5	Pass
					4.43	4.907	0.0071	-2.5 to 2.5	Pass
				-30	3.85	7.882	0.0115	-2.5 to 2.5	Pass
				-20	3.85	12.445	0.0181	-2.5 to 2.5	Pass
				-10	3.85	14.477	0.0210	-2.5 to 2.5	Pass
				0	3.85	16.809	0.0244	-2.5 to 2.5	Pass
				10	3.85	19.598	0.0285	-2.5 to 2.5	Pass
				30	3.85	21.772	0.0316	-2.5 to 2.5	Pass

16QAM	673	100	0	40	3.85	23.975	0.0348	-2.5 to 2.5	Pass
				50	3.85	26.078	0.0379	-2.5 to 2.5	Pass
				20	3.27	-36.049	-0.0536	-2.5 to 2.5	Pass
					3.85	-36.922	-0.0549	-2.5 to 2.5	Pass
					4.43	-38.009	-0.0565	-2.5 to 2.5	Pass
				-30	3.85	-37.980	-0.0564	-2.5 to 2.5	Pass
				-20	3.85	-37.909	-0.0563	-2.5 to 2.5	Pass
				-10	3.85	-38.295	-0.0569	-2.5 to 2.5	Pass
				0	3.85	-36.879	-0.0548	-2.5 to 2.5	Pass
				10	3.85	-37.522	-0.0558	-2.5 to 2.5	Pass
				30	3.85	-37.980	-0.0564	-2.5 to 2.5	Pass
				40	3.85	-36.621	-0.0544	-2.5 to 2.5	Pass
				50	3.85	-37.379	-0.0555	-2.5 to 2.5	Pass
	683	100	0	20	3.27	8.583	0.0126	-2.5 to 2.5	Pass
					3.85	8.912	0.0130	-2.5 to 2.5	Pass
					4.43	8.440	0.0124	-2.5 to 2.5	Pass
				-30	3.85	7.939	0.0116	-2.5 to 2.5	Pass
				-20	3.85	7.753	0.0114	-2.5 to 2.5	Pass
				-10	3.85	7.696	0.0113	-2.5 to 2.5	Pass
				0	3.85	7.124	0.0104	-2.5 to 2.5	Pass
				10	3.85	7.811	0.0114	-2.5 to 2.5	Pass
				30	3.85	6.838	0.0100	-2.5 to 2.5	Pass
				40	3.85	7.296	0.0107	-2.5 to 2.5	Pass
				50	3.85	7.138	0.0105	-2.5 to 2.5	Pass
	688	100	0	20	3.27	29.025	0.0422	-2.5 to 2.5	Pass
					3.85	27.709	0.0403	-2.5 to 2.5	Pass
					4.43	25.907	0.0377	-2.5 to 2.5	Pass
				-30	3.85	23.632	0.0343	-2.5 to 2.5	Pass
				-20	3.85	20.986	0.0305	-2.5 to 2.5	Pass
				-10	3.85	20.185	0.0293	-2.5 to 2.5	Pass
				0	3.85	18.539	0.0269	-2.5 to 2.5	Pass
				10	3.85	18.797	0.0273	-2.5 to 2.5	Pass
				30	3.85	16.980	0.0247	-2.5 to 2.5	Pass
				40	3.85	15.950	0.0232	-2.5 to 2.5	Pass
				50	3.85	16.279	0.0237	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B71_5MHz

Band: 71 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	25	0	Refer To Test Graph		Pass
16QAM	680.5	25	0	Refer To Test Graph		Pass

3.1.2 B71_10MHz

Band: 71 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	50	0	Refer To Test Graph		Pass
16QAM	680.5	50	0	Refer To Test Graph		Pass

3.1.3 B71_15MHz


Band: 71 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	680.5	75	0	Refer To Test Graph		Pass
16QAM	680.5	75	0	Refer To Test Graph		Pass

3.1.4 B71_20MHz


Band: 71 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	683	100	0	Refer To Test Graph		Pass
16QAM	683	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B71_5MHz




3.2.2 B71_10MHz



3.2.3 B71_15MHz



3.2.4 B71_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band71_OBW

Band: 71 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	665.5	25	0	4.551	/	Pass
		680.5	25	0	4.561	/	Pass
		695.5	25	0	4.567	/	Pass
	16QAM	665.5	25	0	4.562	/	Pass
		680.5	25	0	4.542	/	Pass
		695.5	25	0	4.585	/	Pass
10	QPSK	668	50	0	9.104	/	Pass
		680.5	50	0	9.057	/	Pass
		693	50	0	9.072	/	Pass
	16QAM	668	50	0	9.074	/	Pass
		680.5	50	0	9.095	/	Pass
		693	50	0	9.057	/	Pass
15	QPSK	670.5	75	0	13.604	/	Pass
		680.5	75	0	13.599	/	Pass
		690.5	75	0	13.574	/	Pass
	16QAM	670.5	75	0	13.590	/	Pass
		680.5	75	0	13.643	/	Pass
		690.5	75	0	13.602	/	Pass
20	QPSK	673	100	0	18.110	/	Pass
		683	100	0	18.158	/	Pass
		688	100	0	18.138	/	Pass
	16QAM	673	100	0	18.070	/	Pass
		683	100	0	18.170	/	Pass
		688	100	0	18.251	/	Pass


4.1.2 Band71_XDB

Band: 71 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	665.5	25	0	5.081	/	Pass
		680.5	25	0	5.041	/	Pass
		695.5	25	0	5.026	/	Pass
	16QAM	665.5	25	0	5.087	/	Pass
		680.5	25	0	5.053	/	Pass
		695.5	25	0	5.080	/	Pass
10	QPSK	668	50	0	10.039	/	Pass
		680.5	50	0	10.062	/	Pass
		693	50	0	10.028	/	Pass
	16QAM	668	50	0	10.101	/	Pass
		680.5	50	0	10.062	/	Pass
		693	50	0	10.075	/	Pass
15	QPSK	670.5	75	0	15.219	/	Pass
		680.5	75	0	15.115	/	Pass
		690.5	75	0	15.068	/	Pass


20	16QAM	670.5	75	0	15.185	/	Pass
		680.5	75	0	15.200	/	Pass
		690.5	75	0	15.194	/	Pass
	QPSK	673	100	0	20.041	/	Pass
		683	100	0	20.103	/	Pass
		688	100	0	20.004	/	Pass
	16QAM	673	100	0	19.995	/	Pass
		683	100	0	20.086	/	Pass
		688	100	0	19.970	/	Pass

4.2 Test Graph


4.2.1 Band71_OBW




Band71 5MHz QPSK HCH 695.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM LCH 665.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM MCH 680.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM HCH 695.5MHz RB 25 0 NTNV




Band71 10MHz QPSK LCH 668MHz RB 50 0 NTNV




Band71 10MHz QPSK MCH 680.5MHz RB 50 0 NTNV




Band71 10MHz QPSK HCH 693MHz RB 50 0 NTNV




Band71 10MHz 16QAM LCH 668MHz RB 50 0 NTNV




Band71 10MHz 16QAM MCH 680.5MHz RB 50 0 NTN




Band71 10MHz 16QAM HCH 693MHz RB 50 0 NTN




Band71 15MHz QPSK LCH 670.5MHz RB 75 0 NTV




Band71 15MHz QPSK MCH 680.5MHz RB 75 0 NTV




Band71 15MHz QPSK HCH 690.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM LCH 670.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM MCH 680.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM HCH 690.5MHz RB 75 0 NTNV




Band71 20MHz QPSK LCH 673MHz RB 100 0 NTNV




Band71_20MHz_QPSK_MCH_683MHz_RB_100_0_NTNV




Band71 20MHz QPSK HCH 688MHz RB 100 0 NTV




Band71 20MHz 16QAM LCH 673MHz RB 100 0 NTV




Band71 20MHz 16QAM MCH 683MHz RB 100 0 NTNV




Band71 20MHz 16QAM HCH 688MHz RB 100 0 NTNV




4.2.2 Band71_XDB




Band71 5MHz QPSK HCH 695.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM LCH 665.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM MCH 680.5MHz RB 25 0 NTNV




Band71 5MHz 16QAM HCH 695.5MHz RB 25 0 NTNV




Band71 10MHz QPSK LCH 668MHz RB 50 0 NTN




Band71 10MHz QPSK MCH 680.5MHz RB 50 0 NTN




Band71 10MHz QPSK HCH 693MHz RB 50 0 NTNV




Band71 10MHz 16QAM LCH 668MHz RB 50 0 NTNV




Band71 10MHz 16QAM MCH 680.5MHz RB 50 0 NTN




Band71 10MHz 16QAM HCH 693MHz RB 50 0 NTN




Band71 15MHz QPSK LCH 670.5MHz RB 75 0 NTNV




Band71 15MHz QPSK MCH 680.5MHz RB 75 0 NTNV




Band71 15MHz QPSK HCH 690.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM LCH 670.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM MCH 680.5MHz RB 75 0 NTNV




Band71 15MHz 16QAM HCH 690.5MHz RB 75 0 NTNV




Band71 20MHz QPSK LCH 673MHz RB 100 0 NTNV




Band71_20MHz_QPSK_MCH_683MHz_RB_100_0_NTNV




Band71 20MHz QPSK HCH 688MHz RB 100 0 NTV




Band71 20MHz 16QAM LCH 673MHz RB 100 0 NTV



Band71 20MHz 16QAM MCH 683MHz RB 100 0 NTN



Band71 20MHz 16QAM HCH 688MHz RB 100 0 NTN



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B71_5MHz

Band: 71 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	25	0	5.88	<=13	Pass
	680.5	25	0	5.92	<=13	Pass
	695.5	25	0	5.96	<=13	Pass
16QAM	665.5	25	0	6.60	<=13	Pass
	680.5	25	0	6.58	<=13	Pass
	695.5	25	0	6.68	<=13	Pass

5.1.2 B71_10MHz

Band: 71 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	668	50	0	6.02	<=13	Pass
	680.5	50	0	5.99	<=13	Pass
	693	50	0	5.91	<=13	Pass
16QAM	668	50	0	6.74	<=13	Pass
	680.5	50	0	6.72	<=13	Pass
	693	50	0	6.61	<=13	Pass

5.1.3 B71_15MHz

Band: 71 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	670.5	75	0	6.31	<=13	Pass
	680.5	75	0	6.41	<=13	Pass
	690.5	75	0	6.25	<=13	Pass
16QAM	670.5	75	0	6.73	<=13	Pass
	680.5	75	0	6.81	<=13	Pass
	690.5	75	0	6.70	<=13	Pass

5.1.4 B71_20MHz


Band: 71 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	673	100	0	5.84	<=13	Pass
	683	100	0	6.16	<=13	Pass
	688	100	0	5.92	<=13	Pass
16QAM	673	100	0	6.57	<=13	Pass
	683	100	0	6.83	<=13	Pass

	688	100	0	6.67	<=13	Pass
--	-----	-----	---	------	------	------




5.2 Test Graph

5.2.1 B71_5MHz




Band71 5MHz QPSK HCH 695.5MHz RB 25 0 NTNV




2024-10-14 09:38:10

Band71 5MHz 16QAM LCH 665.5MHz RB 25 0 NTNV




2024-10-14 09:37:27

Band71 5MHz 16QAM MCH 680.5MHz RB 25 0 NTNV




2024-10-14 09:37:55

Band71 5MHz 16QAM HCH 695.5MHz RB 25 0 NTNV




2024-10-14 09:38:23

5.2.2 B71_10MHz




Band71 10MHz QPSK HCH 693MHz RB 50 0 NTN




2024-10-14 09:40:12

Band71 10MHz 16QAM LCH 668MHz RB 50 0 NTN




2024-10-14 09:39:19

Band71 10MHz 16QAM MCH 680.5MHz RB 50 0 NTNV




2024-10-14 09:39:52

Band71 10MHz 16QAM HCH 693MHz RB 50 0 NTNV




2024-10-14 09:40:28

5.2.3 B71_15MHz




Band71 15MHz QPSK HCH 690.5MHz RB 75 0 NTNV




2024-10-14 09:42:08

Band71 15MHz 16QAM LCH 670.5MHz RB 75 0 NTNV




2024-10-14 09:41:22

Band71 15MHz 16QAM MCH 680.5MHz RB 75 0 NTNV




2024-10-14 09:41:52

Band71 15MHz 16QAM HCH 690.5MHz RB 75 0 NTNV




2024-10-14 09:42:21

5.2.4 B71_20MHz




Band71 20MHz QPSK HCH 688MHz RB 100 0 NTNV




2024-10-14 09:44:03

Band71 20MHz 16QAM LCH 673MHz RB 100 0 NTNV




2024-10-14 09:43:19

Band71 20MHz 16QAM MCH 683MHz RB 100 0 NTNV



2024-10-14 09:43:47

Band71 20MHz 16QAM HCH 688MHz RB 100 0 NTNV



2024-10-14 09:44:15

6. Spurious Emission

6.1 Test Result

6.1.1 B71_5MHz

Band: 71 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	665.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	695.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	665.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	695.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

6.1.2 B71_10MHz

Band: 71 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	668	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	693	1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	668	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	693	1	0	Refer To Test Graph		Pass
		1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.1.3 B71_15MHz

Band: 71 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	670.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	690.5	1	0	Refer To Test Graph		Pass
		1	74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
16QAM	670.5	1	0	Refer To Test Graph		Pass


		75	0	Refer To Test Graph	Pass
	680.5	1	0	Refer To Test Graph	Pass
	690.5	1	0	Refer To Test Graph	Pass
			74	Refer To Test Graph	Pass
		75	0	Refer To Test Graph	Pass

6.1.4 B71_20MHz


Band: 71 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	673	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	683	1	0	Refer To Test Graph		Pass
	688	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
16QAM	673	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	683	1	0	Refer To Test Graph		Pass
	688	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 B71_5MHz




Band71 5MHz QPSK LCH 665.5MHz RB 1 0 NTN




Band71 5MHz QPSK LCH 665.5MHz RB 1 0 NTN



Band71 5MHz QPSK LCH 665.5MHz RB 1 0 NTNV




Band71 5MHz QPSK LCH 665.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	CHP	1	661.940	-40.18	-13	Pass
662	663	0.051	CHP	2	662.990	-35.85	-13	Pass
663	668	0.051	CHP	/	/	/	/	/


Band71 5MHz QPSK MCH 680.5MHz RB 1 0 NTNV




Band71 5MHz QPSK MCH 680.5MHz RB 1 0 NTNV




Band71 5MHz QPSK MCH 680.5MHz RB 1 0 NTNV




Band71 5MHz QPSK MCH 680.5MHz RB 1 0 NTNV




Band71 5MHz QPSK HCH 695.5MHz RB 1 0 NTN




Band71 5MHz QPSK HCH 695.5MHz RB 1 0 NTN




Band71 5MHz QPSK HCH 695.5MHz RB 1 0 NTN



Band71 5MHz QPSK HCH 695.5MHz RB 1 0 NTN




Band71 5MHz QPSK HCH 695.5MHz RB 1 24 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.001	-36.78	-13	Pass
699	703	0.1	CHP	2	699.050	-56.30	-13	Pass

Band71 5MHz QPSK HCH 695.5MHz RB 25 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.05	CHP	/	/	/	/	/
698	699	0.05	CHP	1	698.010	-36.83	-13	Pass
699	703	0.1	CHP	2	699.060	-41.03	-13	Pass

Band71_5MHz_16QAM_LCH_665.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	CHP	1	661.183	-55.62	-13	Pass
662	663	0.003	/	2	662.999	-37.33	-13	Pass
663	668	0.003	/	/	/	/	/	/


Band71_5MHz_16QAM_LCH_665.5MHz_RB_1_0_NTNV




Band71 5MHz 16QAM LCH 665.5MHz RB 1 0 NTNV




Band71 5MHz 16QAM LCH 665.5MHz RB 1 0 NTNV



Band71 5MHz 16QAM LCH 665.5MHz RB 1 0 NTV




Band71_5MHz_16QAM_LCH_665.5MHz_RB_25_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
658	662	0.1	CHP	1	661.930	-39.23	-13	Pass
662	663	0.051	CHP	2	662.990	-35.87	-13	Pass
663	668	0.051	CHP	/	/	/	/	/


Band71 5MHz 16QAM MCH 680.5MHz RB 1 0 NTV




Band71 5MHz 16QAM MCH 680.5MHz RB 1 0 NTV




Band71 5MHz 16QAM MCH 680.5MHz RB 1 0 NTV




Band71 5MHz 16QAM MCH 680.5MHz RB 1 0 NTV




Band71 5MHz 16QAM HCH 695.5MHz RB 1 0 NTNV




Band71 5MHz 16QAM HCH 695.5MHz RB 1 0 NTNV




Band71 5MHz 16QAM HCH 695.5MHz RB 1 0 NTV



Band71 5MHz 16QAM HCH 695.5MHz RB 1 0 NTV




Band71 5MHz 16QAM HCH 695.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.001	-36.82	-13	Pass
699	703	0.1	CHP	2	699.050	-56.74	-13	Pass

Band71 5MHz 16QAM HCH 695.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
693	698	0.051	CHP	/	/	/	/	/
698	699	0.051	CHP	1	698.010	-37.52	-13	Pass
699	703	0.1	CHP	2	699.060	-41.29	-13	Pass


6.2.2 B71_10MHz




Band71 10MHz QPSK LCH 668MHz RB 1 0 NTN




Band71 10MHz QPSK LCH 668MHz RB 1 0 NTN



Band71 10MHz QPSK LCH 668MHz RB 1 0 NTN




Band71 10MHz QPSK LCH 668MHz RB 50 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
653	662	0.1	/	1	661.440	-42.05	-13	Pass
662	663	0.1	/	2	662.960	-38.19	-13	Pass
663	673	0.1	/	/	/	/	/	/


Band71 10MHz QPSK MCH 680.5MHz RB 1 0 NTV




Band71 10MHz QPSK MCH 680.5MHz RB 1 0 NTV




Band71 10MHz QPSK MCH 680.5MHz RB 1 0 NTV




Band71 10MHz QPSK MCH 680.5MHz RB 1 0 NTV




Band71 10MHz QPSK HCH 693MHz RB 1 0 NTNV




Band71 10MHz QPSK HCH 693MHz RB 1 0 NTNV




Band71 10MHz QPSK HCH 693MHz RB 1 0 NTNV




Band71 10MHz QPSK HCH 693MHz RB 1 0 NTNV




Band71 10MHz QPSK HCH 693MHz RB 1 49 NTNV



Band71 10MHz QPSK HCH 693MHz RB 50 0 NTNV




Band71 10MHz 16QAM LCH 668MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
653	662	0.1	CHP	1	661.457	-58.24	-13	Pass
662	663	0.003	/	2	662.997	-42.17	-13	Pass
663	673	0.003	/	/	/	/	/	/


Band71 10MHz 16QAM LCH 668MHz RB 1 0 NTNV




Band71 10MHz 16QAM LCH 668MHz RB 1 0 NTNV




Band71 10MHz 16QAM LCH 668MHz RB 1 0 NTNV



Band71 10MHz 16QAM LCH 668MHz RB 1 0 NTNV




Band71 10MHz 16QAM LCH 668MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
653	662	0.1	/	1	661.980	-41.62	-13	Pass
662	663	0.101	CHP	2	662.980	-36.49	-13	Pass
663	673	0.101	CHP	/	/	/	/	/


Band71 10MHz 16QAM MCH 680.5MHz RB 1 0 NTNV




Band71 10MHz 16QAM MCH 680.5MHz RB 1 0 NTNV




Band71 10MHz 16QAM MCH 680.5MHz RB 1 0 NTNV




Band71 10MHz 16QAM MCH 680.5MHz RB 1 0 NTNV




Band71 10MHz 16QAM HCH 693MHz RB 1 0 NTNV




Band71_10MHz_16QAM_HCH_693MHz_RB_1_0_NTNV




Band71 10MHz 16QAM HCH 693MHz RB 1 0 NTNV



Band71_10MHz_16QAM_HCH_693MHz_RB_1_0_NTNV




Band71 10MHz 16QAM HCH 693MHz RB 1 49 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
688	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.015	-41.95	-13	Pass
699	708	0.1	CHP	2	706.235	-54.44	-13	Pass

Band71 10MHz 16QAM HCH 693MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
688	698	0.101	CHP	/	/	/	/	/
698	699	0.101	CHP	1	698.020	-37.38	-13	Pass
699	708	0.1	/	2	699.120	-41.00	-13	Pass


6.2.3 B71_15MHz




Band71 15MHz QPSK LCH 670.5MHz RB 1 0 NTNV




Band71 15MHz QPSK LCH 670.5MHz RB 1 0 NTNV



Band71 15MHz QPSK LCH 670.5MHz RB 1 0 NTNV




Band71 15MHz QPSK LCH 670.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
648	662	0.1	/	1	661.980	-41.29	-13	Pass
662	663	0.152	CHP	2	662.940	-36.20	-13	Pass
663	678	0.152	CHP	/	/	/	/	/


Band71 15MHz QPSK MCH 680.5MHz RB 1 0 NTV




Band71 15MHz QPSK MCH 680.5MHz RB 1 0 NTV




Band71 15MHz QPSK MCH 680.5MHz RB 1 0 NTNV




Band71 15MHz QPSK MCH 680.5MHz RB 1 0 NTNV




Band71 15MHz QPSK HCH 690.5MHz RB 1 0 NTV




Band71 15MHz QPSK HCH 690.5MHz RB 1 0 NTV




Band71 15MHz QPSK HCH 690.5MHz RB 1 0 NTNV



Band71 15MHz QPSK HCH 690.5MHz RB 1 0 NTNV




Band71 15MHz QPSK HCH 690.5MHz RB 1 74 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.011	-42.49	-13	Pass
699	713	0.1	CHP	2	703.809	-57.45	-13	Pass

Band71 15MHz QPSK HCH 690.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.151	CHP	/	/	/	/	/
698	699	0.151	CHP	1	698.030	-34.94	-13	Pass
699	713	0.1	/	2	699.110	-40.50	-13	Pass

Band71 15MHz 16QAM LCH 670.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
648	662	0.1	CHP	1	659.471	-48.35	-13	Pass
662	663	0.003	/	2	662.996	-43.12	-13	Pass
663	678	0.003	/	/	/	/	/	/


Band71 15MHz 16QAM LCH 670.5MHz RB 1 0 NTNV




Band71 15MHz 16QAM LCH 670.5MHz RB 1 0 NTV




Band71 15MHz 16QAM LCH 670.5MHz RB 1 0 NTV



Band71 15MHz 16QAM LCH 670.5MHz RB 1 0 NTV




Band71 15MHz 16QAM LCH 670.5MHz RB 75 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
648	662	0.1	/	1	661.980	-42.63	-13	Pass
662	663	0.152	CHP	2	662.970	-39.50	-13	Pass
663	678	0.152	CHP	/	/	/	/	/


Band71 15MHz 16QAM MCH 680.5MHz RB 1 0 NTNV




Band71 15MHz 16QAM MCH 680.5MHz RB 1 0 NTNV




Band71 15MHz 16QAM MCH 680.5MHz RB 1 0 NTNV




Band71 15MHz 16QAM MCH 680.5MHz RB 1 0 NTNV




Band71 15MHz 16QAM HCH 690.5MHz RB 1 0 NTNV




Band71 15MHz 16QAM HCH 690.5MHz RB 1 0 NTNV




Band71 15MHz 16QAM HCH 690.5MHz RB 1 0 NTNV



Band71 15MHz 16QAM HCH 690.5MHz RB 1 0 NTNV




Band71 15MHz 16QAM HCH 690.5MHz RB 1 74 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.011	-43.15	-13	Pass
699	713	0.1	CHP	2	703.816	-58.80	-13	Pass


Band71 15MHz 16QAM HCH 690.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
683	698	0.152	CHP	/	/	/	/	/
698	699	0.152	CHP	1	698.030	-36.54	-13	Pass
699	713	0.1	/	2	699.260	-43.11	-13	Pass

6.2.4 B71_20MHz


Band71_20MHz_QPSK_LCH_673MHz_RB_1_0_NTNV




Band71_20MHz_QPSK_LCH_673MHz_RB_1_0_NTNV




Band71 20MHz QPSK LCH 673MHz RB 1 0 NTN




Band71_20MHz_QPSK_LCH_673MHz_RB_1_0 NTN



Band71_20MHz_QPSK_LCH_673MHz_RB_1_0_NTNV




Band71_20MHz_QPSK_LCH_673MHz_RB_100_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
643	662	0.1	/	1	661.840	-43.95	-13	Pass
662	663	0.2	CHP	2	662.880	-39.90	-13	Pass
663	683	0.2	CHP	/	/	/	/	/


Band71 20MHz QPSK MCH 683MHz RB 1 0 NTNV




Band71_20MHz_QPSK_MCH_683MHz_RB_1_0_NTNV




Band71 20MHz QPSK MCH 683MHz RB 1 0 NTNV




Band71_20MHz_QPSK_MCH_683MHz_RB_1_0_NTNV




Band71 20MHz QPSK HCH 688MHz RB 1 0 NTNV




Band71 20MHz QPSK HCH 688MHz RB 1 0 NTNV




Band71 20MHz QPSK HCH 688MHz RB 1 0 NTNV



Band71_20MHz_QPSK_HCH_688MHz_RB_1_0_NTNV




Band71 20MHz QPSK HCH 688MHz RB 1 99 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.005	-47.07	-13	Pass
699	718	0.1	CHP	2	701.285	-35.15	-13	Pass

Band71 20MHz QPSK HCH 688MHz RB 100 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.2	CHP	/	/	/	/	/
698	699	0.2	CHP	1	698.040	-38.91	-13	Pass
699	718	0.1	/	2	699.240	-43.03	-13	Pass

Band71 20MHz 16QAM LCH 673MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
643	662	0.1	CHP	1	659.765	-38.25	-13	Pass
662	663	0.003	/	2	662.995	-47.72	-13	Pass
663	683	0.003	/	/	/	/	/	/


Band71 20MHz 16QAM LCH 673MHz RB 1 0 NTNV




Band71 20MHz 16QAM LCH 673MHz RB 1 0 NTN




Band71 20MHz 16QAM LCH 673MHz RB 1 0 NTN



Band71 20MHz 16QAM LCH 673MHz RB 1 0 NTNV




Band71 20MHz 16QAM LCH 673MHz RB 100 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
643	662	0.1	/	1	661.840	-43.43	-13	Pass
662	663	0.2	CHP	2	662.560	-40.85	-13	Pass
663	683	0.2	CHP	/	/	/	/	/


Band71 20MHz 16QAM MCH 683MHz RB 1 0 NTNV




Band71_20MHz_16QAM_MCH_683MHz_RB_1_0_NTNV




Band71 20MHz 16QAM MCH 683MHz RB 1 0 NTNV




Band71_20MHz_16QAM_MCH_683MHz_RB_1_0_NTNV




Band71 20MHz 16QAM HCH 688MHz RB 1 0 NTNV




Band71_20MHz_16QAM_HCH_688MHz_RB_1_0 NTNV




Band71 20MHz 16QAM HCH 688MHz RB 1 0 NTNV



Band71_20MHz_16QAM_HCH_688MHz_RB_1_0 NTNV




Band71 20MHz 16QAM HCH 688MHz RB 1 99 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.003	/	/	/	/	/	/
698	699	0.003	/	1	698.005	-46.79	-13	Pass
699	718	0.1	CHP	2	701.275	-36.10	-13	Pass

Band71 20MHz 16QAM HCH 688MHz RB 100 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
678	698	0.2	CHP	/	/	/	/	/
698	699	0.2	CHP	1	698.040	-39.54	-13	Pass
699	718	0.1	/	2	700.480	-43.78	-13	Pass