

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26a_1.4MHz_ERP

Band: 26a / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	814.7	1	0	21.18	-2.81	16.22	<=38.45	Pass
			2	21.08	-2.81	16.12	<=38.45	Pass
			5	20.95	-2.81	15.99	<=38.45	Pass
		3	0	21.05	-2.81	16.09	<=38.45	Pass
			2	21.09	-2.81	16.13	<=38.45	Pass
			3	21.03	-2.81	16.07	<=38.45	Pass
		6	0	19.97	-2.81	15.01	<=38.45	Pass
	819	1	0	21.02	-2.81	16.06	<=38.45	Pass
			2	21.04	-2.81	16.08	<=38.45	Pass
			5	21.05	-2.81	16.09	<=38.45	Pass
		3	0	21.06	-2.81	16.10	<=38.45	Pass
			2	20.99	-2.81	16.03	<=38.45	Pass
			3	21.12	-2.81	16.16	<=38.45	Pass
		6	0	19.92	-2.81	14.96	<=38.45	Pass
	823.3	1	0	20.79	-2.81	15.83	<=38.45	Pass
			2	20.97	-2.81	16.01	<=38.45	Pass
			5	20.86	-2.81	15.90	<=38.45	Pass
		3	0	20.84	-2.81	15.88	<=38.45	Pass
			2	20.95	-2.81	15.99	<=38.45	Pass
			3	20.88	-2.81	15.92	<=38.45	Pass
		6	0	19.82	-2.81	14.86	<=38.45	Pass
16QAM	814.7	1	0	20.16	-2.81	15.20	<=38.45	Pass
			2	21.44	-2.81	16.48	<=38.45	Pass
			5	21.47	-2.81	16.51	<=38.45	Pass
		3	0	19.82	-2.81	14.86	<=38.45	Pass
			2	19.93	-2.81	14.97	<=38.45	Pass
			3	20.16	-2.81	15.20	<=38.45	Pass
		6	0	19.29	-2.81	14.33	<=38.45	Pass
	819	1	0	20.87	-2.81	15.91	<=38.45	Pass
			2	21.45	-2.81	16.49	<=38.45	Pass
			5	21.00	-2.81	16.04	<=38.45	Pass
		3	0	20.11	-2.81	15.15	<=38.45	Pass
			2	20.10	-2.81	15.14	<=38.45	Pass
			3	19.88	-2.81	14.92	<=38.45	Pass
		6	0	19.27	-2.81	14.31	<=38.45	Pass
	823.3	1	0	20.58	-2.81	15.62	<=38.45	Pass
			2	21.23	-2.81	16.27	<=38.45	Pass
			5	21.25	-2.81	16.29	<=38.45	Pass
		3	0	20.06	-2.81	15.10	<=38.45	Pass
			2	19.72	-2.81	14.76	<=38.45	Pass
			3	20.09	-2.81	15.13	<=38.45	Pass
		6	0	19.49	-2.81	14.53	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26a_3MHz_ERP

Band: 26a / Bandwidth: 3MHz / NTNV

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	815.5	1	0	21.15	-2.81	16.19	<=38.45	Pass
			7	20.97	-2.81	16.01	<=38.45	Pass
			14	21.06	-2.81	16.10	<=38.45	Pass
		8	0	20.08	-2.81	15.12	<=38.45	Pass
			4	19.99	-2.81	15.03	<=38.45	Pass
			7	20.03	-2.81	15.07	<=38.45	Pass
		15	0	19.83	-2.81	14.87	<=38.45	Pass
	819	1	0	21.09	-2.81	16.13	<=38.45	Pass
			7	21.08	-2.81	16.12	<=38.45	Pass
			14	20.96	-2.81	16.00	<=38.45	Pass
		8	0	19.92	-2.81	14.96	<=38.45	Pass
			4	19.95	-2.81	14.99	<=38.45	Pass
			7	19.95	-2.81	14.99	<=38.45	Pass
		15	0	19.88	-2.81	14.92	<=38.45	Pass
	822.5	1	0	20.86	-2.81	15.90	<=38.45	Pass
			7	21.10	-2.81	16.14	<=38.45	Pass
			14	20.81	-2.81	15.85	<=38.45	Pass
		8	0	19.92	-2.81	14.96	<=38.45	Pass
			4	19.87	-2.81	14.91	<=38.45	Pass
			7	19.90	-2.81	14.94	<=38.45	Pass
		15	0	19.96	-2.81	15.00	<=38.45	Pass
16QAM	815.5	1	0	20.72	-2.81	15.76	<=38.45	Pass
			7	21.44	-2.81	16.48	<=38.45	Pass
			14	20.40	-2.81	15.44	<=38.45	Pass
		8	0	19.35	-2.81	14.39	<=38.45	Pass
			4	19.15	-2.81	14.19	<=38.45	Pass
			7	19.23	-2.81	14.27	<=38.45	Pass
		15	0	19.12	-2.81	14.16	<=38.45	Pass
	819	1	0	20.05	-2.81	15.09	<=38.45	Pass
			7	20.85	-2.81	15.89	<=38.45	Pass
			14	21.34	-2.81	16.38	<=38.45	Pass
		8	0	19.23	-2.81	14.27	<=38.45	Pass
			4	19.18	-2.81	14.22	<=38.45	Pass
			7	19.10	-2.81	14.14	<=38.45	Pass
		15	0	19.04	-2.81	14.08	<=38.45	Pass
	822.5	1	0	20.55	-2.81	15.59	<=38.45	Pass
			7	20.17	-2.81	15.21	<=38.45	Pass
			14	20.83	-2.81	15.87	<=38.45	Pass
		8	0	19.15	-2.81	14.19	<=38.45	Pass
			4	19.59	-2.81	14.63	<=38.45	Pass
			7	19.61	-2.81	14.65	<=38.45	Pass
		15	0	19.52	-2.81	14.56	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B26a_5MHz_ERP

Band: 26a / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	816.5	1	0	20.97	-2.81	16.01	<=38.45	Pass
			13	20.79	-2.81	15.83	<=38.45	Pass
			24	21.03	-2.81	16.07	<=38.45	Pass
		12	0	19.95	-2.81	14.99	<=38.45	Pass
			6	19.96	-2.81	15.00	<=38.45	Pass
			13	19.88	-2.81	14.92	<=38.45	Pass

16QAM	819	25	0	20.09	-2.81	15.13	<=38.45	Pass
			0	20.96	-2.81	16.00	<=38.45	Pass
			13	20.81	-2.81	15.85	<=38.45	Pass
			24	20.90	-2.81	15.94	<=38.45	Pass
		12	0	19.91	-2.81	14.95	<=38.45	Pass
			6	20.01	-2.81	15.05	<=38.45	Pass
			13	19.92	-2.81	14.96	<=38.45	Pass
		25	0	19.98	-2.81	15.02	<=38.45	Pass
	821.5	1	0	21.04	-2.81	16.08	<=38.45	Pass
			13	21.05	-2.81	16.09	<=38.45	Pass
			24	20.75	-2.81	15.79	<=38.45	Pass
		12	0	19.91	-2.81	14.95	<=38.45	Pass
			6	19.94	-2.81	14.98	<=38.45	Pass
			13	19.88	-2.81	14.92	<=38.45	Pass
		25	0	20.02	-2.81	15.06	<=38.45	Pass
	816.5	1	0	19.72	-2.81	14.76	<=38.45	Pass
			13	20.50	-2.81	15.54	<=38.45	Pass
			24	20.53	-2.81	15.57	<=38.45	Pass
		12	0	19.05	-2.81	14.09	<=38.45	Pass
			6	19.09	-2.81	14.13	<=38.45	Pass
			13	19.00	-2.81	14.04	<=38.45	Pass
		25	0	19.12	-2.81	14.16	<=38.45	Pass
	819	1	0	20.57	-2.81	15.61	<=38.45	Pass
			13	19.48	-2.81	14.52	<=38.45	Pass
			24	20.50	-2.81	15.54	<=38.45	Pass
		12	0	19.05	-2.81	14.09	<=38.45	Pass
			6	19.10	-2.81	14.14	<=38.45	Pass
			13	19.10	-2.81	14.14	<=38.45	Pass
		25	0	19.09	-2.81	14.13	<=38.45	Pass
	821.5	1	0	20.41	-2.81	15.45	<=38.45	Pass
			13	20.52	-2.81	15.56	<=38.45	Pass
			24	19.51	-2.81	14.55	<=38.45	Pass
		12	0	19.04	-2.81	14.08	<=38.45	Pass
			6	19.02	-2.81	14.06	<=38.45	Pass
			13	19.44	-2.81	14.48	<=38.45	Pass
		25	0	18.99	-2.81	14.03	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26a_10MHz_ERP

Band: 26a / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	819	1	0	21.14	-2.81	16.18	<=38.45	Pass
			25	20.97	-2.81	16.01	<=38.45	Pass
			49	20.88	-2.81	15.92	<=38.45	Pass
		25	0	20.03	-2.81	15.07	<=38.45	Pass
			13	19.85	-2.81	14.89	<=38.45	Pass
			25	19.97	-2.81	15.01	<=38.45	Pass
		50	0	19.88	-2.81	14.92	<=38.45	Pass
16QAM	819	1	0	20.22	-2.81	15.26	<=38.45	Pass
			25	20.52	-2.81	15.56	<=38.45	Pass
			49	20.49	-2.81	15.53	<=38.45	Pass
		25	0	19.19	-2.81	14.23	<=38.45	Pass
			13	19.10	-2.81	14.14	<=38.45	Pass
			25	19.13	-2.81	14.17	<=38.45	Pass
		50	0	19.17	-2.81	14.21	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	814.7	6	0	20	3.27	16.294	0.0200	-2.5 to 2.5	Pass
					3.85	-13.962	-0.0171	-2.5 to 2.5	Pass
					4.43	-22.759	-0.0279	-2.5 to 2.5	Pass
				-30	3.85	-5.937	-0.0073	-2.5 to 2.5	Pass
				-20	3.85	-17.209	-0.0211	-2.5 to 2.5	Pass
				-10	3.85	-11.973	-0.0147	-2.5 to 2.5	Pass
				0	3.85	-7.567	-0.0093	-2.5 to 2.5	Pass
				10	3.85	-38.695	-0.0475	-2.5 to 2.5	Pass
				30	3.85	-12.131	-0.0149	-2.5 to 2.5	Pass
				40	3.85	-32.558	-0.0400	-2.5 to 2.5	Pass
				50	3.85	-7.868	-0.0097	-2.5 to 2.5	Pass
	819	6	0	20	3.27	11.945	0.0146	-2.5 to 2.5	Pass
					3.85	17.667	0.0216	-2.5 to 2.5	Pass
					4.43	14.906	0.0182	-2.5 to 2.5	Pass
				-30	3.85	18.468	0.0225	-2.5 to 2.5	Pass
				-20	3.85	22.502	0.0275	-2.5 to 2.5	Pass
				-10	3.85	16.537	0.0202	-2.5 to 2.5	Pass
				0	3.85	14.234	0.0174	-2.5 to 2.5	Pass
				10	3.85	18.783	0.0229	-2.5 to 2.5	Pass
				30	3.85	31.528	0.0385	-2.5 to 2.5	Pass
				40	3.85	35.062	0.0428	-2.5 to 2.5	Pass
				50	3.85	35.033	0.0428	-2.5 to 2.5	Pass
	823.3	6	0	20	3.27	3.920	0.0048	-2.5 to 2.5	Pass
					3.85	-16.208	-0.0197	-2.5 to 2.5	Pass
					4.43	-45.204	-0.0549	-2.5 to 2.5	Pass
				-30	3.85	-32.845	-0.0399	-2.5 to 2.5	Pass
				-20	3.85	-16.665	-0.0202	-2.5 to 2.5	Pass
				-10	3.85	-35.048	-0.0426	-2.5 to 2.5	Pass
				0	3.85	-7.238	-0.0088	-2.5 to 2.5	Pass
				10	3.85	-17.309	-0.0210	-2.5 to 2.5	Pass
				30	3.85	-29.340	-0.0356	-2.5 to 2.5	Pass
				40	3.85	-39.797	-0.0483	-2.5 to 2.5	Pass
				50	3.85	-0.930	-0.0011	-2.5 to 2.5	Pass
16QAM	814.7	6	0	20	3.27	1.845	0.0023	-2.5 to 2.5	Pass
					3.85	8.826	0.0108	-2.5 to 2.5	Pass
					4.43	14.162	0.0174	-2.5 to 2.5	Pass
				-30	3.85	20.828	0.0256	-2.5 to 2.5	Pass
				-20	3.85	24.862	0.0305	-2.5 to 2.5	Pass
				-10	3.85	32.029	0.0393	-2.5 to 2.5	Pass
				0	3.85	23.074	0.0283	-2.5 to 2.5	Pass
				10	3.85	28.410	0.0349	-2.5 to 2.5	Pass
				30	3.85	27.351	0.0336	-2.5 to 2.5	Pass
				40	3.85	27.938	0.0343	-2.5 to 2.5	Pass
				50	3.85	31.557	0.0387	-2.5 to 2.5	Pass
	819	6	0	20	3.27	9.356	0.0114	-2.5 to 2.5	Pass

					3.85	28.439	0.0347	-2.5 to 2.5	Pass
					4.43	28.038	0.0342	-2.5 to 2.5	Pass
				-30	3.85	35.133	0.0429	-2.5 to 2.5	Pass
				-20	3.85	44.189	0.0540	-2.5 to 2.5	Pass
				-10	3.85	4.292	0.0052	-2.5 to 2.5	Pass
				0	3.85	-0.243	-0.0003	-2.5 to 2.5	Pass
				10	3.85	4.992	0.0061	-2.5 to 2.5	Pass
				30	3.85	7.997	0.0098	-2.5 to 2.5	Pass
				40	3.85	13.490	0.0165	-2.5 to 2.5	Pass
				50	3.85	9.913	0.0121	-2.5 to 2.5	Pass
	823.3	6	0	20	3.27	24.505	0.0298	-2.5 to 2.5	Pass
					3.85	16.980	0.0206	-2.5 to 2.5	Pass
					4.43	-21.429	-0.0260	-2.5 to 2.5	Pass
				-30	3.85	-7.339	-0.0089	-2.5 to 2.5	Pass
				-20	3.85	-36.635	-0.0445	-2.5 to 2.5	Pass
				-10	3.85	-7.095	-0.0086	-2.5 to 2.5	Pass
				0	3.85	-24.018	-0.0292	-2.5 to 2.5	Pass
				10	3.85	-33.031	-0.0401	-2.5 to 2.5	Pass
				30	3.85	-39.253	-0.0477	-2.5 to 2.5	Pass
				40	3.85	-10.972	-0.0133	-2.5 to 2.5	Pass
				50	3.85	-19.670	-0.0239	-2.5 to 2.5	Pass

2.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	815.5	15	0	20	3.27	13.218	0.0162	-2.5 to 2.5	Pass
					3.85	-25.420	-0.0312	-2.5 to 2.5	Pass
					4.43	-38.409	-0.0471	-2.5 to 2.5	Pass
				-30	3.85	-45.104	-0.0553	-2.5 to 2.5	Pass
				-20	3.85	-26.593	-0.0326	-2.5 to 2.5	Pass
				-10	3.85	-9.685	-0.0119	-2.5 to 2.5	Pass
				0	3.85	-29.140	-0.0357	-2.5 to 2.5	Pass
				10	3.85	-40.898	-0.0502	-2.5 to 2.5	Pass
				30	3.85	-11.516	-0.0141	-2.5 to 2.5	Pass
				40	3.85	-23.017	-0.0282	-2.5 to 2.5	Pass
				50	3.85	-30.656	-0.0376	-2.5 to 2.5	Pass
	819	15	0	20	3.27	3.304	0.0040	-2.5 to 2.5	Pass
					3.85	3.319	0.0041	-2.5 to 2.5	Pass
					4.43	5.751	0.0070	-2.5 to 2.5	Pass
				-30	3.85	4.792	0.0059	-2.5 to 2.5	Pass
				-20	3.85	6.094	0.0074	-2.5 to 2.5	Pass
				-10	3.85	5.536	0.0068	-2.5 to 2.5	Pass
				0	3.85	3.963	0.0048	-2.5 to 2.5	Pass
				10	3.85	2.632	0.0032	-2.5 to 2.5	Pass
				30	3.85	2.689	0.0033	-2.5 to 2.5	Pass
				40	3.85	3.591	0.0044	-2.5 to 2.5	Pass
				50	3.85	-0.014	0.0000	-2.5 to 2.5	Pass
	822.5	15	0	20	3.27	9.270	0.0113	-2.5 to 2.5	Pass
					3.85	8.812	0.0107	-2.5 to 2.5	Pass
					4.43	7.467	0.0091	-2.5 to 2.5	Pass
				-30	3.85	2.046	0.0025	-2.5 to 2.5	Pass
				-20	3.85	2.747	0.0033	-2.5 to 2.5	Pass
				-10	3.85	-0.801	-0.0010	-2.5 to 2.5	Pass
				0	3.85	-0.930	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-1.502	-0.0018	-2.5 to 2.5	Pass

16QAM	815.5	15	0	30	3.85	-5.050	-0.0061	-2.5 to 2.5	Pass
				40	3.85	-8.969	-0.0109	-2.5 to 2.5	Pass
				50	3.85	-8.569	-0.0104	-2.5 to 2.5	Pass
				20	3.27	4.492	0.0055	-2.5 to 2.5	Pass
					3.85	6.351	0.0078	-2.5 to 2.5	Pass
					4.43	6.208	0.0076	-2.5 to 2.5	Pass
				-30	3.85	8.168	0.0100	-2.5 to 2.5	Pass
				-20	3.85	10.214	0.0125	-2.5 to 2.5	Pass
				-10	3.85	10.614	0.0130	-2.5 to 2.5	Pass
				0	3.85	9.341	0.0115	-2.5 to 2.5	Pass
	819	15	0	10	3.85	7.968	0.0098	-2.5 to 2.5	Pass
				30	3.85	10.514	0.0129	-2.5 to 2.5	Pass
				40	3.85	11.759	0.0144	-2.5 to 2.5	Pass
				50	3.85	12.503	0.0153	-2.5 to 2.5	Pass
				20	3.27	6.137	0.0075	-2.5 to 2.5	Pass
					3.85	8.612	0.0105	-2.5 to 2.5	Pass
					4.43	7.238	0.0088	-2.5 to 2.5	Pass
				-30	3.85	11.859	0.0145	-2.5 to 2.5	Pass
				-20	3.85	13.719	0.0168	-2.5 to 2.5	Pass
				-10	3.85	15.965	0.0195	-2.5 to 2.5	Pass
	822.5	15	0	0	3.85	15.035	0.0184	-2.5 to 2.5	Pass
				10	3.85	15.564	0.0190	-2.5 to 2.5	Pass
				30	3.85	18.911	0.0231	-2.5 to 2.5	Pass
				40	3.85	22.388	0.0273	-2.5 to 2.5	Pass
				50	3.85	22.659	0.0277	-2.5 to 2.5	Pass
				20	3.27	4.106	0.0050	-2.5 to 2.5	Pass
					3.85	7.381	0.0090	-2.5 to 2.5	Pass
					4.43	4.120	0.0050	-2.5 to 2.5	Pass
				-30	3.85	5.908	0.0072	-2.5 to 2.5	Pass
				-20	3.85	5.937	0.0072	-2.5 to 2.5	Pass
				-10	3.85	6.609	0.0080	-2.5 to 2.5	Pass
				0	3.85	6.809	0.0083	-2.5 to 2.5	Pass
				10	3.85	6.967	0.0085	-2.5 to 2.5	Pass
				30	3.85	7.982	0.0097	-2.5 to 2.5	Pass
				40	3.85	7.567	0.0092	-2.5 to 2.5	Pass
				50	3.85	11.115	0.0135	-2.5 to 2.5	Pass

2.1.3 B26a_5MHz

Band: 26a / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	816.5	25	0	20	3.27	27.480	0.0337	-2.5 to 2.5	Pass
					3.85	16.251	0.0199	-2.5 to 2.5	Pass
					4.43	-31.657	-0.0388	-2.5 to 2.5	Pass
				-30	3.85	-21.243	-0.0260	-2.5 to 2.5	Pass
				-20	3.85	-6.194	-0.0076	-2.5 to 2.5	Pass
				-10	3.85	-21.300	-0.0261	-2.5 to 2.5	Pass
				0	3.85	-37.351	-0.0457	-2.5 to 2.5	Pass
				10	3.85	0.072	0.0001	-2.5 to 2.5	Pass
				30	3.85	-6.351	-0.0078	-2.5 to 2.5	Pass
				40	3.85	-12.474	-0.0153	-2.5 to 2.5	Pass
				50	3.85	-17.481	-0.0214	-2.5 to 2.5	Pass
	819	25	0	20	3.27	10.257	0.0125	-2.5 to 2.5	Pass
					3.85	16.265	0.0199	-2.5 to 2.5	Pass
					4.43	18.883	0.0231	-2.5 to 2.5	Pass
				-30	3.85	19.827	0.0242	-2.5 to 2.5	Pass

				-20	3.85	19.069	0.0233	-2.5 to 2.5	Pass
				-10	3.85	20.728	0.0253	-2.5 to 2.5	Pass
				0	3.85	19.054	0.0233	-2.5 to 2.5	Pass
				10	3.85	20.199	0.0247	-2.5 to 2.5	Pass
				30	3.85	20.328	0.0248	-2.5 to 2.5	Pass
				40	3.85	22.073	0.0270	-2.5 to 2.5	Pass
				50	3.85	25.721	0.0314	-2.5 to 2.5	Pass
	821.5	25	0	20	3.27	6.981	0.0085	-2.5 to 2.5	Pass
					3.85	3.819	0.0046	-2.5 to 2.5	Pass
					4.43	-0.415	-0.0005	-2.5 to 2.5	Pass
				-30	3.85	-10.486	-0.0128	-2.5 to 2.5	Pass
				-20	3.85	-23.060	-0.0281	-2.5 to 2.5	Pass
				-10	3.85	-29.311	-0.0357	-2.5 to 2.5	Pass
				0	3.85	-34.461	-0.0419	-2.5 to 2.5	Pass
				10	3.85	-36.221	-0.0441	-2.5 to 2.5	Pass
				30	3.85	-35.205	-0.0429	-2.5 to 2.5	Pass
				40	3.85	-40.655	-0.0495	-2.5 to 2.5	Pass
				50	3.85	-42.558	-0.0518	-2.5 to 2.5	Pass
16QAM	816.5	25	0	20	3.27	3.648	0.0045	-2.5 to 2.5	Pass
					3.85	12.016	0.0147	-2.5 to 2.5	Pass
					4.43	19.741	0.0242	-2.5 to 2.5	Pass
				-30	3.85	28.696	0.0351	-2.5 to 2.5	Pass
				-20	3.85	37.365	0.0458	-2.5 to 2.5	Pass
				-10	3.85	40.398	0.0495	-2.5 to 2.5	Pass
				0	3.85	42.801	0.0524	-2.5 to 2.5	Pass
				10	3.85	46.878	0.0574	-2.5 to 2.5	Pass
				30	3.85	-2.532	-0.0031	-2.5 to 2.5	Pass
				40	3.85	1.159	0.0014	-2.5 to 2.5	Pass
				50	3.85	2.747	0.0034	-2.5 to 2.5	Pass
	819	25	0	20	3.27	8.669	0.0106	-2.5 to 2.5	Pass
					3.85	22.616	0.0276	-2.5 to 2.5	Pass
					4.43	33.717	0.0412	-2.5 to 2.5	Pass
				-30	3.85	37.537	0.0458	-2.5 to 2.5	Pass
				-20	3.85	37.394	0.0457	-2.5 to 2.5	Pass
				-10	3.85	39.368	0.0481	-2.5 to 2.5	Pass
				0	3.85	45.776	0.0559	-2.5 to 2.5	Pass
				10	3.85	4.091	0.0050	-2.5 to 2.5	Pass
				30	3.85	9.985	0.0122	-2.5 to 2.5	Pass
				40	3.85	12.345	0.0151	-2.5 to 2.5	Pass
				50	3.85	10.929	0.0133	-2.5 to 2.5	Pass
	821.5	25	0	20	3.27	7.367	0.0090	-2.5 to 2.5	Pass
					3.85	21.687	0.0264	-2.5 to 2.5	Pass
					4.43	35.076	0.0427	-2.5 to 2.5	Pass
				-30	3.85	45.619	0.0555	-2.5 to 2.5	Pass
				-20	3.85	2.332	0.0028	-2.5 to 2.5	Pass
				-10	3.85	12.989	0.0158	-2.5 to 2.5	Pass
				0	3.85	29.125	0.0355	-2.5 to 2.5	Pass
				10	3.85	39.968	0.0487	-2.5 to 2.5	Pass
				30	3.85	3.762	0.0046	-2.5 to 2.5	Pass
				40	3.85	13.418	0.0163	-2.5 to 2.5	Pass
				50	3.85	24.419	0.0297	-2.5 to 2.5	Pass

2.1.4 B26a_10MHz

Band: 26a / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	

QPSK	819	50	0	20	3.27	3.619	0.0044	-2.5 to 2.5	Pass
					3.85	12.789	0.0156	-2.5 to 2.5	Pass
					4.43	14.319	0.0175	-2.5 to 2.5	Pass
				-30	3.85	14.949	0.0183	-2.5 to 2.5	Pass
				-20	3.85	12.574	0.0154	-2.5 to 2.5	Pass
				-10	3.85	11.601	0.0142	-2.5 to 2.5	Pass
				0	3.85	4.177	0.0051	-2.5 to 2.5	Pass
				10	3.85	6.781	0.0083	-2.5 to 2.5	Pass
				30	3.85	6.208	0.0076	-2.5 to 2.5	Pass
				40	3.85	3.004	0.0037	-2.5 to 2.5	Pass
16QAM	819	50	0	20	3.27	4.363	0.0053	-2.5 to 2.5	Pass
					3.85	19.569	0.0239	-2.5 to 2.5	Pass
					4.43	21.157	0.0258	-2.5 to 2.5	Pass
				-30	3.85	25.163	0.0307	-2.5 to 2.5	Pass
				-20	3.85	27.194	0.0332	-2.5 to 2.5	Pass
				-10	3.85	33.474	0.0409	-2.5 to 2.5	Pass
				0	3.85	38.352	0.0468	-2.5 to 2.5	Pass
				10	3.85	46.849	0.0572	-2.5 to 2.5	Pass
				30	3.85	44.203	0.0540	-2.5 to 2.5	Pass
				40	3.85	48.323	0.0590	-2.5 to 2.5	Pass
				50	3.85	47.965	0.0586	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	6	0	Refer To Test Graph		Pass
16QAM	819	6	0	Refer To Test Graph		Pass

3.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	15	0	Refer To Test Graph		Pass
16QAM	819	15	0	Refer To Test Graph		Pass

3.1.3 B26a_5MHz


Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	25	0	Refer To Test Graph		Pass
16QAM	819	25	0	Refer To Test Graph		Pass

3.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	Refer To Test Graph		Pass
16QAM	819	50	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B26a_1.4MHz




3.2.2 B26a_3MHz



3.2.3 B26a_5MHz



3.2.4 B26a_10MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band26a_OBW

Band: 26a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.118	/	Pass
		819	6	0	1.119	/	Pass
		823.3	6	0	1.111	/	Pass
	16QAM	814.7	6	0	1.116	/	Pass
		819	6	0	1.113	/	Pass
		823.3	6	0	1.111	/	Pass
3	QPSK	815.5	15	0	2.748	/	Pass
		819	15	0	2.758	/	Pass
		822.5	15	0	2.766	/	Pass
	16QAM	815.5	15	0	2.758	/	Pass
		819	15	0	2.755	/	Pass
		822.5	15	0	2.741	/	Pass
5	QPSK	816.5	25	0	4.550	/	Pass
		819	25	0	4.537	/	Pass
		821.5	25	0	4.557	/	Pass
	16QAM	816.5	25	0	4.553	/	Pass
		819	25	0	4.558	/	Pass
		821.5	25	0	4.571	/	Pass
10	QPSK	819	50	0	9.044	/	Pass
	16QAM	819	50	0	9.053	/	Pass

4.1.2 Band26a_XDB


Band: 26a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	814.7	6	0	1.272	/	Pass
		819	6	0	1.271	/	Pass
		823.3	6	0	1.276	/	Pass
	16QAM	814.7	6	0	1.279	/	Pass
		819	6	0	1.269	/	Pass
		823.3	6	0	1.262	/	Pass
3	QPSK	815.5	15	0	3.095	/	Pass
		819	15	0	3.089	/	Pass
		822.5	15	0	3.098	/	Pass
	16QAM	815.5	15	0	3.108	/	Pass
		819	15	0	3.113	/	Pass
		822.5	15	0	3.085	/	Pass
5	QPSK	816.5	25	0	5.042	/	Pass
		819	25	0	5.074	/	Pass
		821.5	25	0	5.039	/	Pass
	16QAM	816.5	25	0	5.069	/	Pass
		819	25	0	5.086	/	Pass
		821.5	25	0	5.035	/	Pass
10	QPSK	819	50	0	9.996	/	Pass

	16QAM	819	50	0	10.046	/	Pass
--	-------	-----	----	---	--------	---	------




4.2 Test Graph


4.2.1 Band26a_OBW




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Band26a_3MHz_QPSK_MCH_819MHz_RB_15_0_NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 25 0 NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Band26a_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV




Band26a 10MHz QPSK MCH 819MHz RB 50 0 NTV




Band26a_10MHz_16QAM_MCH_819MHz_RB_50_0_NTV




4.2.2 Band26a_XDB




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Band26a_3MHz_QPSK_MCH_819MHz_RB_15_0_NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 25 0 NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 25 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV



Band26a 10MHz QPSK MCH 819MHz RB 50 0 NTV



Band26a 10MHz 16QAM MCH 819MHz RB 50 0 NTV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	6	0	5.82	<=13	Pass
	819	6	0	5.73	<=13	Pass
	823.3	6	0	5.90	<=13	Pass
16QAM	814.7	6	0	6.56	<=13	Pass
	819	6	0	6.49	<=13	Pass
	823.3	6	0	6.67	<=13	Pass

5.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	15	0	5.81	<=13	Pass
	819	15	0	5.73	<=13	Pass
	822.5	15	0	5.91	<=13	Pass
16QAM	815.5	15	0	6.62	<=13	Pass
	819	15	0	6.58	<=13	Pass
	822.5	15	0	6.62	<=13	Pass

5.1.3 B26a_5MHz


Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	25	0	5.79	<=13	Pass
	819	25	0	5.78	<=13	Pass
	821.5	25	0	5.82	<=13	Pass
16QAM	816.5	25	0	6.50	<=13	Pass
	819	25	0	6.54	<=13	Pass
	821.5	25	0	6.54	<=13	Pass

5.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	819	50	0	5.76	<=13	Pass
16QAM	819	50	0	6.52	<=13	Pass

5.2 Test Graph

5.2.1 B26a_1.4MHz




Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




2024-10-11 18:01:02

Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTNV




2024-10-11 17:58:58


Band26a 1.4MHz 16QAM MCH 819MHz RB 6 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTNV



5.2.2 B26a_3MHz




Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




2024-10-11 18:04:35

Band26a 3MHz 16QAM LCH 815.5MHz RB 15 0 NTNV




2024-10-11 18:03:00

Band26a 3MHz 16QAM MCH 819MHz RB 15 0 NTNV




2024-10-11 18:04:03

Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTNV




2024-10-11 18:05:07

5.2.3 B26a_5MHz




Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




2024-10-11 18:08:08

Band26a_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTNV




2024-10-11 18:08:34

Band26a 5MHz 16QAM MCH 819MHz RB 25 0 NTNV




2024-10-11 18:07:38

Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV



2024-10-11 18:08:40

5.2.4 B26a_10MHz



6. Spurious Emission

6.1 Test Result

6.1.1 B26a_1.4MHz

Band: 26a / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	823.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
16QAM	814.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	823.3	1	0	Refer To Test Graph		Pass
		1	5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

6.1.2 B26a_3MHz

Band: 26a / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	815.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	822.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
16QAM	815.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	822.5	1	0	Refer To Test Graph		Pass
		1	14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

6.1.3 B26a_5MHz

Band: 26a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	816.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	821.5	1	0	Refer To Test Graph		Pass
		1	24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	816.5	1	0	Refer To Test Graph		Pass


		25	0	Refer To Test Graph	Pass
	819	1	0	Refer To Test Graph	Pass
	821.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

6.1.4 B26a_10MHz


Band: 26a / Bandwidth: 10MHz / NTN					
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission	
		Size	Offset	Result	Limit
QPSK	819	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	819	1	49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
16QAM	819	1	0	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass
	819	1	49	Refer To Test Graph	Pass
		50	0	Refer To Test Graph	Pass

6.2 Test Graph


6.2.1 B26a_1.4MHz




Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTNV



Band26a 1.4MHz QPSK LCH 814.7MHz RB 1 0 NTV




Band26a 1.4MHz QPSK LCH 814.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
812.5	813	0.1	CHP	1	812.948	-40.20	-13	Pass
813	813.963	0.013	CHP	2	813.960	-40.40	-13	Pass
813.963	814	0.013	CHP	3	813.968	-40.01	-20	Pass
814	815.5	0.013	CHP	/	/	/	/	/


Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a_1.4MHz_QPSK_MCH_819MHz_RB_1_0_NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV



Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 0 NTNV




Band26a 1.4MHz QPSK HCH 823.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.010	-42.00	-20	Pass
824.038	825	0.003	/	2	824.043	-43.98	-13	Pass
825	825.5	0.1	CHP	3	825.344	-53.00	-13	Pass

Band26a 1.4MHz QPSK HCH 823.3MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	824	0.013	CHP	/	/	/	/	/
824	824.038	0.013	CHP	1	824.014	-40.66	-20	Pass
824.038	825	0.013	CHP	2	824.077	-42.11	-13	Pass
825	825.5	0.1	CHP	3	825.076	-41.62	-13	Pass

Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
812.5	813	0.1	CHP	1	812.551	-51.37	-13	Pass
813	813.963	0.003	/	2	813.961	-42.34	-13	Pass
813.963	814	0.003	/	3	813.985	-40.19	-20	Pass
814	815.5	0.003	/	/	/	/	/	/


Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN



Band26a 1.4MHz 16QAM LCH 814.7MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM LCH 814.7MHz RB 6 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
812.5	813	0.1	CHP	1	812.933	-40.43	-13	Pass
813	813.963	0.013	CHP	2	813.792	-39.46	-13	Pass
813.963	814	0.013	CHP	3	813.999	-38.87	-20	Pass
814	815.5	0.013	CHP	/	/	/	/	/


Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTN




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 0 NTN




Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_1_0_NTNV



Band26a_1.4MHz_16QAM_HCH_823.3MHz_RB_1_0_NTNV




Band26a 1.4MHz 16QAM HCH 823.3MHz RB 1 5 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.012	-40.55	-20	Pass
824.038	825	0.003	/	2	824.039	-43.21	-13	Pass
825	825.5	0.1	CHP	3	825.443	-52.87	-13	Pass

Band26a 1.4MHz 16QAM HCH 823.3MHz RB 6 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
822.5	824	0.013	CHP	/	/	/	/	/
824	824.038	0.013	CHP	1	824.027	-41.19	-20	Pass
824.038	825	0.013	CHP	2	824.051	-40.33	-13	Pass
825	825.5	0.1	CHP	3	825.059	-40.54	-13	Pass


6.2.2 B26a_3MHz




Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV



Band26a 3MHz QPSK LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz QPSK LCH 815.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.938	-38.36	-13	Pass
813	813.963	0.031	CHP	2	813.958	-32.52	-13	Pass
813.963	814	0.031	CHP	3	813.994	-27.37	-20	Pass
814	817	0.031	CHP	/	/	/	/	/


Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 3MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_0_NTNV




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_0_NTNV




Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_0_NTNV



Band26a_3MHz_QPSK_HCH_822.5MHz_RB_1_0_NTNV




Band26a 3MHz QPSK HCH 822.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.001	-27.50	-20	Pass
824.038	825	0.003	/	2	824.040	-34.12	-13	Pass
825	827	0.1	CHP	3	825.052	-52.89	-13	Pass

Band26a 3MHz QPSK HCH 822.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.031	CHP	/	/	/	/	/
824	824.038	0.031	CHP	1	824.006	-29.76	-20	Pass
824.038	825	0.031	CHP	2	824.042	-37.12	-13	Pass
825	827	0.1	CHP	3	825.056	-39.77	-13	Pass


Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTNV




Band26a_3MHz_16QAM_LCH_815.5MHz_RB_1_0_NTNV



Band26a 3MHz 16QAM LCH 815.5MHz RB 1 0 NTV




Band26a_3MHz_16QAM_LCH_815.5MHz_RB_15_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
811	813	0.1	CHP	1	812.944	-39.12	-13	Pass
813	813.963	0.031	CHP	2	813.958	-35.52	-13	Pass
813.963	814	0.031	CHP	3	813.994	-28.74	-20	Pass
814	817	0.031	CHP	/	/	/	/	/


Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 3MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a_3MHz_16QAM_MCH_819MHz_RB_1_0_NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV



Band26a 3MHz 16QAM HCH 822.5MHz RB 1 0 NTNV




Band26a 3MHz 16QAM HCH 822.5MHz RB 1 14 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.001	-28.11	-20	Pass
824.038	825	0.003	/	2	824.042	-34.73	-13	Pass
825	827	0.1	CHP	3	825.052	-53.17	-13	Pass

Band26a 3MHz 16QAM HCH 822.5MHz RB 15 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	824	0.031	CHP	/	/	/	/	/
824	824.038	0.031	CHP	1	824.006	-30.33	-20	Pass
824.038	825	0.031	CHP	2	824.042	-36.34	-13	Pass
825	827	0.1	CHP	3	825.056	-38.51	-13	Pass


6.2.3 B26a_5MHz




Band26a 5MHz QPSK LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 1 0 NTNV



Band26a 5MHz QPSK LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz QPSK LCH 816.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	813	0.1	CHP	1	812.940	-40.58	-13	Pass
813	813.963	0.05	CHP	2	813.960	-38.46	-13	Pass
813.963	814	0.05	CHP	3	813.990	-34.75	-20	Pass
814	819	0.05	CHP	/	/	/	/	/


Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTN




Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a 5MHz QPSK MCH 819MHz RB 1 0 NTNV




Band26a_5MHz_QPSK_HCH_821.5MHz_RB_1_0_NTNV




Band26a_5MHz_QPSK_HCH_821.5MHz_RB_1_0_NTNV




Band26a_5MHz_QPSK_HCH_821.5MHz_RB_1_0_NTNV



Band26a_5MHz_QPSK_HCH_821.5MHz_RB_1_0_NTNV




Band26a 5MHz QPSK HCH 821.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.009	-36.30	-20	Pass
824.038	825	0.003	/	2	824.039	-40.37	-13	Pass
825	829	0.1	CHP	3	825.785	-54.58	-13	Pass

Band26a 5MHz QPSK HCH 821.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	824	0.05	CHP	/	/	/	/	/
824	824.038	0.05	CHP	1	824.010	-36.60	-20	Pass
824.038	825	0.05	CHP	2	824.040	-39.30	-13	Pass
825	829	0.1	CHP	3	825.090	-40.30	-13	Pass

Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	813	0.1	CHP	1	812.212	-53.22	-13	Pass
813	813.963	0.003	/	2	813.959	-41.50	-13	Pass
813.963	814	0.003	/	3	813.991	-36.91	-20	Pass
814	819	0.003	/	/	/	/	/	/


Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTNV



Band26a 5MHz 16QAM LCH 816.5MHz RB 1 0 NTV




Band26a_5MHz_16QAM_LCH_816.5MHz_RB_25_0_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	813	0.1	CHP	1	812.940	-39.89	-13	Pass
813	813.963	0.051	CHP	2	813.960	-37.40	-13	Pass
813.963	814	0.051	CHP	3	813.990	-35.74	-20	Pass
814	819	0.051	CHP	/	/	/	/	/


Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM MCH 819MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV



Band26a 5MHz 16QAM HCH 821.5MHz RB 1 0 NTNV




Band26a 5MHz 16QAM HCH 821.5MHz RB 1 24 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.003	-35.47	-20	Pass
824.038	825	0.003	/	2	824.038	-41.12	-13	Pass
825	829	0.1	CHP	3	825.776	-55.11	-13	Pass


Band26a 5MHz 16QAM HCH 821.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	824	0.05	CHP	/	/	/	/	/
824	824.038	0.05	CHP	1	824.010	-37.21	-20	Pass
824.038	825	0.05	CHP	2	824.040	-39.14	-13	Pass
825	829	0.1	CHP	3	825.070	-40.95	-13	Pass

6.2.4 B26a_10MHz


Band26a_10MHz_QPSK_LCH_819MHz_RB_1_0_NTNV




Band26a_10MHz_QPSK_LCH_819MHz_RB_1_0_NTNV




Band26a 10MHz QPSK LCH 819MHz RB 1 0 NTNV




Band26a 10MHz QPSK LCH 819MHz RB 1 0 NTNV



Band26a 10MHz QPSK LCH 819MHz RB 1 0 NTNV




Band26a 10MHz QPSK LCH 819MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
804	813	0.1	/	1	812.880	-41.97	-13	Pass
813	813.963	0.1	/	2	813.960	-38.90	-13	Pass
813.963	814	0.1	/	3	813.980	-38.40	-20	Pass
814	824	0.1	/	/	/	/	/	/


Band26a_10MHz_QPSK_HCH_819MHz_RB_1_49_NTNV




Band26a_10MHz_QPSK_HCH_819MHz_RB_50_0_NTNV




Band26a_10MHz_16QAM_LCH_819MHz_RB_1_0_NTNV




Band26a_10MHz_16QAM_LCH_819MHz_RB_1_0_NTNV




Band26a_10MHz_16QAM_LCH_819MHz_RB_1_0_NTNV




Band26a_10MHz_16QAM_LCH_819MHz_RB_1_0_NTNV



Band26a_10MHz_16QAM_LCH_819MHz_RB_1_0_NTNV




Band26a_10MHz_16QAM_LCH_819MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
804	813	0.1	/	1	812.680	-41.24	-13	Pass
813	813.963	0.1	/	2	813.880	-38.64	-13	Pass
813.963	814	0.1	/	3	813.980	-39.82	-20	Pass
814	824	0.1	/	/	/	/	/	/

Band26a 10MHz 16QAM HCH 819MHz RB 1 49 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	824	0.003	/	/	/	/	/	/
824	824.038	0.003	/	1	824.028	-41.54	-20	Pass
824.038	825	0.003	/	2	824.043	-43.06	-13	Pass
825	834	0.1	CHP	3	827.790	-53.84	-13	Pass

Band26a 10MHz 16QAM HCH 819MHz RB 50 0 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	824	0.1	/	/	/	/	/	/
824	824.038	0.1	/	1	824.020	-35.29	-20	Pass
824.038	825	0.1	/	2	824.040	-37.22	-13	Pass
825	834	0.1	/	3	825.220	-41.74	-13	Pass