

# 1. Effective (Isotropic) Radiated Power Output Data

## 1.1 Test Result

### 1.1.1 B25\_1.4MHz\_EIRP

Band: 25 / Bandwidth: 1.4MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1850.7	1	0	16.27	2.60	18.87	<=33.01	Pass		
			2	16.18	2.60	18.78	<=33.01	Pass		
			5	16.14	2.60	18.74	<=33.01	Pass		
		3	0	16.34	2.60	18.94	<=33.01	Pass		
			2	16.32	2.60	18.92	<=33.01	Pass		
			3	16.26	2.60	18.86	<=33.01	Pass		
		6	0	15.30	2.60	17.90	<=33.01	Pass		
		1882.5	1	0	17.41	2.60	20.01	<=33.01	Pass	
				2	17.45	2.60	20.05	<=33.01	Pass	
	5			17.56	2.60	20.16	<=33.01	Pass		
	3		0	17.59	2.60	20.19	<=33.01	Pass		
			2	17.64	2.60	20.24	<=33.01	Pass		
			3	17.59	2.60	20.19	<=33.01	Pass		
	6	0	16.52	2.60	19.12	<=33.01	Pass			
	1914.3	1	0	22.14	2.60	24.74	<=33.01	Pass		
			2	22.31	2.60	24.91	<=33.01	Pass		
			5	22.42	2.60	25.02	<=33.01	Pass		
		3	0	22.26	2.60	24.86	<=33.01	Pass		
			2	22.30	2.60	24.90	<=33.01	Pass		
			3	22.28	2.60	24.88	<=33.01	Pass		
		6	0	21.32	2.60	23.92	<=33.01	Pass		
		16QAM	1850.7	1	0	15.95	2.60	18.55	<=33.01	Pass
					2	15.91	2.60	18.51	<=33.01	Pass
	5				15.85	2.60	18.45	<=33.01	Pass	
3	0			15.24	2.60	17.84	<=33.01	Pass		
	2			15.24	2.60	17.84	<=33.01	Pass		
	3			15.20	2.60	17.80	<=33.01	Pass		
6	0			14.42	2.60	17.02	<=33.01	Pass		
1882.5	1			0	16.73	2.60	19.33	<=33.01	Pass	
				2	16.80	2.60	19.40	<=33.01	Pass	
			5	16.92	2.60	19.52	<=33.01	Pass		
	3		0	16.41	2.60	19.01	<=33.01	Pass		
			2	16.49	2.60	19.09	<=33.01	Pass		
			3	16.52	2.60	19.12	<=33.01	Pass		
6	0		15.63	2.60	18.23	<=33.01	Pass			
1914.3	1		0	21.98	2.60	24.58	<=33.01	Pass		
			2	22.04	2.60	24.64	<=33.01	Pass		
			5	22.06	2.60	24.66	<=33.01	Pass		
	3		0	21.55	2.60	24.15	<=33.01	Pass		
			2	21.57	2.60	24.17	<=33.01	Pass		
			3	21.61	2.60	24.21	<=33.01	Pass		
	6		0	20.61	2.60	23.21	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

### 1.1.2 B25\_3MHz\_EIRP

Band: 25 / Bandwidth: 3MHz / NTNV								
-----------------------------------	--	--	--	--	--	--	--	--

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1851.5	1	0	16.27	2.60	18.87	<=33.01	Pass		
			7	16.06	2.60	18.66	<=33.01	Pass		
			14	15.93	2.60	18.53	<=33.01	Pass		
		8	0	15.21	2.60	17.81	<=33.01	Pass		
			4	15.18	2.60	17.78	<=33.01	Pass		
			7	15.05	2.60	17.65	<=33.01	Pass		
		15	0	15.14	2.60	17.74	<=33.01	Pass		
		1882.5	1	0	17.29	2.60	19.89	<=33.01	Pass	
				7	17.56	2.60	20.16	<=33.01	Pass	
	14			17.74	2.60	20.34	<=33.01	Pass		
	8		0	16.53	2.60	19.13	<=33.01	Pass		
			4	16.63	2.60	19.23	<=33.01	Pass		
			7	16.75	2.60	19.35	<=33.01	Pass		
	15		0	16.69	2.60	19.29	<=33.01	Pass		
	1913.5		1	0	21.97	2.60	24.57	<=33.01	Pass	
				7	22.13	2.60	24.73	<=33.01	Pass	
		14		22.21	2.60	24.81	<=33.01	Pass		
		8	0	21.16	2.60	23.76	<=33.01	Pass		
			4	21.23	2.60	23.83	<=33.01	Pass		
			7	21.21	2.60	23.81	<=33.01	Pass		
		15	0	21.26	2.60	23.86	<=33.01	Pass		
		16QAM	1851.5	1	0	16.12	2.60	18.72	<=33.01	Pass
					7	15.88	2.60	18.48	<=33.01	Pass
	14				15.71	2.60	18.31	<=33.01	Pass	
	8			0	14.69	2.60	17.29	<=33.01	Pass	
				4	14.48	2.60	17.08	<=33.01	Pass	
				7	14.48	2.60	17.08	<=33.01	Pass	
15	0			14.35	2.60	16.95	<=33.01	Pass		
1882.5	1			0	16.83	2.60	19.43	<=33.01	Pass	
				7	17.08	2.60	19.68	<=33.01	Pass	
			14	17.28	2.60	19.88	<=33.01	Pass		
	8		0	15.74	2.60	18.34	<=33.01	Pass		
			4	15.83	2.60	18.43	<=33.01	Pass		
			7	15.94	2.60	18.54	<=33.01	Pass		
	15		0	15.83	2.60	18.43	<=33.01	Pass		
	1913.5		1	0	22.38	2.60	24.98	<=33.01	Pass	
				7	22.41	2.60	25.01	<=33.01	Pass	
14				22.58	2.60	25.18	<=33.01	Pass		
8			0	20.42	2.60	23.02	<=33.01	Pass		
			4	20.46	2.60	23.06	<=33.01	Pass		
			7	20.52	2.60	23.12	<=33.01	Pass		
15			0	20.35	2.60	22.95	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

### 1.1.3 B25\_5MHz\_EIRP

Band: 25 / Bandwidth: 5MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	16.22	2.60	18.82	<=33.01	Pass
			13	15.88	2.60	18.48	<=33.01	Pass
			24	15.58	2.60	18.18	<=33.01	Pass
		12	0	15.13	2.60	17.73	<=33.01	Pass
			6	15.00	2.60	17.60	<=33.01	Pass
			13	14.84	2.60	17.44	<=33.01	Pass

16QAM	1882.5	25	0	14.96	2.60	17.56	<=33.01	Pass		
		1	0	17.19	2.60	19.79	<=33.01	Pass		
			13	17.48	2.60	20.08	<=33.01	Pass		
			24	17.90	2.60	20.50	<=33.01	Pass		
			0	16.34	2.60	18.94	<=33.01	Pass		
		12	6	16.55	2.60	19.15	<=33.01	Pass		
			13	16.93	2.60	19.53	<=33.01	Pass		
			25	0	16.73	2.60	19.33	<=33.01	Pass	
		1912.5	1	0	21.88	2.60	24.48	<=33.01	Pass	
	13			22.08	2.60	24.68	<=33.01	Pass		
	24			22.35	2.60	24.95	<=33.01	Pass		
	12		0	21.11	2.60	23.71	<=33.01	Pass		
			6	21.11	2.60	23.71	<=33.01	Pass		
			13	21.18	2.60	23.78	<=33.01	Pass		
	25		0	21.09	2.60	23.69	<=33.01	Pass		
	1852.5		1882.5	1	0	15.09	2.60	17.69	<=33.01	Pass
					13	14.78	2.60	17.38	<=33.01	Pass
		24			14.50	2.60	17.10	<=33.01	Pass	
		12		0	14.34	2.60	16.94	<=33.01	Pass	
				6	14.14	2.60	16.74	<=33.01	Pass	
				13	13.99	2.60	16.59	<=33.01	Pass	
		25		0	14.25	2.60	16.85	<=33.01	Pass	
		1912.5		1	0	16.84	2.60	19.44	<=33.01	Pass
					13	17.32	2.60	19.92	<=33.01	Pass
24			17.68		2.60	20.28	<=33.01	Pass		
12			0	15.59	2.60	18.19	<=33.01	Pass		
			6	15.81	2.60	18.41	<=33.01	Pass		
			13	16.02	2.60	18.62	<=33.01	Pass		
25			0	15.85	2.60	18.45	<=33.01	Pass		
1852.5			1	0	21.68	2.60	24.28	<=33.01	Pass	
				13	21.84	2.60	24.44	<=33.01	Pass	
		24		22.03	2.60	24.63	<=33.01	Pass		
		12	0	20.24	2.60	22.84	<=33.01	Pass		
			6	20.34	2.60	22.94	<=33.01	Pass		
			13	20.45	2.60	23.05	<=33.01	Pass		
		25	0	20.26	2.60	22.86	<=33.01	Pass		

Note1: EIRP=Conducted Power+Antenna Gain

#### 1.1.4 B25\_10MHz\_EIRP

Band: 25 / Bandwidth: 10MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1855	1	0	16.21	2.60	18.81	<=33.01	Pass	
			25	15.65	2.60	18.25	<=33.01	Pass	
			49	15.23	2.60	17.83	<=33.01	Pass	
		25	0	15.02	2.60	17.62	<=33.01	Pass	
			13	14.76	2.60	17.36	<=33.01	Pass	
			25	14.41	2.60	17.01	<=33.01	Pass	
		50	0	14.81	2.60	17.41	<=33.01	Pass	
		1882.5	1	0	16.78	2.60	19.38	<=33.01	Pass
				25	17.67	2.60	20.27	<=33.01	Pass
	49			18.54	2.60	21.14	<=33.01	Pass	
	25		0	16.21	2.60	18.81	<=33.01	Pass	
			13	16.57	2.60	19.17	<=33.01	Pass	
			25	17.06	2.60	19.66	<=33.01	Pass	
	50		0	16.67	2.60	19.27	<=33.01	Pass	

	1910	1	0	21.33	2.60	23.93	<=33.01	Pass		
			25	21.83	2.60	24.43	<=33.01	Pass		
			49	22.26	2.60	24.86	<=33.01	Pass		
		25	0	20.75	2.60	23.35	<=33.01	Pass		
			13	20.86	2.60	23.46	<=33.01	Pass		
			25	21.15	2.60	23.75	<=33.01	Pass		
		50	0	21.00	2.60	23.60	<=33.01	Pass		
		16QAM	1855	1	0	16.24	2.60	18.84	<=33.01	Pass
					25	15.63	2.60	18.23	<=33.01	Pass
49	15.24				2.60	17.84	<=33.01	Pass		
25	0			14.15	2.60	16.75	<=33.01	Pass		
	13			13.82	2.60	16.42	<=33.01	Pass		
	25			13.66	2.60	16.26	<=33.01	Pass		
50	0			13.89	2.60	16.49	<=33.01	Pass		
1882.5	1			0	15.90	2.60	18.50	<=33.01	Pass	
				25	16.77	2.60	19.37	<=33.01	Pass	
			49	17.66	2.60	20.26	<=33.01	Pass		
	25		0	15.45	2.60	18.05	<=33.01	Pass		
			13	15.94	2.60	18.54	<=33.01	Pass		
			25	16.33	2.60	18.93	<=33.01	Pass		
	50		0	15.87	2.60	18.47	<=33.01	Pass		
	1910		1	0	21.76	2.60	24.36	<=33.01	Pass	
				25	22.23	2.60	24.83	<=33.01	Pass	
49				22.51	2.60	25.11	<=33.01	Pass		
25			0	19.87	2.60	22.47	<=33.01	Pass		
			13	20.15	2.60	22.75	<=33.01	Pass		
			25	20.27	2.60	22.87	<=33.01	Pass		
50			0	20.18	2.60	22.78	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain										

### 1.1.5 B25\_15MHz\_EIRP

Band: 25 / Bandwidth: 15MHz / NTNV										
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict		
		Size	Offset			Result	Limit			
QPSK	1857.5	1	0	16.06	2.60	18.66	<=33.01	Pass		
			38	15.26	2.60	17.86	<=33.01	Pass		
			74	15.01	2.60	17.61	<=33.01	Pass		
		36	0	14.75	2.60	17.35	<=33.01	Pass		
			18	14.43	2.60	17.03	<=33.01	Pass		
			39	14.18	2.60	16.78	<=33.01	Pass		
		75	0	14.48	2.60	17.08	<=33.01	Pass		
		1882.5	1	0	16.37	2.60	18.97	<=33.01	Pass	
				38	17.68	2.60	20.28	<=33.01	Pass	
	74			18.96	2.60	21.56	<=33.01	Pass		
	36		0	15.91	2.60	18.51	<=33.01	Pass		
			18	16.62	2.60	19.22	<=33.01	Pass		
			39	17.44	2.60	20.04	<=33.01	Pass		
	75		0	16.71	2.60	19.31	<=33.01	Pass		
	1907.5		1	0	20.79	2.60	23.39	<=33.01	Pass	
				38	21.67	2.60	24.27	<=33.01	Pass	
		74		22.23	2.60	24.83	<=33.01	Pass		
		36	0	20.32	2.60	22.92	<=33.01	Pass		
			18	20.69	2.60	23.29	<=33.01	Pass		
			39	21.13	2.60	23.73	<=33.01	Pass		
		75	0	20.74	2.60	23.34	<=33.01	Pass		
		16QAM	1857.5	1	0	15.98	2.60	18.58	<=33.01	Pass

		36	38	15.14	2.60	17.74	<=33.01	Pass
			74	14.93	2.60	17.53	<=33.01	Pass
			0	13.96	2.60	16.56	<=33.01	Pass
			18	13.63	2.60	16.23	<=33.01	Pass
			39	13.43	2.60	16.03	<=33.01	Pass
			75	0	13.65	2.60	16.25	<=33.01
	1882.5	1	0	16.02	2.60	18.62	<=33.01	Pass
			38	17.35	2.60	19.95	<=33.01	Pass
			74	18.70	2.60	21.30	<=33.01	Pass
		36	0	15.12	2.60	17.72	<=33.01	Pass
			18	15.81	2.60	18.41	<=33.01	Pass
			39	16.64	2.60	19.24	<=33.01	Pass
	75	0	15.89	2.60	18.49	<=33.01	Pass	
	1907.5	1	0	20.84	2.60	23.44	<=33.01	Pass
			38	21.68	2.60	24.28	<=33.01	Pass
			74	22.27	2.60	24.87	<=33.01	Pass
		36	0	19.38	2.60	21.98	<=33.01	Pass
			18	19.86	2.60	22.46	<=33.01	Pass
			39	20.15	2.60	22.75	<=33.01	Pass
	75	0	19.89	2.60	22.49	<=33.01	Pass	
	Note1: EIRP=Conducted Power+Antenna Gain							

### 1.1.6 B25\_20MHz\_EIRP

Band: 25 / Bandwidth: 20MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	1860	1	0	16.11	2.60	18.71	<=33.01	Pass	
			50	15.17	2.60	17.77	<=33.01	Pass	
			99	15.34	2.60	17.94	<=33.01	Pass	
		50	0	14.67	2.60	17.27	<=33.01	Pass	
			25	14.18	2.60	16.78	<=33.01	Pass	
			50	14.19	2.60	16.79	<=33.01	Pass	
	100	0	14.29	2.60	16.89	<=33.01	Pass		
	1882.5	1	0	16.04	2.60	18.64	<=33.01	Pass	
			50	17.67	2.60	20.27	<=33.01	Pass	
			99	19.41	2.60	22.01	<=33.01	Pass	
		50	0	15.71	2.60	18.31	<=33.01	Pass	
			25	16.58	2.60	19.18	<=33.01	Pass	
			50	17.63	2.60	20.23	<=33.01	Pass	
	100	0	16.65	2.60	19.25	<=33.01	Pass		
	1905	1	0	19.99	2.60	22.59	<=33.01	Pass	
			50	21.35	2.60	23.95	<=33.01	Pass	
			99	22.20	2.60	24.80	<=33.01	Pass	
		50	0	19.76	2.60	22.36	<=33.01	Pass	
			25	20.34	2.60	22.94	<=33.01	Pass	
			50	20.96	2.60	23.56	<=33.01	Pass	
	100	0	20.35	2.60	22.95	<=33.01	Pass		
	16QAM	1860	1	0	15.82	2.60	18.42	<=33.01	Pass
				50	14.83	2.60	17.43	<=33.01	Pass
				99	15.15	2.60	17.75	<=33.01	Pass
50			0	13.81	2.60	16.41	<=33.01	Pass	
			25	13.50	2.60	16.10	<=33.01	Pass	
			50	13.45	2.60	16.05	<=33.01	Pass	
100		0	13.58	2.60	16.18	<=33.01	Pass		
1882.5		1	0	16.40	2.60	19.00	<=33.01	Pass	
			50	18.05	2.60	20.65	<=33.01	Pass	

		50	99	19.75	2.60	22.35	<=33.01	Pass
			0	14.87	2.60	17.47	<=33.01	Pass
			25	15.71	2.60	18.31	<=33.01	Pass
			50	16.71	2.60	19.31	<=33.01	Pass
			100	0	15.90	2.60	18.50	<=33.01
	1905	1	0	20.03	2.60	22.63	<=33.01	Pass
			50	21.38	2.60	23.98	<=33.01	Pass
			99	22.13	2.60	24.73	<=33.01	Pass
		50	0	19.01	2.60	21.61	<=33.01	Pass
			25	19.66	2.60	22.26	<=33.01	Pass
			50	20.14	2.60	22.74	<=33.01	Pass
		100	0	19.46	2.60	22.06	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

## 2. Frequency Stability

### 2.1 Test Result

#### 2.1.1 B25\_1.4MHz

Band: 25 / Bandwidth: 1.4MHz												
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict			
		Size	Offset				Result	Limit				
QPSK	1850.7	6	0	20	3.27	6.294	0.0034	-2.5 to 2.5	Pass			
					3.85	0.615	0.0003	-2.5 to 2.5	Pass			
					4.43	-0.558	-0.0003	-2.5 to 2.5	Pass			
				-30	3.85	-5.622	-0.0030	-2.5 to 2.5	Pass			
					-20	3.85	-9.513	-0.0051	-2.5 to 2.5	Pass		
						-10	3.85	-17.567	-0.0095	-2.5 to 2.5	Pass	
				0	3.85	-21.415	-0.0116	-2.5 to 2.5	Pass			
				10	3.85	-27.695	-0.0150	-2.5 to 2.5	Pass			
				30	3.85	-32.129	-0.0174	-2.5 to 2.5	Pass			
				40	3.85	-34.032	-0.0184	-2.5 to 2.5	Pass			
				50	3.85	-27.123	-0.0147	-2.5 to 2.5	Pass			
				1882.5	6	0	20	3.27	14.548	0.0077	-2.5 to 2.5	Pass
								3.85	6.938	0.0037	-2.5 to 2.5	Pass
								4.43	11.401	0.0061	-2.5 to 2.5	Pass
							-30	3.85	10.972	0.0058	-2.5 to 2.5	Pass
	-20	3.85	5.379					0.0029	-2.5 to 2.5	Pass		
		-10	3.85					3.161	0.0017	-2.5 to 2.5	Pass	
	0	3.85	0.486				0.0003	-2.5 to 2.5	Pass			
	10	3.85	-0.286				-0.0002	-2.5 to 2.5	Pass			
	30	3.85	1.802				0.0010	-2.5 to 2.5	Pass			
	40	3.85	8.912				0.0047	-2.5 to 2.5	Pass			
	50	3.85	12.603				0.0067	-2.5 to 2.5	Pass			
	1914.3	6	0				20	3.27	24.891	0.0130	-2.5 to 2.5	Pass
								3.85	17.910	0.0094	-2.5 to 2.5	Pass
								4.43	8.326	0.0043	-2.5 to 2.5	Pass
							-30	3.85	8.955	0.0047	-2.5 to 2.5	Pass
				-20	3.85	15.864		0.0083	-2.5 to 2.5	Pass		
					-10	3.85		20.185	0.0105	-2.5 to 2.5	Pass	
				0	3.85	25.234	0.0132	-2.5 to 2.5	Pass			
				10	3.85	34.232	0.0179	-2.5 to 2.5	Pass			
30				3.85	32.887	0.0172	-2.5 to 2.5	Pass				
40				3.85	38.409	0.0201	-2.5 to 2.5	Pass				
50				3.85	40.383	0.0211	-2.5 to 2.5	Pass				

16QAM	1850.7	6	0	20	3.27	-26.765	-0.0145	-2.5 to 2.5	Pass
					3.85	-31.772	-0.0172	-2.5 to 2.5	Pass
					4.43	-33.617	-0.0182	-2.5 to 2.5	Pass
				-30	3.85	-33.431	-0.0181	-2.5 to 2.5	Pass
				-20	3.85	-29.640	-0.0160	-2.5 to 2.5	Pass
				-10	3.85	-28.224	-0.0153	-2.5 to 2.5	Pass
				0	3.85	-28.138	-0.0152	-2.5 to 2.5	Pass
				10	3.85	-36.349	-0.0196	-2.5 to 2.5	Pass
				30	3.85	-29.783	-0.0161	-2.5 to 2.5	Pass
	40	3.85	-29.511	-0.0159	-2.5 to 2.5	Pass			
	50	3.85	-33.202	-0.0179	-2.5 to 2.5	Pass			
	1882.5	6	0	20	3.27	5.479	0.0029	-2.5 to 2.5	Pass
					3.85	8.798	0.0047	-2.5 to 2.5	Pass
					4.43	5.693	0.0030	-2.5 to 2.5	Pass
				-30	3.85	2.890	0.0015	-2.5 to 2.5	Pass
				-20	3.85	2.890	0.0015	-2.5 to 2.5	Pass
				-10	3.85	15.321	0.0081	-2.5 to 2.5	Pass
				0	3.85	-0.544	-0.0003	-2.5 to 2.5	Pass
				10	3.85	2.475	0.0013	-2.5 to 2.5	Pass
				30	3.85	3.905	0.0021	-2.5 to 2.5	Pass
	40	3.85	6.166	0.0033	-2.5 to 2.5	Pass			
	50	3.85	7.982	0.0042	-2.5 to 2.5	Pass			
	1914.3	6	0	20	3.27	2.346	0.0012	-2.5 to 2.5	Pass
					3.85	12.531	0.0065	-2.5 to 2.5	Pass
					4.43	24.962	0.0130	-2.5 to 2.5	Pass
				-30	3.85	23.403	0.0122	-2.5 to 2.5	Pass
				-20	3.85	21.257	0.0111	-2.5 to 2.5	Pass
-10				3.85	24.719	0.0129	-2.5 to 2.5	Pass	
0				3.85	23.103	0.0121	-2.5 to 2.5	Pass	
10				3.85	18.425	0.0096	-2.5 to 2.5	Pass	
30				3.85	14.348	0.0075	-2.5 to 2.5	Pass	
40	3.85	24.905	0.0130	-2.5 to 2.5	Pass				
50	3.85	13.905	0.0073	-2.5 to 2.5	Pass				

## 2.1.2 B25\_3MHz

Band: 25 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	16.379	0.0088	-2.5 to 2.5	Pass
					3.85	10.715	0.0058	-2.5 to 2.5	Pass
					4.43	3.219	0.0017	-2.5 to 2.5	Pass
				-30	3.85	-7.567	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	-16.780	-0.0091	-2.5 to 2.5	Pass
				-10	3.85	-20.356	-0.0110	-2.5 to 2.5	Pass
				0	3.85	-24.748	-0.0134	-2.5 to 2.5	Pass
				10	3.85	-28.839	-0.0156	-2.5 to 2.5	Pass
				30	3.85	-34.490	-0.0186	-2.5 to 2.5	Pass
	40	3.85	-32.015	-0.0173	-2.5 to 2.5	Pass			
	50	3.85	-40.798	-0.0220	-2.5 to 2.5	Pass			
	1882.5	15	0	20	3.27	4.835	0.0026	-2.5 to 2.5	Pass
					3.85	3.104	0.0016	-2.5 to 2.5	Pass
					4.43	-1.216	-0.0006	-2.5 to 2.5	Pass
				-30	3.85	-2.217	-0.0012	-2.5 to 2.5	Pass
				-20	3.85	7.782	0.0041	-2.5 to 2.5	Pass
				-10	3.85	-0.072	0.0000	-2.5 to 2.5	Pass
				0	3.85	-13.003	-0.0069	-2.5 to 2.5	Pass

				10	3.85	-9.627	-0.0051	-2.5 to 2.5	Pass				
				30	3.85	-5.822	-0.0031	-2.5 to 2.5	Pass				
				40	3.85	1.016	0.0005	-2.5 to 2.5	Pass				
				50	3.85	-2.689	-0.0014	-2.5 to 2.5	Pass				
	1913.5	15	0	20	3.27	10.729	0.0056	-2.5 to 2.5	Pass				
					3.85	8.283	0.0043	-2.5 to 2.5	Pass				
					4.43	-1.001	-0.0005	-2.5 to 2.5	Pass				
				-30	3.85	6.995	0.0037	-2.5 to 2.5	Pass				
				-20	3.85	6.566	0.0034	-2.5 to 2.5	Pass				
				-10	3.85	10.901	0.0057	-2.5 to 2.5	Pass				
				0	3.85	14.548	0.0076	-2.5 to 2.5	Pass				
				10	3.85	17.438	0.0091	-2.5 to 2.5	Pass				
				30	3.85	25.549	0.0134	-2.5 to 2.5	Pass				
				40	3.85	35.620	0.0186	-2.5 to 2.5	Pass				
				50	3.85	38.066	0.0199	-2.5 to 2.5	Pass				
				16QAM	1851.5	15	0	20	3.27	-43.416	-0.0234	-2.5 to 2.5	Pass
									3.85	-41.313	-0.0223	-2.5 to 2.5	Pass
									4.43	-40.498	-0.0219	-2.5 to 2.5	Pass
								-30	3.85	-41.399	-0.0224	-2.5 to 2.5	Pass
-20	3.85	-43.817	-0.0237					-2.5 to 2.5	Pass				
-10	3.85	-44.775	-0.0242					-2.5 to 2.5	Pass				
0	3.85	-41.013	-0.0222					-2.5 to 2.5	Pass				
10	3.85	-37.379	-0.0202					-2.5 to 2.5	Pass				
30	3.85	-29.683	-0.0160					-2.5 to 2.5	Pass				
40	3.85	-43.559	-0.0235					-2.5 to 2.5	Pass				
50	3.85	-36.421	-0.0197					-2.5 to 2.5	Pass				
1882.5	15	0	20					3.27	-0.114	-0.0001	-2.5 to 2.5	Pass	
								3.85	1.187	0.0006	-2.5 to 2.5	Pass	
								4.43	-5.679	-0.0030	-2.5 to 2.5	Pass	
			-30					3.85	-8.726	-0.0046	-2.5 to 2.5	Pass	
			-20		3.85	-6.394	-0.0034	-2.5 to 2.5	Pass				
			-10		3.85	-5.450	-0.0029	-2.5 to 2.5	Pass				
			0		3.85	-6.309	-0.0034	-2.5 to 2.5	Pass				
			10		3.85	0.815	0.0004	-2.5 to 2.5	Pass				
			30		3.85	4.649	0.0025	-2.5 to 2.5	Pass				
			40		3.85	-3.591	-0.0019	-2.5 to 2.5	Pass				
			50		3.85	-5.822	-0.0031	-2.5 to 2.5	Pass				
			1913.5		15	0	20	3.27	5.894	0.0031	-2.5 to 2.5	Pass	
								3.85	9.928	0.0052	-2.5 to 2.5	Pass	
								4.43	10.715	0.0056	-2.5 to 2.5	Pass	
							-30	3.85	6.266	0.0033	-2.5 to 2.5	Pass	
-20	3.85	9.727					0.0051	-2.5 to 2.5	Pass				
-10	3.85	29.798					0.0156	-2.5 to 2.5	Pass				
0	3.85	39.754					0.0208	-2.5 to 2.5	Pass				
10	3.85	44.489					0.0233	-2.5 to 2.5	Pass				
30	3.85	41.828		0.0219			-2.5 to 2.5	Pass					
40	3.85	38.939		0.0203			-2.5 to 2.5	Pass					
50	3.85	48.666		0.0254			-2.5 to 2.5	Pass					

### 2.1.3 B25\_5MHz

Band: 25 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	18.353	0.0099	-2.5 to 2.5	Pass
					3.85	2.275	0.0012	-2.5 to 2.5	Pass
					4.43	-31.142	-0.0168	-2.5 to 2.5	Pass



				-30	3.85	-24.390	-0.0132	-2.5 to 2.5	Pass
				-20	3.85	-12.174	-0.0066	-2.5 to 2.5	Pass
				-10	3.85	-42.486	-0.0229	-2.5 to 2.5	Pass
				0	3.85	-8.397	-0.0045	-2.5 to 2.5	Pass
				10	3.85	-32.845	-0.0177	-2.5 to 2.5	Pass
				30	3.85	-13.590	-0.0073	-2.5 to 2.5	Pass
				40	3.85	-24.104	-0.0130	-2.5 to 2.5	Pass
	50	3.85	-39.482	-0.0213	-2.5 to 2.5	Pass			
	1882.5	25	0	20	3.27	20.800	0.0110	-2.5 to 2.5	Pass
					3.85	21.186	0.0113	-2.5 to 2.5	Pass
					4.43	9.685	0.0051	-2.5 to 2.5	Pass
				-30	3.85	17.023	0.0090	-2.5 to 2.5	Pass
				-20	3.85	16.966	0.0090	-2.5 to 2.5	Pass
				-10	3.85	13.018	0.0069	-2.5 to 2.5	Pass
				0	3.85	6.881	0.0037	-2.5 to 2.5	Pass
				10	3.85	14.319	0.0076	-2.5 to 2.5	Pass
				30	3.85	16.336	0.0087	-2.5 to 2.5	Pass
				40	3.85	10.772	0.0057	-2.5 to 2.5	Pass
	50	3.85	13.418	0.0071	-2.5 to 2.5	Pass			
	1912.5	25	0	20	3.27	10.228	0.0053	-2.5 to 2.5	Pass
					3.85	-5.121	-0.0027	-2.5 to 2.5	Pass
					4.43	-6.723	-0.0035	-2.5 to 2.5	Pass
				-30	3.85	-3.834	-0.0020	-2.5 to 2.5	Pass
				-20	3.85	5.822	0.0030	-2.5 to 2.5	Pass
				-10	3.85	10.443	0.0055	-2.5 to 2.5	Pass
				0	3.85	9.069	0.0047	-2.5 to 2.5	Pass
				10	3.85	9.627	0.0050	-2.5 to 2.5	Pass
30				3.85	19.956	0.0104	-2.5 to 2.5	Pass	
40				3.85	21.658	0.0113	-2.5 to 2.5	Pass	
50	3.85	31.900	0.0167	-2.5 to 2.5	Pass				
16QAM	1852.5	25	0	20	3.27	-7.453	-0.0040	-2.5 to 2.5	Pass
					3.85	-10.085	-0.0054	-2.5 to 2.5	Pass
					4.43	-17.052	-0.0092	-2.5 to 2.5	Pass
				-30	3.85	-27.180	-0.0147	-2.5 to 2.5	Pass
				-20	3.85	-34.719	-0.0187	-2.5 to 2.5	Pass
				-10	3.85	-37.808	-0.0204	-2.5 to 2.5	Pass
				0	3.85	-37.594	-0.0203	-2.5 to 2.5	Pass
				10	3.85	-36.092	-0.0195	-2.5 to 2.5	Pass
				30	3.85	-46.835	-0.0253	-2.5 to 2.5	Pass
				40	3.85	-45.590	-0.0246	-2.5 to 2.5	Pass
	50	3.85	-3.662	-0.0020	-2.5 to 2.5	Pass			
	1882.5	25	0	20	3.27	12.202	0.0065	-2.5 to 2.5	Pass
					3.85	11.287	0.0060	-2.5 to 2.5	Pass
					4.43	10.128	0.0054	-2.5 to 2.5	Pass
				-30	3.85	16.351	0.0087	-2.5 to 2.5	Pass
				-20	3.85	20.843	0.0111	-2.5 to 2.5	Pass
				-10	3.85	10.657	0.0057	-2.5 to 2.5	Pass
				0	3.85	14.949	0.0079	-2.5 to 2.5	Pass
				10	3.85	12.860	0.0068	-2.5 to 2.5	Pass
				30	3.85	12.016	0.0064	-2.5 to 2.5	Pass
				40	3.85	17.080	0.0091	-2.5 to 2.5	Pass
	50	3.85	15.821	0.0084	-2.5 to 2.5	Pass			
	1912.5	25	0	20	3.27	33.932	0.0177	-2.5 to 2.5	Pass
					3.85	39.697	0.0208	-2.5 to 2.5	Pass
					4.43	-17.080	-0.0089	-2.5 to 2.5	Pass
				-30	3.85	-6.151	-0.0032	-2.5 to 2.5	Pass
				-20	3.85	-0.944	-0.0005	-2.5 to 2.5	Pass
-10				3.85	5.364	0.0028	-2.5 to 2.5	Pass	
0				3.85	10.042	0.0053	-2.5 to 2.5	Pass	

				10	3.85	16.236	0.0085	-2.5 to 2.5	Pass
				30	3.85	20.914	0.0109	-2.5 to 2.5	Pass
				40	3.85	34.132	0.0178	-2.5 to 2.5	Pass
				50	3.85	37.479	0.0196	-2.5 to 2.5	Pass

## 2.1.4 B25\_10MHz

Band: 25 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	1.760	0.0009	-2.5 to 2.5	Pass
					3.85	-25.835	-0.0139	-2.5 to 2.5	Pass
					4.43	5.794	0.0031	-2.5 to 2.5	Pass
				-30	3.85	5.908	0.0032	-2.5 to 2.5	Pass
				-20	3.85	7.653	0.0041	-2.5 to 2.5	Pass
				-10	3.85	1.230	0.0007	-2.5 to 2.5	Pass
				0	3.85	-7.453	-0.0040	-2.5 to 2.5	Pass
				10	3.85	-1.631	-0.0009	-2.5 to 2.5	Pass
				30	3.85	11.358	0.0061	-2.5 to 2.5	Pass
	40	3.85	17.924	0.0097	-2.5 to 2.5	Pass			
	50	3.85	4.148	0.0022	-2.5 to 2.5	Pass			
	1882.5	50	0	20	3.27	2.203	0.0012	-2.5 to 2.5	Pass
					3.85	-6.452	-0.0034	-2.5 to 2.5	Pass
					4.43	-10.815	-0.0057	-2.5 to 2.5	Pass
				-30	3.85	-7.381	-0.0039	-2.5 to 2.5	Pass
				-20	3.85	-6.280	-0.0033	-2.5 to 2.5	Pass
				-10	3.85	-1.745	-0.0009	-2.5 to 2.5	Pass
				0	3.85	1.674	0.0009	-2.5 to 2.5	Pass
				10	3.85	1.101	0.0006	-2.5 to 2.5	Pass
				30	3.85	3.734	0.0020	-2.5 to 2.5	Pass
	40	3.85	7.939	0.0042	-2.5 to 2.5	Pass			
	50	3.85	-4.177	-0.0022	-2.5 to 2.5	Pass			
	1910	50	0	20	3.27	2.890	0.0015	-2.5 to 2.5	Pass
					3.85	2.089	0.0011	-2.5 to 2.5	Pass
					4.43	0.386	0.0002	-2.5 to 2.5	Pass
				-30	3.85	7.424	0.0039	-2.5 to 2.5	Pass
				-20	3.85	13.876	0.0073	-2.5 to 2.5	Pass
-10				3.85	22.473	0.0118	-2.5 to 2.5	Pass	
0				3.85	36.893	0.0193	-2.5 to 2.5	Pass	
10				3.85	40.970	0.0215	-2.5 to 2.5	Pass	
30				3.85	3.490	0.0018	-2.5 to 2.5	Pass	
40	3.85	12.274	0.0064	-2.5 to 2.5	Pass				
50	3.85	22.187	0.0116	-2.5 to 2.5	Pass				
16QAM	1855	50	0	20	3.27	11.830	0.0064	-2.5 to 2.5	Pass
					3.85	0.243	0.0001	-2.5 to 2.5	Pass
					4.43	0.772	0.0004	-2.5 to 2.5	Pass
				-30	3.85	-1.702	-0.0009	-2.5 to 2.5	Pass
				-20	3.85	-4.277	-0.0023	-2.5 to 2.5	Pass
				-10	3.85	-6.437	-0.0035	-2.5 to 2.5	Pass
				0	3.85	-14.863	-0.0080	-2.5 to 2.5	Pass
				10	3.85	-14.062	-0.0076	-2.5 to 2.5	Pass
				30	3.85	-14.076	-0.0076	-2.5 to 2.5	Pass
	40	3.85	-14.119	-0.0076	-2.5 to 2.5	Pass			
	50	3.85	-14.448	-0.0078	-2.5 to 2.5	Pass			
	1882.5	50	0	20	3.27	13.247	0.0070	-2.5 to 2.5	Pass
					3.85	8.211	0.0044	-2.5 to 2.5	Pass
					4.43	9.284	0.0049	-2.5 to 2.5	Pass

				-30	3.85	-0.873	-0.0005	-2.5 to 2.5	Pass
				-20	3.85	-3.462	-0.0018	-2.5 to 2.5	Pass
				-10	3.85	-3.076	-0.0016	-2.5 to 2.5	Pass
				0	3.85	-3.004	-0.0016	-2.5 to 2.5	Pass
				10	3.85	0.014	0.0000	-2.5 to 2.5	Pass
				30	3.85	1.616	0.0009	-2.5 to 2.5	Pass
				40	3.85	-1.459	-0.0008	-2.5 to 2.5	Pass
	50	3.85	1.245	0.0007	-2.5 to 2.5	Pass			
	1910	50	0	20	3.27	33.503	0.0175	-2.5 to 2.5	Pass
					3.85	38.309	0.0201	-2.5 to 2.5	Pass
					4.43	42.644	0.0223	-2.5 to 2.5	Pass
				-30	3.85	7.181	0.0038	-2.5 to 2.5	Pass
				-20	3.85	3.490	0.0018	-2.5 to 2.5	Pass
				-10	3.85	-7.482	-0.0039	-2.5 to 2.5	Pass
0				3.85	-6.838	-0.0036	-2.5 to 2.5	Pass	
10	3.85	-9.871	-0.0052	-2.5 to 2.5	Pass				
30	3.85	-8.297	-0.0043	-2.5 to 2.5	Pass				
40	3.85	-14.820	-0.0078	-2.5 to 2.5	Pass				
50	3.85	-9.370	-0.0049	-2.5 to 2.5	Pass				

### 2.1.5 B25\_15MHz

Band: 25 / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1857.5	75	0	20	3.27	5.050	0.0027	-2.5 to 2.5	Pass
					3.85	-31.972	-0.0172	-2.5 to 2.5	Pass
					4.43	-14.319	-0.0077	-2.5 to 2.5	Pass
				-30	3.85	-4.792	-0.0026	-2.5 to 2.5	Pass
				-20	3.85	-34.361	-0.0185	-2.5 to 2.5	Pass
				-10	3.85	-32.988	-0.0178	-2.5 to 2.5	Pass
				0	3.85	-15.779	-0.0085	-2.5 to 2.5	Pass
				10	3.85	-23.460	-0.0126	-2.5 to 2.5	Pass
				30	3.85	-32.873	-0.0177	-2.5 to 2.5	Pass
	40	3.85	-5.307	-0.0029	-2.5 to 2.5	Pass			
	50	3.85	-2.675	-0.0014	-2.5 to 2.5	Pass			
	1882.5	75	0	20	3.27	13.490	0.0072	-2.5 to 2.5	Pass
					3.85	6.223	0.0033	-2.5 to 2.5	Pass
					4.43	0.129	0.0001	-2.5 to 2.5	Pass
				-30	3.85	3.848	0.0020	-2.5 to 2.5	Pass
				-20	3.85	5.193	0.0028	-2.5 to 2.5	Pass
				-10	3.85	8.740	0.0046	-2.5 to 2.5	Pass
				0	3.85	7.367	0.0039	-2.5 to 2.5	Pass
				10	3.85	9.813	0.0052	-2.5 to 2.5	Pass
				30	3.85	11.044	0.0059	-2.5 to 2.5	Pass
	40	3.85	9.727	0.0052	-2.5 to 2.5	Pass			
	50	3.85	15.821	0.0084	-2.5 to 2.5	Pass			
	1907.5	75	0	20	3.27	8.297	0.0043	-2.5 to 2.5	Pass
					3.85	-6.666	-0.0035	-2.5 to 2.5	Pass
					4.43	3.619	0.0019	-2.5 to 2.5	Pass
				-30	3.85	7.467	0.0039	-2.5 to 2.5	Pass
				-20	3.85	15.020	0.0079	-2.5 to 2.5	Pass
-10				3.85	22.831	0.0120	-2.5 to 2.5	Pass	
0				3.85	27.924	0.0146	-2.5 to 2.5	Pass	
10				3.85	26.164	0.0137	-2.5 to 2.5	Pass	
30				3.85	28.553	0.0150	-2.5 to 2.5	Pass	
40	3.85	11.187	0.0059	-2.5 to 2.5	Pass				

16QAM	1857.5	75	0	50	3.85	18.783	0.0098	-2.5 to 2.5	Pass
				20	3.27	-6.952	-0.0037	-2.5 to 2.5	Pass
					3.85	-11.258	-0.0061	-2.5 to 2.5	Pass
					4.43	-12.217	-0.0066	-2.5 to 2.5	Pass
				-30	3.85	-15.321	-0.0082	-2.5 to 2.5	Pass
				-20	3.85	-16.036	-0.0086	-2.5 to 2.5	Pass
				-10	3.85	-13.962	-0.0075	-2.5 to 2.5	Pass
				0	3.85	-9.313	-0.0050	-2.5 to 2.5	Pass
				10	3.85	-13.089	-0.0070	-2.5 to 2.5	Pass
				30	3.85	-16.279	-0.0088	-2.5 to 2.5	Pass
	40	3.85	-11.959	-0.0064	-2.5 to 2.5	Pass			
	50	3.85	-13.862	-0.0075	-2.5 to 2.5	Pass			
	1882.5	75	0	20	3.27	9.785	0.0052	-2.5 to 2.5	Pass
					3.85	13.146	0.0070	-2.5 to 2.5	Pass
					4.43	22.359	0.0119	-2.5 to 2.5	Pass
				-30	3.85	24.261	0.0129	-2.5 to 2.5	Pass
				-20	3.85	23.074	0.0123	-2.5 to 2.5	Pass
				-10	3.85	27.823	0.0148	-2.5 to 2.5	Pass
				0	3.85	29.697	0.0158	-2.5 to 2.5	Pass
				10	3.85	27.595	0.0147	-2.5 to 2.5	Pass
				30	3.85	20.771	0.0110	-2.5 to 2.5	Pass
				40	3.85	21.987	0.0117	-2.5 to 2.5	Pass
	50	3.85	19.827	0.0105	-2.5 to 2.5	Pass			
	1907.5	75	0	20	3.27	19.526	0.0102	-2.5 to 2.5	Pass
					3.85	13.046	0.0068	-2.5 to 2.5	Pass
					4.43	16.494	0.0086	-2.5 to 2.5	Pass
				-30	3.85	12.360	0.0065	-2.5 to 2.5	Pass
				-20	3.85	36.049	0.0189	-2.5 to 2.5	Pass
				-10	3.85	48.008	0.0252	-2.5 to 2.5	Pass
				0	3.85	49.496	0.0259	-2.5 to 2.5	Pass
10				3.85	51.456	0.0270	-2.5 to 2.5	Pass	
30				3.85	6.523	0.0034	-2.5 to 2.5	Pass	
40				3.85	-3.762	-0.0020	-2.5 to 2.5	Pass	
50	3.85	-5.035	-0.0026	-2.5 to 2.5	Pass				

## 2.1.6 B25\_20MHz

Band: 25 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	-0.229	-0.0001	-2.5 to 2.5	Pass
					3.85	-28.081	-0.0151	-2.5 to 2.5	Pass
					4.43	-31.929	-0.0172	-2.5 to 2.5	Pass
				-30	3.85	-35.033	-0.0188	-2.5 to 2.5	Pass
				-20	3.85	-36.178	-0.0195	-2.5 to 2.5	Pass
				-10	3.85	-38.738	-0.0208	-2.5 to 2.5	Pass
				0	3.85	-28.968	-0.0156	-2.5 to 2.5	Pass
				10	3.85	-39.167	-0.0211	-2.5 to 2.5	Pass
				30	3.85	-41.170	-0.0221	-2.5 to 2.5	Pass
				40	3.85	-47.121	-0.0253	-2.5 to 2.5	Pass
	50	3.85	-39.554	-0.0213	-2.5 to 2.5	Pass			
	1882.5	100	0	20	3.27	0.930	0.0005	-2.5 to 2.5	Pass
					3.85	-14.105	-0.0075	-2.5 to 2.5	Pass
					4.43	-15.178	-0.0081	-2.5 to 2.5	Pass
				-30	3.85	-11.630	-0.0062	-2.5 to 2.5	Pass
-20				3.85	-1.616	-0.0009	-2.5 to 2.5	Pass	
-10	3.85	5.865	0.0031	-2.5 to 2.5	Pass				

				0	3.85	8.955	0.0048	-2.5 to 2.5	Pass				
				10	3.85	3.376	0.0018	-2.5 to 2.5	Pass				
				30	3.85	9.871	0.0052	-2.5 to 2.5	Pass				
				40	3.85	15.922	0.0085	-2.5 to 2.5	Pass				
				50	3.85	13.018	0.0069	-2.5 to 2.5	Pass				
	1905	100	0	20	3.27	14.076	0.0074	-2.5 to 2.5	Pass				
					3.85	8.311	0.0044	-2.5 to 2.5	Pass				
					4.43	10.214	0.0054	-2.5 to 2.5	Pass				
				-30	3.85	16.437	0.0086	-2.5 to 2.5	Pass				
				-20	3.85	29.483	0.0155	-2.5 to 2.5	Pass				
				-10	3.85	36.120	0.0190	-2.5 to 2.5	Pass				
				0	3.85	37.866	0.0199	-2.5 to 2.5	Pass				
				10	3.85	-9.255	-0.0049	-2.5 to 2.5	Pass				
				30	3.85	-5.479	-0.0029	-2.5 to 2.5	Pass				
				40	3.85	5.794	0.0030	-2.5 to 2.5	Pass				
				50	3.85	5.636	0.0030	-2.5 to 2.5	Pass				
				16QAM	1860	100	0	20	3.27	-42.572	-0.0229	-2.5 to 2.5	Pass
									3.85	-45.319	-0.0244	-2.5 to 2.5	Pass
									4.43	-44.875	-0.0241	-2.5 to 2.5	Pass
-30	3.85	-0.944	-0.0005					-2.5 to 2.5	Pass				
-20	3.85	-9.799	-0.0053					-2.5 to 2.5	Pass				
-10	3.85	-15.078	-0.0081					-2.5 to 2.5	Pass				
0	3.85	-15.965	-0.0086					-2.5 to 2.5	Pass				
10	3.85	-14.448	-0.0078					-2.5 to 2.5	Pass				
30	3.85	-14.548	-0.0078					-2.5 to 2.5	Pass				
40	3.85	-18.139	-0.0098					-2.5 to 2.5	Pass				
50	3.85	-12.460	-0.0067					-2.5 to 2.5	Pass				
1882.5	100	0	20					3.27	5.994	0.0032	-2.5 to 2.5	Pass	
								3.85	20.843	0.0111	-2.5 to 2.5	Pass	
								4.43	25.091	0.0133	-2.5 to 2.5	Pass	
			-30					3.85	25.549	0.0136	-2.5 to 2.5	Pass	
			-20		3.85	22.860	0.0121	-2.5 to 2.5	Pass				
			-10		3.85	16.994	0.0090	-2.5 to 2.5	Pass				
			0		3.85	19.469	0.0103	-2.5 to 2.5	Pass				
			10		3.85	11.787	0.0063	-2.5 to 2.5	Pass				
			30		3.85	10.529	0.0056	-2.5 to 2.5	Pass				
			40		3.85	17.138	0.0091	-2.5 to 2.5	Pass				
			50		3.85	5.293	0.0028	-2.5 to 2.5	Pass				
			1905		100	0	20	3.27	36.478	0.0191	-2.5 to 2.5	Pass	
								3.85	2.847	0.0015	-2.5 to 2.5	Pass	
								4.43	-7.768	-0.0041	-2.5 to 2.5	Pass	
							-30	3.85	-13.089	-0.0069	-2.5 to 2.5	Pass	
-20	3.85	-12.445					-0.0065	-2.5 to 2.5	Pass				
-10	3.85	-20.041					-0.0105	-2.5 to 2.5	Pass				
0	3.85	-21.715					-0.0114	-2.5 to 2.5	Pass				
10	3.85	-23.975					-0.0126	-2.5 to 2.5	Pass				
30	3.85	-22.216		-0.0117			-2.5 to 2.5	Pass					
40	3.85	-21.300		-0.0112			-2.5 to 2.5	Pass					
50	3.85	-31.257		-0.0164			-2.5 to 2.5	Pass					

### 3. Modulation Characteristics

#### 3.1 Test Result

##### 3.1.1 B25\_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	6	0	Refer To Test Graph		Pass
16QAM	1882.5	6	0	Refer To Test Graph		Pass

### 3.1.2 B25\_3MHz

Band: 25 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	15	0	Refer To Test Graph		Pass
16QAM	1882.5	15	0	Refer To Test Graph		Pass

### 3.1.3 B25\_5MHz

Band: 25 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	25	0	Refer To Test Graph		Pass
16QAM	1882.5	25	0	Refer To Test Graph		Pass

### 3.1.4 B25\_10MHz

Band: 25 / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	50	0	Refer To Test Graph		Pass
16QAM	1882.5	50	0	Refer To Test Graph		Pass

### 3.1.5 B25\_15MHz



Band: 25 / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	75	0	Refer To Test Graph		Pass
16QAM	1882.5	75	0	Refer To Test Graph		Pass

### 3.1.6 B25\_20MHz

Band: 25 / Bandwidth: 20MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1882.5	100	0	Refer To Test Graph		Pass
16QAM	1882.5	100	0	Refer To Test Graph		Pass

### 3.2 Test Graph

#### 3.2.1 B25\_1.4MHz



### 3.2.2 B25\_3MHz

**Band25\_3MHz\_QPSK\_MCH\_1882.5MHz\_RB\_15\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1882.5 MHz Ref. Level: 38.30 dBm BW: 3.0 MHz CP: Normal Meas Subfr./Slot: 0 / All

IO Constellation

Statistic Count  
20 / 20


Out of Tolerance  
0.00 %

Detected Modulation  
QPSK

Detected Channel Type  
PUSCH

View Filter Throughput  
100.0 %

LTE



Multi Evaluation  
RDY

PS: Connection Established  
RRC State: Connected

RF Settings

Go To Local

Show Remote Screen

**Band25\_3MHz\_16QAM\_MCH\_1882.5MHz\_RB\_15\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1882.5 MHz Ref. Level: 38.30 dBm BW: 3.0 MHz CP: Normal Meas Subfr./Slot: 0 / All

IO Constellation

Statistic Count  
20 / 20


Out of Tolerance  
0.00 %

Detected Modulation  
16-QAM

Detected Channel Type  
PUSCH

View Filter Throughput  
100.0 %

LTE



Multi Evaluation  
RDY

PS: Connection Established  
RRC State: Connected

RF Settings

Go To Local

Show Remote Screen



### 3.2.3 B25\_5MHz


**Band25\_5MHz\_QPSK\_MCH\_1882.5MHz\_RB\_25\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX MeasurementLTE

Multi Evaluation PRACH SRSMulti Evaluation

FDD Freq.: 1882.5 MHz Ref. Level: 38.30 dBm BW: 5.0 MHz CP: Normal Meas Subfr./Slot: 0 / AllRDY

**IQ Constellation**



Statistic Count  
20 / 20

Out of Tolerance  
0.00 %

Detected Modulation  
QPSK

Detected Channel Type  
PUSCH

View Filter Throughput  
100.0 %

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling  
ON

PS: Connection EstablishedRRC State: Connected

Go To LocalShow Remote Screen


**Band25\_5MHz\_16QAM\_MCH\_1882.5MHz\_RB\_25\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX MeasurementLTE

Multi Evaluation PRACH SRSMulti Evaluation

FDD Freq.: 1882.5 MHz Ref. Level: 38.30 dBm BW: 5.0 MHz CP: Normal Meas Subfr./Slot: 0 / AllRDY

**IQ Constellation**



Statistic Count  
20 / 20

Out of Tolerance  
0.00 %

Detected Modulation  
16-QAM

Detected Channel Type  
PUSCH

View Filter Throughput  
100.0 %

RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling  
ON

PS: Connection EstablishedRRC State: Connected

Go To LocalShow Remote Screen

### 3.2.4 B25\_10MHz

**Band25\_10MHz\_QPSK\_MCH\_1882.5MHz\_RB\_50\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1882.5 MHz Ref. Level: 38.30 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 0 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **ON**



PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

**Band25\_10MHz\_16QAM\_MCH\_1882.5MHz\_RB\_50\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1882.5 MHz Ref. Level: 38.30 dBm BW: 10.0 MHz CP: Normal Meas Subfr./Slot: 0 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: 16-QAM

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **ON**



PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

### 3.2.5 B25\_15MHz

**Band25\_15MHz\_QPSK\_MCH\_1882.5MHz\_RB\_75\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1882.5 MHz Ref. Level: 38.20 dBm BW: 15.0 MHz CP: Normal Meas Subfr./Slot: 0 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: QPSK

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **ON**



PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

**Band25\_15MHz\_16QAM\_MCH\_1882.5MHz\_RB\_75\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1882.5 MHz Ref. Level: 38.20 dBm BW: 15.0 MHz CP: Normal Meas Subfr./Slot: 0 / All

IQ Constellation

Statistic Count: 20 / 20

Out of Tolerance: 0.00 %

Detected Modulation: 16-QAM

Detected Channel Type: PUSCH

View Filter Throughput: 100.0 %

LTE

Multi Evaluation **RDY**


RF Settings

Trigger

Display

Signaling Parameter

LTE Signaling **ON**



PS: Connection Established

RRC State: Connected

Go To Local

Show Remote Screen

### 3.2.6 B25\_20MHz

**Band25\_20MHz\_QPSK\_MCH\_1882.5MHz\_RB\_100\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1882.5 MHz Ref. Level: 38.70 dBm BW: 20.0 MHz CP: Normal Meas Subfr./Slot: 0 / All

IQ Constellation

Statistic Count: 20 / 20  
 Out of Tolerance: 0.00 %  
 Detected Modulation: QPSK  
 Detected Channel Type: PUSCH  
 View Filter Throughput: 100.0 %

PS: Connection Established  
 RRC State: Connected

Go To Local Show Remote Screen

LTE  
Multi Evaluation RDY  
RF Settings  
Trigger  
Display  
Signaling Parameter  
LTE Signaling ON

**Band25\_20MHz\_16QAM\_MCH\_1882.5MHz\_RB\_100\_0\_NTNV**

CMW 500 V 3.7.40 - LTE Measurement 1 - V3.7.30 - TX Measurement

Multi Evaluation PRACH SRS

FDD Freq.: 1882.5 MHz Ref. Level: 38.70 dBm BW: 20.0 MHz CP: Normal Meas Subfr./Slot: 0 / All

IQ Constellation

Statistic Count: 20 / 20  
 Out of Tolerance: 0.00 %  
 Detected Modulation: 16-QAM  
 Detected Channel Type: PUSCH  
 View Filter Throughput: 100.0 %

PS: Connection Established  
 RRC State: Connected

Go To Local Show Remote Screen

LTE  
Multi Evaluation RDY  
RF Settings  
Trigger  
Display  
Signaling Parameter  
LTE Signaling ON

## 4. 99% & 26dB Bandwidth

### 4.1 Test Result

#### 4.1.1 Band25\_OBW

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.112	/	Pass
		1882.5	6	0	1.111	/	Pass
		1914.3	6	0	1.107	/	Pass
	16QAM	1850.7	6	0	1.116	/	Pass
		1882.5	6	0	1.110	/	Pass
		1914.3	6	0	1.122	/	Pass
3	QPSK	1851.5	15	0	2.756	/	Pass
		1882.5	15	0	2.749	/	Pass
		1913.5	15	0	2.768	/	Pass
	16QAM	1851.5	15	0	2.763	/	Pass
		1882.5	15	0	2.747	/	Pass
		1913.5	15	0	2.785	/	Pass
5	QPSK	1852.5	25	0	4.547	/	Pass
		1882.5	25	0	4.541	/	Pass
		1912.5	25	0	4.564	/	Pass
	16QAM	1852.5	25	0	4.547	/	Pass
		1882.5	25	0	4.548	/	Pass
		1912.5	25	0	4.560	/	Pass
10	QPSK	1855	50	0	9.071	/	Pass
		1882.5	50	0	9.089	/	Pass
		1910	50	0	9.048	/	Pass
	16QAM	1855	50	0	9.086	/	Pass
		1882.5	50	0	9.077	/	Pass
		1910	50	0	9.050	/	Pass
15	QPSK	1857.5	75	0	13.622	/	Pass
		1882.5	75	0	13.610	/	Pass
		1907.5	75	0	13.640	/	Pass
	16QAM	1857.5	75	0	13.629	/	Pass
		1882.5	75	0	13.639	/	Pass
		1907.5	75	0	13.634	/	Pass
20	QPSK	1860	100	0	18.170	/	Pass
		1882.5	100	0	18.218	/	Pass
		1905	100	0	18.128	/	Pass
	16QAM	1860	100	0	18.168	/	Pass
		1882.5	100	0	18.223	/	Pass
		1905	100	0	18.156	/	Pass



#### 4.1.2 Band25\_XDB

Band: 25 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.274	/	Pass
		1882.5	6	0	1.286	/	Pass
		1914.3	6	0	1.274	/	Pass


	16QAM	1850.7	6	0	1.280	/	Pass
		1882.5	6	0	1.270	/	Pass
		1914.3	6	0	1.283	/	Pass
3	QPSK	1851.5	15	0	3.109	/	Pass
		1882.5	15	0	3.075	/	Pass
		1913.5	15	0	3.095	/	Pass
	16QAM	1851.5	15	0	3.109	/	Pass
		1882.5	15	0	3.106	/	Pass
		1913.5	15	0	3.088	/	Pass
5	QPSK	1852.5	25	0	5.052	/	Pass
		1882.5	25	0	5.083	/	Pass
		1912.5	25	0	5.052	/	Pass
	16QAM	1852.5	25	0	5.065	/	Pass
		1882.5	25	0	5.088	/	Pass
		1912.5	25	0	5.065	/	Pass
10	QPSK	1855	50	0	10.059	/	Pass
		1882.5	50	0	10.094	/	Pass
		1910	50	0	10.057	/	Pass
	16QAM	1855	50	0	10.083	/	Pass
		1882.5	50	0	10.065	/	Pass
		1910	50	0	10.051	/	Pass
15	QPSK	1857.5	75	0	15.078	/	Pass
		1882.5	75	0	15.240	/	Pass
		1907.5	75	0	15.167	/	Pass
	16QAM	1857.5	75	0	15.194	/	Pass
		1882.5	75	0	15.162	/	Pass
		1907.5	75	0	15.155	/	Pass
20	QPSK	1860	100	0	20.123	/	Pass
		1882.5	100	0	20.196	/	Pass
		1905	100	0	20.052	/	Pass
	16QAM	1860	100	0	19.534	/	Pass
		1882.5	100	0	20.090	/	Pass
		1905	100	0	20.276	/	Pass

## 4.2 Test Graph


### 4.2.1 Band25\_OBW



Band25\_1.4MHz\_QPSK\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV







Band25\_1.4MHz\_16QAM\_MCH\_1882.5MHz\_RB\_6\_0\_NTNV




Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




Band25\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_QPSK\_MCH\_1882.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_16QAM\_MCH\_1882.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV



Band25\_5MHz\_QPSK\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_QPSK\_MCH\_1882.5MHz\_RB\_25\_0\_NTNV







Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_MCH\_1882.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV



Band25\_10MHz\_QPSK\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_QPSK\_MCH\_1882.5MHz\_RB\_50\_0\_NTNV







Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_MCH\_1882.5MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_50\_0\_NTNV




Band25\_15MHz\_QPSK\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_QPSK\_MCH\_1882.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV



Band25\_15MHz\_16QAM\_MCH\_1882.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV







Band25\_20MHz\_QPSK\_LCH\_1860MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_QPSK\_MCH\_1882.5MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_100\_0\_NTNV



Band25\_20MHz\_16QAM\_MCH\_1882.5MHz\_RB\_100\_0\_NTNV





Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_100\_0\_NTNV







### 4.2.2 Band25\_XDB




Band25\_1.4MHz\_QPSK\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV




Band25\_1.4MHz\_16QAM\_MCH\_1882.5MHz\_RB\_6\_0\_NTNV




Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




Band25\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_QPSK\_MCH\_1882.5MHz\_RB\_15\_0\_NTNV



Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV







Band25\_3MHz\_16QAM\_MCH\_1882.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV




Band25\_5MHz\_QPSK\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_QPSK\_MCH\_1882.5MHz\_RB\_25\_0\_NTNV



Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV







Band25\_5MHz\_16QAM\_MCH\_1882.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV




Band25\_10MHz\_QPSK\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_QPSK\_MCH\_1882.5MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_MCH\_1882.5MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_50\_0\_NTNV



Band25\_15MHz\_QPSK\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_QPSK\_MCH\_1882.5MHz\_RB\_75\_0\_NTNV







Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_MCH\_1882.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV



Band25\_20MHz\_QPSK\_LCH\_1860MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_QPSK\_MCH\_1882.5MHz\_RB\_100\_0\_NTNV







Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_100\_0\_NTNV



Band25\_20MHz\_16QAM\_MCH\_1882.5MHz\_RB\_100\_0\_NTNV



Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_100\_0\_NTNV



## 5. Peak-Average Ratio

### 5.1 Test Result

#### 5.1.1 B25\_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.56	<=13	Pass
	1882.5	6	0	5.48	<=13	Pass
	1914.3	6	0	5.55	<=13	Pass
16QAM	1850.7	6	0	6.20	<=13	Pass
	1882.5	6	0	6.12	<=13	Pass
	1914.3	6	0	6.19	<=13	Pass

#### 5.1.2 B25\_3MHz

Band: 25 / Bandwidth: 3MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.50	<=13	Pass
	1882.5	15	0	5.38	<=13	Pass
	1913.5	15	0	5.50	<=13	Pass
16QAM	1851.5	15	0	5.51	<=13	Pass
	1882.5	15	0	5.37	<=13	Pass
	1913.5	15	0	5.56	<=13	Pass

#### 5.1.3 B25\_5MHz

Band: 25 / Bandwidth: 5MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.57	<=13	Pass
	1882.5	25	0	5.49	<=13	Pass
	1912.5	25	0	5.54	<=13	Pass
16QAM	1852.5	25	0	6.18	<=13	Pass
	1882.5	25	0	6.18	<=13	Pass
	1912.5	25	0	6.20	<=13	Pass

#### 5.1.4 B25\_10MHz

Band: 25 / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.59	<=13	Pass
	1882.5	50	0	5.56	<=13	Pass
	1910	50	0	5.63	<=13	Pass
16QAM	1855	50	0	5.58	<=13	Pass
	1882.5	50	0	5.57	<=13	Pass

	1910	50	0	5.61	<=13	Pass
--	------	----	---	------	------	------

### 5.1.5 B25\_15MHz



Band: 25 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.90	<=13	Pass
	1882.5	75	0	5.84	<=13	Pass
	1907.5	75	0	5.90	<=13	Pass
16QAM	1857.5	75	0	6.28	<=13	Pass
	1882.5	75	0	6.20	<=13	Pass
	1907.5	75	0	6.28	<=13	Pass

### 5.1.6 B25\_20MHz


Band: 25 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.70	<=13	Pass
	1882.5	100	0	5.62	<=13	Pass
	1905	100	0	5.67	<=13	Pass
16QAM	1860	100	0	5.71	<=13	Pass
	1882.5	100	0	5.62	<=13	Pass
	1905	100	0	5.69	<=13	Pass

## 5.2 Test Graph


### 5.2.1 B25\_1.4MHz




Band25\_1.4MHz\_QPSK\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV





Band25\_1.4MHz\_16QAM\_MCH\_1882.5MHz\_RB\_6\_0\_NTNV



Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




### 5.2.2 B25\_3MHz







Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV





Band25\_3MHz\_16QAM\_MCH\_1882.5MHz\_RB\_15\_0\_NTNV




Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV




### 5.2.3 B25\_5MHz




Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV





Band25\_5MHz\_16QAM\_MCH\_1882.5MHz\_RB\_25\_0\_NTNV




Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV




### 5.2.4 B25\_10MHz



Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_50\_0\_NTNV








Band25\_10MHz\_16QAM\_MCH\_1882.5MHz\_RB\_50\_0\_NTNV




Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_50\_0\_NTNV




### 5.2.5 B25\_15MHz




Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV





Band25\_15MHz\_16QAM\_MCH\_1882.5MHz\_RB\_75\_0\_NTNV




Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV




### 5.2.6 B25\_20MHz




Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_100\_0\_NTNV




Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_100\_0\_NTNV



Band25\_20MHz\_16QAM\_MCH\_1882.5MHz\_RB\_100\_0\_NTNV



Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_100\_0\_NTNV





## 6. Spurious Emission

### 6.1 Test Result

#### 6.1.1 B25\_1.4MHz

Band: 25 / Bandwidth: 1.4MHz / NTNV							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	1850.7	1	0	Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass	
	1882.5	1	0	Refer To Test Graph		Pass	
		1914.3	1	0	Refer To Test Graph		Pass
				5	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass
16QAM	1850.7	1	0	Refer To Test Graph		Pass	
		6	0	Refer To Test Graph		Pass	
	1882.5	1	0	Refer To Test Graph		Pass	
		1914.3	1	0	Refer To Test Graph		Pass
				5	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass

#### 6.1.2 B25\_3MHz

Band: 25 / Bandwidth: 3MHz / NTNV							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	1851.5	1	0	Refer To Test Graph		Pass	
		15	0	Refer To Test Graph		Pass	
	1882.5	1	0	Refer To Test Graph		Pass	
		1913.5	1	0	Refer To Test Graph		Pass
				14	Refer To Test Graph		Pass
			15	0	Refer To Test Graph		Pass
16QAM	1851.5	1	0	Refer To Test Graph		Pass	
		15	0	Refer To Test Graph		Pass	
	1882.5	1	0	Refer To Test Graph		Pass	
		1913.5	1	0	Refer To Test Graph		Pass
				14	Refer To Test Graph		Pass
			15	0	Refer To Test Graph		Pass

#### 6.1.3 B25\_5MHz

Band: 25 / Bandwidth: 5MHz / NTNV							
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict	
		Size	Offset	Result	Limit		
QPSK	1852.5	1	0	Refer To Test Graph		Pass	
		25	0	Refer To Test Graph		Pass	
	1882.5	1	0	Refer To Test Graph		Pass	
		1912.5	1	0	Refer To Test Graph		Pass
				24	Refer To Test Graph		Pass
			25	0	Refer To Test Graph		Pass
16QAM	1852.5	1	0	Refer To Test Graph		Pass	

		25	0	Refer To Test Graph	Pass
	1882.5	1	0	Refer To Test Graph	Pass
	1912.5	1	0	Refer To Test Graph	Pass
			24	Refer To Test Graph	Pass
		25	0	Refer To Test Graph	Pass

#### 6.1.4 B25\_10MHz

Band: 25 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	1910	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
			0	Refer To Test Graph	Pass	
16QAM	1855	1	0	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
	1910	1	0	Refer To Test Graph	Pass	
			49	Refer To Test Graph	Pass	
		50	0	Refer To Test Graph	Pass	
			0	Refer To Test Graph	Pass	

#### 6.1.5 B25\_15MHz

Band: 25 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	1	0	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	
	1907.5	1	0	Refer To Test Graph	Pass	
			74	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	
			0	Refer To Test Graph	Pass	
16QAM	1857.5	1	0	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	
	1907.5	1	0	Refer To Test Graph	Pass	
			74	Refer To Test Graph	Pass	
		75	0	Refer To Test Graph	Pass	
			0	Refer To Test Graph	Pass	



#### 6.1.6 B25\_20MHz

Band: 25 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	1	0	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
	1905	1	0	Refer To Test Graph	Pass	
			99	Refer To Test Graph	Pass	
		100	0	Refer To Test Graph	Pass	
			0	Refer To Test Graph	Pass	
16QAM	1860	1	0	Refer To Test Graph	Pass	


		100	0	Refer To Test Graph	Pass
	1882.5	1	0	Refer To Test Graph	Pass
	1905	1	0	Refer To Test Graph	Pass
99			Refer To Test Graph	Pass	
100		0	Refer To Test Graph	Pass	

## 6.2 Test Graph


### 6.2.1 B25\_1.4MHz



Band25\_1.4MHz\_QPSK\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_QPSK\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.566	-42.62	-13	Pass
1849	1850	0.013	/	2	1850.000	-31.09	-13	Pass
1850	1851.5	0.013	/	/	/	/	/	/


Band25\_1.4MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV



Band25\_1.4MHz\_QPSK\_HCH\_1914.3MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_QPSK\_HCH\_1914.3MHz\_RB\_1\_0\_NTNV






Band25\_1.4MHz\_QPSK\_HCH\_1914.3MHz\_RB\_1\_5\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1913.5	1915	0.003	/	1	1915.015	-37.95	-13	Pass
1915	1916	0.003	/	2	1916.006	-62.16	-13	Pass

Band25\_1.4MHz\_QPSK\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1913.5	1915	0.013	/	1	1915.006	-32.04	-13	Pass
1915	1916.5	1	/	2	1916.113	-43.42	-13	Pass


Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV



Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_16QAM\_LCH\_1850.7MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1848.5	1849	1	/	1	1848.992	-42.95	-13	Pass
1849	1850	0.013	/	2	1849.994	-31.76	-13	Pass
1850	1851.5	0.013	/	/	/	/	/	/


Band25\_1.4MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV



Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_1\_0\_NTNV




Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_1\_0\_NTNV






Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_1\_5\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1913.5	1915	0.003	/	1	1915.018	-39.37	-13	Pass
1915	1916	0.003	/	1	1915.018	-39.37	-13	Pass
1916	1916.5	1	/	2	1916.001	-62.56	-13	Pass


Band25\_1.4MHz\_16QAM\_HCH\_1914.3MHz\_RB\_6\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1913.5	1915	0.013	/	1	1915.003	-31.52	-13	Pass
1915	1916	0.013	/	1	1915.003	-31.52	-13	Pass
1916	1916.5	1	/	2	1916.050	-42.90	-13	Pass

### 6.2.2 B25\_3MHz

Band25\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV






Band25\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_QPSK\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.494	-24.35	-13	Pass
1849	1850	0.033	/	2	1849.994	-26.62	-13	Pass
1850	1853	0.033	/	/	/	/	/	/


Band25\_3MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_1\_0\_NTNV



Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_1\_14\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	1	1915.003	-26.53	-13	Pass
1915	1916	0.003	CHP	2	1917.049	-31.60	-13	Pass

Band25\_3MHz\_QPSK\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.033	/	1	1915.000	-25.56	-13	Pass
1915	1916	0.033	CHP	2	1916.002	-26.33	-13	Pass


Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_1\_0\_NTV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1847.852	-31.79	-13	Pass
1849	1850	0.003	/	2	1849.998	-28.12	-13	Pass
1850	1853	0.003	/	/	/	/	/	/

2024-07-22 20:15:46


Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_1\_0\_NTV




2024-07-22 20:15:55



Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_16QAM\_LCH\_1851.5MHz\_RB\_15\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1847	1849	1	CHP	1	1848.494	-24.30	-13	Pass
1849	1850	0.033	/	2	1850.000	-26.76	-13	Pass
1850	1853	0.033	/	/	/	/	/	/

Band25\_3MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV







Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_1\_0\_NTNV



Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_1\_0\_NTNV




Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_1\_14\_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.003	/	1	1915.005	-28.18	-13	Pass
1915	1916	0.003	/	2	1917.088	-32.26	-13	Pass


Band25\_3MHz\_16QAM\_HCH\_1913.5MHz\_RB\_15\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1912	1915	0.033	/	1	1915.006	-28.07	-13	Pass
1915	1916	0.033	/	2	1916.002	-24.75	-13	Pass

### 6.2.3 B25\_5MHz


Band25\_5MHz\_QPSK\_LCH\_1852.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_QPSK\_LCH\_1852.5MHz\_RB\_1\_0\_NTNV



Band25\_5MHz\_QPSK\_LCH\_1852.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_QPSK\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.490	-26.32	-13	Pass
1849	1850	0.051	/	2	1849.970	-33.33	-13	Pass
1850	1855	0.051	/	/	/	/	/	/

Band25\_5MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV







Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_1\_0\_NTNV



Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_1\_24\_NTNV




Band25\_5MHz\_QPSK\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV







Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_1\_0\_NTNV



Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_16QAM\_LCH\_1852.5MHz\_RB\_25\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.490	-24.87	-13	Pass
1849	1850	0.051	/	2	1850.000	-33.82	-13	Pass
1850	1855	0.051	/	/	/	/	/	/


Band25\_5MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_1\_0\_NTNV




Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_1\_0\_NTNV



Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_1\_24\_NTNV




Band25\_5MHz\_16QAM\_HCH\_1912.5MHz\_RB\_25\_0\_NTNV






### 6.2.4 B25\_10MHz


Band25\_10MHz\_QPSK\_LCH\_1855MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_QPSK\_LCH\_1855MHz\_RB\_1\_0\_NTNV



Band25\_10MHz\_QPSK\_LCH\_1855MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_QPSK\_LCH\_1855MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.460	-28.47	-13	Pass
1849	1850	0.11	/	2	1850.000	-34.07	-13	Pass
1850	1860	0.11	/	/	/	/	/	/




Band25\_10MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_1\_0\_NTNV



Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_1\_49\_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.003	/	1	1915.005	-50.01	-13	Pass
1915	1916	0.003	CHP	2	1916.003	-30.48	-13	Pass

Band25\_10MHz\_QPSK\_HCH\_1910MHz\_RB\_50\_0\_NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.11	/	1	1915.000	-36.22	-13	Pass
1915	1925	1	CHP	2	1916.020	-30.94	-13	Pass

Band25\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_1\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.497	-28.15	-13	Pass
1849	1850	0.003	/	2	1849.993	-48.36	-13	Pass
1850	1860	0.003	/	/	/	/	/	/


Band25\_10MHz\_16QAM\_LCH\_1855MHz\_RB\_1\_0\_NTNV



Band25\_10MHz\_16QAM\_LCH\_185MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_16QAM\_LCH\_185MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1840	1849	1	CHP	1	1848.480	-28.42	-13	Pass
1849	1850	0.11	/	2	1849.580	-35.02	-13	Pass
1850	1860	0.11	/	/	/	/	/	/




Band25\_10MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV



Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_1\_0\_NTNV




Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_1\_0\_NTNV






Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_1\_49\_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.003	/	1	1915.003	-49.85	-13	Pass
1915	1925	1	CHP	2	1916.003	-30.56	-13	Pass

Band25\_10MHz\_16QAM\_HCH\_1910MHz\_RB\_50\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1915	0.11	/	1	1915.100	-36.40	-13	Pass
1915	1925	1	CHP	2	1916.020	-30.97	-13	Pass


### 6.2.5 B25\_15MHz



Band25\_15MHz\_QPSK\_LCH\_1857.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_QPSK\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1847.240	-28.73	-13	Pass
1849	1850	0.16	/	2	1849.970	-34.04	-13	Pass
1850	1865	0.16	/	/	/	/	/	/


Band25\_15MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV



Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_1\_0\_NTNV






Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_1\_74\_NTNV




Band25\_15MHz\_QPSK\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV







Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_1\_0\_NTNV



Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_16QAM\_LCH\_1857.5MHz\_RB\_75\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1835	1849	1	CHP	1	1847.780	-27.80	-13	Pass
1849	1850	0.16	/	2	1850.000	-32.57	-13	Pass
1850	1865	0.16	/	/	/	/	/	/


Band25\_15MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_1\_0\_NTNV




Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_1\_0\_NTNV



Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_1\_74\_NTNV




Band25\_15MHz\_16QAM\_HCH\_1907.5MHz\_RB\_75\_0\_NTNV






### 6.2.6 B25\_20MHz

Band25\_20MHz\_QPSK\_LCH\_1860MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_QPSK\_LCH\_1860MHz\_RB\_1\_0\_NTNV






Band25\_20MHz\_QPSK\_LCH\_1860MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_QPSK\_LCH\_1860MHz\_RB\_100\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1847.960	-30.36	-13	Pass
1849	1850	0.22	/	2	1849.960	-33.88	-13	Pass
1850	1870	0.22	/	/	/	/	/	/


Band25\_20MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_QPSK\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_1\_99\_NTV




Band25\_20MHz\_QPSK\_HCH\_1905MHz\_RB\_100\_0\_NTV



Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_1\_0\_NTNV






Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_16QAM\_LCH\_1860MHz\_RB\_100\_0\_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1830	1849	1	CHP	1	1848.480	-29.19	-13	Pass
1849	1850	0.2	/	2	1849.880	-33.87	-13	Pass
1850	1870	0.2	/	/	/	/	/	/




Band25\_20MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_16QAM\_MCH\_1882.5MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_1\_0\_NTNV




Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_1\_0\_NTNV



Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_1\_99\_NTNV



Band25\_20MHz\_16QAM\_HCH\_1905MHz\_RB\_100\_0\_NTNV



## 7. Form731

### 7.1 Test Result

#### 7.1.1 Form731\_Power

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
25	1.4	1850.7	1914.3	0.1746	0.0211	ppm	1M11G7D	24E	22.42
25	1.4	1850.7	1914.3	0.1607	0.0196	ppm	1M12W7D	24E	22.06
25	3	1851.5	1913.5	0.1663	0.0220	ppm	2M77G7D	24E	22.21
25	3	1851.5	1913.5	0.1811	0.0254	ppm	2M79W7D	24E	22.58
25	5	1852.5	1912.5	0.1718	0.0229	ppm	4M56G7D	24E	22.35
25	5	1852.5	1912.5	0.1596	0.0253	ppm	4M56W7D	24E	22.03
25	10	1855	1910	0.1683	0.0215	ppm	9M09G7D	24E	22.26
25	10	1855	1910	0.1782	0.0223	ppm	9M09W7D	24E	22.51
25	15	1857.5	1907.5	0.1671	0.0185	ppm	13M6G7D	24E	22.23
25	15	1857.5	1907.5	0.1687	0.0270	ppm	13M6W7D	24E	22.27
25	20	1860	1905	0.1660	0.0253	ppm	18M2G7D	24E	22.20
25	20	1860	1905	0.1633	0.0244	ppm	18M2W7D	24E	22.13

#### 7.1.2 Form731\_EIRP

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
25	1.4	1850.7	1914.3	0.3177	0.0211	ppm	1M11G7D	24E	25.02
25	1.4	1850.7	1914.3	0.2924	0.0196	ppm	1M12W7D	24E	24.66
25	3	1851.5	1913.5	0.3027	0.0220	ppm	2M77G7D	24E	24.81
25	3	1851.5	1913.5	0.3296	0.0254	ppm	2M79W7D	24E	25.18
25	5	1852.5	1912.5	0.3126	0.0229	ppm	4M56G7D	24E	24.95
25	5	1852.5	1912.5	0.2904	0.0253	ppm	4M56W7D	24E	24.63
25	10	1855	1910	0.3062	0.0215	ppm	9M09G7D	24E	24.86
25	10	1855	1910	0.3243	0.0223	ppm	9M09W7D	24E	25.11
25	15	1857.5	1907.5	0.3041	0.0185	ppm	13M6G7D	24E	24.83
25	15	1857.5	1907.5	0.3069	0.0270	ppm	13M6W7D	24E	24.87
25	20	1860	1905	0.3020	0.0253	ppm	18M2G7D	24E	24.80
25	20	1860	1905	0.2972	0.0244	ppm	18M2W7D	24E	24.73